Screenshots of Chatgpt Chat:





ChatGPT

Share

New chat
Search chats
Library
Sora
GPTs

Chats
Read JSON Messages Example
SweetBottle Companion Cube
Terraria Crate Accessory Mod
Honey Crate Mod Item
Custom Damage Type Setup
tModLoader recipe variant
Momentum from kinetic energy
Network Design Assistance
Terraria Projectile Modification
Split Projectile Code
OnSpawn method fix
Spawn Stars from Sky
Network Architecture Outline
Networking Knowledge Quiz
Bus Topology Failure Point
CS0115 OnHitNPC Fix

Upgrade plan
More access to the best models

```
            new TypeReference<List<Message>>() {}
        );

        // Print the messages
        for (Message msg : messages) {
            System.out.println(msg);
        }
    } catch (Exception e) {
        e.printStackTrace();
    }
  }
}
```

Copy Edit

Output:

```vbnet
[1] From: Alice To: Bob - Hello, Bob!
[2] From: Charlie To: Dana - Good morning!
```

Copy Edit

Would you like an example using **Gson** or storing into a fixed-size **array** instead of a `List`?

Ask anything

Tools

ChatGPT can make mistakes. Check important info. See Cookie Preferences.

26°C Partly sunny

Search

ENG US 16:32 2025/06/25

ChatGPT

Share

New chat
Search chats
Library
Sora
GPTs

Chats
Read JSON Messages Example
SweetBottle Companion Cube
Terraria Crate Accessory Mod
Honey Crate Mod Item
Custom Damage Type Setup
tModLoader recipe variant
Momentum from kinetic energy
Network Design Assistance
Terraria Projectile Modification
Split Projectile Code
OnSpawn method fix
Spawn Stars from Sky
Network Architecture Outline
Networking Knowledge Quiz
Bus Topology Failure Point
CS0115 OnHitNPC Fix

Upgrade plan
More access to the best models

Java code to read the JSON array into a list of `Message` objects

You can use a JSON library like **Jackson** or **Gson**. Here's an example using **Jackson**:

Add Jackson dependency (if using Maven)

```xml
<dependency>
    <groupId>com.fasterxml.jackson.core</groupId>
    <artifactId>jackson-databind</artifactId>
    <version>2.17.1</version>
</dependency>
```

Copy Edit

JSON reading code

```java
import com.fasterxml.jackson.databind.ObjectMapper;
import com.fasterxml.jackson.core.type.TypeReference;
import java.io.File;
import java.util.List;

public class MessageReader {
    public static void main(String[] args) {
        try {
            ObjectMapper mapper = new ObjectMapper();

            // Read the JSON file into a list of Message objects
            List<Message> messages = mapper.readValue(
                new File("messages.json"),
                new TypeReference<List<Message>>() {}
```

Copy Edit

Ask anything

Tools

ChatGPT can make mistakes. Check important info. See Cookie Preferences.

26°C Partly sunny

Search

ENG US 16:32 2025/06/25

ChatGPT

Share

New chat
Search chats
Library
Sora
GPTs

Chats
- Read JSON Messages Example
- SweetBottle Companion Cube
- Terraria Crate Accessory Mod
- Honey Crate Mod Item
- Custom Damage Type Setup
- tModLoader recipe variant
- Momentum from kinetic energy
- Network Design Assistance
- Terraria Projectile Modification
- Split Projectile Code
- OnSpawn method fix
- Spawn Stars from Sky
- Network Architecture Outline
- Networking Knowledge Quiz
- Bus Topology Failure Point
- CS0115 OnHitNPC Fix

Upgrade plan
More access to the best models

Java code to read the JSON array into a list of `Message` objects

You can use a JSON library like **Jackson** or **Gson**. Here's an example using **Jackson**:

Add Jackson dependency (if using Maven)

xml — Copy — Edit

```xml
<dependency>
    <groupId>com.fasterxml.jackson.core</groupId>
    <artifactId>jackson-databind</artifactId>
    <version>2.17.1</version>
</dependency>
```

JSON reading code

java — Copy — Edit

```java
import com.fasterxml.jackson.databind.ObjectMapper;
import com.fasterxml.jackson.core.type.TypeReference;
import java.io.File;
import java.util.List;

public class MessageReader {
    public static void main(String[] args) {
        try {
            ObjectMapper mapper = new ObjectMapper();

            // Read the JSON file into a list of Message objects
            List<Message> messages = mapper.readValue(
                new File("messages.json"),
                new TypeReference<List<Message>>() {}
```

Ask anything

Tools

ChatGPT can make mistakes. Check important info. See Cookie Preferences.

26°C
Partly sunny

Search

ENG
US

16:32
2025/06/25