

# Sensemaking and AI 2026: Uses, Behaviors, Design, and Recommendations

Daniel M. Russell  
Computer Science  
Stanford University  
Palo Alto, California, USA  
dmrussell@gmail.com

Aniket Kittur  
Computer Science  
CMU  
Pittsburgh, Pennsylvania, USA  
nkittur@gmail.com

Laura Koesten  
Computer Science  
MBZAIU (Abu Dhabi)  
Abu Dhabi, United Arab Emirates  
laura.koesten@gmail.com

Regina Schuster  
Computer Science  
University of Vienna  
Vienna, Austria  
regina.maria.veronika.schuster@univie.ac.at

## Abstract

Sensemaking is a common activity in the analysis of a large or complex amount of information. It has also been an active area of research for at least 25 years. Such an active area of HCI research over a quarter century poses fundamental questions about how do people come to understand difficult sets of information? How do they find the data in the first place? How do their sensemaking tools help frame (or hinder) their ability to understand? The information workplace is increasingly dominated by high velocity, high volume, and complex information streams. At the same time, understanding how sensemaking operates has become an urgent need in an era of increasingly unreliable news and information sources. We are at a time when poor AI sensemaking can have terrible consequences while increasing reliance on automated sensemaking tools can degrade our human capabilities for sensemaking. There has been a huge amount of work in this space, the research involved is scattered over a number of different domains with differing approaches. This workshop will focus on the most recent work in sensemaking, the methods, technologies and behaviors that people do when making sense of their complex information spaces. Given the immense amount of work in using AI tools for sensemaking purposes, we will also create a wide-ranging synthesis of sensemaking AI systems over the past several years. Our goal is to create a cross-disciplinary view of how sensemaking works in people, along with the human behaviors, biases, proclivities, and technologies required to support it.

## CCS Concepts

• **Human-centered computing** → Human computer interaction (HCI); HCI theory, concepts and models; Human computer interaction (HCI); Empirical studies in HCI.

## Keywords

Sensemaking, generative AI, information analysis, information understanding

### ACM Reference Format:

Daniel M. Russell, Laura Koesten, Aniket Kittur, and Regina Schuster. 2026. Sensemaking and AI 2026: Uses, Behaviors, Design, and Recommendations. In *Extended Abstracts of the 2026 CHI Conference on Human Factors in Computing Systems (CHI EA '26)*, April 13–17, 2026, Barcelona, Spain. ACM, New York, NY, USA, 4 pages. <https://doi.org/10.1145/3772363.3779006>

## 1 Introduction

Making sense of the world is a very common activity. It happens whenever you confront a new, complex problem, or a conflicting set of diverse information sources. At work, your boss asks, “Can you give a presentation next week on how wireless will affect our business?” Or perhaps you join a new committee and wonder “Who are these people?” “Who is in charge?” “What is our mission?” Perhaps you move to a new neighborhood, and try to make sense of the streets, schools, parks, shopping, and neighbors. Likewise, the imperative for citizens to make sense of competing and conflicting news sources is important. Each of these is a sensemaking task for a particular domain. The rise of AI, chatbots, and personal assistants have all focused on providing simple informational results, rather than helping with the hard work of connecting the dots and accomplishing complex tasks. The availability of data has continued to increase exponentially, but has led to few transformative novel paradigms for making sense of it. More recently, sensemaking has become an important factor in our ability to read and understand world events.

Consider the spread of fake news as a kind of challenge to our ability to make sense of competing (and often contradictory) information. We see a fragmenting of attention, a lack of trust, and an inability of people to comprehend scientific information. In a world where there is a new rise of big data, the need for sensemaking is greater than ever. On the other hand, the tools that we have for making sense of information are no better—and in many cases are now worse—than they have ever been.

For example, in the past two years Large Language Models (e.g., ChatGPT, Llama, Gemini, Perplexity, or Claude) are offering entirely new capabilities for making sense of complexity through their new

---

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI EA '26, Barcelona, Spain

© 2026 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-2281-3/2026/04

<https://doi.org/10.1145/3772363.3779006>

summarization and abstraction capabilities. Yet these new tools pose new challenges for sensemaking because of their lack of true understanding of the text they generate, and the apparent high quality of what they write. The rise of AI, chatbots, and personal assistants have all focused on providing simple informational results, rather than helping with the hard work of connecting the dots and accomplishing complex tasks. Even with so much data and changes to the types of data, the field has had few transformative and novel paradigms for making sense of it. These kinds of information sensemaking tasks presage a process of collecting, understanding, and organizing data. [5, 16, 17]

Often the information can be organized into a fairly simple structure, one that helps to solve the problem. But as we well know, the process is sometimes ill-defined, iterative and complex: information retrieval, organization and task redefinition all interact in sometimes subtle ways. All of these behaviors lead to the creation of sense; that is, the process of sensemaking. Sensemaking can be a core professional task in itself, as it is for researchers, designers, or intelligence analysts. It arises when we change our place in the world or when the world changes around us. It arises when new problems, opportunities, or tasks present themselves, or when old ones resurface. It involves finding the important structure in a seemingly unstructured situation. It is an activity with cognitive and social dimensions, and has informational, communicational, and computational aspects.

Such an important activity deserves any support it can get from information technologies. Indeed, many major thrusts of HCI can be seen as contributing salient perspectives and technologies. Visualization aims to help people see structure in data or information while information retrieval is needed to find that relevant information. Combining all of these aspects of information use defines the behaviors of sensemaking—what people do to make sense of the information in their world. For example, a seminal early hypermedia work of Notecards [7, 13] was aimed at helping work in design, research and intelligence analysis. Notecards provided tools for creating structures from initial data, then evolving those representational structures to better fit the task. Search tools and visualizations made examining the information space straightforward. In essence, Notecards was an early sensemaking system reflecting each of the key aspects of sensemaking behaviors—access to a relatively large amount of information, tools to structure and organize that information, visualizations to help see the structure of the content, and information retrieval mechanisms to provide search support. Another key role that tools and visualizations can play in support of collaborative sensemaking, is to help attenuate known cognitive biases and limitations of distributed teams making decisions. For example, an experiment on collaborative intelligence analysis via the CACHE system – a proof of concept prototype – showed that known biases such as anchoring and confirmation bias can be tamed via purposely designed collaborative visualizations that reinforce the visibility of nonconfirming evidence across remote intelligence analysts working on the same case [2].

Also in the context of distributed collaboration, but in the domain of emergency management planning, other research has shown that collaborative visualizations can be engineered to enhance the sharing and awareness of both content and process knowledge in

groups [4]. The research shows that the improvements in performance of distributed teams can be improved, in some respects, even beyond the performance of comparable face-to-face groups.

## 2 Sensemaking and AI

There has been a recent increase of focused interest in sensemaking, spurred by at least two forces. One has been the push of the information explosion from the WWW. As is evident, web-based tools have radically changed end-user ability to access large amounts of information; this in turn fundamentally changes the ways in which people seeking to understand complex problems think about the issues. As a consequence, both the Library and Information Science (LIS) and HCI communities have begun converging on projects to help people make sense of the information resources now available. The other force has been a pull from the post-9/11 intelligence community, as the need to make sense of terrorism related intelligence data has become internationally urgent. As we have begun to realize, sensemaking extends far beyond individuals making sense of their information spaces. Groups also frequently need to work together to understand larger issues, combing information from many information sources, and bringing together a synthetic understanding that melds different points of view. Group problem solving work in CSCW often involves support for sensemaking activities, and there are active research efforts in understanding what sensemaking groups currently do, and what tools might support them. [1, 6] What's more, as data is increasingly harvested from multiple sources on an ad-hoc basis, the organization and interpretation of the data now need to account for the quality of the data from each of the sources. When the quality of (or noise in) the data varies, it is possible to create helpful sensemaking tools that indicate data quality? [10] Data sensemakers often also have to account for the provenance of data. That is, a representation of the data lineage to show what evidence is coming from what source, especially when the bias-per-source is expected to vary. [8]

In this workshop we will be asking about the current state of sensemaking with respect to the skills required and the tools needed to support sensemaking. We will consider:

1. *Tools to retrieve information:* e.g., find a how-to video or recipe for a cake in YouTube; or discover the facts behind political news stories via social media or search engines.
2. *Tools for visualizing the information space:* Such as tools for seeing the shifts of voter groups toward left or right over the years. For instance, could we easily find tools to transform data into stacked histograms, or whatever visualization is most appropriate.
3. *Tools for individual decision-making:* What tools and procedures can we use to evaluate alternative products to buy, alternative stocks to invest in, etc.
4. *Tools for collaborative decision-making:* Can we decide what vacation to have with friends, discover potential terrorists with other intelligent analysts, etc. While collaborative tools have great promise, the state of the art seems as yet underserved by our research.
5. AI tools for organizing, verifying, and summarizing data in order to find the organization (and sense) within the data.

People are using these tools now—how well are they working?

### 3 Workshop website

<https://sites.google.com/view/chi2026-sensemaking-workshop/home> will be the site for access to the papers, people, and schedules of the workshop.

### 4 Workshop Goals

The workshop will include research in areas such as:

1. how do people make sense of complex sets of information? (behavior studies and tool use)
2. issues of representation creation, evolution and use over time
3. implicit and explicit aspects of sensemaking.
4. group sensemaking: including different levels of social aggregation, from individual, to group, to large social contexts - both static and evolving problem environments
5. how sensemaking fits into other knowledge work (information gathering, decision making)
6. what is sensemaking today? (In particular, what other sense-making schools of thought are there, and how can we mutually inform each other's work?)

From this meeting of the minds, the Sensemaking workshop has several desired outcomes: First, we will create working relationships between researchers whose work focuses on aspects of sensemaking. While we certainly hope to bring together those working within the HCI community, we would like to try to bring in some researchers from other disciplines as well, including Library and Information Science (LIS) [3] and Organizational Theory [14] and Psychology (e.g., cognitive/problem solving research).[15]

Our second outcome is to enrich our understanding of sense-making activities. This includes striving for a shared understanding of the different notions of sensemaking, laying out and structuring the space of varieties of sensemaking (e.g., different levels of social aggregation, static vs. dynamic contexts), articulating their commonalities and differences.

Our third goal is to draw from this is a greater understanding of design implications for improved sensemaking tools, systems and designs. There is a clearly emerging demand for tools for verifiability and trustability of facts shared on public media channels. For example, a new generation of tools is emerging to allow journalists to spot inaccurate or fake news by leveraging ML algorithms and visualizations. Can we take advantage of these tools in our everyday sensemaking tasks as well?

### 5 Workshop Plans

This year we plan to hold a half-day workshop on sensemaking, following on the tradition of previous CHI workshops on this topic (2005, 2007, 2009). Before the workshop, we'll be collecting the position papers to be presented at CHI, starting up pre-workshop email discussions, bringing all participants to a common ground of understanding what varieties of sensemaking will be presented. The workshop itself will be an exercise in group sensemaking in real-time (a common application of sensemaking practice). Based on the pre-workshop papers, submissions, and research activities,

we will break up into teams to find the central organizing theme and structure of the field. In the afternoon, we will synthesize the findings of each team and create a larger, more diverse and explanatory document that tells us how and where sensemaking research is being done. We anticipate a workshop of around 75 attendees.

During the day of the workshop, we plan to spend half of our time in presentations, and the second half in working groups, each seeking to identify at topic that emerged from the presentations, focusing on newer (largely AI) approaches to making sense of data.

### 6 Post Workshop Plans

After all of the accepted workshop papers are presented, we plan on doing a sensemaking session about what was just presented—in the vein of “making sense of sensemaking,” although this time taking into account all of the work that has been done in AI over the past two years. The immediate output from this will be a poster to be submitted and presented at CHI 2027. We'll discuss other possible venues for publishing this collection of papers (as a special journal issue, a collected volume, or as an e-book for future sensemakers to find and use easily).

### 7 Accessibility

We will encourage the authors to submit an accessible version of their position papers. In case of any further accessibility needs, we will work with the Accessibility Chair to enable it a positive experience.

### 8 Call for participation

We are seeking workshop papers on topics in the area of sense-making for a workshop to be held at CHI 2026 in Barcelona, Spain. Making sense of information is central to HCI as people look to understand complex systems, domains and problems. Broadly, we take the topic of sensemaking to mean understanding of how people collect and organize information for analysis and synthesis, and the tools and processes they follow when doing this. To this end we encourage participation from researchers over a broad range of areas—classic sensemaking studies, information visualization, human-data use, cognitive psychology, and sensemaking practitioners from both academe and industry.

Sensemaking, per se, is everywhere in the systems we build and in the domains we study. Whenever people need to function well with data, making sense of the information is often a central task. We are interested in both individual and group sensemaking practices—from how one person figures out where to go when visiting Barcelona, or what has happened recently in Spain, up to large, collaborative group sensemaking where teams of people assemble and interpret large, complex, interlocking sets of data. Representative tasks include the practice of people who deal with sensemaking hand-offs (e.g., in a medical setting) or in analytical areas (e.g., making sense of financial data for forensic purposes).

In particular, what are the tools, techniques and best practices of people who need to make sense of a large amount of complex information? What issues of scale, complexity and coordination arise that are particular to making sense of a complex world?

## 9 Organizers

**Daniel M. Russell** has been working in the area of sensemaking since the early 1990s. His publication of *The cost structure of sense-making* [12] in 1993 led to a stream of research in this area. Now a Lecturer in Computer Science at Stanford University, he primarily studies how people formulate information needs and satisfy them with online research tools and databases. He has run five earlier CHI workshops on sensemaking, one of which led to a special edition publication of the journal *Computer-Human Interaction* [11].

**Niki Kittur** is an Associate Professor and Cooper-Siegel Chair in the Human-Computer Interaction Institute at Carnegie Mellon University. His research explores a future that scales sensemaking beyond the limits of a single individual's mind by: 1) distributing sensemaking among many people and machines; 2) enabling people to build on the sensemaking that others have already done; and 3) seamlessly integrating human and machine cognition to make sense of large information spaces. He is also a co-founder of DataSquid, a startup that supports sensemaking by bringing the power of intuitive touch and physics to data visualization.

**Regina Schuster** is a PhD student at the University of Vienna in the Research Group for Visualization and Data Analysis. She obtained her MSc in Business Informatics at the University of Vienna and her BSc in Business Administration and Human Resource Management and Education at the Ludwig-Maximilians-Universität Munich. She is interested in how data visualizations are used in everyday news sources and how people make sense of them.

**Laura Koesten** is an Assistant Professor at MBZUAI (Mohamed Bin Zayed University of Artificial Intelligence) and affiliated with the University of Vienna (Faculty of Computer Science). She is the recipient of the 2024 Hedy Lamarr Prize awarded by the City of Vienna, Austria. She earned a PhD in Computer Science from the University of Southampton, UK, in collaboration with the Open Data Institute, London, UK. Her research topics include: Human-Computer Interaction; Human-Data Interaction; Sensemaking, Data Discovery and Reuse; Ethical and collaborative aspects of data-centric work, Explainable AI. [9]

## References

- [1] Dorrit Billman and Eric A Bier. 2007. Medical sensemaking with entity workspace. In *Proceedings of the SIGCHI conference on human factors in computing systems*. 229–232.
- [2] Gregorio Convertino, Dorrit Billman, Peter Piroli, JP Massar, and Jeff Shrager. 2008. The CACHE study: Group effects in computer-supported collaborative analysis. *Computer Supported Cooperative Work (CSCW)* 17 (2008), 353–393.
- [3] Brenda Dervin. 1998. Sense-making theory and practice: An overview of user interests in knowledge seeking and use. *Journal of knowledge management* 2, 2 (1998), 36–46.
- [4] Nitesh Goyal and Susan R Fussell. 2016. Effects of sensemaking translucence on distributed collaborative analysis. In *Proceedings of the 19th ACM Conference on Computer-Supported Cooperative Work & Social Computing*. 288–302.
- [5] Nitesh Goyal and Susan R Fussell. 2017. Intelligent interruption management using electro dermal activity based physiological sensor for collaborative sense-making. *Proceedings of the ACM on interactive, mobile, wearable and ubiquitous technologies* 1, 3 (2017), 1–21.
- [6] Nathan Hahn, Joseph Chang, Ji Eun Kim, and Aniket Kittur. 2016. The Knowledge Accelerator: Big picture thinking in small pieces. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. 2258–2270.
- [7] Halasz, Frank. 1988. Reflections on NoteCards: Seven issues for the next generation of hypermedia systems. *Commun. ACM* 31, 7 (1988), 836–852.
- [8] Jane Hsieh, Michael Xieyang Liu, Brad A Myers, and Aniket Kittur. 2018. An exploratory study of web foraging to understand and support programming Sensemaking: What is it today? CHI EA '24, May 11–16, 2024, Honolulu, HI, USA decisions. In *2018 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)*. IEEE, 305–306.
- [9] Laura Koesten, Kathleen Gregory, Paul Groth, and Elena Simperl. 2021. Talking datasets—understanding data sensemaking behaviours. *International journal of human-computer studies* 146 (2021), 102562.
- [10] Michael Xieyang Liu, Jane Hsieh, Nathan Hahn, Angelina Zhou, Emily Deng, Shaun Burley, Cynthia Taylor, Aniket Kittur, and Brad A Myers. 2019. Unakite: Scaffolding developers' decision-making using the web. In *Proceedings of the 32nd Annual ACM Symposium on User Interface Software and Technology*. 67–80.
- [11] Peter Piroli and Daniel M Russell. 2011. Introduction to this special issue on sensemaking. *Human-Computer Interaction* 26, 1-2, 1–8.
- [12] Daniel M Russell, Mark J Stefik, Peter Piroli, and Stuart K Card. 1993. The cost structure of sensemaking. In *Proceedings of the INTERACT'93 and CHI'93 conference on Human factors in computing systems*. 269–276.
- [13] Randall H Trigg and Peggy M Irish. 1987. Hypertext habitats: experiences of writers in NoteCards. In *Proceedings of the ACM conference on Hypertext*. 89–108.
- [14] Karl E Weick. 1995. *Sensemaking in organizations*. Sage Publications.
- [15] Pengyi Zhang and Dagobert Soergel. 2020. Cognitive mechanisms in sensemaking: A qualitative user study. *Journal of the Association for Information Science and Technology* 71, 2 (2020), 158–171.
- [16] Engström, Annika, et al. "Artificial intelligence and work transformations: integrating sensemaking and workplace learning perspectives." *Information Technology & People* 37.7 (2024): 2441-2461.
- [17] Mastrianni, Angela, et al. "AI-Enhanced Sensemaking: Exploring the Design of a Generative AI-Based Assistant to Support Genetic Professionals." *ACM Transactions on Interactive Intelligent Systems* (2025).