

Poemithy: Leveraging Multimodal LLMs for Emotional Healing through Classical Chinese Poetry

Yangming Zhang*

School of Information Management
Wuhan University
Wuhan, China
zym11@whu.edu.cn

Bin Wu*

College of Culture and Sports
Korea University
Seoul, Republic of Korea
binwoo@korea.ac.kr

Zihan Zeng

School of Information Management
Wuhan University
Wuhan, China
2020301041148@whu.edu.cn

Jie Xu

Research Institute of Publishing
Wuhan University
Wuhan, China
Intelligent Computing Laboratory for
Cultural Heritage
Wuhan University
Wuhan, China
xuj@whu.edu.cn

Yunpeng Song[†]

MOE KLINNS Lab
Xi'an Jiaotong University
Xi'an, China
yunpengs@xjtu.edu.cn

Liang Zhao[†]

Research Institute of Publishing
Wuhan University
Wuhan, China
Intelligent Computing Laboratory for
Cultural Heritage
Wuhan University
Wuhan, China
liangzhao@whu.edu.cn




Figure 1: The overall workflow of the Poemithy system, corresponding to the theoretical framework of poetry therapy, is designed in three progressive stages to realize the complete effect from emotional resonance to emotional healing.

Abstract

Classical Chinese poetry has a history of profound emotional expression and regulation, however its emotional support potential remains largely untapped due to modern comprehension barriers

*Both authors contributed equally to this research.

[†]Corresponding author.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

UbiComp Companion '25, Espoo, Finland.

© 2025 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 979-8-4007-1477-1/25/10

<https://doi.org/10.1145/3714394.3754361>

and the lack of intuitive, guided interaction. Inspired by the theoretical framework of poetry therapy and the aesthetic theories of Chinese poetry, this paper introduces Poemithy, a multimodal LLM-powered web app that transforms classical Chinese poetry into an interactive medium for mental wellness, blending emotion-aware poem recommendation, guided poem creation, and virtual recitation ceremony into a step-by-step emotional healing process. The entire process is driven through multi-turn conversations and the output of multimedia content by MLLMs that help users recognize, express, and regulate their emotions. User feedback showed high satisfaction in emotional resonance and cultural experience, highlighting Poemithy's effectiveness in making classical poetry more accessible, engaging, and emotionally supportive.

CCS Concepts

• Applied computing → Health care information systems.

Keywords

Poetry Therapy, Classical Chinese Poetry, Multimodal LLM, Mental Health, Emotional Support

ACM Reference Format:

Yangming Zhang, Bin Wu, Zihan Zeng, Jie Xu, Yunpeng Song, and Liang Zhao. 2025. Poemithy: Leveraging Multimodal LLMs for Emotional Healing through Classical Chinese Poetry. In *Companion of the the 2025 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp Companion '25), October 12–16, 2025, Espoo, Finland*. ACM, New York, NY, USA, 6 pages. <https://doi.org/10.1145/3714394.3754361>

1 Introduction

Emotional well-being has become increasingly recognized as critical public health concerns, with depression affecting 95 million Chinese citizens and anxiety disorders impacting 5% of the population annually [9, 22], highlighting the urgent need for daily accessible healing interventions. Poetry, as an inherent form of emotional expression and artistic creation, has long served as a medium for processing complex feelings and fostering emotional resonance through its metaphorical language and rhythmic structures [25]. Building upon this natural connection, poetry therapy (PT) has emerged as a specialized form of expressive arts therapy that employs structured poetic engagement for emotional healing and psychological well-being [13, 15]. According to Mazza's established theoretical framework, RES model [12, p. 17], poetry therapy works through three components that deepen participant engagement and therapeutic impact, *Receptive/Prescriptive* (experiencing emotional resonance through reading and analyzing existing poems), *Expressive/Creative* (externalizing emotions through guided poetic writing and creative expression), and *Ceremonial/Symbolic* (reinforcing emotional transformation through performative acts such as recitation or sharing). When connecting these three components in tandem, this progressive structure enables individuals to move from passive emotional recognition to active emotional processing, and ultimately to meaningful emotional sublimation, creating a comprehensive pathway for healing intervention that is both accessible and non-intrusive.

With a long and glorious history, classical Chinese poetry is famous for its unique aesthetic tradition characterized by sophisticated imagery, metaphorical expressions, and distinctive rhythmic structures such as Tang and Song verse [29, 30], forming a multidimensional expressive system with significant potential for PT intervention [19, 28]. However, it is a non-trivial task to incorporate classical Chinese poetry into contemporary PT practice. Existing PT digital applications primarily focus on Western poetic traditions, and users comprehend and create poems in a generic self-help manner [12, p. 22], lacking culturally adapted guidance or structured interaction mechanisms tailored to Chinese classics, resulting in limited emotional resonance and accessibility for Chinese and Asian users [28]. Moreover, the linguistic complexity, metaphorical density, and formal conventions of classical Chinese poetry create substantial barriers for modern users, particularly those without literary training, making it challenging to comprehend or engage in creative expression with classical poetic forms as in current PT practice.

Recent advancements in large language models (LLMs), particularly Chinese-foundation models such as Qwen [18] and DeepSeek [6]), have demonstrated remarkable capabilities in classical Chinese poetry comprehension and generation [21, 27, 31]. However, these works have not yet been systematically integrated into culturally adapted PT interventions for emotional well-being. Existing computing approaches frequently generate poetry that is disconnected from users' actual emotional states or cultural contexts, resulting in generic, emotionally superficial outputs [8, 10]. Although recent case studies have explored healing interactions with ChatGPT through poetic exchanges, these efforts have largely focused on Western texts and lacked systematic integration with established PT theoretical frameworks [16, 20]. Therefore, there is a critical need for an intervention that bridges these gaps, effectively integrating the technological capabilities of LLMs with the cultural depth of classical Chinese poetry and structured therapeutic practices.

To address this challenge, we propose Poemithy, an easy-to-use intelligent poetry healing system powered by advanced multimodal large language models (MLLMs) that systematically integrates classical Chinese poetry into evidence-based therapeutic frameworks [12, p. 17]. Our system introduces two key innovations. First, it employs LLMs to provide guided, conversational interactions that lower barriers to classical Chinese poetry engagement by offering real-time assistance in comprehension, creation, and emotional processing. Second, inspired by the "three beauties" of classical Chinese poetry—*musical beauty* (rhythm and sound), *architectural beauty* (structure and form), and *pictorial beauty* (imagery and visualization) [30]—Poemithy incorporates these core aesthetic elements into a multimodal experience. It transforms traditional text-based interactions into immersive healing journeys that include AI-generated visual interpretations, recitation audio, and interactive poetic creation, making the therapeutic process more engaging and culturally resonant. Poemithy guides users through three progressive emotional healing stages, emotional resonance through AI-recommended poems with multimodal presentation, emotional externalization via guided poetry creation and reflection dialogue, and emotional sublimation through interactive recitation with personalized encouragement.

This work makes following contributions. First, we present the first systematic application of PT theoretical frameworks to classical Chinese poetry, expanding the cultural scope and healing applicability of digital poetry interventions. Second, we demonstrate how MLLMs can be effectively harnessed to lower cognitive and emotional barriers that prevent users from meaningfully engaging with complex literary traditions, creating accessible pathways for cultural heritage engagement. Preliminary user feedback indicates positive emotional impact and cultural engagement, demonstrating Poemithy's potential as an AI-enabled cultural heritage intervention for emotional well-being.

2 System Design

As shown in Fig. 1, Poemithy is built upon a guided conversational architecture that implements the RES model through advanced MLLMs, facilitating user interaction with classical Chinese poetry through three progressive stages. The system integrates guided conversational agents, multimodal content generation pipelines, and




Figure 2: Stage 1 interface diagram. The classical poems recommended are transformed into multimodal contents (image, video and audio) with responses. a) The recommended poem presented with ink-painting visuals. b) System’s explanation of the poem’s context and meaning. c) User’s reflective dialogue with the system about the poem.

poetry knowledge bases, utilizing Retrieval-Augmented Generation (RAG) [11] and prompt chaining mechanisms to create immersive experiences that embody the aesthetically coherent qualities of classical Chinese poetry. In the following, we will detail the main functions and expected effects of each stage.

2.1 Stage 1: Receptive & Exploration

The first stage implements a structured six-round dialogue protocol with an LLM (Qwen-3) gathering psychological information through structured prompts that cover emotional state, cognitive reflection, and value orientation. To improve the authenticity of obscure poetry content, the system utilizes RAG to select emotionally relevant poems from our curated knowledge base based on emotional complementarity principles. Grounded in emotion regulation theory [2] and cognitive behavioral therapy (CBT) frameworks[7], the system identifies poems that can facilitate emotional transformation from negative to positive states. This knowledge base comprises classical Chinese poems systematically annotated with applicable scenarios (e.g., "career setbacks," "urban fatigue"), corresponding emotional states (e.g., "confusion," "anxiety," "pressure"), and specific therapeutic effects that promote emotional healing through cognitive reframing and perspective shifts. To ensure a deep and structured interpretation, we implement a prompting chain inspired by Chain-of-Thought (CoT) principles [26]. The process begins with the LLM answering a series of predefined psychological questions [12, p. 204] about the recommended poem. This initial analysis, forming a intermediate step, is then used to inform a final prompt that generates a personalized, empathetic response for the user.

Inspired by the pictorial beauty (imagery and visualization) of Classical Chinese poetry, our MLLM pipeline draws on the content of recommended poems to generate prompt templates to drive other multimodal models to present poetic graphics, including visual scenes in Chinese ink-painting aesthetics (Doubao-seedream [23]), animated background videos (Vidu-v2 [24]), and expressive audio recitations (Minimax-speech [14]). This facilitates a synesthetic experience that captures the inherent pictorial beauty of classical Chinese poetry. Following content delivery, guided structure reflective dialogue facilitates emotional resonance as the foundational layer of healing, where users begin to recognize and connect with their internal emotional states through literary empathy and aesthetic appreciation.

2.2 Stage 2: Writing & Catharsis

This stage facilitates the externalization of internal emotions, enabling their transformation into creative expression. Drawing from architectural beauty (structure and form) of Classical Chinese poetry, we emphasize the structural elegance of classical Chinese poetry while providing scaffolding to lower creation barriers.

The system employs a progressive guided creation process, initiating with questions that help users associate emotions with concrete sensory experiences. For visual expression, a visual language model (VLM), such as Qwen-VL [17], interprets user sketches to extract emotional associations. To provide authentic creative materials, the system then utilizes RAG to retrieve culturally resonant and poetically appropriate imagery and allusions from the emotion-poetry knowledge base. This step is crucial for grounding the user’s creation in authentic poetic tradition, preventing generic outputs and enriching the poem’s depth.




Figure 3: Stage 2 interface diagram. MLLMs help to create a new classical poem by guiding the user to convert emotions into imagery through dialogue or drawings. a) Dialogue prompts to guide the user in poem co-creation. b) A drawable canvas for the user to express emotions visually. Highlights indicate key imagery derived from the user’s drawing (red) or text input (yellow). c) The co-created poem rendered in calligraphy. d) A reflective interview about the user’s new poem.

The poem generation itself is orchestrated through a multi-step prompting chain, a method chosen specifically to honor the architectural beauty (structure and form) of classical poetry while ensuring user accessibility. First, the system generates a draft in modern language, weaving together the user’s dialogue history with the selected imagery and allusions. This draft is presented to the user for editing, ensuring they maintain full creative agency. Once approved, a second prompt transforms the user-finalized modern text into a classical Chinese poetic form, applying the necessary structural rules and rhythms. This two-step process effectively provides creative scaffolding, upholding the formal constraints of classical poetry without overwhelming the user. Completed poems are then rendered in traditional calligraphy to enhance the cultural experience.

The stage concludes with a structured poem interview conversation which helps users explore deeper meanings and provides positive cognitive reframing through questions and discussions about the imagery within their poems. This enables emotional catharsis as users externalize feelings through creative expression and gain new perspectives through metaphorical exploration, transitioning from emotional recognition to active emotional processing.

2.3 Stage 3: Recitation & Ceremony

The final stage transforms private creation into performative ritual, recognizing that classical Chinese poetry was historically designed for oral performance [4]. This stage helps users experience the

essential musical dimension of classical Chinese poetry—its rhythm and sound—culminating in emotional transcendence and healing integration through the musical beauty of classical Chinese poetry.

A conversational agent provides personalized pronunciation and cadence guidance informed by traditional Chinese poetic chanting practices. Users engage in personal recorded recitations and receive personalized guidance on recitation techniques through dialogue with the LLM, experiencing how tonal variations and rhythmic patterns contribute to emotional expression. The act of recitation transforms personal creation into embodied experience, allowing users to internalize their emotional journey through vocal expression.

Each session concludes with a personalized letter written from the perspective of the Stage 1 featured poet, played by LLMs, offering empathetic reflection and encouragement. This "farewell letter" serves as symbolic completion, reinforcing ceremonial aspects that connect individual healing to cultural tradition. Through this closure, users achieve emotional integration and transcendence, moving beyond cathartic expression toward emotional equilibrium and renewed perspective, thus signaling new beginnings.

3 Demonstration

We demonstrate Poemithy through a college student experiencing final week anxiety. The user begins by optionally providing demographic information, then engages in a six-round structured dialogue where the system asks questions about current feelings,




Figure 4: Stage 3 interface diagram. Users are instructed to recite their poems based on the guidance displayed in the right sidebar with generated encouragement letters. a) An AI-generated recitation guide with tonal and pacing annotations. b) The audio recording interface for the user's recitation. c) A final, encouraging letter from the 'virtual historical poet' persona.

specific scenarios, perceptions, and poetic preferences. The user responds naturally about final exams, career uncertainty, and feeling overwhelmed. Based on these responses, the system selects and presents a relevant classical poem enhanced with traditional ink-painting visuals, short video clips and audio recitation (Fig. 2a-b). The user views the multimodal presentation and then answers reflective questions like "Which line resonates most with you?" and "What inspiration or insight do you get from the poet's expression in this poem?" (Fig. 2c), helping users connect their personal experience with the poem's themes.

Then, the system transitions to the second stage by asking specific emotional visualization questions (Fig. 3a): "Can you visualize these emotions as a picture or imagery?" and "Can you visualize these emotions as a certain action or gesture?"... The user either types descriptive responses (e.g., "like inked sea rolls over") or sketches on the provided canvas (Fig. 3b). The system analyzes these inputs and suggests related classical imagery and allusions through continued dialogue, allowing the user to select preferred metaphors and imagery. The system then generates a modern Chinese language version of their poem, which the user can edit. After approval, the system transforms this into classical Chinese poetry format and renders in traditional calligraphy (Fig. 3c). The system conducts a brief interview about the created poem, asking about metaphor's meanings and personal significance (Fig. 3d), helping users understand their own creative choices and emotional expressions in a positive light.

At the end of the interview, the system guides the user through the final stages involving the recitation ritual (Fig. 4a-c). The system first generates a personalized rhythm and cadence guide based on the poem created (Fig. 4a). The user can engage in a dialogue to seek additional advice, and then practice and record their recitation.

(Fig. 4b). After submitting the recitation audio, the system delivers a simulated response letter written in the persona of the original poet from the first stage, drawing on the poem's themes to offer gentle encouragement and culturally grounded advice (Fig. 4c).

4 User Study

We conducted a pilot user study to evaluate the usability and user experience of Peomithy. 60 Chinese participants (aged 18-45, 37 female) with basic comprehension of classical Chinese poetry were recruited online via Credamo platform [5]. Each participant fully experienced the system's interactive process for at least 30 minutes. Then they filled out structured questionnaires, including emotional experience with EFACT scale (to assess emotional engagement and healing resonance [1]), System Usability Scale [3] as well as overall willingness to use, effectiveness, an adapted cultural experience scale for part of the satisfaction evaluation. The items are all measured using 5-point Likert scales.




Figure 5: User experience of Peomithy.

As shown in Fig. 5, Poemithy achieved promising user feedback, with significantly superior usability ($M = 4.2, t = 19.853, p < 0.001$), emotional healing effectiveness ($M = 4.24, t = 23.182, p < 0.001$), and willingness to use ($M = 4.24, t = 17.575, p < 0.001$) compared with the neutral score of 3.0 (the dashed red line), respectively. In each stage, users significantly highlighted the perceived emotional and cultural experience.

5 Conclusion

Poemithy introduces a novel digital approach to poetry therapy by leveraging multimodal LLMs to unlock and enhance the therapeutic potential of classical Chinese poetry. Through LLM-powered dialogue, multimodal content generation, and guided creative processes, the system transforms traditional poetic heritage into accessible, interactive healing experiences. Pilot results suggest that Poemithy not only enhances emotional intervention and culture engagement but also lowers the barrier to participation in classical poetry-based therapy, especially for general audiences unfamiliar with poetic composition.

Future work will focus on comprehensive user studies, including controlled and longitudinal experiments, to validate Poemithy's emotional healing effects. We also plan to integrate the mobile platform and explore the possibility of expanding to other literary heritages.

Acknowledgments

This work was supported by National Natural Science Foundation of China 62007027, and Natural Science Foundation of Hubei Province 2023AFB815.

References

- [1] Abigail Alfrey, Victoria Field, Ioanna Xenophontes, and Sue Holttum. 2021. Identifying the mechanisms of poetry therapy and associated effects on participants: A synthesised review of empirical literature. *The Arts in Psychotherapy* 75 (Sept. 2021), 101832. doi:10.1016/j.aip.2021.101832
- [2] James J. Gross and. 1999. Emotion Regulation: Past, Present, Future. *Cognition and Emotion* 13, 5 (1999), 551–573. doi:10.1080/026999399379186
- [3] Aaron Bangor, Philip T. Kortum, and James T. Miller. 2008. An Empirical Evaluation of the System Usability Scale. *Intl. Journal of Human-Computer Interaction* 24, 6 (July 2008), 574–594. doi:10.1080/10447310802205776
- [4] Conal Boyce. 1980. Recitation of Chinese Poetry. *Journal of the American Oriental Society* 100, 4 (1980), 503–509. doi:10.2307/602094 Publisher: American Oriental Society.
- [5] Credamo. 2025. Credamo. <https://www.credamo.world/#/> [Accessed 2025-01-22].
- [6] DeepSeek. 2025. DeepSeek-R1 Release | DeepSeek API Docs. <https://api-docs.deepseek.com/news/news250120> [Accessed 2025-03-09].
- [7] Stefan G. Hofmann, Anu Asnaani, Imke J. J. Vonk, Alice T. Sawyer, and Angela Fang. 2012. The Efficacy of Cognitive Behavioral Therapy: A Review of Meta-analyses. *Cognitive Therapy and Research* 36, 5 (Oct. 2012), 427–440. doi:10.1007/s10608-012-9476-1
- [8] James Hutson and Ana Schnellmann. 2023. The Poetry of Prompts: The Collaborative Role of Generative Artificial Intelligence in the Creation of Poetry and the Anxiety of Machine Influence. *Global Journal of Computer Science and Technology: D 23* (April 2023), 1–15. <https://digitalcommons.lindenwood.edu/faculty-research-papers/462>
- [9] Xinyi Kong, Yibo Wu, Xinpei Wang, Yike Sun, Ke Chen, Qiyu Li, and Jie Li. 2023. Analysis of the prevalence and influencing factors of anxiety and depression in the Chinese population: A cross-sectional survey. *Heliyon* 9, 5 (April 2023), e15889. doi:10.1016/j.heliyon.2023.e15889
- [10] Nils Köbis and Luca D. Mossink. 2021. Artificial intelligence versus Maya Angelou: Experimental evidence that people cannot differentiate AI-generated from human-written poetry. *Computers in Human Behavior* 114 (Jan. 2021), 106553. doi:10.1016/j.chb.2020.106553
- [11] Patrick Lewis, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, et al. 2020. Retrieval-augmented generation for knowledge-intensive nlp tasks. *Advances in neural information processing systems* 33 (2020), 9459–9474.
- [12] Nicholas Mazza. 2017. *Poetry therapy: theory and practice* (second edition ed.). Routledge, Taylor & Francis Group, New York, NY, USA.
- [13] Nicholas F. Mazza and Christopher J. Hayton. 2013. Poetry therapy: An investigation of a multidimensional clinical model. *The Arts in Psychotherapy* 40, 1 (Feb. 2013), 53–60. doi:10.1016/j.aip.2012.10.002
- [14] MiniMax. MiniMax Team. MiniMax-Speech Tech Report | Intrinsic Zero-Shot Text-to-Speech with a Learnable Speaker Encoder. https://minimax-ai.github.io/tts_tech_report/ [Accessed 2025-05-31].
- [15] Wang Ningning. 2024. A Theoretical Review of Poetry Therapy since the Year 2000. *Pakistan Journal of Life and Social Sciences (PJLSS)* 22, 2 (2024), 5068–5076. doi:10.57239/PJLSS-2024-22.2.00378
- [16] Jannie Pretorius. 2024. Personal poetry therapy for depression by the chatbot and image creator. *Journal of Poetry Therapy* 0, 0 (2024), 1–6. doi:10.1080/08893675.2024.2407498
- [17] Qwen. 2024. Introducing Qwen-VL. <https://qwenlm.github.io/blog/qwen-vl/> [Accessed 2025-01-22].
- [18] Qwen. 2025. Qwen team. <https://huggingface.co/Qwen> [Accessed 2025-01-18].
- [19] Charles Rossiter. 2001. Long Ago and Far Away: On the Use of Classical Chinese Poetry in Poetry Therapy. *Journal of Poetry Therapy* 15, 1 (2001), 37–40. ERIC Number: EJ640759.
- [20] Alfonso Santarpia. 2024. ChatGPT, the voice from elsewhere: a poetic and therapeutic dialog between human and artificial intelligence. *Journal of Poetry Therapy* 0, 0 (2024), 1–22. <https://www.tandfonline.com/doi/abs/10.1080/08893675.2024.2409828>
- [21] Yizhan Shao, Tong Shao, Minghao Wang, Peng Wang, and Jie Gao. 2021. A Sentiment and Style Controllable Approach for Chinese Poetry Generation. In *Proceedings of the 30th ACM International Conference on Information & Knowledge Management (CIKM '21)*. Association for Computing Machinery, New York, NY, USA, 4784–4788. doi:10.1145/3459637.3481964
- [22] Jian Sun and Lin Pan. 2025. Association between community environment and depression: Evidence from a population-based study in China. *Journal of Affective Disorders* 383 (Aug. 2025), 453–460. doi:10.1016/j.jad.2025.02.090
- [23] ByteDance Seed Team. 2025. Seedream 3.0 Text-to-Image Model Technical Report. <https://seed.bytedance.com/en/blog/seedream-3-0-text-to-image-model-technical-report-released> [Accessed 2025-05-31].
- [24] Shengshu Technology. 2025. Vidu API. <https://platform.vidu.com/introduction> [Accessed 2025-05-31].
- [25] Reuven Tsur and Chen Gafni. 2022. *Chapter 14. Metre, rhythm and emotion in poetry: A cognitive approach*. John Benjamins Publishing Company, The Netherlands, 291–328. doi:10.1075/lal.39.c14
- [26] Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, brian ichter, Fei Xia, Ed Chi, Quoc V Le, and Denny Zhou. 2022. Chain-of-Thought Prompting Elicits Reasoning in Large Language Models. In *Advances in Neural Information Processing Systems*, S. Koyejo, S. Mohamed, A. Agarwal, D. Belgrave, K. Cho, and A. Oh (Eds.), Vol. 35. Curran Associates, Inc., New York, NY, USA, 24824–24837. https://proceedings.neurips.cc/paper_files/paper/2022/file/9d5609613524ecf4f15af0f7b31abca4-Paper-Conference.pdf
- [27] Liang Xu, Anqi Li, Lei Zhu, Hang Xue, Changtai Zhu, Kangkang Zhao, Haonan He, Xuanwei Zhang, Qiyue Kang, and Zhenzhong Lan. 2023. SuperCLUE: A Comprehensive Chinese Large Language Model Benchmark. doi:10.48550/arXiv.2307.15020
- [28] Xiaozhou Yang and Huirong Zheng. 2024. The present situation, issues and improved schemes of localizing poetry therapy in China. *The Arts in Psychotherapy* 87 (Feb. 2024), 102116. doi:10.1016/j.aip.2024.102116
- [29] Ruyun Zhang. 2019. The Evolution of Wen Yiduo's Artistic Concepts and His Metric Experiment (In Chinese). *Shanghai Vision* 0, 1 (Sept. 2019), 69–72. <https://vision.siva.edu.cn/CN/abstract/abstract59.shtml>
- [30] Yiren Zhang. 2023. Research on the Improvement of the Translation Technique of Phonological Rhetoric in the Poetry Translation between English and Chinese through the Analysis of Yuanchong Xu's and Yiduo Wen's Theories on the Phonological Rhetoric Translation. *Communications in Humanities Research* 3 (May 2023), 290–295. doi:10.54254/2753-7064/3/20220294
- [31] Shangqing Zhao, Yuhao Zhou, Yupei Ren, Zhe Chen, Chenghao Jia, Fang Zhe, Zhaoqiang Long, Shu Liu, and Man Lan. 2025. Fuxi: A Benchmark for Evaluating Language Models on Ancient Chinese Text Understanding and Generation. doi:10.48550/arXiv.2503.15837