

Investigating the Role of Agentic AI in Facilitating Travel Planning for People with Low Vision

Ranran Ding*
Computer Science Department
Univeristy College London
London, United Kingdom
ranran.ding.24@ucl.ac.uk

Maryam Bandukda*
UCL Computer Science
University College London
London, United Kingdom
m.bandukda@ucl.ac.uk




Figure 1: Conceptual Overview of Agentic AI Support for Pre-trip Planning

Abstract

This study investigates how agentic AI can support people with low vision (PLV) during the underexplored yet critical stage of pre-trip planning for visits to open spaces. A two-stage qualitative design—ten semi-structured interviews followed by a co-design workshop with two participants—identified key challenges: fragmented and inaccessible information, psychological burdens and dependence on others, limitations of existing assistive technologies, and expectations for proactive but controllable AI support. The findings show that travel decisions are shaped by uncertainty, fragile trust, and the need for timely, transparent, and personalised information. Participants valued companion-like interaction styles and layered control over system proactivity. The study reframes pre-trip accessibility as both functional and psychosocial, demonstrating how agentic AI can reduce cognitive load, strengthen autonomy, and enhance confidence, offering new directions for inclusive AI design.

*Both authors contributed equally to this research.

CCS Concepts

• **Human-centered computing** → Empirical studies in accessibility.

Keywords

Low vision, Travel planning, Accessibility, Agentic AI, Co-design, open spaces

ACM Reference Format:

Ranran Ding and Maryam Bandukda. 2026. Investigating the Role of Agentic AI in Facilitating Travel Planning for People with Low Vision. In *Extended Abstracts of the 2026 CHI Conference on Human Factors in Computing Systems (CHI EA '26)*, April 13–17, 2026, Barcelona, Spain. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/3772363.3798364>

1 Introduction

For people with low vision (PLV), the choice to visit a open space often involves dealing with uncertainty well before they even set out. Relying on limited residual vision and fragmented digital resources, they must assess terrain conditions, locate accessible facilities, and anticipate potential risks in advance [12, 28]. Prior accessibility research has focused predominantly on real-time navigation and on-route assistance, leaving the pre-trip planning stage comparatively underexplored. This gap is consequential, as uncertainty, limited confidence, and fragile trust in available support frequently shape decisions about whether to travel at all [10].



This work is licensed under a Creative Commons Attribution 4.0 International License. *CHI EA '26, Barcelona, Spain*

© 2026 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-2281-3/26/04

<https://doi.org/10.1145/3772363.3798364>

Existing digital tools provide limited assistance during this planning stage. Most are visually oriented and reactive, offering guidance only once travel has begun, while providing little support for evaluating feasibility beforehand [13]. For PLV, this lack of pre-travel support makes it difficult to judge the reliability of information and to assess whether a journey is manageable. Agentic AI travel systems, characterised by proactive, contextual, and collaborative interaction, present emerging opportunities to support such judgement [25]. However, their role, feasibility, and design requirements in the context of low-vision travel planning remain insufficiently understood. Specifically, there is limited understanding of how information reliability, emotional confidence, and trust in technological support interact during planning decisions. The present study addresses this gap by investigating the challenges that shape travel preparation and by examining how agentic AI travel systems may offer meaningful support during the planning stage. We conducted a qualitative investigation, comprising ten semi-structured interviews followed by a co-design workshop exploring PLV's lived experiences, planning strategies, and expectations with AI-mediated assistance prior to travel. The findings emphasise the need for an understanding of accessibility that foregrounds judgement, trust, and autonomy in the design of assistive technologies.

In this study, agentic AI refers to an exploratory, voice-based prototype powered by a large language model, designed to support planning-stage judgement through information integration and context-aware suggestions.

2 Related Work

PLV constitute a large and heterogeneous group whose mobility needs differ substantially from those of blind users [26]. Rather than relying primarily on tactile or auditory cues, PLV depend on residual vision to interpret spatial layout, signage, and environmental structure [2]. However, many existing accessibility measures, such as tactile paving or auditory signals, primarily address the needs of blind users and often fail to support low-vision travellers' requirements for legibility, contrast, and spatial clarity [11]. Prior research shows that inconsistent visual information, low contrast, and visual clutter can disrupt spatial understanding and hinder the formation of cognitive maps, particularly in visually complex or unfamiliar environments [19, 22].

These challenges are especially pronounced in open spaces. Such environments often feature irregular layouts, ambiguous boundaries, and dynamic conditions that change over time [24]. While open spaces are associated with social participation, cultural engagement, and well-being, they can be difficult for PLV to assess in advance due to fragmented accessibility information and unpredictable environmental [5, 6, 21]. As a result, decisions about whether and how to travel often require substantial anticipatory effort before movement begins [20].

Various assistive technologies have been developed to support mobility for PLV, including electronic travel aids, obstacle-detection systems, and navigation tools based on computer vision or sensing technologies [9, 18]. Although these systems provide valuable support for route navigation and obstacle avoidance, most remain reactive and task-oriented, offering limited assistance for evaluating

route feasibility and preparing for travel before departure. Broader user concerns, such as confidence, personal preferences, and the ability to anticipate changing conditions, are often left unaddressed [7].

Recent work in human–AI interaction has introduced the concept of AI-powered travel systems, systems designed to provide proactive, contextual, and collaborative forms of assistance [27]. Research in this area has explored context-aware interaction, adaptive guidance, and multimodal support across a range of application domains. These developments signal a growing interest in AI systems that move beyond reactive responses and toward more situated forms of support.

However, existing studies primarily emphasise technical capability and system performance, offering limited insight into how such systems might align with low-vision users' lived experiences, preferences, and decision-making practices during travel preparation [8]. As a result, questions remain about how agentic AI could meaningfully support judgement, trust, and autonomy at the planning stage for PLV.

3 Method

The study involved ten adults with low vision recruited through convenience sampling from a pool of research participants known to the researchers. Participants represented a range of visual impairment conditions and levels of familiarity with assistive technologies relevant to travel, reflecting variations in pre-trip planning experiences (Table 1).

The research consisted of two stages, semi-structured interviews followed by a co-design workshop [1, 23] examining travel planning experiences and situated responses to a potential AI-mediated form of pre-travel support.

First, we conducted online interviews with PLVs focusing on their travel planning practices, accessibility-related challenges, and experiences with assistive technologies. Interviews followed a semi-structured format, allowing core topics to be addressed while remaining responsive to participants' individual experiences. All interview participants were also invited to join the co-design workshop. However, only two participants were available.

Next, a co-design workshop was conducted to revisit the themes generated from the interviews and explored pre-trip planning information seeking through a voice-based conversational AI prototype. Participants engaged in simulated planning scenarios and discussed the information integration, tone, and interaction structure of the prototype. The prototype was built using a customised version of ChatGPT to address the needs of people with low vision during the journey planning stage. The prototype was conceived as an exploratory tool that leverages natural language interaction to integrate various sources of information, generate practical suggestions, and respond to the psychological and emotional concerns of users through its style and structure of interaction.

The prototype's design was shaped by the core themes discussed in interviews, including information access, autonomy in decision-making, assistive technology limitations, and the need for personalisation (presented in 4. To improve information access, it consolidates routes, facilities, and services into a structured, step-by-step

format, addressing missing accessibility details and real-time updates in existing tools. For decision-making, it uses a companion-like voice that offers clear and reliable guidance to reduce uncertainty without replacing the judgement of users, balancing support and autonomy. To overcome limitations of current assistive technologies, it relies solely on voice interaction, reducing dependence on visual interfaces and manual operations, and ensuring usability across contexts. Reflecting expectations for personalisation, it lets users adjust information detail, offers proactive suggestions when appropriate, and maintains a simple, friendly tone to avoid information overload or cognitive strain.

Participant	Gender	Vision Condition	Assistive Technology Proficiency
N1	Male	Moderate low vision	High
N2	Male	Moderate low vision	High
N3	Female	Severe low vision	Low
N4	Male	Severe low vision	Medium
N5	Female	Moderate low vision	High
N6	Male	Severe low vision	High
N7	Male	Moderate low vision	Medium
N8	Male	Moderate low vision	Low
N9	Male	Severe low vision	High
N10	Female	Moderate low vision	Medium

Table 1: Participant Profile Summary

3.1 Data Collection and Analysis

Across both stages, data focused on participants' travel planning practices, information needs and challenges during preparation, experiences with existing assistive or digital tools, and considerations shaping travel decisions. Workshop discussions further addressed interaction-related issues, including information clarity, trust, proactivity, and control in the use of a voice-based AI prototype. All sessions were audio-recorded with participants' consent, with interviews lasting 45 to 60 minutes and the co-design workshop approximately two hours.

Thematic analysis was applied to the interview and workshop data [3]. The transcripts were coded using NVivo, with codes iteratively refined across cases. Through an iterative and interpretive process, codes were compared, grouped and refined to capture patterns of meaning across participants' planning experiences. Codes were organised into two themes addressing planning-stage barriers, emotional and psychological burdens, limitations of existing technologies, and expectations for AI-mediated support [4]. Reflections from the co-design workshop were used to validate and enrich the thematic framework.

4 Findings

4.1 Theme 1: PLV Needs and Barriers

4.1.1 Fragmented Information Access.

This theme highlights how gaps in travel information do not merely limit access but actively shape confidence, anticipation, and decision-making during the pre-trip planning stage. Participants consistently described difficulties in obtaining information that was complete, reliable, and actionable enough to assess whether a journey to an open space was feasible.

While mainstream mapping tools often provide distance-based or visually oriented route descriptions, participants emphasised that such information fails to capture accessibility-relevant conditions. Short distances could mask significant physical effort or risk when environmental context was missing, as one participant noted: *"Although Google Maps tells me it is only 100 meters, it is actually a steep uphill path"* (N10). Others described the challenge of fragmented information across platforms, explaining that *"sometimes I need to know some very important information, but it is difficult to find"* (N5).

Beyond routes, participants also struggled to locate clear information about accessibility-related facilities and signage within open spaces. Signage was often visually unclear or insufficiently distinguishable, making it difficult to identify key features such as entrances or accessible paths: *"Some accessibility signs are not very clear, and it is hard for me to find them"* (N8). Rather than isolated inconveniences, these information gaps accumulated during planning, increasing cognitive effort, and hesitation about whether independent travel was perceived as possible at all. These experiences indicate that barriers at the planning stage are not limited to missing information, but involve the ongoing effort required to interpret, integrate, and judge fragmented cues under uncertainty.

4.1.2 Negotiating Dependence and Autonomy.

This theme highlights how independence was valued by participants not simply as the absence of assistance, but as the ability to remain the decision-maker in planning and managing their journeys. While support from others was often necessary, participants described ongoing tension between maintaining control over decisions and coping with uncertainty, stress, and perceived risk.

Many participants relied on others for assistance, particularly when planning visits to unfamiliar open spaces. This reliance often provided reassurance and safety, yet simultaneously constrained independence. As one participant explained, *"I usually need a sighted person to accompany me to open spaces"* (N9). Dependence was therefore not experienced as a neutral solution, but as a compromise shaped by circumstance.

At the same time, participants expressed a strong desire to make decisions for themselves, even when doing so was constrained by practical and emotional challenges. As one participant explained, *"I usually prefer to make the decision myself about whether to go to a park, but it's not ideal"* (N1). This tension illustrates how PLV value autonomy and independence, often undermined by uncertainty, anticipated obstacles, and incomplete information. Consequently, the mental effort required to plan independently often determined whether such independence felt sustainable or worthwhile.

4.2 Theme 2: Role of Technology

4.2.1 Assistive Technology Limitations.

This theme highlights how limitations in existing assistive technologies undermined trust during the pre-trip planning stage, making technology reliability a prerequisite for independent travel decisions. Rather than functioning as reliable support, assistive tools were often evaluated in advance based on whether they could be trusted to perform accurately and consistently.

Participants shared concerns about both technical failure and imprecision. Unstable network connections and limited smartphone battery raised the risk that tools might stop working

altogether. One participant explained, *"If the network is bad or my phone is low on battery, I won't go"* (N10). Even when systems were operational, inaccuracies cause confusion and erode confidence: *"Sometimes the location info has about a 20-meter error, which is a lot and can cause confusion"* (N9). Consequently, these reliability and accuracy constraints prevented participants from fully relying on assistive technologies during pre-trip planning, making trust in technological support a critical issue.

4.2.2 Expectations for AI Interaction and Design.

When discussing AI-based tools for travel planning, participants described expectations regarding how such systems should behave and communicate in practice. Their accounts highlighted the importance of clarity, transparency, and responsiveness in shaping whether AI support would feel usable and appropriate during planning. These perspectives emerged across interviews and were further articulated through workshop discussions, forming a distinct set of expectations related to AI interaction and design.

Real-Time and Transparent Information

Participants emphasised that AI-provided information needed to be clearly time-stamped and up to date in order to be trusted. Temporary environmental changes were described as particularly disruptive during planning. As one participant explained, *"If the park has closed an entrance because of a festival, I need the app to tell me clearly that this update was just made, so I can trust it"* (N9).

Companion-Like Communication

Participants preferred AI interactions that felt supportive rather than directive. They valued guidance that combined clear instructions with contextual cues, helping them interpret information without feeling controlled. One participant noted, *"If it just says 'turn left in 40 yards, I don't know which left. But if it adds a bit more, like 'at the traffic light, next to the crossing,' I feel it understands my situation"* (N2).

Layered Interaction and User Control

Participants also expressed a desire to control how much information AI provided at different moments. Rather than receiving all details by default, they preferred being able to choose the level of guidance. As one participant explained, *"I'd like the AI to ask me first: do you want step-by-step guidance, or just a summary? That way I still feel in control"* (N9).

Taken together, these findings illustrate how pre-trip planning for PLV is shaped by intertwined informational and psychological challenges. Rather than pointing to isolated barriers, the findings reframe planning as a judgement process marked by uncertainty, the need for autonomy, and the trust in technological support. This reframing positions planning as an overlooked but critical area for intervention, within which AI-mediated assistance becomes meaningful.

5 Discussion

The findings reposition pre-trip planning for PLV as an area of ongoing uncertainty management rather than a simple preparatory step. Planning decisions are less shaped by the availability of information alone than by users' ability to judge its reliability and relevance under changing environmental conditions [15].

This challenges common framings of autonomy in accessibility research as an individual capacity. Instead, autonomy during planning emerges as relational and information-dependent: when information is fragmented, ambiguous, or outdated, users' sense of control is diminished regardless of physical ability or familiarity with the environment [16]. From this perspective, the planning stage becomes a critical threshold at which autonomy can be strengthened or undermined, shaping whether and how travel is undertaken.

Trust plays a decisive role during pre-trip planning for PLV. Rather than functioning as a stable property of assistive technologies, trust shapes whether technological support is considered usable during early decision-making under uncertainty [14, 17]. The findings indicate that trust is closely tied to users' ability to judge the reliability and accountability of information. When this judgement becomes difficult, confidence diminishes early in the planning process, constraining reliance on assistive systems before travel begins. In this sense, trust functions as a gating condition within planning, underscoring the need for technologies to support informed judgement rather than merely provide information.

AI agents should be framed as a form of judgement support rather than an extension of information delivery during pre-trip planning for PLV. Its value lies not in increasing informational coverage, but in supporting users' capacity to make and sustain travel decisions with confidence. This framing has several implications for design. AI support should prioritise the integration and anticipation of contextually relevant information in ways that reduce interpretive effort rather than presenting exhaustive detail. Interaction should adopt a supportive and situationally grounded tone that assists both emotional reassurance and environmental understanding. Trust should be maintained through transparent communication of information reliability, update timing, and system limitations, enabling users to decide when and how the system can be relied upon. This positions agentic AI as planning-stage support, making explicit the level at which accessible travel decisions can be meaningfully shaped.

This study is limited by a modest sample size and a workshop conducted in controlled conditions, which may not fully capture the complexity of real-world travel environments. The prototype was evaluated through short-term interactions, leaving open questions around long-term use, adaptation, and the development of trust over time. Future work should extend this investigation through in-situ and longitudinal deployments, examining how planning-stage AI support is integrated into everyday travel decisions across diverse open spaces and levels of visual impairment, and how users' trust and reliance on such systems evolve.

6 Conclusion

This study reframes pre-trip planning as a critical yet under-recognised stage in the travel experiences of PLV, showing how decisions about whether to travel are shaped well before movement begins through uncertainty, confidence, and trust in available support. By examining planning-stage challenges and exploring the role of voice-based agentic AI, the study positions assistive technologies as providing more than information delivery, foregrounding their role in supporting judgement and autonomy. This

planning-centred perspective clarifies where agentic AI can provide distinctive value in accessible travel by strengthening decision-making before travel.

References

- [1] Omolola A. Adeoye-Olatunde and Nicole L. Olenik. 2021. Research and scholarly methods: Semi-structured interviews. *JACCP: JOURNAL OF THE AMERICAN COLLEGE OF CLINICAL PHARMACY* 4, 10 (2021), 1358–1367. arXiv:<https://accpjournals.onlinelibrary.wiley.com/doi/pdf/10.1002/jac5.1441> doi:10.1002/jac5.1441
- [2] Aries Arditi. 2017. Rethinking ADA signage standards for low-vision accessibility. *Journal of Vision* 17, 5 (06 2017), 8–8. arXiv:https://arvojournals.org/arvo/content_public/journal/jov/936220/i1534-7362-17-5-8.pdf doi:10.1167/17.5.8
- [3] Virginia Braun, Victoria Clarke, and P. Weate. 2016. Using thematic analysis in sport and exercise research. (2016), 213–227. doi:10.4324/9781315762012.ch15
- [4] David Byrne. 2021. A worked example of Braun and Clarke's approach to reflexive thematic analysis. *Quality & Quantity* 56 (2021), 1391–1412. doi:10.1007/s11135-021-01182-y
- [5] Sarah H. Creem-Regehr, Emily M. Barhorst-Cates, Mark R. Tarampi, Kathryn M. Rand, and Gordon E. Legge. 2021. How Can Basic Research on Spatial Cognition Enhance the Visual Accessibility of Architecture for People with Low Vision? *Cognitive Research: Principles and Implications* 6, 1 (2021), 3. doi:10.1186/s41235-020-00265-y
- [6] Grishma Dhar and Shanta Pragyan Dash. 2022. A systematic literature review on the impact of open spaces on human physiological and mental well-being in post-pandemic housing in urban contexts. *ECS Transactions* 107, 1 (2022), 7723–7747. doi:10.1149/10701.7723ecst
- [7] Christopher Frauenberger, Judith Good, and Wendy Keay-Bright. 2011. Designing technology for children with special needs: bridging perspectives through participatory design. *CoDesign* 7, 1 (2011), 1–28. arXiv:<https://doi.org/10.1080/15710882.2011.587013> doi:10.1080/15710882.2011.587013
- [8] Bhanuka Gamage, Thanh-Toan Do, Nicholas Seow Chiang Price, Arthur Lowery, and Kim Marriott. 2025. What do Blind and Low-Vision People Really Want from Assistive Smart Devices? Comparison of the Literature with a Focus Study. arXiv:2505.19325 [cs.HC] <https://arxiv.org/abs/2505.19325>
- [9] S. Kammoun, G. Parsehian, O. Gutierrez, A. Brilhault, A. Serpa, M. Raynal, B. Oriola, M.J.-M. Macé, M. Auvray, M. Denis, S.J. Thorpe, P. Truillet, B.F.G. Katz, and C. Jouffrais. 2012. Navigation and space perception assistance for the visually impaired: The NAVIG project. *IRBM* 33, 2 (2012), 182–189. doi:10.1016/j.irbm.2012.01.009 Numéro spécial ANR TECSAN Technologie pour la santé et l'autonomie.
- [10] Jun-Li Lu, Hiroyuki Ozone, Akihisa Shitara, Ryo Iijima, Bektur Ryskeldiev, S. Sarcar, and Yoichi Ochiai. 2021. Personalized Navigation that Links Speaker's Ambiguous Descriptions to Indoor Objects for Low Vision People. (2021), 412–423. doi:10.1007/978-3-030-78095-1_30
- [11] Marta Lupon, G. Cardona, and Manuel Armayones. 2020. Public knowledge of low vision and blindness, and readability of on-topic online information. *Journal of Optometry* 14 (2020), 240 – 246. doi:10.1016/j.optom.2020.06.005
- [12] Jinoj Mathidharan and G. Raheja. 2024. Understanding the Challenges in the Urban Street Navigation of Persons with Visual Impairment: A Field-Based Study in the Indian Context. *Studies in health technology and informatics* 320 (2024), 295–302. doi:10.3233/shti241018
- [13] Zain Merchant, Abrar Anwar, Emily Wang, Souti Chattopadhyay, and Jesse Thomason. 2024. Generating Contextually-Relevant Navigation Instructions for Blind and Low Vision People. *ArXiv abs/2407.08219* (2024). doi:10.48550/arxiv.2407.08219
- [14] B. Mohan. 2024. A Review on Voice Navigation System for the Visually Impaired. *International Journal of Scientific Research in Engineering and Management* 8, 4 (2024), 1–5. doi:10.55041/ijserm29925
- [15] Karin Müller, Christin Engel, Claudia Loitsch, Rainer Stiefelwagen, and Gerhard Weber. 2022. Traveling More Independently: A Study on the Diverse Needs and Challenges of People with Visual or Mobility Impairments in Unfamiliar Indoor Environments. *ACM Trans. Access. Comput.* 15, 2, Article 13 (May 2022), 44 pages. doi:10.1145/3514255
- [16] R. Northway. 2015. What does independence mean? *Journal of Intellectual Disabilities* 19 (2015), 203 – 204. doi:10.1177/1744629515593659
- [17] {Gabriel Iluebe} Okolo, Turke Althobaiti, and Naeem Ramzan. 2025. Smart assistive navigation system for visually impaired people. *Journal of Disability Research* 4, 1 (3 Jan. 2025). doi:10.57197/JDR-2024-0086
- [18] F. Praticto, Carmelo Cera, and F. Petroni. 2013. A new hybrid infrared-ultrasonic electronic travel aids for blind people. *Sensors and Actuators A-physical* 201 (2013), 363–370. doi:10.1016/j.sna.2013.06.028
- [19] Kathryn M. Rand, Sarah H. Creem-Regehr, and William B. Thompson. 2015. Spatial Learning While Navigating with Severely Degraded Viewing: The Role of Attention and Mobility Monitoring. *Journal of Experimental Psychology: Human Perception and Performance* 41, 3 (2015), 649–664. doi:10.1037/xhp0000040
- [20] John A. Rey-Galindo, Libertad Rizo-Corona, Elvia Luz González-Muñoz, and Carlos Aceves-González. 2020. Environmental information for people with visual impairment in Mexico - or what they need and how they use it. *Applied Ergonomics* 85 (2020), 103079. doi:10.1016/j.apergo.2020.103079
- [21] Felipe Cardona Saldarriaga and Roberto García Hernández. 2015. Movilidad urbana de personas con baja visión : Caso de estudio ciudad de Medellín. <https://api.semanticscholar.org/CorpusID:149094827>
- [22] Erin M. Schambureck and Sharran F. Parkinson. 2018. Design for Sight: A Typology System for Low-Vision Design Factors. *Journal of Interior Design* 43, 2 (2018), 33–54. arXiv:<https://onlinelibrary.wiley.com/doi/pdf/10.1111/joid.12120> doi:10.1111/joid.12120
- [23] S. Smallfield, S. Berger, Brooke Hillman, Paige Saltzgaber, J. Giger, and Jennifer Kaldenberg. 2017. Living with Low Vision: Strategies Supporting Daily Activity. *Occupational Therapy In Health Care* 31 (2017), 312 – 328. doi:10.1080/07380577.2017.1384969
- [24] Sarit Felicia Anais Szpiro, Shafeka Hashash, Yuhang Zhao, and Shiri Azenkot. 2016. How People with Low Vision Access Computing Devices: Understanding Challenges and Opportunities. In *Proceedings of the 18th International ACM SIGACCESS Conference on Computers and Accessibility* (Reno, Nevada, USA) (ASSETS '16). Association for Computing Machinery, New York, NY, USA, 171–180. doi:10.1145/2982142.2982168
- [25] Ruxandra Tapu, Bogdan Mocanu, and Titus Zaharia. 2017. A computer vision-based perception system for visually impaired. *Multimedia Tools and Applications* 76, 9 (2017), 11771–11807.
- [26] World Health Organization. 2019. World Report on Vision. <https://www.who.int/publications/i/item/9789241516570>. Accessed: 2025-08-26.
- [27] He Zhang, Nicholas J. Falletta, Jingyi Xie, Rui Yu, Sooyeon Lee, Syed Masum Billah, and John M. Carroll. 2024. Enhancing the Travel Experience for People with Visual Impairments through Multimodal Interaction: NaviGPT, A Real-Time AI-Driven Mobile Navigation System. arXiv:2410.04005 [cs.HC] <https://arxiv.org/abs/2410.04005>
- [28] Yuhang Zhao, Elizabeth Kupferstein, Doron Tal, and Shiri Azenkot. 2018. "It Looks Beautiful but Scary": How Low Vision People Navigate Stairs and Other Surface Level Changes. In *Proceedings of the 20th International ACM SIGACCESS Conference on Computers and Accessibility*. doi:10.1145/3234695.3236359