

Dream Relay: Exploring Dream Sharing with Generative AI

Zi-Xin Wu
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
piplup727@gmail.com

Li Lin
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
milktube123@gmail.com

Ling-I Chuang
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
m11310305@gapps.ntust.edu.tw

Jian Shen
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
sj2301245138@gmail.com

Ruei Ci Lai
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
rickylai0903@gmail.com

Rung-Huei Liang
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
liang@mail.ntust.edu.tw

Yu-Ting Cheng
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
y.cheng@mail.ntust.edu.tw

Chien-Hsiung Chen
Department of Design
National Taiwan University of
Science and Technology
Taipei, Taiwan
cchen@mail.ntust.edu.tw

Abstract

To better understand people's inner worlds, the HCI community has explored ways to understand dream experience through generative AI (GAI). This paper presented "dream relay," a novel approach to sharing dreams by integrating GAI. In the relay, participants used a dream probe to record their dreams, which were then visualized by GAI and shared with the next person as stimuli. We conducted a probe-based, group autoethnography study to explore how dream sharing was influenced in the way of relay and with GAI. Results showed how participants recorded their dreams and perceived the AI-generated dream visuals. This study also highlighted the value of GAI in sparking imagination and alleviating personal privacy concerns, which increased the willingness to share. Finally, we discussed the human-AI collaboration in reshaping dreams, as well as the role of GAI in facilitating social interaction.

CCS Concepts

• Human-centered computing → Empirical studies in HCI.

Keywords

Dreams, Dream sharing, Dream visualization, Generative AI, Dream privacy

ACM Reference Format:

Zi-Xin Wu, Li Lin, Ling-I Chuang, Jian Shen, Ruei Ci Lai, Rung-Huei Liang, Yu-Ting Cheng, and Chien-Hsiung Chen. 2025. Dream Relay: Exploring Dream Sharing with Generative AI. In *Extended Abstracts of the CHI Conference on Human Factors in Computing Systems (CHI EA '25)*, April 26–May 01, 2025, Yokohama, Japan. ACM, New York, NY, USA, 7 pages. <https://doi.org/10.1145/3706599.3720238>

1 Introduction

Dreams—the irrational experiences—have received increasing attention within the HCI community, as they are an intriguing pathway to explore people's inner worlds [3, 13, 14]. Interpreting the symbols in dreams offers valuable self-insight [12]. Furthermore, the presence of universal symbols and patterns across individuals creates a collective sense of resonance [11]. This shared experience makes dreams relatable and enjoyable to share. Prior studies have shown that dream sharing enriches conversations and fosters social interactions [4, 19]. However, sensitive dreams (e.g., those about personal vulnerabilities, death, or sexuality) are often withheld or shared only with intimates [19]. Historically, dream studies often face two challenges. First, without external motivation or specific conditions, the low rate of dream recall (one or two per week) hinders researchers from collecting sufficient data [10, 18]. Second, sharing dreams vividly benefits from immersive imagery, yet it takes exceptional artistic skill to capture the bizarreness of dreams [16]. With the emergence of generative artificial intelligence (GAI), HCI communities have explored its potential as a promising tool for visualizing dreams [3, 9, 13, 14]. This Human-AI collaboration reveals new interpretations and inspirations [9]. GAI not only assists in dream recall, but also has the potential to address privacy concerns by transforming sensitive aspects in dreams [3]. While past studies conducted preliminary work on understanding individual

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).
CHI EA '25, Yokohama, Japan
© 2025 Copyright held by the owner/author(s).
ACM ISBN 979-8-4007-1395-8/25/04
<https://doi.org/10.1145/3706599.3720238>

Table 1: Characteristics of participants

Participant ID	Gender	Age	Major	Frequency of Dreams
P1	Male	24	Information design, 2 nd year Master's student	Almost daily
P2	Female	23	Information design, 1 st year Master's student	Almost daily
P3	Male	24	Information design, 1 st year Master's student	3~4 times a week
P4	Female	25	Information design, 1 st year Master's student	1~2 times a week
G1	Male	27	Industrial design, 2 nd year Doctoral student	Infrequent

dream experiences with GAI, there is a lack of research on dreaming in group settings. Thus, this study aims to examine the impacts of dream sharing integrated with GAI from a social perspective.

A relay, a collaborative game that relies on strong teamwork among multiple players, takes various forms in daily life, such as story-writing relay [21] and drawing relay. The shared outcome of relay activities motivates greater individual participation compared to solo activities [20]. Inspired by the increased sense of responsibility, our study designed an innovative activity named “*dream relay*”. We expect to leverage the playfulness and cohesion in relays to drive an uplift in dreams recalled and willingness to share. Extending prior work on individual experiences with GAI-visualized dreams [3, 9, 13], we added a relay format to explore inter-individual reflections on dream sharing. Our study addresses three questions: (1) How do people perceive their own and others’ AI-generated dream visuals? (2) How does dream relay influence individual experiences? (3) How does dream relay influence social interaction in dream sharing?

To address these questions, our study employed group autoethnography and dream probes. Four researchers took part in the relay activity; the other researcher took the role of generating dream visuals. We used a dream probe to record dreams, and then visualized the dreams with the help of GAI. After 9 rounds in the relay, we had 18 dreams and conducted a focus group interview to gather reflections and derive insights. We demonstrated participants' creative use of the dream probe and investigated their perceptions of AI-generated dream visuals, analyzing GAI's impact on dream sharing. Finally, we discussed how humans collaborated with GAI to reshape their dreams, highlighting GAI's role in facilitating social interactions. Overall, we introduced a novel, relay-based method of dream sharing in the HCI community. This method encouraged participants' self-reflection and facilitated social interactions, providing fresh perspectives for future research into dream experiences.

2 Research Methods

2.1 Participants

Due to various challenges in dream-related research, we employed a group autoethnography approach [5]. This approach ensured the participants dreamed regularly, recalled their dreams well, and were able to reflect deeply on their qualitative experiences. The five participants were members of the research team (Table 1), with four participating as dreamers (P1–P4) in the dream relay, and one serving as the dream visual generator (G1). The dreamers were instructed to record their dreams each morning and sent the records to G1. G1 then generated the dream visuals using GAI. These visuals were subsequently used as a pre-sleep stimulus and delivered to the next dreamer in the relay.

2.2 Dream Postcard and Dream Relay

We presented Dream Postcard, a dream probe of postcards and stickers, as a metaphor for depicting, sending, and sharing dreams with others (Figure 1) [8]. Unlike previous studies using audio recordings or journals to record dreams [3, 13, 14, 18], we chose postcards and stickers for their casual and friendly characteristics [7]. In terms



Figure 1: Dream Postcard – The dreamers could freely cut and paste stickers to depict their dream.




Figure 2: The sequence of the dream relay.




Figure 3: Evolution of the generation prompts

of stickers, we drew on Fontana’s analysis of dream language [6] and took the dreamers’ cultural backgrounds into account. The chosen symbols included facial expressions, body features, natural elements, common objects, colors and geometric shapes. Particularly, the geometric shapes did not have any predefined meanings, so the dreamers were free to define their own. Overall, the dream postcard provided a creative and flexible platform for the dreamers to express their dream experiences.

In this study, we assigned the relay sequence randomly. To maximize data collected within a limited time, we conducted two concurrent dream relays. Each round of the relay began with the dreamer receiving a stimulus prior to sleep. The initial stimuli for the first round were two stories rewritten from our own dreams that occurred a week before the relay, using ChatGPT. After waking, the dreamer recorded their dream on the postcard, photographed it, and sent it to G1 via messaging app along with a brief description. G1 then generated a corresponding dream visual using DALL-E 3, and passed it solely to the next dreamer via messaging app, initiating the subsequent round. The dream relay progressed through the four dreamers (Figure 2).

2.3 Prompts for Dream Visual Generation

In this study, we selected DALL-E 3 as the AI tool to generate dream visuals. To ensure the visuals were contextually relevant to the dreamers, G1 specified demographic information such as ethnicity, gender and age during the generation process. Our prompts underwent three modifications (Figure 3). During pilot testing, G1 generated images based solely on the postcards. He used ChatGPT to identify keywords in the postcards, then generated comic-style images with DALL-E 3. However, the fragmented comic panels were difficult for the dreamers to understand and immerse themselves in.

At the second modification, G1 modified the style to single-frame photorealistic images. While the images became more true-to-life than the previous attempt, AI-identified keywords still failed to capture the intended meaning of the stickers from the dreamers. Therefore, there were notable differences between the AI-generated visuals and the original dreams. At the third modification, G1 added firsthand dream descriptions (within 100 Mandarin characters) from the dreamers to supplement the keyword identification. The final attempt achieved a more accurate depiction of the original dreams.

2.4 Participant and Ethical Considerations

Considering that dreams are private experiences, all participants agreed to and signed an informed consent form prior to participation. To ensure the dreamers’ autonomy and protect sensitive data, several safeguards were implemented. The dreamers could postpone or withdraw the submitted dream if they found its content too sensitive (e.g., sexual content) or preferred not to disclose it for personal reasons. Additionally, they had the right to withdraw from the study at any point without restrictions. Upon withdrawal, they were given the option to have their submitted dreams deleted or retained for research purposes.

3 Findings

As expected, all dreamers submitted their dream postcards, which showed that the relay approach promoted participant engagement. The relay comprised 9 rounds of dream sharing, and yielded 18 dream postcards and 18 corresponding dream visuals (Figure 4). After the relay, we conducted a two-hour focus group interview, using thematic analysis to reflect on our experiences [2]. The interview was audio-recorded and transcribed verbatim. The first five

authors conducted a review of the dream postcards and visuals; the first author then reviewed the interview transcripts. The interview surfaced several interesting and insightful themes: (1) Feedback on the dream postcard, (2) Possible connections between the dreams of different individuals, (3) Perceptions of AI-generated dream visuals, (4) Reflections on the relay experience. After several discussions, we identified the following three key themes.



Figure 4: Dream postcards and their corresponding dream visuals

3.1 Dream Recall and Creativity: Insights into the Dream Postcards

Our findings suggested that the dream postcards significantly enhanced dream recall. All dreamers concurred that the postcards and stickers helped represent their dream scenes. Even after a period of time, they could still effortlessly recall their dreams with the postcards. As P3 noted, *“This recording method (using the dream postcards) made me feel as if I were there again in my dreams when I recalled them”* (P3).

The creative ways in which the dreamers used the stickers also revealed intriguing insights. Besides conveying emotions directly with the facial expression stickers, P3 leveraged colors to enhance the feelings (Figure 5, a), stating, *“I used blue for cold and fear, green for disgust, and red for anger”* (P3). Given the limited options for stickers, P1 repurposed the geometric shape stickers as substitutes for unavailable elements: *“I used a lot of geometric shapes, cutting*

and collaging them” (P1). For example, inspired by tangram, P1 clipped the two corners off the triangular sticker and reassembled them into the shape of a fish (Figure 5, b). The limitation of stickers, instead, fueled P1’s imagination. He also provided a suggestion on the current stickers: *“It would be great to add stickers of tools or vehicles”* (P1).

3.2 From Personal Recall to Social Sharing: Perceptions of the Dream Visuals

Seeing a once-experienced dream materialize into visuals feels surreal yet enchanting. The dreamers reflected on the dream visuals through both personal and social lenses.

It was not until the focus group interview that the dreamers saw their dream visuals, including their own and others’. The dreamers were curious to see how their dreams took shape. Benefiting from the remarkable creativity of GAI, the dreamers *“recognized their own dreams through the visuals”* (P3) in an instant. P3 was particularly amazed, stating (Figure 6, c), *“This AI-generated visual is highly identical to my original dream”* (P3). Even with some inaccuracies, the dream visuals offered a *“familiarily unfamiliar angle”* (P1) on revisiting their dream experiences. Furthermore, the vividness of the dream visuals excited discussions and increased the willingness to share. This led the dreamers to interpret the reasons for their dreams, comparing them with their waking lives. P4 shared her dream (Figure 6, d): *“I woke up in a blank room with sudden intense pressure”* (P4). Connecting with real-life events, she explained: *“I guessed it’s because I was overwhelmed by academic stress at the time”* (P4). P2’s dream (Figure 6, e) provided another example: *“I was an orange. I flew through the air like a cannonball, and then I crashed into another orange”* (P2). This bizarre dream led her to interpret its reason: *“My mother brought me many oranges. Before bed that day, I reminded my roommate to finish the last one. Probably that’s the reason”* (P2).

From a social standpoint, the dream visuals left surprisingly strong impressions that could possibly lead to the transfer of elements between dreams. In P1’s dream, there was an indoor stadium full of exotic plants (Figure 6, f). This immediately reminded P3 of the botanical garden at Singapore Changi Airport. Following that, P2, the next person in the relay, also dreamed of a vast forest with a rich variety of plant life (Figure 6, g). Another instance occurred between P1 and P4. P1 stated conclusively that his dream (Figure 6, h) was influenced by P4 (Figure 6, d): *“Upon seeing P4’s dream*




Figure 5: The creative usage of stickers



Figure 6: AI-generated dream visuals

visual, my attention was fixed on the clock. Likewise, I had a dream about being late” (P1).

Regarding the perceptions of the dream visuals, the dreamers found the outputs exciting: “GAI is really good at visualizing dreams. It’s making them (dreams) way more visual so you can actually get the message” (P3). GAI greatly amplified the mystique of dreams, making them more expressive and alluring, as P1 exclaimed: “Through the unique transformation of GAI, others’ dreams became fascinating” (P1).

3.3 Redefining the Boundaries and Experiences of Dream Sharing with GAI

Dreams are personal and private, so the dreamers were wary of sharing them during the relay. P2 admitted, “Sometimes, I was not completely honest about my dream descriptions with G1. In fact, I chose my words attentively” (P2). She emphasized that this sense of defensiveness was because the characters in her dreams were sensitive: “I felt that revealing a character’s identity wouldn’t help GAI generate a more relevant image, so I selectively omitted that information” (P2). From a different perspective, G1 also felt awkward about generating others’ dream visuals at the beginning of the research. This feeling stemmed from G1’s concern about how the receiver of the dream visual would think of it: “I worried they’d (the dreamers) think the stimuli (dream visuals) I sent (generated) had too much of my own interpretation in them. Or that they’d even think they were my dreams, not from other dreamers” (G1). This led the participants to consider how GAI could potentially enhance a sense of security regarding dream privacy.

G1 explained that with the help of AI, “the awkward feeling dissolved” (G1). Through the transformation of GAI, “personal details in dreams were eliminated” (G1), resulting in only “fictional substitutes from AI computation” (G1). By this way, it reduced the embarrassing feeling that arose from publicly sharing one’s dream visual. Dreamers echoed that they “didn’t associate the characters in the dream visuals with the dream owner” (P1), instead describing the experience as “looking at a snapshot of a story” (P1). When the

dreamers viewed the dream visuals together, they considered that “sharing dreams in this way is carefree and unburdened” (P4). GAI’s transformation made dream sharing engaging and imaginative. It also allowed participants to casually broach embarrassing topics or unspoken personal details with others. As P2 reflected in the final interview: “I feel like I can share things that I normally wouldn’t, thanks to this weird but cool way” (P2). In general, participants perceived dream sharing as “an opportunity to spark conversations” (P3) and “a conversation starter for fun topics” (P2). Furthermore, they suggested that sharing dreams “makes us more bonded” (P4) and fostered a deeper understanding of each other.

4 Discussion

4.1 Human-AI Collaboration in Reshaping Dreams

In this study, by using GAI to visualize dreams, we discovered its creative value in dealing with ambiguous and uncertain data. Recognizing the importance of ineffable experiences highlighted by prior HCI research [1, 15], we discovered that both dreams and GAI may share characteristics of ineffability. Because dreams are fleeting, precise recall is inherently challenging. Recall is thus less a matter of accuracy and more a process of reshaping the dream. As Liu et al. perceive GAI as a collaborator in deriving dream insights [13], we also acknowledge its role in reshaping dreams. With its substantial creativity, GAI could help people fill in the blanks. For individuals with limited dream recall, the dream visuals helped them to recall and, in some instances, to reshape portions of their dreams; for individuals with stronger recall, the surprise and sense of immersion evoked by the dream visuals demonstrated the ineffability. Although the visuals are not exact copies of original dreams, this human-AI approach to reshaping dreams holds important implications for advancing dream exploration.

4.2 Inspiring Safe and Imaginative Dream Sharing with Generative AI

Our study proposed that the unexpected visualizations of dreams by GAI could alleviate personal privacy concerns, making them suitable for sharing. Dreams are private, personal experiences. They encapsulate emotions, memories, and our unconscious, and thus tend to be shared only with intimates. Despite often being confined to close relationships, dream sharing also holds potential benefits in broader social contexts. By making conversation engaging and entertaining, dream sharing fosters rapport and group bonding [17], ultimately strengthening relationships. In summary, dream sharing plays a valuable role in social interaction.

We have observed that people commonly desire AI to generate outputs that perfectly meet their expectations. However, AI's generation process, involving the statistical averaging and abstraction of features across vast datasets, inherently leads to *de-identified* output. As a result, the generated facial features, scenes, and objects in dream visualizations often differ from the originals. Contrary to the expectations of expected outcomes, we propose leveraging this inherent unexpectedness to generate dream visuals with slight differences. From participants' perspectives, this difference enhances their sense of comfort and safety and makes sharing easier. Even if a dream contains possibly strange content, the de-identified features ensure that participants do not feel embarrassed during sharing. This enables participants to interact with others in a relaxed and open state of mind. With the dream visuals as a grounding, participants are curious about the obscure aspects of their own or others' dreams, leading them to imagine and share. The AI-generated visuals acted as a catalyst for social interaction, turning personal abstract dreams into shareable narratives.

4.3 Reflections on the Dream Relay

We observed several changes in participants after the dream relay. During the interview, P3 mentioned that he recalled more dreams than previously. Before the relay, he was used to only remembering the fantastical or dark dreams. However, after participating, he began recalling realistic dreams about daily life, such as having dinner with friends or shopping in a mall. This finding is in line with previous studies showing that participation in dream recording activities improves dream recall [10, 18]. These changes prompted him to reconsider dreams as a dual experience. On one hand, he described those fantastical or dark dreams as an unreal world to escape from his worries and achieve things unattainable in reality. On the other hand, he realized that realistic dreams refocused his attention on daily life. We observed that our study enhanced P3's self-reflection on dreams. For him, dreams have become a medium to navigate between real and unreal worlds.

Our study also overturned G1's assumption that the probing data was not genuine. At the start, G1 was skeptical and considered the postcards to be insufficient to capture the level of detail presented in participants' written descriptions. However, after the focus group interview, G1 rethought the postcards' abstract qualities as a form of reality. While participants used the general stickers to depict their dreams, the original details are simultaneously obscured. (For example, the person-shaped sticker could indicate any person, yet its true identity lies only in the dream owner's knowledge.) In

fact, the secrets in dreams are always present on the postcard. But without the proper lens to read between the lines, the actual details would remain only with the owner.

These developments of a profound self-understanding through reflections were a welcome finding in our study.

5 Conclusion and Future work

This study explored the impact of incorporating GAI into dream sharing on both social interaction and individual self-reflection. By integrating GAI into our dream relay activity, we introduced a novel and dynamic way to share dreams. Our findings suggest that GAI, by obscuring private aspects of dreams, has the potential to spark curiosity and imagination. This, in turn, encourages more open and candid dream sharing, leading to both self-reflection and social interaction. As an early exploration, our study was limited by: a small sample size with homogeneous professional background, the lack of a control group to assess the effects of GAI, and the ethical considerations of privacy when sharing dreams. We believe future research could further explore GAI's potential for fostering social interaction and emotional resonance by examining various contexts and modalities of dream sharing. One potential avenue could be the development of personalized dream-sharing platforms. Combining dream narratives with technological innovation, we ultimately aim to express the irrational in a way that both conveys personal emotions and sparks collective imagination.

References

- [1] Kirsten Boehner, Phoebe Sengers, and Simeon Warner. 2008. Interfaces with the ineffable: Meeting aesthetic experience on its own terms. 15, 3 (2008), 1–29. doi:10.1145/1453152.1453155
- [2] Virginia Braun and Victoria Clarke. 2006. Using thematic analysis in psychology. 3, 2 (2006), 77–101. doi:10.1191/1478088706qp063oa
- [3] Sofie Krogh Bönlykke, Kamma Amalie Lind Madsen, and Tom Jenkins. 2024. Taking the bizarre seriously: dreams as a material for interaction design. In *Designing Interactive Systems Conference* (IT University of Copenhagen Denmark, 2024-07). ACM, 699–713. doi:10.1145/3643834.3661562
- [4] Antonietta Curci and Bernard Rimé. 2008. Dreams, emotions, and social sharing of dreams. 22, 1 (2008), 155–167. doi:10.1080/02699930701274102
- [5] Audrey Desjardins, Oscar Tomico, Andrés Lucero, Marta E. Cecchinato, and Carman Neustaetter. 2021. Introduction to the Special Issue on First-Person Methods in HCI. 28, 6 (2021), 1–12. doi:10.1145/3492342
- [6] David Fontana. 2003. *The Secret Language of Dreams: A Visual Key to Dreams and Their Meanings*. Chronicle Books.
- [7] Bill Gaver, Tony Dunne, and Elena Pacenti. 1999. Design: Cultural probes. 6, 1 (1999), 21–29. doi:10.1145/291224.291235
- [8] William W. Gaver, Andrew Boucher, Sarah Pennington, and Brendan Walker. 2004. Cultural probes and the value of uncertainty. 11, 5 (2004), 53–56. doi:10.1145/1015530.1015555
- [9] Varvara Guljajeva and Mar Canet Sola. 2022. Dream Painter: An Interactive Art Installation Bridging Audience Interaction, Robotics, and Creative AI. In *Proceedings of the 30th ACM International Conference on Multimedia* (Lisboa Portugal, 2022-10-10). ACM, 7235–7236. doi:10.1145/3503161.3549976
- [10] Michael Jeffrey Daniel Hoefler, Bryce E. Schumacher, and Stephen Volda. 2022. Personal Dream Informatics: A Self-Information Systems Model of Dream Engagement. In *CHI Conference on Human Factors in Computing Systems* (New Orleans LA USA, 2022-04-29). ACM, 1–16. doi:10.1145/3491102.3517669
- [11] Carl Gustav Jung. 2014. *The Archetypes and the Collective Unconscious* (0 ed.). Routledge. doi:10.4324/9781315725642
- [12] Carl Gustav Jung. 1989. *Memories, dreams, reflections*. Vol. 268. Vintage.
- [13] Pinyao Liu, Alexandra Kitson, Claudia Picard-Deland, Michelle Carr, Sijia Liu, Ray Lc, and Chen Zhu-Tian. 2024. Virtual Dream Reliving: Exploring Generative AI in Immersive Environment for Dream Re-experiencing. In *Extended Abstracts of the CHI Conference on Human Factors in Computing Systems* (Honolulu HI USA, 2024-05-11). ACM, 1–11. doi:10.1145/3613905.3644054
- [14] Sijia Liu, Ray Lc, Kexue Fu, Qian Wan, Pinyao Liu, and Jussi Holopainen. 2024. Dreamscaping: Supporting Creativity By Drawing Inspiration from Dreams. In

- Creativity and Cognition* (Chicago IL USA, 2024-06-23). ACM, 93–99. doi:10.1145/3635636.3660762
- [15] Caitlin Lustig and Daniela Rosner. 2022. From Explainability to Ineffability?: ML Tarot and the Possibility of Inspiring Design. In *Designing Interactive Systems Conference* (Virtual Event Australia, 2022-06-13). ACM, 123–136. doi:10.1145/3532106.3533552
 - [16] Bruce L. Moon. 2007. Dialoguing with Dreams in Existential Art Therapy. 24, 3 (2007), 128–133. doi:10.1080/07421656.2007.10129428
 - [17] Branka Restek-Petrović, Nataša Orešković-Krezler, Majda Grah, Nina Mayer, Anamarija Bogović, and Mate Mihanović. 2013. Dreams and fantasies in psychodynamic group psychotherapy of psychotic patients. *Psychiatria Danubina* 25, suppl 2 (2013), 300–304.
 - [18] Michael Schredl. 2004. Reliability and Stability of a Dream Recall Frequency Scale. 98, 3 (2004), 1422–1426. doi:10.2466/pms.98.3c.1422-1426
 - [19] Barbara Vann and Neil Alperstein. 2000. Dream Sharing as Social Interaction. 10, 2 (2000), 111–119. doi:10.1023/A:1009452822669
 - [20] Kipling D. Williams, Steve A. Nida, Lawrence D. Baca, and Bibb Latane. 1989. Social Loafing and Swimming: Effects of Identifiability on Individual and Relay Performance of Intercollegiate Swimmers. 10, 1 (1989), 73–81. doi:10.1207/s15324834basp1001_7
 - [21] Youngjoo Yi. 2008. Relay Writing in an Adolescent Online Community. 51, 8 (2008), 670–680. doi:10.1598/JAAL.51.8.6