

# Designing Inclusive AI Interaction for Neurodiversity

Dasom Choi

KAIST

Dajeon, Republic of Korea

dasomchoi@kaist.ac.kr

## Abstract

This dissertation explores the inclusive design of AI interactions that respect the unique values and agency of neurodivergent individuals. Critiquing the normative biases embedded in current AI systems, this research investigates how neurodivergent users navigate and redefine their engagements with AI across multiple contexts: navigating relational values in algorithmically curated social platforms, seeking everyday information through conversational AI, and leveraging AI-mediated communication systems to foster reciprocal interpersonal communication. Through a series of empirical studies, the dissertation identifies critical design opportunities for empowering neurodivergent social authorship and enhancing their participation in sociotechnical environments. This work contributes foundational insights and design guidelines for creating inclusive AI experiences that authentically align with the nuanced values of neurodivergent communities.

## CCS Concepts

• **Human-centered computing** → **Accessibility systems and tools; Empirical studies in accessibility.**

## Keywords

Human-AI Interaction, Neurodiversity, Inclusive AI, Interaction Design

### ACM Reference Format:

Dasom Choi. 2025. Designing Inclusive AI Interaction for Neurodiversity. In *Companion of the Computer-Supported Cooperative Work and Social Computing (CSCW Companion '25)*, October 18–22, 2025, Bergen, Norway. ACM, New York, NY, USA, 4 pages. <https://doi.org/10.1145/3715070.3747338>

## 1 Context and Motivation

The world is filled with diversity. Society thrives when individuals respect and harmoniously embrace these differences. Neurodiversity specifically refers to the diversity in human cognitive styles, highlighting the variations in how individuals perceive, understand, and interact with the world around them [27]. Historically, these neurological differences such as Autism, Attention Deficit Hyperactivity Disorder (ADHD), Dyslexia, and Intellectual Disabilities were largely considered as a deficit needing treatment [11, 28]. However, about two decades ago, autistic sociologist Judy Singer ignited the Neurodiversity movement, advocating for recognizing these

cognitive diversity as inherent and unique human characteristics rather than conditions to be corrected [16, 30]. This reframing has significantly shaped contemporary views toward more inclusive societal participation of neurodivergent individuals.

Despite this paradigm shift, neurodivergent individuals continue to face structural and interpersonal challenges in navigating a world largely designed around neurotypical perspectives. As members of a minority group, they are often required to interpret, manage, or negotiate unspoken expectations within everyday life [14, 23]. A field of assistive technologies have made significant progress in guiding neurodivergent individuals to understand and adapt to the dominant social norms. For example, prior research in computer-mediated communication has explored reduced-pressure online spaces where neurodivergent individuals can seek diverse social advice from trusted personal networks to broader online communities [4, 13, 25]. Concurrently, various technological systems—including VR and AR—have been developed to facilitate neurodivergent individuals make sense of unwritten social rules across different contexts, such as emotion recognition and workplace integration [2, 21, 26].

Recent advancements in artificial intelligence (AI) open up new possibilities for neurodivergent individuals to engage with a complex social world with greater independence. First, AI provides on-demand access to a wealth of organized information derived from large-scale pre-trained data [18, 24]. It shifts control over information access into the hands of neurodivergent individuals, reducing dependency on human intermediaries. Second, AI offers personalized support tailored to each individual's unique cognitive profile and life context [9]. Through continuous learning from user interactions, AI systems dynamically adjust to evolving needs, enhancing relevance and usability over time [1]. Third, the rise of large language models (LLMs) enable open-ended conversations that allow neurodivergent individuals to align models with their specific needs through user-driven interaction [3, 31]. Together, these capabilities position AI not merely as a tool for assistance, but as a medium for everyday empowerment of neurodivergent individuals.

However, AI-mediated social interaction may pose the risk of perpetuating or even reinforcing existing societal biases against neurodivergent individuals. Prior studies have shown that models often flag disability-related language as harmful [15] and portray people with disabilities as incapable and inactive beings through generative outputs [12, 19]. Notably, AI responses—primarily trained on neurotypical behavioral data—may unintentionally enforce normative perspectives defined by neurotypical society [5]. This can subtly shape neurodivergent individuals to suppress or negotiate their own values and uniqueness, leading to choices that compromise their sense of self. I consider these normative pressures embedded

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

*CSCW Companion '25, Bergen, Norway*

© 2025 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-1480-1/25/10

<https://doi.org/10.1145/3715070.3747338>

in AI systems to be a matter of inclusivity, which demands the recognition of difference without requiring assimilation.

Given these risks, how can we design inclusive AI experiences for neurodivergent populations?

One fundamental approach involves enriching AI training dataset to better reflect neurodiverse experiences and values [29]. While efforts have been made to involve minority communities in dataset creation [22], expanding AI models alone still faces practical limitations. Neurodiverse experiences are highly individual and context-sensitive, making standardized labeling prone to oversimplifying or distorting nuanced perspectives. Moreover, personalization often hinges on users sharing sensitive aspects of their cognitive identity—yet many neurodivergent individuals remain hesitant to disclose such information due to longstanding fears of stigma or discrimination [6]. In short, purely data-centric approaches cannot fully account for the specificity of neurodiverse contexts. This limitation shifts the focus from *what AI learns* to *how it is experienced through interaction*.

In light of this, this dissertation contributes to the design of inclusive AI interactions that empower neurodivergent individuals to claim social authorship by critically shaping their relationship with AI and intentionally aligning technology with their values. In doing so, I take a design-oriented, empirical approach to examine how neurodivergent individuals encounter, interpret, and repurpose intelligent technologies across everyday context. I specifically focus on investigating how neurodivergent users engage with AI systems in ways that challenge normative assumptions and reflect their situated values and needs. The overarching goal of this research is to provide design guidelines for inclusive AI experiences that embrace a spectrum of human diversity and support agentic participation in sociotechnical life. To achieve this, I propose four research questions:

- RQ1: What needs and challenges do neurodivergent individuals experience in AI-mediated social interactions?
- RQ2: How do the unique values of neurodivergent individuals shape their AI-mediated social interaction? RQ2-a: How do neurodivergent individuals define, negotiate, and assess the values embedded in such interactions, and what strategies do they employ to resolve value conflicts?
- RQ3: How do neurodivergent individuals appropriate AI to exercise agency in their everyday lives? RQ3-a: What characterizes neurodivergent individuals' engagement with AI in everyday life, and what challenges do they encounter?
- RQ4: What are the roles of AI in supporting agentic participation of neurodivergent individuals in social interaction?

## 2 Navigating Relational Values in Algorithmically Curated Social Platforms (RQ1 & RQ2)

Algorithmically curated social platforms dynamically shape user interactions through personalized content recommendations, moderation practices, and selective exposure based on user behavior. These features significantly influence how diverse users, including marginalized populations, experience and engage with online social environments.

In Study 1, I investigated how autistic individuals navigate romantic relationships on algorithmically curated online dating platforms [5]. Through participatory workshops involving 12 autistic adults, I explored their approaches to profile creation, partner selection, and communication in simulated dating scenarios. Participants highlighted significant challenges in decoding implicit social norms and managing self-presentation amidst the pressures of algorithmic visibility. The study revealed that autistic users frequently experience tensions between maintaining authentic expressions of their identities and conforming to the expectations set by normative behaviors and algorithmic cues. This work contributes by identifying design opportunities to better address neurodivergent users' needs and challenges in socially embedded uses of AI.

In Study 2, I examined how content creators with disabilities strategically interact with algorithmic distribution and content moderation mechanisms on YouTube [7]. Interviews with eight YouTube creators with disabilities showed how algorithmic systems influence their decisions on visibility and content strategies. Creators frequently encountered dilemmas balancing their goal to present diverse representations of disability to the public with the desire to benefit from algorithmic promotion to increase viewership. Creators also expressed frustration over ambiguous content moderation decisions and limitations in reaching broader, non-disability-focused audiences. This study highlights the risk that users may unintentionally compromise their identities and values under the influence of platform algorithms.

## 3 Seeking Everyday Information through LLM-Based Conversational Agents (RQ3)

In Study 3, I investigated how autistic individuals proactively align conversational AI systems with their personal values and daily needs [6]. First, I conducted focus group interviews to capture participants' prior experiences, perceptions, and expectations regarding large language model (LLM)-based conversational agents. Following this, I organized individual workshops where participants engaged directly with conversational ChatGPT, brainstorming practical applications to address their everyday concerns. Participants demonstrated initiative in appropriating LLM-driven conversational agents to address their unique everyday needs, moving beyond passive consumption of technology. They actively shaped the use of AI to align with their personal values and specific contexts, developing creative strategies such as rehearsing social scenarios, creating personalized emotional support systems, and fostering self-understanding. This proactive approach underscores the potential of conversational AI as an empowering tool that facilitates self-advocacy and autonomy among neurodivergent individuals. This study addresses RQ3 by demonstrating how a user-driven interaction approach empowers neurodivergent individuals to shape AI systems aligned with their specific values and contexts.

## 4 AI-Mediated Parent–Child Communication across Neurotypes (RQ4)

In Study 4, I investigated how AI can support reciprocal communication between minimally verbal autistic (MVA) children and their parents [8]. MVA children often communicate through non-verbal cues, limited vocalizations, or a small set of fixed words or

phrases [17]. This mode of communication often poses challenges for their neurotypical parents, who may struggle to accurately interpret these subtle signals [10, 20]. To better understand the communication dynamics and challenges faced by these dyads, I conducted a formative study involving interviews with autism experts and parents of MVA children. The findings revealed that parents mainly lead the interaction by managing the conversation flow and most of their interactions are focused on teaching speech rather than exchanging emotions and thoughts.

To address these challenges, I designed and developed AACessTALK, an AI-driven communication mediation system that fosters balanced conversations between parents and MVA children. The system uses LLMs to generate context-aware parental guidance and curate vocabulary cards for children. Through a two-week home deployment study involving 11 parent-MVA child dyads, I examined how families incorporated AACessTALK into their daily routines. The findings showed an increase in the frequency of conversation sessions and turn-taking exchanges. Notably, AI-recommended vocabulary cards facilitated increased self-expression in MVA children enhancing parental understanding of their children's broader language abilities. As a result, parents developed greater respect for their children's conversational turns and communicative intentions.

## 5 Future Work (RQ3-a)

Through Study 3, I uncovered both opportunities and challenges faced by autistic individuals in using conversational AI. While participants appreciated the empowerment conversational agents like ChatGPT provided in managing daily tasks, some also exhibited overreliance on AI outputs, treating AI responses as definitive answers and attempting to modify their behaviors accordingly. It remains critical to understand how conversational AI technologies practically impact neurodivergent individuals' everyday experiences and decision-making.

Building on these findings, Study 5 will explore RQ3-a by investigating the distinct interaction patterns and ethical challenges that may emerge when autistic individuals integrate conversational AI into their everyday lives. To this end, I plan to conduct a one-week in-the-wild study with 14 autistic participants who will engage with ChatGPT on their personal devices. Data to be collected will include chat logs and surveys assessing dimensions such as helpfulness, trust, and emotional support. I will perform a detailed conversational analysis of the collected chat logs. Using a structured coding framework, interactions will be examined based on criteria such as conversational intent, tone, depth of personal disclosure, relationship dynamics, emotional attachment, instances of disability disclosure and potentially harmful content. This contributes to the overarching research agenda by identifying key design considerations that enable neurodivergent users to critically shape their relationships with conversational AI and become empowered, reflective users.

## 6 Expected Contribution

This dissertation will result in four primary contributions. First, it proposes a conceptual framework for designing inclusive AI interactions that emphasize neurodivergent individuals' critical engagement and intentional value alignment. Second, it offers empirical

insights into how identity and personal values shape neurodivergent users' interactions with AI systems across diverse contexts. Third, the research presents a concrete design artifact exemplifying how AI technologies can mediate reciprocal interactions across neurotypes, emphasizing the balanced communicative dynamics between two parties. Fourth, it provides practical methodological knowledge, offering design guidelines and ethical considerations essential for creating inclusive, user-centered AI experiences.

Through the Doctoral Consortium, I look forward to engaging in discussions on the concept and framework of inclusive AI, seeking feedback to strengthen theoretical foundations centered on neurodivergent agency and values. I aim to refine my research questions and future directions to more comprehensively address ethical and practical challenges in AI adoption. Additionally, I hope to explore the broader applicability of my findings beyond neurodiversity contexts and discuss the direction and impact of my dissertation's final contributions to inclusive AI design and practice.

## References

- [1] Plamen Angelov, Dimitar P Filev, and Nik Kasabov. 2010. *Evolving intelligent systems: methodology and applications*. John Wiley & Sons.
- [2] Shannon A Bridges, Olivia P Robinson, Elizabeth W Stewart, Dongjin Kwon, and Kagendo Mutua. 2020. Augmented reality: Teaching daily living skills to adults with intellectual disabilities. *Journal of Special Education Technology* 35, 1 (2020), 3–14.
- [3] Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child, Aditya Ramesh, Daniel Ziegler, Jeffrey Wu, Clemens Winter, Chris Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. 2020. Language Models are Few-Shot Learners. In *Advances in Neural Information Processing Systems*, H. Larochelle, M. Ranzato, R. Hadsell, M.F. Balcan, and H. Lin (Eds.), Vol. 33. Curran Associates, Inc., 1877–1901. [https://proceedings.neurips.cc/paper\\_files/paper/2020/file/1457c0d6bfc4967418bfb8ac142f64a-Paper.pdf](https://proceedings.neurips.cc/paper_files/paper/2020/file/1457c0d6bfc4967418bfb8ac142f64a-Paper.pdf)
- [4] Moira Burke, Robert Kraut, and Diane Williams. 2010. Social Use of Computer-Mediated Communication by Adults on the Autism Spectrum. In *Proceedings of the 2010 ACM Conference on Computer Supported Cooperative Work (Savannah, Georgia, USA) (CSCW '10)*. Association for Computing Machinery, New York, NY, USA, 425–434. <https://doi.org/10.1145/1718918.1718991>
- [5] Dasom Choi, Sung-In Kim, Sunok Lee, Hyunseung Lim, Hee Jeong Yoo, and Hwajung Hong. 2023. Love on the Spectrum: Toward Inclusive Online Dating Experience of Autistic Individuals. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems (Hamburg, Germany) (CHI '23)*. Association for Computing Machinery, New York, NY, USA, Article 53, 15 pages. <https://doi.org/10.1145/3544548.3581341>
- [6] Dasom Choi, Sunok Lee, Sung-In Kim, Kyungah Lee, Hee Jeong Yoo, Sangsu Lee, and Hwajung Hong. 2024. Unlock Life with a Chat(GPT): Integrating Conversational AI with Large Language Models into Everyday Lives of Autistic Individuals. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems (Honolulu, HI, USA) (CHI '24)*. Association for Computing Machinery, New York, NY, USA, Article 72, 17 pages. <https://doi.org/10.1145/3613904.3641989>
- [7] Dasom Choi, Uichin Lee, and Hwajung Hong. 2022. "It's not wrong, but I'm quite disappointed": Toward an Inclusive Algorithmic Experience for Content Creators with Disabilities. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems (New Orleans, LA, USA) (CHI '22)*. Association for Computing Machinery, New York, NY, USA, Article 593, 19 pages. <https://doi.org/10.1145/3491102.3517574>
- [8] Dasom Choi, SoHyun Park, Kyungah Lee, Hwajung Hong, and Young-Ho Kim. 2025. AACessTalk: Fostering Communication between Minimally Verbal Autistic Children and Parents with Contextual Guidance and Card Recommendation. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (CHI '25)*. Association for Computing Machinery, New York, NY, USA, Article 556, 25 pages. <https://doi.org/10.1145/3706598.3713792>
- [9] Elizabeth F. Churchill. 2013. Putting the person back into personalization. *Interactions* 20, 5 (Sept. 2013), 12–15. <https://doi.org/10.1145/2504847>
- [10] John Damiao, Galilee Damiao, Catherine Cavaliere, Susanna Dunscomb, Kirsten Ekelund, Renee Lago, and Ashley Volpe. 2023. Parent Perspectives on Assisted Communication and Autism Spectrum Disorder. *The American Journal of Occupational Therapy* 78, 1 (12 2023), 7801205070. <https://doi.org/10.1177/07430648231205070>

- <https://doi.org/10.5014/ajot.2024.050343> arXiv:<https://research.aota.org/ajot/article-pdf/78/1/7801205070/84454/7801205070.pdf>
- [11] Noud Frielink, Carlo Schuengel, and Petri JCM Embregts. 2018. Autonomy support, need satisfaction, and motivation for support among adults with intellectual disability: Testing a self-determination theory model. *American journal on intellectual and developmental disabilities* 123, 1 (2018), 33–49.
  - [12] Vinitha Gadiraju, Shaun Kane, Sunipa Dev, Alex Taylor, Ding Wang, Emily Denton, and Robin Brewer. 2023. "I Wouldn't Say Offensive but...": Disability-Centered Perspectives on Large Language Models. In *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency* (Chicago, IL, USA) (FAccT '23). Association for Computing Machinery, New York, NY, USA, 205–216. <https://doi.org/10.1145/3593013.3593989>
  - [13] Hwajung Hong, Eric Gilbert, Gregory D. Abowd, and Rosa I. Arriaga. 2015. In-Group Questions and Out-Group Answers: Crowdsourcing Daily Living Advice for Individuals with Autism. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems* (Seoul, Republic of Korea) (CHI '15). Association for Computing Machinery, New York, NY, USA, 777–786. <https://doi.org/10.1145/2702123.2702402>
  - [14] Ann X. Huang, Tammy L. Hughes, Lawrence R. Sutton, Marissa Lawrence, Xiaohan Chen, Zhe Ji, and Waganesh Zeleke. 2017. Understanding the Self in Individuals with Autism Spectrum Disorders (ASD): A Review of Literature. *Frontiers in Psychology* 8 (2017). <https://doi.org/10.3389/fpsyg.2017.01422>
  - [15] Ben Hutchinson, Vinodkumar Prabhakaran, Emily Denton, Kellie Webster, Yu Zhong, and Stephen Denuyl. 2020. Unintended Machine Learning Biases as Social Barriers for Persons with Disabilities. *SIGACCESS Access. Comput.* 125, Article 9 (mar 2020), 1 pages. <https://doi.org/10.1145/3386296.3386305>
  - [16] Steven K Kapp, Kristen Gillespie-Lynch, Lauren E Sherman, and Ted Hutman. 2013. Deficit, difference, or both? Autism and neurodiversity. *Developmental psychology* 49, 1 (2013), 59.
  - [17] Connie Kasari, Nancy Brady, Catherine Lord, and Helen Tager-Flusberg. 2013. Assessing the Minimally Verbal School-Aged Child With Autism Spectrum Disorder. *Autism Research* 6, 6 (2013), 479–493. <https://doi.org/10.1002/aur.1334> arXiv:<https://onlinelibrary.wiley.com/doi/pdf/10.1002/aur.1334>
  - [18] Enkeleida Kasneci, Kathrin Sessler, Stefan Küchemann, Maria Bannert, Daryna Dementieva, Frank Fischer, Urs Gasser, Georg Groh, Stephan Günemann, Eyke Hüllermeier, Stephan Krusche, Gitta Kutyniok, Tilman Michaeli, Claudia Nerdel, Jürgen Pfeffer, Oleksandra Poquet, Michael Sailer, Albrecht Schmidt, Tina Seidel, Matthias Stadler, Jochen Weller, Jochen Kuhn, and Gjergji Kasneci. 2023. ChatGPT for good? On opportunities and challenges of large language models for education. *Learning and Individual Differences* 103 (2023), 102274. <https://doi.org/10.1016/j.lindif.2023.102274>
  - [19] Kelly Avery Mack, Rida Qadri, Remi Denton, Shaun K. Kane, and Cynthia L. Bennett. 2024. "They only care to show us the wheelchair": disability representation in text-to-image AI models. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 288, 23 pages. <https://doi.org/10.1145/3613904.3642166>
  - [20] James B. McCauley and Marjorie Solomon. 2022. Characterizing Parent–Child Interactions in Families of Autistic Children in Late Childhood. *Social Sciences* 11, 3 (2022). <https://doi.org/10.3390/socsci11030100>
  - [21] Joseph P McCleery, Ashley Zitter, Rita Solórzano, Sinan Turnacioglu, Judith S Miller, Vijay Ravindran, and Julia Parish-Morris. 2020. Safety and feasibility of an immersive virtual reality intervention program for teaching police interaction skills to adolescents and adults with autism. *Autism Research* 13, 8 (2020), 1418–1424.
  - [22] Joon Sung Park, Danielle Bragg, Ece Kamar, and Meredith Ringel Morris. 2021. Designing an Online Infrastructure for Collecting AI Data From People With Disabilities. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency* (Virtual Event, Canada) (FAccT '21). Association for Computing Machinery, New York, NY, USA, 52–63. <https://doi.org/10.1145/3442188.3445870>
  - [23] Malinda L Pennington, Douglas Cullinan, Louise B Southern, et al. 2014. Defining autism: variability in state education agency definitions of and evaluations for autism spectrum disorders. *Autism research and treatment* 2014 (2014).
  - [24] Simon Razniewski, Andrew Yates, Nora Kassner, and Gerhard Weikum. 2021. Language models as or for knowledge bases. *arXiv preprint arXiv:2110.04888* (2021).
  - [25] Kathryn E. Ringland, Christine T. Wolf, Heather Faucett, Lynn Dombrowski, and Gillian R. Hayes. 2016. "Will I Always Be Not Social?": Re-Conceptualizing Sociality in the Context of a Minecraft Community for Autism. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (CHI '16). Association for Computing Machinery, New York, NY, USA, 1256–1269. <https://doi.org/10.1145/2858036.2858038>
  - [26] Nicole M Russo-Ponsaran, Bernadette Evans-Smith, Jason Johnson, Jaclyn Russo, and Clark McKown. 2016. Efficacy of a facial emotion training program for children and adolescents with autism spectrum disorders. *Journal of Nonverbal Behavior* 40 (2016), 13–38.
  - [27] J. Singer. 2017. *NeuroDiversity: The Birth of an Idea*. Judy Singer. [https://books.google.co.kr/books?id=Ox\\_7uQEACAAJ](https://books.google.co.kr/books?id=Ox_7uQEACAAJ)
  - [28] Katta Spiel, Christopher Frauenberger, Os Keyes, and Geraldine Fitzpatrick. 2019. Agency of Autistic Children in Technology Research—A Critical Literature Review. *ACM Trans. Comput.-Hum. Interact.* 26, 6, Article 38 (nov 2019), 40 pages. <https://doi.org/10.1145/3344919>
  - [29] Shari Trewin. 2018. AI fairness for people with disabilities: Point of view. *arXiv preprint arXiv:1811.10670* (2018).
  - [30] Tumblr. accessed 2023. *PSA from the actual coiner of "neurodivergent"*. Retrieved September 09, 2023 from <https://sherlocksflataffect.tumblr.com/post/121295972384/psa-from-the-actual-coiner-of-neurodivergent>
  - [31] Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, brian ichter, Fei Xia, Ed Chi, Quoc V Le, and Denny Zhou. 2022. Chain-of-Thought Prompting Elicits Reasoning in Large Language Models. In *Advances in Neural Information Processing Systems*, S. Koyejo, S. Mohamed, A. Agarwal, D. Belgrave, K. Cho, and A. Oh (Eds.), Vol. 35. Curran Associates, Inc., 24824–24837. [https://proceedings.neurips.cc/paper\\_files/paper/2022/file/9d5609613524ecf4f15af0f7b31abca4-Paper-Conference.pdf](https://proceedings.neurips.cc/paper_files/paper/2022/file/9d5609613524ecf4f15af0f7b31abca4-Paper-Conference.pdf)