

Unidad II Actividad 1 Android Diego Correa

Diseño



Estructura de carpeta




Codigo main.dart

Codigo panel_pantalla0347.dart

```
main.dart M × panel_pantalla0347.dart A ×
 import 'package:flutter/material.dart';
 class PanelPantalla0347 extends StatelessWidget {
  const PanelPantalla0347({Key? key}) : super(key: key);
  Widget build(BuildContext context) {
     return Scaffold(
       appBar: AppBar(
        backgroundColor: OColor(0xff042c4d),centerTitle: true,
         leading: IconButton(
          onPressed: () {},icon: Icon(Icons.menu,color: Colors.white),
          Padding(
            padding: EdgeInsets.only(right: 15),
             child: CircleAvatar(
              backgroundImage: NetworkImage(
                   "https://raw.githubusercontent.com/CorreaMontesDiego/img_IOS/main/iconAuto.jpg")
          'CmdCars Correa0347', style: TextStyle(color: □Color(0xfffffff)),
       body: Center(
         child: Text('Falta codigo',
```

Salida del codigo anterior




continua panel_pantall7777.dart body, Column, children ,Container,BoxDecoration,BoxShadow y TexField.


```
main.dart × panel_pantalla0347.dart M ×
class PanelPantalla0347 extends StatelessWidget {
  const PanelPantalla0347({Key? key}) : super(key: key);
  Widget build(BuildContext context) {
    return Scaffold(
                                                                                           CmdCars Correa0347
      appBar: AppBar(
                                                                                         Q Oue quieres ver
      body: Column(children: <Widget>[
                                                                                                                     0
                                                                                                                      /
        margin: const EdgeInsets.all(15),
          padding: const EdgeInsets.symmetric(horizontal: 15),
                                                                                                                     decoration: BoxDecoration(
              borderRadius: BorderRadius.circular(10.0),
              color: □Color(0xffffffff),
                BoxShadow(
                   offset: Offset(0, 5),
            decoration: InputDecoration(
                hintStyle: TextStyle(fontWeight: FontWeight.w500),
                border: InputBorder.none,
                prefixIcon: Icon(Icons.search, color: Ocolors.brown)), // I
```

body, Column, children, Container 2, boxdecoration, image y network


body, Column, children, ListTile, Text, titleTextStyle, icons




body, Column, children, Expanded, GridView



item_doctor.dart return, Container, Boxdecoration y BoxShadow



child, column, Children, CircleAvatar, sizedBox, Text, SizedBox, Row, children, list.generated, Icons y color



Link de referencias appBar CodesInsider