

The Cascading Fall-Down Logic

How responsive evaluation degrades seamlessly to the baseline



Active Browser Context

Viewport Width: **600px** | Supported:
WebP, JPEG | AVIF/JXL: **No**

<picture>

```
<source media="(min-width: 1024px)"  
  srcset="desktop.jpg">
```

1. Art Direction Check

Condition: min-width: 1024px

Result: ❌ **FALSE** (Viewport is only 600px)

Cascade Down

```
<source type="image/avif"  
  srcset="img.avif">
```

2. Format Switching Check

Condition: type="image/avif"

Result: ❌ **FALSE** (Browser lacks AVIF codec)

Cascade Down

```
<source type="image/jxl"  
  srcset="img.jxl">
```

3. Format Switching Check

Condition: type="image/jxl"

Result: ❌ **FALSE** (Browser lacks JXL codec)

No Matches!
Ultimate Fallback Triggered

```

```

4. The Baseline Fallback

Condition: Tag (Unconditional)

Result: ✅ **TRUE** (JPEG is native & supported)

</picture>



The Standard Baseline

Because all <source> conditions returned **FALSE**, the logic cascade terminates. The browser gracefully ignores the <picture> wrapper and natively executes the src attribute found in the standard tag. **Structural integrity is maintained!**