



# CTX-Email User Guide

## Contents

---

CTX-Email User Guide .....	1
Contents.....	2
Versions .....	3
Document Revisions.....	3
Module Versions .....	3
Preface .....	4
About this document .....	4
Audience .....	4
Related Material.....	4
Abbreviations used in this Document .....	4
Requirements.....	5
Integration .....	6
Integration with Third-Party Systems.....	6
Integrating with Existing Infrastructure .....	6
1    Send-Email-Cortex-Format .....	7
1.1    Overview .....	7
1.2    Inputs .....	8
1.3    Outputs .....	9

## Versions

---

### Document Revisions

The following revisions have been made to this document

Date	Revision	Notes
20/11/2018	1.0	First release

### Module Versions

The following revisions have been made to this document

Date	Revision	Notes
20/11/2018	1.0	Creation of “Send Email - Cortex Format”

## Preface

---

### About this document

This document is a user guide for the CTX-Email module.

### Audience

Those who would like to send an email from a Cortex flow in a pre-set format with user defined content.

### Related Material

Document
CTX-Email - Deployment Plan
CTX-Email.studiopkg

### Abbreviations used in this Document

<b>SMTP</b>	Simple Mail Transfer Protocol
<b>HTML</b>	Hypertext Markup Language
<b>URL</b>	Uniform Resource Locator

## Requirements

---

The CTX-Email module requires the following:

- Connectivity from the Cortex Application Server to a SMTP Server

## **Integration**

---

### **Integration with Third-Party Systems**

None Required.

### **Integrating with Existing Infrastructure**

The Cortex application server requires access to an SMTP server; this can be a separate server or the Cortex application server itself.


# 1 Send-Email-Cortex-Format

---

## 1.1 Overview

The Send-Email-Cortex-Format subtask sends an email to a recipient or recipients specified by the user, with formatting according to a pre-defined HTML template. The fields that can be added to the email body that are not available to the usual 'Send Email' block are:

- Title
- Subtitle
- Body
- Preheader
- Header Image URL
- Header Image background colour
- Image width
- Footer text
- Footer text colour
- Footer background colour



*Figure 1 - Email Example*

## 1.2 Inputs

Input Variables	Type	Description
SECF_i_mail-server	Text	Email server from which to send the email. REQUIRED
SECF_i_subject	Text	Email subject line. REQUIRED
SECF_i_recipients	Text	Recipient(s) of the email. Comma separated emails. REQUIRED
SECF_i_cc	Text	Email carbon copy. Comma separated emails OPTIONAL By default, this is empty.
SECF_i_bcc	Text	Email blind carbon copy. REQUIRED
SECF_i_from	Text	Address to send the email from, this may be limited to a selection of addresses by the email server. REQUIRED
SECF_i_attachments	List	Any files to be attached to the email. OPTIONAL By default, this is an empty list.
SECF_i_preheader-text	Text	Appears as an email content preview in some email applications. REQUIRED
SECF_i_title-text	Text	Email title. REQUIRED
SECF_i_subtitle-text	Text	Email subtitle. REQUIRED
SECF_i_body-text	Text	Email main text. REQUIRED
SECF_i_header-image-url	Text	URL of the email header online image. OPTIONAL By default, this is the Cortex logo ( <a href="http://www.cortex.co.uk/wp-content/uploads/Cortex-350-120.png">http://www.cortex.co.uk/wp-content/uploads/Cortex-350-120.png</a> ).
SECF_i_header-image-width	Text	Width of the header image. OPTIONAL By default, this is 250.
SECF_i_header-image-bgcolor	Text	Colour of the header image as an HTML code without the '#' symbol. OPTIONAL By default, this is ddd.
SECF_i_footer-bar-bgcolor	Text	Colour of the footer bar as an HTML code without the '#' symbol. OPTIONAL By default, this is 398fcd.
SECF_i_footer-text-color	Text	Colour of the footer text as an HTML code without the '#' symbol. OPTIONAL By default, this is E9E9E9.



SECF_i_footer-text	Text	Text to display in the email footer. OPTIONAL By default, this is 'This email has been sent automatically by a Cortex flow.'
--------------------	------	--

## 1.3 Outputs

None.