

**RE: Request for indicative proposal —
psychosocial risk assessment, 24/7
hospital switchboard (Brisbane region)**

From: Neil Glockling nglockling@altius-group.com.au

To: Cory Shepherd coryshepherd1@hotmail.com

Sent: Wednesday 5 August at 09:35

Hi Cory

Sorry today isn't going to be possible. Tomorrow at 11am or 1pm is open if you can commit to either of these times?

Kind Regards

Neil

Neil Glockling | GM Business Development
Level 2, 46 Edward Street, Brisbane, QLD, 4000
P: 1800 258 487 **M:** 0431 941 781 **W:** altius.au
Connect with us [LinkedIn](#)

AltiusGroup



We, Altius Group acknowledge the Traditional Owners of Country throughout Australia and recognise their continuing connection to land, waters and culture. We pay our respects to their Elders past, present and emerging.

This email message and any accompanying attachments may contain information that is confidential and is subject to legal privilege. You must not disclose, copy or rely on any part of this correspondence if you are not the intended recipient. If you have received this e-mail in error please contact the sender immediately and then delete the message and any attachment(s). Any views expressed in this message are those of the individual sender, except where the sender expressly, and with authority, states them to be the views of the company.

From: Neil Glockling

Sent: Tuesday, 4 August 2026 4:20 PM

To: 'Cory Shepherd' <coryshepherd1@hotmail.com>

Subject: RE: Request for indicative proposal —
psychosocial risk assessment, 24/7 hospital switchboard
(Brisbane region)

Hi Cory,

I'm currently liaising with a colleague whom I'd also like to include in the discussion.

To facilitate the conversation, we would need to meet via Microsoft Teams rather than by phone.

As soon as my colleague has responded, I'll coordinate a suitable time and send through an invitation.

Kind regards,

Neil

From: Cory Shepherd <coryshepherd1@hotmail.com>
Sent: Tuesday, 4 August 2026 11:54 AM
To: Neil Glockling <nglockling@altius-group.com.au>
Subject: Re: Request for indicative proposal —
psychosocial risk assessment, 24/7 hospital switchboard
(Brisbane region)

CAUTION: This email originated from outside of our organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

Hi Neil,

Thank you for coming back to me so quickly.

I'm available this afternoon after 4:30pm, and tomorrow between 9:00am and 12:00pm — whatever suits you best. My number is [0417 400 227](tel:0417400227).

To be clear on the commercial side first: I would not be the client. Any engagement would be commissioned and funded by the health service itself, as the employer — this sits within its work health and safety obligations, not with me personally. My role would be limited to consultation about how the assessment should be scoped and conducted, so please quote it as you would for a departmental client.

Two other things worth flagging ahead of the call, so we don't waste your time.

The workplace is a Queensland public hospital. I'd want to be confident Altius has not been engaged by that health service in relation to this workplace or its management line, and I'd ask that my enquiry not be raised with anyone on the client side. I'm happy to name the health service at the start of the call so that can be checked.

The other is method. To my knowledge there is no existing hazard register or prior psychosocial assessment for this work area, so this would be a first assessment rather than a review. The assessment I have in mind is one where the findings are driven by evidence rather than impressions — the People at Work survey with benchmarked scores, observation across shift types including nights and weekends, interviews offered to all operators, and the recorded data reviewed (call demand by hour and day, rosters, time on the queue between breaks, leave, complaints and incidents). I would also want to understand how findings are reported: whether the risk register is shared with the workers as well as management, and whether uncontrolled risks are stated plainly.

The room also has a physical and human-factors layer that I would want assessed alongside the psychosocial one: noise and acoustic exposure through headsets, the rate of interruption and task-switching while calls are being handled, cognitive load during emergency code activations, console and workstation ergonomics, lighting and screen-based work. Could you tell me whether that sits within a single engagement for Altius, or whether it would require a separate discipline?

If that is how Altius works, I think this is worth a conversation.

I look forward to speaking with you.

Kind regards,
Cory Shepherd
[0417 400 227](tel:0417400227)

From: Neil Glockling <nglockling@altius-group.com.au>

Sent: Tuesday, 4 August 2026 8:54 AM

To: coryshepherd1@hotmail.com
<coryshepherd1@hotmail.com>

Subject: RE: Request for indicative proposal —

psychosocial risk assessment, 24/7 hospital switchboard
(Brisbane region)

Hi Cory,

Thank you for your email and for outlining the
context of your enquiry.

By way of introduction, I am General Manager at
Altius Group. I would welcome the opportunity to
have a short conversation to better understand the
circumstances of the request and any additional
context that may assist us in providing meaningful
guidance.

If you could let me know a few suitable times, I
would be happy to give you a call.

I look forward to speaking with you.

Kind regards,
Neil

Neil Glockling | GM Business Development
Level 2, 46 Edward Street, Brisbane, QLD, 4000
P: [1800 258 487](tel:1800258487) **M:** [0431 941 781](tel:0431941781) **W:** altius.au
Connect with us [LinkedIn](#)

AltiusGroup



We, Altius Group acknowledge the Traditional Owners of Country throughout Australia and recognise their continuing
connection to land, waters and culture. We pay our respects to their Elders past, present and emerging.

*This email message and any accompanying attachments may contain information that is confidential and is subject to legal
privilege. You must not disclose, copy or rely on any part of this correspondence if you are not the intended recipient. If you have
received this e-mail in error please contact the sender immediately and then delete the message and any attachment(s). Any views
expressed in this message are those of the individual sender, except where the sender expressly, and with authority, states them to
be the views of the company.*

From: Referrals - Altius Group <[referrals@altius-
group.com.au](mailto:referrals@altius-group.com.au)>

Sent: Tuesday, 4 August 2026 7:43 AM

To: Neil Glockling <nglockling@altius-group.com.au>

Subject: Fwd: Request for indicative proposal —
psychosocial risk assessment, 24/7 hospital switchboard
(Brisbane region)

Morning Neil,

I will create a lead for below.

Thank you,

Jess N

Referrals - Altius Group |

Workplace Health and Safety by Altius

Level 4, 507-509 Kent Street, Sydney, NSW, 2000

P: 1800 433 966 **M:** 02 9112 6050 **W:** altius.au

Connect with us [LinkedIn](#)



Enquire Now →

PeopleSense Psychology & Wellbeing by Altius Rehabilitation Services by Altius Workplace Health & Safety by Altius Executive Health Solutions by Altius



We, Altius Group acknowledge the Traditional Owners of Country throughout Australia and recognise their continuing connection to land, waters and culture. We pay our respects to their Elders past, present and emerging.

Your feedback is invaluable in helping us improve and elevate wellbeing - [click here](#) to complete a brief survey.

This email message and any accompanying attachments may contain information that is confidential and is subject to legal privilege. You must not disclose, copy or rely on any part of this correspondence if you are not the intended recipient. If you have received this e-mail in error please contact the sender immediately and then delete the message and any attachment(s). Any views expressed in this message are those of the individual sender, except where the sender expressly, and with authority, states them to be the views of the company.

On Tue, 4 Aug at 7:20 AM , Cory Shepherd

<coryshepherd1@hotmail.com> wrote:

CAUTION: This email originated from outside of our organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

Good morning,

I am seeking an indicative proposal — scope, approach and fee range — for an independent psychosocial risk assessment of a 24/7 hospital switchboard room in the Brisbane region: a small team of operators on a rotating roster across day, evening, night and weekend shifts, handling a high daily call volume including emergency codes and distressed callers.

The assessment contemplated would be conducted under the Managing the risk of psychosocial hazards at work Code of Practice 2022 (Qld) and consistently with ISO 45003, and would include: review of recorded data (call demand, rosters, leave, incident and complaint records); the People at Work survey; on-site observation across shift types, including night and weekend shifts; interviews offered to all

operators; risk rating with a controls report; and a twelve-month review point.

For transparency: I am an employee of the workplace concerned, preparing a contribution to a consultation process about how such an assessment might be conducted. Any engagement would be commissioned by the employer, not by me. At this stage I am asking only:

whether this is within your service scope;
your indicative approach;
an indicative fee range for an assessment of this size;
your current availability; and
one scope question — whether the assessment's deliverables could include a statement of the role's psychosocial demands and working conditions in a form suitable for use by treating medical practitioners when providing fitness-for-work, restriction and adjustment opinions for workers in the room.
I'm happy to take this by email or a short call.

Kind regards,
Cory Shepherd
[0417 400 227](tel:0417400227)