

Pre-Launch Manual Steps

Step 1: Apply Pending Database Migration

```
cd c:\Users\user\Spiritual-Reading-Website-2
npx supabase db push
```

This applies 20260304000000_advisor_contracts_and_stats.sql which adds:

- Contract columns on advisor_details
- Dashboard stats RPCs (get_advisor_dashboard_stats, get_advisor_chart_data, get_advisor_recent_reviews)
- update_advisor_contract RPC

After applying, regenerate types:

```
npx supabase gen types typescript --linked > src/integrations/supabase/types.gen.ts
```

Step 2: Deploy All Edge Functions

Deploy all 14 edge functions to Supabase:

```
npx supabase functions deploy generate-livekit-token
npx supabase functions deploy create-checkout
npx supabase functions deploy create-session-hold
npx supabase functions deploy capture-session-payment
npx supabase functions deploy stripe-webhook --no-verify-jwt
npx supabase functions deploy delete-account
npx supabase functions deploy create-connect-account
npx supabase functions deploy check-connect-status
npx supabase functions deploy admin-refund
npx supabase functions deploy send-email
npx supabase functions deploy ingest-knowledge
npx supabase functions deploy handle-ai-chat
npx supabase functions deploy clone-voice
npx supabase functions deploy vapi-webhook --no-verify-jwt
```

Note: stripe-webhook and vapi-webhook use --no-verify-jwt because they receive calls from external services (Stripe/Vapi), not authenticated users.

Step 3: Set Supabase Edge Function Secrets

Go to Supabase Dashboard → your project → Edge Functions → Secrets, or use the CLI:

```
npx supabase secrets set STRIPE_SECRET_KEY=sk_live_YOUR_LIVE_KEY
```

```

npx supabase secrets set
STRIPE_WEBHOOK_SECRET=whsec_YOUR_WEBHOOK_SECRET
npx supabase secrets set BREVO_API_KEY=xkeysib-YOUR_BREVO_API_KEY
npx supabase secrets set LIVEKIT_API_KEY=YOUR_LIVEKIT_KEY
npx supabase secrets set LIVEKIT_API_SECRET=YOUR_LIVEKIT_SECRET
npx supabase secrets set LIVEKIT_URL=wss://your-livekit-instance.livekit.cloud
npx supabase secrets set OPENAI_API_KEY=sk-YOUR_OPENAI_KEY
npx supabase secrets set CARTESIA_API_KEY=YOUR_CARTESIA_KEY
npx supabase secrets set VAPI_API_KEY=YOUR_VAPI_KEY

```

Where to get each key:

Secret	Where to get it
STRIPE_SECRET_KEY	Stripe Dashboard → Standard keys → Secret key (use live key)
STRIPE_WEBHOOK_SECRET	Stripe Dashboard → Webhooks → your endpoint → Signing secret (created in Step 5)
BREVO_API_KEY	Brevo Dashboard → Settings → SMTP & API → API Keys → Generate
LIVEKIT_API_KEY	LiveKit Cloud → your project → Settings → Keys
LIVEKIT_API_SECRET	Same as above
LIVEKIT_URL	LiveKit Cloud → your project → connection URL (starts with wss://)
OPENAI_API_KEY	OpenAI Dashboard → Create new key
CARTESIA_API_KEY	Cartesia Dashboard → API Keys
VAPI_API_KEY	Vapi Dashboard → Account → API Keys

Step 4: Switch Stripe to Production

4a. In your .env file, replace the test publishable key:

```
VITE_STRIPE_PUBLISHABLE_KEY="pk_live_YOUR_LIVE_PUBLISHABLE_KEY"
```

Get this from [Stripe Dashboard](#) → Standard keys → Publishable key.

4b. The secret key was already set in Step 3 via Supabase secrets.

Step 5: Create Stripe Production Webhook

1. Go to [Stripe Dashboard](#) → Add endpoint
2. Endpoint URL: `https://jxpzxdbforvuphqvvqkz.supabase.co/functions/v1/stripe-webhook`
3. Select events to listen to:
 - `checkout.session.completed`

- charge.refunded
 - 4. Click Add endpoint
 - 5. Copy the Signing secret (whsec_...) → this is your STRIPE_WEBHOOK_SECRET (set in Step 3)
-

Step 6: Set Up Brevo

6a. Create a Brevo account at brevo.com (free tier: 300 emails/day)

6b. Create 6 email templates in Brevo Dashboard → Transactional → Templates:

Template ID	Name	Template Variables
1	Welcome Client	first_name
2	Welcome Advisor	advisor_name
3	Session Receipt	advisor_name, session_type, duration_minutes, total_cost
4	Low Credit Warning	remaining_credits
5	Application Approved	advisor_name
6	Application Rejected	advisor_name

For each template:

- Design the email content (use Brevo's drag-and-drop editor)
- Use `{{ params.variable_name }}` syntax for dynamic values (e.g., `{{ params.first_name }}`)
- Set a from address (e.g., `noreply@cosmiclly.com`)
- Activate the template

Important: Template IDs must match 1-6 in order. When you create them in Brevo, verify the assigned ID matches. If not, update the template ID mapping in `supabase/functions/send-email/index.ts`.

6c. Get your API key → Settings → SMTP & API → API Keys → this was set in Step 3.

Step 7: Configure Supabase Auth SMTP (for Password Reset Emails)

This makes Supabase send password reset/confirmation emails through Brevo instead of the default Supabase mailer.

1. Go to Supabase Dashboard → your project → Authentication → Email Templates
2. Customize the email templates for password reset, confirmation, etc.
3. Go to Authentication → SMTP Settings → Enable Custom SMTP
4. Enter:
 - Host: `smtp-relay.brevo.com`
 - Port: `587`
 - Username: your Brevo login email

- Password: your Brevo SMTP key (Settings → SMTP & API → SMTP tab → get the SMTP key, NOT the API key)
 - Sender email: noreply@cosmiclly.com (must be verified in Brevo)
 - Sender name: Cosmiclly
-

Step 8: Create Storage Bucket (for AI Twin)

Only needed if using Phase 2 AI features:

1. Go to Supabase Dashboard → Storage
 2. Click New bucket
 3. Name: training_docs
 4. Set to Private (not public)
 5. Add storage policy: allow authenticated users to upload to their own folder
-

Step 9: Configure Vapi Webhook (for AI Voice Calls)

Only needed if using Phase 2 AI voice features:

1. Go to [Vapi Dashboard](#) → Account → Settings
 2. Set webhook URL:
`https://jxpzxdbforvuphqvvqkz.supabase.co/functions/v1/vapi-webhook`
 3. This handles end-of-call billing and transcript storage
-

Step 10: Create Admin User

1. Sign up on the website with your admin email
 2. In Supabase Dashboard → Table Editor → profiles
 3. Find your user row → change role from client to admin
 4. You can now access /admin
-

Step 11: Verify Domain & DNS (if using custom domain)

If deploying to a custom domain (e.g., cosmiclly.com):

1. Update Supabase Auth → URL Configuration → Site URL to your production domain
 2. Add your domain to Redirect URLs (e.g., `https://cosmiclly.com/**`)
 3. Update Google OAuth redirect URI in [Google Cloud Console](#) → Credentials → your OAuth client → Authorized redirect URIs → add
`https://jxpzxdbforvuphqvvqkz.supabase.co/auth/v1/callback`
-

Step 12: Build & Deploy Frontend

`bun run build`

Then deploy the dist/ folder to your hosting provider (Vercel, Netlify, Cloudflare Pages, etc.).

Quick Verification After Setup

1. Register a new account → check for welcome email
2. Go to /add-credit → purchase \$1 in credits with a real card
3. Verify credits appear in your account
4. Start a chat session with an online advisor → verify billing works
5. End session → check for receipt email
6. As admin: go to /admin → verify dashboard loads, contracts wor