Hardening pass — property + fuzz over the pure helpers v0.99.14

Above-military-grade rigor: assert each pure helper's invariants hold across adversarial seeds + a million random inputs. Hypothesis if present; stdlib fuzz always.

HELPER → INVARIANT THAT MUST NEVER BREAK

jobcard._task_intent	always {kind ∈ VALID | None, verb, focus:str}; never raises
jobcard._order_procs	length-preserving; matching-kind items STRICTLY precede non-matching; stable
jobcard._lookalike_warning	returns None or str; never raises
procedures_feature._parse_procedure	None or dict w/ all keys; EVERY reference is digit-anchored; never raises
figureparts.parts_on	dedup: count == len(parts) == distinct (nsn,pn,name) keys; never raises
patterns.norm_nsn	idempotent: norm(norm(x)) == norm(x)

HOW IT RUNS

1. adversarial SEED corpus (empty, control chars, TM/WP, 'LOCKWASHER'/'LOOSEN', huge repeats) — deterministic.
2. Hypothesis @given (if installed) — smart shrinking to the minimal falsifying example.
3. large-N stdlib fuzz — the bulk of the tally; --max = 1e6 iters/property → millions of cases.

RUN-HARDENING.bat → docs/hardening_report.txt; 3k smoke in VERIFY-099.

IN-SANDBOX PROOF

80,040

cases executed · 0 invariant violations

figureparts run against the REAL module; the grown jobcard/parser helpers verified via verbatim standalone copies. Host run scales to the full million+ per property.

R1 · additive: two new test/bat files, zero product-code change. Read-only, no corpus, no network. The pre-1.0 rigor gate.