

PUB LOG reference ingest — proof of concept (built)

v0.22.0 · enrich --publog reads a PUB LOG export and fills NSN→name/part#/CAGE/characteristics/AAC/substitutes. Append-only (R6), cited, offline. Migration 0007.



VERIFIED ON THE LIVE INDEX (POC)

NSN 6115-00-118-1241 → SCREW, CAP, HEXAGON HEAD · P/N MS90726-60 · CAGE 96906 · AAC D · char: 1/2-13 UNC; GR5; STEEL · subs: 5305-01-310-1234

PUB LOG ingest filtered to in-index NSNs (a bogus NSN was excluded). Every field landed and is queryable via /api/reference; part# + AAC auto-fill the 104th.

WHAT EACH FIELD CLOSES

PART # + CAGE (MCRD) auto-fills the 104th part# — the authoritative number OCR couldn't pin down	Characteristics (CHAR) '1/2-13 UNC' = the SIZE parameter for Tier 2.5 parametric 3D (matches ref_hardware)	AAC (MDI&S) fills the 104th's AAC FEDLOG block	Substitutes (MDI&S) real interchangeable NSNs → grounds look-alike / substitute warnings
--	--	--	--

SCOPE OF THIS POC (honest)

The ingest + schema + UI are proven on synthetic PUB-LOG-shaped rows against real in-index NSNs. The actual fill needs you to do the one-time PUB LOG download + Batch/SQL export on a connected machine (the ~GB .ZIP and the IMD product format aren't fetched here). Column-name variants are handled; if your export uses different headers we map them in minutes. Everything append-only & cited (R6); the engine never goes online.