


BUILT — OCR-driven Smart Collections (v0.59.0) · Batch 1 of 3

A collection is a saved search that evaluates LIVE against the full-text index — so it fills itself as OCR turns image-only pages into text. Nothing is materialized; nothing re-scans.



Built-in + saved collections

- Six built-in seeds ship in code: Warnings & Cautions, Torque specs, Wiring & schematics, Hydraulics, Lubrication & PMCS, Removal & installation.
- Save your own from any search terms (same OR / phrase syntax as the main box).
- Built-ins can be hidden (reversible); saved ones can be deleted.

AUTO-FILLS as OCR adds text — no re-scan, no materialized rows.

Sidecar = zero OCR contention

- Definitions live in `collections.db` — its OWN file and lock, like `correlations.db` / `reviews.db`.
- Listing & evaluating are READ-ONLY on the index (WAL → reads never block the OCR writer).
- Saving/deleting writes only the sidecar, never the main index (R1/R6).
- If the sidecar is absent, the six seeds still work.

Safe to use WHILE the scan runs — batches never overlap.

Fast & legacy-safe

- List counts are BOUNDED (COUNT over a LIMIT 2000 subquery) so the page stays quick on the multi-GB index; shows '2000+' when capped.
- Click a hit → opens that exact page with the term highlighted (reuses the `/page hl` render).
- Page is ES5-safe (XHR, var, no arrow/template) + `rps.js` — full RPS/legacy parity.

Bounded counts · highlighted jump · IE11-ready.

VERIFIED — AND IT GROWS ON ITS OWN

Isolation test on a temp index with the real FTS triggers: a blank page was OCR-filled mid-test; the 'Warnings' count went 1→2 and 'Wiring' 0→1 with NO reindex, and the OCR'd page appeared in the live results — exactly the auto-fill behaviour. Save / delete / seed-hide against the sidecar all pass. `collections.html` JS is syntax-clean and ES5-clean (0 arrow fns, 0 template literals). Server functions + GET/POST routes confirmed on the host.