

Security Assessment Report

Target	165.232.131.154
Report date	2026-03-24 14:27:46
Version	1.0
Organisation	Cybersteps
Client	lab
Tester	Laurin
Confidentiality	disclosed

ANALYST NOTE

Project: R&E - Surface Tension Lab Exercise Cybersteps ACTIVE AND PASSIVE RECONNAISSANCE Subdomain Enumeration = 8003 You are given a list of 100 root domains, listed in the file . Your mission is to discover as many valid subdomains as you can. This part tests your ability to explore and filter information effectively, as well as selecting and using the right tools for the job. Initial Discovery: 8,000+ potential subdomains from public sources - Certificate Transparency Logs - DNS Databases - Search Engine Caches - Historical DNS Records Validation Methodology: - DNS resolution checks (A/AAAA records) - HTTP/HTTPS connectivity tests - Banner grabbing on common ports Validated Subdomains: 17

careerportal.cybersteps.de chefscorner.cybersteps.de
notion.cybersteps.de talk.cybersteps.de app.cybersteps.de chat.chat.cybersteps.de matrix.talk.cybersteps.de ai-
challenge.cybersteps.de chat.cybersteps.de matrix.chat.cybersteps.de d.cybersteps.de n8n.cybersteps.de chat.talk.cybersteps.de
capiq.cybersteps.de learn.cybersteps.de link.cybersteps.de email.noreply.cybersteps.de - Observations - - The majority of passive
enumeration results were false positives Target Analysis Now, you will apply your skills to a specific target: Cybersteps. Your role is
not to perform a broad scan of the entire domain, but to find a single, specific machine left exposed. Your first task is to identify this
target. Critical Findings: - ProFTPD 1.2.10: 5 confirmed CVEs, Anonymous Login enabled (Port 21) - SMTP Authentication Bypass:
235 without credentials (Port 25) High Findings: - SNMP exposed (Port 161/udp) – information disclosure risk - RDP exposed (Port
3389/tcp) – brute-force attack surface - SOCKS Proxy (Port 1080/tcp) with authentication – credentials unknown Medium Findings:
- HTTP without HTTPS, missing security headers (Port 80) - SSH HMAC-SHA1 algorithms enabled (Port 22) Low Findings: - VNC
service detected (Port 5900) Positive - No Secrets found by "trufflehog"

Contents

1. Executive Summary
2. [?] web discovery
3. Network Services
4. Scan Commands
5. Evidence Appendix

Executive Summary

Severity	Count
CRITICAL	2
HIGH	3
MEDIUM	2
LOW	1
INFO	2

Scan statistics — hosts: 1, open ports: 42, evidence files: 29.

Findings

? Web Discovery (ffuf)

LOCATION

scanme.cybersteps.de · <http://scanme.cybersteps.de/index.html>

Network Services

165.232.131.154

Port / Proto	State	Service	Version
21/tcp	open	ftp	vsftpd (before 2.0.8) or WU-FTPD
25/tcp	open	smtp	
1080/tcp	open	socks	
22/tcp	open	ssh	OpenSSH 8.9p1 Ubuntu 3ubuntu0.14
80/tcp	open	http	SimpleHTTPServer 0.6
161/udp	open	snmp	
3389/tcp	open	ms-wbt-server	
5900/tcp	open	vnc	VNC
9200/tcp	open	wap-wsp	
135/tcp	filtered	msrpc	
139/tcp	filtered	netbios-ssn	
445/tcp	filtered	microsoft-ds	
1900/udp	filtered	upnp	
1433/tcp	open	ms-sql-s	
1521/tcp	open	oracle	
9100/tcp	open	jetdirect	

PORT NOTES — 165.232.131.154 TCP/21

Analyst: ProFTPD 1.2.10 (End-of-Life since ~2005). Confirmed vulnerabilities (nuclei E27): - CVE-2004-1602 – Username Enumeration via Timing Attack - CVE-2010-3867 – Directory Traversal (LFI) - CVE-2019-18217 – Unauthenticated DoS - CVE-

2023-51713 – Out-of-Bounds Read (DoS) - CVE-2024-48651 – Privilege Escalation via mod_sql Anonymous login is enabled (nuclei). Attackers can enumerate users, traverse directories, crash the service, and potentially escalate privileges. Suggested hardening: Disable FTP entirely. Use SFTP or FTPS with strong authentication if file transfer is required. — Extra: E27 LEGACY PROTOCOL EXPLOIT CONFIRMED CREDENTIAL SNIFFING !!!

PORT NOTES — 165.232.131.154 TCP/25

Analyst: - Authentication: "235 Authentication successful" without any username or password - TLS: AUTH LOGIN PLAIN is offered before STARTTLS (no TLS enforcement) - Sender policy: Only locally configured domains are accepted (tested: cybersteps.de, email.noreply.cybersteps.de, mail.cybersteps.de, scanme.cybersteps.de – all rejected) - Relay: No open relay to arbitrary external senders The authentication mechanism is completely broken. While the server currently does not accept external senders, an attacker could still: - Gain "authenticated" status without credentials - Potentially access other services that rely on SMTP authentication - Exploit this if a valid sender domain is ever added or discovered Risk remains CRITICAL due to the authentication bypass. — Extra: E27 SMTP NO ACCESS CONTROL !!! NO TSL ENFORCEMENT

PORT NOTES — 165.232.131.154 TCP/1080

Analyst: Port 1080 a SOCKS5 proxy ? The matched status is false, and the raw_response_hex is empty (""). The port is open and accepts TCP connections, but it does not respond to a standard SOCKS5 handshake. However, Nmap NSE scripts (evidence_1080_socks_nse.xml) confirmation E7 I am quiet sure it is a Socks4 Proxy. Evidence if produced will be later appended — Extra: E10 E8 SOCKS Proxy

PORT NOTES — 165.232.131.154 TCP/22

Analyst: OpenSSH 8.9p1 is current for Ubuntu 22.04. Password authentication is enabled — Extra: E27

PORT NOTES — 165.232.131.154 TCP/80

Analyst: No HTTPS – all traffic unencrypted Missing security headers (HSTS, X-Frame-Options, CSP, etc.) – confirmed by nuclei E27 External scripts (Tailwind, Alpine.js) loaded without Subresource Integrity (SRI) – confirmed by nuclei E27 The page displays a fake login portal (Alpine.js frontend only). No actual authentication is implemented. — Extra: FAKE LOGIN PAGE PROBABLY // HONEYPOT ?// TRAFFIC NOT ENCRYPTED

PORT NOTES — 165.232.131.154 UDP/161

Analyst: Disable SNMP if not required

PORT NOTES — 165.232.131.154 TCP/3389

Analyst: Port 3389 raw_response_hex: "030000130ed000001234000200080001000000" -> a pattern RDP uses — Extra: E27 E10 RDP active

PORT NOTES — 165.232.131.154 TCP/5900

Analyst: No authentication information available If this service is not being used maybe disabling it would prevent an opening for brute force attacks. Risk is very high Probability very low since a compromised VNC could expose full desktop access. — Extra: E27 protocol 3.8

PORT NOTES — 165.232.131.154 TCP/9200

Analyst: The Service running on Port 9200 is very strict and did not accept any of the following formats. The banner probe is likely to be a false positive `—(laurin@kali)-[~/cosmictools/evidencetohtml] —$ curl -I -m 5 http://165.232.131.154:9200/ curl -X POST -m 5 http://165.232.131.154:9200/ curl -A "Mozilla/5.0" -m 5 http://165.232.131.154:9200/ curl: (28) Connection timed out after 5002 milliseconds curl: (28) Connection timed out after 5002 milliseconds curl: (28) Connection timed out after 5002 milliseconds —(laurin@kali)-[~/cosmictools/evidencetohtml] —$ nmap -p 9200 -sV --version-intensity 9 --script=banner 165.232.131.154 Starting Nmap 7.98 (https://nmap.org) at 2026-03-25 12:07 +0100 Nmap scan report for scanme.cybersteps.de (165.232.131.154) Host is up (0.23s latency). PORT STATE SERVICE VERSION 9200/tcp filtered wap-wsp Service detection performed. Please report any incorrect results at https://nmap.org/submit/ . Nmap done: 1 IP address (1 host up) scanned in 2.91 seconds`

PORT NOTES — 165.232.131.154 TCP/1433

Analyst: nc -v 165.232.131.154 9100 nc: connect to 165.232.131.154 port 1433 (tcp) failed: Connection refused nc: connect to 165.232.131.154 port 1521 (tcp) failed: Connection refused nc: connect to 165.232.131.154 port 9100 (tcp) failed: Connection refused `—(laurin@kali)-[~/cosmictools/evidencetohtml] —$ nmap -p 1433,1521,9100 -sV --version-intensity 9 165.232.131.154` Starting Nmap 7.98 (<https://nmap.org>) at 2026-03-25 11:59 +0100 Nmap scan report for scanme.cybersteps.de (165.232.131.154) Host is up (0.19s latency). PORT STATE SERVICE VERSION 1433/tcp closed ms-sql-s 1521/tcp closed oracle 9100/tcp closed jetdirect Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> . Nmap done: 1 IP address (1 host up) scanned in 0.77 seconds `—(laurin@kali)-[~/cosmictools/evidencetohtml] —$ curl -v`

```
http://165.232.131.154:1433/ curl -v http://165.232.131.154:1521/ curl -v http://165.232.131.154:9100/ * Trying
165.232.131.154:1433... * connect to 165.232.131.154 port 1433 from 192.168.178.20 port 39024 failed: Verbindungsaufbau
abgelehnt * Failed to connect to 165.232.131.154 port 1433 after 252 ms: Could not connect to server * closing connection #0 curl:
(7) Failed to connect to 165.232.131.154 port 1433 after 252 ms: Could not connect to server * Trying 165.232.131.154:1521... *
connect to 165.232.131.154 port 1521 from 192.168.178.20 port 48862 failed: Verbindungsaufbau abgelehnt * Failed to connect to
165.232.131.154 port 1521 after 191 ms: Could not connect to server * closing connection #0 Connection refused — Extra:
unconfirmed
```

PORT NOTES — 165.232.131.154 TCP/1521

```
Analyst: nc -v 165.232.131.154 9100 nc: connect to 165.232.131.154 port 1433 (tcp) failed: Connection refused nc: connect to
165.232.131.154 port 1521 (tcp) failed: Connection refused nc: connect to 165.232.131.154 port 9100 (tcp) failed: Connection
refused —(laurin@kali)-[~/cosmictools/evididencetohtml] —$ nmap -p 1433,1521,9100 -sV --version-intensity 9
165.232.131.154 Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-25 11:59 +0100 Nmap scan report for scanme.cybersteps.de
(165.232.131.154) Host is up (0.19s latency). PORT STATE SERVICE VERSION 1433/tcp closed ms-sql-s 1521/tcp closed oracle
9100/tcp closed jetdirect Service detection performed. Please report any incorrect results at https://nmap.org/submit/ . Nmap done:
1 IP address (1 host up) scanned in 0.77 seconds —(laurin@kali)-[~/cosmictools/evididencetohtml] —$ curl -v
http://165.232.131.154:1433/ curl -v http://165.232.131.154:1521/ curl -v http://165.232.131.154:9100/ * Trying
165.232.131.154:1433... * connect to 165.232.131.154 port 1433 from 192.168.178.20 port 39024 failed: Verbindungsaufbau
abgelehnt * Failed to connect to 165.232.131.154 port 1433 after 252 ms: Could not connect to server * closing connection #0 curl:
(7) Failed to connect to 165.232.131.154 port 1433 after 252 ms: Could not connect to server * Trying 165.232.131.154:1521... *
connect to 165.232.131.154 port 1521 from 192.168.178.20 port 48862 failed: Verbindungsaufbau abgelehnt * Failed to connect to
165.232.131.154 port 1521 after 191 ms: Could not connect to server * closing connection #0 Connection refusedConnection
refused — Extra: unconfirmed
```

PORT NOTES — 165.232.131.154 TCP/9100

```
Analyst: nc -v 165.232.131.154 9100 nc: connect to 165.232.131.154 port 1433 (tcp) failed: Connection refused nc: connect to
165.232.131.154 port 1521 (tcp) failed: Connection refused nc: connect to 165.232.131.154 port 9100 (tcp) failed: Connection
refused —(laurin@kali)-[~/cosmictools/evididencetohtml] —$ nmap -p 1433,1521,9100 -sV --version-intensity 9
165.232.131.154 Starting Nmap 7.98 ( https://nmap.org ) at 2026-03-25 11:59 +0100 Nmap scan report for scanme.cybersteps.de
(165.232.131.154) Host is up (0.19s latency). PORT STATE SERVICE VERSION 1433/tcp closed ms-sql-s 1521/tcp closed oracle
9100/tcp closed jetdirect Service detection performed. Please report any incorrect results at https://nmap.org/submit/ . Nmap done:
1 IP address (1 host up) scanned in 0.77 seconds —(laurin@kali)-[~/cosmictools/evididencetohtml] —$ curl -v
http://165.232.131.154:1433/ curl -v http://165.232.131.154:1521/ curl -v http://165.232.131.154:9100/ * Trying
165.232.131.154:1433... * connect to 165.232.131.154 port 1433 from 192.168.178.20 port 39024 failed: Verbindungsaufbau
abgelehnt * Failed to connect to 165.232.131.154 port 1433 after 252 ms: Could not connect to server * closing connection #0 curl:
(7) Failed to connect to 165.232.131.154 port 1433 after 252 ms: Could not connect to server * Trying 165.232.131.154:1521... *
connect to 165.232.131.154 port 1521 from 192.168.178.20 port 48862 failed: Verbindungsaufbau abgelehnt * Failed to connect to
165.232.131.154 port 1521 after 191 ms: Could not connect to server * closing connection #0 Connection refusedConnection
refused — Extra: unconfirmed
```

Scan Commands

File	Started	Flags
scan_165.232.131.154_socks_20260319_112258.xml	Thu Mar 19 11:22:58 2026	--privileged -Pn -n -p 1080 --script=socks-auth-info,socks-open-proxy,banner --script-timeout 15s
scan_165.232.131.154_tcp_20260319_072606.xml	Thu Mar 19 07:26:06 2026	--privileged -sV -O
scan_165.232.131.154_tcp_20260319_111816.xml	Thu Mar 19 11:18:16 2026	--privileged -sV -O
scan_165.232.131.154_tcp_deep_20260319_112052.xml	Thu Mar 19	--privileged -sV -Pn -n -T3 --version-intensity 7 -p 21,22,25,80,1080,3389,5900,9200

	11:20:52 2026	
scan_165.232.131.154_udp_focused_20260319_072204.xml	Thu Mar 19 07:22:04 2026	-sU -Pn -n -T3 --max-retries 1 --reason -p 53,67,68,69,123,137,138,161,162,500,514,520
scan_165.232.131.154_udp_focused_20260319_112720.xml	Thu Mar 19 11:27:20 2026	--privileged -sU -Pn -n -T4 --max-retries 1 --reason -p 53,161
scan_165.232.131.154_udp_top200_20260319_072206.xml	Thu Mar 19 07:22:06 2026	-sU -Pn -n --top-ports
nmap_services_tcp.xml	Tue Mar 10 16:58:39 2026	-sV -Pn -n -T3 --version-intensity 7 -p 21,22,80,1080,3389
nmap_tcp_full.xml	Tue Mar 10 16:45:45 2026	-sS -Pn -n -T2 --max-retries 2 --max-rtt-timeout 3s --initial-rtt-timeout 1s --open -p
nmap_udp_focused.xml	Tue Mar 10 17:08:59 2026	-sU -Pn -n -T3 --max-retries 1 --max-rtt-timeout 2s --initial-rtt-timeout 500ms -p 53,67,68,69,123,137,138,161,162,500,514,520
nmap_udp_focused_reason.xml	Tue Mar 10 17:09:54 2026	-sU -Pn -n -T3 --max-retries 1 --reason -p 53,67,68,69,123,137,138,161,162,500,514,520
nmap_udp_services.xml	Tue Mar 10 17:09:16 2026	-sU -sV -Pn -n --version-intensity 2 --max-retries 1 -p 53,123,161,500
nmap_udp_test.xml	Tue Mar 10 17:08:01 2026	-sU -Pn -n -p 53
nmap_udp_top1000.xml	Tue Mar 10 17:01:37 2026	-sU -Pn -n -T2 --max-retries 1 --max-rtt-timeout 2s --initial-rtt-timeout 500ms --top-ports --open
nmap_udp_top200.xml	Tue Mar 10 17:08:18 2026	-sU -Pn -n -T3 --max-retries 1 --max-rtt-timeout 2s --initial-rtt-timeout 500ms --top-ports
portscan.xml	Tue Mar 10 14:01:27 2026	-sS -Pn -n -T2 --max-retries 2 --max-rtt-timeout 3s --initial-rtt-timeout 1s --open
services.xml	Tue Mar 10 14:08:20 2026	-sV -Pn -n -T3 --version-intensity 5 -p 21,22,80,1080,3389

Evidence Appendix

banner

banner_probe.py — tool: bash/nc · status: OK · 2026-03-16 17:09:10

Summary: #!/usr/bin/env python3

```
#!/usr/bin/env python3 import asyncio import json TARGET = "165.232.131.154" PORTS = [21, 22, 80, 1080, 3389] async def probe
(port: int): result = {"port": port, "open": False, "banner": ""} try: reader, writer = await asyncio.wait_for(asyncio.open_c
onnection(TARGET, port), timeout=4) result["open"] = True probes = [b"", b"HEAD / HTTP/1.0\r\nHost: scanme.cybersteps.de\r\n
\r\n", b"\r\n"] data = b"" for p in probes: if p: writer.write(p) await writer.drain() try: chunk = await asyncio.wait_for(re
ader.read(1024), timeout=3) except Exception: chunk = b"" if chunk: data = chunk break writer.close() await writer.wait_close
d() if data: result["banner"] = data.decode("utf-8", errors="replace").strip() except Exception: pass return result async def
main(): results = await asyncio.gather(*[probe(p) for p in PORTS]) with open("output/cybersteps/evidence_banner_probe.json",
"w", encoding="utf-8") as f: json.dump(results, f, indent=2, ensure_ascii=False) if __name__ == "__main__": asyncio.run(main
())
```

banner_21_20260319_112701.txt — tool: bash/nc · status: OK · 2026-03-19 11:27:01

Summary: 220 ProFTPD 1.2.10

220 ProFTPD 1.2.10

dns

evidence_dns.txt — tool: dig · status: OK · 2026-03-16 17:09:10

Summary: Name Type TTL Section IPAddress

Name Type TTL Section IPAddress ---- - scanme.cybersteps.de A 300 Answer 165.232.131.154

evidence_dns_20260319_111653.txt — tool: dig · status: OK · 2026-03-19 11:16:53

Summary: 165.232.131.154

165.232.131.154

fuzzing

evidence_ffuf_dir_20260319_112617.json — tool: ffuf · status: OK · 2026-03-19 11:27:00

Summary: {"commandline": "ffuf -u http://scanme.cybersteps.de/FUZZ -w /usr/share/seclists/Discovery/Web-Content/common.txt -mc all -fc 404 -of json -o /home/laurin/cosmic_tools/nmap_stylesheet/output_165.232.131.154/evidence_20260319_112617.json", "time": "2026-03-19T11:27:00+01:00", "results": [{"input": {"FFUFHASH": "8a70b8a1", "FUZZ": "index.html", "position": 209, "status": 200, "length": 5897, "words": 1556, "lines": 76, "content-type": "text/html", "redirectlocation": "", "scraper": {}, "duration": 167539893, "resultfile": "", "url": "http://scanme.cybersteps.de/index.html", "host": "scanme.cybersteps.de"}}, {"config": {"autocalibration": false, "autocalibration_keyword": "FUZZ", "autocalibration_perhost": false, "autocalibration_strategies": ["basic"], "autocalibration_strings": [], "colors": false, "cmdline": "ffuf -u http://scanme.cybersteps.de/FUZZ -w /usr/share/seclists/Discovery/Web-Content/common.txt -mc all -fc 404 -of json -o /home/laurin/cosmic_tools/nmap_stylesheet/output_165.232.131.154/evidence_20260319_112617.json", "configfile": "", "postdata": "", "debuglog": "", "delay": {"value": 0.00}, "dirsearch_compatibility": false, "encoders": [], "extensions": [], "fmode": "or", "follow_redirects": false, "headers": {}, "ignorebody": false, "ignore_wordlist_comments": false, "inputmode": "clusterbomb", "cmd_inputnum": 100, "inputproviders": [{"name": "wordlist", "keyword": "FUZZ", "value": "/usr/share/seclists/Discovery/Web-Content/common.txt", "encoders": "", "template": ""}], "inputshell": "", "json": false, "matchers": {"IsCalibrated": false, "Mutex": {}, "Matchers": {"status": {"value": "all"}}, "Filters": {"status": {"value": "404"}}, "PerDomainFilters": {}}, "mmode": "or", "maxtime": 0, "maxtime_job": 0, "method": "GET", "noninteractive": false, "outputdirector": "", "outputfile": "/home/laurin/cosmic_tools/nmap_stylesheet/output_165.232.131.154/evidence_20260319_112617.json", "outputformat": "json", "OutputSkipEmptyFile": false, "proxyurl": "", "quiet": false, "rate": 0, "raw": false, "recursion": false, "recursion_depth": 0, "recursion_strategy": "default", "replayproxyurl": "", "requestfile": "", "requestproto": "https", "scraperfile": "", "scrapers": "all", "sni": "", "stop_403": false, "stop_all": false, "stop_errors": false, "threads": 40, "timeout": 10, "url": "http://scanme.cybersteps.de/FUZZ", "verbose": false, "wordlists": ["/usr/share/seclists/Discovery/Web-Content/common.txt"], "http2": false, "client-cert": "", "client-key": ""}]}

evidence_ffuf_vhost_20260319_112741.csv — tool: ffuf · status: OK · 2026-03-19 11:30:34

Summary:

FUZZ,url,redirectlocation,position,status_code,content_length,content_words,content_lines,content_type,duration,resultfile,Ffufhash

FUZZ,url,redirectlocation,position,status_code,content_length,content_words,content_lines,content_type,duration,resultfile,Ffufhash whm,http://165.232.131.154/,10,200,5897,1556,76,text/html,167.7241ms,c9ba4a smtp,http://165.232.131.154/,6,200,589

```
7,1556,76,text/html,170.289275ms,,c9ba46 mail,http://165.232.131.154/,2,200,5897,1556,76,text/html,170.793189ms,,c9ba42 auto
discover,http://165.232.131.154/,13,200,5897,1556,76,text/html,170.990632ms,,c9ba4d autoconfig,http://165.232.131.154/,14,2
00,5897,1556,76,text/html,168.978468ms,,c9ba4e demo,http://165.232.131.154/,38,200,5897,1556,76,text/html,171.789732ms,,c9ba
426 cpanel,http://165.232.131.154/,9,200,5897,1556,76,text/html,170.714865ms,,c9ba49 admin,http://165.232.131.154/,24,200,5
897,1556,76,text/html,169.550753ms,,c9ba418 beta,http://165.232.131.154/,33,200,5897,1556,76,text/html,173.007224ms,,c9ba421
img,http://165.232.131.154/,46,200,5897,1556,76,text/html,169.543977ms,,c9ba42e portal,http://165.232.131.154/,48,200,5897,
1556,76,text/html,171.827379ms,,c9ba430 webmail,http://165.232.131.154/,5,200,5897,1556,76,text/html,168.661356ms,,c9ba45 we
bdisk,http://165.232.131.154/,7,200,5897,1556,76,text/html,171.659044ms,,c9ba47 localhost,http://165.232.131.154/,4,200,589
7,1556,76,text/html,170.2969ms,,c9ba44 ftp,http://165.232.131.154/,3,200,5897,1556,76,text/html,172.567383ms,,c9ba43 mx,htt
p://165.232.131.154/,27,200,5897,1556,76,text/html,176.388303ms,,c9ba41b ns2,http://165.232.131.154/,12,200,5897,1556,76,te
xt/html,176.343301ms,,c9ba4c test,http://165.232.131.154/,16,200,5897,1556,76,text/html,174.007484ms,,c9ba410 support,htt
p://165.232.131.154/,34,200,5897,1556,76,text/html,175.115304ms,,c9ba422 dev,http://165.232.131.154/,19,200,5897,1556,76,te
xt/html,181.237804ms,,c9ba413 shop,http://165.232.131.154/,37,200,5897,1556,76,text/html,177.259409ms,,c9ba425 images,htt
p://165.232.131.154/,53,200,5897,1556,76,text/html,168.252272ms,,c9ba435 www.blog,http://165.232.131.154/,54,200,5897,1556,
76,text/html,169.493501ms,,c9ba436 media,http://165.232.131.154/,52,200,5897,1556,76,text/html,168.708221ms,,c9ba434 web,htt
p://165.232.131.154/,44,200,5897,1556,76,text/html,167.757652ms,,c9ba42c sql,http://165.232.131.154/,57,200,5897,1556,76,te
xt/html,174.384951ms,,c9ba439 intranet,http://165.232.131.154/,58,200,5897,1556,76,text/html,172.85387ms,,c9ba43a stats,htt
p://165.232.131.154/,61,200,5897,1556,76,text/html,175.643971ms,,c9ba43d server,http://165.232.131.154/,49,200,5897,1556,7
6,text/html,182.401936ms,,c9ba431 mx1,http://165.232.131.154/,65,200,5897,1556,76,text/html,165.960055ms,,c9ba441 www3,htt
p://165.232.131.154/,66,200,5897,1556,76,text/html,167.224408ms,,c9ba442 ads,http://165.232.131.154/,74,200,5897,1556,76,te
xt/html,167.81339ms,,c9ba44a svn,http://165.232.131.154/,80,200,5897,1556,76,text/html,178.669861ms,,c9ba450 ns5,http://165.
232.131.154/,92,200,5897,1556,76,text/html,175.588145ms,,c9ba45c email,http://165.232.131.154/,77,200,5897,1556,76,text/hm
l,168.63575ms,,c9ba44d exchange,http://165.232.131.154/,89,200,5897,1556,76,text/html,181.489958ms,,c9ba459 owa,http://165.2
32.131.154/,98,200,5897,1556,76,text/html,171.953623ms,,c9ba462 helpdesk,http://165.232.131.154/,100,200,5897,1556,76,text/
html,183.309309ms,,c9ba464 www.forum,http://165.232.131.154/,59,200,5897,1556,76,text/html,184.072346ms,,c9ba43b video,htt
p://165.232.131.154/,63,200,5897,1556,76,text/html,167.317238ms,,c9ba43f ftp2,http://165.232.131.154/,104,200,5897,1556,76,
text/html,165.173193ms,,c9ba468 upload,http://165.232.131.154/,107,200,5897,1556,76,text/html,167.199057ms,,c9ba46b home,htt
p://165.232.131.154/,108,200,5897,1556,76,text/html,166.735207ms,,c9ba46c search,http://165.232.131.154/,71,200,5897,1556,7
6,text/html,165.773136ms,,c9ba447 en,http://165.232.131.154/,112,200,5897,1556,76,text/html,169.257392ms,,c9ba470 blogs,htt
p://165.232.131.154/,113,200,5897,1556,76,text/html,170.388381ms,,c9ba471 mssql,http://165.232.131.154/,86,200,5897,1556,7
6,text/html,176
```

[... truncated ...]

internet recon

evidence_shodan_20260319_113203.json — tool: shodan · status: OK · 2026-03-19 11:32:04

Summary: Error: Please run "shodan init <api key>" before using this command

Error: Please run "shodan init <api key>" before using this command

other

evidence_naabu_full_tcp.txt — tool: naabu · status: OK · 2026-03-16 17:09:10

Summary: 165.232.131.154:1080

165.232.131.154:1080 165.232.131.154:21 165.232.131.154:22 165.232.131.154:3389 165.232.131.154:80

evidence_1080_socks_nse.txt — tool: unknown · status: OK · 2026-03-16 17:09:10

Summary: # Nmap 7.80 scan initiated Thu Mar 12 10:51:11 2026 as: "C:\Program Files (x86)\Nmap\nmap.exe" -Pn -n -p 1080 --script=socks-auth-info,socks-open-proxy,banner --script-timeout 15s -oN output/cybers

```
# Nmap 7.80 scan initiated Thu Mar 12 10:51:11 2026 as: "C:\Program Files (x86)\Nmap\nmap.exe" -Pn -n -p 1080 --script=socks-auth-info,socks-open-proxy,banner --script-timeout 15s -oN output/cybersteps/evidence_1080_socks_nse.txt -oX output/cybers
teps/evidence_1080_socks_nse.xml 165.232.131.154 Nmap scan report for 165.232.131.154 Host is up (0.17s latency). PORT STATE
SERVICE 1080/tcp open socks | socks-auth-info: |_ Username and password # Nmap done at Thu Mar 12 10:51:28 2026 -- 1 IP addre
ss (1 host up) scanned in 16.88 seconds
```

evidence_1080_socks_nse.xml — tool: unknown · status: OK · 2026-03-16 17:09:10

Summary: <?xml version="1.0" encoding="UTF-8"?>

```
<?xml version="1.0" encoding="UTF-8"?> <!DOCTYPE nmaprun> <?xml-stylesheet href="file:///C:/Program Files (x86)/Nmap/nmap.xs
l" type="text/xsl"?> <!-- Nmap 7.80 scan initiated Thu Mar 12 10:51:11 2026 as: "C:\Program Files (x86)\Nmap\nmap.exe"
-Pn -n -p 1080 --script=socks-auth-info,socks-open-proxy,banner --script-timeout 15s -oN output/cybersteps/evid
ence_1080_socks_nse.txt -oX output/cybersteps/evidence_1080_socks_nse.xml 165.232.131.154 --> <nmaprun scanner="nmap" args
="C:\Program Files (x86)\Nmap\nmap.exe" -Pn -n -p 1080 --script=socks-auth-info,socks-open-proxy,banner --script-timeout 15s -oN output/cybersteps/evidence_1080_socks_nse.txt -oX output/cybersteps/evidence_1080_socks_nse.xml 16
5.232.131.154 start="1773309071" startstr="Thu Mar 12 10:51:11 2026" version="7.80" xmloutputversion="1.04"> <scaninfo type
="syn" protocol="tcp" numservices="1" services="1080"/> <verbose level="0"/> <debugging level="0"/> <host starttime="17733090
72" endtime="1773309088"><status state="up" reason="user-set" reason_ttl="0"/> <address addr="165.232.131.154" addrttype="ipv
4"/> <hostnames> </hostnames> <ports><port protocol="tcp" portid="1080"><state state="open" reason="syn-ack" reason_ttl="55"/
```



```
><service name="socks" method="table" conf="3"/><script id="socks-auth-info" output="#xa; Username and password"><table> <elem key="method">2</elem> <elem key="name">Username and password</elem> </table> </script></port> </ports> <times srtt="166000" rttvar="166000" to="830000"/> </host> <runstats><finished time="1773309088" timestr="Thu Mar 12 10:51:28 2026" elapsed="16.88" summary="Nmap done at Thu Mar 12 10:51:28 2026; 1 IP address (1 host up) scanned in 16.88 seconds" exit="success"/><hosts up="1" down="0" total="1"/> </runstats> </nmaprun>
```

evidence_naabu_full_tcp_20260319_071421.txt — tool: naabu · status: OK · 2026-03-19 07:15:14

Summary: 165.232.131.154:80

```
165.232.131.154:80 165.232.131.154:3389 165.232.131.154:5900 165.232.131.154:22 165.232.131.154:1080 165.232.131.154:21 165.232.131.154:9200
```

evidence_bash_knock_21,22,80,1080,3389,25,135,139,5900,9200,67,137,138,161_20260319_072606.txt — tool: unknown · status: OK · 2026-03-19 07:26:06

Summary: [-] Port 21,22,80,1080,3389,25,135,139,5900,9200,67,137,138,161 closed/filtered

```
[-] Port 21,22,80,1080,3389,25,135,139,5900,9200,67,137,138,161 closed/filtered
```

evidence_bash_knock_22_20260319_111658.txt — tool: unknown · status: OK · 2026-03-19 11:16:58

Summary: [+] Port 22 OPEN

```
[+] Port 22 OPEN
```

evidence_bash_knock_80_20260319_111658.txt — tool: unknown · status: OK · 2026-03-19 11:16:58

Summary: [+] Port 80 OPEN

```
[+] Port 80 OPEN
```

evidence_bash_knock_21_20260319_111658.txt — tool: unknown · status: OK · 2026-03-19 11:16:59

Summary: [+] Port 21 OPEN

```
[+] Port 21 OPEN
```

evidence_bash_knock_3389_20260319_111659.txt — tool: unknown · status: OK · 2026-03-19 11:16:59

Summary: [+] Port 3389 OPEN

```
[+] Port 3389 OPEN
```

evidence_bash_knock_1080_20260319_111659.txt — tool: unknown · status: OK · 2026-03-19 11:16:59

Summary: [+] Port 1080 OPEN

```
[+] Port 1080 OPEN
```

evidence_naabu_full_tcp_20260319_111705.txt — tool: naabu · status: OK · 2026-03-19 11:17:48

Summary: 165.232.131.154:80

```
165.232.131.154:80 165.232.131.154:1080 165.232.131.154:9200 165.232.131.154:22 165.232.131.154:25 165.232.131.154:21
```

evidence_summary.txt — tool: unknown · status: OK · 2026-03-21 05:24:20

Summary: # Evidence Summary - 2026-03-21 05:24:20

```
# Evidence Summary - 2026-03-21 05:24:20 Directory: output_165.232.131.154/evidence_20260319 Total Files: 28 Empty Files: 0 Duplicate Groups: 0 ## By Category ### banner (1 files, 20 bytes) - banner_21_20260319_112701.txt (banner, 20 bytes) ### connectivity (2 files, 539 bytes) - stealth_ping_20260319_072605.txt (ping, 276 bytes) - stealth_ping_20260319_112717.txt (ping, 263 bytes) ### dns (1 files, 16 bytes) - evidence_dns_20260319_111653.txt (dns, 16 bytes) ### fuzzing (2 files, 424160 bytes) - evidence_ffuf_dir_20260319_112617.json (ffuf, 2408 bytes) - evidence_ffuf_vhost_20260319_112741.csv (ffuf, 421752 bytes) ## # other (0 files, 0 bytes)
```

```
[... truncated ...]
```

protocol probe

evidence_protocol_probe.json — tool: unknown · status: OK · 2026-03-16 17:09:10


```
{
  "verified": true,
  "max-request": 2,
  "shodan-query": "product: \"OpenSSH\"",
  "type": "javascript",
  "host": "scanme.cybersteps.de",
  "port": "22",
  "url": "scanme.cybersteps.de:22",
  "matched-at": "scanme.cybersteps.de:22",
  "request": "var m = require(\"nuclei/ssh\");\nvar c = m.SSHClient();\nvar response = c.ConnectSSHInfoMode(Host, Port);\nExport(response);",
  "response": "{\n  \"Banner\": \"\n\n  \"ServerID\": {\n    \"Raw\": \"SSH-2.0-OpenSSH_8.9p1 Ubuntu-3ubuntu0.14\",\n    \"ProtoVersion\": \"2.0\",\n    \"SoftwareVersion\": \"OpenSSH_8.9p1\",\n    \"Comment\": \"Ubuntu-3ubuntu0.14\"\n  },\n  \"ClientID\": null,\n  \"ServerKex\": {\n    \"cookie\": \"2tZSyqZQVkBzTMuR/oYKtw=\",\n    \"kex_algorithms\": [\"curve25519-sha256\", \"curve25519-sha256@libssh.org\", \"ecdh-sha2-nistp256\", \"ecdh-sha2-nistp384\", \"ecdh-sha2-nistp521\", \"sntrup761x25519-sha512@openssh.com\", \"diffie-hellman-group-exchange-sha256\", \"diffie-hellman-group16-sha512\", \"diffie-hellman-group18-sha512\", \"diffie-hellman-group14-sha256\", \"kex-strict-s-v00@openssh.com\"],\n    \"host_key_algorithms\": [\"rsa-sha2-512\", \"rsa-sha2-256\", \"ecdsa-sha2-nistp256\", \"ssh-ed25519\"],\n    \"client_to_server_ciphers\": [\"chacha20-poly1305@openssh.com\", \"aes128-ctr\", \"aes192-ctr\", \"aes256-ctr\", \"aes128-gcm@openssh.com\", \"aes256-gcm@openssh.com\"],\n    \"server_to_client_ciphers\": [\"chacha20-poly1305@openssh.com\", \"aes128-ctr\", \"aes192-ctr\", \"aes256-ctr\", \"aes128-gcm@openssh.com\", \"aes256-gcm@openssh.com\"],\n    \"client_to_server_macs\": [\"umac-64-etm@openssh.com\", \"umac-128-etm@openssh.com\", \"hmac-sha2-256-etm@openssh.com\", \"hmac-sha2-512-etm@openssh.com\", \"hmac-sha1-etm@openssh.com\", \"umac-64@openssh.com\", \"umac-128@openssh.com\", \"hmac-sha2-256\", \"hmac-sha2-512\", \"hmac-sha1\"],\n    \"server_to_client_macs\": [\"umac-64-etm@openssh.com\", \"umac-128-etm@openssh.com\", \"hmac-sha2-256-etm@openssh.com\", \"hmac-sha2-512-etm@openssh.com\", \"hmac-sha1-etm@openssh.com\", \"umac-64@openssh.com\", \"umac-128@openssh.com\", \"hmac-sha2-256\", \"hmac-sha2-512\", \"hmac-sha1\"],\n    \"client_to_server_compression\": [\"none\", \"zlib@openssh.com\"],\n    \"server_to_client_compression\": [\"none\", \"zlib@openssh.com\"],\n    \"first_kex_follows\": false,\n    \"reserved\": 0,\n    \"serverHasSSH\": \"41ff3ecd1458b0bf86e1b4891636213e\",\n    \"ClientKex\": null,\n    \"AlgorithmSelection\": {\n      \"dh_kex_algorithm\": \"curve25519-sha256@libssh.org\",\n      \"host_key_algorithm\": \"ecdsa-sha2-nistp256\", \"cli
  }
}
```

[... truncated ...]

web fingerprint

evidence_httpx.txt — tool: httpx · status: OK · 2026-03-16 17:09:10

Summary: http://scanme.cybersteps.de [500] [500 - Request did not return bytes] [Apache HTTP Server:2.4.6]

http://scanme.cybersteps.de [500] [500 - Request did not return bytes] [Apache HTTP Server:2.4.6]

Anhang: ISO 27005 (Risiko)

Ref	Wahrsch.	Auswirkung	Behandlung
E2	2	2	
E6	2	2	
E7	2	2	
E9	2	2	
E10	2	2	
E12	2	2	
E13	2	2	
E20	2	2	
E22	2	2	
E23	4	5	Vermeiden
E27	2	1	
E41	2	2	

Anhang: BSI IT-Grundschutz

Ref	Baustein	Schutzbedarf	Status	Lücke
E2		Normal	Teilweise	Port-/Netztext erkannt (Tool unbekannt); manuell einordnen.
E6		Normal	Teilweise	Port-/Netztext erkannt (Tool unbekannt); manuell einordnen.
E7		Normal	Teilweise	Port-/Netztext erkannt (Tool unbekannt); manuell einordnen.
E9		Normal	Teilweise	Port-/Netztext erkannt (Tool unbekannt); manuell einordnen.
E10		Normal	Teilweise	Port-/Netztext erkannt (Tool unbekannt); manuell einordnen.
E12		Normal	Teilweise	Port-Scan-Tool: erreichbare Ports; Risiko abhängig vom Dienst.
E13		Normal	Teilweise	Port-/Netztext erkannt (Tool unbekannt); manuell einordnen.
E20		Normal	Teilweise	Port-Scan-Tool: erreichbare Ports; Risiko abhängig vom Dienst.
E22		Normal	Teilweise	Web-Fuzzing: Treffer/200-Responses; Inhalt prüfen.
E23		Sehr hoch	Erfüllt	ProFTPD 1.2.10 is end-of-life. Confirmed vulnerabilities: CVE-2004-1602 (username enumeration), CVE-2010-3867 (directory traversal), CVE-2019-18217 (DoS), CVE-2023-51713 (DoS), CVE-2024-48651 (privile...
E27		Normal	Teilweise	Heuristik: Severity in Evidence-Text erkannt.
E41		Normal	Teilweise	Port-/Netztext erkannt (Tool unbekannt); manuell einordnen.

Anhang: NIST SP 800-30

Ref	Likelihood	Impact	CSF
E2	Low	Low	
E6	Low	Low	
E7	Low	Low	
E9	Low	Low	
E10	Low	Low	
E12	Low	Low	
E13	Low	Low	
E20	Low	Low	
E22	Low	Low	
E23	High	Very High	
E27	Low	Very Low	
E41	Low	Low	

Print or Save as PDF from the browser dialog. Same section order as `evidence2html.py + pdf_export.generate_din5008_pdf`. Risiko-Anhänge aus lokal gespeicherten Bewertungen (Evidence aufklappen, Formulare ausfüllen).