

AI Decision-Support Report


Case: 302b0d070d5150b91bafc935e94a847b

Source image: 302b0d070d5150b91bafc935e94a847b.png

AI-generated decision-support summary; human review required for clinical use.

Images

Original CXR



YOLO Support Overlay



Clinical Summary

- Review status: supported
- Confidence: high
- Key findings: No finding
- Needs confirmation: None
- YOLO localized: None
- Pattern summary: No acute abnormality

Findings

Both the Swin classifier and YOLO detector demonstrate strong agreement in identifying no acute abnormalities on this chest radiograph. The Swin classifier shows a very high probability (99.87%) for 'No finding' with all other pathological findings having very low probabilities (all $<0.05\%$). No localizable abnormalities were detected by the YOLO detector. The lung fields appear clear with normal cardiomedastinal contours and no evidence of pleural abnormalities.

Impression

No acute cardiopulmonary abnormality identified on this chest radiograph. Both AI models demonstrate strong concordance in this assessment.

Safety Note

This is an AI-generated decision-support summary that requires human radiologist review and interpretation for clinical use. This analysis should not be used as a substitute for professional medical judgment or definitive diagnosis.

Supporting Evidence

YOLO Detections

- No detections above threshold.

Supported Findings

- No finding: 1.00

Uncertain Findings

- None

Top Swin Probabilities

- No finding: 0.999
- Nodule/Mass: 0.000
- Pulmonary fibrosis: 0.000
- Lung Opacity: 0.000
- Other lesion: 0.000
- Calcification: 0.000
- Pleural thickening: 0.000
- Aortic enlargement: 0.000