A A PRISM report (synthetic example)

SCAN

This scan was taken 8 weeks after the end of radiotherapy, early after radiotherapy.

cites: scan.phase

The automatic segmentation gives indicative volumes of 6.0 cc enhancing tumour and 31.0 cc FLAIR hyperintensity.

cites: meas.label, meas.enhancing_cc, …

Enhancing tumour is 2.0 cc larger than at the previous scan.

cites: meas.enhancing_change_…

PATHWAYS

The timeline pathway, based on clinical data and the position in treatment, scores this scan below its cohort median.

cites: pathway.timeline.*

The image pathway, based on the segmented tumour and its change, scores this scan above its cohort median.

cites: pathway.images.*

The two pathways disagree.

cites: pathways.agreement_statement

COMBINED

The combined score, based on the inputs of both pathways, is below its cohort median.

cites: pathway.combined.*

The 80% conformal set holds both outcomes.

cites: conformal.combined.80.statement

TRUST

This situation, early after radiotherapy with enhancing tumour increased, has few cases: 1 of 9 scans was progression.

cites: card.situation, card.tier_statement

The pathway disagreement flag is raised: the two pathways lie on opposite sides of their medians.

cites: flags.disagreement.*

Fixed limitations section (excerpt): the scores rank scans; they are not a diagnosis and the report gives no recommendation or decision. No clinician has evaluated this report.

B Reports passing the check



Also checked, all 406 reports:

- 220 of 220 state a few-case or untested tier where one applies
- 28 of 30 changed records followed (rule fixed in advance: ≥ 27)
- no unsupported number, invalid citation or forbidden wording

Lexical check only: it cannot judge emphasis, order or what a clinician would infer.