




aa2ar




adrb2




cxcr4




aa1r




aa2br




acm1




ccr1




ccr5




cxcr1




glp1r



mc4r




Bottom-20% rigidity metrics versus GPCRdb mutations (TM only)




Hit Rates for Inactive (With Loop) Condition



Average Hit Rate




Boxplot Distribution





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — A₁ adenosine receptor





Absolute DFI Sweep — A₁ adenosine receptor (smoothed, w=5)




Z/XY Crossover and Dominance — A₁ adenosine receptor (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — A_{2A} adenosine receptor





Absolute DFI Sweep — A_{2A} adenosine receptor (smoothed, w=5)




Z/XY Crossover and Dominance — A_{2A} adenosine receptor (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — A_{2B} adenosine receptor





Absolute DFI Sweep — A_{2B} adenosine receptor (smoothed, w=5)




Z/XY Crossover and Dominance — A_{2B} adenosine receptor (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — Muscarinic acetylcholine receptor M1





Absolute DFI Sweep — Muscarinic acetylcholine receptor M1 (smoothed, w=5)




Z/XY Crossover and Dominance — Muscarinic acetylcholine receptor M1 (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — β_2 adrenergic receptor





Absolute DFI Sweep — β_2 adrenergic receptor (smoothed, w=5)




Z/XY Crossover and Dominance — β_2 adrenergic receptor (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — CCR1 chemokine receptor





Absolute DFI Sweep — CCR1 chemokine receptor (smoothed, w=5)




Z/XY Crossover and Dominance — CCR1 chemokine receptor (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — CCR5 chemokine receptor





Absolute DFI Sweep — CCR5 chemokine receptor (smoothed, w=5)




Z/XY Crossover and Dominance — CCR5 chemokine receptor (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — CXCR1 chemokine receptor



Absolute DFI Sweep — CXCR1 chemokine receptor (smoothed, w=5)




Z/XY Crossover and Dominance — CXCR1 chemokine receptor (smoothed, window=5)




DFI_Z / DFI_{XY} balance vs. membrane anisotropy — CXCR4 chemokine receptor


Z/XY balance along sequence





Z/XY balance vs. membrane force





Absolute DFI Sweep — CXCR4 chemokine receptor (smoothed, w=5)




Z/XY Crossover and Dominance — CXCR4 chemokine receptor (smoothed, window=5)





DFI_Z / DFI_{XY} balance vs. membrane anisotropy — GLP-1 receptor





Absolute DFI Sweep — GLP-1 receptor (smoothed, w=5)




Z/XY Crossover and Dominance — GLP-1 receptor (smoothed, window=5)



DFI_Z / DFI_{XY} balance vs. membrane anisotropy — Melanocortin-4 receptor



Absolute DFI Sweep — Melanocortin-4 receptor (smoothed, w=5)



Z/XY Crossover and Dominance — Melanocortin-4 receptor (smoothed, window=5)

