ATF Field Specification v1.1

OMNIX QUANTUM LTD · Harold Alberto Nunes Rodelo · Day 1 Deliverable for VeriSigil AI · 22 May 2026

ATF FIELD SPECIFICATION Agent Trust Fabric — Trace Format & Field Definitions Version: 1.1 · Date: 2026-05-22 Issued by: Harold Alberto Nunes Rodelo, ATF / OMNIX QUANTUM LTD For: VeriSigil AI (Raheem Larry Babatunde) — Bridge Validation Collaboration Status: Day 1 Deliverable — Sandbox / Evaluation Only

---

Overview

This document defines the complete field specification for the three core ATF record types used in the TAR↔TAP and RCR↔Survivability bridge validation:

- DR — Delegation Receipt (ATFDR-{16HEX})
- TAR — Temporal Admissibility Record (ATFTAR-{16HEX})
- RCR — Runtime Continuity Record (ATFRCR-{16HEX})

All records are PQC-signed (Dilithium-3 / ML-DSA-65, FIPS 204). All content_hash values are SHA-256 hex digests (no prefix). All timestamps are ISO 8601 UTC unless noted as nanosecond epoch.

---

1. Delegation Receipt (DR)

Record ID format: `ATFDR-{16 uppercase hex characters}` ADR reference: ADR-156

1.1 Fields

Field	Type	Required	Description
`delegation_id`	string	REQUIRED	Unique DR identifier. Format: `ATFDR-{16HEX}`
`delegator_id`	string	REQUIRED	AID or human operator ID issuing the delegation
`delegate_id`	string	REQUIRED	AID of the receiving (delegated) agent
`task_scope`	object	REQUIRED	Dict describing what the delegate is authorized to do. Arbitrary key-value pairs.
`authority_budget_delegator`	float	REQUIRED	Authority budget held by delegator at issuance. Range: 0.0–100.0
`authority_budget_granted`	float	REQUIRED	Authority budget granted to delegate. MUST be ≤ `authority_budget_delegator` (ATF-INV-001 / MAR).
`parent_delegation_id`	string	OPTIONAL	DR ID of the delegation that gave delegator its authority. Null if delegator is human root.

Field	Type	Required	Description
`chain_root_id`	string	REQUIRED	DR ID of the originating human-root delegation in the chain.
`delegation_depth`	integer	REQUIRED	Chain depth. 0 = human root, 1 = first agent, N = Nth sub-agent.
`delegator_public_key`	string	REQUIRED	Dilithium-3 public key of delegator, base64-encoded. Used for offline signature verification.
`content_hash`	string	REQUIRED	SHA-256 hex digest of all DR fields except `content_hash`, `pqc_signature`, `pqc_algorithm`. Computed over canonical JSON (keys sorted, no whitespace).
`posture_state_hash`	string	REQUIRED	SHA-256 of authority posture at exact moment of DR issuance. Committed fields: `delegator_id`, `task_scope`, `authority_budget_delegator`, `authority_budget_granted`, `delegation_depth`, `chain_root_id`, `created_at`. Enables SPV binding for TAR↔TAP bridge validation.
`pqc_signature`	string	CONDITIONAL	Dilithium-3 (ML-DSA-65) signature over `content_hash`, base64-encoded. Present when signing key is available.
`pqc_algorithm`	string	CONDITIONAL	Signing algorithm identifier. Value: `"dilithium3"`
`expires_at`	string	OPTIONAL	ISO 8601 UTC expiry timestamp. Null = no expiry.
`status`	string	REQUIRED	`ACTIVE | EXPIRED | REVOKED`
`created_at`	string	REQUIRED	ISO 8601 UTC timestamp of DR issuance.
`metadata`	object	REQUIRED	Extension dict. Empty object `{}` if unused.

1.2 Invariants

- ATF-INV-001 (MAR): `authority_budget_granted` ≤ `authority_budget_delegator`. Violation raises hard error before issuance — no DR is created.
- ATF-INV-002: `chain_root_id` traces back to a human-root delegation (`delegation_depth = 0`).
- ATF-INV-003: `posture_state_hash` is computed before `content_hash`. `content_hash` commits to `posture_state_hash`.

1.3 Example

```
{
  "delegation_id": "ATFDR-A1B2C3D4E5F60001",
  "delegator_id": "AID-COMPLIANCE-0001",
  "delegate_id": "AID-AUDIT-0007",
  "task_scope": {
```

```
    "domain": "compliance",
    "permitted_actions": ["read_evidence", "issue_tar"],
    "max_duration_s": 3600
  },
  "authority_budget_delegator": 80.0,
  "authority_budget_granted": 60.0,
  "parent_delegation_id": "ATFDR-ROOT0000000001",
  "chain_root_id": "ATFDR-ROOT0000000001",
  "delegation_depth": 1,
  "delegator_public_key": "<base64-dilithium3-pubkey>",
  "content_hash": "a3f1c2d4e5b6a7f8c9d0e1f2a3b4c5d6e7f8a9b0c1d2e3f4a5b6c7d8e9f0a1b2",
  "posture_state_hash": "b4e2d1c3f5a6b7c8d9e0f1a2b3c4d5e6f7a8b9c0d1e2f3a4b5c6d7e8f9a0b1c2",
  "pqc_signature": "<base64-dilithium3-signature>",
  "pqc_algorithm": "dilithium3",
  "expires_at": "2026-05-22T12:00:00+00:00",
  "status": "ACTIVE",
  "created_at": "2026-05-21T10:00:00+00:00",
  "metadata": {}
}
```


---

2. Temporal Admissibility Record (TAR)

Record ID format: `ATFTAR-{16 uppercase hex characters}` ADR reference: ADR-157

2.1 Fields

Field	Type	Required	Description
`tar_id`	string	REQUIRED	Unique TAR identifier. Format: `ATFTAR-{16HEX}`
`delegation_id`	string	REQUIRED	`ATFDR-{16HEX}` of the authorizing Delegation Receipt
`agent_id`	string	REQUIRED	AID of the acting agent. Format: `AID-{DOMAIN}-{16HEX}`
`execution_ref`	string	OPTIONAL	Reference to Execution Receipt (ADR-131). Null if not linked.
`execution_ns`	integer	REQUIRED	Nanosecond Unix timestamp of the execution event being admitted.
`execution_ts`	string	REQUIRED	ISO 8601 UTC timestamp of the execution event.
`dr_status_at_admission`	string	REQUIRED	Status of the DR at the moment of TAR admission. Value: `ACTIVE` | `EXPIRED` | `REVOKED`
`dr_expires_at`	string	OPTIONAL	DR expiry timestamp, copied from the DR.
`authority_budget`	float	REQUIRED	Authority budget of the DR at admission time.
`domain`	string	REQUIRED	Governance domain identifier (e.g. `"compliance"`, `"trading"`, `"medical_ai"`).
`task_action`	string	REQUIRED	

Field	Type	Required	Description
			The specific action being admitted (e.g. `"read_evidence"`, `"issue_receipt"`).
`admission_status`	string	REQUIRED	`ADMITTED` | `REJECTED`
`rejection_reason`	string	OPTIONAL	Human-readable reason for rejection. Null if admitted.
`content_hash`	string	REQUIRED	SHA-256 hex digest of all TAR fields except `content_hash`, `pqc_signature`, `pqc_algorithm`.
`pqc_signature`	string	CONDITIONAL	Dilithium-3 (ML-DSA-65) signature over `content_hash`, base64-encoded.
`pqc_algorithm`	string	CONDITIONAL	`"dilithium3"`
`chain_root_id`	string	REQUIRED	`chain_root_id` of the authorizing DR. Enables chain-level traceability.
`issued_at`	string	REQUIRED	ISO 8601 UTC timestamp of TAR issuance.
`metadata`	object	REQUIRED	Extension dict.

2.2 Invariants

- ATF-INV-004: A TAR with `admission_status = ADMITTED` MUST reference a DR with `dr_status_at_admission = ACTIVE`.
- ATF-INV-005: `execution_ns` MUST be ≤ the nanosecond timestamp of `issued_at`.
- TAR is the primary bridge target for TAR↔TAP equivalence mapping. `delegation_id` is the join key.

2.3 Example

```
{
  "tar_id": "ATFTAR-F1E2D3C4B5A60001",
  "delegation_id": "ATFDR-A1B2C3D4E5F60001",
  "agent_id": "AID-COMPLIANCE-F1E2D3C4B5A60001",
  "execution_ref": null,
  "execution_ns": 1748131200000000000,
  "execution_ts": "2026-05-21T10:00:00+00:00",
  "dr_status_at_admission": "ACTIVE",
  "dr_expires_at": "2026-05-22T12:00:00+00:00",
  "authority_budget": 60.0,
  "domain": "compliance",
  "task_action": "read_evidence",
  "admission_status": "ADMITTED",
  "rejection_reason": null,
  "content_hash": "c5d6e7f8a9b0c1d2e3f4a5b6c7d8e9f0a1b2c3d4e5f6a7b8c9d0e1f2a3b4c5d6",
  "pqc_signature": "<base64-dilithium3-signature>",
  "pqc_algorithm": "dilithium3",
  "chain_root_id": "ATFDR-ROOT0000000001",
  "issued_at": "2026-05-21T10:00:01+00:00",
  "metadata": {}
}
```

3. Runtime Continuity Record (RCR)

Record ID format: `ATFRCR-{16 uppercase hex characters}` ADR reference: ADR-159

3.1 Fields

Field	Type	Required	Description
`rcr_id`	string	REQUIRED	Unique RCR identifier. Format: `ATFRCR-{16HEX}`
`tar_id`	string	REQUIRED	`ATFTAR-{16HEX}` of the admission record this RCR monitors.
`delegation_id`	string	REQUIRED	`ATFDR-{16HEX}` of the authorizing DR.
`chain_root_id`	string	REQUIRED	Chain root delegation ID.
`agent_id`	string	REQUIRED	AID of the running agent.
`ces_score`	float	REQUIRED	Continuity Eligibility Score. Range: 0.0–100.0. Formula: `(T×0.30) + (B×0.30) + (D×0.20) + (I×0.20)`
`continuity_status`	string	REQUIRED	`NOMINAL` (75–100) | `MONITORING` (50–75) | `WARNING` (25–50) | `CRITICAL` (10–25) | `HALT` (0–10)
`ces_temporal`	float	REQUIRED	T component: time remaining on DR / total DR lifetime. Range: 0.0–1.0
`ces_budget`	float	REQUIRED	B component: budget remaining / budget at admission. Range: 0.0–1.0
`ces_context`	float	REQUIRED	D component: `(100 - context_drift_pct) / 100` . Range: 0.0–1.0
`ces_integrity`	float	REQUIRED	I component: `(100 - (active_anomalies × 10)) / 100` . Range: 0.0–1.0
`execution_ns`	integer	REQUIRED	Nanosecond Unix timestamp of the execution event.
`execution_ts`	string	REQUIRED	ISO 8601 UTC timestamp of the execution event.
`issued_at`	string	REQUIRED	ISO 8601 UTC timestamp of RCR issuance.
`budget_at_admission`	float	REQUIRED	Authority budget at the moment of TAR admission.
`budget_remaining`	float	REQUIRED	Authority budget remaining at this RCR snapshot.
`context_drift_pct`	float	REQUIRED	Context drift percentage at this snapshot. Range: 0.0–100.0
`active_anomalies`	integer	REQUIRED	Count of active governance anomalies at this snapshot.
`content_hash`	string	REQUIRED	SHA-256 hex digest of all RCR fields except `content_hash` , `pqc_signature` , `pqc_algorithm` .
`pqc_signature`	string	CONDITIONAL	Dilithium-3 (ML-DSA-65) signature over `content_hash` , base64-encoded.

Field	Type	Required	Description
`pqc_algorithm`	string	CONDITIONAL	`"dilithium3"`
`sample_reason`	string	OPTIONAL	Reason for this RCR snapshot: `SCHEDULED` | `EXECUTION_COMPLETE` | `ANOMALY_DETECTED` | `MANUAL` .
`escalation_event_id`	string	OPTIONAL	Reference to ContinuityEscalationEvent if escalation was triggered.
`predecessor_rcr_id`	string	OPTIONAL	ID of previous RCR in the continuity chain.
`metadata`	object	REQUIRED	Extension dict.

3.2 Invariants

- RGC-INV-001: Every RCR MUST be anchored to a valid TAR (`tar_id` must resolve).
- RGC-INV-002: CES MUST be computed from real-time values only — no cached inputs.
- RGC-INV-003: `HALT` tier terminates execution and revokes in-flight sub-tasks.
- RGC-INV-005: All RCRs are PQC-signed and immutable after issuance.
- RGC-INV-006: RCR chain is acyclic — `issued_at_ns` MUST be strictly monotonically increasing per execution.
- RCR is the bridge target for RCR↔Survivability receipt mapping. Join key: `tar_id`.

3.3 Example


```
{
  "rcr_id": "ATFRCR-D1C2B3A4E5F60001",
  "tar_id": "ATFTAR-F1E2D3C4B5A60001",
  "delegation_id": "ATFDR-A1B2C3D4E5F60001",
  "chain_root_id": "ATFDR-ROOT0000000001",
  "agent_id": "AID-COMPLIANCE-F1E2D3C4B5A60001",
  "ces_score": 82.5,
  "continuity_status": "NOMINAL",
  "ces_temporal": 0.87,
  "ces_budget": 0.92,
  "ces_context": 0.95,
  "ces_integrity": 1.0,
  "execution_ns": 1748131200000000000,
  "execution_ts": "2026-05-21T10:00:00+00:00",
  "issued_at": "2026-05-21T10:01:00+00:00",
  "budget_at_admission": 60.0,
  "budget_remaining": 55.2,
  "context_drift_pct": 5.0,
  "active_anomalies": 0,
  "content_hash": "d6e7f8a9b0c1d2e3f4a5b6c7d8e9f0a1b2c3d4e5f6a7b8c9d0e1f2a3b4c5d6e7",
  "pqc_signature": "<base64-dilithium3-signature>",
  "pqc_algorithm": "dilithium3",
  "sample_reason": "SCHEDULED",
  "escalation_event_id": null,
  "predecessor_rcr_id": null,
  "metadata": {}
}
```

4. Cross-Record Traceability

The three records form a traceable chain:

```
DR (ATFDR-...)
  └── TAR (ATFTAR-...) — references delegation_id
        └── RCR (ATFRCR-...) — references tar_id + delegation_id
```

Join path for TAR↔TAP bridge: `TAR.delegation_id` → `DR.delegation_id` → `DR.posture_state_hash`

Join path for RCR↔Survivability bridge: `RCR.tar_id` → `TAR.tar_id` → `TAR.delegation_id` → `DR.chain_root_id`

---

5. Signature Verification

All three record types use the same verification procedure:

1. Recompute `content_hash` from all fields except `content_hash`, `pqc_signature`, `pqc_algorithm`
2. Canonical JSON: `json.dumps(fields, sort_keys=True, separators=(",", ":"))`
3. SHA-256 hex of UTF-8 encoded canonical JSON
4. If `pqc_signature` is present: verify Dilithium-3 signature over `content_hash.encode("utf-8")` using the OMNIX platform public key

OMNIX platform public key (ML-DSA-65 / Dilithium-3, base64): Shared separately. See integration comms for current value.

---

6. Domain Values (Common)

Recognized `domain` values:

Value	Description
`compliance`	ISO 27001 / regulatory compliance
`trading`	Autonomous trading governance
`medical_ai`	Medical AI recommendation governance
`defense_governance`	Defense / national security AI
`insurance`	Insurance underwriting AI
`real_estate`	Real estate AI decisions
`energy_governance`	Energy sector AI
`islamic_credit`	Islamic finance credit AI
`stablecoin`	Stablecoin / DeFi governance
`crisis`	Crisis response AI
`autonomous_agent`	General autonomous agent

---

7. Revision History

Version	Date	Change
1.0	2026-05-21	Initial release — Day 1 deliverable for VeriSigil bridge validation
1.1	2026-05-22	RCR field names corrected to match implementation: ces→ces_score, ces_tier→continuity_status, temporal_health→ces_temporal, budget_health→ces_budget, context_fidelity→ces_context, integrity_score→ces_integrity. Added budget_at_admission, budget_remaining, context_drift_pct, active_anomalies, sample_reason, escalation_event_id, predecessor_rcr_id.