

# On MV-algebras with convexity operators

Serafina Lapenta

joint work with Tommaso Flaminio

The notions of *convexity* plays a central rôle in logic and mathematics. Starting from a seminal idea of Brown [1], we propose an axiomatic approach to convex combinations in the realm of MV-algebras [2]. More in detail, we will expand the language of MV-algebras by an uncountable family of binary operations  $cc_\alpha(\cdot, \cdot)$  (one for every  $\alpha \in [0, 1]$ ) axiomatized so to capture the basic properties of convex combinations in  $[0, 1]$ . The so resulting algebras are called *convex* MV-algebras (or CMV-algebras for short).

CMV-algebras form a variety. Our first result shows that CMV-algebras are termwise equivalent to *Riesz* MV-algebras [3] and, consequently, the variety of CMV-algebras is generated by the standard CMV-algebra, that is the standard MV-algebra where the operators  $cc_\alpha$  are interpreted in the usual way: for each  $x, y, \alpha \in [0, 1]$ ,  $cc_\alpha(x, y)$  is  $\alpha x + (1 - \alpha)y$ .

States of MV-algebras [4] are analogous to finitely additive probabilities on boolean algebras and, for every MV-algebra  $\mathbf{A}$ , its states form a subset of  $[0, 1]^A$  which coincide with the topological closure of the convex hull of the MV-homomorphisms of  $\mathbf{A}$  in the standard MV-algebra  $[0, 1]_{MV}$ . Thanks to this characterization of the states space, we will show that each state of a finitely dimensional MV-algebra  $[0, 1]^X$  (with  $X$  finite) has a faithful representation in the free CMV-algebra  $|X|$ -generated.

## References

- [1] N. P. Brown, Topological Dynamical Systems Associated to  $\Pi_1$ -factors, preprint arXiv:1010.1214.
- [2] R. Cignoli, I. M. L. D'Ottaviano, D. Mundici, Algebraic Foundations of Many-valued Reasoning, *Trends in Logic Vol 8*, Kluwer, Dordrecht, 2000.
- [3] A. Di Nola, I. Leuştean, *Lukasiewicz logic and Riesz Spaces*, Soft Computing, Soft Comp. 18(12) (2014) 2349-2363. arXiv:1309.1575v1
- [4] D. Mundici, Averaging the Truth-value in Lukasiewicz Logic. *Studia Logica* 55(1), 113–127, 1995.

DEPARTMENT OF MATHEMATICS, UNIVERSITY OF SALERNO. VIA PONTE DON MELILLO - 84084 FISCIANO SA - ITALY. SLAPENTA@UNISA.IT