CSC 355. Discrete Structures and Basic Algorithms Homework Assignment 4. Sorting Algorithms

Instructions: Solve the following questions.

Question 1. Written Response.

Consider sorting the following input integer array:


Example.

```
[3, 0, 4, 1, 5, 2, 9, 7, 8, 6] When sorted, the array becomes: [0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
```

In this question, you will create the algorithm-pseudocode for four sorting methods (based on the sorting methods we covered in class). For each one, you will need to develop the pseudocode and display the iterations and swaps for each algorithm.

Like the following example:

```
Input Array:
   Input: A, an array of N
                                     [5, 1, 2, 7, 8, 9, 0, 3, 4, 6]
integers
  Output: ???
                                     What is printed by line 6:
3
   foo(A, 0, N-1)
                                     [5, 1, 2, 7, 8, 9, 0, 3, 4, 6]
4
                                     [1, 2, 0, 3, 4, 9, 5, 7, 8, 6]
5
  proc foo(Array A, int i,
                                     [0, 2, 1, 3, 4, 9, 5, 7, 8, 6]
[0, 2, 1, 3, 4, 9, 5, 7, 8, 6]
[0, 1, 2, 3, 4, 9, 5, 7, 8, 6]
[0, 1, 2, 3, 4, 9, 5, 7, 8, 6]
int j):
   print A
7
  if(j \le i)
8
       return
                                     [0, 1, 2, 3, 4, 9, 5, 7, 8, 6]
9
  int k = i
                                     [0, 1, 2, 3, 4, 9, 5, 7, 8, 6]
   int m = k
10 int num = A[i]
                                     [0, 1, 2, 3, 4, 5, 7, 8, 6, 9]
11 while (m \le j):
                                     [0, 1, 2, 3, 4, 5, 7, 8, 6,
12
        if A[m] < num
                                     [0, 1, 2, 3, 4, 5, 7, 8, 6,
13
           if m != k
                                     [0, 1, 2, 3, 4, 5, 6, 8, 7,
14
               swap A[k] and
                                     [0, 1, 2, 3, 4, 5, 6, 8, 7,
A[m]
15
           end if
                                     [0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
           k++
16
                                     [0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
        end if
17
18
       m++
```



1. Selection Sort.

Pseudocode/Algorithm	Input Array: [3, 0, 4, 1, 5, 2, 9, 7, 8, 6]
	Output Array:

2. Insertion Sort.

Pseudocode/Algorithm	<pre>Input Array: [3, 0, 4, 1, 5, 2, 9, 7, 8, 6]</pre>
	Output Array:

3.BubbleSort.

Pseudocode/Algorithm	Input Array: [3, 0, 4, 1, 5, 2, 9, 7, 8, 6]
	Output Array:

4. MergeSort.

Pseudocode/Algorithm	Input Array: [3, 0, 4, 1, 5, 2, 9, 7, 8, 6]
	Output Array:

Submission Instructions

You must upload your homework in a **pdf** file in the designated area in D2L.

Grading Points

Total Score: 25 points