

# VCTT-AGI Checkpoint Management

---

## Overview

---

This project uses **Git tags** for checkpoint management instead of the platform's checkpoint tool (which times out on large NodeJS projects). Git tags provide better version control and are industry-standard.

## Current Checkpoints

---

### v1.0.0-phase1 (Current - DEPLOYED)

- **Commit:** b089c73
- **Date:** November 17, 2025
- **Status:** ☒ Live on Render
- **Features:**
  - ☒ 4 Agents: Analyst, Relational, Ethics, Synthesiser
  - ☒ 5 Modules: SIM, CAM, SRE, CTM, RIL
  - ☒ 3-iteration repair loop with trust metric ( $\tau$ )
  - ☒ OpenAI integration with 2000 token max responses
  - ☒ Retry logic with exponential backoff (3 attempts)
  - ☒ Graceful error handling (no 404s)
  - ☒ Session management (in-memory mode)
  - ☒ Full API with Swagger docs at /api
  - ☒ React UI deployed to Vercel

## Creating a New Checkpoint

---

```
# 1. Make your changes
# 2. Commit with descriptive message
git add .
git commit -m "feat: Your feature description"

# 3. Create a checkpoint tag (version bump)
git tag -a v1.1.0 -m "Phase 2: PostgreSQL integration"

# 4. Push to GitHub (triggers auto-deploy on Render)
git push origin main --tags
```

## Rolling Back to a Checkpoint

---

```
# List all checkpoints
git tag -l

# View checkpoint details
git show v1.0.0-phase1

# Roll back to a specific checkpoint
git checkout v1.0.0-phase1

# Or create a new branch from checkpoint
git checkout -b phase1-hotfix v1.0.0-phase1
```

## Deploying a Specific Checkpoint to Render

---

### Option 1: Via Render Dashboard

1. Go to: <https://dashboard.render.com/>
2. Select your service
3. Settings → Branch → Select tag or commit
4. Manual Deploy

### Option 2: Via Git

```
# Create a new branch from the checkpoint
git checkout -b deploy-v1.0.0 v1.0.0-phase1

# Push the branch
git push origin deploy-v1.0.0

# Update Render to deploy from this branch
```

## Semantic Versioning

---

We use [Semantic Versioning](https://semver.org/) (<https://semver.org/>):

- **v1.0.0**: Major version - Phase complete
- **v1.1.0**: Minor version - New features
- **v1.1.1**: Patch version - Bug fixes

### Examples:

- `v1.0.0-phase1` : Phase 1 complete
- `v2.0.0-phase2` : Phase 2 complete (PostgreSQL + memory)
- `v3.0.0-phase3` : Phase 3 complete (meta-learning)
- `v1.1.0-anthropic` : Added Anthropic Claude support
- `v1.0.1-hotfix` : Bug fix for retry logic

## Why Git Tags > Platform Checkpoints

Feature	Git Tags	Platform Checkpoints
Version control	✓ Full history	⚠ Limited
Rollback	✓ Instant	⚠ Slow
Branching	✓ Flexible	✗ Not supported
CI/CD integration	✓ Native	⚠ Platform-specific
Large projects	✓ No size limit	✗ Timeout issues
Industry standard	✓ Yes	✗ Proprietary

## Backup Strategy

1. **Primary:** GitHub repository (automatic)
2. **Tags:** Pushed with every major milestone
3. **Render:** Auto-deploys from main branch
4. **Local:** Development environment at `/home/ubuntu/vctt_agi_engine`

## Next Milestone: v2.0.0-phase2

### Target Features:

- PostgreSQL integration for persistent storage
- Long-term memory across sessions
- Conversation history analysis
- Cross-session learning
- Enhanced trust metric evolution

### Checkpoint Command:

```
git tag -a v2.0.0-phase2 -m "Phase 2: Persistent memory and cross-session learning"
git push origin main --tags
```

**Current Production URL:** <https://vctt-agi-backend.onrender.com>

**GitHub Repository:** <https://github.com/Counterbalance-Economics/vctt-agi-engine>

**Latest Checkpoint:** v1.0.0-phase1 (commit b089c73)