



Ministry
of Defence



Defence Fire and Rescue

Tactics Techniques & Procedures

Tactics, Techniques & Procedures

Document No: ATTP-20

Title: Sikorsky S-76C

Date Issued: 28 02 2022

Supersedes: N/A

Review Date: 01 08 2024

Stakeholders:	DFR HQ	✓	Capita Fire and Rescue	✓
	RN Aircraft Handler		RAF Fire and Rescue	
	DFRS LEC		Other FRS Providers ¹	
	DFRS (Retained Officers)		DFRS (USVF)	

Technical Approved Defence Fire and Rescue (CFR HQ)
Operations Committee

Sponsor Details: Mr Alex Clark - Chief Fire Officer
Capita Fire & Rescue (DFR) Headquarters
Reading Bridge House
1st Floor
George Street,
Reading,
Berkshire,
SP11 8HT

Contact: philip.mcguinness@capita.com

Conditions of Release

1. This information is Crown Copyright and the intellectual property rights for this publication belong exclusively to the Ministry of Defence (MOD). No material or information contained in this publication should be reproduced, stored in a retrieval system or transmitted in any form outside MOD establishments except as authorised by both the sponsor and the MOD where appropriate.
2. This information is released by the United Kingdom Government to a recipient Government for defence purposes only. It may be disclosed only within the Defence Department of a recipient Government, except as otherwise authorised by the MOD.
3. This information may be subject to privately owned rights.

¹ Other FRS Providers include Babcock Fire Services, Mitie Fire Service, QinetiQ Fire Service.

Version Control

Version	Amendment	Para No. Affected/Brief Details	Amended By	Date
V1.0	Draft		Sgt Patterson	21/10/2022
V1.0	Final Draft	Formatting and minor amendments.	FS Freeborn	22/11/2022
V1.1	For Issue	New Cover & Layout	Phil McGuinness	13/02/2023

TACTICS TECHNIQUES PROCEDURES



Sikorsky S-76C

This TTP is applicable to the use two MPRVs at RAF Odiham²

MPRV (Crash1)

1 x JNCO / CM
1 x MPRV ERD / Ff
1 x AS 1 / 2 Ffs

MPRV (Crash 2)

1 x SNCO / WM
1 x MPRV ERD / Ff

TTP 1 - Engine Fire

Page 3

TTP 2 - Wheel Assembly Incidents

Page 6

TTP 3 - Internal Fire


Page 9

TTP 4 - External Fire

Page 12

TTP 1 – Engine Fire

Event Plan – Initial deployment



² Though it can be adapted to meet other 2 x MPRV crewed locations.

Incident Commander Considerations:

- Conduct and complete DRA
- Order BA Team to don BA using Rapid Deployment
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing Major Incident Plan
- Direct firefighting actions to create survivable conditions
- Consider mass discharge from monitor
- Consider use of secondary media
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct BA rescue crew
- Direct Medical Teams
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider water replenishment from Crash 2
- Consider media run-off and water courses on scene.
- Consider preservation of evidence
- Instigate JESIP for multi-agency incident.

Crash 1 - MPRV Actions:

- Deploy vehicle at 45-degree angle to aircraft nose
- Be aware of PAX and assist them exiting the aircraft
- Direct Personnel away from the airframe
- Consider use of monitor and extinguish fire
- Consider method of entry if PAX remain onboard
- Don BA and instigate Rapid Deployment Procedures if required
- Deploy media with sufficient lengths of 45mm hose/hose reel as determined by IC DRA and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions if required
- Confirm/make safe aircraft systems
- Utilise Medics to triage casualties on board if survivable conditions are present
- Aid Medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Carry out external airframe cooling
- Maintain contact with IC
- Provide scene safety.

Crash 2 - MPRV Actions:

- Deploy vehicle at 45-degree angle to aircraft nose
- Be aware of PAX exiting the aircraft
- Consider necessity to water relay to Crash 1.

Specific Aircraft Hazards:

- Rotors
- Flammable liquids
- Flammable/pressurised gases
- Composite aircraft materials

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Aircrew
- Other agencies.

Supporting Information:


- NOG
- CFR ARFF TOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 005 – Low Speed Manoeuvring
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – Aircraft Incidents
- CFR Op Guidance 002 – Incidents Involving Rotary Wing Aircraft
- CFR Op Guidance 003 – Aircraft Fuel Fires
- CFR Op Guidance 006 – Aircraft Internal Fires
- CFR Op Guidance 007 – Aircraft Engine Fires
- MOD Aircraft Crash Hazards Document Set
- AQRC A20 – Sikorsky S-76C.
- DOD TO 00-105E-9 (NATO STANAG 3896)
- DSA 1000m assessment
- DSA Water assessments
- DSA Response assessments

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation

TTP 2 – Wheel Assembly Incidents

Event Plan - Initial Deployment



Incident Commander Considerations:

- Conduct and complete DRA
- Order BA Team to don BA using Rapid Deployment
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing Major Incident Plan
- Direct firefighting actions to create survivable conditions
- Consider mass discharge from monitor
- Consider use of secondary media
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct BA rescue crew
- Direct Medical Teams
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider media run-off and water courses on scene.
- Consider preservation of evidence
- Instigate JESIP for multi-agency incident.

Crash 1 - MPRV Actions:

- Deploy vehicle at 45-degree angle to aircraft nose
- Be aware of PAX and assist them exiting the aircraft
- Direct personnel away from the airframe
- Consider use of monitor and extinguish fire
- Consider use of secondary agents
- Consider use of in-situ airfield FAFAs
- Consider method of entry if PAX remain onboard
- Don BA and instigate Rapid Deployment Procedures if required
- Deploy media with sufficient lengths of 45mm hose/hose reel as determined by IC DRA and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions if required
- Confirm/make safe aircraft systems
- Utilise Medics to triage casualties on board if survivable conditions are present
- Aid Medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Carry out external airframe cooling as required.
- Maintain contact with IC
- Provide scene safety.

Crash 2 - MPRV Actions:

- Deploy vehicle in front of aircraft at a safe distance from rotors.
- Be aware of PAX and assist them with exiting the aircraft
- Be prepared to relay water to Crash 1

Specific Aircraft Hazards/Procedures:

- Rotors
- Flammable liquids
- Flammable/pressurised gases
- Composite Materials
- Oleo Leg Collapsing

Further Considerations:

- The actions during this incident will be dependent on the following conditions:
 1. Is the wheel assembly on fire?
 2. Is the fire confined to one area or is escalation likely?

Supporting Information:


- NOG
- CFR ARFF TOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 005 – Low Speed Manoeuvring
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – Aircraft Incidents
- CFR Op Guidance 002 – Incidents Involving Rotary Wing Aircraft
- CFR Op Guidance 003 – Aircraft Fuel Fires
- CFR Op Guidance 006 – Aircraft Internal Fires
- CFR Op Guidance 007 – Aircraft Engine Fires
- MOD Aircraft Crash Hazards Document Set
- AQRC A20 – Sikorsky S-76C.
- DOD TO 00-105E-9 (NATO STANAG 3896)
- DSA 1000m assessment
- DSA Water assessments
- DSA Response assessments

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation.

TTP 3 – Internal Fire

Event Plan - Initial Deployment



Incident Commander Considerations:

- Conduct and complete DRA
- Order BA Team to don BA using Rapid Deployment
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing Major Incident Plan
- Direct firefighting actions to create survivable conditions
- Consider use of secondary media
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct BA rescue crew
- Consider taking in additional secondary media to extinguish electrical fires.
- Direct Medical Teams
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider media run-off and water courses on scene.
- Consider preservation of evidence
- Instigate JESIP for multi-agency incident

Crash 1 - MPRV Actions

- Deploy vehicle at 45 degrees to the aircraft onto the PAX door
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Consider use of Monitor
- Consider method of entry if PAX remain on board
- Don BA and utilise Rapid Deployment Procedures
- Deploy media with sufficient lengths of 45mm hose/hose reel as determined by IC DRA.
- Consider use of handheld extinguisher
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Consider requirement to cool external airframe
- Maintain contact with IC
- Provide scene safety

Crash 2 - MPRV Actions:

- Deploy vehicle in front of aircraft at a safe distance from rotors.
- Be aware of PAX and assist them with exiting the aircraft
- Be prepared to relay water to Crash 1

Specific Aircraft Hazards/Procedures:

- Rotors
- Flammable liquids
- Flammable/pressurised gases
- Composite aircraft materials

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Aircrew
- Other agencies.
- Internal Lighting
- Hydraulic Ventilation

Supporting Information:


- NOG
- CFR ARFF TOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 005 – Low Speed Manoeuvring
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – Aircraft Incidents
- CFR Op Guidance 002 – Incidents Involving Rotary Wing Aircraft
- CFR Op Guidance 003 – Aircraft Fuel Fires
- CFR Op Guidance 006 – Aircraft Internal Fires
- CFR Op Guidance 007 – Aircraft Engine Fires
- MOD Aircraft Crash Hazards Document Set
- AQRC A20 – Sikorsky S76-C
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16)
- DSA 1000m assessment
- DSA Water assessments
- DSA Response assessments

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation.

TTP 4 - External Fire

Event Plan – Initial Deployment



Incident Commander Considerations:

- Conduct and complete DRA
- Order BA Team to don BA using Rapid Deployment
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing Major Incident Plan
- Direct firefighting actions to create survivable conditions
- Consider mass discharge from monitor
- Consider use of secondary media
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct BA rescue crew
- Direct Medical Teams
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider media run-off and water courses on scene.
- Consider preservation of evidence
- Instigate JESIP for multi-agency incident.

Crash 1 - MPRV Actions:

- Deploy vehicle at 45-degree angle to aircraft nose
- Be aware of PAX and assist them exiting the aircraft
- Direct Personnel away from the airframe
- Consider use of monitor and extinguish fire
- Consider method of entry if PAX remain onboard
- Don BA and instigate Rapid Deployment Procedures if required
- Deploy media with sufficient lengths of 45mm hose/hose reel as determined by IC DRA and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions if required
- Confirm/make safe aircraft systems
- Utilise Medics to triage casualties on board if survivable conditions are present
- Aid Medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Carry out external airframe cooling
- Provide scene safety.

Crash 2 - MPRV Actions:

- Deploy vehicle in front of aircraft at a safe distance from rotors.
- Be aware of PAX and assist them with exiting the aircraft
- Consider necessity to water relay to Crash 1

Specific Aircraft Hazards/Procedures:

- Rotors
- Flammable liquids
- Flammable/pressurised gases
- Composite Materials

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies

Supporting Information:

- NOG
- CFR ARFF TOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 005 – Low Speed Manoeuvring
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – Aircraft Incidents
- CFR Op Guidance 002 – Incidents Involving Rotary Wing Aircraft
- CFR Op Guidance 003 – Aircraft Fuel Fires
- CFR Op Guidance 006 – Aircraft Internal Fires
- CFR Op Guidance 007 – Aircraft Engine Fires
- MOD Aircraft Crash Hazards Document Set
- AQRC A20 – Sikorsky S-76C
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16)
- DSA 1000m assessments
- DSA Water assessments
- DSA Response assessments

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation