

TACTICS TECHNIQUES & PROCEDURES

Document No: **ATTP A45**

Date Issued: **January 2022**

Airframe: **Sikorsky S61N**

Supersedes: **N/A**

Applies to: CFR
TG 7
RN (AH)
DFR

Stakeholders: CFR HQ
DFSR

Review Date **February 2023**

Sponsor **Alex Clark**
Details: **Chief Fire Officer**
Capita Fire & Rescue (CFR) HQ
Reading Bridge House
1st Floor
George Street
Reading
RG1 8PJ

CONDITIONS OF RELEASE

This document and the information contained within, is the exclusive property of Capita FR. No part of this document may be reproduced, disclosed, or used for any purpose other than that for which it was issued. This document may not be altered or amended in any way by unauthorised person(s). Any amendments or alterations made to this document will be disseminated appropriately to the distribution list, which will include effective dates and required inserts. Correspondence regarding or with reference to this should be addressed to **Philip.McGuinness@capita.com**



Capita

Capita Fire & Rescue

AIRCRAFT TACTICS TECHNIQUES PROCEDURES (ATTP/A45)

SIKORSKY S61 N


Striker (Crash 1)

MPRV (Crash 2)

TTP 1 – Engine Fire	Page 2
TTP 2 – Wheel Assembly Fire	Page 5
TTP 3 – Internal Fire	Page 8
TTP 4 – External Fire	Page 11
Document Control	Page 13

TTP 1 – Engine Fire

Event Plan - Initial Deployment





Incident Commander Considerations:

- Conduct and complete DRA
- Declare Tactical Mode
- Consider required agencies
- Consider implementing Major Incident Plan
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider water consolidation/replenishment
- Communicate hazards to all crews and agencies
- Instigate JESIP for multi-agency incident

Crash 1 – Striker Actions:

- Deploy vehicle to point of Hazard
- Operate monitor to extinguish flame mass using mass discharge
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Knock off monitor and deploy HRET at earliest opportunity
- Consider use of Hydro-Chem
- Utilise HRET as a covering line
- Consider use of FLIR to check for hotspots and provide cooling as necessary to prevent re-ignition
- Provide scene safety
- Maintain contact with IC

Crash 2 – MPRV Actions:

- Deploy vehicle to rescue side of aircraft
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Utilise monitor if required
- Consider method of entry if PAX remain onboard
- Don BA and utilise Rapid Deployment Procedures if required
- Deploy media with 45mm hose/hose reel as determined by IC DRA and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Maintain contact with IC



Specific Aircraft Hazards:

- Flammable liquids
- Pressurised gases
- Rotor blades

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies
- Rotor Blades

Supporting Information:


- NOG
- CFR ARFF TOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 018 – SUV positioning Deployment & Task
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – 2020 – Aircraft Incidents
- CFR Op Guidance 002 – 2020 - Incidents involving Rotary Wing Aircraft
- CFR Op Guidance 003 – 2020 – Aircraft Fuel Fires
- CFR Op Guidance 006 – 2020 – Aircraft Internal Fires
- CFR Op Guidance 007 – 2020 – Aircraft Engine Fire
- CFR Op Guidance 008 – 2020 – Aircraft Undercarriage Incidents
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16)
- MOD Aircraft Crash Hazards Document Set

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation

TTP 2 – Wheel Assembly Incidents

Event Plan - Initial Deployment



Incident Commander Considerations:

- Conduct and complete DRA
- Declare Tactical Mode
- Formulate tactics dependent if fire is present and where escalation is likely
- Consider required agencies
- Consider implementing Major Incident Plan
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider water consolidation/replenishment
- Communicate hazards to all crews and agencies
- Instigate JESIP for multi-agency incident



Crash 1 – Striker Actions:

- Deploy vehicle to point of Hazard
- Be prepared to operate HRET
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Knock off monitor and deploy HRET at earliest opportunity (If utilised)
- Consider use of Hydro-Chem
- Utilise HRET as a covering line
- Consider use of FLIR to check for hotspots and provide cooling as necessary to prevent re-ignition
- Provide scene safety
- Maintain contact with IC

Crash 2 – MPRV Actions:

- Deploy vehicle to rescue side of aircraft
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Utilise monitor if required, consider Dry Powder
- Consider method of entry if PAX remain onboard
- Don BA and utilise Rapid Deployment Procedures if required
- Deploy media with 45mm hose/hose reel as determined by IC DRA and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Maintain contact with IC

Specific Aircraft Hazards/Procedures:

- Rotors
- Flammable liquids
- Flammable/pressurised gases
- Composite Materials
- Inflatable Systems

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies.
- The actions during this incident will be dependent on the following conditions:
 1. Is the wheel assembly on fire?
 2. Is the fire confined to one area or is escalation likely?



Supporting Information:


- NOG
- CFR ARFF TOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 018 – SUV positioning Deployment & Task
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – 2020 – Aircraft Incidents
- CFR Op Guidance 002 – 2020 - Incidents involving Rotary Wing Aircraft
- CFR Op Guidance 003 – 2020 – Aircraft Fuel Fires
- CFR Op Guidance 006 – 2020 – Aircraft Internal Fires
- CFR Op Guidance 007 – 2020 – Aircraft Engine Fire
- CFR Op Guidance 008 – 2020 – Aircraft Undercarriage Incidents
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16)
- MOD Aircraft Crash Hazards Document Set.

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation.

TTP 3 – Internal Fire

Event Plan - Initial Deployment



Incident Commander Considerations:

- Conduct and complete DRA
- Declare Tactical Mode
- Consider required agencies
- Consider implementing Major Incident Plan
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider water consolidation/replenishment
- Communicate hazards to all crews and agencies
- Instigate JESIP for multi-agency incident



Crash 1 – Striker Actions:

- Deploy vehicle to point of Hazard
- Operate monitor to extinguish flame mass using mass discharge
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Knock off monitor and deploy HRET at earliest opportunity
- Consider use of Hydro-Chem
- Utilise HRET as a covering line
- Consider use of FLIR to check for hotspots and provide cooling as necessary to prevent re-ignition
- Provide scene safety
- Maintain contact with IC

Crash 2 – MPRV Actions:

- Deploy vehicle to rescue side of aircraft
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Consider method of entry if PAX remain on board
- Utilise monitor if required
- Don BA and utilise Rapid Deployment Procedures if required
- Deploy media with 45mm hose/hose reel as determined by IC DRA
- Consider use of handheld extinguisher
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Maintain contact with IC

Specific Aircraft Hazards/Procedures:

- Rotors
- Flammable liquids
- Flammable/pressurised gases
- Composite Materials
- Inflatable Systems

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies.
- Internal lighting
- Hydraulic Ventilation

Supporting Information:

- NOG
- CFR ARFF TOG




- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 018 – SUV positioning Deployment & Task
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – 2020 – Aircraft Incidents
- CFR Op Guidance 002 – 2020 - Incidents involving Rotary Wing Aircraft
- CFR Op Guidance 003 – 2020 – Aircraft Fuel Fires
- CFR Op Guidance 006 – 2020 – Aircraft Internal Fires
- CFR Op Guidance 007 – 2020 – Aircraft Engine Fire
- CFR Op Guidance 008 – 2020 – Aircraft Undercarriage Incidents
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16)
- MOD Aircraft Crash Hazards Document Set.

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation.

TTP 4 – External Fire

Event Plan - Initial Deployment



Incident Commander Considerations:

- Conduct and complete DRA
- Declare Tactical Mode
- Formulate tactics dependent if fire is present and where escalation is likely
- Consider required agencies
- Consider implementing Major Incident Plan
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider water consolidation/replenishment
- Communicate hazards to all crews and agencies
- Instigate JESIP for multi-agency incident



Crash 1 – Striker Actions:

- Deploy vehicle to point of Hazard
- Operate monitor to extinguish flame mass using mass discharge
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Knock off monitor and deploy HRET at earliest opportunity
- Consider use of Hydro-Chem
- Utilise HRET as a covering line
- Consider use of FLIR to check for hotspots and provide cooling as necessary to prevent re-ignition
- Provide scene safety
- Maintain contact with IC

Crash 2 – MPRV Actions:

- Deploy vehicle to rescue side of aircraft
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Utilise monitor if required
- Consider method of entry if PAX remain onboard
- Don BA and utilise Rapid Deployment Procedures if required
- Deploy media with 45mm hose/hose reel as determined by IC DRA and prepare for entry into aircraft (If Required)
- BA team access aircraft and create survivable conditions if required
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Maintain contact with IC

Specific Aircraft Hazards/Procedures:

- Rotors
- Flammable liquids
- Flammable/pressurised gases
- Composite Materials
- Inflatable Systems

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies
- The priority should be to engage in offensive firefighting actions prior to engaging pump & roll



Supporting Information:

- NOG
- CFR ARFF TOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 018 – SUV positioning Deployment & Task
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – 2020 – Aircraft Incidents
- CFR Op Guidance 002 – 2020 - Incidents involving Rotary Wing Aircraft
- CFR Op Guidance 003 – 2020 – Aircraft Fuel Fires
- CFR Op Guidance 006 – 2020 – Aircraft Internal Fires
- CFR Op Guidance 007 – 2020 – Aircraft Engine Fire
- CFR Op Guidance 008 – 2020 – Aircraft Undercarriage Incidents
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16)
- MOD Aircraft Crash Hazards Document Set.

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation

Document Control

Version	Date	Author	Role/Name	Status	Changes
V0.1	10/12/2021	S Ash	Sgt	Draft	