



Ministry
of Defence



Defence Fire and Rescue

Aviation Tactics Techniques & Procedures

Document No: ATTP-A29
Title: Voyager (Refueller) V1.3
Date Issued: 15 03 2024
Supersedes: XXX
Review Date: 01 03 2029
Stakeholders:

DFR HQ	✓	Capita Fire and Rescue	✓
RN Aircraft Handler	✓	RAF Fire and Rescue	✓
DFRS LEC	✓	Other FRS Providers	✓
DFRS (Retained Officers)		DFRS (USVF)	

Technical Approved DFR HQ & CFR
Operations Committee

Sponsor Details: **Strategic Lead Operational Capability & Development**
Defence Fire & Rescue (DFR) Headquarters
Sedgemoor Building, Marlborough Lines,
Monxton Road,
Andover,
Hampshire,
SP11 8HT

Contact: DFR-HQOCD@mod.gov.uk

Conditions of Release

1. This information is Crown Copyright and the intellectual property rights for this publication belong exclusively to the Ministry of Defence (MOD). No material or information contained in this publication should be reproduced, stored in a retrieval system or transmitted in any form outside MOD establishments except as authorised by both the sponsor and the MOD where appropriate.
2. This information is released by the United Kingdom Government to a recipient Government for defence purposes only. It may be disclosed only within the Defence Department of a recipient Government, except as otherwise authorised by the MOD.
3. This information may be subject to privately owned rights.

VERSION CONTROL HISTORY

Version	Date	Author	Brief Details	Role	Status
V1.1	05/02/2024	D Cain		FS TMSQAC	Review
V1.2	12/03/2024	P McGuinness	References added: Ops Instruction 066 Ops Instruction 069	CFR Hd of Response	For Review
V1.2	13/03/2024	S Cook	Stake Holder Review	DFR HQ	Endorsed
V1.2	13/03/2024	P McGuinness	For publishing	CFR Hd of Response	Published
V1.3	15/03/2024	P McGuinness	Removed reference to 2 nd BA team - all ATTPs.	CFR Hd of Response	Published



Defence Fire & Rescue

AIRCRAFT TACTICS TECHNIQUES PROCEDURES


Voyager (Refueller)

SUV 1 x WM	MPRV (Crash 1) 1 X CM, 2 X Fftr	Striker HRET (Crash 2) 1 X CM, 1 X Fftr	Striker HRET (Crash 3) 1 X CM, 1 X Fftr
---------------	------------------------------------	--	--

Document Control	Page 2
ATTP 1 - Engine Fire	Page 3
ATTP 2 - Undercarriage Incidents	Page 6
ATTP 3 - Internal/Electrical Fire	Page 9
ATTP 4 - External Fire	Page 12
ATTP 5 - Trailing Hose	Page 15

TTP 1 - Engine Fire

Event Plan - Initial Deployment:



Incident Commander Considerations:

- Conduct and complete DRA
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing MIP
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft from all available exits
- Direct BA rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report

- Communicate hazards to all crews and agencies
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider water replenishment
- Consider aircraft role (Refueller, etc....)
- Maintain contact with ATC and relevant agencies throughout
- Instigate JESIP for multi-agency incident.

Crash 1¹ - MPRV Actions:

- Deploy vehicle to rescue side of aircraft, consider best entry point to aircraft based on incident information
- Be aware of Aircrew/PAX exiting the aircraft
- Be prepared to operate monitor
- Consider method of entry if Aircrew/PAX remain on board (it may be necessary to remove a deployed escape slide to site stairs or pitch a 10.5 ladder): If urgency is of the utmost importance, it may be necessary to puncture the slide²
- Don BA and utilise Initial Deployment Procedures, if required
- Deploy sufficient lengths of hose (45mm) and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Maintain contact with IC.

Crash 2 - Striker HRET Actions:

- Deploy vehicle in dominate position in accordance with conditions
- Operate main monitor to lay foam blanket on the fuselage and extinguish fire utilising mass discharge if required
- Deploy HRET (as Vehicle IC see fit)
- Carry out check of area affected by fire to confirm area is safe
- Cool the airframe if required to prevent reignition
- Consider use of FLIR to check for hot spots before utilising TIC confirm temperature
- Consider further media application
- Provide scene safety
- Redeploy if required
- Maintain contact with IC.

Crash 3 - Striker HRET Actions:

- Deploy vehicle to front of engine fire if possible, taking into consideration wind direction, gradient, passengers and other ARFF vehicle positions
- Utilise pump and roll using the bumper monitor on high output if required
- Once stationary deploy HRET onto affected engine and consider utilising Hydrochem
- Carry out check of area affected by fire to confirm area is safe
- Cool if required

¹ Vehicle call signs may vary between fire stations, whilst actions remain the same.

² This procedure should only be considered as the last resort after the use of the deflation valve and crew disconnection of the slide from inside the aircraft

- Consider further media application
- Provide scene safety
- Maintain contact with IC.

Specific Aircraft Hazards (Make use of AQRC):

- Flammable liquids
- Flammable/pressurised gases
- Radioactive material
- LOX
- Larger quantity of fuel (Tanker a/c).

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies
- Environmental conditions.

Supporting Information:

- DFR-OG 009 - Aircraft Fires
- Ops Instruction 001 - Aircraft Incidents
- Ops Instruction 002 - CFR HSE Policy
- Ops Instruction 005 - Low Speed Manoeuvring
- Ops Instruction 006 - MPRV ARFF Positioning Deployment & Task
- Ops Instruction 007 - MPRV Vehicle Operations
- Ops Instruction 009 - Oshkosh Striker HRET Positioning Deployment & Task
- Ops Instruction 010 - Oshkosh Striker HRET Incident Commander Considerations
- Ops Instruction 012 - Oshkosh Striker HRET Controls
- Ops Instruction 013 - Oshkosh Striker HRET Manual Recovery
- Ops Instruction 014 - Oshkosh Striker HRET Safety Considerations
- Ops Instruction 016 - Oshkosh Striker HRET Operator Considerations
- Ops Instruction 018 - SUV positioning Deployment & Task
- Ops Instruction 033 - BA Operations
- Ops Instruction 066 - Fire Contaminants
- Ops Instruction 069 - Polymer-Composites-and-MMMF
- Op Guidance 003 - Aircraft Fuel Fires
- Op Guidance 006 - Aircraft Internal Fires
- Op Guidance 007 - Aircraft Engine Fires.
- Op Guidance 009 - Incidents Involving Cargo / Large Aircraft
- MOD Aircraft Crash Hazards Document Set
- AQRC-A29-Voyager

Training:

- Aircraft familiarisation
- Aircraft lecture - 6 monthly lesson.
- Redkite CMS
- Deployment exercise(s)

TTP 2 - Undercarriage Incident

Event Plan - Initial Deployment:



Incident Commander Considerations:

- Conduct and complete DRA
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing MIP
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft from all available exits
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Communicate hazards to all crews and agencies
- Maintain safe operations and ensure scene safety
- Direct other agencies.
- Consider aircraft role (Refueller, etc....)
- Consider water consolidation/replenishment
- Maintain contact with ATC and relevant agencies throughout
- Instigate JESIP for multi-agency incident.

Crash ³1 - MPRV Actions:

- Deploy vehicle to rescue side of aircraft, consider best entry point to aircraft based on incident information
- Be aware of Aircrew/PAX exiting the aircraft
- Be prepared to operate monitor
- Consider method of entry if Aircrew/PAX remain on board (it may be necessary to remove a deployed escape slide to site stairs or pitch a 10.5 ladder): If urgency is of the utmost importance, it may be necessary to puncture the slide⁴
- Don BA and utilise Initial Deployment Procedures, if required
- Deploy sufficient lengths of hose (45mm) and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Consider use of TIC
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Maintain contact with IC.

Crash 2 - Striker HRET Actions

- Deploy vehicle in dominate position in accordance with conditions
- Operate main monitor to lay foam blanket on the fuselage and extinguish fire utilising mass discharge if required
- Deploy HRET (as Vehicle IC see fit)
- Carry out check of area affected by fire to confirm area is safe
- Cool the airframe if required to prevent reignition
- Consider use of FLIR to check for hot spots before utilising TIC confirm temperature
- Consider further media application
- Provide scene safety
- Redeploy if required
- Maintain contact with IC.

Crash 3 - Striker HRET Actions

- Deploy vehicle to front of engine fire if possible, taking into consideration wind direction, gradient, passengers and other ARFF vehicle positions
- Utilise pump and roll using the bumper monitor on high output if required
- Once stationary deploy HRET onto affected engine and consider utilising Hydrochem
- Carry out check of area affected by fire to confirm area is safe
- Cool if required
- Consider further media application
- Provide scene safety
- Maintain contact with IC.

³ Vehicle call signs may vary between fire stations, whilst actions remain the same.

⁴ This procedure should only be considered as the last resort after the use of the deflation valve and crew disconnection of the slide from inside the aircraft

Specific Aircraft Hazards – (Make use of AQRC):

- Flammable liquids
- Flammable/pressurised gases
- Radioactive material
- Explosive materials

Further Considerations:

- Aircraft position and wreckage.
- Leaking fuel.
- Passengers.
- Other agencies.
- Environmental conditions.
- The actions during this incident will be depending on the following conditions:
- Is the wheel assembly on fire?
- Is the fire confined to one area or is escalation likely?

Supporting Information:

- DFR-OG 009 - Aircraft Fires
- Ops Instruction 001 - Aircraft Incidents
- Ops Instruction 002 - CFR HSE Policy
- Ops Instruction 005 - Low Speed Manoeuvring
- Ops Instruction 006 - MPRV ARFF Positioning Deployment & Task
- Ops Instruction 007 - MPRV Vehicle Operations
- Ops Instruction 009 - Oshkosh Striker HRET Positioning Deployment & Task
- Ops Instruction 010 - Oshkosh Striker HRET Incident Commander Considerations
- Ops Instruction 012 - Oshkosh Striker HRET Controls
- Ops Instruction 013 - Oshkosh Striker HRET Manual Recovery
- Ops Instruction 014 - Oshkosh Striker HRET Safety Considerations
- Ops Instruction 016 - Oshkosh Striker HRET Operator Considerations
- Ops Instruction 018 - SUV positioning Deployment & Task
- Ops Instruction 033 - BA Operations
- Ops Instruction 066 - Fire Contaminants
- Ops Instruction 069 - Polymer-Composites-and-MMMF
- Op Guidance 003 - Aircraft Fuel Fires
- Op Guidance 006 - Aircraft Internal Fires
- Op Guidance 007 - Aircraft Engine Fires.
- Op Guidance 009 - Incidents Involving Cargo / Large Aircraft
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16).
- AQRC-A29-Voyager

Training:

- Aircraft familiarisation
- Aircraft lecture - 6 monthly lesson.
- Redkite CMS
- Deployment exercise(s)

TTP 3 - Internal / Electrical Fire

Event Plan - Initial Deployment



Incident Commander Actions:

- Conduct and complete DRA
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing MIP
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft from all available exits
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Communicate hazards to all crews and agencies
- Maintain safe operations and ensure scene safety
- Direct other agencies.
- Consider aircraft role (Refueller, etc....)
- Consider water consolidation/replenishment
- Maintain contact with ATC and relevant agencies throughout
- Instigate JESIP for multi-agency incident.

Crash⁵1 - MPRV Actions

- Deploy vehicle in accordance with conditions
- Be aware of Aircrew/PAX exiting the aircraft
- Consider method of entry if Aircrew/PAX remain on board (it may be necessary to remove a deployed escape slide to site stairs or pitch a 10.5 ladder): -
 - In the event aircrew are incapacitated, operate the slide deflation valves⁶
 - If speed is of the utmost importance, it may be necessary to puncture the slide⁷
- Don BA and utilise Initial Deployment Procedures if required
- Deploy sufficient lengths of hose (45mm) and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Consider use of TIC
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Maintain contact with IC.

Crash 2 - Striker HRET Actions

- Deploy vehicle in accordance with conditions
- Deploy HRET
- Identify location of fire utilising FLIR capability
- Consider deployment of ASPN
- Consider further media application
- Provide scene safety
- Redeploy if required
- Consider water relay to MPRV
- Consider deploying safety line (45mm hose)
- Maintain contact with IC.

Crash 3 - Striker HRET Actions

- Deploy vehicle in accordance with conditions
- Deploy HRET
- Identify location of fire utilising FLIR capability
- Consider deployment of ASPN
- Consider water relay to MPRV Crew
- Consider deploying safety line (45mm hose)
- Provide scene safety
- Consider water relay to MPRV
- Maintain contact with IC.

⁵ Vehicle call signs may vary between fire stations, whilst actions remain the same.

⁶ See AQRC A29

⁷ This procedure should only be considered as the last resort after the use of the deflation valve and crew disconnection of the slide from inside the aircraft

Specific Aircraft Hazards – (Make use of AQRC):

- Flammable liquids
- Flammable/pressurised gases
- Radioactive Materials
- Explosive material

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies
- Environmental conditions.

Supporting Information:


- DFR-OG 009 - Aircraft Fires
- Ops Instruction 001 - Aircraft Incidents
- Ops Instruction 002 - CFR HSE Policy
- Ops Instruction 005 - Low Speed Manoeuvring
- Ops Instruction 006 - MPRV ARFF Positioning Deployment & Task
- Ops Instruction 007 - MPRV Vehicle Operations
- Ops Instruction 009 - Oshkosh Striker HRET Positioning Deployment & Task
- Ops Instruction 010 - Oshkosh Striker HRET Incident Commander Considerations
- Ops Instruction 012 - Oshkosh Striker HRET Controls
- Ops Instruction 013 - Oshkosh Striker HRET Manual Recovery
- Ops Instruction 014 - Oshkosh Striker HRET Safety Considerations
- Ops Instruction 016 - Oshkosh Striker HRET Operator Considerations
- Ops Instruction 018 - SUV positioning Deployment & Task
- Ops Instruction 033 - BA Operations
- Ops Instruction 066 - Fire Contaminants
- Ops Instruction 069 - Polymer-Composites-and-MMMF
- Op Guidance 003 - Aircraft Fuel Fires
- Op Guidance 006 - Aircraft Internal Fires
- Op Guidance 007 - Aircraft Engine Fires.
- Op Guidance 009 - Incidents Involving Cargo / Large Aircraft
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16).
- AQRC-A29-Voyager

Training:

- Aircraft familiarisation
- Aircraft lecture - 6 monthly lesson.
- Redkite CMS
- Deployment exercise(s)

TTP 4 - External Fire

Event Plan – Initial Deployment



Incident Commander Actions:

- Conduct and complete DRA
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing MIP
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of PAX exiting aircraft from all available exits
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Communicate hazards to all crews and agencies
- Maintain safe operations and ensure scene safety
- Direct other agencies.
- Consider aircraft role (Refueller, etc....)
- Consider water consolidation/replenishment
- Maintain contact with ATC and relevant agencies throughout
- Instigate JESIP for multi-agency incident.

Crash ⁸1 - MPRV Actions:

- Deploy vehicle in accordance with conditions
- Be aware of Aircrew/PAX exiting the aircraft
- Be prepared to operate monitor utilising mass discharge
- Consider method of entry if Aircrew/PAX remain on board (it may be necessary to remove a deployed escape slide to site stairs or pitch a 10.5 ladder):
 - In the event aircrew are incapacitated, operate the slide deflation valves⁹
 - If speed is of the utmost importance, it may be necessary to puncture the slide¹⁰
- Don BA and utilise Initial Deployment Procedures if required
- Deploy sufficient lengths of hose (45mm) and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions
- Confirm / make safe aircraft systems
- Consider use of TIC
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Maintain contact with IC.

Crash 2 - Striker HRET Actions

- Deploy vehicle in dominate position in accordance with conditions
- Operate main monitor to lay foam blanket on the fuselage and extinguish fire utilising mass discharge if required
- Deploy HRET (as Vehicle IC see fit)
- Carry out check of area affected by fire to confirm area is safe
- Cool the airframe if required to prevent reignition
- Consider use of FLIR to check for hot spots before utilising TIC confirm temperature
- Consider further media application
- Provide scene safety

Crash 3 - Striker HRET Actions

- Deploy vehicle in accordance with conditions
- Operate main monitor and extinguish fire utilising mass discharge
- Deploy HRET
- Carry out check of area affected by fire to confirm area is safe
- Cool the airframe if required to prevent reignition
- Consider further media application
- Provide scene safety.
- Redeploy if required
- Maintain contact with IC.

⁸ Vehicle call signs may vary between fire stations, whilst actions remain the same.

⁹ See AQRC A29

¹⁰ This procedure should only be considered as the last resort after the use of the deflation valve and crew disconnection of the slide from inside the aircraft

Specific Aircraft Hazards - (Make use of AQRC):

- Flammable liquids
- Flammable/pressurised gases
- Radioactive Materials
- Explosive material

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies
- The HRET should engage in pump and roll procedures at the earliest opportunity, this will allow the MPRV to carry out rapid offensive operations
- Environmental conditions.

Supporting Information:

- DFR-OG 009 - Aircraft Fires
- Ops Instruction 001 - Aircraft Incidents
- Ops Instruction 002 - CFR HSE Policy
- Ops Instruction 005 - Low Speed Manoeuvring
- Ops Instruction 006 - MPRV ARFF Positioning Deployment & Task
- Ops Instruction 007 - MPRV Vehicle Operations
- Ops Instruction 009 - Oshkosh Striker HRET Positioning Deployment & Task
- Ops Instruction 010 - Oshkosh Striker HRET Incident Commander Considerations
- Ops Instruction 012 - Oshkosh Striker HRET Controls
- Ops Instruction 013 - Oshkosh Striker HRET Manual Recovery
- Ops Instruction 014 - Oshkosh Striker HRET Safety Considerations
- Ops Instruction 016 - Oshkosh Striker HRET Operator Considerations
- Ops Instruction 018 - SUV positioning Deployment & Task
- Ops Instruction 033 - BA Operations
- Ops Instruction 066 - Fire Contaminants
- Ops Instruction 069 - Polymer-Composites-and-MMMF
- Op Guidance 003 - Aircraft Fuel Fires
- Op Guidance 006 - Aircraft Internal Fires
- Op Guidance 007 - Aircraft Engine Fires.
- Op Guidance 008 - Aircraft Undercarriage
- Op Guidance 009 - Incidents Involving Cargo / Large Aircraft
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16).
- AQRC-A29-Voyager

Training:

- Aircraft familiarisation
- Aircraft lecture - 6 monthly lesson.
- Redkite CMS
- Deployment exercise(s)

ATTP 5 - Trailing Hose

Event Plan – Initial Deployment



Incident Commander Considerations:

- Conduct and complete DRA
- Declare Tactical Mode
- Consider required agencies and resources
- Consider implementing MIP
- Direct firefighting actions
- Consider contacting aircraft commander via ATC or 121.6 if available
- Be aware of Aircrew/PAX exiting aircraft from all available exits
- Direct rescue crew
- Direct all operational control and implement ICS
- Provide M/ETHANE report
- Communicate hazards to all crews and agencies
- Maintain safe operations and ensure scene safety
- Direct other agencies
- Consider aircraft role (Refueller, etc....)
- Consider water consolidation/replenishment
- Maintain contact with ATC and relevant agencies throughout
- Instigate JESIP for multi-agency incident.

Crash 1¹¹ - MPRV Actions:

- Deploy vehicle to rescue side of aircraft, consider best entry point to aircraft based on incident information
- Be aware of Aircrew/PAX exiting the aircraft
- Be prepared to operate monitor
- Consider method of entry if Aircrew/PAX remain on board (it may be necessary to remove a deployed escape slide to site stairs or pitch a 10.5 ladder): If urgency is of the utmost importance, it may be necessary to puncture the slide¹²
- Don BA and utilise Initial Deployment Procedures, if required
- Deploy sufficient lengths of hose (45mm) and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Maintain contact with IC.

Crash 2 - Striker HRET Actions

- Deploy vehicle in dominate position in accordance with conditions
- Operate main monitor to lay foam blanket on the fuselage and extinguish fire utilising mass discharge if required
- Deploy HRET (as Vehicle IC see fit)
- Carry out check of area affected by fire to confirm area is safe
- Cool the airframe if required to prevent reignition
- Consider use of FLIR to check for hot spots before utilising TIC confirm temperature
- Consider further media application
- Provide scene safety

Crash 3 - Striker HRET Actions

- Deploy vehicle in accordance with conditions
- Operate main monitor and extinguish fire utilising mass discharge
- Deploy HRET
- Carry out check of area affected by fire to confirm area is safe
- Cool the airframe if required to prevent reignition
- Consider further media application
- Provide scene safety.
- Redeploy if required
- Maintain contact with IC.

Specific Aircraft Hazards - (Make use of AQRC):

- Flammable liquids
- Flammable/pressurised gases
- Radioactive Materials
- Explosive material

¹¹ Vehicle call signs may vary between fire stations, whilst actions remain the same.

¹² This procedure should only be considered as the last resort after the use of the deflation valve and crew disconnection of the slide from inside the aircraft

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Passengers
- Other agencies
- The HRET should engage in pump and roll procedures at the earliest opportunity, this will allow the MPRV to carry out rapid offensive operations
- Environmental conditions.

Supporting Information:

- DFR-OG 009 - Aircraft Fires
- Ops Instruction 001 - Aircraft Incidents
- Ops Instruction 002 - CFR HSE Policy
- Ops Instruction 005 - Low Speed Manoeuvring
- Ops Instruction 006 - MPRV ARFF Positioning Deployment & Task
- Ops Instruction 007 - MPRV Vehicle Operations
- Ops Instruction 009 - Oshkosh Striker HRET Positioning Deployment & Task
- Ops Instruction 010 - Oshkosh Striker HRET Incident Commander Considerations
- Ops Instruction 012 - Oshkosh Striker HRET Controls
- Ops Instruction 013 - Oshkosh Striker HRET Manual Recovery
- Ops Instruction 014 - Oshkosh Striker HRET Safety Considerations
- Ops Instruction 016 - Oshkosh Striker HRET Operator Considerations
- Ops Instruction 018 - SUV positioning Deployment & Task
- Ops Instruction 033 - BA Operations
- Ops Instruction 066 - Fire Contaminants
- Ops Instruction 069 - Polymer-Composites-and-MMMF
- Op Guidance 003 - Aircraft Fuel Fires
- Op Guidance 006 - Aircraft Internal Fires
- Op Guidance 007 - Aircraft Engine Fires.
- Op Guidance 008 - Aircraft Undercarriage
- Op Guidance 009 - Incidents Involving Cargo / Large Aircraft
- MOD Aircraft Crash Hazards Document Set
- NATO STANAG/TO 00-105E-9-Chapter 13 (revision 16).
- AQRC-A29-Voyager

Training:

- Aircraft familiarisation
- Aircraft lecture - 6 monthly lesson.
- Redkite CMS
- Deployment exercise(s)