



Ministry
of Defence



Defence Fire and Rescue Tactics Techniques & Procedures

Operational Instruction

Document No: ATTP-A46

Title: AW 159 Wildcat - 2 x MPRV Response

Date Issued: 10 11 2023

Supersedes: 15 10 2021

Review Date: 01 10 2028

Stakeholders:	DFR HQ	✓	Capita Fire and Rescue	✓
	RN Aircraft Handler	✓	RAF Fire and Rescue	✓
	DFRS LEC	✓	Other FRS Providers ¹	✓
	DFRS (Retained Officers)		DFRS (USVF)	

Technical Approved Defence Fire and Rescue (CFR HQ)
Operations Committee

Sponsor Details: Head of Operational Capability & Development
Defence Fire & Rescue (DFR) Headquarters
Sedgemoor Building, Marlborough Lines,
Monxton Road,
Andover,
Hampshire,
SP11 8HT

Contact: DFR-HQOCD@mod.gov.uk

Conditions of Release

1. This information is Crown Copyright and the intellectual property rights for this publication belong exclusively to the Ministry of Defence (MOD). No material or information contained in this publication should be reproduced, stored in a retrieval system, or transmitted in any form outside MOD establishments except as authorised by both the sponsor and the MOD where appropriate.
2. This information is released by the United Kingdom Government to a recipient Government for defence purposes only. It may be disclosed only within the Defence Department of a recipient Government, except as otherwise authorised by the MOD.
3. This information may be subject to privately owned rights.

¹ Other FRS Providers include Babcock Fire Services, Mitie Fire Service, QinetiQ Fire Service.



AIRCRAFT TACTICS TECHNIQUES PROCEDURES (ATTP A46)

AW 159 Wildcat

This ATTP applies to a response model incorporating 2 x MPRVs

MPRV (Crash 1)

1 x Crew Manager
1 x ERD
2 x Firefighters

MPRV (Crash 2)

1 x Watch Manager
1 x ERD
2 x Firefighters

TTP 1 - External Fire

Page 2

TTP 2 - Engine Fire

Page 5

TTP 3 - Internal Fire


Page 8

Document Control

Page 9

TTP 1 – External Fire

Event Plan - Initial deployment²



² In order to maintain aerodrome ARFF capability the IC may direct that all equipment is taken from Crash 1, thus leaving Crash 2 available.

³ MPRV Capacity 4600lts - Water Requirement for Wildcat 1200lts

Incident Commander Considerations:

- Confirm whether armaments and countermeasures are present
- Consider safe deployment of ARFF Vehicles (armaments depending)
- Conduct a Dynamic Risk Assessment (DRA)
- Direct all operational control and implement Incident Command System
- Consider mass discharge from monitor
- Consider use of secondary media
- Declare Tactical Mode
- Provide M/ETHANE report⁴
- Consider contacting aircraft commander via Air Traffic Control
- Be aware of aircrew exiting aircraft (if able to self-evacuate)
- Direct firefighting actions to create survivable conditions
- Extinguish all Fires/Rapid knock down of smoke plume
- Order Crash 1 Breathing Apparatus (BA) team to don BA, using Rapid Deployment⁵
- Direct BA crew to triage casualties (can they be moved Yes/No)
- Consider required additional agencies and resources
- Maintain safe operations and ensure scene safety
- Exercise Cordon Control
- On arrival of additional agencies instigate JESIP for multi-agency incident.
- Share Situational Awareness (Hazards and Risks)
- Conduct Rescues / Assist 'Medics (appropriate PPE/RPE is to be worn)'
- Consider media run-off and water courses on scene.
- Consider preservation of evidence

Crash 1 – MPRV Actions

- Deploy vehicle at minimum of 45-degree angle to aircraft nose if a/c is armed
- Be aware of aircrew exiting the aircraft
- Direct aircrew away from the airframe
- Consider use of monitor to extinguish fire.
- Consider use of secondary agents.
- Consider method of entry if PAX remain onboard
- Don BA and instigate Rapid Deployment Procedures
- Deploy media with sufficient lengths of 45mm hose/hose reel as determined by Incident Commanders (IC) DRA and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions where required
- Confirm/make safe aircraft systems
- Utilise Medics (appropriate RPE/PPE should be worn) to triage aircrew on board if survivable conditions are present
- Aid Medics in extricating aircrew
- Consider use of auxiliary equipment such as TIC
- Carry out external airframe cooling
- Provide scene safety.

⁴ A point of note: The aerodrome operator may initiate the Stations Major Incident Plan

⁵ IC may consider Stage 1 utilising Crash 2 crew

Crash 2 – MPRV Actions

- Deploy vehicle at minimum of 45-degree angle to aircraft nose if a/c is armed
- Be aware of aircrew exiting the aircraft
- Direct aircrew away from the airframe
- Crash 2 vehicle commander will maintain contact with the IC
- Crash 2 firefighters will support as tasked by the IC
- IC may task crew to implement Stage 1 BAECO
- Provide scene safety.

Specific Aircraft Hazards:

- Rotors
- Armaments / Pyrotechnics
- Flammable liquids/pressurised gases
- Composite aircraft materials.

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Other agencies.

Supporting Information:


- NOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 005 – Low Speed Manoeuvring
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – Aircraft Incidents
- CFR Op Guidance 002 – Incidents Involving Rotary Wing Aircraft
- CFR Op Guidance 003 – Aircraft Fuel Fires
- CFR Op Guidance 006 – Aircraft Internal Fires
- CFR Op Guidance 007 – Aircraft Engine Fires
- MOD Aircraft Crash Hazards Document Set
- AP 101B-530-15A1
- AQRC A46 - Wildcat AW 159
- DOD TO 00-105E-9 (NATO STANAG 3896)
- DSA 1000m assessments
- DSA Water assessments
- DSA Response assessments

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation.

TTP 2 – Engine Compartment Fire

Event Plan - Initial Deployment



Incident Commander Considerations:

- Confirm whether armaments and countermeasures are present
- Consider safe deployment of ARFF Vehicles (armaments depending)
- Conduct a Dynamic Risk Assessment (DRA)
- Direct all operational control and implement Incident Command System
- Consider mass discharge from monitor
- Consider use of secondary media
- Declare Tactical Mode
- Provide M/ETHANE report⁶
- Consider contacting aircraft commander via Air Traffic Control
- Be aware of aircrew exiting aircraft (if able to self-evacuate)
- Direct firefighting actions to create survivable conditions
- Extinguish all Fires/Rapid knock down of smoke plume
- Order Crash 1 Breathing Apparatus (BA) team to don BA, using Rapid Deployment⁷
- Direct BA crew to triage casualties (can they be moved Yes/No)
- Consider required additional agencies and resources
- Maintain safe operations and ensure scene safety
- IC may consider cordon control
- On arrival of additional agencies instigate JESIP for multi-agency incident.
- Share Situational Awareness (Hazards and Risks)
- Conduct Rescues / Assist 'Medics (appropriate PPE/RPE is to be worn)'
- Consider media run-off and water courses on scene.
- Consider preservation of evidence

⁶ A point of note: The aerodrome operator may initiate the Stations Major Incident Plan

⁷ IC may consider Stage 1 utilising Crash 2 crew

Crash 1 – MPRV Actions

- Deploy vehicle at minimum of 45-degree angle to the aircraft nose if a/c is armed
- Be aware of aircrew exiting the aircraft
- Direct aircrew away from the airframe
- Consider use of monitor to extinguish fire
- Consider use of secondary agents
- Consider method of entry if PAX remain onboard
- Don BA and instigate Rapid Deployment Procedures if required
- Deploy media with sufficient lengths of 45mm hose/hose reel as determined by IC DRA and prepare for entry into aircraft
- BA team access aircraft and create survivable conditions where required
- Confirm/make safe aircraft systems
- Utilise Medics to triage aircrew on board if survivable conditions are present
- Aid Medics in extricating aircrew
- Consider use of auxiliary equipment such as TIC
- Carry out external airframe cooling
- Provide scene safety

Crash 2 – MPRV Actions

- Deploy vehicle at minimum of 45-degree angle to the aircraft nose if a/c is armed
- Be aware of aircrew exiting the aircraft
- Direct aircrew away from the airframe
- Crash 2 vehicle commander will maintain contact with the IC
- Crash 2 firefighters will support as tasked by the IC
- Provide scene safety.

Specific Aircraft Hazards/Procedures:

- Rotors
- Armaments / Pyrotechnics
- Flammable liquids
- Flammable/pressurised gases
- Composite aircraft materials.

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Aircrew
- Other agencies.

Training:


- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation.

Supporting Information:

- NOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 005 – Low Speed Manoeuvring
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – Aircraft Incidents
- CFR Op Guidance 002 – Incidents Involving Rotary Wing Aircraft
- CFR Op Guidance 003 – Aircraft Fuel Fires
- CFR Op Guidance 006 – Aircraft Internal Fires
- CFR Op Guidance 007 – Aircraft Engine Fires
- MOD Aircraft Crash Hazards Document Set
- AP 101B-530-15A1
- AQRC A46 - Wildcat AW 159
- DOD TO 00-105E-9 (NATO STANAG 3896)
- DSA 1000m assessments
- DSA Water assessments
- DSA Response assessments

TTP 3 – Internal Fire

Event Plan - Initial Deployment



Incident Commander Considerations:

- Confirm whether armaments and countermeasures are present
- Consider safe deployment of ARFF Vehicles (armaments depending)
- Conduct a Dynamic Risk Assessment (DRA)
- Direct all operational control and implement Incident Command System
- Consider mass discharge from monitor
- Consider use of secondary media
- Declare Tactical Mode
- Provide M/ETHANE report⁸
- Consider contacting aircraft commander via Air Traffic Control
- Be aware of aircrew exiting aircraft (if able to self-evacuate)
- Direct firefighting actions to create survivable conditions
- Extinguish all Fires/Rapid knock down of smoke plume
- Order Crash 1 Breathing Apparatus (BA) team to don BA, using Rapid Deployment⁹
- Direct BA crew to triage casualties (can they be moved Yes/No)
- Consider required additional agencies and resources
- Maintain safe operations and ensure scene safety
- IC may consider cordon control
- On arrival of additional agencies instigate JESIP for multi-agency incident.
- Share Situational Awareness (Hazards and Risks)
- Conduct Rescues/ Assist 'Medics (appropriate PPE/RPE is to be worn)'
- Consider media run-off and water courses on scene.
- Consider preservation of evidence

⁸ A point of note: The aerodrome operator may initiate the Stations Major Incident Plan

⁹ IC may consider Stage 1 utilising Crash 2 crew

Crash 1 - MPRV Actions:

- Deploy vehicle at 45 degrees to the aircraft onto the PAX door
- Be aware of PAX and assist them with exiting the aircraft
- Direct personnel away from airframe
- Consider use of monitor.
- Consider method of entry if PAX remain on board
- Don BA and utilise Rapid Deployment Procedures (When directed)
- Deploy media with sufficient lengths of 45mm hose/hose reel as determined by IC DRA.
- Consider use of handheld extinguisher
- BA team access aircraft and create survivable conditions
- Confirm/make safe aircraft systems
- Utilise medics to triage casualties on board if survivable conditions are present
- Aid medics in extricating casualties
- Consider use of auxiliary equipment such as TIC
- Consider requirement to cool external airframe
- Maintain contact with IC
- Provide scene safety

Crash 2 - MPRV Actions:

- Deploy vehicle at minimum of 45-degree angle to the aircraft nose if a/c is armed
- Be aware of aircrew exiting the aircraft
- Direct aircrew away from the airframe
- Crash 2 vehicle commander will maintain contact with the IC
- Crash 2 firefighters will support as tasked by the IC
- Provide scene safety.

Specific Aircraft Hazards/Procedures:

- Rotors
- Armaments / Pyrotechnics
- Flammable liquids
- Flammable/pressurised gases
- Composite aircraft materials.

Further Considerations:

- Aircraft position and wreckage
- Leaking fuel
- Aircrew
- Other agencies.
- Internal Lighting
- Hydraulic Ventilation

Training:

- Aircraft familiarisation
- Deployment exercise(s)
- Redkite CMS
- Aircraft lecture – 6 monthly lesson / familiarisation presentation.

Supporting Information:

- NOG
- CFR Ops Instruction 001 – Aircraft Incidents
- CFR Ops Instruction 002 – CFR HSE Policy
- CFR Ops Instruction 005 – Low Speed Manoeuvring
- CFR Ops Instruction 006 – MPRV ARFF Positioning Deployment & Task
- CFR Ops Instruction 007 – MPRV Vehicle Operations
- CFR Ops Instruction 033 – BA Operations
- CFR Op Guidance 001 – Aircraft Incidents
- CFR Op Guidance 002 – Incidents Involving Rotary Wing Aircraft
- CFR Op Guidance 003 – Aircraft Fuel Fires
- CFR Op Guidance 006 – Aircraft Internal Fires
- CFR Op Guidance 007 – Aircraft Engine Fires
- MOD Aircraft Crash Hazards Document Set
- AP 101B-530-15A1
- AQRC A46 - Wildcat AW 159
- DOD TO 00-105E-9 (NATO STANAG 3896)
- DSA 1000m assessments
- DSA Water assessments
- DSA Response assessments

Document Control

Version	Date	Author	Role/Name	Status	Changes
V1.0	03/02/2021	D Bowering	WM	Initial	
V1.1	04/02/2021	A Kipling	FSM	For Issue	
V1.2	31/10/2023	T Meecham	FSM Yeovilton	Review	
V1.2	10/11/2023	P McGuinness	Hd of Response	Review	New cover, tabs, and layout