

GlassFish Tools Bundle for Eclipse User Guide

Sun Microsystems, Inc.
4150 Network Circle
Santa Clara, CA 95054
U.S.A.

December 2009

Copyright 2009 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more U.S. patents or pending patent applications in the U.S. and in other countries.

U.S. Government Rights – Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

This distribution may include materials developed by third parties.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, the Solaris logo, the Java Coffee Cup logo, docs.sun.com, Java, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. or its subsidiaries in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Products covered by and information contained in this publication are controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical or biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2009 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. Tous droits réservés.

Sun Microsystems, Inc. détient les droits de propriété intellectuelle relatifs à la technologie incorporée dans le produit qui est décrit dans ce document. En particulier, et ce sans limitation, ces droits de propriété intellectuelle peuvent inclure un ou plusieurs brevets américains ou des applications de brevet en attente aux Etats-Unis et dans d'autres pays.

Cette distribution peut comprendre des composants développés par des tierces personnes.

Certains composants de ce produit peuvent être dérivés du logiciel Berkeley BSD, licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays; elle est licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, le logo Solaris, le logo Java Coffee Cup, docs.sun.com, Java et Solaris sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc., ou ses filiales, aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui, en outre, se conforment aux licences écrites de Sun.

Les produits qui font l'objet de cette publication et les informations qu'il contient sont régis par la législation américaine en matière de contrôle des exportations et peuvent être soumis au droit d'autres pays dans le domaine des exportations et importations. Les utilisations finales, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes chimiques ou biologiques ou pour le nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers des pays sous embargo des Etats-Unis, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exclusive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

LA DOCUMENTATION EST FOURNIE "EN L'ETAT" ET TOUTES AUTRES CONDITIONS, DECLARATIONS ET GARANTIES EXPRESSES OU TACITES SONT FORMELLEMENT EXCLUES, DANS LA MESURE AUTORISEE PAR LA LOI APPLICABLE, Y COMPRIS NOTAMMENT TOUTE GARANTIE IMPLICITE RELATIVE A LA QUALITE MARCHANDE, A L'APTITUDE A UNE UTILISATION PARTICULIERE OU A L'ABSENCE DE CONTREFACON.

Contents

1	Introduction	7
	7
2	Installing GlassFish Tools Bundle for Eclipse	9
	Installation	9
	▼ To Install on Windows Platform	9
	▼ To Install on Mac OS Platform	10
	▼ To Install on Linux Platform	11
	▼ To Install on Open Solaris Platform	13
	▼ To Uninstall	15
	▼ Troubleshooting	15
3	Configuring and Using GlassFish Server from IDE	17
	17
	▼ To create a New Server	18
	▼ To start GlassFish Server	18
	▼ To stop GlassFish Server	19
	▼ To restart GlassFish Server	19
	▼ To start GlassFish Server in Debug mode	20
	▼ To start GlassFish Server in Profile mode	20
	▼ To publish Projects	21
	▼ To clean published Projects	21
	▼ To add and remove Projects	21
	▼ To display GlassFish Sever properties	22
	▼ To access GlassFish Server Administration Console	22
	▼ To register GlassFish Server Installation	23
	▼ To access the GlassFish Update Center from Eclipse IDE	23

▼ To update the Plug-In	24
▼ To use Help Menu for GlassFish Server	24
▼ To change Preferences for GlassFish Server Plug-in	25
▼ To monitor TCP/IP for Web Applications with GlassFish Server	26
▼ To view Sample JavaDB	27
▼ Miscellaneous Information	27
4 Developing Applications for GlassFish Server	29
.....	29
▼ To create a new Web Application project for GlassFish Server	29
▼ To add a Servlet and use Session Preservation feature	30
▼ To debug a Servlet with GlassFish Server	32
▼ To edit the preconfigured MySQL Database Connector	33
▼ To create a new Data Source and register it with GlassFish Server	33
▼ To create a JPA Project for GlassFish Server	35
5 Using Java EE 6 Wizards	37
.....	37
▼ To create a Web Project	37
▼ To create a Web Servlet Class	38
▼ To create a Web Filter Class	39
▼ To create Web Listener Class	39
▼ To create a Session Bean Class	40
▼ To create an EJB Timer Class	41
▼ To create an XHTML Page	42
▼ To create a RESTful Web Service Class	42
6 Getting Started with Metro	45
Developing Web Applications using Metro	45
Install Metro on GlassFish Server	45
▼ To create a new Metro based Web Service	46
▼ To create a new Metro based Web Service from WSDL	49
▼ Configure the Web Service Policies	52
Additional Resources	54

A Using Popup Menu57

Introduction

The GlassFish™ Server is an open source Application Server that implements the Java EE platform. It is the industry standard for implementing enterprise-class Service-Oriented Architecture (SOA) and next-generation web applications.

The Eclipse is a popular open source Integrated Development Environment (IDE) that is widely adopted in the developer community.

The GlassFish Tools Bundle for Eclipse is a software bundle that includes GlassFish Server v3, Eclipse IDE 3.5.x and the plug-in that enables them to work together. It provides a ready-to-use IDE environment that helps you get started with developing applications on Eclipse and deploying them to GlassFish Server.

In addition, GlassFish Tools Bundle for Eclipse Release also includes Metro Web Services Stack plug-in and Maven plug-in for Eclipse.

This document helps GlassFish Tools Bundle for Eclipse users to become familiar with using the product and its various features. The document contains information on the following topics:

- [Installing GlassFish Tools Bundle for Eclipse](#)
- [Configuring and Using GlassFish Server from IDE](#)
- [Developing Applications for GlassFish Server](#)
- [Using Java EE 6 Wizards](#)
- [Getting Started with Metro](#)
- [Using Popup Menu](#)

Installing GlassFish Tools Bundle for Eclipse

This chapter describes the process of installing GlassFish Tools Bundle for Eclipse on different platforms.

Installation

- “To Install on Windows Platform” on page 9
- “To Install on Mac OS Platform” on page 10
- “To Install on Linux Platform” on page 11
- “To Install on Open Solaris Platform” on page 13
- “To Uninstall” on page 15
- “Troubleshooting” on page 15

▼ To Install on Windows Platform

- 1 Download Windows version of GlassFish Tools Bundle for Eclipse package from the following location:**
<http://download.java.net/glassfish/eclipse>
- 2 Double click the downloaded file, to start Installer wizard.**
Welcome Message is displayed.
- 3 Click Next.**
License Agreement is displayed.
- 4 Read and accept License Agreement. Click Next.**

5 Accept default location or select a different location to install software.

For example: C:\GlassFish-Tools-Bundle-For Eclipse-<version>\

6 Click Install.

Wait for installation to complete.

7 Click Close.**8 To start the IDE, select Start ->Programs ->GlassFish Tools Bundle for Eclipse <version> ->GlassFish Tools Bundle for Eclipse.**

Workspace Launcher wizard is displayed.

9 Accept the default Workspace location or enter a different location.**10 Click OK.**

GlassFish Registration page is displayed.

11 Register GlassFish Server from Registration page.

You can also choose one of the other registration options.

Tip – By registering your GlassFish Installation, you have the advantage of receiving patch information and updates, screen casts and tutorials, support and training offerings from GlassFish community.

12 Click Next or Finish depending on the option you chose in the previous screen.

The IDE is opened.

Close Welcome page to enter the default Workbench, in Java EE Perspective.

▼ To Install on Mac OS Platform

1 Download Mac OS version of GlassFish Tools Bundle for Eclipse from the following location:

<http://download.java.net/glassfish/eclipse>

2 Double click downloaded file to create pkg file.**3 Double click on .pkg file to start Installer wizard.**

Welcome Message is displayed.

4 Click Continue.

License Agreement page is displayed.

- 5 **Read and accept License Agreement. Click Install.**
 - 6 **Accept default location or enter a different location to install software.**
For example: HD Disk.
 - 7 **Click Install.**
Wait for installation to complete.
 - 8 **Click Close.**
 - 9 **To start the IDE, navigate to Applications directory and click GlassFish Tools Bundle for Eclipse <version>.**
Workspace Launcher page is displayed.
 - 10 **Accept the default Workspace location or enter a different location.**
 - 11 **Click Next.**
GlassFish Registration page is displayed.
 - 12 **Register GlassFish Server from Registration Screen.**
You can also choose one of the other registration options.
-
- Tip** – By registering your GlassFish Installation, you have the advantage of receiving patch information and updates, screen casts and tutorials, support and training offerings from GlassFish community.
-
- 13 **Click Next or Finish depending on the option you chose in the previous screen.**
Eclipse IDE is opened.
Close Welcome page to enter default Workbench, in Java EE Perspective.

▼ To Install on Linux Platform

- 1 **Download Linux version of GlassFish Tools Bundle for Eclipse from the following location:**
<http://download.java.net/glassfish/eclipse>
- 2 **Move the jar file to a suitable directory.**
If you are using the zipped tar file then skip Steps 3 through 18 and go to Step 19.
- 3 **Use the following command to start the installer wizard:**
`java -jar <glassfish-tools-bundle-for-eclipse-xxxx.jar>`

Welcome Message is displayed.

4 Click Next.

License Agreement page is displayed.

5 Read and accept License Agreement. Click Next.

Target Path selection page is displayed.

6 Accept default location or enter a different location to install software.

For example: /home/<GlassFishBundle>

7 Click Next.

Setup Shortcuts page is displayed.

**8 Use checkbox to create or not to create shortcuts for the application in the Start (XDG-Menu).
Select default Program Group for shortcuts or create a new Program Group.**

9 Click Next.

Summary Configuration Data page is displayed.

10 If configuration data is correct, click Next.

Wait for installation to complete.

11 Click Next.

Installation Finished message is displayed.

12 Click Done.

13 Navigate to the install location, <glassfish-tools-bundle-for-eclipse-xxxx> directory.

This directory contains Eclipse IDE 3.5.x, GlassFish Server v3 installations.

14 Start the IDE, by using the following command:

`./eclipse`

Workspace Launcher page is displayed.

15 Accept default Workspace or enter a different Workspace.

16 Click OK.

GlassFish Registration page is displayed.

17 Register GlassFish Server from Registration Screen.

You can also choose one of the other available options.

Tip – By registering your GlassFish Installation, you have the advantage of receiving patch information and updates, screen casts and tutorials, support and training offerings from GlassFish community.

18 Click Next or Finish depending on the option you chose in the previous screen.

The IDE is opened.

Close Welcome page to enter default Workbench, in Java EE Perspective.

19 If you are using the zipped tar file (tar.gz) distribution, then use the following step to install:

- **Use gunzip and then extract tar file.**

When file is extracted, Eclipse IDE 3.5.x and GlassFish Server v3 along with the plug-in that integrates these products are installed on system.

- **Go to Step 13 and continue.**

▼ To Install on Open Solaris Platform

1 Download Open Solaris version of GlassFish Tools Bundle for Eclipse from the following location:

<http://download.java.net/glassfish/eclipse>

2 Move the jar file to a suitable directory.

If you are using the zipped tar file then skip Steps 3 through 17 and go to Step 18.

3 Use the following command to start the installer wizard:

```
java -jar <glassfish-tools-bundle-for-eclipse-xxxx.jar>
```

Welcome Message is displayed.

4 Click Next.

License Agreement page is displayed.

5 Read and accept License Agreement. Click Next.

Target Path selection page is displayed.

6 Accept default location or specify a different location to install software.

For example: /home/<GlassFish-Tools-Bundle-For Eclipse-<version>/

7 Click Next.

Setup Shortcuts page is displayed.

8 Use checkbox to create or not to create shortcuts for the application in the XDG-Menu. Select default Program Group for shortcuts or create a new Program Group.

9 Click Next.

Summary Configuration Data page is displayed.

10 If configuration data is correct, click Next.

Wait for installation to complete.

11 Click Next.

Installation Finished message is displayed.

12 Click Done.

13 To start the IDE, select Launch ->Applications ->GlassFish Tools Bundle for Eclipse <version> ->GlassFish Tools Bundle for Eclipse.

Workspace Launcher page is displayed.

14 Accept default Workspace location or enter a different location.

15 Click OK.

GlassFish Registration page is displayed.

16 Register GlassFish Server from Registration Screen.

You can also choose one of the other available options.

Tip – By registering your GlassFish Installation, you have the advantage of receiving patch information and updates, screen casts and tutorials, support and training offerings from GlassFish community.

17 Click Next or Finish depending on the option you chose in the previous screen.

Eclipse IDE is opened.

Close Welcome page to enter default Workbench, in Java EE Perspective.

18 If you are using the zipped tar file (tar.gz) distribution, then use the following step to install:

- **Use gunzip and then extract tar file.**

When file is extracted, Eclipse IDE 3.5.x and GlassFish Server v3 along with the plug-in that integrates these products are installed on system.

- **Go to Step 13 and continue.**

▼ To Uninstall

To uninstall your GlassFish Tools Bundle for Eclipse installation, use the following procedure:

- 1 For Windows installations, select Start ->GlassFish Tools Bundle For Eclipse <version> ->GlassFish Tools bundle Uninstall.**
- 2 For Mac OS installations, go to <Disk>/Applications directory, remove the <installation>directory.**
- 3 For Linux installations, go to <installation>/Uninstall directory and use the following command to launch the Uninstaller:**

```
java -jar uninstaller.jar
```

- 4 For Open Solaris installations, go to <installation>/Uninstall directory and use the following command to launch the Uninstaller:**

```
java -jar uninstaller.jar
```

Alternately, you can also use the Launch Menu to uninstall.

- **Select Launch ->Applications ->GlassFish Tools Bundle for Eclipse <version> ->Uninstall.**

▼ Troubleshooting

If you face any issues in installing the bundle, use the following steps to clean up the failed install and restore the pre-installation state of system.

- 1 Remove the <installation> directory.**
- 2 Remove any relevant hidden directories and files from your home directory.**
For example: `~/ .glassfish-tools-bundle-for-eclipse-<version>` on Linux.
- 3 Remove the Eclipse Workspace associated with the installation, if configured.**

4 Install GlassFish Tools Bundle for Eclipse again.

Configuring and Using GlassFish Server from IDE

This chapter introduces you to configuring and using the GlassFish Server from Eclipse IDE. When GlassFish Tools Bundle for Eclipse is installed successfully, you can configure it and take advantage of advanced features available in GlassFish Server. The following topics describe the process of configuring the GlassFish Server from the Eclipse IDE.

Several of the following procedures use Server popup menu. For more information on using the Server popup menu, see [Appendix A, “Using Popup Menu.”](#)

- “To create a New Server” on page 18
- “To start GlassFish Server” on page 18
- “To stop GlassFish Server” on page 19
- “To restart GlassFish Server” on page 19
- “To start GlassFish Server in Debug mode” on page 20
- “To start GlassFish Server in Profile mode” on page 20
- “To publish Projects” on page 21
- “To clean published Projects” on page 21
- “To add and remove Projects” on page 21
- “To display GlassFish Server properties” on page 22
- “To access GlassFish Server Administration Console” on page 22
- “To register GlassFish Server Installation” on page 23
- “To access the GlassFish Update Center from Eclipse IDE” on page 23
- “To update the Plug-In” on page 24
- “To use Help Menu for GlassFish Server” on page 24
- “To change Preferences for GlassFish Server Plug-in” on page 25
- “To monitor TCP/IP for Web Applications with GlassFish Server” on page 26
- “To view Sample JavaDB” on page 27
- “Miscellaneous Information” on page 27

▼ To create a New Server

The GlassFish Tools Bundle for Eclipse, by default, installs a new instance of GlassFish v3 Server for you. If you want to add a new Server to Eclipse IDE, use the following procedure.

To create a new Server instance, use the following procedure:

1 Select Servers view.

2 Select New, from Server popup menu.

New Server page is displayed

3 Provide GlassFish Server details.

For example, provide details for the following:

Server's host name

Server type

Server name

Server Runtime Environment

4 Click Next.

Complete Server configuration. For example, provide values for the following:

Domain Directory

Domain Name

Administrator ID

Administrator password

5 Click Next.

Add and Remove Projects page is displayed.

Select the existing projects, you want to add to the new Server.

6 Click Finish.

New Server creation is completed.

▼ To start GlassFish Server

To start your GlassFish Server from Eclipse IDE, use the following procedure:

Note – By default, Eclipse Workbench is set to Java EE Perspective. Skip Step 1 if Workbench is already set to Java EE Perspective.

- 1 **Select Window ->Open Perspective ->Java EE Perspective, to set Eclipse IDE to Java EE Perspective.**
- 2 **Select Servers view.**
- 3 **Select the GlassFish Server instance you want to start.**
- 4 **Select Start from Server popup menu.**
GlassFish Server is started.

Tip – You could also use the Start icon from the toolbar to start Server.

Tip – If you are on Mac platform, make sure the default JDK on your system is 1.6. Otherwise the bundled GlassFish v3 server will not start.

▼ **To stop GlassFish Server**

To stop a running GlassFish Server, use the following procedure:

- 1 **Select Servers view.**
- 2 **Select the GlassFish Server instance you want to stop.**
- 3 **Select Stop from Server popup menu.**
GlassFish Server is stopped.

Tip – You could also use the Stop icon from the toolbar to stop the Server.

▼ **To restart GlassFish Server**

To stop and restart a running GlassFish Server, use the following procedure:

- 1 **Select Servers view.**
- 2 **Select the GlassFish Server you want to restart.**

-
- 3 **From Server popup menu, select Restart.**

GlassFish Server is stopped and restarted.

▼ **To start GlassFish Server in Debug mode**

When you want to debug an application, run GlassFish Server in debug mode, . To start GlassFish Server in debug mode, use the following procedure:

- 1 **Select Servers view.**
- 2 **Select the GlassFish Server.**
- 3 **Right click and select Debug from Server popup menu.**

GlassFish Server is started in Debug mode.

Note – If GlassFish Server is already running, you will see Restart in Debug option in the popup menu, instead of Debug.

For more information on using GlassFish Server to debug applications, see [“To debug a Servlet with GlassFish Server” on page 32.](#)

▼ **To start GlassFish Server in Profile mode**

This option allows the GlassFish Server to start in Profile option. The Profile options refers to Eclipse Profiler. This option is available only on Windows platform. You also need to configure the profile of the server before using this option. For more information, see [Eclipse Profiler](#).

- 1 **Select Servers view.**
- 2 **Select the GlassFish Server.**
- 3 **Right click and select Profile from Server popup menu.**

GlassFish Server is started in Profile mode.

Note – If GlassFish Server is already running, you will see Restart in Profile option in the popup menu, instead of Profile.

▼ To publish Projects

To publish applications to the GlassFish Server, use the following procedure:

- 1 **Select Servers view.**
- 2 **Select GlassFish Server.**
- 3 **Right click and select Publish from Server popup menu.**
The selected applications are published to the GlassFish Server.

▼ To clean published Projects

To discard all published projects, and republish from scratch, use the following procedure:

- 1 **Select Servers view.**
- 2 **Select GlassFish Server.**
- 3 **Select Clean... from Server popup menu.**
- 4 **Click OK to accept the warning regarding discarding the published state.**
The published state of projects is discarded and projects are republished.

▼ To add and remove Projects

To add and remove projects that are configured to run on GlassFish Server, use the following procedure:

- 1 **Select Servers view.**
- 2 **Select GlassFish Server.**
- 3 **Select Add and Remove Projects... from Server popup menu.**
Add and Remove Project screen is displayed.
- 4 **To add a project to Server:**
 - a. **Select the project you want to add from Available projects panel.**
 - b. **Click Add, to add the project to Configured projects panel.**

-
- 5 To remove a project from Server:
 - a. Select the project you want to remove from Configured projects panel.
 - b. Click Remove, to remove the project and move it to Available projects panel.
 - 6 Click Finish to exit.

▼ To display GlassFish Sever properties

To view some of the GlassFish Server current properties and/or to restore them to default, use the following procedure:

- 1 Select Servers view.
- 2 Select GlassFish Server.
- 3 Select Properties from Server popup menu.
Properties for GlassFish Server page is displayed.
- 4 View current Server properties or restore them to default.

▼ To access GlassFish Server Administration Console

GlassFish Sever offers many administrative features that are not accessible from Eclipse IDE. These features are available from GlassFish Server Administration Console which is accessible from Eclipse IDE. The following procedure describes the process of accessing GlassFish Server Administration Console, from Eclipse IDE.

For more information on how to access GlassFish Server popup menu, see [Appendix A, “Using Popup Menu.”](#)

Before You Begin Make sure that GlassFish Server is running while performing this task.

- 1 Open Eclipse IDE.
Default Workbench is displayed.
- 2 Select Servers view.
- 3 Select Server popup menu →GlassFish Enterprise Server→GlassFish Administration Console.
GlassFish Administration Console is displayed.

Access various features available from Administration Console such as Registration, Subscription and Documentation.

▼ To register GlassFish Server Installation

By registering your GlassFish Installation, you have the advantage of receiving patch information and updates, screen casts and tutorials, support and training offerings from GlassFish community.

If you did not register during installation, use the following procedure to register your GlassFish Server from Eclipse IDE.

Before You Begin Make sure that GlassFish Server is running while performing this task.

For more information on GlassFish Server popup menu, see [Appendix A, “Using Popup Menu.”](#)

- 1 To view Registration page, from Server popup menu select GlassFish Enterprise Server →Register GlassFish Enterprise Server.**
- 2 Provide the required information to register your GlassFish Server Installation.**

When you are registered you can access GlassFish Server support information. Use the next steps to access registration.
- 3 To access Support Information, from GlassFish Server popup menu, select →GlassFish Enterprise Server→Get Support for GlassFish Enterprise Server.**

▼ To access the GlassFish Update Center from Eclipse IDE

The GlassFish Update Center provides access to Add-On components and product updates for GlassFish Server.

Use the following procedure to access GlassFish Update Center from Eclipse IDE.

Note – You can update the GlassFish plug-in inside the bundle, by accessing Help→Check for Updates option. For more details see the next section.

Before You Begin Make sure that the GlassFish Server is running while performing this task.

For more information on how to access GlassFish Server popup menu, see [Appendix A, “Using Popup Menu.”](#)

- 1 Select GlassFish Enterprise Server→GlassFish Update Center from Server popup menu.**

-
- 2 **Select Add-On components and product updates as required.**

For example: *JRuby*.

▼ **To update the Plug-In**

The GlassFish plug-in module installed with the bundle can be updated with the latest version. Before you access the plug-in software, you need to configure you bundle for checking for updates from the repository. Do the following steps to configure the repository for the first time.

- 1 **Select Window→Preferences.**
- 2 **Select Install/Update→Available Software Sites.**
- 3 **Select the plug-in site from the Available Software Sites list:**
`https://ajax.dev.java.net/eclipse`
- 4 **Click Test Connection button to verify access to the site.**
- 5 **Click Enable to enable the downloads from the site.**
- 6 **Click OK to exit the window.**
You configuration is now completed.
- 7 **Select Help→Check for Updates.**
- 8 **Select the Updates you want to install select the check box next to it.**
- 9 **Click Next.**
- 10 **If the updates are confirmed then click Next. Otherwise click Back to select or deselect options.**
- 11 **Accept the terms of Licence by selecting the relevant radio button.**
- 12 **Click Finish to start installing the plug-in update.**

▼ **To use Help Menu for GlassFish Server**

The GlassFish Tools Bundle for Eclipse, provides additional GlassFish help options from the Eclipse IDE Help menu. You can access the Online Help for GlassFish Server v3, v3 Prelude and v2.1 from Eclipse IDE Help->GlassFish Enterprise Server menu. The Help options are useful for learning how to use, administer or deploy with GlassFish server.

Use the following procedure to access Eclipse Help menu:

-
- 1 **Select Help ->Java EE 6 Javadoc to view Java EE 6 Javadocs online.**
 - 2 **Select Help ->Java EE 5 Javadoc to view Java EE 5 Javadocs online.**
 - 3 **Select Help ->GlassFish Enterprise Server, to view GlassFish Server help options.**

The following options are available:

- **Get Support for GlassFish Enterprise Server**
- **Aquarium: GlassFish Community News**
- **GlassFish v3 (Link to documentation)**
- **GlassFish v3 Prelude (Link to documentation)**
- **GlassFish v2.1 Java EE 5 (Link to documentation)**

▼ **To change Preferences for GlassFish Server Plug-in**

The GlassFish Tools Bundle for Eclipse allows you to change the preferences for GlassFish Server plug-in from Eclipse IDE.

- **To change GlassFish plug-in preferences from Eclipse IDE, select Window ->Preferences.**

The available GlassFish Server preference flags are explained in detail.

- **Enable GlassFish Plug-in Log information in IDE log file**

This preference is useful for debugging purposes. By turning this option on, you can see additional traces in Eclipse log file specific to GlassFish plug-in. This option is in OFF state by default.

- **Start the JavaDB database process when Starting GlassFish Server**

GlassFish Tools Bundle for Eclipse includes a preconfigured JavaDB Database. By turning this option on, you can start the database automatically when the server is started. It is useful when working with JPA applications. This option is in OFF state by default.

- **Start the GlassFish Enterprise Server in Verbose Mode**

By turning this option on, GlassFish server output log is sent to Eclipse console. This option is in OFF state by default.

- **Enable colored rendering in GlassFish Log Viewer**

By turning this option on, log messages can be rendered in color: INFO level messages in black, WARNING messages in yellow, SEVERE messages in red (Eclipse IDE default Error Text color), and multiple line entries in Italic. This option is in ON state by default.

Tip – You can always modify Eclipse IDE Error message text color. Select Window→Preferences→General→Appearance→Colors and Fonts. From Colors and Fonts panel, select Basic and then Error Text color. Modify error text color as per your requirement.

▼ **To monitor TCP/IP for Web Applications with GlassFish Server**

TCP/IP monitoring is a useful Eclipse IDE feature that is enabled for GlassFish Server in this bundle. It allows you to trace HTTP requests made to your web application. Use the following procedure to configure TCP/IP monitoring for GlassFish Server.

- 1 **From GlassFish Server popup menu, select Monitoring ->Properties.**

Monitoring Properties page is displayed.

- 2 **Click Add.**

Monitoring Ports page is displayed.

- 3 **Select Server Port, which is the http port used by GlassFish server.**

By default, it is 8080. The port that will be used to actually do monitoring is 8081 which is specified in the Monitor Port field.

Note – You can modify port numbers as necessary.

- 4 **Click Start, to start monitoring.**

The port 8080 is now monitored from port 8081.

The Status column in page will show (monitoring) status as Started.

- 5 **Select Apply and then OK, to complete setup.**

When GlassFish server is running, access a web page using port 8081 instead of the regular port 8080. The TCP/IP monitor view should appear below, and fill up with the traffic between your Web browser and your web application. When you select each request in the tree at the top left of page, information about the request/response is shown. The bottom left of the view will display the HTTP request that was made to your web application, and the bottom right will show each response.

▼ To view Sample JavaDB

The GlassFish Tools Bundle for Eclipse, by default, installs and creates a JavaDB sample database for you.

Use the following procedure to view the tables that exist in the database. Skip Step 1 to Step 5 if the database is already started.

1 Select Window→Preferences.

Preferences page is displayed.

2 Select GlassFish Preferences.

3 Select the Checkbox next to Start JavaDB database process when Starting GlassFish Server option.

4 Click Close.

5 Restart the GlassFish Server.

The sample JavaDB database will be started along with the GlassFish Server.

6 Select Data Source Explorer view.

7 Select Sample JavaDB database node.

8 Right click the node to view the popup menu and confirm if the Database is connected.

9 If not, select Connect from the popup menu.

You will be connected to the Database.

10 Click to expand the database node.

You will be able to see the various schemata and tables that are already created for you.

▼ Miscellaneous Information

The above procedures describe the use of Server popup menu for various tasks, such as starting and stopping GlassFish Server.

The same tasks can also be performed using other menus such as Eclipse IDE toolbar menu or Project node right click menu. You can use any of the available menus as is convenient.

For example, starting the Server in Debug mode as described in [“To debug a Servlet with GlassFish Server” on page 32](#), can also be done from Eclipse toolbar menu.

-
- 1 Select the Project in Project Explorer.**
 - 2 Select Debug As.**
Menu is displayed.
 - 3 Select Debug As icon from toolbar.**
 - a. Select Run on Server.**
Debug On Server page is displayed.
 - b. Select Bundled GlassFish Server v3.**
 - c. Click Next to continue.**
 - d. Select any other Projects you want to Debug.**
 - e. Click Finish.**
Prompt to Switch mode is displayed.
 - f. Select Switch Mode option and click OK.**

See Also For more information on Eclipse IDE menus, see [Eclipse Documentation](#).

Developing Applications for GlassFish Server

This section of the document helps you to get familiar with developing applications for GlassFish server with Eclipse IDE, using the advanced features available in GlassFish Server v3.

The following topics assume GlassFish Server v3 as server runtime. You can also use GlassFish Server v2.1 for developing applications but without support for the features that are specific to v3. You may also need to perform further configuration, for the following tasks to work with GlassFish Server v2.1.

For example: Use of `EclipseLink` described in [“To create a new Data Source and register it with GlassFish Server” on page 33](#), is preconfigured to work with GlassFish Server v3 but not with GlassFish Server v2.1.

- [“To create a new Web Application project for GlassFish Server” on page 29](#)
- [“To add a Servlet and use Session Preservation feature” on page 30](#)
- [“To debug a Servlet with GlassFish Server” on page 32](#)
- [“To edit the preconfigured MySQL Database Connector” on page 33](#)
- [“To create a new Data Source and register it with GlassFish Server” on page 33](#)
- [“To create a JPA Project for GlassFish Server” on page 35](#)

▼ To create a new Web Application project for GlassFish Server

You can create different types of applications using GlassFish Tools Bundle for Eclipse. The following procedure describes the process of creating a Web Application for publishing to GlassFish Server.

- 1 **Select File ->New ->Dynamic Web project.**

Project creation page is displayed.

2 Enter a Project Name in the first field.

For example: MyFirstWebApp.

3 Select GlassFish Server version to use as Target Runtime.

For example: GlassFish v3 Server.

4 Click Finish.

A new dynamic Web Project is created and is visible in Project Explorer panel.

A default JSP file `index.jsp` page is created and opened in JSP Editor View.

5 Add or modify `index.jsp` code as required.

6 From Eclipse main menu, select Run menu or Run icon from toolbar.

7 Select Run On→GlassFish Server v3, as the server to run this application.

Note – You can select **Always use this server when running this project** checkbox to streamline further run invocations.

8 Build the Web Application and publish to GlassFish Server v3.

The Console view displays server log. The `index.jsp` page appears in Eclipse IDE default Web Browser.

Note – You can always switch back and forth between Editor view and Web Browser view. Both views are available from Eclipse Editor. Each time the application is changed, it is redeployed on server. You can reload the application in the browser to see the changes immediately.

▼ To add a Servlet and use Session Preservation feature

Session Preservation is convenient feature available from GlassFish Server v3, which is critical when developing/debugging complex Web Applications with complex Session management such as Shopping Cart applications, and when you want to retain information about your Sessions across redeployments.

This section of document explains how to use Session Preservation feature. For testing this feature, you can use the Project created in the previous example or create a new Project. If you are using the previously created project, skip Step 1.

Before You Begin This section of the document is applicable for GlassFish Server v3 only. It is not applicable to GlassFish Server v2.1.

-
- 1 Create a new Dynamic Web Project, in the manner described in the previous section.**
 - 2 From Project Explorer window, right click the Project node.**
 - 3 Select New ->Servlet, to create a new servlet.**
Create Servlet screen is displayed.
 - 4 Enter a package name.**
For example: apkg.
 - 5 Enter a servlet name.**
For example:MyServlet
 - 6 Click Finish.**
A new servlet is created and opened in Eclipse IDE editor view.
 - 7 From Eclipse IDE editor, add more logic to the servlet.**
An example Servlet code for showing Session data is available from here:[Sample Servlet code for Session Preservation](#)
 - 8 Save servlet file.**
The file is deployed on the GlassFish Server.
 - 9 Go to Web Browser view to activate the servlet page.**
`http://localhost:8080/MyFirstWebApp/MyServlet.`
 - 10 Reload servlet web page, a number of times.**
In the servlet page, you can see the Number of Previous Accesses field growing. This counter is stored in Servlet Session data.
 - 11 Modify servlet source code, and redeploy the web application.**
Go the Web Browser view and click Reload to see the updated page.

Tip – By default, Deploy On Save mode is enabled. When you save servlet source file, it is automatically redeployed on the server.

- 12 To test Session Preservation feature, add some text in servlet source code.**

For example:

```
session.putValue("accessCount", accessCount);  
out.println (  
.....
```

```
.....
"<H2> Updated Servlet!!! Information on your Session:<H2>\n"+
.....
.....
```

and save the servlet page.

When the update is saved, the servlet is redeployed.

13 Access the web page once again.

You can see the newly added text, Updated Servlet!!! in the web page, and the field, Number of Previous Accesses, as 5.

With the above process you have verified that the Servlet Session data was preserved during redeployment.

▼ To debug a Servlet with GlassFish Server

GlassFish Tools Bundle for Eclipse enables you to debug various types of web applications such as servlet helper classes, JPA (Java Persistence API) applications, Web Services, or JSP pages containing Java code fragments. The following procedures describes the process of setting up a servlet for debugging.

1 Set breakpoints for an application.

Go relevant line of application code from Eclipse IDE editor.

2 Select Run ->Toggle Break Point.

- You can also select the popup menu available in the vertical grey bar, on the left side of Eclipse IDE editor, and select Toggle Break Point.

3 If Eclipse IDE can set up a breakpoint on this selected line, a small icon will appear on the vertical grey bar.

If Eclipse IDE cannot set a breakpoint on this line, you will be notified.

4 Select Debug from Server popup menu to start GlassFish server in debug mode.

Eclipse IDE will switch to Debug Perspective as soon as the Web Page with breakpoint set, is activated.

You can now start to debug the servlet using the feature-rich Eclipse Debugger.

Note – For debugging a project, you can always use the Debug As icon from the Menu toolbar or the Debug As option from the Project node right click menu.

For more information on using the Eclipse IDE, use the Help Menu.

▼ To edit the preconfigured MySQL Database Connector

The GlassFish Tools Bundle for Eclipse includes a preconfigured MySQL database connector. You can use it to connect with your MySQL database with minimal configuration effort.

To edit the preconfigured MySQL database connector, use the following process:

- 1 From Eclipse IDE, select Windows -> Preferences
- 2 Select Data Management from left-hand side panel.
- 3 Click Connectivity
- 4 Click Driver Definitions.
- 5 Select MySQL JDBC Bundled Driver Default and click Edit.
- 6 Edit the parameters for the MySQL Driver Definition as required.
- 7 Click OK to close dialog box.
- 8 Click OK to close Preferences screen.

▼ To create a new Data Source and register it with GlassFish Server

As described in [Chapter 3, “Configuring and Using GlassFish Server from IDE,”](#) by default GlassFish Tools Bundle for Eclipse installs and configures a Derby database instance for you.

You can also create a new Data Source and register it with GlassFish Server from Eclipse IDE. The process of creating and registering a new MySQL Data Source is described as follows:

Before You Begin Install a MySQL database instance if you do not have a pre-installed MySQL database. For more information on installing MySQL, See [MySQL installation documentation](#).

- 1 Select Database Connections from Data Source Explorer view. Right click the Databases node and select New.

2 Select MySQL from New Connection Profile options.

Accept default name, New MySQL or choose another name.

3 Click Next.

MySQL Connection Profile screen is displayed.

4 Click New Driver Definition button (located next to Drivers text box).

New Driver Definition screen is displayed.

Note – Steps 5 through 9 are optional and are required only if you need to use a MySQL driver that is not bundled.

5 Download and save the new MySQL driver file into the bundle. For example:

In <glassfish-tools-bundle-for-eclipse-xxxx>/mysql-driver directory.

6 Select a Driver template from list.

7 Select Jar List tab, and select location of new MySQL JDBC Driver file: For example:

<glassfish-tools-bundle-for-eclipse-xxxx>/mysql-driver/mysql-connector-java-xxxx.jar directory.

8 Select Properties tab and view properties of Driver Definition.

Change any properties as required.

9 Click OK to exit New Driver Definition screen.

10 From Connection Profile screen, modify any other details as required.

For example: User name and Password.

11 Click Test Connection to test Database connectivity.

12 Click Next to view a summary of Connection Profile.

13 Verify Profile details.

If necessary, go back and change details.

14 Click Finish to complete creation of the new Data Source profile.

The newly created MySQL Data Source can be seen from Data Source Explorer view.

Note – You can also edit Data Resources from GlassFish Server Administration Console.

Additional details on editing Data Resources are available from GlassFish Server Administration Documentation.

▼ To create a JPA Project for GlassFish Server

The following steps explain how to create a Java Persistence API (JPA) based project and generate DDL for it.

Before You Begin This section of the document is applicable for GlassFish Server v3 only. It is not applicable to GlassFish Server v2.1.

- 1 Select Window ->Preferences.**
Preferences page will be displayed.
- 2 Select GlassFish Server Preferences.**
- 3 Select the checkbox next to Start JavaDB database process when Starting GlassFish Server option.**
- 4 Click OK to close the page.**
- 5 Start or restart GlassFish Server.**
The JavaDB database is started along GlassFish Server.
- 6 Select File ->New ->Other.**
New project wizard will be displayed.
- 7 Select JPA ->JPA Project.**
- 8 Click Next to continue.**
New JPA Project wizard will be displayed.
- 9 Create a name and select to run on GlassFish Server v3.**
For example:MyJPAProject.
- 10 Click Next to continue.**
- 11 Select EclipseLink as Platform and Sample JavaDB Database as connection.**

-
- 12 Select Annotated classes must be listed in `persistence.xml` option, for Persistent class management.**
Other default options need not be changed.
 - 13 Click Finish to complete new JPA project creation.**
 - 14 Accept message prompt to switch to JPA perspective.**
 - 15 Select File ->New ->Other.**
New project wizard will be displayed.
 - 16 Select JPA ->Entity.**
 - 17 Create a name and package name.**
For example: MyEntity
 - 18 Click Next to continue.**
 - 19 Add two fields in the Entity Fields panel, one of which should be selected as key field.**
For example: Type=Int:Fieldname=id, Type=String:Fieldname=name.
 - 20 Click Finish.**
A New Entity Class is created
 - 21 Right click on JPA Project Node and select JPATools ->Generate DDL.**
 - 22 Click OK to warning that you are about to create new tables.**
New tables will be created in database.
 - 23 Select Data Source Explorer.**
 - 24 Select the Sample JavaDB database.**
You can view the newly created tables by expanding the Sample JavaDB Database node.

Using Java EE 6 Wizards

While Java EE 6 support in Eclipse is not yet available, you can develop applications for Java EE 6 platform, using the GlassFish Tools Bundle for Eclipse which can be deployed on the bundled GlassFish v3 server.

GlassFish Tools Bundle for Eclipse supports several Java EE 6 wizards, to create applications that can be deployed on the GlassFish v3 server. Some of these new Java EE 6 wizards are similar to the Java EE 5 wizards frequently used by Eclipse IDE users such as Servlet and Session Bean wizards.

Some of the wizards offer new functionality for Java EE 6 platform such as EJB Timer and XHTML Page wizards. This chapter contains information on how to use these wizards.

- “To create a Web Project” on page 37
- “To create a Web Servlet Class” on page 38
- “To create a Web Filter Class” on page 39
- “To create Web Listener Class” on page 39
- “To create a Session Bean Class” on page 40
- “To create an EJB Timer Class” on page 41
- “To create an XHTML Page” on page 42
- “To create a RESTful Web Service Class” on page 42

▼ To create a Web Project

- 1 Select File ->New ->Dynamic Web Project.**

The New Dynamic Web Project wizard opens.

- 2 Enter the name of the project in the Project name field.**

For example: MyWeb.

3 Click Next.

Configure project screen is displayed.

4 Click Next.

Configure web module settings screen is displayed.

5 Click Finish.

A new web project is created and opened in the Project Explorer panel.

▼ To create a Web Servlet Class

1 Select the web project created in the previous task, MyWeb.

2 Right click and select New ->Web Servlet (Java EE 6).

The Create Servlet wizard opens.

3 Enter the following information into the fields:

a. Enter Java package name. For example: mypkg.

b. Enter Class name. For example: MyServlet.

Note – If you are not customizing your default configuration options, you can skip Steps 4 and 5 and proceed to Step 6.

4 Click Next.

Servlet deployment descriptor modification screen is displayed.

5 Click Next.

Create modifiers, interfaces, and method stubs generation screen is displayed.

6 Click Finish.

A new servlet class, MyServlet . java is created and opened in the editor.

▼ To create a Web Filter Class

1 Select the web project created in the earlier task, MyWeb.

2 Right click and select New ->Web Filter (Java EE 6).

The Create Filter wizard opens.

3 Enter the following information into the fields:

a. Enter Java package name. For example: mypkg.

b. Enter Class name. For example: MyFilter.

Note – If you are not customizing your default configuration options, you can skip Step 4 and 5 and proceed to Step 6.

4 Click Next.

Servlet deployment descriptor modification screen is displayed.

5 Click Next.

Create modifiers, interfaces, and method stubs generation screen is displayed.

6 Click Finish.

A new filter class, MyFilter.java is created and opened in the editor.

▼ To create Web Listener Class

1 Select the web project created in the earlier task, MyWeb.

2 Right click and select New ->Web Listener (Java EE 6).

The Create Listener wizard opens.

3 Enter the following information into the fields:

a. Enter Java package name. For example: mypkg.

b. Enter Class name. For example: MyListener.

4 Click Next.

-
- 5 Select application lifecycle events to listen from the check boxes. You must select at least one event.**

For example: Select Changes to Attributes from HTTP Session Events panel and Changes to Attributes from Servlet Request Events panel.

Note – If you are not customizing your default configuration options, you can skip Step 6 and proceed to Step 7.

- 6 Click Next.**

Create modifiers, interfaces, and method stubs generation screen is displayed.

- 7 Click Finish.**

A new listener class, `MyListener.java` is created and opened in the editor.

▼ To create a Session Bean Class

You can create any type of session bean with this wizard. You may note that some new options: Singleton (Step 3c — drop-down list)) and No Interface (Step 3d — Check Box), are available in this Java EE 6 wizard.

- 1 Select the web project created in the earlier task, MyWeb.**

- 2 Right click and select New ->Session Bean (Java EE 6).**

Create EJB 3.1 Session Bean wizard opens.

- 3 Enter the following information into fields:**

- a. Enter Java package name.**

For example: `mypkg`.

- b. Enter Class name.**

For example: `NoInterfaceStateLess`.

- c. Choose State Type from drop-down list.**

For example: `Stateless`

- d. Choose Create business interface:**

For example: select the check box for No-interface option.

Note – If you are not customizing your default configuration options, you can skip Steps 4 and 5 and proceed to Step 6.

4 Click Next.

5 Select Transaction Type.

For example: Container.

6 Click Finish.

A new Java Session bean class, `MySessionbean.java` is created and opened in the editor.

Tip – Depending on your options, you may create more than one file when using the Create Session bean wizard.

Next Steps Create other types of Session Beans in a similar way but with different options such as stateful or singleton state types and with remote or local interfaces.

▼ To create an EJB Timer Class

1 Select the web project created in the earlier task, MyWeb.

2 Right click and select New ->EJB Timer (Java EE 6).

Create EJB Timer Callback wizard opens.

3 Enter the following information into fields:

a. In Source folder field, select default or enter a new folder name.

For example: `MyWeb\src`.

b. In the Java package and the Class name fields, enter information.

For example: `mypkg` and `MyTimer` respectively.

4 Click Finish.

A new EJB class `MyTimer.java` is created and opened in the editor.

▼ To create an XHTML Page

- 1 **Select the web project created in the earlier task, MyWeb.**
- 2 **Right click and select New ->XHTML.**
Create XHTML page wizard opens.
- 3 **Enter the following information into fields:**
 - a. **Enter or select the parent folder.**
For example: MyWeb/WebContent
 - b. **Enter the File name.**
For example: MyTemplate
- 4 **Click Next.**
- 5 **Select a HTML Template type.**
For example: New Facelet Template
- 6 **Click Finish.**
A new XHTML page, MyTemplate.xhtml is created and saved under MyWeb/WebContent folder.

▼ To create a RESTful Web Service Class

- 1 **Select the web project created in the earlier task, MyWeb.**
- 2 **Right click and select New ->RESTful Web Service (Java EE 6).**
Create RESTful Web Service wizard opens.
- 3 **Enter the following information into fields:**
 - a. **Enter or select the package name:**
For example: mypkg
 - b. **Enter the File name:**
For example: MyRESTfulWS
- 4 **Select the Pattern type from drop-down list:**
For example: Single Root Resource

Note – The other available pattern types are `Container-Item` and `Client-Controlled Container-Item`. If you select one of these two options, an additional Java class will be created instead of one class as described in the next step.

5 Click Finish.

A new Web Service class, `MyRESTfulWS.java` is created and opened in the editor.

Getting Started with Metro

Metro is a high-performance, extensible, easy-to-use Web Service stack that is a part of GlassFish Server community. It offers core support for JAX-WS and optionally support for additional features.

The GlassFish Tools Bundle for Eclipse 1.1 version includes Metro plug-in for Eclipse.

Developing Web Applications using Metro

This section of the document will help you get familiar with developing web services applications with Metro using the Tools Bundle.

Install Metro on GlassFish Server

Before you can start developing web application with Metro for GlassFish Server, you need to ensure Metro is installed on GlassFish Server.

While GlassFish v2.1 includes Metro, GlassFish v3 does not include the Metro stack by default. You can install it as an Add-On package.

You can also update Metro version included with GlassFish Server v2 as described in the following document:

<https://metro.dev.java.net/1.4/docs/install.html>

▼ To install Metro for GlassFish Server v3

Metro is available as an Add-On package from Update Center for GlassFish v3. The following task describes the process of adding Metro stack to GlassFish v3.

- 1 Stop GlassFish v3 Server.

- 2 **Start the Update Tool from** `<install-location>/glassfishv3/bin` **directory.**
- 3 **Click available Add-Ons.**
- 4 **Select Metro Web Services for GlassFish.**
Optionally you can also select Jersey Web Services.
- 5 **Click Install.**
- 6 **Accept License Agreement.**
Selected packages will be installed.
- 7 **Start the GlassFish v3 Server.**

Note – You can also use the Update Tool from GlassFish Server Administration Console for installing Metro packages. If you are using the Update Tool from GlassFish Administration Console, make sure the GlassFish Server is running and the Administration Console is installed.

▼ To create a new Metro based Web Service


The following task describes the steps to create a web application and add a web service to it.

- 1 **Create a new web application as described in** [“To create a new Web Application project for GlassFish Server” on page 29.](#)
- 2 **From Project Explorer, right-click the web application project node and select New ->Class**
- 3 **In the New Java Class wizard, select mypkg as package name, and MyHelloService as class name.**
- 4 **Click Finish.**
- 5 **In the Eclipse IDE, edit the java class file and enter the following code snippet to create a method:**

```
package mypkg;  
  
public class MyHelloService {  
    public String sayhello(String name) {  
        return "Hello " + name;  
    }  
}
```

- 6 From the Project Explorer, select `MyHelloService` java class.
- 7 Right-click the java class and select **Web Services -> Create Web Service**.
- 8 In the Service section, move the Service slider one level up to the top, to enable Test Service stage.
- 9 Click Web Service runtime entry.
- 10 Select METRO Runtime in the dialog box.
- 11 Click OK to close the dialog box.

Your configuration will look like this:



- 12 Click Next.


Options screen is displayed. You can customize your options for:

- Generation of JSR 109 portable /JAX-WS RI specific Web Service.
- Packaging of Metro libraries in war file.

The default options are set based on your target runtime platform.

- 13 Click Next.


- 14 **Start the Server if necessary, depending on the state of Server.**
- 15 **Enter your GlassFish Server admin login name and password if requested.**
- 16 **Click Launch, when presented with option to launch Web Service testing facility.**
Browser opens page where you can test the web service.
- 17 **Click Finish to complete the wizard.**
At this stage a web service has been created and deployed on the server.
- 18 **Click sayHello link in the web page, and then click Add to add the parameter value.**
- 19 **Enter your name in the text field and click Go.**
- 20 **The service will respond with Hello \$YOUR_NAME message.**
- 21 **Click Source link to see the SOAP communication.**
The result shall look like this:



▼ To create a new Metro based Web Service from WSDL

- 1 Download this [WSDL](#) file and save it in a suitable location.
- 2 Right-click the Web Project created in the previous task, in Project Explorer and select NewOther.
- 3 Browse the Web Services category and select Web Service from Menu.
- 4 Click Next.
- 5 Select Top down Java bean Web Service and click Browse to choose the WSDL file.
- 6 Click OK to close the dialog box.
- 7 Enter the direct file link to your WSDL file from the web browser as follows:
`file:///Users/admin/work/sources/eclipse/metro/docs/SearchWS.wsdl.`
- 8 Click Web Service runtime option and select METRO Runtime from the dialog box.
- 9 Click OK.

Your configuration will look like this:



10 Click Next.

11 Accept the default options and click Next.

12 Start the server if necessary, depending on the state of server.

13 Enter your GlassFish Server admin login and password if requested.

14 Click Finish to close the wizard.

The Web Service is created, but deployment to server fails, because implementation of the service is missing.

15 Click the error message (light-bulb icon) next to the compilation error, and choose Add Unimplemented Methods.

16 Implement the service method. An example Service method source is as follows:

```
package org.tempuri;

import javax.jws.*;

@WebService(wsdlLocation = "WEB-INF/wsdl/SearchWS.wsdl",
```

```
        serviceName = "WebSearchWS",
        portName = "WebSearchWSSoap",
        endpointInterface = "org.tempuri.WebSearchWSSoap")
public class WebSearchWSSoapImpl implements org.tempuri.WebSearchWSSoap {

    public String search(String keyWord) {
        return "Search Result for: " + keyWord;
    }

}
```

17 Right-click the web project node, and select Run As -> Run On Server to deploy the application.

18 Visit the web service URL from browser.

For example:

<http://localhost:8080/MyFirstWebApp/WebSearchWS?Tester>

19 Input a search string and click Search.

The result shall look like this:

search Method invocation

Method parameter(s)

Type	Value
java.lang.String	uuu

Method returned

java.lang.String : **"Search Result for: uuu"**

SOAP Request

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Header/>
  <S:Body>
    <Search xmlns="http://tempuri.org/">
      <Keyword>uuu</Keyword>
    </Search>
  </S:Body>
</S:Envelope>
```

SOAP Response

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <SearchResponse xmlns="http://tempuri.org/">
      <SearchResult>Search Result for: uuu</SearchResult>
    </SearchResponse>
  </S:Body>
</S:Envelope>
```

▼ Configure the Web Service Policies

- 1 Browse the WSDL of the web service, in the project you created in the previous task.
- 2 Right-click it and select Web Services -> WS-Policy Configuration.
WS-Policy configuration dialog box is opened.
- 3 Select the Reliable Message Delivery checkbox and click OK to save the value and close the dialog box.
- 4 Deploy the project again (Run As -> Run On Server)

5 Visit the service URL from web browser.

For example:

`http://localhost:8080/MyFirstWebApp/WebSearchWS?Tester`

6 Click the WSDL link to see the WSDL of the service.

Scroll down to see the policy definition:

```
- <wsp:Policy wss:Id="WebSearchWSSoapPolicy">
  - <ns1:ExactlyOne>
    - <ns1:All>
      <ns3:RMAssertion/>
      <ns2:Addressing ns1:Optional="false"/>
    </ns1:All>
  </ns1:ExactlyOne>
</wsp:Policy>
</wsdl:definitions>
```

7 Go back to the Tester page in browser, input a search string in the search box and click Search.

Notice the change in the soap communication:

Method parameter(s)

Type	Value
java.lang.String	test

Method returned

java.lang.String : "Search result for: test"

SOAP Request

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Header>
    <To xmlns="http://www.w3.org/2005/08/addressing">http://localhost:8080/MyWebProject/WebSearchWS</To>
    <Action xmlns="http://www.w3.org/2005/08/addressing">http://tempuri.org/Search</Action>
    <ReplyTo xmlns="http://www.w3.org/2005/08/addressing">
      <Address>http://www.w3.org/2005/08/addressing/anonymous</Address>
    </ReplyTo>
    <MessageID xmlns="http://www.w3.org/2005/08/addressing">uuid:07dd84d9-2f7f-4c42-a75c-c7cebd80fld8</MessageID>
    <ns2:Sequence xmlns="http://www.w3.org/2005/08/addressing" xmlns:ns2="http://docs.oasis-open.org/ws-rx/wsrml-200408/>
      <ns2:Identifier>uuid:845132ab-277b-4799-963e-fa9a35452d94</ns2:Identifier>
      <ns2:MessageNumber>3</ns2:MessageNumber>
    </ns2:Sequence>
    <ns2:SequenceAcknowledgement xmlns="http://www.w3.org/2005/08/addressing" xmlns:ns2="http://docs.oasis-open.org/ws-rx/wsrml-200408/>
      <ns2:Identifier>uuid:d31bd681-95c8-4c05-83f4-28b05a6aa1b</ns2:Identifier>
      <ns2:AcknowledgementRange Lower="1" Upper="2" />
    </ns2:SequenceAcknowledgement>
  </S:Header>
  <S:Body>
    <Search xmlns="http://tempuri.org/">
      <Keyword>test</Keyword>
    </Search>
  </S:Body>
</S:Envelope>
```

SOAP Response

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Header>
    <To xmlns="http://www.w3.org/2005/08/addressing">http://www.w3.org/2005/08/addressing/anonymous</To>
    <Action xmlns="http://www.w3.org/2005/08/addressing">http://tempuri.org/WebSearchWS/Soap/SearchResponse</Action>
    <MessageID xmlns="http://www.w3.org/2005/08/addressing">uuid:3ddf786c-e8ed-44d8-b4bd-8de91162205d</MessageID>
    <RelatesTo xmlns="http://www.w3.org/2005/08/addressing">uuid:07dd84d9-2f7f-4c42-a75c-c7cebd80fld8</RelatesTo>
  </S:Header>
  <S:Body>
    <SearchResponse xmlns="http://tempuri.org/">
      <SearchResult>Search result for: test</SearchResult>
    </SearchResponse>
  </S:Body>
</S:Envelope>
```

Additional Resources

The following resources provide additional information on Eclipse IDE and GlassFish Server.

- [Sun GlassFish Enterprise Server v3 Prelude Documentation](#)

- [Sun GlassFish Enterprise Server 2.1 Documentation](#)
- [Eclipse Documentation](#)

Using Popup Menu

The popup menu available from Servers view provides a number of usage options, including customized options for GlassFish Server. It is referred to as the Server popup menu in this document. To access popup menu from Eclipse IDE, select Servers view, and right click mouse.

The following options are available from Server popup Menu:

New	Allows user to add a new GlassFish Server instance to Eclipse. The new server should be pre-installed. In some cases, this option also downloads and installs a new Server. For example: GlassFish v2.1
Open (F3)	<p>Allows user to access Server Overview page. The Server Overview page allows user to view and modify some GlassFish Server properties:</p> <ul style="list-style-type: none"> ▪ Specify hostname and other common settings ▪ Edit Server configuration properties (Open launch configuration) ▪ Modify settings for Publishing ▪ Specify time limit to complete Server operations ▪ Edit some Server runtime properties

Note – Alternately, select and double-click the Server from Servers view, to launch Server Overview page.

Show In (Shift+Alt+W)	Allows user to direct GlassFish Server log messages to Console or Debug windows. This option is also accessible through (Shift+Alt+W) key action.
Copy (Ctrl+C)	Allows user to copy GlassFish Server Instance. This option is also accessible through (Ctrl+C) key action.

Paste (Ctrl+V)	Allows user to paste the copied GlassFish Server Instance. This option is also accessible through (Ctrl+V) key action.
Delete (Delete)	Allows user to delete selected GlassFish Server Instance from configuration. This option is also accessible through Delete button from keyboard.
Rename (F2)	Allows user to rename GlassFish Server Instance. This option is also accessible through the F2 function key.
Debug (Ctrl+Alt+D)	Allows user to start GlassFish Server Instance in Debug mode. This option is also accessible through (Ctrl+Alt+D) key action.
Start (Ctrl+Alt+R)	Allows user to start GlassFish Server Instance. This option is also accessible through (Ctrl+Alt+R) key action.
Profile	This option is not implemented in GlassFish Tools Bundle for Eclipse.
Stop (Ctrl+Alt+S)	Allows user to stop GlassFish Server Instance. This option is also accessible through (Ctrl+Alt+S) key action.
Publish (Ctrl+Alt+P)	Allows user to deploy the built applications to GlassFish Server. This option is also accessible through (Ctrl+Alt+P) key action.
Clean...	Allows user to discard all published state from GlassFish Server and republish from scratch.
Add and Remove Projects...	Allows user to add or remove Projects that are configured to run on GlassFish Server.
Monitoring	Allows user to monitor GlassFish Server ports for access. This is a feature available in GlassFish Server v3. You can select the properties for monitoring from properties sub menu.
GlassFish Enterprise Server	Allows user to access to the following additional sub menu options: <ul style="list-style-type: none">▪ GlassFish Update Center▪ Register the GlassFish Enterprise Server▪ Get Support for GlassFish Enterprise Server▪ Aquarium: GlassFish Community News▪ View Admin Console▪ View Log File
Properties (Alt+Enter)	Allows user to view GlassFish Server properties and modify some of them. This option is also accessible through (Alt+Enter) key action.