

ANDROID STATIC ANALYSIS REPORT



pMp COVID-19 (covid-19-1.1.1)

File Name: pMp COVID-19 covid-19-1.1.1.apk

Package Name: com.maithu.transplantbuddy.covid19

Average CVSS Score: 6.1

App Security Score: 5/100 (CRITICAL RISK)

Trackers Detection: 6/285



File Name: pMp COVID-19 covid-19-1.1.1.apk

Size: 36.4MB

MD5: cfb9687d21b1efdd47781634bc0308b5

SHA1: 09d5a2ee66ee1fb81c70e62a5d0743f8b8e0586c

SHA256: 04a41827e1798aa375dcb14cfef74b7fb9a128049deb87500fad9cb49ec62dc2

1 APP INFORMATION

App Name: pMp COVID-19

Package Name: com.maithu.transplantbuddy.covid19
Main Activity: com.maithu.transplantbuddy.MainActivity

Target SDK: 29 Min SDK: 18 Max SDK:

Android Version Name: covid-19-1.1.1

Android Version Code: 409

APP COMPONENTS

Activities: 58
Services: 21
Receivers: 16
Providers: 7
Exported Activities: 1
Exported Services: 4

Exported Receivers: 5
Exported Providers: 0

★ CERTIFICATE INFORMATION

APK is signed v1 signature: True v2 signature: True

v3 signature: False Found 1 unique certificates

Subject: C=IE, ST=Mayo, L=Ballina, O=Maithú, OU=Development, CN=Michael Thornhill

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2009-09-22 14:18:29+00:00 Valid To: 2034-09-16 14:18:29+00:00

Issuer: C=IE, ST=Mayo, L=Ballina, O=Maithú, OU=Development, CN=Michael Thornhill

Serial Number: 0x4ab8dcb5 Hash Algorithm: sha1

md5: 6297a4d8e5b5e153d9564c543868af35

sha1: 6b5c74d71041a2591b47ca1813a525564c79b66c

sha256: 9d9bcacbf1880d8663e8aca60ca18ffa5e01014f8c5aab778a8c64a03a4fdac3

sha512:

PublicKey Algorithm: rsa

Bit Size: 1024

Fingerprint: 6281019ee0c0ff23a7628fc0074ad7f8453f816f7bb9a3b018dcfb1031829dff

Certificate Status: Warning

Description: The app is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues. The manifest indicates SHA256withRSA is in use. Please verify this manually.

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.INTERNET	dangerous	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.BLUETOOTH	dangerous	create Bluetooth connections	Allows an application to view configuration of the local Bluetooth phone and to make and accept connections with paired devices.
android.permission.BLUETOOTH_ADMIN	dangerous	bluetooth administration	Allows an application to configure the local Bluetooth phone and to discover and pair with remote devices.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_COARSE_LOCATION		coarse (network- based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete SD card contents	Allows an application to write to the SD card.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read SD card contents	Allows an application to read from SD Card.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
com.maithu.transplantbuddy.covid19.permission.C2D_MESSAGE	signature	Allows cloud to device messaging	Allows the application to receive push notifications.
com.google.android.c2dm.permission.RECEIVE	signature	C2DM permissions	Permission for cloud to device messaging.
android.permission.WAKE_LOCK	dangerous	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.amazon.device.messaging.permission.RECEIVE	signature	C2DM permissions	Permission for cloud to device messaging.
com.maithu.transplantbuddy.covid19.permission.RECEIVE_ADM_MESSAGE	dangerous	Unknown permission from android reference	Unknown permission from android reference
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	dangerous	Unknown permission from android reference	Unknown permission from android reference

♠ APKID ANALYSIS

FILE

FILE	DETAILS	
	FINDINGS	DETAILS
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check
	Compiler	dx
	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
classes2.dex	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check network operator name check possible VM check
	Compiler	dx

■ BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.maithu.transplantbuddy.MainActivity	Schemes: https://, mailto://, Hosts: @string/cms_url, Path Prefixes: /app,
com.maithu.transplantbuddy.my_data.import_data.lmportDataActivity	Schemes: https://, Hosts: @string/cms_url, Path Prefixes: /add_measurement,

Q MANIFEST ANALYSIS

ISSUE	SEVERITY	DESCRIPTION
Application Data can be Backed up [android:allowBackup=true]	medium	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
Activity (com.maithu.transplantbuddy.my_data.import_data.ImportDataActivity) is not Protected. An intent-filter exists.	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
Service (com.maithu.transplantbuddy.notifications.adherence.AdherenceSyncService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
Service (com.maithu.transplantbuddy.notifications.HealthRemindersScheduleService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
Broadcast Receiver (com.maithu.transplantbuddy.notifications.StartupReceiver) is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.

ISSUE	SEVERITY	DESCRIPTION
Service (com.maithu.transplantbuddy.notifications.NotificationScheduleService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
Broadcast Receiver (com.maithu.transplantbuddy.utils.ReferrerHandler) is not Protected. [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
Broadcast Receiver (com.google.android.gms.gcm.GcmReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
Launch Mode of Activity (io.intercom.android.sdk.activities.IntercomPostActivity) is not standard.	high	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
Launch Mode of Activity (io.intercom.android.sdk.activities.IntercomNoteActivity) is not standard.	high	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

ISSUE	SEVERITY	DESCRIPTION
Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]		A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
Broadcast Receiver (com.google.android.gms.measurement.AppMeasurementInstallReferrerReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.INSTALL_PACKAGES [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

ISSUE	SEVERITY	STANDARDS	FILES
MD5 is a weak hash known to have hash collisions.	high	CVSS V2: 7.4 (high) CWE: CWE-327 - Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	okio/Buffer.java com/mixpanel/android/java_websocket/drafts/Draft_ 76.java
			org/slf4j/helpers/SubstituteLogger.java

ISSUE	SEVERITY	STANDARDS	org/slf4j/helpers/BasicMarker.java
			kotlinx/coroutiness/CoroutineName.java kotlinx/coroutiness/CoroutineName.java kotlinx/coroutiness/netronal/ThreadLocalKey.java kotlinx/coroutiness/netronal/ThreadLocalKey.java kotlinx/coroutiness/netronal/ThreadLocalKey.java kotlinx/coroutiness/netronal/ThreadLocalKey.java io/intercom/com/squareup/otto/EventHandler.java io/intercom/com/squareup/otto/EventHandler.java io/intercom/com/squareup/otto/EventProducer.java io/intercom/com/bumptech/glide/util/Util.java io/intercom/com/bumptech/glide/util/Util.java io/intercom/com/bumptech/glide/signature/MediaSto reSignature.java io/intercom/com/bumptech/glide/load/Option.java io/intercom/com/bumptech/glide/load/Option.java io/intercom/com/bumptech/glide/load/Option.java io/intercom/com/bumptech/glide/load/MultiTransfor mation.java io/intercom/com/bumptech/glide/load/model/GlideU rl.java io/intercom/com/bumptech/glide/load/model/Model Cache.java io/intercom/com/bumptech/glide/load/model/Model Cache.java io/intercom/com/bumptech/glide/load/resource/bitm ap/CenterInside.java io/intercom/com/bumptech/glide/load/resource/bitm ap/CenterCrop.java io/intercom/com/bumptech/glide/load/resource/bitm ap/CenterCrop.java io/intercom/com/bumptech/glide/load/resource/bitm ap/CitelCrop.java io/intercom/com/bumptech/glide/load/resource/bitm ap/FitCenter_java io/intercom/com/bumptech/glide/load/resource/bitm ap/FitCenter_java io/intercom/com/bumptech/glide/load/resource/bitm ap/RoundedCorners.java io/intercom/com/bumptech/glide/load/resource/bitm ap/BitmapDrawableTransformation.java io/intercom/com/bumptech/glide/load/engine/Engine Key.java io/intercom/com/bumptech/glide/load/engine/bitma pp/EitCenter_java io/intercom/com/bumptech/glide/load/engine/bitma pp/EitCenter_java io/intercom/com/bumptech/glide/load/engine/bitma pprecycle/AttributeStrategy.java io/intercom/com/bumptech/glide/load/engine/bitma precycle/AttributeStrategy.java io/intercom/com/bumptech/glide/load/engine/bitma precycle/SizeConfigStrategy.java io/intercom/com/bumptech/glide/load/engine/bitma precycle/SizeConfigStrategy

ISSUE	SEVERITY	STANDARDS	com/j256/ormlite/android/AndroidConnectionSource.
			com/j256/ormlite/android/AndroidDatabaseConnecti
			on.java
			com/j256/ormlite/android/AndroidDatabaseResults.ja
			va
			com/j256/ormlite/android/apptools/OrmLiteBaseActi vity.java
			com/j256/ormlite/android/apptools/OrmLiteSqliteOp enHelper.java
			com/squareup/otto/EventHandler.java
			com/squareup/otto/EventProducer.java
			com/maithu/transplantbuddy/MainActivity.java
			com/maithu/transplantbuddy/settings/SettingsFragm
			ent.java
			com/maithu/transplantbuddy/settings/UnitsSettingsFr agment.java
			com/maithu/transplantbuddy/home/HomeCardsFact
			ory.java
			com/maithu/transplantbuddy/tasks/survey/Question PagerAdapter.java
			com/maithu/transplantbuddy/tasks/survey/Question
			Fragment.java
			com/maithu/transplantbuddy/consents/ConditionCon
			sent.java com/maithu/transplantbuddy/activity/FitnessActivityS
			ummaryFragment.java
			com/maithu/transplantbuddy/my_data/GraphTabFrag
			ment.java
			com/maithu/transplantbuddy/my_data/GraphsFactor y.java
			com/maithu/transplantbuddy/my_data/MyDataFragm
			ent.java
			com/maithu/transplantbuddy/my_data/import_data/l
			mportDataActivity.java com/maithu/transplantbuddy/my_data/add_data/Add
			DataComponentManager.java
			com/maithu/transplantbuddy/my_data/add_data/Wei
			ghtStLbs.java
			com/maithu/transplantbuddy/my_data/table/Measur
			ementsTableFragment.java
			com/maithu/transplantbuddy/my_data/add_ranged_d ata/AddRangeDataViewModel.java
			com/maithu/transplantbuddy/my_data/spirometer/S
			pirometryResultComponentFactory.java
			com/maithu/transplantbuddy/utils/OAuthWebViewCli ent.java
			com/maithu/transplantbuddy/utils/Utils.java
			com/maithu/transplantbuddy/utils/UnitUtils.java
			com/maithu/transplantbuddy/stateful_view/ViewState
			.java
			com/maithu/transplantbuddy/welcome/AppHighlight. java
			com/maithu/transplantbuddy/api/models/BaseModel
			.java com/maithu/transplantbuddy/api/models/HealthGoal
			.java
			com/maithu/transplantbuddy/api/models/DrugSched ule.java
			com/maithu/transplantbuddy/api/models/StudyCode.
			java com/maithu/transplantbuddy/api/models/HealthRem
			inder.java
			com/maithu/transplantbuddy/api/models/HealthRem
This App uses lava Hash Code.		CVSS V2: 2.3 (low)	inderAction.java

lt's a weak hash function and SNUTE should never be used in Secure	SEVERITY	CWE: CWE-327 - Use of a Broken or RISKY Cryptographic Algorithm	com/maithu/transplantbuddy/api/models/ConditionT
Crypto Implementation.	1	0WASP MASVS: MSTG-CRYPTO-4	com/maithu/transplantbuddy/api/models/PatientMea
			surement.java
			com/maithu/transplantbuddy/my_profile/MyProfileC
			omponentManager.java
			com/maithu/transplantbuddy/my_profile/component
			s/MyProfileDialysisDryWeightComponent.java
			com/maithu/transplantbuddy/my_profile/component
			s/MyProfileVapingComponent.java
			com/maithu/transplantbuddy/my_profile/component
			s/MyProfileSmokingComponent.java
			com/maithu/transplantbuddy/my_profile/component
			s/MyProfileHeightComponent.java
			com/maithu/transplantbuddy/display_image/Display
			PhotoActivity.java
			com/maithu/transplantbuddy/medication/edit/Updat
			eMedicationActivity.java
			com/maithu/transplantbuddy/deep_link/DeepLinkInte
			ntFactory.java
			com/maithu/transplantbuddy/notifications/HealthRe
			mindersScheduleService.java
			com/maithu/transplantbuddy/notifications/HealthRe
			minderNotificationHandler.java
			,
			com/maithu/transplantbuddy/notifications/Notificatio
			nScheduleService.java
			com/maithu/transplantbuddy/notifications/push/Pus
			hNotificationHandler.java
			-
			com/maithu/transplantbuddy/notifications/health_re
			minders/HealthReminderNotification.java
			com/intercom/input/gallery/GalleryImage.java
			com/getsentry/raven/dsn/Dsn.java
			com/getsentry/raven/event/Event.java
			com/getsentry/raven/event/interfaces/UserInterface.j
			ava
			com/getsentry/raven/event/interfaces/ExceptionInterf
			ace.java
			com/getsentry/raven/event/interfaces/HttpInterface.ja
			va
			com/getsentry/raven/event/interfaces/SentryExceptio
			n.java
			_ ·
			com/mixpanel/android/java_websocket/WebSocketIm
			pl.java
			com/mixpanel/android/mpmetrics/SelectorEvaluator.j
			ava
			com/mixpanel/android/util/MPPair.java
			com/mixpanel/android/viewcrawler/DynamicEventTr
			acker.java
			com/mixpanel/android/viewcrawler/ViewSnapshot.ja
			va
			com/mixpanel/android/viewcrawler/ViewVisitor.java
			com/mixpanel/android/viewcrawler/ViewCrawler.java
			com/urbanairship/CoreReceiver.java
			com/urbanairship/Logger.java
			com/urbanairship/AirshipReceiver.java
			com/urbanairship/AirshipConfigOptions.java
			com/urbanairship/widget/UAWebViewClient.java
			com/urbanairship/util/lvyVersionMatcher.java
			com/urbanairship/js/Whitelist.java
			com/urbanairship/location/UALocationManager.java
			com/urbanairship/remoteconfig/ModuleAdapter.java
			com/urbanairship/messagecenter/MessageViewAdapt
			er.java
			com/urbanairship/messagecenter/MessageCenterActi
	I		a. Januar J. I.p. Meddage certici / Weddage certici / Acti
			vity.java

			com/urbanairship/richpush/InboxJobHandler.java
ISSUE	SEVERITY	STANDARDS	ပြောင်း Grbanairship/richpush/RichPushMessage.java
			com/urbanairship/push/TagGroupsMutation.java
			com/urbanairship/push/ChannelRegistrationPayload.j
			ava com/urbanairship/push/NamedUser obHandler.java
			com/urbanairship/push/PushManagerJobHandler.java
			com/urbanairship/push/PushMessage.java
			com/urbanairship/push/gcm/GcmPushReceiver.java
			com/urbanairship/push/notifications/StyleNotification
			Extender.java
			com/urbanairship/iam/InAppMessageManager.java
			com/urbanairship/iam/ButtonInfo.java
			com/urbanairship/iam/TextInfo.java com/urbanairship/iam/TagSelector.java
			com/urbanairship/iam/lnAppMessageEvent.java
			com/urbanairship/iam/InAppMessage.java
			com/urbanairship/iam/MediaInfo.java
			com/urbanairship/iam/Audience.java
			com/urbanairship/iam/html/HtmlDisplayContent.java
			com/urbanairship/iam/tags/TagGroupResponse.java
			com/urbanairship/iam/view/lnAppViewUtils.java com/urbanairship/iam/view/MediaView.java
			com/urbanairship/iam/fullscreen/FullScreenDisplayC
			ontent.java
			com/urbanairship/iam/fullscreen/FullScreenActivity.ja
			va
			com/urbanairship/iam/modal/ModalDisplayContent.j
			ava
			com/urbanairship/iam/modal/ModalActivity.java com/urbanairship/iam/custom/CustomDisplayConten
			t.java
			com/urbanairship/iam/banner/BannerAdapter.java
			com/urbanairship/iam/banner/BannerFragment.java
			com/urbanairship/iam/banner/BannerDisplayContent
			.java
			com/urbanairship/iam/banner/BannerDismissLayout.
			java com/urbanairship/json/JsonMatcher.java
			com/urbanairship/json/JsonMap.java
			com/urbanairship/json/JsonValue.java
			com/urbanairship/json/JsonList.java
			com/urbanairship/json/JsonPredicate.java
			com/urbanairship/json/matchers/ExactValueMatcher.j
			ava
			com/urbanairship/json/matchers/ArrayContainsMatc her.java
			com/urbanairship/json/matchers/NumberRangeMatc
			her.java
			com/urbanairship/json/matchers/VersionMatcher.jav
			a
			com/urbanairship/actions/ActionValue.java
			com/urbanairship/actions/EnableFeatureAction.java com/urbanairship/automation/ScheduleDelay.java
			com/urbanairsnip/automation/scheduleDelay.java com/urbanairship/automation/Trigger.java
			com/urbanairship/automation/ActionScheduleInfo.jav
			a
			com/urbanairship/remotedata/RemoteDataJobHandle
			r.java
			com/urbanairship/remotedata/RemoteDataPayload.ja
			va
			com/urbanairship/analytics/AnalyticsJobHandler.java
			com/urbanairship/analytics/Analytics.java com/spirometry/spirobanksmartsdk/DeviceManager.j
			ava
I		l	

ISSUE	SEVERITY	STANDARDS	com/fasterxml/jackson/core/JsonPointer.java
			com/fasterxml/jackson/core/Version.java
			com/fasterxml/jackson/core/JsonLocation.java com/fasterxml/jackson/core/io/SerializedString.java
			org/slf4j/helpers/Util.java
			io/intercom/com/bumptech/glide/Glide.java
			io/intercom/com/bumptech/glide/util/ContentLengthl
			nputStream.java
			io/intercom/com/bumptech/glide/util/pool/FactoryPo
			ols.java
			io/intercom/com/bumptech/glide/gifdecoder/Standar
			dGifDecoder.java
			io/intercom/com/bumptech/glide/gifdecoder/GifHead
			erParser.java
			io/intercom/com/bumptech/glide/manager/RequestM
			anagerFragment.java
			io/intercom/com/bumptech/glide/manager/DefaultCo
			nnectivityMonitor.java
			io/intercom/com/bumptech/glide/manager/SupportR equestManagerFragment.java
			io/intercom/com/bumptech/glide/manager/RequestN
			anagerRetriever.java
			io/intercom/com/bumptech/glide/manager/DefaultCo
			nnectivityMonitorFactory.java
			io/intercom/com/bumptech/glide/load/model/FileLoa
			der.java
			io/intercom/com/bumptech/glide/load/model/Stream
			Encoder.java
			io/intercom/com/bumptech/glide/load/model/ByteBu
			fferEncoder.java
			io/intercom/com/bumptech/glide/load/model/ByteBu
			fferFileLoader.java
			io/intercom/com/bumptech/glide/load/model/Resour
			ceLoader.java io/intercom/com/bumptech/glide/load/resource/bitm
			ap/DefaultImageHeaderParser.java
			io/intercom/com/bumptech/glide/load/resource/bitm
			ap/HardwareConfigState.java
			io/intercom/com/bumptech/glide/load/resource/bitm
			ap/DrawableToBitmapConverter.java
			io/intercom/com/bumptech/glide/load/resource/bitm
			ap/BitmapEncoder.java
			io/intercom/com/bumptech/glide/load/resource/bitm
			ap/Downsampler.java
			io/intercom/com/bumptech/glide/load/resource/bitm
			ap/TransformationUtils.java
			io/intercom/com/bumptech/glide/load/resource/gif/G
			<pre>ifDrawableEncoder.java io/intercom/com/bumptech/glide/load/resource/gif/B</pre>
			yteBufferGifDecoder.java
			io/intercom/com/bumptech/glide/load/resource/gif/S
			treamGifDecoder.java
			io/intercom/com/bumptech/glide/load/data/AssetPat
			hFetcher.java
			io/intercom/com/bumptech/glide/load/data/HttpUrlF
			etcher.java
			io/intercom/com/bumptech/glide/load/data/LocalUri
			Fetcher.java
			io/intercom/com/bumptech/glide/load/data/mediasto
			re/ThumbFetcher.java
			io/intercom/com/bumptech/glide/load/data/mediasto
			re/ThumbnailStreamOpener.java
			io/intercom/com/bumptech/glide/load/engine/Source
			Generator.java

ISSUE	SEVERITY	STANDARDS	io/intercom/com/bumptech/glide/load/engine/Decod
The App logs information. Sensitive information should never be logged.	info	CVSS V2: 7.5 (high) CWE: SIZE - Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	io/intercom/com/bumptech/glide/load/engine/GlideException.java io/intercom/com/bumptech/glide/load/engine/Decod elob.java io/intercom/com/bumptech/glide/load/engine/cache/ DiskLruCacheWrapper.java io/intercom/com/bumptech/glide/load/engine/cache/ MemorySizeCalculator.java io/intercom/com/bumptech/glide/load/engine/prefill/ BitmapPreFillRunner.java io/intercom/com/bumptech/glide/load/engine/execut or/GlideExecutor.java io/intercom/com/bumptech/glide/load/engine/bitma p_recycle/LruArrayPool.java io/intercom/com/bumptech/glide/load/engine/bitma p_recycle/LruBitmapPool.java io/intercom/com/bumptech/glide/request/SingleRequ est.java io/intercom/com/bumptech/glide/request/SingleRequ est.java io/intercom/com/bumptech/glide/request/target/Vie wTarget.java uk/co/senab/photoview/PhotoViewAttacher.java uk/co/senab/photoview/PhotoViewAttacher.java uk/co/senab/photoview/log/LoggerDefault.java com/j256/ormlite/android/AndroidLog.java com/j256/ormlite/android/AndroidLog.java com/j256/ormlite/android/apptools/OrmLiteConfigUt il.java com/jjoe64/graphview/GraphView.java com/jjoe64/graphview/Viewport.java com/jjoe64/graphview/Viewport.java com/jjoe64/graphview/Neiper/GraphViewXML.java com/jjoe64/graphview/heiper/GraphViewXML.java com/miathu/transplantbuddy/TransplantApplication.java com/maithu/transplantbuddy/settings/SettingsFragm ent.java com/maithu/transplantbuddy/settings/SettingsFragm ent.java com/maithu/transplantbuddy/signup/SignUpActivity.java com/maithu/transplantbuddy/my_data/measurement _alerts/MeasurementAlerts\$modelRequest\$2.java com/maithu/transplantbuddy/my_data/measurement _alerts/MeasurementAlerts\$modelRequest\$1.java com/maithu/transplantbuddy/my_data/measurement _alerts/MeasurementAlerts\$modelRequest\$1.java com/maithu/transplantbuddy/my_data/measurement _alerts/MeasurementAlerts\$ynchronizeService\$fetch MeasurementAlerts\$modelRequest\$1.java com/maithu/transplantbuddy/my_data/measurement _alerts/MeasurementAlertsSynchronizeService\$fetch MeasurementAlerts\$pnothoudy/my_data/measurement _alerts/MeasurementAlertsSynch

ISSUE	SEVERITY	STANDARDS	com/getsentry/raven/android/event/helper/AndroidE
			com/mixpanel/android/mpmetrics/MixpanelFCMMes
			sagingService.java
			com/mixpanel/android/mpmetrics/MixpanelAPI.java
			com/mixpanel/android/mpmetrics/SessionMetadata.j
			ava
			com/mixpanel/android/mpmetrics/DecideChecker.jav
			a
			com/mixpanel/android/mpmetrics/AnalyticsMessages
			.java
			com/mixpanel/android/mpmetrics/UpdateDisplayStat
			e.java
			com/mixpanel/android/mpmetrics/PersistentIdentity.j
			ava
			com/mixpanel/android/mpmetrics/ConfigurationChec
			ker.java
			com/mixpanel/android/mpmetrics/InstallReferrerRec
			eiver.java
			com/mixpanel/android/mpmetrics/InAppNotification.i
			ava
			com/mixpanel/android/mpmetrics/MixpanelPushNoti
			fication.java
			com/mixpanel/android/mpmetrics/SystemInformatio
			n.java
			com/mixpanel/android/mpmetrics/DisplayTrigger.jav
			a
			com/mixpanel/android/mpmetrics/InAppButton.java
			com/mixpanel/android/mpmetrics/ConnectIntegratio
			ns.java
			com/mixpanel/android/mpmetrics/InAppFragment.ja
			va
			com/mixpanel/android/mpmetrics/MPDbAdapter.jav
			a
			com/mixpanel/android/mpmetrics/DecideMessages.j
			ava
			com/mixpanel/android/mpmetrics/MPConfig.java
			com/mixpanel/android/mpmetrics/ResourceReader.ja
			va
			com/mixpanel/android/mpmetrics/Tweaks.java
			com/mixpanel/android/util/ImageStore.java
			com/mixpanel/android/util/MPLog.java
			com/mixpanel/android/util/HttpService.java
			com/mixpanel/android/util/ActivityImageUtils.java
			com/mixpanel/android/takeoverinapp/TakeoverInApp
			Activity.java
			com/mixpanel/android/viewcrawler/DynamicEventTr
			acker.java
			com/mixpanel/android/viewcrawler/ViewSnapshot.ja
			va
			com/mixpanel/android/viewcrawler/ViewVisitor.java
			com/mixpanel/android/viewcrawler/EditorConnection
			.java
			com/mixpanel/android/viewcrawler/FlipGesture.java
			com/mixpanel/android/viewcrawler/EditProtocol.java
			com/mixpanel/android/viewcrawler/Pathfinder.java
			com/mixpanel/android/viewcrawler/Caller.java
			com/mixpanel/android/viewcrawler/ViewCrawler.java
			com/github/mikephil/charting/renderer/ScatterChartR
			enderer.java
			com/github/mikephil/charting/listener/BarLineChartT
			ouchListener.java
			com/github/mikephil/charting/charts/BarChart.java
			com/github/mikephil/charting/charts/CombinedChart.
			java
	ĺ	1	

ISSUE	SEVERITY	STANDARDS	com/github/mikephil/charting/charts/Chart.java
			hart.java com/github/mikephil/charting/charts/PieRadarChartB ase.java com/github/mikephil/charting/charts/BarLineChartBa se.java com/github/mikephil/charting/utils/FileUtils.java com/github/mikephil/charting/utils/Utils.java com/github/mikephil/charting/components/AxisBase. java com/github/mikephil/charting/data/ChartData.java com/github/mikephil/charting/data/PieEntry.java com/github/mikephil/charting/data/LineDataSet.java com/github/mikephil/charting/data/CombinedData.ja va com/github/mikephil/charting/data/CombinedData.ja va com/github/barteksc/pdfviewer/PDFView.java com/github/barteksc/pdfviewer/PDFView.java com/github/barteksc/pdfviewer/pdfiumCore.java com/urbanairship/Logger.java com/urbanairship/UAirship.java com/urbanairship/Push/PushManager.java com/spirometry/spirobanksmartsdk/DeviceManager.j
The App uses an insecure Random Number Generator.	high	CVSS V2: 7.5 (high) CWE: CWE-330 - Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	kotlinx/coroutines/scheduling/CoroutineScheduler.jav a com/getsentry/raven/connection/RandomEventSampl er.java com/mixpanel/android/java_websocket/drafts/Draft_ 75.java com/mixpanel/android/java_websocket/drafts/Draft_ 10.java com/mixpanel/android/java_websocket/drafts/Draft_ 76.java com/mixpanel/android/mpmetrics/MixpanelFCMMes sagingService.java com/mixpanel/android/mpmetrics/SessionMetadata.j ava
			io/intercom/com/bumptech/glide/manager/RequestM anagerRetriever.java io/intercom/com/bumptech/glide/load/Option.java io/intercom/com/bumptech/glide/load/engine/DataC acheKey.java io/intercom/com/bumptech/glide/load/engine/Resour ceCacheKey.java io/intercom/com/bumptech/glide/load/engine/Engine Resource.java com/maithu/transplantbuddy/tracker/MixPanelTracke r.java com/maithu/transplantbuddy/user/AccountManager.j ava com/maithu/transplantbuddy/login/LoginRequest.jav a com/maithu/transplantbuddy/analytics/AnalyticsIdent ifier.java com/getsentry/raven/connection/AbstractConnection. java com/getsentry/raven/marshaller/json/UserInterfaceBi nding.java com/getsentry/raven/event/interfaces/UserInterface.j ava com/mixpanel/android/mpmetrics/UpdateDisplayStat e.java

ISSUE	SEVERITY	STANDARDS	com/mixpanel/android/mpmetrics/DisplayTrigger.jav FILES com/mixpanel/android/mpmetrics/SelectorEvaluator.i
Files may contain hardcoded sensitive informations like usernames, passwords, keys etc.	high	CVSS V2: 7.4 (high) CWE: CWE-312 - Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	awa com/mixpanel/android/takeoverinapp/TakeoverlnApp Activity_java com/mixpanel/android/viewcrawler/ViewCrawler.java com/urbanairship/ParferencesDataManager.java com/urbanairship/ChannelCapture.java com/urbanairship/ApplicationMetrics.java com/urbanairship/ApplicationMetrics.java com/urbanairship/ApplicationMetrics.java com/urbanairship/AirshipConfigOptions.java com/urbanairship/AirshipConfigOptions.java com/urbanairship/Itil/NotificationIdGenerator.java com/urbanairship/location/LocationRequestOptions.java com/urbanairship/location/LocationRequestOptions.java com/urbanairship/location/LocationManager.java com/urbanairship/location/LocationManager.java com/urbanairship/remoteconfig/DisableInfo.java com/urbanairship/remoteconfig/RemoteConfigManager.java com/urbanairship/ressagecenter/MessageFragment.java com/urbanairship/richpush/RichPushMessage.java com/urbanairship/richpush/RichPushMessage.java com/urbanairship/richpush/RichPushMaser.java com/urbanairship/richpush/RichPushMser.java com/urbanairship/push/VagGroupRegistrar.java com/urbanairship/push/VagGroupRegistrar.java com/urbanairship/push/VagGroupRegistrar.java com/urbanairship/push/NamedUserJobHandler.java com/urbanairship/push/NamedUserJobHandler.java com/urbanairship/push/NamedUserJobHandler.java com/urbanairship/push/NamedUserJobHandler.java com/urbanairship/push/NamedUserJobHandler.java com/urbanairship/push/NamedUserApiClient.java com/urbanairship/push/NamedUserApiClient.java com/urbanairship/push/Notifications/PublicNotification Extender.java com/urbanairship/jush/NamedUserApiClient.java com/urbanairship/jam/InAppMessageScheduleInfo.ja va com/urbanairship/jam/InAppMessageScheduleInfo.java com/urbanairship/iam/InAppMessageScheduleInfo.java com/urbanairship/iam/InAppMessageScheduleInfo.java com/urbanairship/iam/InAppMessageScheduleInfo.java com/urbanairship/iam/InAppMessageScheduleInfo.java com/urbanairship/iam/InAppMessageScheduleInfo.java com/urbanairship/iam/InAppMessageScheduleInfo.java com/urbanairship/iam/InAppMessageJava com/urbanairship/iam/InA

ISSUE	SEVERITY	STANDARDS	com/urbanairship/iam/tags/TagGroupManager.java
ISSUE	SEVERITY	STANDARDS	
			nt.java com/urbanairship/analytics/Analytics.java com/urbanairship/analytics/AppForegroundEvent.java com/urbanairship/analytics/data/EventManager.java

ISSUE	SEVERITY	STANDARDS	FILES
App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	high	CVSS V2: 5.9 (medium) CWE: CWE-89 - Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/j256/ormlite/android/AndroidCompiledStateme nt.java com/j256/ormlite/android/AndroidDatabaseConnecti on.java com/j256/ormlite/android/compat/ApiCompatibility.j ava com/j256/ormlite/android/compat/BasicApiCompatibility.java com/j256/ormlite/android/compat/JellyBeanApiCompatibility.java com/j256/ormlite/android/compat/JellyBeanApiCompatibility.java com/maithu/transplantbuddy/db/DatabaseManager.java com/mixpanel/android/mpmetrics/MPDbAdapter.java a com/urbanairship/PreferencesDataManager.java com/urbanairship/richpush/RichPushDataManager.ja va com/urbanairship/richpush/RichPushDataManager.ja va com/urbanairship/analytics/data/EventsStorage.java com/urbanairship/analytics/data/EventsStorage.java
App creates temp file. Sensitive information should never be written into a temp file.	high	CVSS V2: 5.5 (medium) CWE: CWE-276 - Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/maithu/transplantbuddy/calendar/CalendarItem Activity.java com/urbanairship/util/BitmapUtils.java
App can read/write to External Storage. Any App can read data written to External Storage.	high	CVSS V2: 5.5 (medium) CWE: CWE-276 - Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/getsentry/raven/android/event/helper/AndroidE ventBuilderHelper.java com/github/mikephil/charting/charts/Chart.java com/github/mikephil/charting/utils/FileUtils.java
This App may have root detection capabilities.	secure	CVSS V2: 0 (info) OWASP MASVS: MSTG-RESILIENCE-1	com/getsentry/raven/android/event/helper/AndroidE ventBuilderHelper.java
This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	CVSS V2: 0 (info) OWASP MASVS: MSTG-STORAGE-10	com/urbanairship/ChannelCapture.java com/urbanairship/actions/ClipboardAction.java

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
api.waqi.info	good	IP: 139.162.71.178 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
hse-covid-19-cms.patientmpower.com	good	IP: 54.77.80.36 Country: Ireland Region: Dublin City: Dublin Latitude: 53.34399 Longitude: -6.26719 View: Google Map
play.google.com	good	IP: 216.58.196.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
developer.android.com	good	IP: 216.58.196.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
dev.patientbuddy.co	good	No Geolocation information available.
decide.mixpanel.com	good	IP: 130.211.34.183 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
info.patientmpower.com	good	IP: 198.185.159.144 Country: United States of America Region: New York City: New York City Latitude: 40.734699 Longitude: -74.005898 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.slf4j.org	good	IP: 83.166.144.67 Country: Switzerland Region: Geneve City: Carouge Latitude: 46.180962 Longitude: 6.13921 View: Google Map
remote-data.urbanairship.com	good	IP: 35.201.74.116 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
device-api.urbanairship.com	good	IP: 35.244.184.98 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
github.com	good	IP: 52.64.108.95 Country: Australia Region: New South Wales City: Sydney Latitude: -33.867851 Longitude: 151.207321 View: Google Map
sentry.megsupporttools.com	good	IP: 185.7.185.174 Country: Ireland Region: Clare City: Shannon Latitude: 52.703892 Longitude: -8.86417 View: Google Map
api.mixpanel.com	good	IP: 130.211.34.183 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.googleapis.com	good	IP: 172.217.25.170 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www2.hse.ie	good	IP: 104.41.211.55 Country: Ireland Region: Dublin City: Dublin Latitude: 53.34399 Longitude: -6.26719 View: Google Map
go.urbanairship.com	good	IP: 104.116.183.21 Country: Australia Region: Western Australia City: Perth Latitude: -31.95224 Longitude: 115.861397 View: Google Map
dl.urbanairship.com	good	IP: 104.116.183.21 Country: Australia Region: Western Australia City: Perth Latitude: -31.95224 Longitude: 115.861397 View: Google Map
.urbanairship.com	good	No Geolocation information available.
.youtube.com	good	No Geolocation information available.
wallet-api.urbanairship.com	good	IP: 35.244.226.117 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
patient-buddy.firebaseio.com	good	IP: 35.201.97.85 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
combine.urbanairship.com	good	IP: 35.190.53.75 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map



URL	FILE
http://www.slf4j.org/codes.html#no_static_mdc_binder http://www.slf4j.org/codes.html#null_MDCA	org/slf4j/MDC.java
http://www.slf4j.org/codes.html http://www.slf4j.org/codes.html#loggerNameMismatch http://www.slf4j.org/codes.html#multiple_bindings http://www.slf4j.org/codes.html#StaticLoggerBinder http://www.slf4j.org/codes.html#null_LF http://www.slf4j.org/codes.html#replay http://www.slf4j.org/codes.html#substituteLogger http://www.slf4j.org/codes.html#unsuccessfullnit http://www.slf4j.org/codes.html#version_mismatch	org/slf4j/LoggerFactory.java
http://localhost/	io/intercom/retrofit2/Response.java
file:///android_asset/	io/intercom/com/bumptech/glide/load/model/AssetUriLoade r.java
data:image	io/intercom/com/bumptech/glide/load/model/DataUrlLoader .java
https://developer.android.com/guide/topics/graphics/hardware-accel.html	com/jjoe64/graphview/GraphView.java
https://play.google.com/store/apps/details?id=com.maithu.transplantbuddy.covid 19	com/maithu/transplantbuddy/BaseActivity.java
https://hse-covid-19-cms.patientmpower.com/ https://586e9439512a4968943b806bd2f95c52:7d8e4336de1549b3bda1ef4bc8b6b 497@sentry.megsupporttools.com/12 https://api.waqi.info/feed/geo:%p1/	com/maithu/transplantbuddy/BuildConfig.java
https://hse-covid-19-cms.patientmpower.com/data_sources/api/tokens/?service= https://hse-covid-19-cms.patientmpower.com/app/	com/maithu/transplantbuddy/settings/data_sources/AddSour ceActivity.java
https://api.waqi.info/feed/geo:%p1/	com/maithu/transplantbuddy/home/AirQualityService.java
https://www.googleapis.com/auth/calendar	com/maithu/transplantbuddy/signup/SignUpActivity.java
https://hse-covid-19-cms.patientmpower.com/	com/maithu/transplantbuddy/utils/ImageGetter.java
https://hse-covid-19-cms.patientmpower.com/	com/maithu/transplantbuddy/add_friend/InvitationManager.j ava

URL	FILE
https://hse-covid-19-cms.patientmpower.com/api/adherence/ https://hse-covid-19-cms.patientmpower.com/api/ https://hse-covid-19-cms.patientmpower.com/api/appointment/ https://hse-covid-19-cms.patientmpower.com/api/appointment/ https://hse-covid-19-cms.patientmpower.com/api/auth/password/change/ https://hse-covid-19-cms.patientmpower.com/api/auth/password/reset/ https://hse-covid-19-cms.patientmpower.com/api/auth/password/reset/ https://hse-covid-19-cms.patientmpower.com/api/auth/password/reset/ https://hse-covid-19-cms.patientmpower.com/api/condition/ https://hse-covid-19-cms.patientmpower.com/api/condition/ https://hse-covid-19-cms.patientmpower.com/api/condition_type/ https://hse-covid-19-cms.patientmpower.com/api/condition_type/ https://hse-covid-19-cms.patientmpower.com/api/consent_agreement/ https://hse-covid-19-cms.patientmpower.com/api/contry/ https://hse-covid-19-cms.patientmpower.com/api/contry/ https://hse-covid-19-cms.patientmpower.com/api/ata_sources/api/https://hse-covid-19-cms.patientmpower.com/api/ata_sources/api/https://hse-covid-19-cms.patientmpower.com/api/aruth/registration/verify-email/ https://hse-covid-19-cms.patientmpower.com/api/auth/registration/verify-email/ https://hse-covid-19-cms.patientmpower.com/api/auth/registration/verify-email/ https://hse-covid-19-cms.patientmpower.com/api/api/s/s-chema https://hse-covid-19-cms.patientmpower.com/api/health_goals/ https://hse-covid-19-cms.patientm	com/maithu/transplantbuddy/api/ApiConstants.java
https://hse-covid-19-cms.patientmpower.com/	com/maithu/transplantbuddy/api/models/PatientMeasureme nt.java
https://info.patientmpower.com/why-we-ask-for-your-ethnicity/	com/maithu/transplantbuddy/my_profile/components/MyPr ofileEthnicityComponent.java

URL	FILE
http://dev.patientbuddy.co/media/.* http://dev.patientbuddy.co/media/compliance/.*	com/maithu/transplantbuddy/volley/MockHttpStack.java
https://www.googleapis.com/auth/calendar	com/maithu/transplantbuddy/login/LoginActivity.java
https://github.com/getsentry/raven-java/#custom-ravenfactory	com/getsentry/raven/RavenFactory.java
https://github.com/mixpanel/mixpanel-android/issues/567)	com/mixpanel/android/mpmetrics/AnalyticsMessages.java
https://decide.mixpanel.com/decide https://api.mixpanel.com/track?ip= https://api.mixpanel.com/groups https://api.mixpanel.com/engage	com/mixpanel/android/util/MPConstants.java
https://go.urbanairship.com/	com/urbanairship/ChannelCapture.java
https://combine.urbanairship.com/ https://device-api.urbanairship.com/ https://dl.urbanairship.com/aaa/ https://remote-data.urbanairship.com/ https://wallet-api.urbanairship.com	com/urbanairship/AirshipConfigOptions.java
https://*.urbanairship.com https://*.youtube.com	com/urbanairship/js/Whitelist.java
https://play.google.com/store/apps/details?id=	com/urbanairship/actions/RateAppAction.java
https://www2.hse.ie/coronavirus/ https://patient-buddy.firebaseio.com	Android String Resource

FIREBASE DATABASES

FIREBASE URL	DETAILS
https://patient-buddy.firebaseio.com	info App talks to a Firebase Database.

EMAILS

EMAIL	FILE
7d8e4336de1549b3bda1ef4bc8b6b497@sentry.megsupporttools	com/maithu/transplantbuddy/BuildConfig.java
info@patientmpower.com	com/maithu/transplantbuddy/api/ApiConstants.java
info@patientmpower.com	com/maithu/transplantbuddy/medication/DrugListDialogFragment.java

EMAIL	FILE
info@patientmpower.com support@patientmpower.com	Android String Resource



TRACKER	URL
Google Analytics	https://reports.exodus-privacy.eu.org/trackers/48
Google CrashLytics	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Google Tag Manager	https://reports.exodus-privacy.eu.org/trackers/105
MixPanel	https://reports.exodus-privacy.eu.org/trackers/118
Urbanairship	https://reports.exodus-privacy.eu.org/trackers/123

> PLAYSTORE INFORMATION

Title: patientMpower for COVID-19

Score: 0.0 Installs: 1,000+ Price: 0 Android Version Support: 4.3 and up Category: Health & Fitness Play Store URL: com.maithu.transplantbuddy.covid19

Developer Details: patientMpower, patientMpower, The Digital Depot Thomas St Dublin D08 TCV4 Ireland, https://info.patientmpower.com/, info+covid-19@patientmpower.com,

Release Date: Mar 15, 2020 Privacy Policy: Privacy link

Description:

The patientMpower for COVID-19 app is for people in the Republic of Ireland who have been enrolled in the COVID-19 remote monitoring programme by a healthcare professional. The patientMpower for COVID-19 app will allow you to monitor your COVID-19 symptoms and health information such as your oxygen levels and temperature whilst you are in self-isolation. This information will be shared confidentially with trained personnel at dedicated monitoring centres. They will be able to see your information immediately. Monitoring will enable healthcare professionals to assess if you are recovering well whilst in isolation or if you need additional support (e.g. extra treatments at home or if you need to go to hospital). It is recommended that you consent to using location services after downloading this app. If you don't want to consent to sharing your location you can continue to use the app. The location information will be de-identified and used for research into COVID-19. KEY FEATURES - Monitors your oxygen saturation (using a device called a pulse oximeter), which is important to track to ensure you are recovering from COVID-19 - Tracks your symptoms including breathlessness - Records details of relevant underlying conditions and your existing medications - Anonymised location monitoring, to help us understand trends of COVID-19 across Ireland and plan resources to best deliver healthcare - Confidential health data viewable in real time by healthcare professionals at monitoring centres patientMpower are an Irish digital health company who are experienced in providing home monitoring platforms for people with lung conditions. If you need help installing the app or need any technical support please email support@patientMpower.com. IMPORTANT: This app cannot provide medical intervention in the event of an emergency. If you experience a rapid worsening of symptoms or severe breathing difficulties please contact 999 or 112. Privacy policy: https://info.patientmpower.com/covid19-privacy-policy

App Security Score Calculation

Every app is given an ideal score of 100 to begin with.

For every findings with severity high we reduce 15 from the score.

For every findings with severity warning we reduce 10 from the score.

For every findings with severity good we add 5 to the score.

If the calculated score is greater than 100, then the app security score is considered as 100. And if the calculated score is less than 0, then the app security score is considered as 10.

Risk Calculation

APP SECURITY SCORE	RISK
0 - 15	CRITICAL
16 - 40	HIGH
41 - 70	MEDIUM
71 - 100	LOW

Report Generated by - MobSF v3.0.8 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2020 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.