

ANDROID STATIC ANALYSIS REPORT



TraceTogether

File Name: sg.gov.tech.bluetrace_38_apps.evozi.com.apk

Package Name: sg.gov.tech.bluetrace

Average CVSS Score: 5.8

App Security Score: 10/100 (CRITICAL RISK)

Trackers Detection: 2/285



File Name: sg.gov.tech.bluetrace_38_apps.evozi.com.apk

Size: 4.09MB

MD5: a4fa09ec1c4531aa0efd3208ce38fee7

SHA1: 271841bcf6abf571e0158a246af944d480a6f734

SHA256: 1b56576aa44381b970c2685cd5e534ca7b5aa6e872ec6d356544d6f76cfa9786

1 APP INFORMATION

App Name: TraceTogether

Package Name: sg.gov.tech.bluetrace

Main Activity: .SplashActivity

Target SDK: Min SDK: Max SDK:

Android Version Name:
Android Version Code: 38

APP COMPONENTS

Activities: 17
Services: 10
Receivers: 8
Providers: 6
Exported Activities: 0
Exported Services: 2
Exported Receivers: 5
Exported Providers: 0



APK is signed v1 signature: True v2 signature: True v3 signature: False Found 1 unique certificates

Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2020-02-12 11:50:19+00:00 Valid To: 2050-02-12 11:50:19+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xc2d173b0a2872598a57a7fe14b74294c0325c277

Hash Algorithm: sha256

md5: 2fc04293ab64be7f6f42fa9077e71e4d

sha1: ade 172997 a 5b7bd 188d 3f 21a 163916 e e 413233db

sha256: c874d784acdaecf15194a56c37210ea7a397ea582ed435e86c840f1359ef804c

sha512:

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: ed41b1ec0534bd70fa774cf80f1031042dd8483027bfc6a70cff47f90864f467

Certificate Status: Good

Description: Certificate looks good.

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
	dangerous	Unknown permission from android reference	Unknown permission from android reference

ক্ল APKID ANALYSIS

FILE	DETAILS		
	FINDINGS	DETAILS	
	Obfuscator	DexGuard	
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check	
	Anti Debug Code	Debug.isDebuggerConnected() check	
	Anti Disassembly Code	illegal class name	
	Compiler	dx	

Q MANIFEST ANALYSIS

ISSUE	SEVERITY	DESCRIPTION
Application Data can be Backed up [android:allowBackup] flag is missing.	medium	The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.

ISSUE	SEVERITY	DESCRIPTION
Broadcast Receiver () is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.
Service () is not Protected. An intent-filter exists.	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Service is explicitly exported.
Broadcast Receiver () is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.
Broadcast Receiver () is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.
Broadcast Receiver () is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.
Service () is not Protected. An intent-filter exists.	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Service is explicitly exported.
Broadcast Receiver () is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.

</> CODE ANALYSIS

ISSUE	SEVERITY	STANDARDS	FILES
			o/C2558.java o/C1821.java o/C2870.java o/C1860.java o/C2503.java o/C2892.java o/C2611.java o/C0708.java o/C1684.java o/C2196.java o/C1775.java
			o/C17/5.java o/C2509.java o/C2898.java o/C2162.java o/C3047.java o/C2713.java o/C2007.java o/C1914.java o/C1543.java o/C1612.java o/C0500.java

ISSUE	SEVERITY	STANDARDS	o/IF.java G/LES 8.java
The App logs information. Sensitive information should never be logged.	info	CVSS V2: 7.5 (high) CWE: CWE-532 - Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	o/C0605.java o/C2507.java o/C1901.java o/C3246aa.java o/C2771.java o/C1408.java o/MM.java o/C2619.java o/C2619.java o/C2802.java o/C2506.java o/C1193.java o/C1193.java o/C2592.java o/C1288.java o/C1205.java o/C1383.java o/C239.java o/C1383.java o/C2490.java o/C2760.java o/C2760.java o/C2760.java o/C30557II.java o/C30557II.java o/C2760.java o/C2760.java
			o/C0420.java o/C2299.java o/C2993.java o/C3456hr.java o/C1708.java o/C1790.java o/C2515.java o/C2186.java o/C1745.java o/C1745.java o/C0945.java o/C0729.java o/C3017.java o/C2190.java o/C0381.java o/C1986.java o/C0591.java o/C1768.java

ICCLIE	CE) (ED: T)	STANDARDS	o/C2806.java
ISSUE	SEVERITY	STANDARDS	6/LES 6.java
			o/mE.java
			o/C1477.java
			o/C1836.java
			o/IZ.java
			o/kD.java
			o/C1461.java
			o/C2471.java
			o/C2689.java
			o/C1699.java
			o/C2670.java o/C2417.java
			o/C1846.java
			o/C2155.java
			o/C1796.java
			o/C0650.java
			o/C2495.java
			o/lQ.java
			o/C1128.java
			o/cX.java
			o/C2179.java
			o/C3466ia.java
			o/C0488.java
			o/C1299.java
			o/C0430.java
			o/C1221.java
			o/C1036.java
			o/C3609w.java
			o/C1098.java
			o/C0518.java
			o/fS.java
			o/C1866.java
			o/C3348dq.java
			o/C0667.java
			o/C2573.java
			o/C3118.java
			o/C1826.java
			o/C2135.java
			o/C0718.java
			o/C2660.java
			o/fG.java
			o/C3088.java
			o/C3248ac.java
			o/C2986.java
			o/C2093.java
			o/C3394fj.java
			o/C1739.java
			o/C3453ho.java
			o/C1943.java
			o/C2292.java
			o/C0755.java
			o/C3207.java
			o/C1113.java
			o/mC.java
			o/C1868.java
			o/C2252.java
			o/C2069.java
			o/C1829.java
			o/C0445.java
			o/C1468.java
			o/C1385.java
			o/C1690.java
This App uses Java Hash Code.		CVSS V2: 2.3 (low)	o/C2141.java
Tills App uses Java Hasii Coue.	I	0100 12. 2.3 (IOW)	I

t's a weak hash function and	SEVERITY	CWE: CWE-327 - Use of a Broken or Risky	o/C2383.java &lCtfs 4.java
Crypto Implementation		OWASP MASVS: MSTG-CRYPTO-4	o/C2927.java
		The state of the s	o/C0432.java
			o/C3460hv.java
			o/C3065.java
			o/C3376er.java
			o/C1625.java
			o/C2320.java
			o/C2160.java
			o/C0624.java
			o/C2064.java
			o/C0665.java
			o/C2463.java
			o/C1865.java
			o/C2290.java
			o/C1015.java
			o/lG.java
			o/C2300.java
			o/C1202.java
			o/C1701.java
			o/C2896.java
			o/C2195.java
			o/C2219.java
			o/C3074.java
			o/C1858.java
			o/C1272.java
			o/C3314ci.java
			o/C0530.java
			o/C1655.java
			o/C3054.java
			o/lU.java
			o/C1100.java
			o/C0992.java
			o/C2385.java
			o/C1681.java
			o/C2054.java
			o/C1879.java
			o/C0784.java
			o/C1746.java
			o/nm.java
			o/C1091.java
			o/C1880.java
			o/C3126.java
			o/C2737.java
			o/C3350ds.java
			o/C0419.java
			zendesk/core/AnonymousIdentity
			.java
			zendesk/core/ApplicationConfigu
			ration.java
			zendesk/core/AccessToken.java
			zendesk/core/Jwtldentity.java
			zendesk/support/RequestDataList
			.java
			zendesk/support/SectionItem.jav
			a
			zendesk/support/ZendeskAvatarV
			iew.java
			zendesk/support/User.java
			zendesk/support/CategoryItem.ja
			va
			zendesk/support/SeeAllArticlesIte
			m.java
	1	1	

ISSUE	SEVERITY	STANDARDS	zendesk/support/RequestData.jav & ILES
			zendesk/support/ArticleItem.java zendesk/support/requestlist/Req uestListItem.java zendesk/support/requestlist/Req uestInfo.java zendesk/support/request/Reduce rError.java zendesk/support/request/Reduce rConfiguration.java zendesk/support/request/Reduce rConversation.java zendesk/support/request/Reduce rConversation.java zendesk/support/request/Reduce rAttachments.java zendesk/support/request/Compo nentToolbar.java zendesk/support/request/Adapte rAttachmentCarouseI.java zendesk/support/request/Reduce rUiState.java zendesk/support/request/Reduce rUiState.java zendesk/support/request/Reduce rAndroidLifecycle.java
MD5 is a weak hash known to have hash collisions.	high	CVSS V2: 7.4 (high) CWE: CWE-327 - Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	o/C2149.java
The App uses an insecure Random Number Generator.	high	CVSS V2: 7.5 (high) CWE: CWE-330 - Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	o/C2149.java o/C3083.java o/C0315.java o/C2373.java o/Ib\$1.java o/C1535.java o/C3504jn.java o/C2396.java o/C3207.java o/C2160.java o/C2188.java
App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	high	CVSS V2: 5.9 (medium) CWE: CWE-89 - Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	o/C2372.java o/C1573.java o/C2099.java o/C2440.java o/C2247.java o/C1943.java o/C2679.java o/C2624.java o/C2813.java o/C1507.java o/C1507.java
IP Address disclosure	warning	CVSS V2: 4.3 (medium) CWE: CWE-200 - Exposure of Sensitive Information to an Unauthorized Actor OWASP MASVS: MSTG-CODE-2	o/C2889.java o/C2563.java o/C3248ac.java o/C0779.java o/C0697.java

ISSUE	SEVERITY	STANDARDS	FILES
SHA-1 is a weak hash known to have hash collisions.	high	CVSS V2: 5.9 (medium) CWE: CWE-327 - Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	o/C2391.java
This App may have root detection capabilities.	secure	CVSS V2: 0 (info) OWASP MASVS: MSTG-RESILIENCE-1	o/C3271ax.java o/C2802.java
Remote WebView debugging is enabled.	high	CVSS V2: 5.4 (medium) CWE: CWE-919 - Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	zendesk/support/guide/ViewArtic leActivity.java

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.tracetogether.gov.sg	good	IP: 52.84.228.58 Country: Singapore Region: Singapore City: Singapore Latitude: 1.28967 Longitude: 103.850067 View: Google Map
www.firebase.google.com	good	No Geolocation information available.
firebasestorage.googleapis.com	good	IP: 216.58.196.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
e.crashlytics.com	good	IP: 54.235.189.25 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.04372 Longitude: -77.487488 View: Google Map
github.com	good	IP: 13.237.44.5 Country: Australia Region: New South Wales City: Sydney Latitude: -33.867851 Longitude: 151.207321 View: Google Map

DOMAIN	STATUS	GEOLOCATION
goo.gl	good	IP: 216.58.203.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.googleadservices.com	good	IP: 172.217.25.130 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
govtech-tracer.firebaseio.com	good	IP: 35.201.97.85 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.google.com	good	IP: 216.58.196.132 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
tracetogether.zendesk.com	good	IP: 104.16.52.111 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
play.google.com	good	IP: 216.58.196.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
firebase.google.com	good	IP: 216.58.196.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
settings.crashlytics.com	good	IP: 216.58.196.131 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
schemas.android.com	good	No Geolocation information available.
www.zendesk.com	good	IP: 104.18.2.228 Country: United States of America Region: California City: San Francisco Latitude: 37.7757 Longitude: -122.395203 View: Google Map
app-measurement.com	good	IP: 172.217.167.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
1s-2s.cloudfunctions.net	good	IP: 216.239.36.54 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
google.com	good	IP: 216.58.200.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
plus.google.com	good	IP: 172.217.167.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
pagead2.googlesyndication.com	good	IP: 172.217.167.66 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
cdn.plot.ly	good	IP: 151.101.82.217 Country: United States of America Region: California City: San Francisco Latitude: 37.7757 Longitude: -122.395203 View: Google Map
tracetogether.gov.sg	good	IP: 99.83.159.5 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map

URLS

URL	FILE
www.google.com https://www.google.com https://goo.gl/NAOOOI. https://goo.gl/NAOOOI https://www.googleadservices.com/pagead/conversion/app/deeplink?id_type=adid&sdk_version=%s&rdid=%s&bundleid=%s&retry=%s	o/C2149.java
https://google.com/search?	o/C0637.java
http://schemas.android.com/apk/res/android	o/C2411.java
http://schemas.android.com/apk/res/android	o/C2169.java
https://%s/%s/%s?key=%s	o/C0380.java
http://schemas.android.com/apk/res/android http://schemas.android.com/apk/res-auto	o/C1712.java
www.firebase.google.com/storage.	o/C0968.java
https://settings.crashlytics.com/spi/v2/platforms/android/apps/%s/settings	o/bL.java

URL	FILE
http://schemas.android.com/apk/res/android	o/C0909.java
https://tracetogether.gov.sg/common/privacystatement	o/C3560lr.java
https://app-measurement.com/a	o/C3178.java
http://schemas.android.com/apk/res/android	o/C1738.java
http://schemas.android.com/apk/res/android	o/C2587.java
https://tracetogether.zendesk.com	o/C3559lp.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	o/C3318cm.java
http://localhost	o/C1523.java
http://schemas.android.com/apk/res/android	o/C1959.java
https://firebasestorage.googleapis.com/v0	o/C3047.java
https://firebase.google.com/support/guides/disable-analytics	o/C2050.java
https://app-measurement.com/a	o/C2504.java
http://schemas.android.com/apk/res/android	o/C2663.java
https://e.crashlytics.com/spi/v2/events	o/bE.java
https://pagead2.googlesyndication.com/pagead/gen_204?id=gmob-apps	o/C2771.java
http://schemas.android.com/apk/res/android	o/C0921.java
http://schemas.android.com/apk/res/android	o/C2588.java
http://schemas.android.com/apk/res/android	o/C1832.java
https://tracetogether.zendesk.com	o/C3555lj.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0#error-handling	o/C3317cl.java
https://goo.gl/J1sWQy	o/C2188.java
https://%1\$s-%2\$s.cloudfunctions.net/%3\$s	o/C0394.java
https://plus.google.com/	o/C1679.java
http://schemas.android.com/apk/res/android	o/C3078.java
https://cdn.plot.ly/plotly-latest.min.js'	o/C3557ll.java

URL	FILE
https://play.google.com/store/apps/details?id=sg.gov.tech.bluetrace	sg/gov/tech/bluetrace/SplashActivit y.java
https://www.zendesk.com/embeddables	zendesk/support/SupportSdkSetting s.java
file:///android_asset/help_center_article_style.css	zendesk/support/guide/ViewArticle Activity.java
https://govtech-tracer.firebaseio.com https://www.tracetogether.gov.sg	Android String Resource

FIREBASE DATABASES

FIREBASE URL	DETAILS
https://govtech-tracer.firebaseio.com	info App talks to a Firebase Database.

EMAILS

EMAIL	FILE
u0013android@android.com0 u0013android@android.com	o/C2628.java

A TRACKERS

TRACKER	URL
Google CrashLytics	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	https://reports.exodus-privacy.eu.org/trackers/49

> PLAYSTORE INFORMATION

Title: TraceTogether

 $\textbf{Score: 3.4200914 Installs: 500,000+ Price: 0 Android Version Support: 5.1 and up Category: Medical Play Store URL: \\ \underline{\textbf{sg.gov.tech.bluetrace}}$

Developer Details: Government Technology Agency, Government+Technology+Agency, None, https://tracetogether.gov.sg, tracetogether@hive.gov.sg,

Release Date: Mar 9, 2020 Privacy Policy: Privacy link

Description:

TraceTogether supports Singapore's efforts to mitigate the spread of COVID-19 through community-driven contact tracing. TraceTogether uses Bluetooth signals to determine if you are near another TraceTogether user. Your Bluetooth proximity data is encrypted and stored only on your phone. The Ministry of Health (MOH) will seek your consent to upload the data, if it's needed for contact tracing. If you had close contact with a COVID-19 case, TraceTogether allows the MOH call you more quickly, to provide guidance and care. TraceTogether helps us protect our loved ones and families so that we do not spread the virus to them unknowingly. It also helps us support the work of contact tracers and healthcare workers by combating the spread of COVID-19 together. TraceTogether's functionality will be suspended after the epidemic subsides.

App Security Score Calculation

Every app is given an ideal score of 100 to begin with.

For every findings with severity high we reduce 15 from the score.

For every findings with severity warning we reduce 10 from the score.

For every findings with severity good we add 5 to the score.

If the calculated score is greater than 100, then the app security score is considered as 100.

And if the calculated score is less than 0, then the app security score is considered as 10.

Risk Calculation

APP SECURITY SCORE	RISK
0 - 15	CRITICAL
16 - 40	HIGH
41 - 70	MEDIUM
71 - 100	LOW

Report Generated by - MobSF v3.0.8 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2020 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.