

BLISS TEST SUMMARY

Every individual test in the latest full suite

Date: 2026-10-05

Result: 484 passed, 0 failed, 0 skipped

Delivery: NOT_SENT

Campaign ready: refused

Hosted acceptance: not claimed

This report records each of the 484 tests in the latest full Bliss.Tests run. Each line is one executed test. A theory with several inputs is listed once for each input. No test is repeated, and the section counts add to 484.

Section counts

Creative Academy: 24

Persistence: 67

Domain rules: 15

Architecture constraints: 21

Operations controls: 25

Acquisition demonstrations: 166

HTTP API: 161

Wedding Planner approval: 5

Total: 484

The suite protects the standing boundaries. A passing test does not send a message, approve a campaign, invent a price, or claim hosted acceptance. The Creative Academy tests also keep a generated draft at `GENERATED_PENDING_REVIEW` when a test provider is injected. In this environment the live creator remains `PROVIDER_CONFIGURATION_REQUIRED` and makes 0 model calls.

CREATIVE ACADEMY - 24 TESTS

The advertisement teacher, recipe, instructor, roster, and guarded creator.

Configured adapter sends one authenticated 1536 by 864 recipe and accepts a real PNG.

Configured adapter rejects non-image content.

The prototype teaches quality and is not an advertiser. Maison Fleur is a quality teacher, not an advertiser.

A duplicated headline word is `REVISE` and preserves the rest. The duplicated word `ESCAPE` scores 84.

Malformed product labels are `REVISE`. The stored labels `CURDJ` and `MJER` are the defects.

Clear text stays `WITHHELD` until a human records the visual benchmark. This is the Belmonte path.

A critical text defect still returns REVISE after a visual benchmark is met.

Copying the prototype identity fails. Copying Maison Fleur, VidaCare, Nova Fit, or Taller Ruta returns FAIL.

An obstructed creator face returns FAIL.

Weights are configurable and must total 100.

A model call and campaign-ready are refused.

Patisserie DNA selects Maison Fleur. Dental is already created and is not repeated. Cloning Maison Fleur is refused.

A weaker recorded contrast note returns REVISE, score 72, and keeps the duplicated word.

VidaCare is Master Prototype 01/50. FreshMart remains a supplied example.

Pharmacy Brand DNA changes the identity without lowering the quality anchor. Burgundy and gold stays burgundy and gold.

A production brief preserves customization and the quality signature. The Panama pharmacy brief generates no image.

Geographic casting requires a specific market and research when uncertain. Generic Latino casting is refused.

Customization, quality, originality, and geography are independent gates. All four passing remains unsent.

Production model calls are refused until a model is configured.

Fitness selects Nova Fit. Automotive service selects Taller Ruta.

Brand and niche are the only required client intake fields.

A niche without an approved anchor does not enter image generation. Auto-parts stops before generation.

The roster keeps created niches and queues the rest. It holds 50 niches: 10 created and 40 not created. Next is Auto-Parts Store. Bakery 16 stays uncreated.

Motorcycle uses Brava Moto. Dental returns ALREADY_CREATED. Reusing the Brava Moto name is refused.

PERSISTENCE - 67 TESTS

Stored Bliss, Economics, and Wedding Planner records, seeds, and history.

Creator supports multiple content items.

Content item supports multiple ad inventory slots.

Creator supports multiple simultaneous bliss matches without uniqueness violation.

New bliss match does not overwrite another valid match.

Multiple campaign placements can reference the same content item.

Historical bliss match preserves original rule version.

Network access and program access are independent.

Data provenance retains source confidence and collected at.

Unknown female percentage remains null and is not converted to zero.

Phase1 seed creates required graph.
Seeder persists six markets and all pricing models as data.
New observation preserves older market history.
Creator retains versioned audience and performance history.
Unknown measurements remain null when new snapshot is added.
Market versions and dated fx observations preserve history.
Duration bands are data and do not imply linear pricing.
Recommendation is a replayable explainable range.
Ten times duration is not ten times the range.
Historical output does not change when inputs change.
Missing creator provenance cannot produce high confidence.
Quote preserves explicit amount and idempotent version history.
Negotiation creates new draft that requires fresh approval.
Quote line keeps recommendation snapshot if source row changes.
Illustration is replayable and allocations equal accepted amount.
Unaccepted quote and invalid policy are rejected.
Historical illustration does not change with policy rows.
Accepted candidate becomes sourced append only observation.
Rejected candidate is preserved without observation.
Test/source", expected: "confidence").
Test/source", expected: "VERIFIED").
Test/source", expected: "HTTPS").
Planner handshake calls economics and replays same result.
Planner handshake requires approved owned compatible available inventory.
Planner handshake creates no quote placement or compensation.
Placement actual is explainable replayable and non settling.
Corrections append and campaign rollup uses current history.
Campaign rollup uses latest measurement per placement.
Invalid relationships and measurements are rejected.
Phase2 seed is additive and does not overwrite phase1 matches.
Phase2 brazil match is approved and ph to br is ineligible.
Re evaluating one match does not change another match.
Unknown demographics creator review does not use zero audience.
Second seed is idempotent.
Phase3 seed is additive and records two brazil runs.
Re evaluation appends a run and does not delete prior runs.
Re evaluating one match does not change another match or its runs.
Live checks are replaced while historical runs remain.
Unknown demographics are still not zero after phase3 seed.
Second phase3 seed is idempotent.

First observation creates canonical creator profile run and provenance.
Same source and idempotency key replays without duplicate writes.
New observation for existing identity updates without duplicate creator.
Same external id on different platform is a distinct identity.
Invalid observation persists nothing.
Controlled formation creates and evaluates audited match.
Replay returns original and writes nothing.
Different keys allow many matches for one creator.
Invalid reference and documentless evaluation persist nothing.
Approve moves review required match and writes immutable decision.
Replay returns original and writes nothing.
Created match without review status is rejected and persists nothing.
Unknown decision persists nothing.
Approved match binds to creator inventory without delivery mutation.
Replay returns original and does not duplicate.
Different keys allow multiple placements for same match and content.
Nonapproved match and graph mismatches persist nothing.
Advertiser keeps one primary workspace and append only messages.

DOMAIN RULES - 15 TESTS

Matching, Economics vocabulary, and entity defaults.

Matching country and language is approved.
Country mismatch is geo not eligible and does not use ai.
Unknown audience is review required not zero.
Missing document throws.
Pricing vocabulary includes exposure models not minutes only.
Observation status distinguishes verified from invented.
Economics vocabulary does not compile a default compensation split.
Economics http api exposes only controlled append only writes.
Advertiser program defaults to active.
Advertiser opportunity defaults to active.
Bliss match defaults to created.
Network and program access default to unknown independently.
Ad inventory slot defaults to available.
Data provenance confidence defaults to unknown.
Wedding planner workspace defaults to primary and active.

ARCHITECTURE CONSTRAINTS - 21 TESTS

API surface, Economics boundaries, and database constraints.

Phase1 read endpoints are present.
N8n template is inactive provider configured and staging only.
Wedding planner exposes one controlled economics write.
Handshake delegates pricing and has no downstream authority.
Historical service is append only and has no pricing or settlement authority.
Phase9 contract forbids automatic feedback and payment.
Bliss match creator id is not unique.
Campaign placement content item id is not unique.
Major relationships use restrict delete behavior.
Economics catalog natural keys are unique.
Match evaluation run bliss match id is not unique.
Creator platform identity key is unique when present.
Creator ingestion source and idempotency key are unique together.
Match formation source and idempotency key are unique together.
Match review source and idempotency key are unique together.
Campaign placement run idempotency is unique but business keys are not.
Wedding planner workspace advertiser id is unique.
Wedding planner economics handshake has unique idempotency and recommendation.
Female percentage is nullable.
There is no direct creator to advertiser foreign key.
Required foreign key indexes exist.

OPERATIONS CONTROLS - 25 TESTS

Budget, fleet lanes, lane tempo, and the subscription register.

Four scopes start without an invented ceiling.
A missing scope is not invented.
A ceiling without spend is not compared.
Spend at the ceiling degrades only that scope.
Spend under the ceiling stays open.
A partial ceiling is refused.
Budget source does not send.
A broken outreach lane does not stop the ocean.
A stopped creator fleet leaves the fishing fleet moving.
Every stopped lane does not claim the ocean is moving.
A missing lane is refused.
Fleet source does not send or invent a price.
Six lanes start without an invented ceiling.
Stopping one lane keeps the record and names no price.
A recorded ceiling is an operational limit.

A partial ceiling is refused.
Tempo source does not send.
Stored rows keep a missing cost unrecorded.
A missing service is not invented.
An operator cost does not become a purchase.
A partial cost is refused.
An incomplete paid review purchases nothing.
A complete review stays not proposed.
A rejected duplicate is not bought.
Register source does not send or price with a symbol.

ACQUISITION DEMONSTRATIONS - 166 TESTS

Local proofs for discovery, media, delivery, marketplace, and progression. Nothing is sent.

A page open is recorded without naming a watcher.
An opinion is not an event.
A delivery claim is not recorded.
A named watcher is refused.
A blank kind asks for the catalog.
A public source is stored once and a duplicate url is not a second prospect.
A named public source below 100 is preserved.
A blank name and a missing source are refused.
The reading counts only stored public sources.
A missing list is refused.
Discovery source does not crawl or send.
An explanation answers and then advances in one voice.
A price question advances without a number.
A verified name is the address and a title is not chosen.
A local read records the clock and claims nothing.
A blank name is kept as a partial failure and the other prospect remains.
A message that names another prospect is leakage.
A missing list a negative clock and a third attempt are refused.
Measurement source does not claim hosted scale.
An approved alternate is the evaluator result.
Equal scores break the tie by name.
No approved alternate keeps the advertiser.
A missing or inactive opportunity names nobody.
Rematch source calls the accepted evaluator.
A closed reading stores zero configured models and the measured calls.
A repeat does not raise the stored model calls.

Configuring a model traffic or an engagement count is refused.

A laboratory result that does not match its counts is refused.

Closed model source does not name a provider or a call.

A public marketing road is discovered and not eligible to send.

A road without a public source is rejected.

Suppression keeps a new road ineligible.

Suppression stale evidence and a missing road withhold the route.

A current preview uses the provider neutral adapter and does not send.

An explicit transmission request is recorded once and not sent.

A missing list is refused.

Route source does not transmit.

Every persona scenario passes without a behavior change.

The unverified price scenario states no number.

A stale fixture name is not spoken and the economics fixture is the only number.

Laboratory source calls the production replies.

A coverage week stores the measured market and adds none.

An empty library stores zero and a repeat does not add a market.

A missing market and a qualified slice without a market are refused.

Week source does not invent a market or a census.

A pair of four with creator approval is accepted.

The other balanced pairs are accepted with approval(pair: 2).

The other balanced pairs are accepted with approval(pair: 6).

Creator refusal withholds a balanced pair.

A two over four stack is refused even with approval.

Eight slots are not a balanced pair.

A missing approval is refused.

Stored rows keep their titles and do not become a pair.

Inventory source does not send or invent a price.

Dental prospect identifies a likely buying role.

Unsupported name is rejected and stays unverified.

Official and professional evidence with company contact is medium tier two.

Official and professional evidence with direct contact is high.

Directory only stays low and is not personalized.

Marketing contact without a person uses tier three.

Stale high confidence requires reverification.

Personalized reply uses the recorded name and stays unsent.

Stale reply does not use the personal name.

A missing road is withheld.

Suppression comes before the adapter.

An unapproved policy or adapter is withheld.

The preview adapter prepares a copy and does not transmit.
Preview adapter source has no transmitter.
An empty history is accepted and stays unrecorded.
A stored actual is cited and a repeat does not reprice.
Repricing settlement and an invented amount are refused.
Acceptance source does not reprice or settle.
A missing result states no number.
An accepted result is the only number.
Ask Alpha speaks the accepted amount and refuses without one.
A preserved business and a checked recipe pass without a price.
A qr that leaves the page is an exception.
A preserved business with a demonstration is an exception.
Overlay 1 does not require a permanent composite.
A missing flattened composite is an exception for an older picture.
Excess legitimate prospects stay queued and none are discarded.
A larger opening count does not invent prospects.
A missing capacity is refused.
Flow source does not send.
External reading waits until a production event exists.
A page open sets the next action and invents no cost.
An untrusted excerpt is not copied into the reading.
Suppression is friction and the source does not call a model.
A development reading does not claim hosted acceptance.
Satisfied gates still leave hosted acceptance unclaimed.
A hosted claim and a missing environment are refused.
Hosted source does not claim a deployment.
A graduated laboratory appends a research note and leaves production.
The same note is not appended again.
Traffic a production change and a failed laboratory are refused.
Another prospect note is not shown.
Learning source does not configure grooming models.
Stored advertiser rows ahead of stored creator rows are not a census.
Equal stored counts are level.
Stored creator rows ahead of stored advertiser rows.
A missing count is not treated as zero.
A blank stored name is skipped.
Balance source does not invent a price or send.
A qualified pair keeps the evaluator result and does not claim a win.
An approved evaluator result is copied and still is not a win.
A preserved advertiser and a duplicate pair do not call the evaluator.

A tenant reading hides the other advertiser.
Handoff source uses the accepted evaluator and does not score.
A marketplace reading stores measured counts and leaves revenue unrecorded.
An empty marketplace stores zero and a repeat does not raise the count.
A revenue amount and an added slot are refused.
A stored revenue row is counted without copying an amount.
Metrics source does not invent revenue or a census.
A price question is not a negotiation.
No approved quote states no number.
Below the floor names the floor and does not write the proposal.
Above the envelope does not raise the price.
An in range proposal waits for the ledger total.
A negotiation without one amount explains the envelope.
A human request stays a human request.
A named public business in an initial market passes.
A named public business outside the initial markets is preserved.
Missing public source does not pass and does not invent a name.
Restaurant overlay uses the market language.
Red stops the prohibited action and keeps the record.
Yellow keeps a preserved business.
Green moves to the next authorized action and does not send.
Progression source does not send.
A restaurant recipe matches the page qr and the disclosure.
A qr that leaves the prospect page fails qa.
A recipe that names a person fails qa and is not a composite.
The player source does not send or call a model.
Four stored advertisers leave two slots open in a pair of six.
A full pair still allows open slots.
Creator refusal withholds the rotation and keeps the open slots.
A missing list is not treated as zero advertisers.
Extra advertisers and a missing approval are refused.
A blank name is skipped and a repeat is kept once.
Preview does not claim a rotation.
Rotation source does not send or invent a price.
A later period keeps the open slots and records no revenue.
A withheld decision keeps the open count and a repeat does not fill.
A filled slot and a revenue amount are refused.
Period source does not invent a census or a price.
One hundred checks pass and are not claimed as stored prospects.
Ten thousand checks are measured and still not claimed.

A rung outside the ladder is refused.
Scale source does not call a model or send.
A fingerprinted slice covers only its stored market.
A missing fingerprint is not counted as coverage.
A blank market is not invented.
Missing provenance and a missing list are refused.
Coverage source does not send or download.
Renamed exact duplicate earns no quota credit.
Near duplicate frame earns no quota credit.
Usable unique slice earns one credit.
Short clip is rejected and creates replacement pressure.
Pharmacy buying roles include a marketing manager.
Unsupported name is not treated as a verified person.
Pricing question does not invent a price.
Human request escalates and does not mark a win.
A discovered business without an accepted result stays asleep.
Suppression comes before a campaign.
An accepted result without an advertiser opens no campaign.
An accepted result and an advertiser wake the planner.
Wake source does not plan with a model.

HTTP API - 161 TESTS

The same rules exercised through the Bliss API, including Creative Academy, Economics, hosted posture, and Wedding Planner.

An opinion is refused and a page open is stored.
A public source is written once and the reading counts stored rows.
Ask Alpha answers then advances and repeats a studied answer.
A local batch is measured once and a retry is a second row.
Approved alternate matches the evaluator and sends nothing.
No approved alternate keeps the advertiser.
A missing opportunity names nobody.
A closed reading matches the laboratory and does not configure a model.
Public roads stay ineligible and suppression sends nothing.
A transmission request is audited once and the route stays unsent.
The laboratory passes and does not write the prospect.
A coverage week matches the fuel reading and does not add a market.
The curriculum is judged once, stores 9 lessons, and does not send. A second store is a duplicate.
Campaign-ready returns 400.
The production brief uses the pharmacy anchor without generating an advertisement.

Both final gates must pass, and eligibility still does not send.

A client can enter only a store name and niche to prepare the recipe. Automotive service selects Taller Ruta.

The old generate flag fails closed until a production model is configured.

The installed creator reports the missing provider without calling a model. The status is PROVIDER_CONFIGURATION_REQUIRED.

A configured test provider stores one idempotent draft, status GENERATED_PENDING_REVIEW, serves the PNG, and keeps it unsent.

The creator does not generate a queued niche with an unrelated teacher. Auto-parts never reaches the provider.

A human decision stays in its workspace and does not write a match.

A pair reading does not rewrite stored slots.

Public evidence can raise confidence without sending.

Secret file supplies the connection without writing appsettings.

Secret file refuses a path inside the application directory.

Secret file refuses an inline value and a file together.

Secret file refuses a missing or empty file without echoing a value.

Migration command is explicit and does not claim acceptance.

Design time connection uses the external value when it is set.

Publish scanner rejects a secret left in the output.

VerifyFull rehearsal refuses without the local opt in.

Container contract does not embed a secret.

Reference endpoints return structured provenance.

Economics reference routes do not expose generic writes or quotes.

Snapshot endpoints return versioned metrics and provenance.

Snapshot routes are read only.

Phase3 endpoints return versioned sourced context.

Phase3 routes are read only.

Recommendation endpoint returns and replays explainable range.

Recommendation endpoint rejects unknown inputs.

Quote api requires explicit human approval before acceptance.

Compensation api returns versioned non settlement illustration.

Research api stages then human promotes public evidence.

Research api rejects ai verified claim.

Planner requests and reads explainable economics result.

Advertiser handshake is tenant scoped and direct economics write stays forbidden.

Historical learning api appends actuals and campaign snapshot.

Historical api rejects unknown measurements.

Owner acceptance cites no amount when history is empty.

A stored placement actual is cited and the recommendation stays.

Ask Alpha says only an accepted economics amount.
Preview adapter marks one road eligible and transmits nothing.
A batch counts a preserved business and a produced recipe.
Reading fleets keeps a broken lane from stopping the ocean.
Regulating flow keeps every stored prospect.
Root serves the public bliss chapel experience.
Operations route preserves the internal console.
Css", mediaType: "text/css").
Js", mediaType: "text/javascript").
Css", mediaType: "text/css").
Js", mediaType: "text/javascript").
Client routes fall back to the dashboard.
Research reads production events and leaves the prospect unchanged.
The reading stores the process posture and does not claim hosted acceptance.
Stopping outreach leaves discovery moving and preserves the prospect.
A research note stays with its prospect and does not change production.
Balance reads stored rows and leaves revenue unrecorded.
A qualified advertiser is handed once and stays inside its tenant.
A marketplace reading matches stored rows and does not record revenue.
Ask Alpha negotiates only inside the economics envelope.
Responses include generated and accepted request ids.
Invalid request ids are replaced.
Write throttle events appear on runtime status.
Evaluation export is a summary pack with request id.
Unknown ledger is rejected.
Match case file includes related evaluations without snapshots.
Missing match case file is not found.
Creator case file includes related matches without snapshots.
Missing creator case file is not found.
Campaign case file includes planned placements without snapshots.
Missing campaign case file is not found.
Ledger pack digest covers records and ignores export metadata.
Match creator and campaign packs include stable content digests.
Missing or unsupported exports omit content digest.
Sha256 hex is lowercase and stable.
Exported ledger and case packs verify as matched.
Tampered pack is reported as mismatch.
Unsupported or invalid packs are rejected.
Verification receipt includes correlation and event detail.
Mismatch receipt still records detail without storing the pack.

Status exposes the last verification receipt without the pack.

Status keeps recent verification receipts without the pack.

Verification history drops receipts beyond the limit.

Development does not require hosted production settings.

Production accepts a hosted ssl identity and encrypted key declaration.

Production rejects database tls that does not verify the server name(ssl: "SSL Mode=Require").

Production rejects database tls that does not verify the server name(ssl: "SSL Mode=VerifyCA").

Production rejects database tls that does not verify the server name(ssl: "SSL Mode=VerifyFull;Trust Server Certificate=true").

Production rejects unsafe database settings(connectionString: "Host=localhost;Port=5432;Database=bliss;Username=b"..., expected: "Loopback").

1;Port=5432;Database=bliss;Username=b"..., expected: "Loopback").

Test;Port=5432;Database=bl"..., expected: "SSL Mode").

Test;Port=5432;Database=bl"..., expected: "secret store").

Production rejects a missing database password without echoing it.

Test").

Production rejects a non hosted identity provider(authority: "https://localhost/realms/bliss"). 1/realms/bliss").

Production rejects placeholder and committed secrets.

Production rejects duplicate roles missing backup and loopback proxies.

Production rejects a key ring that is not encrypted.

Committed appsettings do not contain secrets.

Certificate loader rejects a wrong password without echoing it.

Request log records the path and omits the query.

Userinfo role array grants admin write and review.

Userinfo reviewer string cannot write.

Json array role claim is normalized before authorization.

Cookie alignment honors framework role claims.

OpenIdConnect userinfo event applies roles.

Development posture is anonymous and does not claim production.

Production probes distinguish process database and posture.

Persisted keys are encrypted and round trip on a second process.

Liveness stays available under a small concurrent probe.

Production startup rejects an unencrypted key ring.

Backup drill refuses without an explicit local opt in.

Campaigns and networks return phase2 records.

Evaluate rules returns bad request for phase1 rule without document.

Evaluation runs are visible and match history is listed.

Evaluate rules appends a run visible on the api.

Post then replay returns created then ok with same run.

Invalid observation returns bad request.
Post then replay exposes one formation and evaluated match.
Invalid reference returns bad request without formation.
Queue lists review required and approve then replay are idempotent.
Created match cannot be approved.
Post then replay exposes one planned binding.
Nonapproved match returns bad request.
Development session explicitly reports open mode.
Authenticated identity replaces submitted operator label.
Anonymous api access is rejected when oidc is enabled.
Roles and csrf both gate operator writes.
Liveness and database readiness are machine readable.
Security headers are applied without server disclosure.
Controlled writes are rate limited per runtime policy.
A named public business below 100 is kept without a demonstration.
Studio slice duplicate and pharmacy page keep the quota and contact rules.
Discovery requires a public source then one demonstration stays unsent.
A prospect is stored in the bliss database.
An existing file is copied once and then the database is read.
Green yellow and red leave the prospect on the record.
Produce stores overlay 1 and serves the player.
A rotation leaves open slots and does not rewrite inventory.
A later period stores the measured slots and does not fill them.
The ladder is measured without changing the prospect.
A studio slice covers its stored market and a duplicate does not.
The register starts unpriced and a reached ceiling degrades one scope.
Authorized advertiser can open session and resume durable messages.
Invalid ids and ai actors fail safely.
Anonymous and cross tenant access are rejected.
Phase1 source does not invoke ai or alpha auto.
Discovered businesses stay asleep and open no workspace.
An accepted quote wakes the existing planner once.
An unaccepted quote and suppression leave the planner asleep.

WEDDING PLANNER APPROVAL - 5 TESTS

Human creative approval stays inside its workspace and calls no model.

A human approval is not campaign ready and calls no model.
A withhold stays withheld and a repeat does not ask again.
A model a campaign and a discovered business are refused.

Another workspace decision is not shown.

Creative source does not call a matcher or a model.

Boundaries that stayed closed

No message was sent. No campaign was approved. No price was invented. Hosted acceptance was not claimed. Delivery remains NOT_SENT.