

Advanced Search



Medical Policy Bulletin

Title:

Genetic Testing (AmeriHealth Administrators)

Policy #:

06.02.35ao

The Company makes decisions on coverage based on Policy Bulletins, benefit plan documents, and the member's medical history and condition. Benefits may vary based on contract, and individual member benefits must be verified. The Company determines medical necessity only if the benefit exists and no contract exclusions are applicable.

When services can be administered in various settings, the Company reserves the right to reimburse only those services that are furnished in the most appropriate and cost-effective setting that is appropriate to the member's medical needs and condition. This decision is based on the member's current medical condition and any required monitoring or additional services that may coincide with the delivery of this service.

This Medical Policy Bulletin document describes the status of medical technology at the time the document was developed. Since that time, new technology may have emerged or new medical literature may have been published. This Medical Policy Bulletin will be reviewed regularly and be updated as scientific and medical literature becomes available. For more information on how Medical Policy Bulletins are developed, go to the Policy Types and Descriptions section of this Medical Policy Web site.

Policy

Coverage is subject to the terms, conditions, and limitations of the member's contract.

This policy only applies to members for whom AmeriHealth Administrators serves as the claims administrator and whose group has not enrolled in the UM vendor program. For those groups who have been given the option to enroll in the UM vendor program, this policy is no longer applicable upon their renewal effective date. Individual member benefits must be verified before/prior to providing services.

The intent of this policy is to communicate the coverage positions for genetic testing.

For information on policies related to this topic, refer to the Cross References section in this policy.

Refer to Attachment A for a list of codes and services that may represent medically necessary genetic testing and may be covered for an individual when the testing has a direct effect on the management and clinical care of the individual being tested.

Refer to Attachment B for a list of codes and services that may represent medically necessary genetic testing and may be covered for an individual when the testing has a direct effect on the management and clinical care of the individual being tested and if test-specific criteria are met.

Refer to Attachment C for a list of codes and services that represent genetic testing for indications that the Company considers experimental/investigational. The peer-reviewed literature does not support at least one of the following for the testing:

The analytical validity and/or

- The clinical validity and/or
- Direct effect on the management and clinical care of the individual being tested based upon the test's results (i.e. clinical utility).

Any genetic testing not addressed in this policy may be considered medically necessary, and, therefore, covered when all of the following criteria are met:

- The testing is used for individuals at risk by pedigree for a specific hereditary disease among other physiological and environmental factors, and when this testing is intended for screening, diagnosis, prognosis, predictive testing (pharmacogenomic), risk assessment, neonatal screening, and reproductive decision-making.
- The analytical (technical) validity of the test has been confirmed (e.g., reliability and repeatability of the test are established through standard protocols).
- Biological and clinical validity, (i.e. genotype to phenotype correlation), of the test have been established through the peerreviewed literature.
- Peer-reviewed support and data establish the objective effect(s) of the test results on direct management and care of the individual for all applicable indications and clinical situations to verify clinical utility of the test.

When a benefit exists, genetic testing is an eligible service for individuals who have a Company benefit and the genetic testing is used only for the covered individual's clinical benefit. Testing of associated family members, without a Company benefit, is not eligible for reimbursement.

REQUIRED DOCUMENTATION

The individual's medical record must reflect the medical necessity for the care provided. These medical records may include, but are not limited to: records from the professional provider's office, hospital, nursing home, home health agencies, therapies, and test reports.

The Company may conduct reviews and audits of services to our members, regardless of the participation status of the provider. All documentation is to be available to the Company upon request. Failure to produce the requested information may result in a denial for the service.

BILLING REQUIREMENTS

The "stacking code" method (and associated modifiers usage) of reporting genetic testing should not be used, since these codes and modifiers have been retired as of 01/01/2013. Where available, the most specific CPT or HCPCS codes must be used for billing.

The specific genetic test(s) being performed should be reported when using CPT codes 81400-81408.

Guidelines

BENEFIT APPLICATION

Subject to the terms and conditions of the applicable benefit contract, genetic testing is covered under the medical benefits of the Company's products when the medical necessity criteria listed in this medical policy are met.

However, services that are identified in this policy as experimental/investigational OR not medically necessary are not eligible for coverage or reimbursement by the Company.

US FOOD AND DRUG ADMINISTRATION STATUS

Genetic testing is a laboratory procedure and is historically not regulated by the US Food and Drug Administration (FDA). Clinical Laboratory Improvement Amendments (CLIA) establishes quality standards for all laboratory testing. However, recently, the FDA is reported to be involved in the evaluation of the service of genetic testing.

Description

Genetic testing identifies changes in chromosomes, genes, or proteins. The term "genetic testing" covers an array of techniques, including analysis of deoxyribonucleic acid (DNA), ribonucleic acid (RNA), genes, or gene products (e.g., enzymes and other types of protein).

Genetic testing is performed for a variety of intended uses:

- Diagnostic testing (to diagnose disease)
- Predictive testing (generally performed to gather genetic data that can assist in clinical management, including therapeutic decisions for an individual)
- Pre-symptomatic genetic testing (to predict future disease)
- · Carrier testing (to identify carriers of genetic mutations)
- Prenatal testing (offered during pregnancy to identify fetuses that have certain diseases)
- Pre-implantation genetic testing (done in conjunction with in vitro fertilization to determine whether embryos for implantation carry genes that could cause disease)
- Newborn screening (to test newborns shortly after birth to determine whether they have certain diseases known to cause problems with health and development)
- Pharmacogenetic testing (to determine the likelihood of an individual being responsive to a particular drug and/or to predict serious toxicity from a drug in order to optimize drug selection or drug dosage)
- Research genetic testing (used to help with research and development of gene-based therapy).

The Centers for Disease Control and Prevention (CDC) Office of Public Health Genomics helped to establish and support the ACCE Model Project, which has become the standard for evaluating scientific data on new genetic tests. The ACCE Model System* for Collecting, Analyzing and Disseminating Information on Genetic Tests provides an evaluation framework that is applicable to a variety of genetic tests. The Evaluation of Genomic Applications in Practice and Prevention (EGAPP) used the ACCE framework and established this process as a way of evaluating an evidence-based method for assessing genetic tests and other types of genomic technology as it has transitioned from the research arena to the practice arena. The ACCE evaluation framework examines:

- Analytical validity: Measures the specific genotypic test performance characteristics and whether the test accurately and reliably detects the gene marker(s) of interest. This refers to how well a test performs in the laboratory and how well the test measures the property or characteristic it is intended to measure. If the test does what its makers claim, it must produce the same results repeatedly and in different laboratories given the same set of procedures.
- Clinical validity: Refers to the associations of the test result(s) with patient outcomes of interest, and may be expressed as clinical sensitivity, specificity, and predictive value for the outcome. Evidence is usually retrospective. This component refers to the accuracy with which a test predicts the presence or absence of a clinical condition or predisposition. Initially, the test has to be conducted on individuals who are known to have the condition (as well as those who do not) to determine its success rate.
- Clinical utility: Clinical utility determines whether the use of genetic testing to modify medical management decisions improves patient outcomes. Best evidence is prospective, from randomized clinical trials of standard management procedures versus genetic test--directed management. Evidence may also be derived using banked samples from already completed clinical trials, or by constructing an indirect chain of evidence linking test results to clinical outcome. If a test has utility, it means that the result (positive or negative) provides information that can be used in the formulation of an effective treatment or preventive strategy.
- Ethical, Legal, and Social Implications: Determines what, if any, ethical, legal, or social implications may arise from the use of this test and its results.

*From: Haddow JE, Palomaki GE. ACCE: A Model Process for Evaluating Data on Emerging Genetic Tests. In: *Human Genome Epidemiology: A Scientific Foundation for Using Genetic Information to Improve Health and Prevent Disease.* Khoury M, Little J, Burke W (eds.), Oxford University Press, pp. 217-233, 2003.

References

Abraham JE, Maranian MJ, Driver KE, et al. CYP2D6 gene variants: association with breast cancer specific survival in a cohort of breast cancer patients from the United Kingdom treated with adjuvant tamoxifen. *Breast Cancer Res.* 2010;12(4):R64.

ACOG Committee on Genetics. ACOG Committee Opinion no. 442: Preconception and prenatal carrier screening for genetic diseases in individuals of Eastern European Jewish descent. *Obstet Gynecol.* 2009;114(4):950-953.

Aisenberg AC, Krontiris TG, Mak TW, Wilkes BM. Rearrangement of the gene for the beta chain of the T-cell receptor in T-cell chronic lymphocytic leukemia and related disorders. *N Engl J Med.* 1985;313(9):529-533.

American College of Medical Genetics (ACMG). Evaluation of the newborn with single or multiple congenital anomalies: a clinical guideline. American college of Medical Genetics Foundation Clinical Guidelines Project, sponsored by New York State Department of Health. 1999.

American College of Obstetricians and Gynecologists Committee on Genetics. Update on carrier screening for cystic fibrosis. *Obstet Gynecol.* 2005;106(6):1465-1468.

American College of Obstetricians and Gynecologists Committee on Genetics. ACOG Committee Opinion No. 486: Update on carrier screening for cystic fibrosis. *Obstet Gynecol.* 2011;117(4):1028-1031.

American College of Obstetricians and Gynecologists Committee on Genetics. ACOG Committee Opinion No. 469: Carrier screening for fragile X syndrome. *Obstet Gynecol.* 2010;116(4):1008-1010.

American Thoracic Society; European Respiratory Society (ATS and ERS). American Thoracic Society/European Respiratory Society statement: standards for the diagnosis and management of individuals with alpha-1 antitrypsin deficiency. *Am J Respir Crit Care Med.* 2003;168(7):818-900.

American Thoracic Society; European Respiratory Society. American Thoracic Society/European Respiratory Society statement: standards for the diagnosis and management of individuals with alpha-1 antitrypsin deficiency. Am J Respir Crit Care Med. 2003;168(7):818-900.

Antin JH, Childs R, Filipovich AH, et al. Establishment of complete and mixed donor chimerism after allogeneic lymphohematopoietic transplantation: recommendations from a workshop at the 2001 Tandem Meetings of the International Bone Marrow Transplant Registry and the American Society of Blood and Marrow Transplantation. *Biol Blood Marrow Transplant*. 2001;7(9):473-485.

Arcese W, Rocha V, Labopin M, et al. Unrelated cord blood transplants in adults with hematologic malignancies. *Haematologica*. 2006; 91(2):223-230.

Asou N, Kishimoto Y, Kiyoi H, et al. A randomized study with or without intensified maintenance chemotherapy in patients with acute promyelocytic leukemia who have become negative for PML-RARalpha transcript after consolidation therapy: the Japan Adult Leukemia Study Group (JALSG) APL97 study. *Blood*. 2007;110:59-66.

Bacon BR, Adams PC, Kowdley KV, et al. Diagnosis and management of hemochromatosis: 2011 Practice Guideline by the American Association for the Study of Liver Diseases. *Hepatology*. 2011;54(1):328-343.

Bauer T, Bouman HJ, van Werkum JW, et al. Impact of CYP2C19 variant genotypes on clinical efficacy of antiplatelet treatment with clopidogrel: systematic review and meta-analysis. *BMJ*. 2011;343:d4588.

Bobadilla JL, Macek M, Jr, Fine JP, Farrell PM. Cystic fibrosis: a worldwide analysis of CFTR mutations--correlation with incidence data and application to screening. *Hum Mutat.* 2002;19(6):575-606.

Brüggemann M, White H, Gaulard P, et al. Powerful strategy for polymerase chain reaction--based clonality assessment in T-cell malignancies Report of the BIOMED-2 Concerted Action BHM4 CT98-3936. *Leukemia*. 2007;21(2):215-221.

Bryant E, Martin PJ. Documentation of engraftment and characterization of chimerism following hematopoietic cell transplantation. In: Forman S, Blune K, Thomas ED, eds. *Thomas' Hematopoietic Cell Transplantation*. 2nd ed. Malden, MA: Blackwell Science, 1998.

Carter NP. Methods and strategies for analyzing copy number variation using DNA microarrays. Nat Genet. 2007;39(7 Suppl):S16-21.

Chung WH, Hung SI, Chen YT. Human leukocyte antigens and drug hypersensitivity. *Curr Opin Allergy Clin Immunol.* 2007;7(4):317-323.

Cortes JE, Talpaz M, Beran M, et al. Philadelphia chromosome-negative chronic myelogenous leukemia with rearrangement of the breakpoint cluster region. Long-term follow-up results. *Cancer.* 1995;75(2):464-470.

Cuppens H, Cassiman JJ. CFTR mutations and polymorphisms in male infertility. Int J Androl. 2004;27(5):251-256.

De Stefano V, Martinelli I, Mannucci PM, et al. The risk of recurrent deep venous thrombosis among heterozygous carriers of both factor V leiden and the G20210A prothrombin mutation. *N Engl J Med.* 1999;341(11):801-806.

Eapen M, Rubinstein P, Zhang MJ, et al. Outcomes of transplantation of unrelated donor umbilical cord blood and bone marrow in children with acute leukaemia: a comparison study. *Lancet*. 2007;369(9577):1947-1954.

Edelmann L, Wasserstein MP, Kornreich R, et al. Maple syrup urine disease: identification and carrier-frequency determination of a novel founder mutation in the Ashkenazi Jewish population. *Am J Hum Genet*. 2001;69(4):863-868.

Fares F, Badarneh K, Abosaleh M, et al. Carrier frequency of autosomal-recessive disorders in the Ashkenazi Jewish population: should the rationale for mutation choice for screening be reevaluated? *Prenat Diagn*. 2008;28(3):236-241.

Field PD, Martin NJ. CFTR mutation screening in an assisted reproductive clinic. *Aust N Z J Obstet Gynaecol.* 2011. Aug 22. doi: 10.1111/j.1479-828X.2011.01348.x. [Epub ahead of print].

Flomenberg N, Baxter-Lowe LA, Confer D, et al. Impact of HLA class I and class II high-resolution matching on outcomes of unrelated donor bone marrow transplantation: HLA-C mismatching is associated with a strong adverse effect on transplantation outcome. *Blood*. 2004; 104(7):1923-1930.

Fregonese L, Stolk J. Hereditary alpha-1-antitrypsin deficiency and its clinical consequences. *Orphanet J Rare Dis.* 2008;3:16.

Food and Drug Administration (FDA). 510(k) substantial equivalence determination decision summary (K063498). Available at: www.fda.gov. Accessed March 2012.

García-Castillo H, Barros-Núñez P. Detection of clonal immunoglobulin and T-cell receptor gene recombination in hematological malignancies: monitoring minimal residual disease. *Cardiovasc Hematol Disord Drug Targets*. 2009;9(2):124-135.

Gaultney JG, Sanhueza E, Janssen JJ, et al. Application of cost-effectiveness analysis to demonstrate the potential value of companion diagnostics in chronic myeloid leukemia. *Pharmacogenomics*. 2011;12(3):411-421.

Global Initiative for Chronic Obstructive Lung Disease. Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease. Revised 2011.

Gøtzsche PC, Johansen HK. Intravenous alpha-1 antitrypsin augmentation therapy for treating patients with alpha-1 antitrypsin deficiency and lung disease. *Cochrane Database Syst Rev.* 2010;(7):CD007851.

Griesser DH. Analyses of the rearrangement of T-cell receptor and immunoglobulin genes in the diagnosis of lymphoproliferative disorders. *Veroff Pathol.* 1995;144:1-109.

Grignani F, Ferrucci PF, Testa U, et al. The acute promyelocytic leukemia-specific PML-RAR alpha fusion protein inhibits differentiation and promotes survival of myeloid precursor cells. *Cell.* 1993;74:423-431.

Grody WW, Griffin JH, Taylor AK, et al. American College of Medical Genetics Consensus Statement on Factor V Leiden Mutation Testing. American College of Medical Genetics. Available at http://www.acmg.net/StaticContent/StaticPages/Factor_V.pdf. Accessed July 31, 2013.

Gross SJ, Pletcher BA, Monaghan KG, Professional Practice and Guidelines Committee. Carrier screening in individuals of Ashkenazi Jewish descent. *Genet Med.* 2008;10(1):54-56.

Haddow JE, Palomaki GE. ACCE: A Model Process for Evaluating Data on Emerging Genetic Tests. In: *Human Genome Epidemiology: A Scientific Foundation for Using Genetic Information to Improve Health and Prevent Disease*. Khoury M, Little J, Burke W (eds.), Oxford University Press, pp. 217-233, 2003.

Hadithi M, von Blomberg BM, Crusius JB, et al. Accuracy of serologic tests and HLA-DQ typing for diagnosing celiac disease. *Ann Intern Med.* 2007;147(5):294-302.

Hantash FM, Olson SC, Anderson B, et al. Rapid one-step carrier detection assay of mucolipidosis IV mutations in the Ashkenazi Jewish population. *J Mol Diagn.* 2006;8(2):282-287.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; Angelman Syndrome (AS). November 2008.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Ashkenazi Jewish Genetic Carrier Screening Panel. Lansdale, PA: Hayes, Inc.; February 2009.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). BRAF p.Val600Glu (V600E) Testing for Assessment of Treatment Options in Metastatic Colorectal Cancer. Lansdale, PA: Hayes, Inc.; March, 2010.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). BreastNext™ Next-Gen Cancer Panel. Lansdale, PA: Hayes, Inc.; May, 2012.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Brugada Syndrome. Lansdale, PA: Hayes, Inc.; September 2010.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). CancerNext™ Next-Gen Cancer Panel. Lansdale, PA: Hayes, Inc.; November, 2012.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Charcot-Marie-Tooth Type 1A (PMP22). Lansdale, PA: Hayes, Inc.; August 2008.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Comparative Genomic Hybridization (CGH) Microarray Testing for Chromosomal Imbalances. Lansdale, PA: Hayes, Inc.; April, 2010.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). ColoNext™. Lansdale, PA: Hayes, Inc.; June, 2012.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Counsyl Universal Genetic Test. Lansdale, PA: Hayes, Inc.; September, 2012.

Hayes, Inc. Hayes Genetic Test Evaluation (Synopsis). Cystic Fibrosis Transmembrane Regulator (CFTR) Testing for Cystic Fibrosis (CF). Lansdale, PA: Hayes, Inc.; August, 2011.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). CYP2C19 Genotyping to Predict Response to Clopidogrel. Lansdale, PA: Hayes, Inc.; November, 2010.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). CYP2D6 Genotyping for Dose Management of Tamoxifen. Lansdale, PA: Hayes, Inc.; September, 2008.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). CYP2C9 and VKORC1 Variant Testing for Management of Warfarin Dose

Initiation. Lansdale, PA: Hayes, Inc.; June, 2008.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Epidermal Growth Factor Receptor (EGFR) Sequence Variant Analysis for Predicting Response to Non-Small Cell Lung Cancer (NSCLC) Drug Therapy. Lansdale, PA: Hayes, Inc.; February, 2012.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Factor V Leiden (FVL) for Risk Assessment for Venous Thromboembolism (VTE) or Obstetric Complications. Lansdale, PA: Hayes, Inc.; October, 2008.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Fragile X Syndrome (FMR1). Lansdale, PA: Hayes, Inc.; August, 2008.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; GJB2 (Connexin 26) and GJB6 (Connexin 30) Sequence Variant Analysis for Nonsyndromic Hearing Loss. June 2010.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Genetic Carrier Testing for Cystic Fibrosis. Lansdale, PA: Hayes, Inc.; June, 2004.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; Genetic Testing for Lynch Syndrome (Hereditary Non-Polyposis Colorectal Cancer [HNPCC]). August 2009.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). HFE-Associated Hereditary Hemochromatosis (HFE-HHC). Lansdale, PA: Hayes, Inc.; June, 2008.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; HLA-B*5701 Screening for Abacavir (Ziagen®) Hypersensitivity in HIV Patients. November 2011.

Hayes, Inc. Hayes Genetic Test Evaluation (Synopsis). Immunoglobulin Heavy Variable Group (IgHV) Gene Testing in Chronic Lymphocytic Leukemia (CLL). Lansdale, PA: Hayes, Inc.; September, 2010.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; JAK2 Mutations for Chronic Myeloproliferative Disorders. February 2008.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; KRAS Sequence Variant Analysis for Non-Small Cell Lung Cancer (NSCLC). October 2008.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; KRAS Sequence Variant Analysis for Predicting Response to Colorectal Cancer Drug Therapy. November 2008.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; MECP2 Testing for Rett Sydrome and Other Disorders. January 2011.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; Methylenetetrahydrofolate Reductase (MTHFR) C677T for Risk Assessment for Venous Thromboembolism (VTE) or Obstetric Complications. October 2011.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Mitochondrial DNA (mtDNA) Whole-Genome Scanning/Sequencing. Lansdale, PA: Hayes, Inc.; April, 2010.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). MitoMet® Mitochondrial/Metabolic Microarray Analysis. Lansdale, PA: Hayes, Inc.; October, 2012.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). OvaNext™ Next-Gen Cancer Panel. Lansdale, PA: Hayes, Inc.; September, 2012.

Hayes, Inc. Hayes Genetic Test Evaluation (Report). Prothrombin G20210A for Risk Assessment for Venous Thromboembolism (VTE) or Obstetric Complications. Lansdale, PA: Hayes, Inc.; October, 2008.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; Prader-Willi Syndrome (PWS). October 2008.

Hayes, Inc. Hayes Genetic Test Evaluation (Synopsis). Single Nucleotide Polymorphism (SNP) Chromosomal Microarray Analysis for Intellectual Disability, Developmental Delay, and/or Multiple Congenital Anomalies. Lansdale, PA: Hayes, Inc.; August, 2011.

Hayes, Inc. Hayes Genetic Testing Evaluation (Report). Lansdale, PA: Hayes, Inc.; UGT1A1 Sequence Variant Testing for Predicting Response to Irinotecan Therapy in Colorectal Cancer. February 2010.

Heim RA, Sugarman EA, Allitto BA. Improved detection of cystic fibrosis mutations in the heterogeneous U.S. population using an expanded, pan-ethnic mutation panel. *Genet Med.* 2001;3(3):168-176.

Hodges E, Krishna MT, Pickard C, Smith JL. Diagnostic role of tests for T cell receptor (TCR) genes. J Clin Pathol. 2003;56(1):1-11.

Hodges E, Williams AP, Harris S, Smith JL. T-cell receptor molecular diagnosis of T-cell lymphoma. *Methods Mol Med.* 2005;115:197-215.

Hughes T, Deininger M, Hochhaus A, et al. Monitoring CML patients responding to treatment with tyrosine kinase inhibitors: Review and recommendations for harmonizing current methodology for detecting BCR-ABL transcripts and kinase domain mutations and for expressing results. *Blood*. 2006;108(1):28-37.

Hurley C, Baxter-Lowe LA, Logan B, et al. National Marrow Donor Program HLA-matching guidelines for unrelated marrow transplants. *Biol Blood Marrow Transplant*. 2003;9(10):610-615.

Jabbour E, Branford S, Saglio G, et al. Practical advice for determining the role of BCR-ABL mutations in guiding tyrosine kinase inhibitor therapy in patients with chronic myeloid leukemia. *Cancer.* 2010;117(9):1800-1811.

Kaneko H, Kondo N. Clinical features of bloom syndrome and function of the causative gene, BLM helicase. *Expert Rev Mol Diagn.* 2004;4(3):393-401.

Katsibardi K, Moschovi MA, Braoudaki M, et al. Sequential monitoring of minimal residual disease in acute lymphoblastic leukemia: 7-year experience in a pediatric hematology/oncology unit. *Leuk Lymphoma*. 2010;51(5):846-852.

Köhnlein T, Welte T. Alpha-1 antitrypsin deficiency: pathogenesis, clinical presentation, diagnosis, and treatment. *Am J Med.* 2008;121(1):3-9.

Kristt D, Stein J, Yaniv I, Klein T. Assessing quantitative chimerism longitudinally: technical considerations, clinical applications and routine feasibility. *Bone Marrow Transplant*. 2007;39(5):255-268. Epub 2007 Jan 29.

Kaukinen K, Partanen J, Maki M, Collin P. HLA-DQ typing in the diagnosis of celiac disease. Am J Gastroenterol. 2002;97(3):695-699.

Kearney HM, South ST, Wolff DJ, et al. American College of Medical Genetics recommendations for the design and performance expectations for clinical genomic copy number microarrays intended for use in the postnatal setting for detection of constitutional abnormalities. *Genet Med.* 2011;13(7):676-9.

Kusic J, Radojkovic D, Maletic V, et al. Mutations and polymorphisms in CFTR genes in infertile men with oligospermia or azoospermia. *Srp Arh Celok Lek.* 2002;130(1-2):1-6.

Langlois S, Ford JC, Chitayat D, et al. Carrier screening for thalassemia and hemoglobinopathies in canada. *J Obstet Gynaecol Can.* 2008;30(10):950-971.

Laughlin MJ, Eapen M, Rubinstein P, et al. Outcomes after transplantation of cord blood or bone marrow from unrelated donors in adults with leukemia. *N Engl J Med.* 2004;351(22):2265-2275.

Lea A, Allingham-Hawkins D, Levine S. BRAF p.Val600Glu (V600E) testing for assessment of treatment options in metastatic colorectal cancer. *PLoS Curr.* 2010;2:RRN1187.

Lee JY, Chiong MA, Estrada SC, et al. Maple syrup urine disease (MSUD): clinical profile of 47 filipino patients. *J Inherit Metab Dis.* 2008;31(Suppl 2):281-285.

Lee SJ, Klein J, Haagenson M, et al. High-resolution donor-recipient HLA matching contributes to the success of unrelated donor marrow transplantation. *Blood*. 2007;110(13):4576-4583.

Li SX, Zhu HL, Guo B, DA WM. Application of short-tandem-repeat amplification and fluorescent-multiplex PCR for chimerism analysis. *Zhongguo Shi Yan Xue Ye Xue Za Zhi.* 2011;19(3):749-753.

Lo-Coco F, Ammatuna E. The biology of acute promyelocytic leukemia and its impact on diagnosis and treatment. *Hematology Am Soc Hematol Educ Program.* 2006:156-61, 514.

Mallal S, Phillips E, Carosi G. HLA-B*5701 screening for hypersensitivity to abacavir. N Engl J Med. 2008;358(6):568-579.

Mantadakis E, Samonis G, Kalmanti M. A comprehensive review of acute promyelocytic leukemia in children. *Acta Haematol.* 2008;119(2):73-82. Epub 2008 Feb 20.

Mao C, Liao RY, Qiu LX, et al. BRAF V600E mutation and resistance to anti-EGFR monoclonal antibodies in patients with metastatic colorectal cancer: a meta-analysis. *Mol Biol Rep.* 2011;38(4):2219-2223.

Mayo Clinic: Mayo Medical Laboratories. Alpha-1 antitrypsin: A comprehensive testing algorithm. Available at: mayomedicallaboraties.com. Accessed March 2012.

McGovern MM, Schuchman EH. Acid Sphingomyelinase Deficiency. 12/07/06. (updated June 25, 2009). Available at: http://www.ncbi.nlm.nih.gov/bookshelf/br.fcgi?book=gene&part=npab. Accessed July 31, 2013.

Megiorni F, Mora B, Bonamico M, et al. A rapid and sensitive method to detect specific human lymphocyte antigen (HLA) class II alleles associated with celiac disease. *Clin Chem Lab Med.* 2008;46(2):193-196.

Melo JV. The molecular biology of chronic myeloid leukaemia. Leukemia. 1996;10(5):751-756.

Michelson DJ, Shevell MI, Sherr EH, et al. Evidence Report: Genetic and metabolic testing on children with global developmental delay: Report of the Quality Standards Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. Neurology. 2011;77(17):1629-35.

Miller DT, Adam MP, Aradhya S, et al. Consensus statement: Chromosomal microarray is a first-tier clinical diagnostic test for individuals with developmental disabilities or congenital anomalies. *Am J Hum Genet*. 2010;86(5):749-764.

Monaghan KG, Feldman GL, Palomaki GE, Spector EB. Technical standards and guidelines for reproductive screening in the Ashkenazi Jewish population. *Genet Med.* 2008;10(1):57-72.

Morton DH, Strauss KA, Robinson DL, et al. Diagnosis and treatment of maple syrup disease: A study of 36 patients. *Pediatrics*. 2002;109(6):999-1008.

Moskowitz SM, Chmiel JF, Sternen DL, et al. Clinical practice and genetic counseling for cystic fibrosis and CFTR-related disorders. *Genet Med.* 2008;10(12):851-868.

National Institute of Health Research Portfolio Online Reporting Tool (RePORT). Genetic Testing: How it is used for healthcare. [NIH website]. Available at: http://report.nih.gov/NIHfactsheets/ViewFactSheet.aspx?csid=43&key=G#Gc. Accessed July 31, 2013.

Online Mendelian Inheritance in Man (OMIM) [website]. 2009. Available at: http://www.ncbi.nlm.nih.gov/sites/entrez?db=omim. Accessed July 31, 2013.

Pane F, Intrieri M, Quintarelli C, et al. BCR/ABL genes and leukemic phenotype: from molecular mechanisms to clinical correlations.

Oncogene. 2002;21(56):8652-8667.

Pfeifer JD, Zehnbauer B, Payton J. The changing spectrum of DNA-based specimen provenance testing in surgical pathology. *Am J Clin Pathol*. 2011;135(1):132-138.

Rachelefsky G, Hogarth DK. Issues in the diagnosis of alpha 1-antitrypsin deficiency. J Allergy Clin Immunol. 2008;121(4):833-838.

Rau R, Brown P. Nucleophosmin (NPM1) mutations in adult and childhood acute myeloid leukaemia: towards definition of a new leukaemia entity. *Hematol Oncol.* 2009;27(4):171-181.

Rezuke WN, Abernathy EC, Tsongalis GJ. Molecular diagnosis of B- and T-cell lymphomas: fundamental principles and clinical applications. *Clin Chem.* 1997;43(10):1814-1823.

Richards CS, Bradley LA, Amos J, et al. Standards and guidelines for CFTR mutation testing. Genet Med. 2002;4(5):379-391.

Roa BB, Savino CV, Richards CS. Ashkenazi Jewish population frequency of the bloom syndrome gene 2281 delta 6ins7 mutation. *Genet Test.* 1999;3(2):219-221.

Rocha V, Labopin M, Sanz G, et al. Transplants of umbilical-cord blood or bone marrow from unrelated donors in adults with acute leukemia. *N Engl J Med.* 2004;351(22):2276-2285.

Rodriguez-Revenga L, Mila M, Rosenberg C, et al. Structural variation in the human genome: the impact of copy number variants on clinical diagnosis. *Genet Med.* 2007;9(9):600-6.

Rohlfs EM, Zhou Z, Heim RA, et al. Cystic fibrosis carrier testing in an ethnically diverse US population. *Clin Chem.* 2011;57(6):841-848.

Román J, Alvarez MA, Torres A. Molecular basis for therapeutic decisions in chronic myeloid leukemia patients after allogeneic bone marrow transplantation. *Haematologica*. 2000;85(10):1072-82.

Russi EW. Alpha-1 antitrypsin: now available, but do we need it? Swiss Med Wkly.2008;138(13-14):191-196.

Sandberg Y, Heule F, Lam K, et al. Molecular immunoglobulin/T- cell receptor clonality analysis in cutaneous lymphoproliferations. Experience with the BIOMED-2 standardized polymerase chain reaction protocol. *Haematologica*. 2003;88(6):659-670.

Sandberg Y, Verhaaf B, van Gastel-Mol EJ, et al. Human T-cell lines with well-defined T-cell receptor gene rearrangements as controls for the BIOMED-2 multiplex polymerase chain reaction tubes. *Leukemia*. 2007 Feb;21(2):230-7. Epub 2006 Dec 14.

Sanderson S, Emery J, Higgins J. CYP2C9 gene variants, drug dose, and bleeding risk in warfarin-treated patients: A HuGEnet systematic review and meta-analysis. *Genet Med.* 2005;7(2):97-104.

Schiffmann R, Slaugenhaupt SA, Smith J, Goldin E. GeneReviews. Mucolipidosis IV.

Schwartz EL, Sartorelli AC. Structure-activity relationships for the induction of differentiation of HL-60 human acute promyelocytic leukemia cells by anthracyclines. Cancer Res. 1982;42:2651–2655.

Shankarkumar U, Pawar A, Ghosh K. Implications of HLA sequence-based typing in transplantation. J Postgrad Med. 2008 Jan-Mar;54(1):41-4.

Sherman S, Pletcher BA, Driscoll DA. Fragile X syndrome: Diagnostic and carrier testing. Genet Med. 2005;7(8):584-587.

Sportoletti P. How does the NPM1 mutant induce leukemia? Pediatr Rep. 2011 Jun 22;3 Suppl 2:e6.

Strom CM, Crossley B, Redman JB, et al. Molecular screening for diseases frequent in Ashkenazi Jews: lessons learned from more than 100,000 tests performed in a commercial laboratory. *Genet Med.* 2004;6(3):145-152.

Takahashi H, Echizen H. Pharmacogenetics of warfarin elimination and its clinical implications. *Clin Pharmacokinet*. 2001;40(8):587-603.

Teutsch, S, Tuckson RV, Aspinall M, et al. U.S. System of Oversight of Genetic Testing: A Response to the Charge of the Secretary of Health and Human Services Report of the Secretary's Advisory Committee on Genetics, Health, and Society. April 2008.

Thiede C, Florek M, Bornhauser M, et al. Rapid quantification of mixed chimerism using multiplex amplification of short tandem repeat markers and fluorescence detection. *Bone Marrow Transplant*. 1999;23(10):1055-1060.

U.S. Food and Drug Administration (FDA). FDA News Release. Carbamazepine prescribing information to include recommendation of genetic test for patients with Asian ancestry. December 12, 2007. Available at:

http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/2007/ucm109038.htm. Accessed July 31, 2013.

U.S. Food and Drug Administration (FDA). Ziagen (abacavir sulfate) Dear Healthcare Professional Letter Jan 2000. FDA Medwatch. January 2000. Available

at:http://www.fda.gov/Safety/MedWatch/SafetyInformation/SafetyAlertsforHumanMedicalProducts/ucm175771.htm. Accessed July 31, 2013.

Vallance H, Ford J. Carrier testing for autosomal-recessive disorders. Crit Rev Clin Lab Sci. 2003;40(4):473-497.

Varga EA, Moll S. Cardiology patient pages. prothrombin 20210 mutation (factor II mutation). Circulation. 2004;110(3):e15-8.

Yoo ES. Recent advances in the diagnosis and management of childhood acute promyelocytic leukemia. *Korean J Pediatr.* 2011;54(3):95-105. Epub 2011 Mar 31.

Coding

Inclusion of a code in this table does not imply reimbursement. Eligibility, benefits, limitations, exclusions, precertification/referral requirements, provider contracts, and Company policies apply.

The codes listed below are updated on a regular basis, in accordance with nationally accepted coding guidelines. Therefore, this policy applies to any and all future applicable coding changes, revisions, or updates.

In order to ensure optimal reimbursement, all health care services, devices, and pharmaceuticals should be reported using the billing codes and modifiers that most accurately represent the services rendered, unless otherwise directed by the Company.

The Coding Table lists any CPT, ICD-10, and HCPCS billing codes related only to the specific policy in which they appear.

CPT Procedure Code Number(s)

See Attachments A, B, and C.

ICD - 10 Procedure Code Number(s)

N/A

ICD - 10 Diagnosis Code Number(s)

N/A

HCPCS Level II Code Number(s)

See Attachments A, B, and C.

Revenue Code Number(s)

N/A

Cross Reference

Attachment A: Genetic Testing (AmeriHealth Administrators)
Description: Services that are Considered Medically Necessary **Attachment B:** Genetic Testing (AmeriHealth Administrators)

Description: Services that are Considered Medically Necessary with Criteria

Attachment C: Genetic Testing (AmeriHealth Administrators)

Description: Services that are Considered Experimental/Investigational

Policy History

Revisions From 06.02.35ao:

07/01/2024	This version of the policy is a result of code updates effective 07/01/2024.
	Following procedure code has been deleted from this policy because it has been retired.
	0204U
	Following procedure codes are being added to this policy:
	0020M, 0452U, 0453U, 0454U, 0455U, 0456U, 0460U, 0461U, 0463U, 0465U, 0466U, 0467U, 0469U, 0470U, 0471U, 0473U, 0474U, and 0475U

Revisions From 06.02.35an:

05/29/2024	This policy has been reissued in accordance with the Company's annual review process.
04/01/2024	This version of the policy is a result of code updates effective 04/01/2024.
	Following procedure codes are being added to this policy:
	0439U, 0440U, 0444U, 0448U, and 0449U
	Following procedure code has been deleted from this policy because it has been retired:
	0354U

Revisions From 06.02.35am:

01/01/2024	This version of the policy is a result of code updates effective 01/01/2024.
	Narratives for the following procedure codes have been revised: 0356U, 81171, 81172, 81243, 81244, 81445, 81449, 81450, 81455, 81456
	Following procedure codes are being added to this policy:
	0420U, 0421U, 0422U, 0423U, 0424U, 0428U, 0429U, 0433U, 0434U, 0437U, 0438U, 81457, 81458, 81459, 81462, 81463, 81464, 87523

Revisions From 06.02.35al:

10/01/2023	This version of the policy is a result of code updates effective 10/01/2023.
	Narratives for the following procedure codes have been revised:
	0269U, 0271U, 0272U, 0274U, 0277U, 0278U, & 0362U
	Following procedure code has been deleted from this policy because it has been retired. 0386U
	Following procedure codes are being added to this policy: 0403U, 0405U, 0406U, 0409U, 0410U, 0411U, 0413U, 0414U, 0418U, & 0419U

Revisions From 06.02.35ak:

07/01/2023	This version of the policy is a result of code updates effective 07/01/2023.
	Following procedure code was added to Attachment B of the policy:
	0397U
	Following procedure codes were added to Attachment C of the policy:
	0388U, 0389U, 0391U, 0392U, 0395U, 0396U, 0398U, 0400U, 0401U
	Narrative for the following procedure codes in Attachment C was revised in the policy:
	0113U
	Following procedure code was deleted from Attachment C of the policy because it was termed:
	0053U

Revisions From 06.02.35aj:

05/31/2023	This policy has been reissued in accordance with the Company's annual review process.
04/01/2023	
	This version of the policy is a result of code updates effective 04/01/2023.
	The following procedure codes were added to the policy:
	0364U, 0368U, 0369U, 0370U, 0371U, 0372U, 0373U, 0374U, 0378U, 0379U, 0380U, and 0386U
	Narrative for the following procedure code was revised:
	0022U

Revisions From 06.02.35ai:

01/01/2023	This policy has been identified for the code updates effective 01/01/2023.
	The following procedure codes are being added to this policy:
	81418
	81441
	81449
	81451
	81456
	87468
	87469
	87478
	87484
	0355U
	0356U
	0362U
	0363U

Revisions From 06.02.35ah:

10/01/2022	This version of the policy is a result of code updates effective 10/01/2022.
	Following procedure codes were added to the policy:
	0332U, 0333U, 0334U, 0335U, 0336U, 0339U, 0340U, 0341U, 0343U, 0345U, 0347U, 0348U, 0349U,
	0350U, 0352U, 0353U, & 0354U
	Narratives for the following procedure codes were revised in the policy:
	0276U & 0296U
	02700 & 02900
	Following procedure codes were deleted from the policy because they were termed:
	0012U, 0013U, 0014U, & 0056U

Revisions From 06.02.35ag:

4. 0. + 1.04	
07/01/2022	This version of the policy is a result of code updates effective 07/01/2022.
	Following procedure codes were added to Attachment B of this policy:
	0326U & 0327U
	Following procedure codes were added to Attachment C of this policy:
	0323U, 0329U, 0330U, & 0331U
	Narratives for the following procedure codes were revised:
	0229U
	Furthermore:
	The following disclaimer language…:
	This policy only applies to members for whom AmeriHealth Administrators serves as the claims administrator and whose group has not enrolled in the UM vendor program. For those groups who have been given the option to enroll in the UM vendor program, this policy is no longer applicable upon their renewal effective date. Individual member benefits must be verified before/prior to providing services.
	is replacing this disclaimer language:
	This policy only applies to members for whom AmeriHealth Administrators serves as the claims administrator. For all other Independence members, refer to the policy entitled eviCore Lab Management Program.

Revisions From 06.02.35af:

06/01/2022	This policy has been reissued in accordance with the Company's annual review process.
04/01/2022	This version of the policy is a result of code updates effective 04/01/2022.
	Following procedure codes were added to the policy:
	0306U, 0307U, 0311U, 0313U, 0314U, 0315U, 0317U, 0318U, 0319U, 0320U, and 0321U
	Narrative for the following procedure code was revised in this policy:
	0022U
	Following procedure codes were deleted from this policy due to termination of the codes:
	0097U and 0151U

Revisions From 06.02.35ae:

01/01/2022	This version of the policy is a result of code updates effective 01/01/2022.
	Following procedure codes were added to Attachment B of this policy:
	0287U, 0301U, 0302U, 81349, & 87154
	Following procedure codes were added to Attachment C of this policy:
	0285U, 0286U, 0288U, 0289U, 0290U, 0291U, 0292U, 0293U, 0294U, 0296U, 0297U, 0298U, 0299U, and 0300U
	Narratives for the following procedure codes were revised:
	81228, 81229, 0090U, 0152U
	Following procedure code was deleted:
	0208U

Revisions From 06.02.35ad:

11/03/2021	This policy has been reissued in accordance with the Company's annual review process.
10/01/2021	This version of the policy is a result of code updates effective 10/01/2021. Following procedure codes were added:
	0258U 0260U 0262U 0264U 0265U 0266U 0267U 0268U 0269U 0270U 0271U 0272U 0273U 0274U 0276U 0276U 0278U
	0282U

Revisions From 06.02.35ac:

07/01/2021	This version of the policy is effective as of 07/01/2021, and is in place due to coding updates.
	The following procedure codes has been added to Attachment C of this policy:
	0250U, 0252U, 0253U, & 0254U

Revisions From 06.02.35ab:

04/01/2021

This version of the policy is effective as of 04/01/2021, and is in place due to coding updates.

The following procedure codes have been added to Attachment B of this policy:

0242U, 0245U, & 0246U

The following procedure code has been added to Attachment C of this policy:

0244U

The following procedure codes have been deleted from this policy:

0098, 0099U, & 0100U

-- Also, procedure code 0026U has been moved from Attachment C of this policy to Attachment B of this policy.

Revisions From 06.02.35aa:

01/01/2021

This version of the policy went through a code update process effective 01/01/2021.

- Procedure codes 81168, 81191, 81192, 81193, 81194, 81278, 81279, 81338, 81339, 81347, 81348, 81351, 81352, 81353, 81357, 81360, 81419, 81546, 0230U, 0231U, 0232U, 0233U, 0234U, 0235U, 0236U, 0237U, 0238U and 0239U were added to Attachment B.
- Procedure codes 81513, 81524, 81529, 81554, 0228U, 0229U and 0017M were added to Attachment C.
- Procedure code 81545 was deleted from attachment B per code update process effective 01/01/2021.

Revisions From 06.02.35z:

10/01/2020

This version of the policy became effective on 10/01/2020.

The following changes have been made due to code updates:

- Procedure codes 0208U, 0214U, 0215U, 0216U, 0217U, 0218U, 0219U, 0221U and 0222U were added to Attachment B.
- Procedure codes 0016M, 0203U, 0204U, 0205U, 0209U, 0211U, 0212U, 0213U and 0220U were added to Attachment C.

Additionally, procedure codes 87506 and 87507 have been moved from attachment C, and added to attachment B pf this policy.

Revisions From 06.02.35y:

07/01/2020	This version of the policy is effective of as of 07/01/2020.
	The following changes have been made due to code updates:
	 Procedure codes 0177U, 0180U, 0181U, 0182U, 0183U, 0184U, 0185U, 0186U, 0187U, 0188U 0189U, 0190U, 0191U, 0192U, 0193U, 0194U, 0195U, 0196U, 0197U, 0198U, 0199U, 0200U and 0201U have been added to Attachment B of this policy. Procedure codes 0173U, 0175U and 0179U have been added to Attachment C of this policy.
	Additionally, procedure codes 81415, 81416 and 81417 have been moved from Attachment C of this policy and added to Attachment B of this policy.

Revisions From 06.02.35x:

04/01/2020	This version of the policy went through a code update process effective 04/01/2020:	
	 Code narrative for procedure codes 0154U and 0155U were revised. Procedure codes 0169U, 0170U, and 0171U were added this policy. 	

Revisions From 06.02.35w:

	03/25/2020	This policy has been reissued in accordance with the Company's annual review process.	
--	------------	---	--

+. 0. エテ 1.04	Amoni router violes
01/01/2020	This version of the policy will become effective on 01/01/2020 due to coding updates.
	The following codes are being deleted from the policy:
	0081U, 0009M
	Narratives for the following codes are being revised in the policy:
	81350
	0011M
	81404
	81406
	81407
	The following codes are being added to the policy:
	0140U
	0141U
	0142U
	0151U
	0152U
	0153U
	0154U
	0155U
	0156U
	0157U
	0158U
	0159U
	0160U
	0161U
	0162U
	81277
	81307
	81308
	81309
	81522
	81542
	81552
	87563
	<u> </u>

Revisions From 06.02.35v:

11/06/2019	This policy has been reissued in accordance with the Company's annual review process.
10/01/2019	This version of the policy went through a code update process effective 10/01/2019:
	 Procedure code 0104U was deleted from this policy. Procedure codes 0109U, 0111U, 0112U, 0113U, 0114U, 0115U, 0118U, 0120U, 0129U, 0130U, 0131U, 0132U, 0133U, 0134U, 0135U, 0136U, 0137U, and 0138U were added to Attachment C of this policy.

Revisions From 06.02.35u:

07/01/2019	This version of the policy went through a code update process effective 07/01/2019:
	 Procedure code 0057U was deleted from this policy. Procedure codes 0084U, 0096U and 0098U were added to Attachment B of this policy. Procedure codes 0086U, 0087U, 0088U, 0089U, 0090U, 0094U, 0097U, 0099U, 0100U, 00101U, 00102U, 00103U and 00104U were added to Attachment C of this policy.

Revisions From 06.02.35t:

01/01/2019	Effective 01/01/2019, the following CPT codes have been added to Attachment B for this policy due to coding updates. The services represented by these procedure codes are considered medically necessary only when criteria are met:
	81163
	81164
	81165
	81166
	81167
	81171
	81172
	81173
	81174
	81177
	81178
	81179
	81180
	81181
	81182
	81183
	81184
	81185
	81186
	81187
	81188
	81189
	81190
	81204
	81233
	81234
	81236
	81237
	81239
	81271
	81274
	81284
	81285
	81286
	81289
	81305
	81306
	81312
	81320
	81329
	81333
	81336
	81337
	81343
	81344
	81345
	81443
	81518
	0081U

Effective 01/01/2019, narratives for the following CPT codes have been revised in Attachment B for this policy due to coding updates. The services represented by these procedure codes are considered medically necessary only when criteria are met:

81162, 81212, 81215, 81216, 81217, 81244, 81287

Effective 01/01/2019, the following CPT code narrative has been revised in Attachment C for this policy due to coding updates. The services represented by these procedure codes are considered experimental/investigational:

81327

Effective 01/01/2019, the following CPT codes have been deleted from Attachment B for this policy due to coding updates:

81211, 81213, 81214

Revisions From 06.02.35s:

11/21/2018	This policy has been reissued in accordance with the Company's annual review process.
10/01/2018	Effective 10/01/2018, the following CPT codes have been added to Attachment B for this policy due to coding updates. The services represented by these procedure codes are considered medically necessary only when criteria are met:
	0070U, 0071U, 0072U, 0073U, 0074U, 0075U, 0076U
	Effective 10/01/2018, the following CPT codes have been added to Attachment C for this policy due to coding updates. The services represented by these procedure codes are considered experimental investigational:
	0067U, 0068U, 0069U, 0078U, 0079U
	Effective 10/01/2018, the following CPT code has been deleted from this policy due to coding updates:
	0028U

Revisions From 06.02.35r:

07/01/2018	Effective 07/01/2018, the following CPT codes have been added to Attachment B for this policy due to coding updates. The services represented by these procedure codes are considered medically necessary only when criteria are met:
	0046U, 0049U
	Effective 07/01/2018, the following CPT codes have been added to Attachment C for this policy due to coding updates. The services represented by these procedure codes are considered experimental investigational:
	0045U, 0047U, 0048U, 0050U, 0053U, 0055U, 0056U, 0057U, 0060U

Revisions From 06.02.35q:

04/01/2018	Effective 04/01/2018, the following CPT codes have been added to Attachment B for this policy due to coding updates. The services represented by these procedure codes are considered medically necessary only when criteria are met:
	0040U
	Effective 04/01/2018, the following CPT codes have been added to Attachment C for this policy due to coding updates. The services represented by these procedure codes are considered experimental investigational:
	0036U, 0037U, 0012M, 0013M
	The following CPT codes have been deleted from Attachment C for this policy because of their termination by AMA:
	0004U, 0015U

Revisions From 06.02.35p:

01/01/2018	Effective 01/01/2018, the following CPT codes have been added to Attachment B for this policy due to coding updates. The services represented by these procedure codes are considered medically necessary only when criteria are met:
	0500T, 81105, 81106, 81107, 81108, 81109, 81110, 81111, 81112, 81120, 81121, 81175, 81176, 81232, 81238, 81247, 81248, 81249, 81258, 81259, 81269, 81334, 81335, 81361, 81362, 81363, 81364, 81520, 81521, 81551, 87634, 87662, 0027U
	Effective 01/01/2018, the following CPT codes have been added to Attachment C for this policy due to coding updates. The services represented by these procedure codes are considered experimental investigational:
	81230, 81231, 81283, 81328, 81346, 81448, 81541, 0026U, 0028U, 0029U, 0030U, 0031U, 0032U, 0033U, 0034U, 0011M
	Effective 01/01/2018, the narratives for the following procedure codes have been revised due to coding updates
	81257, 81432, 81439

Revisions From 06.02.35o:

|--|

Effective 10/05/2017 this policy has been updated to the new policy template format.

Version Effective Date: 07/01/2024 Version Issued Date: 01/06/2025 Version Reissued Date: N/A