



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 01

01 January 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
1253		INT 1412	NP 131
2276		INT 1413	NP 286(6)
3317			
5614_25			
DE 87			
DE 103			

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



I

UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts 01 January 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙2276	Baltic Sea, Lithuania, Klaipėda and Approaches. Ⓐ Klaipėda. Ⓑ Continuation of Klaipėda.	1:35,000 1:12,500 1:12,500	10	36
On publication of this New Edition former Notice 5181(P)/25 is cancelled. This chart remains affected by Notices 2189(P)/25 and 5468(P)/25.				
⊙3317	Black Sea – Georgia, P'ot'i, Bat'umi and Kulevi. Ⓐ Approaches to P'ot'i. Ⓑ P'ot'i. Ⓒ Bat'umi. Ⓓ Kulevi.	1:25,000 1:10,000 1:12,500 1:15,000	31	46
On publication of this New Edition former Notices 5095(P)/25 and 5405(P)/25 are cancelled. This chart remains affected by Notices 223(T)/23, 906(T)/23, 1488(T)/24 and 4001(P)/25.				
⊙DE87 INT 1413	International Chart Series, North Sea, Germany and the Netherlands, Borkum to Neuwerk and Helgoland.	1:150,000	9	32
This chart remains affected by Notice 4461(P)/23.				
⊙DE103 INT 1412	International Chart Series, North Sea, Germany and Denmark, Spiekeroog to Rømø and Helgoland.	1:150,000	9	32
This chart remains affected by Notice 4461(P)/23.				

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP286(6)	ADMIRALTY List of Radio Signals Pilot Services, Vessel Traffic Services and Port Operations North East Asia and Russia (Pacific Coast) NP286(6) Volume 6(6) 7 th Edition (2026) ISBN: 978-0-70-774-8344	01/01/2026	Updated to NM Week 46/25 (13/11/25). First updates in NM Week 1/26 (01/01/26). The 6 th Edition (2025) of NP286(6) is cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 15 January 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
1253	China - Yellow Sea, Lianyungang to Qingdao Gang.	1:300,000	⊙1253	52	82

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5614_25	Southern North Sea.	1:750,000	5614_25	31

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
2276	Baltic Sea, Lithuania, Klaipėda and Approaches.	⊙2276
3317	Black Sea – Georgia, P'ot'i, Bat'umi and Kulevi.	⊙3317
DE87 INT 1413	International Chart Series, North Sea, Netherlands and Germany, Borkum to Neuwerk and Helgoland.	⊙DE87 INT 1413
DE103 INT 1412	International Chart Series, North Sea, Germany and Denmark, Spiekeroog to Rømø and Helgoland.	⊙DE103 INT 1412

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page vi Authorised ADMIRALTY Distributors, Egypt

Insert:

Edwardo Marine Services Co	
El-Mahrousa Tower Mahmoud Sedky & Panama Street Port Said	
+20 66 3230031	
info@edwardmarine.com	
https://www.edwardo.co	
PUBLICATIONS	POD

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
105	54T	2442	32
141	77	2443	32
145	77	2444	32
152	65P	2523	33
187	44	2567	65P
188	44	2625	55T
224	82	2636	48
264	51P	2713	38
292	45P	2724	72P
294	31, 45P	2839	67
295	45P	2849	66
340	35P	2856	60
341	34T	2886	32
343	34T	2887	32
344	34T	2889	32
346	34T	3026	34T
347	34T	3045	69T
598	47	3365	61
709	39	3633	42
811	58	3658	49
830	81	3763	76
858	59	3785	76
864	57	4121	74
896	75	4509	41
908	63	5600_13	55T
937	34T	5610_17	72P
1000	43	5612_1	72P
1001	43	5612_11	72P
1004	29	5613_19	72P
1163	79	5613_2	72P
1186	80, 83P	5615_1	65P
1191	65P	5615_5	65P
1192	65P	5621_12	52T
1256	46		
1303	50	Australian Chart No.	Notices
1385	53T	Aus 55	64P
1405	45P	German Chart No.	Notices
1408	54T	DE 44	70
1411	72P	DE 46	73
1415	52T	DE 50	71
1427	45P	Indian Chart No.	Notices
1428	45P	IN 22	39
1503	54T	IN 32	39
1548	56T	IN 261	39
1549	56T	IN 2051	40
1555	34T	IN 2060	40
1608	82	International Chart No.	Notices
1628	37	INT 509	41
1716	30	INT 752	39
1721	28	INT 754	39
1730	42	INT 1041	31
1826	72P	INT 1045	71
1852	78	INT 1202	36P
1913	62	INT 1204	57
1998	62	INT 1216	68T
2014	36P	INT 1218	36P
2018	36P		
2036	55T		
2037	55T		
2040	36P		
2055	57		
2059	68T		
2093	72P		
2094	72P		
2151	80		
2182C	31		
2198	72P		
2400	27		
2412	41		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1219	36P		
INT 1239	58		
INT 1316	59		
INT 1326	60		
INT 1400	45P		
INT 1401	45P		
INT 1402	45P		
INT 1425	80		
INT 1426	80, 83P		
INT 1452	70		
INT 1453	73		
INT 1506	65P		
INT 1507	65P		
INT 1509	54T		
INT 1549	65P		
INT 1606	72P		
INT 1607	72P		
INT 1608	72P		
INT 1663	52T		
INT 1730	55T		
INT 1731	55T		
INT 1764	57		
INT 1809	42		
INT 1971	77		
INT 1972	77		
INT 1993	43		
INT 1994	43		
INT 2808	53T		
INT 5252	61		
INT 5355	75		
INT 5508	34T		
INT 7115	51P		
INT 7211	32		
INT 7232	32		
INT 7238	32		
INT 7239	32		
INT 7243	32		
INT 7250	33		
INT 7332	40		
INT 7333	40		
INT 7363	39		

II

80* ENGLAND - East Coast - Lights.

Source: Port of London Authority

Chart 1186 (INT 1426) (Panel A, Canvey Island to Coalhouse Point) [*previous update 5647/25*] ETRS89 DATUM

Replace	 , with ☐ Dn	51° 30'·297N., 0° 30'·495E. 51° 30'·308N., 0° 30'·580E.
Delete		51° 30'·358N., 0° 30'·744E. 51° 30'·366N., 0° 30'·842E. 51° 30'·490N., 0° 33'·749E. 51° 30'·476N., 0° 33'·866E.

Chart 1186 (INT 1426) (Panel B, Coalhouse Point to Tilbury) [*previous update 5647/25*] ETRS89 DATUM

Delete		51° 26'·756N., 0° 21'·859E. 51° 26'·683N., 0° 23'·606E. 51° 26'·678N., 0° 23'·727E.
--------	---	---

Chart 2151 (INT 1425) [*previous update 5647/25*] ETRS89 DATUM

Delete		51° 26'·755N., 0° 21'·858E.
--------	---	-----------------------------

Chart 2151 (INT 1425) (Panel A, Continuation at same scale) [*previous update 5647/25*] ETRS89 DATUM

Replace	 , with ☐ Dn	51° 31'·027N., 0° 07'·196E.
Delete		51° 30'·849N., 0° 06'·530E. 51° 30'·944N., 0° 06'·866E. 51° 30'·958N., 0° 06'·995E. 51° 31'·004N., 0° 07'·143E. 51° 30'·022N., 0° 10'·206E.

II

38 RUSSIA - Baltic Sea Coast - Foul.

Source: Russian Notice 40/4172/25

Chart 2713 [*previous update 5766/25*] WGS84 DATUM

Insert

#

59° 49′·59N., 28° 24′·27E.

II

48 POLAND - NM Block.

Source: Polish Notice 34/386/25

Chart 2636 [*previous update 4726/25*] WGS84 DATUM

Insert the accompanying block, centred on:

54° 31'·9N., 18° 32'·1E.

II

57 SWEDEN - East Coast - Foul.

Source: Swedish Notice 1096/19659/25

Chart 864 (INT 1764) [*previous update 4897/25*] WGS84 DATUM

Insert

#

58° 37′·70N., 17° 46′·30E.

Chart 2055 (INT 1204) [*previous update 5634/25*] WGS84 DATUM

Insert

#

58° 37′·70N., 17° 46′·30E.

II

58 SWEDEN - East Coast - Depths.

Source: Swedish Notice 1096/19740/25

Chart 811 (INT 1239) [*previous update 4508/25*] WGS84 DATUM

Insert depth, 23, and extend 3m contour S to enclose

(a) 59° 19'·406N., 18° 04'·933E.

Delete depth, 38, close E of:

(a) above

II

59 SWEDEN - West Coast - Buoy.

Source: Swedish Notice 1096/19716/25

Chart 858 (INT 1316) [*previous update 4956/25*] WGS84 DATUM

Replace  with 

57° 34'·65N., 11° 47'·89E.

II

60 SWEDEN - East Coast - Lights.

Source: Swedish Notice 1096/19683/25

Chart 2856 (INT 1326) [*previous update 5134/25*] WGS84 DATUM

Insert

★ Fl.R.3s

56° 07'·44N., 14° 41'·10E.

★ Fl.G.3s

56° 07'·44N., 14° 41'·07E.

II

31 NORTH SEA - Norwegian Sector - Platform. Legend.

Source: Norwegian Notice 18/78775/25

Chart 294 [*previous update 5786/25*] WGS84 DATUM

Insert



legend, Under construction, close E of:

(a) 60° 07'·0N., 2° 35'·6E.

(a) above

Chart 2182C (INT 1041) [*previous update 5793/25*] WGS84 DATUM

Insert



legend, Under construction, close W of:

(a) 60° 07'·0N., 2° 35'·6E.

(a) above

II

70* GERMANY - North Sea Coast - Depths. Foul. Obstruction.
Source: WSA Elbe-Nordsee, Survey LP29342; WSA Elbe-Nordsee 359/25

Chart DE 44 (INT 1452) [*previous update 5047/25*] WGS84 DATUM

Insert	depth, 79, enclosed by 10m contour	(a) 53° 58′·45N., 8° 25′·97E.
Delete	depth, 112, close NW of:	(a) above
Replace	# with  Obstm	53° 57′·98N., 8° 34′·14E.

II

71* GERMANY - North Sea Coast - Legend.

Source: WSA Weser-Jade-Nordsee 40/25

Chart DE 50 (INT 1045) [*previous update 5415/25*] WGS84 DATUM

Delete legend, *buoyed*, centred on:

54° 10'·2N., 7° 51'·0E.

II

73* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey 29343/25

Chart DE 46 (INT 1453) (Panel, Brunsbüttel) [*previous update 5530/25*] WGS84 DATUM

Insert	depth, 73	(a) 53° 52'·621N., 9° 11'·788E.
Delete	depth, 79, close NW of:	(a) above
Replace	depth, 72, with depth, 67	53° 52'·481N., 9° 08'·453E.

Chart DE 46 (INT 1453) [*previous update 5530/25*] WGS84 DATUM

Replace	depth, 79, with depth, 73	53° 52'·62N., 9° 11'·79E.
	depth, 72, with depth, 67	53° 52'·48N., 9° 08'·45E.

II

42 SPAIN - West Coast - Buoyage.

Source: Spanish Notice 40/305/25

Chart 1730 [*previous update 171/25*] WGS84 DATUM

Insert	 <i>Q.5M</i>	42° 09' · 21N., 8° 53' · 43W.
Delete	 <i>Q.5M</i>	42° 09' · 29N., 8° 53' · 21W.

Chart 3633 (INT 1809) [*previous update 5557/25*] WGS84 DATUM

Insert	 <i>Q</i>	(a) 42° 09' · 21N., 8° 53' · 43W.
Delete	 <i>Q</i> , close NE of:	(a) above

II

29 TÜRKIYE - Marmara Denizi - Light.

Source: Turkish Notice 43/214/25

Chart 1004 [*previous update New Edition 06/11/2025*] WGS84 DATUM

Amend light to, Fl(4)Y.10s3M

40° 24'·08N., 27° 18'·43E.

II

44 ITALY - East Coast - Light.

Source: Italian Notice 20.12/25

Chart 187 [*previous update 683/25*] WGS84 DATUM

Amend light to, Fl.G.4s10m6M PA

40° 18'·2N., 18° 24'·1E.

Chart 188 [*previous update 5738/25*] WGS84 DATUM

Amend light to, Fl.G.4s10m6M PA

40° 18'·2N., 18° 24'·2E.

II

62 ITALY - West Coast - Radio reporting lines. Legends.

Source: ENC's IT300001, IT300002 and IT300909

Chart 1913 [*previous update 3806/25*] WGS84 DATUM

Insert	radio reporting line, inbound and outbound, pecked line, joining:	(a)	44° 21'·76N., 8° 35'·95E.
		(b)	44° 04'·80N., 8° 50'·50E.
		(c)	43° 55'·50N., 8° 37'·50E.
		(d)	43° 52'·20N., 8° 34'·72E.
	legend, <i>Savona VTS</i> (see Note - <i>VESSEL REPORTING</i>), along:	(a)-(d)	above
Delete	former radio reporting line, inbound and outbound, pecked line, and associated legend, <i>Savona VTS</i> (see Note - <i>VESSEL REPORTING</i>), joining:		44° 21'·74N., 8° 35'·92E.
			44° 04'·77N., 8° 50'·52E.
			43° 55'·50N., 8° 37'·02E.
			43° 52'·20N., 8° 34'·34E.

Chart 1998 [*previous update 5499/25*] WGS84 DATUM

Insert	radio reporting line, inbound and outbound, pecked line, joining:	(a)	44° 21'·8N., 8° 35'·9E.
		(b)	44° 04'·8N., 8° 50'·5E.
		(c)	43° 55'·5N., 8° 37'·5E.
		(d)	43° 39'·5N., 8° 24'·0E.
		(e)	43° 38'·0N., 8° 07'·0E.
		(f)	43° 43'·5N., 7° 50'·5E.
		(g)	43° 56'·9N., 8° 10'·6E.
	legend, <i>Savona VTS</i> (see Note - <i>VESSEL REPORTING</i>), along:	(a)-(g)	above
Delete	former radio reporting line, inbound and outbound, pecked line, and associated legend, <i>Savona VTS</i> (see Note - <i>VESSEL REPORTING</i>), joining:		44° 21'·7N., 8° 35'·9E.
			44° 04'·8N., 8° 50'·3E.
			43° 55'·5N., 8° 37'·0E.
			43° 39'·5N., 8° 24'·1E.
			43° 38'·0N., 8° 07'·0E.
			43° 43'·6N., 7° 50'·5E.
			43° 57'·0N., 8° 10'·5E.

II

63 ITALY - West Coast - Rock.

Source: Italian Notice 20.6/25

Chart 908 [*previous update 5827/25*] WGS84 DATUM

Insert



with seabed type, *R*

40° 45′·34N., 13° 53′·36E.

II

77 MOROCCO - North Coast - Buoy. Automatic Identification System.

Source: French Notice 47/150/25

Chart 141 (INT 1972) [*previous update 4208/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

Automatic Identification System, *AIS*, at light-buoy

(a) 35° 54'·85N., 5° 28'·90W.

(a) above

Chart 145 (INT 1971) [*previous update 4219/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

Automatic Identification System, *AIS*, at light-buoy

(a) 35° 54'·846N., 5° 28'·896W.

(a) above

II

82 TÜRKIYE - West Coast - Buoy.

Source: Turkish Notice 37/171/25

Note: This update is included in New Edition 1086, published late 2025.

Chart 224 [*previous update 5386/25*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

40° 02'·6N., 26° 02'·2E.

Chart 1608 [*previous update 2199/25*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

40° 02'·38N., 26° 02'·25E.

II

43 SENEGAL - NM Block. Buoy. Restricted areas. Works. Legend.

Source: French Notice 36/167/25

Chart 1000 (INT 1993) [*previous update 1450/24*] WGS84 DATUM

Insert the accompanying block, centred on: 14° 41'·7N., 17° 23'·7W.

Chart 1001 (INT 1994) [*previous update New Edition 17/04/2025*] WGS84 DATUM

Insert	 Fl(2)10s	14° 42'·292N., 17° 22'·063W.
	maritime limit, pecked line, joining:	(a) 14° 41'·133N., 17° 25'·200W.
		(b) 14° 41'·079N., 17° 25'·134W.
		(c) 14° 41'·002N., 17° 25'·003W.
		(d) 14° 41'·001N., 17° 24'·700W.
		(e) 14° 41'·120N., 17° 24'·700W.
		(f) 14° 41'·615N., 17° 25'·287W.
	legend, Works in progress (2025), within:	(a) -(f) above
	limit of restricted area, entry prohibited, pecked line, joining:	14° 41'·122N., 17° 25'·191W.
		(g) 14° 41'·078N., 17° 25'·134W.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(g) above
		14° 41'·165N., 17° 25'·126W.
		14° 41'·301N., 17° 25'·282W.

II

32* UNITED ARAB EMIRATES - NM Blocks. Submarine pipeline. Legend.

Source: ADNOC

Chart 2442 [*previous update 3502/25*] WGS84 DATUM

Insert the accompanying block, centred on: 25° 19'·2N., 53° 28'·4E.

Chart 2443 (INT 7238) [*previous update 5278/25*] WGS84 DATUM

Insert the accompanying block, centred on: 25° 19'·1N., 53° 24'·3E.

submarine pipeline, , joining:

25° 12'·18N., 53° 13'·06E.
 25° 13'·68N., 53° 13'·11E.
 25° 14'·12N., 53° 13'·24E.
 25° 15'·22N., 53° 16'·72E.

Chart 2444 (INT 7239) [*previous update 5377/25*] WGS84 DATUM

Insert the accompanying block, centred on: 25° 18'·5N., 53° 24'·2E.

submarine pipeline, , joining:

25° 12'·18N., 53° 13'·06E.
 25° 13'·68N., 53° 13'·11E.
 25° 14'·12N., 53° 13'·24E.
 25° 15'·06N., 53° 16'·23E.

Chart 2886 (INT 7243) [*previous update 5407/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

25° 11'·8N., 53° 13'·0E.

(a) 25° 14'·1N., 53° 13'·1E.

(b) 25° 17'·7N., 53° 24'·6E.

25° 19'·4N., 53° 26'·6E.

25° 19'·5N., 53° 27'·0E.

legend, *Gas* (see Note - PIPELINES), along: (a) -(b) above

Chart 2887 (INT 7232) [*previous update 5547/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

25° 11'·8N., 53° 13'·0E.

(a) 25° 14'·1N., 53° 13'·1E.

(b) 25° 17'·7N., 53° 24'·6E.

25° 19'·4N., 53° 26'·6E.

25° 19'·7N., 53° 27'·6E.

25° 19'·4N., 53° 28'·1E.

legend, *Gas* (see Note - PIPELINES), along: (a) -(b) above

Chart 2889 (INT 7211) [*previous update 5547/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

25° 11'·8N., 53° 13'·0E.

(a) 25° 14'·1N., 53° 13'·1E.

(b) 25° 17'·7N., 53° 24'·6E.

25° 19'·4N., 53° 26'·6E.

25° 19'·7N., 53° 27'·6E.

25° 19'·4N., 53° 28'·1E.

legend, *Gas* (see Note - PIPELINES), along: (a) -(b) above

II

33* **QATAR - Buoy.**

Source: MENAS Notice 333/25

Chart 2523 (INT 7250) [*previous update 5407/25*] WGS84 DATUM

Insert

 *Mo(U)15s*

26° 42'·32N., 51° 52'·06E.

II

76 OMAN - Restricted area. Platform. Storage tanker. Legend. Submarine pipeline.

Source: Omani Notice 8/12/25

Chart 3763 [*previous update 3027/25*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited,  , joining:	(a) 19° 55′·62N., 58° 04′·35E.
		(b) 19° 55′·61N., 58° 05′·57E.
		(c) 19° 54′·46N., 58° 05′·56E.
		(d) 19° 54′·47N., 58° 04′·35E.
	legend, <i>Yumna Oil & Gas Field</i> within:	(a) - (d) above
		(e) 19° 55′·11N., 58° 04′·81E.
		(f) 19° 55′·03N., 58° 05′·09E.
	submarine pipeline,  , joining:	(e) - (f) above

Chart 3785 [*previous update 5373/25*] WGS84 DATUM

Insert		19° 55′·0N., 58° 05′·1E.
--------	---	--------------------------

II

39 INDIA - West Coast - Wreck.

Source: Indian Notice 23/158/25

Chart IN 22 (INT 752) [*previous update 4285/25*] WGS84 DATUM

Insert



8° 06'·0N., 76° 51'·0E.

Chart IN 32 (INT 754) [*previous update 3676/25*] WGS84 DATUM

Insert



8° 06'·0N., 76° 51'·0E.

Chart IN 261 (INT 7363) [*previous update 5817/25*] WGS84 DATUM

Insert



PA

8° 06'·0N., 76° 51'·0E.

Chart 709 [*previous update 362/24*] WGS84 DATUM

Insert



PA

8° 06'·0N., 76° 51'·0E.

II

40 INDIA - West Coast - Buoyage.

Source: Indian Notice 15/107/25

Chart IN 2051 (INT 7333) [*previous update 4526/25*] WGS84 DATUM

Insert



Q.G No 1

22° 26'·28N., 69° 40'·25E.



Q.Y No 2

22° 26'·22N., 69° 40'·37E.

Chart IN 2060 (INT 7332) (Panel, Pathfinder Inlet) [*previous update 4526/25*] WGS84 DATUM

Insert



Q.G No 1

22° 26'·28N., 69° 40'·24E.



Q.Y No 2

22° 26'·22N., 69° 40'·37E.

Chart IN 2060 (INT 7332) [*previous update 4526/25*] WGS84 DATUM

Insert



Q.G

22° 26'·28N., 69° 40'·28E.



Q.Y

22° 26'·22N., 69° 40'·37E.

II

81 MYANMAR (BURMA) - NM Block.

Source: UKHO

Chart 830 [*previous update 1566/25*] WGS84 DATUM

Insert the accompanying block, centred on:

14° 15'·3N., 95° 51'·1E.

II

27 CHINA - East Coast - Anchorage area.

Source: UKHO

Chart 2400 [*previous update New Edition 27/11/2025*] CGCS 2000 DATUM

Insert



26° 10′·20N., 119° 56′·52E.

II

28 CHINA - East Coast - Danger line. Legend. Obstruction.

Source: Chinese Notice 32/971/25

Chart 1721 [*previous update 5660/25*] CGCS 2000 DATUM

Insert	circular limit of danger line, radius 500m, dotted line, centred	
	on:	(a) $27^{\circ} 46' \cdot 54\text{N.}$, $121^{\circ} 03' \cdot 69\text{E.}$
	legend, <i>Obstn (2025) Rep</i> , close W of:	(a) above

II

30 CHINA - East Coast - Buoyage.

Source: Chinese Notice 38/1127/25

Chart 1716 [*previous update 5391/25*] CGCS 2000 DATUM

Insert



Mo(C)Y.12s No 2

24° 57'·25N., 119° 01'·90E.



Mo(C)Y.12s No 1

24° 56'·98N., 119° 01'·59E.

II

41 CHINA - East Coast - Explosive dumping ground. Wrecks.

Source: Chinese Notice 30/910/25

Note: This update is included in New Edition 1759, published late 2025.

Chart 2412 [*previous update 5747/25*] WGS84 DATUM

Insert	symbol, explosives dumping ground, centred on:	29° 18'·1N., 122° 44'·3E.
Delete	 <i>Rep(2024)</i>	29° 09'·7N., 122° 56'·1E.
	 <i>Rep(2023)</i>	28° 51'·4N., 122° 58'·0E.
		28° 41'·6N., 122° 39'·0E.
		28° 35'·5N., 122° 30'·1E.

Chart 4509 (INT 509) [*previous update 4056/25*] WGS84 DATUM

Delete	 <i>Rep(2024)</i>	29° 09'·7N., 122° 56'·1E.
		28° 51'·4N., 122° 58'·0E.

II

49 TAIWAN - Buoyage.

Source: UKHO

Chart 3658 [*previous update 5709/25*] WGS84 DATUM

Insert



25° 09′·94N., 121° 46′·42E.

25° 09′·26N., 121° 47′·88E.

II

50 CHINA - East Coast - Buoyage.

Source: Chinese Notice 35/1037/25

Chart 1303 [*previous update 5781/25*] CGCS 2000 DATUM

Insert



Mo(O)Y.12s L1

30° 53'·36N., 122° 08'·79E.



Mo(O)Y.12s L2

30° 52'·95N., 122° 08'·69E.

II

74 CHINA - South Coast - Depths.

Source: Hong Kong Notice 23/62/25

Chart 4121 [*previous update 5733/25*] WGS84 DATUM

Insert depth, *157*

(a) 22° 12'·436N., 114° 06'·020E.

Delete depth, *153* , close SE of:

(a) above

II

46 KOREA - West Coast - Buoy.

Source: Korean Notice 32/479/25

Note: This update is included in New Editions 1258 and 3480, published early 2026.

Chart 1256 [*previous update 5644/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

36° 45'·0N., 125° 36'·5E.

II

61 KOREA - South Coast - Light.

Source: Korean Notice 34/517/25

Note: This update is included in New Edition 3480, published early 2026.

Chart 3365 (INT 5252) [*previous update 5769/25*] WGS84 DATUM

Amend range of light to, 6M

33° 43'·76N., 126° 21'·44E.

II

75 KOREA - East Coast - Light.

Source: Korean Notice 40/609/25

Chart 896 (INT 5355) [*previous update 4467/25*] WGS84 DATUM

Amend light to, Fl.Y.4s21m9M

35° 19′·34N., 129° 18′·24E.

II

79 KOREA - South Coast - Buoyage. Light.

Source: Korean Notices 39/599-600/25

Chart 1163 [*previous update 4506/25*] WGS84 DATUM

Delete

★ Fl(4)Y.8s9m7M

35° 04'·324N., 128° 44'·550E.

 Fl.Y.4s B

35° 03'·722N., 128° 46'·552E.

 Fl.Y.4s A

35° 03'·672N., 128° 46'·488E.

II

78 INDONESIA - Kalimantan - Depths. NM Block.

Source: ENC ID400259

Chart 1852 (Panel C, Lingkas) [*previous update 2686/25*] WGS84 DATUM

Replace	depth, 5, with depth, 45	3° 17'·17N., 117° 35'·05E.
	depth, 64, with depth, 58	3° 16'·50N., 117° 35'·53E.

Chart 1852 (Panel B, Approaches to Lingkas and Bunyu) [*previous update 2686/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	3° 16'·6N., 117° 37'·2E.
	depth, 48, and extend 5m contour NE to enclose	3° 10'·98N., 117° 33'·22E.
	depth, 49, enclosed by 5m contour	3° 11'·16N., 117° 34'·18E.
	depth, 4, extend 5m contour NE to enclose	(a) 3° 10'·95N., 117° 43'·68E.
Delete	depth, 8, close SW of:	(a) above
Insert	depth, 39, and extend 5m contour NE to enclose	3° 10'·90N., 117° 44'·43E.
	depth, 94, enclosed by 10m contour	(b) 3° 25'·16N., 117° 49'·30E.
Delete	depth, 104, close SW of:	(b) above


II

66 UNITED STATES OF AMERICA - West Coast - Obstruction.

Source: ENC US5PDXJU

Chart 2849 (Panel A) [*previous update New Edition 27/11/2025*] NAD83 DATUM

Insert




45° 53'·68N., 122° 48'·10W.

II

67 UNITED STATES OF AMERICA - West Coast - Obstruction. Depth.
Source: ENC US5PDXNO

Chart 2839 (Panel B) [*previous update 5820/25*] NAD83 DATUM

Insert



(a) 46° 09'·93N., 123° 13'·75W.

Delete

depth, 124, close NE of:

(a) above

II

47 BRAZIL - East Coast - NM Blocks.

Source: Brazilian Notice 15/E 130/24

Note: Former Notice 5187(P)/24 is cancelled.

Chart 598 (Porto De Vitória) [*previous update 5062/24*] WGS84 DATUM

Insert	the accompanying block A, centred on:	20° 19'·4S., 40° 20'·6W.
	the accompanying block B, centred on:	20° 19'·4S., 40° 19'·9W.

II

37 VENEZUELA - Buoy. Light.

Source: ENC VE400304

Chart 1628 [*previous update 5770/25*] WGS84 DATUM

Delete



Fl(2+1)10s

10° 33′·25N., 68° 03′·02W.



Fl.G.3s24m10M

10° 29′·41N., 68° 05′·71W.

II

52(T)/26 IRELAND - East Coast - Buoy.

Source: Dublin Port Company Notice 42/25

1. The Leac Buidhe light-buoy, *Fl(4)R.6s*, in position 53° 16′·65N., 6° 05′·10W. is reported off station.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1415 (INT 1663) - 5621_12

II

54(T)/26 ENGLAND - East Coast - Platform.

Source: ODE Ltd.

1. The platform, Southwark, in position 53° 11'·00N., 2° 05'·81E. has been reported to be unlit and all navigational aids inoperative.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 105 - 1408 - 1503 (INT 1509)

II

55(T)/26 ENGLAND - South Coast - Works. Buoyage.

Source: KHM Portsmouth, 122/25

1. Southsea Coastal Scheme works are taking place, with a floating line and steel sinker line established, in the vicinity of position 50° 46'·506N., 1° 05'·183W.
2. The floating line is marked by 4 special mark light-buoys, *Fl.Y.5s*, in the following positions:

<i>Characteristic</i>	<i>Position</i>
Yellow Buoy	50° 46'·429N., 1° 05'·313W.
Orange Buoy	50° 46'·429N., 1° 05'·268W.
Yellow Buoy	50° 46'·404N., 1° 05'·229W.
Yellow Buoy	50° 46'·351N., 1° 05'·128W.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Charts will be updated when works are complete.
(ETRS89 DATUM)

Charts affected - 2036 (INT 1730) - 2037 (INT 1731) - 2625 - 5600_13

II

56(T)/26 IRELAND - West Coast - Scientific instruments.

Source: Irish Maritime Administration Notice 65/25

1. Scientific instruments have been established on the seabed in the following positions:

52° 35′·22N., 9° 23′·58W.

52° 37′·740N., 9° 07′·380W.

52° 38′·46N., 9° 07′·08W.

2. The instruments are approximately 0·8m high off the seabed.
3. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1548 - 1549

II

65(P)/26 ENGLAND - East Coast - Depths. Wrecks.

Source: mv Northern Storm

1. Recent survey information has shown that depths less than charted exist east of Black Halls Point. The most significant is as follows:

Depth

18·9m

Position

54° 45'·42N., 1° 12'·51W.

2. The least depth over the wreck in position 54° 48'·83N., 1° 13'·81W. is reported to be 22·0m.
3. *The least depth over the wreck in position 54° 53'·88N., 1° 08'·21W. is reported to be 43·5m.
4. Mariners are advised to navigate with caution in the area.
5. Charts will be updated when full details are available.
6. *Former Notice 5522(P)/25 is cancelled.

*Indicates new or revised entry

(ETRS89 DATUM)

Charts affected - 152 (INT 1549) - 1191 (INT 1507) - 1192 (INT 1506) - 2567 - 5615_1 - 5615_5

II

72(P)/26 SCOTLAND - South West Coast - Depths. Wreck.

Source: mv Northern Gale

1. *Recent survey information has shown that numerous depths less than charted exist within Luce Bay and Beaufort's Dyke. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
*25·9m	54° 46'·34N., 5° 04'·81W.
*17·8m	54° 45'·03N., 5° 00'·92W.
*26·1m	54° 44'·72N., 5° 01'·79W.
*21·3m	54° 44'·17N., 5° 01'·10W.
*18·3m	54° 43'·54N., 4° 59'·35W.
*26·3m	54° 42'·97N., 5° 00'·22W.
*26·6m	54° 38'·42N., 4° 57'·35W.
*24·9m	54° 37'·65N., 4° 55'·30W.
*27·5m	54° 37'·06N., 4° 54'·12W.
14·2m	54° 38'·23N., 4° 53'·65W.
17·1m	54° 37'·89N., 4° 53'·68W.
*26·7m	54° 37'·99N., 4° 50'·22W.
18·4m	54° 38'·73N., 4° 51'·27W.
*8·4m	54° 39'·29N., 4° 49'·61W.
*13·6m	54° 40'·36N., 4° 50'·69W.
*5·4m	54° 40'·58N., 4° 51'·39W.
17·4m	54° 41'·08N., 4° 46'·33W.
18·4m	54° 40'·44N., 4° 46'·28W.
*30·3m	54° 35'·54N., 4° 43'·77W.

2. A non-dangerous wreck, depth 56m exists in position 54° 44'·22N., 5° 04'·16W.
3. Charts will be updated when full details are available.
4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 5315(P)/25 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1411 (INT 1608) - 1826 (INT 1607) - 2093 - 2094 - 2198 - 2724 (INT 1606) - 5610_17 - 5612_1 - 5612_11 - 5613_19 - 5613_2

II

83(P)/26 ENGLAND - East Coast - Channel limit.

Source: Port of London Authority

1. The southern Yantlet Secondary Channel has been extended up until position 51° 28'·998N., 0° 27'·747E., maintaining a 130m width.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. These changes will be included in a New Edition of Chart 1186 to be published early 2026.
(ETRS89 DATUM)

Chart affected - 1186 (INT 1426)

II

45(P)/26 NORWAY - West Coast - Wells. Manifolds. Obstructions. Wrecks.

Source: Norwegian Chart 307

1. Numerous wells, manifolds and obstructions exist in the vicinity of positions:

61° 50'·5N., 1° 25'·6E.

60° 59'·9N., 1° 52'·0E.

60° 31'·1N., 4° 11'·7E.

61° 50'·5N., 4° 10'·8E.

and

59° 57'·1N., 3° 49'·2E.

58° 49'·4N., 3° 49'·3E.

58° 49'·5N., 5° 11'·9E.

59° 58'·4N., 5° 11'·8E.

2. Wrecks, not dangerous to surface navigation, exist in the following positions:

59° 09'·1N., 3° 29'·7E.

61° 26'·7N., 2° 35'·5E.

61° 43'·0N., 4° 18'·8E.

61° 42'·9N., 4° 35'·1E.

3. Mariners are advised to navigate with caution in the area.
4. These and other changes will be included in the next New Edition of Charts 292, 294, 295, 1405, 1427 and 1428, to be published early 2026.
5. Chart 274 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 292 - 294 - 295 - 1405 (INT 1400) - 1427 (INT 1401) - 1428 (INT 1402)

II

36(P)/26 **POLAND - Wind farm. Works. Buoyage. Piles. Restricted areas.**

Source: Polish Notices 52/631(T)/24, 1/2(T)/25, 1/12(T)/25 and 40/442/25

1. *Wind farm construction works are taking place within an area, marked by cardinal light-buoys, bounded by the following positions:

55° 02'·09N., 17° 33'·10E.

55° 06'·65N., 17° 37'·30E.

55° 06'·65N., 17° 46'·27E.

55° 04'·94N., 17° 46'·66E.

55° 05'·11N., 17° 43'·09E.

55° 00'·30N., 17° 43'·09E.

*54° 59'·62N., 17° 38'·65E.

54° 59'·66N., 17° 38'·89E.

54° 58'·66N., 17° 33'·85E.

2. *Numerous piles have been established within the area.
3. *There is an entry prohibited area, radius 500 metres, around each pile.
4. Mariners are advised to navigate with caution in the area.
5. *Charts will be updated when works are complete.
6. *Former Notice 2042(T)/25 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218)

II

68(T)/26 ESTONIA - Buoy.

Source: Estonian Notice 11/182(T)/25

1. An ODAS buoy, *Fl(5)Y.20s*, has been deployed, until further notice, in position 58° 05′·16N., 21° 53′·37E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2059 (INT 1216)

II

53(T)/26 NIGERIA - Platform.

Source: Nigeria National Hydrographic Agency

1. A collapsed jack up barge has been reported in the vicinity of position 5° 53'·6N., 4° 47'·3E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1385 (INT 2808)

II

51(P)/26 DJIBOUTI - Pier. Channel. Restricted area. Leading lights. Leading line. Buoy.

Source: French Notice 43/194/25

1. A new pier has been established, joining the following positions:

11° 30'·15N., 43° 13'·77E.
 11° 30'·50N., 43° 14'·16E.
 11° 31'·14N., 43° 14'·67E.
 11° 31'·16N., 43° 14'·88E.

2. A buoyed approach channel and restricted area, anchoring, trawling and dredging prohibited has been established, joining the following positions:

11° 31'·05N., 43° 14'·69E.
 11° 31'·23N., 43° 14'·67E.
 11° 31'·51N., 43° 14'·94E.
 11° 32'·16N., 43° 14'·91E.
 11° 32'·28N., 43° 14'·89E.
 11° 32'·51N., 43° 14'·80E.
 11° 32'·56N., 43° 14'·76E.
 11° 32'·82N., 43° 14'·70E.
 11° 33'·37N., 43° 14'·66E.
 11° 35'·05N., 43° 14'·59E.
 11° 35'·21N., 43° 14'·57E.
 11° 35'·62N., 43° 14'·39E.
 11° 35'·85N., 43° 14'·16E.
 11° 36'·01N., 43° 13'·94E.
 11° 36'·03N., 43° 13'·85E.
 11° 37'·17N., 43° 11'·74E.
 11° 37'·72N., 43° 12'·01E.
 11° 36'·65N., 43° 14'·73E.
 11° 36'·56N., 43° 14'·87E.
 11° 36'·41N., 43° 15'·04E.
 11° 36'·30N., 43° 15'·09E.
 11° 36'·12N., 43° 15'·19E.
 11° 35'·89N., 43° 15'·23E.
 11° 33'·99N., 43° 15'·23E.

3. and

11° 32'·93N., 43° 15'·29E.
 11° 32'·73N., 43° 15'·29E.
 11° 32'·30N., 43° 15'·13E.
 11° 31'·61N., 43° 15'·18E.
 11° 31'·52N., 43° 15'·15E.
 11° 31'·35N., 43° 15'·19E.
 11° 31'·22N., 43° 15'·16E.
 11° 30'·92N., 43° 15'·15E.

4. Leading lights have been established as follows:

<i>Leading Light</i>	<i>Characteristic</i>	<i>Position</i>
Front	Dir VQ.5M	11° 30'·92N., 43° 15'·07E.
Rear	Dir VQ.5M	11° 30'·81N., 43° 15'·08E.

The bearing of the associated leading line is 177°

5. An east cardinal buoy, *Q(3)10s*, has been established in position 11° 37'·93N., 43° 10'·21E.
6. These changes will be included in a New Edition of Chart 264 to be published 2026.
7. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Chart affected - 264 (INT 7115)

II

34(T)/26 CHINA - South Coast - Anchorage areas.

Source: Chinese Bulletin Section 1 33/25

1. The following temporary Typhoon Shelters and Anchorages have been established:

<i>Name</i>	<i>Positions</i>	<i>Depth (m)</i>	<i>Nature of Seabed</i>	<i>Purpose</i>
Outer Lingding SE	22° 04'·60N., 114° 02'·58E. 22° 03'·33N., 114° 02'·58E. 22° 03'·33N., 114° 05'·28E. 22° 04'·60N., 114° 05'·28E.	26.6-28.8	Mud with sand	Cargo vessels
Lingding Hangdao W	22° 30'·00N., 113° 43'·45E. 22° 26'·35N., 113° 43'·73E. 22° 26'·28N., 113° 44'·88E. 22° 30'·08N., 113° 44'·12E.	2.6-5.3	Mud with sand	Cargo vessels
Lingding Hangdao E	22° 30'·27N., 113° 45'·23E. 22° 25'·08N., 113° 45'·97E. 22° 25'·15N., 113° 46'·92E. 22° 28'·08N., 113° 46'·47E. 22° 30'·35N., 113° 46'·18E.	5.3-18	Mud with sand	Cargo vessels
Fuzhou No 1	22° 45'·32N., 113° 37'·63E. 22° 45'·13N., 113° 37'·40E. 22° 44'·73N., 113° 37'·75E. 22° 44'·92N., 113° 37'·97E.	7.2	Mud with sand	Cargo vessels
Fuzhou No 2	22° 45'·95N., 113° 36'·93E. 22° 45'·37N., 113° 37'·45E. 22° 45'·58N., 113° 37'·73E. 22° 46'·13N., 113° 37'·20E.	6-15.4	Mud	Cargo vessels

2. and

<i>Name</i>	<i>Positions</i>	<i>Depth (m)</i>	<i>Nature of Seabed</i>	<i>Purpose</i>
Xidatan	22° 50'·47N., 113° 35'·03E. 22° 49'·15N., 113° 36'·20E. 22° 49'·28N., 113° 36'·35E. 22° 50'·02N., 113° 35'·85E. 22° 50'·67N., 113° 35'·23E.	2.3-10.9	Mud with sand	Cargo vessels
Dahu	22° 49'·57N., 113° 34'·22E. 22° 48'·82N., 113° 35'·22E. 22° 48'·58N., 113° 35'·72E. 22° 48'·82N., 113° 35'·92E. 22° 49'·12N., 113° 35'·50E. 22° 48'·88N., 113° 35'·30E. 22° 49'·58N., 113° 34'·25E.	2-13.1	Mud	Cargo vessels
Nizhou	22° 52'·90N., 113° 33'·50E. 22° 52'·08N., 113° 33'·50E. 22° 52'·08N., 113° 33'·75E. 22° 52'·90N., 113° 33'·75E.	3.7-14	Sand	Cargo vessels
Dongjiangkou	23° 02'·58N., 113° 30'·33E. 23° 00'·98N., 113° 30'·80E. 23° 00'·98N., 113° 30'·82E. 23° 01'·48N., 113° 30'·83E. 23° 02'·02N., 113° 30'·70E. 23° 02'·58N., 113° 30'·37E.	0.8-6.3	Sand	Cargo vessels

II

34(T)/26 CHINA - South Coast - Anchorage areas. (continued)

3. and

<i>Name</i>	<i>Positions</i>	<i>Depth (m)</i>	<i>Nature of Seabed</i>	<i>Purpose</i>
Dahaozhou	23° 04'·12N., 113° 28'·63E. 23° 03'·85N., 113° 28'·72E. 23° 03'·82N., 113° 28'·78E. 23° 03'·92N., 113° 28'·85E. 23° 04'·15N., 113° 28'·68E.	2.6-4.1	Mud with sand	Cargo vessels
Xinzao	23° 03'·63N., 113° 24'·83E. 23° 03'·60N., 113° 24'·92E. 23° 03'·93N., 113° 25'·08E. 23° 03'·97N., 113° 25'·00E.	0.2-6.1	Mud	Tankers
Yuangangsha	23° 02'·02N., 113° 21'·52E. 23° 01'·93N., 113° 21'·55E. 23° 02'·07N., 113° 21'·98E. 23° 02'·12N., 113° 21'·97E. 23° 02'·10N., 113° 21'·80E.	2.9-6	Sand	Cargo vessels
Xiaozhou	23° 02'·95N., 113° 21'·52E. 23° 02'·87N., 113° 21'·60E. 23° 02'·97N., 113° 21'·72E. 23° 03'·05N., 113° 21'·62E.	1.5-6.4	Mud with sand	Cargo vessels
Lijiao	23° 03'·33N., 113° 17'·95E. 23° 03'·23N., 113° 17'·93E. 23° 03'·18N., 113° 18'·60E. 23° 03'·28N., 113° 18'·60E.	3.5-6.3	Sand	Cargo vessels

4. and

<i>Name</i>	<i>Positions</i>	<i>Depth (m)</i>	<i>Nature of Seabed</i>	<i>Purpose</i>
Daganwei	23° 03'·65N., 113° 16'·75E. 23° 03'·52N., 113° 16'·75E. 23° 03'·50N., 113° 17'·00E. 23° 03'·53N., 113° 17'·02E.	0.3-8.3	Mud with sand	Cargo vessels
Datanwei	23° 07'·12N., 113° 12'·90E. 23° 07'·08N., 113° 12'·87E. 23° 06'·99N., 113° 13'·06E. 23° 07'·03N., 113° 13'·09E.	0.5-5.5	Mud with sand	Cargo vessels
Dongpu	23° 06'·65N., 113° 23'·12E. 23° 06'·48N., 113° 23'·43E. 23° 06'·60N., 113° 23'·47E.	0.7-5.7	Sand	Cargo vessels
Hongshengsha	23° 05'·45N., 113° 26'·35E. 23° 05'·35N., 113° 26'·35E. 23° 05'·42N., 113° 26'·70E. 23° 05'·42N., 113° 26'·83E. 23° 05'·37N., 113° 27'·10E. 23° 05'·43N., 113° 27'·12E. 23° 05'·48N., 113° 26'·57E.	3-7	Sand with mud	Cargo vessels
Yuzhu	23° 05'·87N., 113° 25'·11E. 23° 05'·82N., 113° 25'·08E. 23° 05'·74N., 113° 25'·35E. 23° 05'·79N., 113° 25'·38E.	3-5	Sand with mud	Cargo vessels

II

34(T)/26 CHINA - South Coast - Anchorage areas. (continued)

5. and

<i>Name</i>	<i>Positions</i>	<i>Depth (m)</i>	<i>Nature of Seabed</i>	<i>Purpose</i>
Boluomiao	23° 04'·60N., 113° 29'·25E.	3-7	Sand with mud	Cargo vessels
	23° 04'·35N., 113° 29'·37E.			
	23° 04'·22N., 113° 29'·40E.			
	23° 04'·23N., 113° 29'·43E.			
	23° 04'·42N., 113° 29'·38E.			
Wenchongkou	23° 04'·62N., 113° 29'·30E.	2-4	Sand with mud	Cargo vessels
	23° 05'·12N., 113° 28'·33E.			
	23° 05'·08N., 113° 28'·31E.			
	23° 05'·07N., 113° 28'·39E.			
	23° 05'·00N., 113° 28'·53E.			
	23° 05'·04N., 113° 28'·55E.			
	23° 05'·10N., 113° 28'·41E.			

6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 341 - 343 - 344 - 346 - 347 - 937 (INT 5508) - 1555 - 3026

II

35(P)/26 CHINA - South Coast - Lights.

Source: UKHO

1. A leading front light, Fl.R.35m, has been reported in position: 22° 36'·78N., 114° 43'·84E.
2. A leading rear light, Fl.R.50m, has been reported in position: 22° 37'·37N., 114° 43'·84E.
3. Chart 340 will be updated when full details are available.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Chart affected - 340

II

69(T)/26 RUSSIA - Pacific Ocean Coast - Buoyage.

Source: Russian Notice 44/4598(T)/25

1. Two yellow special purpose pillar buoys have been established in the following positions:

42° 58'·42N., 131° 46'·97E.

42° 57'·92N., 131° 48'·67E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3045

II

64(P)/26 AUSTRALIA - Western Australia - Depths. Buoy.

Source: Australian Chart Aus55

1. Depths less than charted exist within the approaches to Port Walcott. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
17·5m	20° 23'·18S., 117° 26'·04E.
13·9m	20° 31'·55S., 117° 26'·64E.
13·5m	20° 32'·02S., 117° 26'·34E.
13·5m	20° 30'·99S., 117° 25'·19E.
12·7m	20° 31'·78S., 117° 25'·10E.
14·7m	20° 31'·16S., 117° 24'·18E.
10·3m	20° 32'·70S., 117° 24'·50E.
13·7m	20° 32'·56S., 117° 23'·96E.
15m	20° 31'·83S., 117° 23'·29E.
14·5m	20° 31'·57S., 117° 22'·66E.
14·2m	20° 32'·24S., 117° 22'·98E.
13·2m	20° 32'·57S., 117° 23'·24E.
13m	20° 32'·93S., 117° 22'·90E.
13·7m	20° 31'·70S., 117° 22'·01E.

2. The buoy in position 20° 34'·28S., 117° 12'·61E. has been amended to, Red Pillar Buoy, cylinder topmark, *Fl.R.3s No 30*.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These changes will be included in a New Edition of Chart Aus55 to be published early 2026.
(WGS84 DATUM)

Chart affected - Aus 55