



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 02

08 January 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
331	INT 1401	NP 131
519	INT 1552	
756		
1320		
1392		
1427		
2376		
2566		
3480		
3992		
4248		
5526		
5608_4		
5608_5		
5608_8		

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



I

UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW ADMIRALTY CHARTS AND PUBLICATIONS

New ADMIRALTY Charts published 08 January 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙756	Pacific Ocean - Kiribati, Tabiteuea. 1°00'·00 S. - 1°36'·00 S., 174°36'·00 E - 175°16'·40 E. Ⓐ Southern Lagoon. 1°24'·00 S. - 1°35'·00 S., 174°46'·60 E - 175°06'·81 E. Ⓑ Taboaine. 1°08'·50 S. - 1°15'·00 S., 174°38'·00 E - 174°45'·00 E.	1:100,000 1:50,000 1:50,000	70	-

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 08 January 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙331	Brazil - North Coast, Approaches to Porto de Belém and Porto de Vila Do Conde. Ⓐ Porto de Belém. Ⓑ Porto de Vila Do Conde.	1:100,000 1:25,000 1:20,000	95	120
On publication of this New Edition former Notice 5225(P)/25 is cancelled. This chart remains affected by Notices 3655(P)/18, 3426(P)/23, 3477(P)/24, 5659(P)/24 and 1369(P)/25.				
⊙519	Guyana, Georgetown. Ⓐ Georgetown to Soesdyke. Ⓑ Soesdyke to Saint Jan. Ⓒ Saint Jan to Linden.	1:12,500 1:50,000 1:50,000 1:50,000	87	120
On publication of this New Edition former Notices 921(P)25 and 4792(P)/25 are cancelled. This chart remains affected by Notices 3388(T)/23 and 5495(P)/24.				

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 08 January 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1320	Irish Sea, Fleetwood to Douglas. This chart remains affected by Notice 4161(P)/24.	1:100,000	3	26
⊙1427 INT 1401	International Chart Series, Norway - West Coast, Stavanger to Florø. On publication of this New Edition former Notice 816(P)/25 is cancelled. This chart remains affected by Notices 1171(T)/24, 2566(T)/24, 1676(P)/25, 2049(T)/25, 2516(P)/25, 2635(P)/25, 2680(P)/25, 4255(T)/25, 4701(P)/25, 5767(T)/25 and 149(P)/26. This chart is to be deleted from the list of charts affected by Notice 45(P)/26.	1:350,000	13	28, 32, 38
⊙3992	China and Vietnam, Gulf of Tonkin, Dongxing Gang to Beihai Gang. On publication of this New Edition former Notice 5354(P)/25 is cancelled. This chart remains affected by Notice 1879(P)/24.	1:120,000	47	76
4248	Chile, Bahia Concepcion - Talcahuano. Ⓐ Talcahuano. Ⓑ Terminal 1 and 2. On publication of this New Edition former Notice 5413(P)/25 is cancelled.	 1:10,000 1:3,000	98	114

New Editions of ADMIRALTY Small Craft Charts published 08 January 2026

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5608_4	Ⓐ Hartland Point to Lundy and Ilfracombe. Ⓑ Lundy. This chart remains affected by Notice 1179(P)/25.	1:75,000 1:25,000	19
5608_5	Ⓐ Barnstaple and Bideford. Ⓑ Padstow. Ⓒ Ilfracombe. This chart remains affected by Notice 1179(P)/25.	1:25,000 1:25,000 1:12,500	19
5608_8	Ⓐ River Neath. Ⓑ Barry. Ⓒ Lynmouth. Ⓓ Porlock. Ⓔ Minehead. Ⓕ Watchet.	1:12,500 1:12,500 1:20,000 1:20,000 1:20,000 1:20,000	19

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 22 JANUARY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
2376	Taiwan - West Coast, Kaohsiung.	1:20,000	⊙2376	50	80
2566	International Chart Series, England - East Coast, Tees and Hartlepool		⊙2566	7	26
INT 1552	Bays.		INT 1552		
	Ⓐ Tees Bay.	1:20,000			
	Ⓑ Continuation of River Tees.	1:20,000			
	Ⓒ Hartlepool Bay.	1:10,000			
3480	China, Korea and Japan, Yellow Sea and Korea Strait.	1:1,200,000	⊙3480	52	80, 82, 84, 86
5526	Mariners' Routeing Guide, Southern North Sea.	1:550,000	5526	-	142

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
331	Brazil - North Coast, Approaches to Porto de Belém and Porto de Vila Do Conde.	⊙331
519	Guyana, Georgetown.	⊙519
1320	Irish Sea, Fleetwood to Douglas.	⊙1320
1427	International Chart Series, Norway - West Coast, Stavanger to Florø.	⊙1427
INT 1401		INT 1401
3992	China and Vietnam, Gulf of Tonkin, Dongxing Gang to Beihai Gang.	⊙3992
4248	Chile, Ports in Bahia Concepcion.	⊙4248
5608_4	Hartland Point to Lundy and Ilfracombe.	5608_4
5608_5	Barnstaple and Bideford.	5608_5
5608_8	River Neath.	5608_8

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts:-

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
©1392	Africa – West Coast, Ports and Anchorages in Togo and Benin.	29 th January 2026

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 1, Authorised ADMIRALTY Distributors, Netherlands

Amend:

ONEOCEAN (NEDERLAND) BV	
Floor 6 and Half Floor 7 George Hintzenweg 77 Rotterdam Lotus C Office	
T: +31 104 167622	
F: +31 104 167218	
netherlands@oneocean.com	
www.oneocean.com	
DIGITAL	PUBLICATIONS

Page 1, Authorised ADMIRALTY Distributors, Singapore

Amend:

ONEOCEAN (SINGAPORE)	
9 North Buona Vista Drive Metropolis Tower 138588	
T: +65 6545 9880	
F: +65 6545 8892	
singapore@oneocean.com	
www.oneocean.com	
DIGITAL	PUBLICATIONS

© denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors (continued)

Page 2, Authorised ADMIRALTY Distributors, United Kingdom

Amend:

ONEOCEAN (SOUTHAMPTON) SUPERYACHT	
Global Technology Centre Hampshire House Hampshire Corporate Park Southampton SO53 3RY	
T: +44 (0)2380 714300	
F: +44 (0)2380 714345	
southampton@oneocean.com	
www.oneocean.com	
DIGITAL	PUBLICATIONS

© denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2	149P	1633	91
12	108P	1661	159P
39	90	1721	95P
44	124	1730	178
114	147	1760	194
166	120P	1784	98
167	120P	1792	135
200	141	1800	109
219	149P	1826	185P
245	149P	1852	163
265	104	1859	125P
272	149P	1901	123T
274	149P	1907	191P
292	149P	1913	175
344	131	1914	175
350	183	1942	149P
735	128	1949	155T
811	154T, 174	1967	123T
820	154T, 174	1971	161T
823	121T	1985	120P
826	121T	1992	120P
830	121T	1994	191P
843	122	2026	87
846	122, 177	2054	182
863	179	2059	152
864	122	2093	185P
898	134	2094	185P
917	118	2122	133
1045	173	2123	100
1057	137	2131	191P
1063	126P	2135	165
1065	93T, 107	2161	164
1081	126P	2182B	149P
1119	149P	2182C	149P
1128	149P	2198	185P
1129	149P	2215	106
1131	159P	2242	139
1132	159P	2351	172
1134	103	2376	101
1143	116	2403	167
1161	132	2409	194
1163	93T	2416	168
1166	125P	2431	168
1176	125P	2456	156
1185	140	2473	99
1211	120P	2490	187
1234	149P	2492	156
1239	149P	2494	136
1256	94	2511	136
1294	166	2595	129T
1303	116	2618	162
1306	103	2645	148
1312	167	2666	149P
1369	115	2670	149P, 156
1392	130P	2724	185P
1402	97	2755	149P
1405	149P	2799	186
1411	185P	2803	160
1422	149P	2816	182
1425	92	2817	182
1426	96	2853	151
1427	149P	2860	149P, 156
1430	146T	2861	149P
1431	124	2870	167
1467	119	2874	99
1488	86	2890	156
1512	161T	2903	99
1599	105	2908	99
1627	85	3134	159P

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
3231	194	5613_19	185P
3234	162	5613_2	185P
3235	162	5614_18	138
3264	193P	5614_19	138
3291	150	5615_20	85
3296	99	5621_3	124
3482	170	5621_5	124
3488	170		
3497	138	Australian Chart No.	Notices
3658	169		
3676	187	Aus 357	142
3684	171	Aus 802	142
3726	99	Aus 821	189P
3757	167	Aus 825	189P
3778	143T	Aus 840	145
3780	143T		
3796	143T	Belgian Chart No.	Notices
3821	181		
3825	190	BE 11	176
3831	84P	BE 102	176
3838	155T		
3874	170	Indian Chart No.	Notices
3938	89		
3949	84P	IN 202	90
3957	127T	IN 203	90
3987	170	IN 251	90
3988	170	IN 2031	90
4030	117P	IN 2068	90
4038	117P, 167		
4039	167	Japanese Chart No.	Notices
4040	117P, 167		
4041	167	JP 10	109, 113
4042	84P	JP 11	113
4043	84P	JP 1030	109, 110
4044	184	JP 1032	110, 111, 112
4101	146T, 149P	JP 1101	114T
4102	149P		
4103	149P	New Zealand Chart No.	Notices
4104	159P		
4114	149P	NZ 61	88T
4123	144T	NZ 6142	88T
4140	149P	NZ 6612	188P
4403	149P		
4404	149P	International Chart No.	Notices
4407	149P		
4417	180	INT 101	146T, 149P
4476	180	INT 102	149P
4603	192T	INT 103	149P
4722	192T	INT 104	159P
4723	99	INT 140	149P
4763	153	INT 160	149P
4928	158	INT 305	120P
4936	102	INT 403	149P
4937	157P	INT 404	149P
5602_15	123T	INT 550	170
5606_7	140	INT 552	170
5606_8	140	INT 603	192T
5606_9	140	INT 722	192T
5608_15	125P	INT 723	99
5608_16	125P	INT 1041	149P
5608_18	125P		
5608_20	125P		
5608_7	132		
5609_4	161T		
5610_17	185P		
5610_2	191P		
5612_1	185P		
5612_11	185P		
5612_19	136		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1042	149P		
INT 1044	149P		
INT 1060	149P		
INT 1189	190		
INT 1203	182		
INT 1216	152		
INT 1229	122, 177		
INT 1230	122		
INT 1238	154T, 174		
INT 1239	154T, 174		
INT 1300	97		
INT 1332	129T		
INT 1400	149P		
INT 1401	149P		
INT 1404	146T		
INT 1417	91		
INT 1476	147		
INT 1480	176		
INT 1501	149P		
INT 1502	149P		
INT 1545	128		
INT 1551	85		
INT 1554	138		
INT 1572	140		
INT 1600	149P		
INT 1606	185P		
INT 1607	185P		
INT 1608	185P		
INT 1634	191P		
INT 1636	191P		
INT 1652	132		
INT 1654	125P		
INT 1655	125P		
INT 1659	136		
INT 1662	124		
INT 1727	123T		
INT 1764	122		
INT 1951	159P		
INT 1988	159P		
INT 1989	159P		
INT 2881	130P		
INT 5708	155T		
INT 5777	155T		
INT 7114	104		
INT 7142	108P		
INT 7318	90		
INT 7319	90		
INT 7326	90		
INT 7344	86		
INT 7438	121T		
INT 7441	121T		
INT 9315	172		

II

104 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
265 INT 7114	4248/25	Effective immediately Insert magenta limit and chart number, FR7849 A, as follows: North: 11° 47'·26N. East: 42° 53'·33E. South: 11° 45'·92N. West: 42° 51'·27E. Amend reference to read, See Plan A, in position 11° 32'·25N., 42° 41'·86E. Amend reference to read, See Plan B, in position 11° 59'·40N., 43° 19'·32E. Replace letter B with A in the title of panel, ENTRANCE TO GHoubbet el KHARÂB Replace letter C with B in the title of panel, PORT OF OBOCK Delete panel A, TADJOURA ANCHORAGE Delete magenta limit and reference, See Plan A, in position 11° 46'·97N., 42° 52'·73E. Delete panel A, within Source Diagram

II

85* ENGLAND - East Coast - Buoyage.

Source: RS Hydro

Chart 1627 (INT 1551) (Panel B, Warkworth Harbour) [*previous update 3860/24*] ETRS89 DATUM

Insert



55° 20′·25N., 1° 33′·85W.

55° 20′·34N., 1° 33′·98W.

Chart 5615_20 (Panel B, Warkworth Harbour) [*previous update New Edition 06/11/2025*] ETRS89 DATUM

Insert



55° 20′·25N., 1° 33′·85W.

55° 20′·34N., 1° 33′·98W.

II

124* IRELAND - East Coast - Wreck.

Source: Drogheda Port Company

Chart 44 [*previous update 3350/25*] ETRS89 DATUM

Insert



53° 41'·98N., 6° 13'·45W.

Chart 1431 (INT 1662) (Panel A, Approaches to the River Boyne) [*previous update 4507/25*] ETRS89 DATUM

Insert



53° 41'·98N., 6° 13'·45W.

Chart 5621_3 [*previous update New Edition 31/07/2025*] ETRS89 DATUM

Insert



53° 41'·98N., 6° 13'·45W.

Chart 5621_5 [*previous update New Edition 31/07/2025*] ETRS89 DATUM

Insert



53° 41'·98N., 6° 13'·45W.

II

128* SCOTLAND - East Coast - Buoy.

Source: Forth Ports Notice 132/25

Chart 735 (INT 1545) (Panel, Leith) [*previous update 5093/25*] ETRS89 DATUM

Insert



Fl(5)Y.20s

55° 59′·840N., 3° 12′·086W.

Chart 735 (INT 1545) [*previous update 5093/25*] ETRS89 DATUM

Insert



Fl(5)Y.20s

55° 59′·84N., 3° 12′·09W.

II

132* WALES - South Coast - Legends.

Source: Neath Port Authority

Chart 1161 (INT 1652) (Panel, River Neath) [*previous update 5651/25*] ETRS89 DATUM

Amend legend to, *3.5m above CD (see Note)*, centred on: 51° 37'·096N., 3° 50'·901W.

Chart 1161 (INT 1652) [*previous update 5651/25*] ETRS89 DATUM

Amend legend to, *Maintained depth 3.5m above chart datum (see Note)*, centred on: 51° 36'·30N., 3° 52'·02W.

Chart 5608_7 [*previous update 389/25*] ETRS89 DATUM

Amend legend to, *Maintained depth 3.5m above chart datum (see Note)*, centred on: 51° 36'·30N., 3° 52'·02W.

II

136* IRELAND - North Coast - NM Blocks.

Source: Coleraine Harbour

Chart 2494 (Panel D, River Bann to Coleraine and Approaches) [*previous update 451/24*] ETRS89 DATUM

Insert the accompanying block, centred on: 55° 10'·3N., 6° 46'·3W.

Chart 2511 (INT 1659) [*previous update 5825/25*] ETRS89 DATUM

Insert the accompanying block, centred on: 55° 10'·3N., 6° 46'·4W.

Chart 5612_19 (Panel A, River Bann to Coleraine) [*previous update New Chart 11/11/2021*] ETRS89 DATUM

Insert the accompanying block, centred on: 55° 10'·3N., 6° 46'·3W.

II

138* ENGLAND - East Coast - Depths. Drying heights.

Source: ABP Humber

Chart 3497 (INT 1554) [*previous update 5668/25*] ETRS89 DATUM

Insert	depth, 23	(a)	53° 40'·90N., 0° 14'·11W.
Delete	depth, 33, close SE of:	(a)	above
Insert	depth, 19, enclosed by 2m contour	(b)	53° 41'·08N., 0° 14'·30W.
Delete	depth, 32, close SE of:	(b)	above
Insert	depth, 17, enclosed by 2m contour	(c)	53° 41'·21N., 0° 14'·46W.
Delete	depth, 29, close SW of:	(c)	above
Insert	depth, 12	(d)	53° 41'·59N., 0° 14'·52W.
Delete	depth, 19, close SE of:	(d)	above
Insert	depth, 11	(e)	53° 41'·73N., 0° 14'·58W.
Delete	depth, 17, close NW of:	(e)	above
Insert	drying height, 07, enclosed by 0m low water line	(f)	53° 41'·88N., 0° 14'·60W.
Delete	depth, 12, close NW of:	(f)	above
Insert	depth, 15, enclosed by 2m contour		53° 42'·05N., 0° 14'·54W.
	drying height, 14, enclosed by 0m low water line	(g)	53° 42'·10N., 0° 14'·67W.
Delete	depth, 13, close SW of:	(g)	above
Insert	drying height, 1, enclosed by 0m low water line	(h)	53° 42'·25N., 0° 14'·67W.
Delete	depth, 04, close NW of:	(h)	above
Insert	drying height, 05, enclosed by 0m low water line	(i)	53° 42'·49N., 0° 14'·89W.
Delete	depth, 13, close SW of:	(i)	above
Insert	drying height, 12, enclosed by 0m low water line	(j)	53° 42'·83N., 0° 15'·44W.
Delete	depth, 08, close SE of:	(j)	above
Insert	depth, 18, and extend 2m contour NE to enclose	(k)	53° 43'·00N., 0° 14'·95W.
Delete	depth, 27, close NW of:	(k)	above
Insert	drying height, 16, enclosed by 0m low water line	(l)	53° 43'·06N., 0° 16'·10W.
Delete	depth, 08, close SE of:	(l)	above
	depth, 06, close NW of:	(l)	above
Insert	depth, 14, and extend 2m contour N to enclose:	(m)	53° 43'·96N., 0° 18'·05W.
Delete	depth, 12, close SE of:	(m)	above
	depth, 34, close NW of:	(m)	above

II

138* ENGLAND - East Coast - Depths. Drying heights. (continued)

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update 5023/25*] ETRS89 DATUM

Insert	depth, 23	(a)	53° 40'·90N., 0° 14'·11W.
Delete	depth, 33, close SE of:	(a)	above
Insert	depth, 19, enclosed by 2m contour	(b)	53° 41'·08N., 0° 14'·30W.
Delete	depth, 32, close SE of:	(b)	above
Insert	depth, 17, enclosed by 2m contour	(c)	53° 41'·21N., 0° 14'·46W.
Delete	depth, 29, close SW of:	(c)	above
Insert	depth, 12	(d)	53° 41'·59N., 0° 14'·52W.
Delete	depth, 19, close SE of:	(d)	above
Insert	depth, 11	(e)	53° 41'·73N., 0° 14'·58W.
Delete	depth, 17, close NW of:	(e)	above
Insert	drying height, 07, enclosed by 0m low water line	(f)	53° 41'·88N., 0° 14'·60W.
Delete	depth, 12, close NW of:	(f)	above
Insert	depth, 15, enclosed by 2m contour		53° 42'·05N., 0° 14'·54W.
	drying height, 14, enclosed by 0m low water line	(g)	53° 42'·10N., 0° 14'·67W.
Delete	depth, 13, close SW of:	(g)	above
Insert	drying height, 1, enclosed by 0m low water line	(h)	53° 42'·25N., 0° 14'·67W.
Delete	depth, 04, close NW of:	(h)	above
Insert	drying height, 05, enclosed by 0m low water line	(i)	53° 42'·49N., 0° 14'·89W.
Delete	depth, 13, close SW of:	(i)	above
Insert	drying height, 12, enclosed by 0m low water line	(j)	53° 42'·83N., 0° 15'·44W.
Delete	depth, 08, close SE of:	(j)	above
Insert	depth, 18, and extend 2m contour NE to enclose	(k)	53° 43'·00N., 0° 14'·95W.
Delete	depth, 27, close NW of:	(k)	above
Insert	drying height, 16, enclosed by 0m low water line:	(l)	53° 43'·06N., 0° 16'·10W.
Delete	depth, 08, close SE of:	(l)	above
	depth, 06, close NW of:	(l)	above

II

138* ENGLAND - East Coast - Depths. Drying heights. (continued)

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 5668/25*] ETRS89 DATUM

Insert	depth, <i>11</i>	(a)	53° 41'·73N., 0° 14'·58W.
Delete	depth, <i>17</i> , close NW of:	(a)	above
Insert	drying height, <i>07</i> , enclosed by 0m low water line	(b)	53° 41'·88N., 0° 14'·60W.
Delete	depth, <i>12</i> , close NW of:	(b)	above
Insert	drying height, <i>14</i> , enclosed by 0m low water line	(c)	53° 42'·10N., 0° 14'·67W.
Delete	depth, <i>13</i> , close SW of:	(c)	above
Insert	drying height, <i>1</i> , enclosed by 0m low water line	(d)	53° 42'·25N., 0° 14'·67W.
Delete	depth, <i>04</i> , close NW of:	(d)	above
Insert	drying height, <i>05</i> , enclosed by 0m low water line	(e)	53° 42'·49N., 0° 14'·89W.
Delete	depth, <i>13</i> , close SW of:	(e)	above
Insert	drying height, <i>12</i> , enclosed by 0m low water line	(f)	53° 42'·83N., 0° 15'·44W.
Delete	depth, <i>08</i> , close SE of:	(f)	above
Insert	depth, <i>18</i> , and extend 2m contour NE to enclose	(g)	53° 43'·00N., 0° 14'·95W.
Delete	depth, <i>27</i> , close NW of:	(g)	above
Insert	drying height, <i>16</i> , enclosed by 0m low water line	(h)	53° 43'·06N., 0° 16'·10W.
Delete	depth, <i>08</i> , close SE of:	(h)	above
	depth, <i>06</i> , close NW of:	(h)	above
Insert	depth, <i>14</i> , and extend 2m contour N to enclose	(i)	53° 43'·96N., 0° 18'·05W.
Delete	depth, <i>12</i> , close SE of:	(i)	above
	depth, <i>34</i> , close NW of:	(i)	above

II

140* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1185 (INT 1572) [*previous update 5647/25*] ETRS89 DATUM

Insert	depth, 108	(a)	51° 29'·89N., 0° 40'·56E.
Delete	depth, 113, close NW of:	(a)	above
Insert	depth, 114	(b)	51° 29'·74N., 0° 42'·36E.
Delete	depth, 129, close NW of:	(b)	above

Chart 5606_7 [*previous update 5647/25*] ETRS89 DATUM

Insert	depth, 114	(a)	51° 29'·74N., 0° 42'·36E.
Delete	depth, 129, close NW of:	(a)	above

Chart 5606_8 [*previous update 5647/25*] ETRS89 DATUM

Insert	depth, 108	(a)	51° 29'·89N., 0° 40'·56E.
Delete	depth, 113, close NW of:	(a)	above
Insert	depth, 114	(b)	51° 29'·74N., 0° 42'·36E.
Delete	depth, 129, close NW of:	(b)	above

Chart 5606_9 [*previous update 5311/25*] ETRS89 DATUM

Insert	depth, 114	(a)	51° 29'·74N., 0° 42'·36E.
Delete	depth, 129, close NW of:	(a)	above

II

172 NORWAY - West Coast - Light.

Source: Norwegian Notice 19/78870/25

Chart 2351 (INT 9315) [*previous update 5743/25*] WGS84 DATUM

Amend Eggeløysa light to, Fl 10s

70° 08'·0N., 18° 38'·9E.

II

97 SWEDEN - West Coast - Depth. Buoy.

Source: Swedish Chart 933

Chart 1402 (INT 1300) [*previous update 5771/25*] WGS84 DATUM

Replace	sounding out of position, <i>105</i> , and associated 20m contour, with depth, <i>105</i> , enclosed by 20m contour	(a) 58° 17′·3N., 11° 10′·9E.
Delete	<i>J</i> <i>ODAS</i> , close NW of:	(a) above

II

106 **ESTONIA - Light.**
Source: ENC EE60977D

Chart 2215 [*previous update 5397/25*] WGS84 DATUM

Amend light to, Iso.R.6s11M & F.R

58° 23' · 14N., 24° 28' · 29E.

II

122 SWEDEN - East Coast - Buoy.

Source: Swedish Notice 1096/19719/25

Chart 843 (INT 1230) [*previous update 4126/25*] WGS84 DATUM

Insert



58° 39'·24N., 17° 16'·77E.

Chart 846 (INT 1229) [*previous update 4958/25*] WGS84 DATUM

Insert



58° 39'·24N., 17° 16'·77E.

Chart 864 (INT 1764) [*previous update 57/26*] WGS84 DATUM

Insert



58° 39'·24N., 17° 16'·77E.

II

152 ESTONIA - Rock.

Source: Estonian Notice 12/202/25

Chart 2059 (INT 1216) [*previous update 5179/25*] WGS84 DATUM

Insert + (47)

58° 01'·17N., 22° 16'·23E.

II

174 SWEDEN - East Coast - Floating barrier. Legend. Buoyage.

Source: Swedish Notice 1097/19759/25

Chart 811 (INT 1239) [previous update 58/26] WGS84 DATUM

Delete floating barrier, double pecked line, joining:

59° 18'·962N., 18° 08'·797E.

59° 18'·940N., 18° 08'·814E.

59° 18'·923N., 18° 08'·775E.

59° 18'·879N., 18° 08'·582E.

59° 18'·877N., 18° 08'·506E.

59° 18'·886N., 18° 08'·483E.

59° 18'·911N., 18° 08'·663E.

legend, *Floating Barrier*, centred on:



59° 18'·937N., 18° 08'·826E.

59° 18'·919N., 18° 08'·779E.

59° 18'·898N., 18° 08'·674E.

59° 18'·878N., 18° 08'·588E.

59° 18'·875N., 18° 08'·548E.

Chart 820 (INT 1238) [previous update 5048/25] WGS84 DATUM

Delete floating barrier, double pecked line, joining:

59° 18'·95N., 18° 08'·80E.

59° 18'·94N., 18° 08'·81E.

59° 18'·93N., 18° 08'·77E.

59° 18'·88N., 18° 08'·58E.

59° 18'·88N., 18° 08'·51E.

59° 18'·89N., 18° 08'·49E.

59° 18'·85N., 18° 08'·50E.

legend, *Floating Barrier*, centred on:

II

177 SWEDEN - East Coast - Submarine power cables. Disused submarine cable.

Source: Swedish Notice 1097/19763/25

Chart 846 (INT 1229) (Panel E, Gränsösund) [*previous update 122/26*] WGS84 DATUM

Insert	submarine power cable,    , joining:	58° 30'·59N., 16° 54'·01E. 58° 30'·71N., 16° 54'·07E. 58° 30'·76N., 16° 54'·33E.
Replace	submarine power cable,    , with disused submarine cable,   , joining:	58° 30'·78N., 16° 54'·29E. 58° 30'·74N., 16° 54'·25E. 58° 30'·66N., 16° 54'·12E. 58° 30'·63N., 16° 54'·04E.

II

181 FINLAND - South Coast - Fairway.

Source: Finnish Notice 32/248/25

Chart 3821 [*previous update 1366/25*] WGS84 DATUM

Insert limit of fairway, pecked line, joining:

59° 52'·32N., 23° 15'·68E.

59° 52'·50N., 23° 14'·83E.

II

182 SWEDEN - East Coast - Radar beacon.

Source: Swedish Notice 1098/19682/25

Chart 2054 (INT 1203) [*previous update 5366/25*] WGS84 DATUM

Insert radar beacon, Racon(K), at light 56° 49'·17N., 16° 50'·70E.

Chart 2816 [*previous update 4021/25*] WGS84 DATUM

Insert radar beacon, Racon(K), at light 56° 49'·2N., 16° 50'·6E.

Chart 2817 [*previous update 4042/25*] WGS84 DATUM

Insert radar beacon, Racon(K), at light 56° 49'·2N., 16° 50'·6E.

II

190 FINLAND - Saaristomeri - Swept area.

Source: Finnish Notice 32/253/25

Note: Former Notice 1019(T)/25 is cancelled.

Chart 3825 (INT 1189) [*previous update 5369/25*] WGS84 DATUM

Insert limit of swept area, pecked line, joining:

60° 26'·35N., 22° 13'·16E.

60° 26'·37N., 22° 13'·06E.

60° 26'·43N., 22° 13'·05E.

60° 26'·44N., 22° 12'·98E.

60° 26'·44N., 22° 12'·97E.

8
└─

60° 26'·51N., 22° 13'·07E.

II

91 NORTH SEA - German Sector - Submarine power cable.

Source: Netherlands Notice 50/311/25

Chart 1633 (INT 1417) [*previous update 5341/25*] WGS84 DATUM

Insert submarine power cable,  , joining:

53° 41'·46N., 6° 29'·00E.

53° 41'·03N., 6° 26'·26E.

53° 40'·37N., 6° 24'·76E.

53° 40'·53N., 6° 22'·29E.

53° 41'·05N., 6° 21'·57E.

II

147 NETHERLANDS - Notes. Legends.

Source: Netherlands Notice 50/314/25

Chart 114 (INT 1476) (Part A, Terneuzen to Sluiskil) [*previous update 5795/25*] WGS84 DATUM

Replace	the existing note, with the accompanying note, VESSEL REPORTING, centred on:	51° 16'·11N., 3° 48'·76E.
	the existing note, VESSEL TRAFFIC SERVICES SCHELDEMOND, with the accompanying note, VESSEL TRAFFIC SERVICES SCHELDT AREA, centred on:	51° 19'·09N., 3° 48'·61E.

Chart 114 (INT 1476) (Part B, Sluiskil to Zelzate) [*previous update 5795/25*] WGS84 DATUM

Insert	legend, VESSEL TRAFFIC SERVICES SCHELDT AREA Ch 11 VTS Terneuzen (See Netherlands Coast Pilot HP1), centred on:	51° 15'·10N., 3° 48'·52E.
	legend, VESSEL TRAFFIC SERVICES SCHELDT AREA Ch 61 VTS Gent (See Netherlands Coast Pilot HP1), centred on:	51° 14'·50N., 3° 49'·51E.
Delete	legend, VESSEL TRAFFIC SERVICES SCHELDEMOND Ch 11 Terneuzen Port Control (See Netherlands Coast Pilot HP1), centred on:	51° 12'·52N., 3° 48'·82E.
	legend, VESSEL TRAFFIC SERVICES SCHELDEMOND Ch 11 Gent Port Control (See Netherlands Coast Pilot HP1), centred on:	51° 11'·37N., 3° 48'·82E.

Chart 114 (INT 1476) (Part C, Zelzate to Desteldonk) [*previous update 5795/25*] WGS84 DATUM

Amend	legend to, VESSEL TRAFFIC SERVICES SCHELDT AREA Ch 61 VTS Gent (See Netherlands Coast Pilot HP1), centred on:	51° 11'·49N., 3° 47'·54E.
-------	---	---------------------------

Chart 114 (INT 1476) (Part D, Desteldonk to Gent) [*previous update 5795/25*] WGS84 DATUM

Amend	legend to, VESSEL TRAFFIC SERVICES SCHELDT AREA Ch 61 VTS Gent (See Netherlands Coast Pilot HP1), centred on:	51° 07'·92N., 3° 45'·52E.
-------	---	---------------------------

II

87 FRANCE - North Coast - Buoy.

Source: French Notice 48/44/25

Chart 2026 [*previous update 3543/25*] WGS84 DATUM

Move

 *Fl(5)Y.20s Wave recorder*, from:

48° 43'·71N., 4° 04'·00W.

to:

48° 43'·70N., 4° 04'·30W.

II

165 FRANCE - North Coast - NM Block.

Source: French Notice 40/42/25

Chart 2135 [*previous update 5144/25*] WGS84 DATUM

Insert the accompanying block, centred on:

49° 23'·3N., 1° 09'·4W.

II

176 FRANCE - North Coast - Wreck.

Source: Belgium Notice 26/185/25

Chart BE 11 [*previous update 5732/25*] WGS84 DATUM

Replace  Wk with  Wk

51° 03'·24N., 2° 09'·97E.

Chart BE 102 (INT 1480) [*previous update 5307/25*] WGS84 DATUM

Replace  Wk with  Wk

51° 03'·24N., 2° 09'·97E.

II

178 SPAIN - West Coast - Light.

Source: Spanish Notice 46/341/25

Chart 1730 (Panel, Ensenada de San Simón) [*previous update 42/26*] WGS84 DATUM

Amend light to, Fl(2+1)R.15s1M 42° 18'·14N., 8° 39'·27W.

II

92 **FRANCE - Corse - Wreck.**

Source: French Notice 50/92/25

Chart 1425 (Panel C, Bastia) [*previous update 5168/25*] WGS84 DATUM

Insert



42° 41'·325N., 9° 27'·507E.

II

96 CROATIA - Restricted area.

Source: Croatian Notice 8/3/25

Chart 1426 (Panel E, Zaljev Raša) [*previous update 5740/25*] WGS84 DATUM

Insert	semi-circular limit of restricted area, entry prohibited, radius	
	500m, pecked line, centred on 44° 56' 83N., 14° 04' 60E,	
	joining:	44° 57' 09N., 14° 04' 71E.
		44° 56' 75N., 14° 04' 24E.

II

100 ITALY - Sicilia - Wreck.

Source: Italian Notice 21.19/25

Chart 2123 [*previous update 5690/25*] WGS84 DATUM

Replace ++ with ++ (16)

36° 47′·1N., 14° 27′·9E.

II

105 GREECE - Aegean Sea Coast - NM Block. Depths.

Source: ENC GR5QQK03

Chart 1599 (Panel, Liménas Pórou and Approaches) [*previous update 4122/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	37° 30'·2N., 23° 27'·1E.
	depth, 22 ₅	(a) 37° 31'·144N., 23° 24'·920E.
Delete	depth, 27, close SW of:	(a) above
Insert	depth, 17, enclosed by 2m contour	(b) 37° 29'·437N., 23° 27'·833E.
Delete	depth, 37, close S of:	(b) above
Replace	depth, 8 ₅ , with depth, 7 ₅	37° 31'·180N., 23° 24'·809E.

II

118 ITALY - West Coast - Wreck.

Source: Italian Notice 21.15/25

Chart 917 [*previous update 4985/25*] WGS84 DATUM

Replace

 Wk with  Wk

38° 15'·37N., 15° 42'·57E.

II

119 ITALY - East Coast - Outfall.

Source: Italian Notice 21.24/25

Chart 1467 [*previous update 3391/25*] WGS84 DATUM

Insert outfall, , joining:

44° 04'·11N., 12° 35'·08E.

44° 04'·45N., 12° 35'·73E.

II

133 ITALY - Sicilia - Depths.

Source: ENC IT300948

Note: This update is included in New Edition 1983, published early 2026.

Chart 2122 [previous update 5494/25] WGS84 DATUM

Insert	depth, 310	37° 51'·7N., 11° 51'·4E.
	depth, 362	37° 44'·0N., 11° 22'·5E.
	depth, 93, enclosed by 100m contour	37° 43'·9N., 11° 50'·9E.
	depth, 91, enclosed by 100m contour	(a) 37° 40'·9N., 11° 48'·3E.
Delete	depth, 126, close SW of:	(a) above
Insert	depth, 78, enclosed by 100m contour	37° 36'·2N., 11° 45'·4E.

II

137 TÜRKIYE - West Coast - Depths.

Source: Turkish Notice 39/184/25

Chart 1057 [*previous update 5697/25*] WGS84 DATUM

Insert	depth, 35	(a) 38° 08'·09N., 26° 49'·18E.
Delete	depth, 44 , close NW of:	(a) above
Replace	depth, 106 , with depth, 98 , and extend 10m contour W to enclose	38° 07'·94N., 26° 49'·61E.

II

139 RUSSIA - Black Sea Coast - NM Block.

Source: Russian Notice 38/3998/25

Chart 2242 [*previous update 4481/25*] WGS84 DATUM

Insert the accompanying block, centred on:

45° 06'·4N., 36° 39'·4E.

II

141 ITALY - East Coast - Wreck.

Source: Italian Notice 21.21/25

Chart 200 [*previous update 5738/25*] WGS84 DATUM

Insert



41° 58′·3N., 15° 36′·7E.

II

175 ITALY - West Coast - Light.

Source: Italian Notice 18.8/25

Chart 1913 [*previous update 62/26*] WGS84 DATUM

Insert

★ Fl.Y.3s4m5M

44° 22′·25N., 9° 06′·07E.

Chart 1914 [*previous update 3448/25*] WGS84 DATUM

Insert

★ Fl.Y.3s4m5M

44° 22′·25N., 9° 06′·07E.

II

183 ITALY - West Coast - Lights. Restricted area. Buoyage.

Source: Italian Notices 19.17-18/25

Chart 350 (Panel, Savona and Vado) [*previous update 3806/25*] WGS84 DATUM

Insert

★ 3F.R(hor)8m3M

44° 16'·368N., 8° 26'·877E.

limit of restricted area, entry prohibited, pecked line, joining:

44° 16'·05N., 8° 27'·22E.

(a) 44° 16'·09N., 8° 27'·19E.

(b) 44° 16'·12N., 8° 27'·46E.

(c) 44° 16'·01N., 8° 27'·48E.

(d) 44° 15'·81N., 8° 27'·41E.

(e) 44° 15'·77N., 8° 27'·32E.

 Fl.R.4s

(a) above

 Fl.Y.3s

(b) above

(c) above

(d) above

★ Fl.Y.3s3m3M

(e) above

II

150* ANGOLA - Depths.

Source: Chevron

Chart 3291 (Panel A, Malongo Terminal) [*previous update 5398/25*] WGS84 DATUM

Insert	depth, 59	(a)	5° 23'·826S., 12° 11'·124E.
Delete	depth, 63, close NE of:	(a)	above
Insert	depth, 54		5° 23'·998S., 12° 10'·864E.
		(b)	5° 24'·258S., 12° 10'·863E.
Delete	depth, 64, close SE of:	(b)	above
Insert	depth, 52		5° 24'·116S., 12° 10'·647E.
	depth, 63	(c)	5° 24'·149S., 12° 10'·798E.
Delete	depth, 66, close SE of:	(c)	above

II

179 MOROCCO - West Coast - Buoyage.

Source: Spanish Notice 38/293/25

Chart 863 (Panel E, Laâyoune) [*previous update 5799/25*] WGS84 DATUM

Insert	 <i>Oc.10s LA</i>	27° 05′·11N., 13° 26′·81W.
Delete	 <i>Fl(2)8s LA PA</i>	27° 05′·00N., 13° 27′·00W.

Chart 863 (Panel G, Approaches to Laâyoune) [*previous update 5799/25*] WGS84 DATUM

Amend	<i>LA light-buoy to, Oc.10s</i>	27° 05′·00N., 13° 27′·00W.
-------	---------------------------------	----------------------------

II

151 OMAN - Buoyage.

Source: Omani Notice 9/13/25

Chart 2853 [*previous update 5648/24*] WGS84 DATUM

Insert



Fl(3)G.10s

24° 30'·02N., 56° 38'·92E.



Fl(3)R.10s

24° 29'·89N., 56° 39'·04E.



Fl.G.5s No.1

24° 29'·82N., 56° 38'·59E.



Fl.G.3s No.3

24° 29'·79N., 56° 38'·39E.



Fl.R.5s No.2

24° 29'·69N., 56° 38'·69E.



Q.R

24° 29'·55N., 56° 38'·34E.



Fl.R.3s No.4

24° 29'·53N., 56° 38'·55E.



Fl.Y.3s

24° 29'·48N., 56° 38'·04E.

Delete



Fl(4)Y.10s No.2

24° 29'·53N., 56° 38'·38E.



Fl(4)Y.10s No.3

24° 29'·35N., 56° 38'·51E.

II

86 INDIA - West Coast - Light.

Source: Indian Notice 18/129/25

Chart 1488 (INT 7344) (Panel, Port Pīpāvāv) [*previous update 3659/25*] WGS84 DATUM

Insert

★ Fl.R.5s

20° 55′·46N., 71° 31′·05E.

Chart 1488 (INT 7344) [*previous update 3659/25*] WGS84 DATUM

Insert

★ Fl.R.5s

20° 55′·46N., 71° 31′·05E.

II

90 INDIA - West Coast - Virtual aids to navigation.

Source: Indian Notice 17/120/25, ENC IN52031H and ENC IN42068G

Chart 39 [*previous update 5286/25*] INDIAN DATUM

Insert	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	22° 35'·5N., 68° 58'·1E.
--------	--	--------------------------

Chart IN 202 [*previous update 5286/25*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	22° 35'·40N., 68° 57'·98E.
--------	--	----------------------------

Chart IN 203 (INT 7319) [*previous update 5725/24*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	22° 38'·02N., 69° 12'·94E. 22° 35'·40N., 68° 57'·98E.
	symbol, Virtual aid to navigation, north cardinal topmark, V-AIS, out of position	22° 37'·15N., 69° 07'·50E. 22° 34'·10N., 69° 18'·35E.

Chart IN 251 (INT 7318) [*previous update 5286/25*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	22° 35'·4N., 68° 58'·00E.
--------	--	---------------------------

Chart IN 2031 (INT 7326) [*previous update New Edition 31/03/2025*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	22° 35'·40N., 68° 57'·98E.
--------	--	----------------------------

Chart IN 2068 [*previous update 5725/24*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS, out of position	22° 38'·02N., 69° 12'·94E. 22° 35'·40N., 68° 57'·98E.
	symbol, Virtual aid to navigation, north cardinal topmark, V-AIS, out of position	22° 37'·15N., 69° 07'·50E. 22° 34'·10N., 69° 18'·35E.

II

167 SINGAPORE STRAIT - Submarine cable.

Source: UKHO

Note: Former Notices 2143(P)/24 and 2072(P)/25 are cancelled.

Chart 1312 [*previous update 4692/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 04'·8S., 106° 50'·5E.

1° 18'·0S., 107° 07'·3E.

Chart 2403 [*previous update 4692/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 15'·63N., 104° 48'·89E.

1° 14'·46N., 104° 51'·84E.

1° 13'·09N., 104° 52'·95E.

1° 12'·46N., 104° 54'·09E.

1° 10'·34N., 105° 01'·19E.

1° 09'·18N., 105° 02'·92E.

1° 02'·61N., 105° 10'·87E.

Chart 2870 [*previous update 4692/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 04'·8S., 106° 50'·5E.

1° 18'·0S., 107° 07'·3E.

Chart 3757 [*previous update 5710/25*] WGS84 DATUM

Insert submarine cable, , joining:

3° 12'·20S., 108° 50'·01E.

2° 52'·96S., 109° 03'·88E.

Chart 4038 [*previous update 5627/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 12'·95N., 103° 37'·19E.

1° 12'·52N., 103° 37'·05E.

1° 12'·30N., 103° 36'·94E.

1° 12'·05N., 103° 36'·63E.

1° 11'·66N., 103° 36'·00E.

1° 11'·65N., 103° 35'·31E.

1° 11'·62N., 103° 34'·84E.

1° 11'·50N., 103° 34'·63E.

1° 11'·02N., 103° 34'·35E.

1° 10'·80N., 103° 34'·18E.

II

167 SINGAPORE STRAIT - Submarine cable. (continued)

Chart 4039 [*previous update 5211/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 12'·95N., 103° 37'·19E.
 1° 12'·23N., 103° 36'·95E.
 1° 11'·66N., 103° 35'·92E.
 1° 11'·62N., 103° 34'·71E.
 1° 08'·71N., 103° 32'·89E.
 1° 06'·70N., 103° 31'·41E.
 1° 05'·43N., 103° 32'·86E.
 1° 04'·53N., 103° 34'·46E.
 1° 01'·75N., 103° 38'·80E.
 1° 01'·68N., 103° 39'·98E.
 1° 06'·12N., 103° 44'·98E.
 1° 07'·16N., 103° 45'·05E.
 1° 07'·52N., 103° 45'·72E.
 1° 08'·46N., 103° 46'·99E.
 1° 09'·36N., 103° 49'·00E.

Chart 4040 [*previous update 5627/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 12'·95N., 103° 37'·19E.
 1° 12'·23N., 103° 36'·95E.
 1° 11'·66N., 103° 35'·92E.
 1° 11'·62N., 103° 34'·71E.
 1° 10'·68N., 103° 34'·10E.
 and
 1° 07'·40N., 103° 45'·50E.
 1° 07'·67N., 103° 45'·96E.
 1° 08'·00N., 103° 46'·33E.
 1° 08'·46N., 103° 46'·99E.
 1° 09'·43N., 103° 49'·16E.
 1° 09'·71N., 103° 49'·43E.
 1° 10'·26N., 103° 50'·44E.
 1° 10'·58N., 103° 50'·92E.
 1° 10'·97N., 103° 51'·40E.
 1° 11'·11N., 103° 51'·90E.

II

167 SINGAPORE STRAIT - Submarine cable. (continued)

Chart 4041 [*previous update 5115/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 08'·42N., 103° 46'·90E.
1° 09'·43N., 103° 49'·16E.
1° 09'·71N., 103° 49'·43E.
1° 10'·26N., 103° 50'·44E.
1° 10'·97N., 103° 51'·40E.
1° 11'·46N., 103° 52'·75E.
1° 11'·77N., 103° 53'·16E.
1° 12'·08N., 103° 54'·18E.
1° 12'·73N., 103° 55'·27E.
1° 12'·97N., 103° 56'·29E.
1° 13'·55N., 103° 57'·56E.
1° 13'·75N., 103° 59'·41E.
1° 13'·95N., 103° 59'·97E.
1° 14'·17N., 104° 03'·05E.
1° 14'·53N., 104° 04'·70E.

II

184* SINGAPORE - Buoy.

Source: Maritime and Port Authority of Singapore

Chart 4044 [*previous update 5641/25*] WGS84 DATUM

Insert

 *Fl.Y.3s NBE-1*

1° 27'·26N., 103° 46'·33E.

II

89 CHINA - South Coast - Maritime limit. Legends. Works.

Source: Chinese Notice 38/1155(T)/25

Chart 3938 [*previous update 4908/25*] CGCS 2000 DATUM

Insert	maritime limit, pecked line, joining:	(a) 21° 34'·94N., 108° 21'·40E. (b) 21° 34'·78N., 108° 21'·85E. (c) 21° 34'·39N., 108° 21'·71E. (d) 21° 34'·43N., 108° 21'·53E. (e) 21° 34'·49N., 108° 21'·54E. (f) 21° 34'·53N., 108° 21'·38E. (g) 21° 34'·84N., 108° 21'·31E.
	legend, Under construction (2025), within:	(a) - (g) above
Delete	legend, Under construction (2012), centred on:	21° 34'·28N., 108° 21'·36E.

II

98 CHINA - South Coast - Submarine power cables.

Source: Chinese Notice 37/1106/25

Chart 1784 [*previous update 5446/25*] CGCS 2000 DATUM

Insert submarine power cable,  , joining:

22° 46'·82N., 115° 51'·22E.

22° 46'·27N., 115° 51'·58E.

22° 46'·06N., 115° 51'·58E.

22° 44'·52N., 115° 53'·09E.

22° 44'·44N., 115° 53'·46E.

22° 41'·52N., 115° 55'·65E.

and

22° 40'·12N., 115° 57'·70E.

22° 40'·08N., 115° 57'·78E.

22° 42'·80N., 116° 06'·49E.

22° 42'·99N., 116° 06'·75E.

II

101 TAIWAN - Legends. Works. Maritime limits.

Source: Taiwanese Notice 168(T)/25

Chart 2376 [*previous update 5011/25*] WGS84 DATUM

Insert maritime limit, pecked line, joining:

- (a) 22° 33'·18N., 120° 18'·49E.
- (b) 22° 33'·16N., 120° 18'·50E.
- (c) 22° 33'·15N., 120° 18'·46E.
- (d) 22° 33'·18N., 120° 18'·45E.
- and
- (e) 22° 32'·36N., 120° 17'·68E.
- (f) 22° 32'·38N., 120° 17'·66E.
- (g) 22° 32'·36N., 120° 17'·63E.
- (h) 22° 32'·34N., 120° 17'·64E.

legend, Works in progress (2025), close N of:

(a) - (d) above

legend, Works in progress (2025), close SE of:

(e) - (h) above

Delete charted detail, within:

(a) - (d) above

II

103 CHINA - East Coast - Depths.

Source: Chinese Notice 38/1123/25

Chart 1134 [*previous update 4973/25*] CGCS 2000 DATUM

Insert	depth, 257	(a)	30° 39'·51N., 122° 26'·16E.
Delete	depth, 234 , close SE of:	(a)	above
Insert	depth, 257	(b)	30° 39'·49N., 122° 25'·89E.
Delete	depth, 234 , close NE of:	(b)	above
Insert	depth, 257	(c)	30° 39'·33N., 122° 25'·83E.
Delete	depth, 234 , close SE of:	(c)	above

Chart 1306 [*previous update 4973/25*] CGCS 2000 DATUM

Insert	depth, 257	(a)	30° 39'·51N., 122° 26'·16E.
Delete	depth, 234 , with seabed type, <i>St</i> , close SE of:	(a)	above
Insert	depth, 257	(b)	30° 39'·33N., 122° 25'·83E.
Delete	depth, 234 , with seabed type, <i>St</i> , close N of:	(b)	above

II

115 CHINA - South Coast - Buoyage. Virtual aids to navigation.

Source: Chinese Notice 38/1132/25

Chart 1369 [*previous update 5427/25*] CGCS 2000 DATUM

Delete	symbol, Virtual aid to navigation, special topmark, V-AIS, out of position	22° 42′·61N., 115° 38′·05E.
	symbol, Virtual aid to navigation, special topmark, V-AIS	22° 42′·61N., 115° 39′·10E.
		22° 42′·03N., 115° 38′·04E.
		22° 42′·03N., 115° 39′·10E.
	 <i>Mo(O)Y.12s No 6</i>	22° 42′·28N., 115° 39′·92E.
	 <i>Mo(O)Y.12s No 7</i>	22° 41′·54N., 115° 39′·23E.
	 <i>Mo(O)Y.12s No 8</i>	22° 41′·54N., 115° 37′·58E.

II

116 CHINA - East Coast - Buoyage.

Source: Chinese Notice 35/1038/25

Chart 1143 [previous update 5781/25] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 6</i>	30° 34'·75N., 121° 39'·74E.
	 <i>Mo(O)Y.12s No 9</i>	30° 34'·66N., 121° 48'·72E.
	 <i>Mo(O)Y.12s No 10</i>	30° 33'·46N., 121° 48'·82E.
	 <i>Mo(O)Y.12s No 1</i>	30° 31'·91N., 121° 47'·93E.
	 <i>Mo(O)Y.12s No 4</i>	30° 30'·97N., 121° 40'·07E.

Chart 1303 [previous update 50/26] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 9</i>	30° 34'·66N., 121° 48'·72E.
	 <i>Mo(O)Y.12s No 10</i>	30° 33'·46N., 121° 48'·82E.
	 <i>Mo(O)Y.12s No 1</i>	30° 31'·91N., 121° 47'·93E.

II

131 CHINA - South Coast - Buoyage. Light.

Source: Chinese Notice 38/1131/25

Chart 344 [*previous update 5442/25*] CGCS 2000 DATUM

Insert

 *Fl(3)R.10s No 1*

22° 43'·85N., 113° 38'·20E.

 *Fl(3)G.10s No 2*

22° 43'·89N., 113° 37'·84E.

★ Fl.5s10m3M

22° 43'·65N., 113° 37'·30E.

II

135 CHINA - South Coast - Light-beacons.

Source: Chinese Notice 39/1170/25

Chart 1792 [*previous update 4057/25*] CGCS 2000 DATUM

Insert

 Mo(C)Y.15s16m5M No 13	23° 17'·89N., 117° 04'·41E.
 Mo(C)Y.15s16m5M No 1	23° 17'·88N., 117° 05'·01E.
 Mo(C)Y.15s16m5M No 9	23° 16'·89N., 117° 00'·27E.
 Mo(C)Y.15s16m5M No 8	23° 16'·15N., 116° 59'·59E.
 Mo(C)Y.15s16m5M No 3	23° 16'·15N., 117° 05'·30E.

II

148 CHINA - Bo Hai - Buoyage. Lights. Legend. Radar beacon.
Source: Chinese Notice 42/1238/25

Chart 2645 [previous update 3624/25] CGCS 2000 DATUM

Insert	legend, <i>Buoyed</i> , centred on:	38° 44'·95N., 117° 36'·96E.
	 <i>VQ(6)+LFl.10s NI</i>	38° 44'·82N., 117° 36'·98E.
	★ Fl.3s15m5M	38° 44'·75N., 117° 36'·55E.
	★ Iso.R.4s15m5M	38° 44'·60N., 117° 36'·55E.
Move	 <i>Fl.G.4s X9</i> , and associated radar beacon, <i>Racon(N)</i> ,	
	from:	38° 44'·67N., 117° 36'·89E.
	to:	38° 44'·52N., 117° 36'·88E.

II

162 TAIWAN - Light.

Source: UKHO

Chart 2618 (Panel C, Approaches to Hualien) [*previous update 5643/25*] WGS84 DATUM

Amend light to, Fl(3)G.12s10M 23° 58′·48N., 121° 36′·81E.

Chart 2618 (Panel D, Hualien) [*previous update 5643/25*] WGS84 DATUM

Amend light to, Fl(3)G.12s44m10M 23° 58′·484N., 121° 36′·814E.

Chart 3234 [*previous update 5643/25*] WGS84 DATUM

Amend light to, Fl(3)G.12s10M 23° 58′·61N., 121° 36′·84E.

Chart 3235 [*previous update 5747/25*] WGS84 DATUM

Amend light to, Fl(3)G.12s10M 23° 58′·56N., 121° 36′·79E.

II

166 CHINA - Bo Hai - Wrecks.

Source: Chinese Notice 40/1201/25

Chart 1294 [*previous update 5321/25*] CGCS 2000 DATUM

Replace

 (31), with  Wk

37° 28′·54N., 119° 25′·66E.

II

168 CHINA - East Coast - Virtual aids to navigation.

Source: Chinese Notice 43/1290/25

Chart 2416 [*previous update New Edition 24/07/2025*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS	26° 29'·48N., 119° 51'·76E.
		26° 29'·31N., 119° 51'·86E.
		26° 28'·96N., 119° 52'·42E.

Chart 2431 (Panel A, Approaches to Sansha Wan) [*previous update 3998/25*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS	26° 29'·48N., 119° 51'·76E.
		26° 29'·31N., 119° 51'·86E.
		26° 29'·10N., 119° 59'·71E.
		26° 28'·96N., 119° 52'·42E.
		26° 28'·79N., 119° 53'·40E.
		26° 28'·68N., 119° 56'·82E.
	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	26° 26'·25N., 119° 54'·28E.

II

169 TAIWAN - Buoyage.

Source: UKHO

Chart 3658 [*previous update 49/26*] WGS84 DATUM

Insert

 *Fl.Y.4s ODAS*

25° 07′·53N., 121° 07′·76E.

25° 07′·47N., 121° 06′·59E.

II

170 VIETNAM - Submarine cables.

Source: UKHO

Chart 3482 (INT 550) [*previous update 5692/25*] WGS84 DATUM

Insert submarine cable, , joining:

13° 35'·0N., 109° 32'·9E.
13° 33'·4N., 109° 36'·0E.

Chart 3488 (INT 552) [*previous update 5357/25*] WGS84 DATUM

Insert submarine cable, , joining:

13° 40'·3N., 109° 19'·7E.
13° 38'·8N., 109° 25'·3E.
13° 33'·5N., 109° 35'·9E.

Chart 3874 (Panel, Quy Nhon) [*previous update 5579/25*] WGS84 DATUM

Insert submarine cable, , joining:

13° 46'·25N., 109° 14'·33E.
13° 46'·12N., 109° 14'·33E.
13° 45'·12N., 109° 14'·09E.
13° 44'·17N., 109° 14'·15E.
13° 43'·33N., 109° 14'·39E.
13° 42'·95N., 109° 14'·40E.
13° 42'·08N., 109° 15'·40E.
13° 41'·03N., 109° 17'·47E.

Chart 3874 [*previous update 5579/25*] WGS84 DATUM

Insert submarine cable, , joining:

13° 46'·25N., 109° 14'·33E.
13° 46'·12N., 109° 14'·33E.
13° 45'·48N., 109° 14'·13E.
13° 44'·17N., 109° 14'·15E.
13° 42'·84N., 109° 14'·47E.
13° 42'·08N., 109° 15'·40E.
13° 40'·35N., 109° 18'·79E.
13° 38'·81N., 109° 25'·12E.
13° 38'·54N., 109° 25'·85E.
13° 37'·42N., 109° 28'·08E.

Chart 3987 [*previous update 5195/25*] WGS84 DATUM

Insert submarine cable, , joining:

13° 46'·2N., 109° 14'·3E.
13° 45'·1N., 109° 14'·1E.
13° 43'·1N., 109° 14'·4E.
and
13° 40'·6N., 109° 18'·6E.
13° 38'·5N., 109° 25'·9E.
13° 31'·6N., 109° 39'·7E.

II

170 VIETNAM - Submarine cables. (continued)

Chart 3988 [*previous update 5268/25*] WGS84 DATUM

Insert submarine cable, , joining:

13° 46'·3N., 109° 14'·3E.

13° 45'·1N., 109° 14'·1E.

13° 43'·1N., 109° 14'·4E.

and

13° 40'·6N., 109° 18'·6E.

13° 38'·5N., 109° 25'·9E.

13° 31'·6N., 109° 39'·7E.

II

194 TAIWAN - Radio reporting lines. Virtual aid to navigation. Legends.

Source: UKHO

Chart 1760 [previous update New Edition 27/11/2025] WGS84 DATUM

Insert	radio reporting line, inbound only, pecked line, joining:	(a)	24° 15'·4N., 120° 05'·5E.
		(b)	24° 20'·0N., 120° 05'·5E.
		(c)	24° 20'·0N., 120° 13'·6E.
			and
		(d)	23° 48'·0N., 119° 45'·0E.
	legend, <i>Changhua VTS</i> , along:	(e)	23° 48'·0N., 120° 05'·7E.
			(b)-(c) above
			(d)-(e) above
Delete	symbol, Virtual aid to navigation, East cardinal topmark, V-AIS	(a)	above
	former radio reporting line, inbound only, pecked line, and associated legend, <i>Changhua VTS</i> , joining:		24° 15'·7N., 119° 57'·0E.
			24° 25'·0N., 119° 57'·0E.
			24° 25'·0N., 120° 13'·6E.
			and
		(d)	above
			23° 42'·0N., 119° 45'·0E.
			23° 42'·0N., 120° 05'·7E.
		(e)	above

Chart 2409 [previous update 5565/25] WGS84 DATUM

Insert	radio reporting line, inbound only, pecked line, joining:	(a)	23° 48'·00N., 119° 45'·00E.
		(b)	23° 48'·00N., 120° 05'·67E.
	legend, <i>Changhua VTS</i> , along:		(a)-(b) above
Delete	former radio reporting line, inbound only, pecked line, and associated legend, <i>Changhua VTS</i> , joining:	(a)	above
			23° 42'·00N., 119° 44'·97E.
			23° 42'·00N., 120° 05'·67E.
		(b)	above

II

194 TAIWAN - Radio reporting lines. Virtual aid to navigation. Legends. (continued)

Chart 3231 [*previous update 5565/25*] WGS84 DATUM

Insert	radio reporting line, inbound only, pecked line, joining:	24° 15'·36N., 120° 05'·47E.
		(a) 24° 20'·00N., 120° 05'·47E.
		(b) 24° 20'·00N., 120° 23'·00E.
		and
		(c) 23° 48'·00N., 119° 59'·27E.
	legend, <i>Changhua VTS</i> , along:	(d) 23° 48'·00N., 120° 05'·67E.
		(a)-(b) above
		(c)-(d) above
Delete	symbol, Virtual aid to navigation, East cardinal topmark, V-AIS	24° 15'·36N., 120° 05'·46E.
	former radio reporting line, inbound only, pecked line, and associated legend, <i>Changhua VTS</i> , joining:	24° 25'·00N., 119° 59'·27E.
		24° 25'·00N., 120° 23'·00E.
		(b) above
		and
		(d) above
		23° 42'·00N., 120° 05'·67E.
		23° 42'·00N., 119° 59'·27E.

II

109 JAPAN - Hokkaidō - Light.

Source: Japanese Notice 50/540/25

Chart JP 10 [*previous update 5083/25*] WGS84 DATUM

Amend light to, Fl.5s 23m 12M

(a) 41° 43'·61N., 141° 03'·20E.

Delete sectors at light

(a) above

Chart JP 1030 [*previous update 2716/25*] WGS84 DATUM

Amend light to, Fl.5s 23m 12M

(a) 41° 43'·61N., 141° 03'·20E.

Delete sectors at light

(a) above

Chart 1800 [*previous update 2715/25*] WGS84 DATUM

Amend light to, Fl.5s12M

41° 43'·6N., 141° 03'·0E.

II

110 JAPAN - Hokkaidō - Lights.

Source: Japanese Notice 50/541/25

Chart JP 1030 [*previous update 109/26*] WGS84 DATUM

Amend	light to, Iso G 4s 5M	42° 28′·39N., 143° 26′·04E.
	light to, Fl(2) G 6s 13m 5M	42° 13′·64N., 143° 19′·27E.

Chart JP 1032 [*previous update 2421/25*] WGS84 DATUM

Amend	light to, Iso G 4s 5M	42° 28′·39N., 143° 26′·04E.
	light to, Fl(2) G 6s 13m 5M	42° 13′·64N., 143° 19′·27E.

II

111 JAPAN - Hokkaidō - Lights.

Source: Japanese Notice 50/542/25

Chart JP 1032 [*previous update 110/26*] WGS84 DATUM

Amend light to, Fl R 3s 5M
 light to, Fl(2) R 6s 5M

42° 56'·66N., 144° 26'·76E.

42° 56'·90N., 144° 31'·67E.

II

112 JAPAN - Hokkaidō - Light.

Source: Japanese Notice 50/543/25

Chart JP 1032 [*previous update 111/26*] WGS84 DATUM

Amend light to, Iso R 4s 11m 5M

42° 59′·71N., 144° 52′·07E.

II

113 JAPAN - Hokkaidō - Light.

Source: Japanese Notice 50/544/25

Chart JP 10 [*previous update 109/26*] WGS84 DATUM

Amend light to, Fl.5s 15m 7M

(a) 42° 00′·89N., 139° 27′·14E.

Delete sectors at light

(a) above

Chart JP 11 [*previous update 101/25*] WGS84 DATUM

Amend light to, Fl.5s 15m 7M

(a) 42° 00′·89N., 139° 27′·14E.

Delete sectors at light

(a) above

II

94 KOREA - West Coast - Buoy.

Source: Korean Notice 34/526/25

Note: This update is included in New Edition 3480, published early 2026.

Chart 1256 [*previous update 46/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

37° 30'·0N., 124° 01'·0E.


II

107 KOREA - South Coast - Buoy. Obstruction.

Source: Korean Chart 2156

Chart 1065 [*previous update 5841/25*] WGS84 DATUM

Insert



35° 04'·45N., 128° 40'·26E.

Delete



35° 05'·35N., 128° 39'·65E.

II

134 KOREA - East Coast - Buoy.

Source: Korean Notice 41/616/25

Chart 898 (Panel B, Pohang and Approaches) [*previous update 4907/25*] WGS84 DATUM

Amend light-buoy to, *Fl(4)Y.8s* 36° 02'·03N., 129° 23'·27E.

II

164 RUSSIA - Pacific Ocean Coast - Buoy.

Source: Russian Notice 44/4597/25

Chart 2161 (Panel F, Port Ulegorsk) [*previous update 5270/25*] WGS84 DATUM

Delete



Q(9)15s

49° 05′·73N., 142° 01′·54E.

II

99 INDONESIA - Banda Sea - Submarine cables.

Source: UKHO

Note: Former Notice 514(P)/25 is cancelled.

Chart 2473 [previous update 4951/25] WGS84 DATUM

Insert submarine cable, , joining:

4° 52'·7S., 136° 45'·4E.
4° 56'·7S., 136° 42'·7E.
5° 04'·0S., 136° 50'·0E.
and
5° 49'·5S., 134° 14'·8E.
5° 51'·9S., 134° 16'·0E.
5° 53'·2S., 134° 12'·2E.
5° 52'·2S., 134° 04'·0E.
and
8° 00'·8S., 131° 18'·8E.
8° 02'·5S., 131° 20'·6E.
and
8° 00'·8S., 131° 18'·7E.
8° 01'·9S., 131° 19'·5E.
8° 04'·4S., 131° 18'·0E.
8° 06'·0S., 131° 11'·4E.
8° 03'·1S., 131° 02'·6E.
8° 03'·6S., 130° 46'·7E.

Chart 2874 [previous update 4865/25] WGS84 DATUM

Insert submarine cable, , joining:

10° 07'·8S., 123° 39'·7E.
10° 06'·8S., 123° 39'·2E.
10° 03'·1S., 123° 33'·6E.
and
10° 06'·8S., 123° 38'·9E.
10° 03'·9S., 123° 34'·3E.
10° 04'·4S., 123° 33'·4E.
10° 03'·9S., 123° 32'·1E.
and
10° 39'·0S., 123° 09'·7E.
10° 34'·7S., 123° 07'·5E.
and
10° 39'·0S., 123° 09'·6E.
10° 36'·0S., 123° 06'·7E.
and
10° 30'·9S., 121° 47'·6E.
10° 29'·1S., 121° 47'·4E.
and
10° 31'·0S., 121° 47'·6E.
10° 29'·5S., 121° 46'·8E.

II

99 INDONESIA - Banda Sea - Submarine cables. (continued)

Chart 2903 [*previous update 3043/25*] WGS84 DATUM

Insert submarine cable, , joining:

9° 37'·5S., 120° 26'·4E.

9° 34'·7S., 120° 25'·7E.

9° 34'·3S., 120° 25'·3E.

and

9° 37'·5S., 120° 26'·4E.

9° 35'·6S., 120° 27'·3E.

9° 34'·0S., 120° 29'·9E.

and

10° 31'·0S., 121° 47'·6E.

10° 29'·5S., 121° 46'·8E.

and

10° 30'·9S., 121° 47'·6E.

10° 29'·1S., 121° 47'·4E.

and

10° 39'·0S., 123° 09'·6E.

10° 36'·0S., 123° 06'·7E.

and

10° 39'·0S., 123° 09'·7E.

10° 34'·7S., 123° 07'·5E.

Chart 2908 [*previous update 4865/25*] WGS84 DATUM

Insert submarine cable, , joining:

10° 08'·0S., 123° 39'·6E.

10° 06'·8S., 123° 38'·9E.

10° 03'·9S., 123° 34'·3E.

10° 04'·4S., 123° 33'·4E.

10° 03'·9S., 123° 32'·1E.

Chart 3296 (Panel A, Selat Rote) [*previous update 4969/25*] WGS84 DATUM

Insert submarine cable, , joining:

10° 08'·01S., 123° 39'·63E.

10° 06'·81S., 123° 38'·94E.

10° 05'·15S., 123° 36'·15E.

10° 03'·85S., 123° 34'·41E.

10° 04'·38S., 123° 33'·37E.

10° 03'·93S., 123° 32'·07E.

and

10° 38'·98S., 123° 09'·66E.

10° 36'·75S., 123° 08'·56E.

10° 35'·65S., 123° 07'·87E.

10° 34'·93S., 123° 07'·57E.

and

10° 38'·98S., 123° 09'·65E.

10° 37'·45S., 123° 08'·33E.

10° 37'·04S., 123° 07'·52E.

10° 35'·93S., 123° 06'·89E.

II

99 INDONESIA - Banda Sea - Submarine cables. (continued)

Chart 3726 [*previous update 5026/25*] WGS84 DATUM

Insert submarine cable, , joining:

8° 39'·52S., 115° 15'·88E.
8° 40'·01S., 115° 16'·67E.
8° 41'·59S., 115° 20'·02E.
8° 42'·91S., 115° 21'·74E.
8° 45'·92S., 115° 23'·73E.

Chart 4723 (INT 723) [*previous update 4856/25*] WGS84 DATUM

Insert submarine cable, , joining:

8° 39'·6S., 115° 16'·0E.
8° 44'·3S., 115° 23'·0E.
8° 51'·2S., 115° 27'·0E.
8° 52'·9S., 115° 30'·0E.
8° 56'·7S., 115° 31'·6E.
8° 49'·1S., 115° 39'·1E.
8° 38'·0S., 115° 47'·6E.
8° 32'·0S., 116° 04'·1E.

II

163 INDONESIA - Kalimantan - Light-beacons.

Source: ENC ID400259

Chart 1852 (Panel B, Approaches to Lingkas and Bunyu) [*previous update 78/26*] WGS84 DATUM

Insert	 Fl.G.5s10m10M	(a) 3° 14'·10N., 117° 39'·19E.
Delete	 Fl.G.5s13m12M, close NW of:	(a) above

II

180 PHILIPPINE ISLANDS - Samar - Light.

Source: Philippine Chart 1517 and NAMRIA

Chart 4417 [*previous update 5339/25*] WGS84 DATUM

Delete

★ Fl.5s

11° 20′·9N., 125° 37′·9E.

Chart 4476 [*previous update 5543/25*] WGS84 DATUM

Delete

★ Fl.5s

11° 20′·93N., 125° 37′·89E.

II

142 AUSTRALIA - Victoria - Wreck. Legend. Depth. Rock. NM Block.

Source: Australian Notice 24/1026/25

Note: Legend associated with historic wreck remains unchanged on chart Aus802.

Chart Aus 357 [previous update 4138/25] WGS84 DATUM

Insert		(a) 39° 11'·4S., 146° 52'·9E.
	legend, <i>Historic Wk</i> (see Note), close W of:	(a) above
Replace	depth, 59, with depth, 6, with seabed type, R	39° 15'·7S., 147° 00'·2E.

Chart Aus 802 [previous update 1924/25] WGS84 DATUM

Insert	the accompanying block, centred on:	39° 24'·2S., 146° 21'·1E.
Replace	 with: 	39° 11'·36S., 146° 52'·87E.
	depth, 74, with seabed type, R, with depth, 6, with seabed type, R	39° 15'·74S., 147° 00'·18E.

II

145 AUSTRALIA - Queensland - NM Blocks.

Source: Australian Notice 24/1016/25

Chart Aus 840 [*previous update 4867/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	9° 36'·2S., 144° 08'·2E.
	the accompanying block B, centred on:	9° 48'·0S., 144° 07'·5E.
	the accompanying block C, centred on:	9° 56'·9S., 144° 07'·8E.
	the accompanying block D, centred on:	9° 04'·3S., 144° 19'·8E.

II

102 CANADA - British Columbia - Obstruction.

Source: Canadian Notice 11/3957/25

Chart 4936 [*previous update 5365/25*] NAD83 DATUM

Delete



54° 15′·80N., 130° 46′·75W.

II

158 CANADA - British Columbia - Obstruction.

Source: Canadian Notice 11/3902/25

Chart 4928 [*previous update 2858/25*] NAD27 DATUM

Insert



53° 06′·51N., 130° 22′·89W.

II

186 COLOMBIA - Pacific Ocean Coast - Drying heights. Depths. Platform.
Source: ENC CO500770

Chart 2799 (Panel D, Tumaco) [*previous update 5516/25*] WGS84 DATUM

Insert	drying height, <i>01</i> , enclosed by 0m low water line	1° 50'·81N., 78° 46'·20W.
	drying height, <i>03</i> , enclosed by 0m low water line	1° 50'·83N., 78° 45'·56W.
	depth, <i>02</i> , enclosed by 2m contour	(a) 1° 49'·85N., 78° 43'·35W.
Delete	depth, <i>34</i> , close SW of:	(a) above
Insert	depth, <i>97</i>	1° 49'·05N., 78° 43'·90W.
	depth, <i>46</i> , and extend 5m contour S to enclose	1° 48'·23N., 78° 44'·69W.
	□ CG	1° 48'·38N., 78° 45'·50W.

II

173* WEST INDIES - Trinidad and Tobago - Light.

Source: Trinidad and Tobago Ministry of Works and Transport Navigational Warning 154/25

Chart 1045 [*previous update 1819/24*] WGS84 DATUM

Amend range of light to, 10M

10° 03'·5N., 61° 37'·6W.

II

153 CANADA - Newfoundland and Labrador - Obstructions.

Source: Canadian Notice 11/4015/25

Chart 4763 [*previous update 3920/25*] NAD83 DATUM

Insert

 *ODAS/SADO*

(a) 45° 47'·4N., 57° 06'·6W.

Delete

former  *ODAS/SADO*, close E of:

(a) above

II

156 UNITED STATES OF AMERICA - East Coast - Lights. Buoyage. Legends.

Source: ENC US2EC04M

Chart 2456 [*previous update 5252/25*] NAD83 DATUM

Amend	light to, GAY HEAD Fl(3+1)WR.40s175ft14M	41° 20'·91N., 70° 50'·06W.
Delete	 Fl.Y.20s 'REVSP3'	41° 07'·70N., 70° 52'·32W.
	 Fl.Y.20s 'REVSP4'	41° 06'·06N., 71° 00'·76W.

Chart 2492 [*previous update 5484/25*] NAD83 DATUM

Amend	light to, Gay Head Fl(3+1)WR.14M	41° 20'·8N., 70° 50'·1W.
Delete	 Fl.Y.20s 'REVSP1'	41° 13'·2N., 71° 06'·4W.
	 Fl.Y.20s 'REVSP2'	41° 07'·5N., 71° 15'·2W.
	 Fl.Y.20s 'REVSP3'	41° 07'·7N., 70° 52'·3W.
	 Fl.Y.20s 'REVSP4'	41° 06'·1N., 71° 00'·8W.

Chart 2670 [*previous update 5484/25*] NAD83 DATUM

Amend	light to, Gay Head Fl(3+1)WR.14M	41° 21'·0N., 70° 50'·2W.
Delete	 Fl.Y.20s 'REVSP1'	41° 13'·2N., 71° 06'·4W.
	 Fl.Y.20s 'REVSP2'	41° 07'·5N., 71° 15'·2W.
	 Fl.Y.20s 'REVSP3'	41° 07'·7N., 70° 52'·3W.
	 Fl.Y.20s 'REVSP4'	41° 06'·1N., 71° 00'·8W.

Chart 2860 [*previous update 5484/25*] NAD83 DATUM

Amend	light to, Gay Hd. Fl(3+1)WR.40s175ft14M	41° 20'·9N., 70° 50'·1W.
Delete	 Fl.Y.20s 'REVSP1'	41° 13'·2N., 71° 06'·4W.
	 Fl.Y.20s 'REVSP2'	41° 07'·5N., 71° 15'·2W.
	 Fl.Y.20s 'REVSP3'	41° 07'·7N., 70° 52'·0W.
	 Fl.Y.20s 'REVSP4'	41° 06'·1N., 71° 00'·8W.

Chart 2890 [*previous update 5484/25*] NAD83 DATUM

Amend	light to, Gay Head Fl(3+1)WR.40s175ft14M	41° 20'·91N., 70° 50'·07W.
Delete	 Fl.Y.20s 'REVSP1'	41° 13'·19N., 71° 06'·39W.
	 Fl.Y.20s 'REVSP2'	41° 07'·50N., 71° 15'·16W.
	 Fl.Y.20s 'REVSP3'	41° 07'·70N., 70° 52'·32W.
	 Fl.Y.20s 'REVSP4'	41° 06'·06N., 71° 00'·76W.

II

160 UNITED STATES OF AMERICA - East Coast - Buoyage.
Source: ENC US4SC1CP

Chart 2803 [*previous update 5438/25*] NAD83 DATUM

Move

 *Fl.Y.4s 'C'*, from:

32° 48'·23N., 79° 37'·57W.

to:

32° 48'·23N., 79° 37'·77W.

 *Fl.Y.2·5s 'D'*, from:

32° 48'·29N., 79° 37'·60W.

to:

32° 48'·25N., 79° 37'·89W.

II

171 UNITED STATES OF AMERICA - East Coast - Restricted area.

Source: ENC US4FL2DJ

Chart 3684 (Panel, Approaches to Port of Palm Beach) [*previous update 346/24*] NAD83 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	26° 41'·35N., 80° 02'·03W.
		26° 41'·37N., 80° 01'·48W.
		26° 40'·00N., 80° 01'·60W.

II

187 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US5ME1EG

Chart 2490 [*previous update 5678/25*] NAD83 DATUM

Insert

 *Fl.Y.2.5s*

43° 26′·11N., 70° 21′·02W.

Chart 3676 [*previous update 5678/25*] NAD83 DATUM

Insert

 *Fl.Y.2.5s*

43° 26′·10N., 70° 21′·02W.

II

123(T)/26 ENGLAND - South Coast - Buoyage.

Source: KHM Plymouth LNTM No 75/25

1. An underwater rigging system has been deployed at the entrance to Cattewater Harbour, and the area is marked by four light buoys, *Fl.2s*, established at the following positions:

50° 21'·670N., 4° 08'·005W.

50° 21'·701N., 4° 07'·841W.

50° 21'·683N., 4° 07'·844W.

50° 21'·655N., 4° 08'·008W.

2. There are additional unlit buoys within the area mentioned above.
3. Mariners are advised to navigate with caution in the area and to consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1901 (INT 1727) - 1967 - 5602_15

II

125(P)/26 ENGLAND - Bristol Channel - Depths. Drying heights.

Source: Breedon Group and Bristol Port Company

- Recent survey information has shown that numerous depths and drying heights less than charted exist within Middle Ground, Welsh Grounds and Bedwin Sands. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
1·7m	51° 31'·63N., 2° 43'·99W.
1·9m	51° 31'·15N., 2° 44'·44W.
0·2m	51° 29'·38N., 2° 57'·89W.
1·7m	51° 29'·19N., 2° 58'·19W.
3·3m	51° 28'·99N., 2° 58'·50W.
0·2m	51° 28'·65N., 2° 56'·73W.
4·2m	51° 28'·26N., 2° 57'·75W.
4·7m	51° 28'·05N., 2° 58'·07W.
0·8m	51° 27'·97N., 2° 57'·00W.
1·5m	51° 27'·89N., 2° 57'·43W.
4·3m	51° 27'·86N., 2° 58'·39W.
2·1m	51° 27'·75N., 2° 58'·29W.
3·9m	51° 27'·63N., 2° 58'·68W.
5·3m	51° 27'·45N., 2° 59'·01W.
10·7m	51° 26'·66N., 2° 59'·55W.

<i>Drying Height</i>	<i>Position</i>
5·7m	51° 31'·90N., 2° 48'·25W.
3·3m	51° 31'·02N., 2° 47'·97W.
2·4m	51° 30'·56N., 2° 54'·47W.
5·8m	51° 29'·84N., 2° 55'·81W.
7m	51° 29'·63N., 2° 52'·67W.
6·3m	51° 29'·56N., 2° 57'·54W.
6m	51° 29'·41N., 2° 55'·00W.
1·6m	51° 28'·72N., 2° 55'·61W.
0·6m	51° 28'·67N., 2° 56'·26W.
0·5m	51° 28'·45N., 2° 57'·29W.
0·3m	51° 28'·13N., 2° 56'·66W.
1·7m	51° 28'·10N., 2° 57'·12W.
1·8m	51° 28'·05N., 2° 57'·57W.
0·0m	51° 27'·89N., 2° 57'·92W.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- These changes will be included in a New Edition of Charts 1166, 1176, 1859, 5608_15, 5608_16, 5608_18 and 5608_20. (ETRS89 DATUM)

Charts affected - 1166 - 1176 (INT 1654) - 1859 (INT 1655) - 5608_15 - 5608_16 - 5608_18 - 5608_20

II

161(T)/26 WALES - West Coast - Buoy.

Source: Hafan and Harbour Pwllheli Notice 4/25

1. An acoustic Wave and Current sensor, marked by a yellow special buoy, *Fl(5)Y.20s*, has been established on the seabed in position 52° 53'·293N., 4° 22'·679W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1512 - 1971 - 5609_4

II

185(P)/26 SCOTLAND - South West Coast - Depths. Wreck.

Source: mv Northern Gale

1. *Recent survey information has shown that numerous depths less than charted exist within Luce Bay and Beaufort's Dyke, and between Ardwell Point and The Mull of Galloway. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
25·9m	54° 46'·34N., 5° 04'·81W.
17·8m	54° 45'·03N., 5° 00'·92W.
26·1m	54° 44'·72N., 5° 01'·79W.
21·3m	54° 44'·17N., 5° 01'·10W.
18·3m	54° 43'·54N., 4° 59'·35W.
26·3m	54° 42'·97N., 5° 00'·22W.
*13·9m	54° 41'·91N., 4° 57'·76W.
26·6m	54° 38'·42N., 4° 57'·35W.
24·9m	54° 37'·65N., 4° 55'·30W.
*26·4m	54° 37'·16N., 4° 52'·23W.
27·5m	54° 37'·06N., 4° 54'·12W.
14·2m	54° 38'·23N., 4° 53'·65W.
17·1m	54° 37'·89N., 4° 53'·68W.
26·7m	54° 37'·99N., 4° 50'·22W.
18·4m	54° 38'·73N., 4° 51'·27W.
8·4m	54° 39'·29N., 4° 49'·61W.
13·6m	54° 40'·36N., 4° 50'·69W.
5·4m	54° 40'·58N., 4° 51'·39W.
17·4m	54° 41'·08N., 4° 46'·33W.
18·4m	54° 40'·44N., 4° 46'·28W.
30·3m	54° 35'·54N., 4° 43'·77W.

2. A non-dangerous wreck, depth 56m exists in position 54° 44'·22N., 5° 04'·16W.
3. Charts will be updated when full details are available.
4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 72(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1411 (INT 1608) - 1826 (INT 1607) - 2093 - 2094 - 2198 - 2724 (INT 1606) - 5610_17 - 5612_1 - 5612_11 - 5613_19 - 5613_2

II

191(P)/26 SCOTLAND - West Coast - Wreck.

Source: British Government Survey

1. A dangerous wreck, depth 30·7m exists in position 55° 56′·089N., 4° 55′·609W.
2. Mariners are advised to navigate with caution in the area.
3. Charts will be updated when full details are available.
(ETRS89 DATUM)

Charts affected - 1907 (INT 1634) - 1994 (INT 1636) - 2131 - 5610_2

II

146(T)/26 NORWAY - West Coast - Buoyage.

Source: Norwegian Notice 5/77238(T)/25 and Norwegian SDO T and P 18/25

1. Yellow spherical ODAS waverider buoys, *Fl(5) Y 20s*, have been deployed in the following positions:

65° 47'·8N., 7° 37'·7E.

65° 44'·2N., 7° 36'·4E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 2554(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 1430 (INT 1404) - 4101 (INT 101)

II

129(T)/26 DENMARK - Islands - Buoy.

Source: Danish Notice 46/937(T)/25

1. The safe water buoy, in position 55° 22'·29N., 12° 24'·98E., is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2595 (INT 1332)

II

154(T)/26 SWEDEN - East Coast - Restricted area.

Source: Swedish Notice 1097/19793(T)/25

1. Diving operations are taking place in the vicinity of Victoriaslussen until March 31, 2026.
59° 19'·3N., 18° 04'·6E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 811 (INT 1239) - 820 (INT 1238)

II

149(P)/26 NORTH ATLANTIC OCEAN - Submarine cable. Works.

Source: Alcatel Submarine Networks

1. *A submarine cable is due to be laid during 2026, between Blaabyerg, Denmark, and Manasquan, USA, joining the following approximate positions:

55° 55'·4N., 8° 09'·0E.
56° 56'·1N., 8° 06'·6E.
*56° 06'·0N., 7° 46'·8E.
*56° 05'·4N., 7° 16'·0E.
56° 22'·8N., 6° 17'·4E.
*56° 43'·8N., 5° 24'·3E.
*56° 39'·1N., 5° 40'·6E.
*55° 56'·1N., 8° 06'·6E.
56° 45'·1N., 5° 06'·5E.
56° 57'·2N., 4° 49'·2E.
*57° 45'·6N., 3° 08'·3E.
*58° 24'·4N., 3° 04'·2E.
58° 42'·6N., 2° 57'·0E.
58° 49'·0N., 2° 52'·4E.
58° 57'·0N., 2° 41'·7E.
58° 58'·8N., 2° 37'·2E.
59° 04'·2N., 2° 05'·1E.
59° 04'·4N., 1° 11'·4E.
59° 13'·4N., 0° 28'·7E.
59° 30'·2N., 0° 48'·9W.
59° 38'·2N., 1° 30'·6W.

- 2.

59° 48'·4N., 3° 10'·5W.
59° 49'·0N., 4° 01'·6W.
59° 39'·4N., 5° 22'·0W.
59° 36'·1N., 6° 10'·0W.
59° 30'·6N., 6° 33'·4W.
59° 27'·0N., 7° 39'·3W.
59° 41'·5N., 10° 12'·0W.
58° 39'·6N., 13° 37'·4W.
58° 26'·2N., 15° 35'·9W.
41° 31'·9N., 49° 41'·5W.
41° 17'·2N., 52° 40'·0W.
40° 57'·3N., 55° 03'·7W.
40° 55'·4N., 57° 07'·7W.
40° 35'·2N., 59° 11'·8W.
40° 35'·0N., 61° 16'·1W.
40° 25'·3N., 62° 58'·6W.
39° 56'·8N., 65° 27'·1W.
39° 45'·1N., 65° 45'·2W.
39° 15'·4N., 66° 00'·6W.
39° 04'·0N., 66° 00'·2W.
38° 48'·7N., 66° 11'·9W.
38° 45'·1N., 66° 40'·9W.
38° 29'·4N., 67° 09'·1W.
38° 25'·1N., 67° 38'·8W.
38° 27'·3N., 69° 15'·7W.

38° 41'·2N., 70° 15'·9W.
38° 43'·5N., 71° 17'·4W.
39° 05'·0N., 72° 13'·4W.
39° 14'·8N., 72° 26'·0W.
39° 39'·8N., 73° 13'·8W.
39° 40'·9N., 73° 18'·2W.

II

149(P)/26 NORTH ATLANTIC OCEAN - Submarine cable. Works. (continued)

39° 43'·8N., 73° 19'·8W.
39° 45'·3N., 73° 19'·2W.
40° 00'·0N., 73° 30'·3W.
40° 02'·6N., 73° 36'·9W.
40° 03'·3N., 73° 45'·8W.
40° 03'·9N., 73° 47'·0W.
40° 04'·1N., 73° 55'·1W.
40° 05'·2N., 73° 58'·3W.
40° 06'·0N., 73° 59'·0W.
40° 06'·4N., 73° 59'·5W.
40° 06'·8N., 74° 01'·0W.
40° 06'·9N., 74° 02'·0W.

3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when works are complete.
5. *Former Notice 1387(P)/24 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 2 (INT 160) - 219 (INT 1060) - 245 - 272 - 274 - 292 - 1119 (INT 1501) - 1128 - 1129 - 1234 (INT 1600) - 1239 - 1405 (INT 1400) - 1422 (INT 1044) - 1427 (INT 1401) - 1942 (INT 1502) - 2182B (INT 1042) - 2182C (INT 1041) - 2666 - 2670 - 2755 - 2860 - 2861 - 4101 (INT 101) - 4102 (INT 102) - 4103 (INT 103) - 4114 - 4140 (INT 140) - 4403 (INT 403) - 4404 (INT 404) - 4407

II

120(P)/26 MEDITERRANEAN SEA - Marine Reserve.

Source: French Notice 30/90/25 and Italian Notice 19.20/25

1. A Particularly Sensitive Sea Area (PSSA) exists, bounded by the following positions:

40° 58'·1N., 8° 11'·9E.
41° 06'·6N., 8° 01'·8E.
41° 45'·0N., 8° 01'·8E.
41° 45'·0N., 8° 39'·6E.

2. and

41° 45'·0N., 9° 24'·1E.
41° 45'·0N., 9° 48'·5E.
40° 51'·1N., 9° 48'·5E.
40° 45'·9N., 9° 41'·7E.

3. These changes will be included in New Editions of Charts 166, 167, 1211, 1985 and 1992 to be published early 2026.
4. Charts 1204, 1424 and 4301 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 166 - 167 (INT 305) - 1211 - 1985 - 1992

II

130(P)/26 BENIN - Anchorage area. Spoil ground. Depth. Works. Pier. Alongside depths.

Source: French Chart 7835

1. The limits of secure anchorage area (zone 3) have been amended to the following positions:

6° 18'·97N., 2° 35'·50E.
6° 13'·00N., 2° 37'·00E.
6° 14'·08N., 2° 29'·97E.
6° 17'·25N., 2° 29'·98E.
6° 17'·25N., 2° 31'·47E.
6° 17'·83N., 2° 31'·47E.
6° 17'·83N., 2° 30'·42E.
6° 18'·21N., 2° 29'·98E.
6° 18'·98N., 2° 29'·98E.

2. A spoil ground has been established in the following positions:

6° 18'·34N., 2° 30'·06E.
6° 18'·21N., 2° 29'·96E.
6° 17'·82N., 2° 30'·42E.
6° 17'·82N., 2° 31'·46E.
6° 17'·27N., 2° 31'·46E.
6° 17'·27N., 2° 29'·91E.
6° 17'·62N., 2° 29'·57E.
6° 18'·34N., 2° 29'·57E.

3. An 8m shoal depth exists in the following position:

6° 20'·75N., 2° 32'·88E.

4. Works are taking place in an area bounded by the following positions:

6° 20'·706N., 2° 25'·916E.
6° 20'·643N., 2° 26'·268E.
6° 20'·784N., 2° 26'·339E.
6° 20'·783N., 2° 26'·529E.
6° 20'·851N., 2° 26'·588E.
6° 20'·937N., 2° 26'·632E.

5. A new Pier has been established, joining the following positions:

6° 20'·993N., 2° 26'·356E.
6° 20'·983N., 2° 26'·350E.
6° 20'·958N., 2° 26'·306E.
6° 20'·773N., 2° 26'·132E.
6° 20'·744N., 2° 26'·160E.
6° 20'·704N., 2° 26'·117E.

6. Alongside depths within Port of Cotonou have changed. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
9·2m	6° 20'·922N., 2° 25'·880E.
6·9m	6° 20'·914N., 2° 25'·671E.
9·5m	6° 20'·909N., 2° 25'·584E.
10·9m	6° 20'·895N., 2° 25'·378E.
11·4m	6° 20'·711N., 2° 25'·243E.
10·5m	6° 20'·724N., 2° 25'·387E.
11·3m	6° 20'·751N., 2° 25'·509E.

7. Mariners are advised to navigate with caution in the area.
8. Chart 1392 will be withdrawn in early 2026.
(WGS84 DATUM)

Chart affected - 1392 (INT 2881)

II

159(P)/26 MAURITANIA - Submarine cable.

Source: Alcatel Submarine Networks

1. A submarine cable is being laid, joining the following positions:

20° 57'·4N., 17° 00'·7W.
20° 56'·6N., 16° 59'·2W.
20° 56'·1N., 16° 58'·2W.
20° 56'·0N., 16° 57'·7W.
20° 55'·8N., 16° 57'·5W.
20° 55'·7N., 16° 57'·3W.
20° 55'·2N., 16° 57'·1W.
20° 54'·6N., 16° 57'·0W.
20° 54'·1N., 16° 57'·0W.
20° 52'·8N., 16° 57'·2W.
20° 46'·2N., 16° 58'·2W.
20° 44'·9N., 16° 58'·6W.
20° 44'·0N., 16° 58'·8W.
20° 43'·8N., 16° 58'·9W.
20° 43'·8N., 16° 58'·9W.
20° 43'·7N., 16° 59'·3W.
20° 43'·7N., 16° 59'·4W.
20° 43'·6N., 16° 59'·4W.
20° 43'·3N., 16° 59'·6W.
20° 42'·3N., 17° 00'·0W.
20° 41'·8N., 17° 00'·3W.
20° 40'·6N., 17° 01'·3W.
20° 40'·4N., 17° 01'·4W.
20° 39'·1N., 17° 01'·3W.

2. and

20° 38'·4N., 17° 01'·4W.
20° 37'·8N., 17° 01'·6W.
20° 37'·4N., 17° 01'·8W.
20° 37'·0N., 17° 02'·2W.
20° 36'·8N., 17° 02'·5W.
20° 36'·5N., 17° 03'·3W.
20° 28'·7N., 17° 31'·7W.
20° 25'·2N., 17° 40'·1W.
20° 24'·3N., 17° 41'·6W.
20° 17'·6N., 17° 54'·0W.
19° 14'·8N., 19° 53'·7W.
19° 12'·1N., 20° 06'·0W.
19° 13'·1N., 20° 12'·6W.
19° 16'·7N., 20° 18'·7W.
19° 28'·4N., 20° 31'·9W.
19° 30'·4N., 20° 35'·0W.
20° 10'·9N., 21° 38'·1W.
20° 15'·5N., 21° 45'·9W.
20° 17'·0N., 21° 52'·9W.
20° 15'·9N., 21° 58'·5W.
(WGS84 DATUM)

Charts affected - 1131 (INT 1988) - 1132 (INT 1989) - 1661 (INT 1951) - 3134 - 4104 (INT 104)

II

108(P)/26 SAUDI ARABIA - Red Sea Coast - Harbour developments. Channel. Channel depth. Buoyage. Light. Light-beacons. Dredging area. Berths. Alongside depths.

Source: Saudi Ports Authority

- *Extensive harbour developments and dredging are taking place at Port of Ḍubā (NEOM) (27° 33'·600N., 35° 32'·700E.). The most significant are as follows:
- *A new buoyed approach channel, 414m wide, with a depth of 18·5m, has been established in the entrance to Port of Ḍubā (NEOM).
- *A directional light, 100·8°, Iso.WRG.6s8M, has been established in position, 27° 33'·59N., 35° 33'·53E., with the following sectors:

<i>Colour</i>	<i>Bearing</i>
G	104·3° - 101·8 (2·5°)
W	101·8° - 099·8° (2°)
R	099·8° - 097·3° (2·5°)

- *The following lateral light-buoys have been established marking the approach channel:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
<i>Fl.G.3s</i>	<i>B 1</i>	27° 33'·781N., 35° 31'·723E.
<i>Fl.R.3s</i>	<i>B 2</i>	27° 34'·000N., 35° 31'·785E.
<i>Fl.G.3s</i>	<i>B 3</i>	27° 33'·732N., 35° 32'·019E.
<i>Fl.R.3s</i>	<i>B 4</i>	27° 33'·950N., 35° 32'·092E.
<i>Fl.G.3s</i>	<i>B 5</i>	27° 33'·684N., 35° 32'·320E.
<i>Fl.R.3s</i>	<i>B 6</i>	27° 33'·897N., 35° 32'·409E.

- *The harbour basin has been dredged to 18·5m.
- *The following light-beacons have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
Q.G	A	27° 33'·685N., 35° 31'·840E.
Q.R	B	27° 33'·674N., 35° 31'·929E.
Q.G	C	27° 33'·654N., 35° 32'·149E.
Q.R	D	27° 33'·637N., 35° 32'·279E.

- The following light-beacons have been removed:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
Fl.G.3s	No 1	27° 33'·730N., 35° 31'·765E.
Fl.R.3s	No 2	27° 33'·848N., 35° 31'·811E.
Fl.G.1·5s	No 3	27° 33'·685N., 35° 32'·153E.
Fl.R.1·5s	No 4	27° 33'·789N., 35° 32'·169E.
Fl(2)G.3s	No 5	27° 33'·659N., 35° 32'·400E.
Fl(2)R.3s	No 6	27° 33'·749N., 35° 32'·542E.

- *The following uncharted berths exist:

<i>Berth</i>	<i>Alongside depth</i>	<i>Position</i>
4	11·2m	27° 33'·498N., 35° 32'·899E.
5	12·1m	27° 33'·609N., 35° 32'·901E.
6	11·5m	27° 33'·725N., 35° 32'·904E.
7	14·3m	27° 33'·889N., 35° 32'·842E.

- A special purpose light-buoy, *Fl.Y.2s* has been established in position 27° 33'·868N., 35° 32'·461E.
- The special purpose light-buoy, *Fl(5)Y*, in position 27° 33'·700N., 35° 32'·600E. has been removed.
- Mariners are advised to navigate with caution in the area and consult Ḍubā Port Authority (NEOM) for the latest information.
- Charts will be updated when works are complete.
- *Former Notice 1613(P)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 12 (INT 7142)

II

143(T)/26 UNITED ARAB EMIRATES - Dredging area. Anchorage area. Works.

Source: ADNOC

1. Dredging works are taking place within an area bounded by the following positions:

24° 09'·20N., 52° 39'·89E.
24° 11'·369N., 52° 41'·406E.
24° 11'·276N., 52° 41'·513E.
24° 10'·141N., 52° 40'·718E.
24° 08'·853N., 52° 40'·305E.
24° 08'·769N., 52° 40'·190E.

2. A temporary sheltering area has been established, for local vessels in adverse weather, bounded by the following positions:

24° 16'·33N., 52° 37'·86E.
24° 16'·32N., 52° 39'·13E.
24° 15'·46N., 52° 39'·13E.
24° 15'·47N., 52° 37'·88E.

3. Mariners are advised to navigate with caution in the area.

4. *Former Notice 2272(T)/25 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 3778 - 3780 - 3796

II

121(T)/26 MYANMAR (BURMA) - Restricted areas.

Source: Myanmar Navy Notices 23/2025 and 24/2025

1. Drilling operations are taking place, until 30 March 2027, bounded by the following positions:

15° 24'·1N., 94° 03'·1E.

15° 24'·5N., 94° 51'·9E.

14° 57'·9N., 94° 52'·0E.

14° 57'·6N., 94° 03'·3E.

2. Drilling operations are taking place, until 30 June 2027, bounded by the following positions:

14° 37'·5N., 95° 29'·8E.

14° 37'·5N., 96° 09'·8E.

14° 37'·5N., 96° 12'·0E.

14° 23'·1N., 96° 12'·0E.

13° 59'·9N., 96° 12'·0E.

13° 59'·9N., 95° 51'·2E.

13° 52'·2N., 95° 51'·2E.

13° 52'·2N., 95° 29'·8E.

3. Unauthorised passage, anchoring, fishing and trawling are prohibited within 4000m (2·16M) of operations.

4. Mariners are advised to navigate with caution in the area.

5. Former Notice 5363(T)/19 is cancelled.

(WGS84 DATUM)

Charts affected - 823 (INT 7438) - 826 (INT 7441) - 830

II

193(P)/26 SRI LANKA - South Coast - Depths. Buoyage. Lights. Maintained channel.

Source: ENCs LK4QK01A and LK5K01A1 and Sri Lankan Notice 4/25

1. Extensive changes to depths, buoyage, and lights exist within Hambantota and its approaches.
2. Depths less than charted exist within Hambantota and its approaches. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
21·5m	6° 03'·96N., 81° 01'·38E.
23·7m	6° 04'·21N., 81° 02'·85E.
13m	6° 05'·27N., 81° 04'·02E.
8·9m	6° 05'·72N., 81° 03'·07E.
4·4m	6° 06'·08N., 81° 03'·95E.
12·6m	6° 05'·759N., 81° 05'·061E.
25·7m	6° 04'·94N., 81° 05'·39E.
18·3m	6° 06'·298N., 81° 06'·760E.
14·6m	6° 06'·90N., 81° 09'·13E.
8·9m	6° 06'·961N., 81° 06'·799E.
8·5m	6° 07'·68N., 81° 08'·65E.
6·6m	6° 07'·018N., 81° 06'·476E.

3. The maintained depth of the channel and basin area of Hambantota Harbour, in the vicinity of 6° 07'·543N., 81° 06'·039E., has been amended to 17·5m.
4. Lights have been amended in the following positions:

<i>Former Characteristic</i>	<i>New Characteristic</i>	<i>Position</i>
Fl.R.10m	Iso.R.4s15m4M	6° 06'·778N., 81° 06'·244E.
Fl.G.10m	Iso.G.4s13m	6° 07'·013N., 81° 06'·375E.

5. Lights have been established in the following positions:

<i>Characteristic</i>	<i>Position</i>
Fl.G.4s	6° 07'·574N., 81° 07'·684E.
Fl.R.4s	6° 07'·541N., 81° 07'·708E.

6. Changes have been made to the buoyage in Hambantota and its approaches. The following light-buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Q.G</i>	<i>No.1</i>	Starboard Lateral	6° 06'·621N., 81° 06'·535E.
<i>Q.R</i>	<i>No.2</i>	Port Lateral	6° 06'·558N., 81° 06'·419E.
<i>Fl.G.4s</i>	<i>No.3</i>	Starboard Lateral	6° 07'·083N., 81° 06'·264E.
<i>Fl.R.4s</i>	<i>No.4</i>	Port Lateral	6° 07'·022N., 81° 06'·168E.
<i>Fl(2)G.6s</i>	<i>No.5</i>	Starboard Lateral	6° 07'·163N., 81° 06'·254E.
<i>Fl(2)R.6s</i>	<i>No.6</i>	Port Lateral	6° 07'·245N., 81° 06'·045E.

7. Mariners are advised to navigate with caution in the area.
8. These and other changes will be included in a New Edition of Chart 3264 to be published early 2026.
9. Charts 3265 and 813 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 3264

II

84(P)/26 INDONESIA - Sumatera - Submarine cable. Works.

Source: BW Digital & Telin

1. The Nongsa-Changi submarine cable is being laid, joining the following positions:

1° 11'·63N., 104° 06'·24E.
1° 12'·05N., 104° 06'·70E.
1° 11'·93N., 104° 07'·97E.
1° 12'·09N., 104° 08'·33E.
1° 12'·63N., 104° 08'·40E.
1° 12'·88N., 104° 08'·77E.
1° 14'·10N., 104° 09'·38E.
1° 14'·33N., 104° 09'·70E.
1° 14'·34N., 104° 10'·84E.
1° 14'·44N., 104° 11'·40E.
1° 14'·64N., 104° 11'·54E.
1° 15'·11N., 104° 11'·50E.
1° 15'·34N., 104° 11'·34E.
1° 15'·49N., 104° 10'·98E.
1° 15'·57N., 104° 10'·42E.
1° 15'·80N., 104° 10'·14E.
1° 16'·62N., 104° 07'·65E.
1° 17'·23N., 104° 07'·53E.
1° 17'·54N., 104° 07'·27E.

2. Charts will be updated when works are complete.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3831 - 3949 - 4042 - 4043

II

117(P)/26 SINGAPORE - Berths.

Source: Maritime and Port Authority of Singapore

1. New berths T217 and T218 have been established in the vicinity of position 1° 14'·680N., 103° 37'·188E. Details of berths are as follows:

<i>Berth</i>	<i>Depth Alongside (Year Surveyed)</i>	<i>Position</i>
T217	23·0m (2020)	1° 14'·680N., 103° 37'·301E.
T218 (Partial)	23·0m (2020)	1° 14'·680N., 103° 37'·153E.

2. Berth T218 has been partially established. Works for the remaining portion is ongoing and will be completed at a later stage.
3. Mariners are advised to navigate with caution in the area and consult local authorities for the latest information.
(WGS84 DATUM)

Charts affected - 4030 - 4038 - 4040

II

95(P)/26 CHINA - East Coast - Buoy.

Source: UKHO

1. A port lateral buoy, has been reported in position 27° 49'·70N., 121° 18'·41E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Chart affected - 1721

II

144(T)/26 CHINA - South Coast - Works.

Source: Hong Kong Notice 20/56(T)/25

1. Seabed reinstatement works are taking place, within an area bounded by the following positions:

22° 21'·435N., 113° 57'·265E.

22° 21'·399N., 113° 57'·352E.

22° 21'·082N., 113° 57'·232E.

22° 21'·110N., 113° 57'·133E.

22° 21'·318N., 113° 57'·213E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 4123

II

114(T)/26 JAPAN - Seto Naikai - Works. Dredging area.

Source: Japanese Notice 50/5547(T)/25

1. Dredging works are taking place, from 20 December 2025 until 30 April 2026, within an area bounded by the following positions:

33° 54'·10N., 131° 07'·88E.

33° 53'·83N., 131° 08'·33E.

33° 53'·70N., 131° 08'·22E.

33° 53'·96N., 131° 07'·77E.

(WGS84 DATUM)

Chart affected - JP 1101

II

93(T)/26 KOREA - South Coast - Buoyage.

Source: Korean Notice 38/594(T)/25

1. The following light-buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl(3)Y.7s</i>	<i>A</i>	Yellow pillar buoy, x-shape topmark	35° 04'·193N., 128° 44'·618E.
<i>Fl(3)Y.7s</i>	<i>B</i>	Yellow pillar buoy, x-shape topmark	35° 04'·162N., 128° 44'·408E.
<i>Fl(3)Y.7s</i>	<i>C</i>	Yellow pillar buoy, x-shape topmark	35° 04'·160N., 128° 44'·062E.
<i>Fl(3)Y.7s</i>	<i>D</i>	Yellow pillar buoy, x-shape topmark	35° 04'·19N., 128° 43'·74E.
<i>Fl(3)Y.7s</i>	<i>E</i>	Yellow pillar buoy, x-shape topmark	35° 04'·40N., 128° 43'·74E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 1065 - 1163

II

155(T)/26 MALAYSIA - Sarawak - Buoy.

Source: Marine Department, Sarawak Notice 195(T)/2025

1. The isolated danger light-buoy, *Fl.(2)8s*, in position $4^{\circ} 28' \cdot 39\text{N}$., $113^{\circ} 57' \cdot 31\text{E}$. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1949 (INT 5777) - 3838 (INT 5708)

II

189(P)/26 AUSTRALIA - Queensland - Depths.

Source: Australian Notice 25/1075(P)/25

1. Latest survey data indicates depths less than charted may exist within an area bounded by the following positions:

19° 27'·10S., 149° 38'·90E.

19° 39'·20S., 150° 18'·50E.

20° 12'·20S., 150° 18'·50E.

20° 12'·20S., 149° 39'·10E.

2. Charts will be updated when full details are available.
3. *Former Notice 3534(P)/17 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - Aus 821 - Aus 825

II

192(T)/26 AUSTRALIA - Western Australia - Works. Light.

Source: Australian Notice 25/1079(T)/25

1. *A yellow steel truss structure, with a height of 19m, has been installed in position 12° 57'·9S., 124° 26'·6E. for a future drill rig. The structure is marked by a light, *Mo(U)10s*.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 5578(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 4603 (INT 603) - 4722 (INT 722)

II

88(T)/26 NEW ZEALAND - South Island - Buoyage.

Source: New Zealand Notice 25/72(T)/25

1. Lit yellow buoys, *Fl(5)Y.20s*, marking submerged structures have been deployed at the following locations until further notice:

41° 15'·74S., 173° 11'·46E.

41° 11'·01S., 173° 11'·93E.

2. Mariners are advised to navigate with caution within the area.
(WGS84 DATUM)

Charts affected - NZ 61 - NZ 6142

II

188(P)/26 NEW ZEALAND - South Island - Light.

Source: New Zealand Notice 25/73(P)/25

1. *A new port entry light has been installed at Victoria Wharf with the following characteristics:

<i>Name</i>	<i>Description</i>	<i>Sectors</i>	<i>Position</i>
U Shed Sector Light	F.WRG.11m2M	F.G 251·75° - 252·25° (0·5°) F.W 252·25° - 252·75° (0·5°) F.R 252·75° - 253·25° (0·5°)	45° 52'·66S., 170° 30'·86E.

2. Mariners are advised to navigate with caution in the area.
3. Chart NZ6612 will be updated when full details are available.
4. *Former Notice 5700(P)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - NZ 6612

II

126(P)/26 UNITED STATES OF AMERICA - West Coast - Anchorage areas.

Source: ENC US4CA60M

1. Anchorage areas have changed within San Pedro Bay. The new anchorage areas are bounded by the following positions:

Designation

Position

F

33° 38'·60N., 118° 07'·73W.
33° 40'·85N., 118° 09'·54W.
33° 42'·22N., 118° 09'·91W.
33° 43'·09N., 118° 10'·56W.
33° 43'·08N., 118° 08'·07W.
33° 40'·74N., 118° 06'·86W.

G

33° 40'·84N., 118° 13'·02W.
33° 42'·43N., 118° 14'·32W.
33° 43'·09N., 118° 12'·31W.
33° 43'·09N., 118° 11'·30W.
33° 42'·18N., 118° 11'·60W.
33° 41'·05N., 118° 12'·32W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. For further details use NOAA Electronical Navigational Charts.
4. These and other changes will be included in the next New Edition of Charts 1063 and 1081.
(NAD83 DATUM)

Charts affected - 1063 - 1081

II

157(P)/26 CANADA - British Columbia - Depths. Rocks. Drying heights. Wreck. Buoyage.

Source: Canadian Notice 10/3958/25

1. Depths less than charted exist in the following positions:

<i>Depth</i>	<i>Position</i>
0·1m	54° 20'·82N., 130° 17'·30W.
3·1m	54° 20'·07N., 130° 17'·09W.
2·2m	54° 20'·10N., 130° 18'·76W.
2·1m	54° 20'·08N., 130° 19'·38W.
2m	54° 19'·93N., 130° 19'·57W.
2·2m	54° 19'·64N., 130° 20'·39W.
1·9m	54° 19'·28N., 130° 21'·53W.
1·3m	54° 19'·18N., 130° 22'·09W.
1·5m	54° 19'·16N., 130° 22'·25W.
2·9m	54° 19'·04N., 130° 22'·29W.
4·1m	54° 18'·78N., 130° 20'·00W.
2·6m	54° 18'·70N., 130° 20'·12W.

2. Rocks, which cover and uncover, exist in the following positions:

<i>Drying Height</i>	<i>Positions</i>
0·6m	54° 20'·78N., 130° 17'·38W.
1·9m	54° 12'·67N., 130° 17'·56W.

3. The green lateral buoy, *D33*, has moved and is now in position 54° 13'·37N., 130° 17'·92W.
4. The wreck in position 54° 12'·32N., 130° 18'·15W. now has a depth of 6·9m.
5. Yellow ODAS buoys, *Fl (5) Y*, exist in the following positions:
54° 11'·89N., 130° 18'·50W.
54° 11'·32N., 130° 20'·30W.
6. Mariners are advised to navigate with caution in the area.
7. These changes will be included in a New Edition of Chart 4937 to be published early 2026.
8. Charts 4935, 4936 and 4938 will be updated by Notice to Mariners.
(NAD83 DATUM)

Chart affected - 4937

II

127(T)/26 BRAZIL - North Coast - Buoy.

Source: HYDROLANT 1990/25

1. An ODAS buoy, *BRAVO PI*, has been established in position 2° 30'·8S., 41° 32'·0W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3957