



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 03

15 January 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
1253	INT 1368	NP 51
1983	INT 1370	e-NP 51
1990	INT 1478	NP 131
1992		
2596		
2597		
5614_25		
AUS 55		
BE 106		

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



I

UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 15 January 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1253	China - Yellow Sea, Lianyungang to Qingdao Gang. This chart remains affected by Notices 4276(P)/24, 1560(P)/25, 2809(T)/25 and 3243(T)/25.	1:300,000	52	82

New Editions of ADMIRALTY Small Craft Charts published 15 January 2026

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5614_25	Southern North Sea. This chart remains affected by Notices 4461(P)/23, 2173(T)/24, 256(T)/25, 1066(T)/25, 1353(P)/25, 4800(T)/25 and 5469(P)/25. This chart is to be deleted from the list of charts affected by Notices 419(P)/23 and 1520(P)/23.	1:750,000	31

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP51& e-NP51	ADMIRALTY Sailing Directions New Zealand Pilot 21st Edition (2026) ISBN Number: 978-0-70-774-7903	15/01/2026	Updated to Week 40/25 (02/10/25). First updates in NM week 03/26. NP51 20th Edition (2021) is cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 29 JANUARY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
1983	Mediterranean Sea, Tyrrhenian Sea, Capo Carbonara to Capo San Vinto.	1:300,000	⊙1983	24	42, 44
1990	Mediterranean Sea, Oristano to Arbatax including Golfo di Cagliari.	1:300,000	⊙1990	25	42
1992	Mediterranean Sea, Porto Vecchio to Arbatax including Bonifacio Strait.	1:300,000	⊙1992	25	42
2596 INT 1370	International Chart Series, Denmark, Entrance to the Baltic, Storebælt, Northern Part.	1:75,000	⊙2596 INT 1370	10	34
2597 INT 1368	International Chart Series, Denmark - Entrance to the Baltic, Storebælt, Southern Part.	1:75,000	⊙2597 INT 1368	10	34
BE106 INT 1478	International Chart Series, Westerschelde – Zeeschelde, From Baalhoek to Wintam.		⊙BE106 INT 1478	9	24
	Ⓐ Baalhoek to Antwerpen.	1:30,000			
	Ⓑ Antwerpen to Hoboken.	1:15,000			
	Ⓒ Hoboken to Wintam.	1:10,000			

CHARTS TO BE AVAILABLE 29 JANUARY 2026

New Editions

Reproductions of Australian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
AUS55	Australia - North West Coast, Western Australia, Approaches to Port Walcott.	1:50,000	⊙AUS55	63	92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
1253	China - Yellow Sea, Lianyungang to Qungdao Gang.	Ⓢ1253
5614_25	Southern North Sea.	5614_25

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 2, Authorised ADMIRALTY Distributors, Vietnam

Amend:

INMATECH JOINT STOCK COMPANY		
t/a Inmatech Corporation 576 Street No.21 Binh Trung Ward Ho Chi Minh City 700000		
T: +84 899 199 899		
F: +84 862 828 585		
vietnam@inmatech.co.uk		
www.inmatech.co.uk		
DIGITAL		

Ⓢ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
29	205	1631	239
30	272T	1632	228T, 305T
83	246T	1633	228T, 243, 305T
103	256	1674	196T
104	292	1675	262
105	208P	1719	257, 304P
106	208P	1720	276, 304P
107	292	1752	245T
110	305T	1901	272T
116	241	1908	202
120	241	1911	202
122	228T, 305T	1935	235P
124	228T, 305T	1967	272T
125	239	1974	219
130	228T, 305T	2000	302T
152	235P	2014	236T
156	232P, 235P	2018	236T
166	219	2036	218
177	249	2038	218
246	207	2045	218
266	228T, 305T	2130	273
272	233	2135	234
330	303P	2136	234
384	196T	2182A	238T
440	196T	2182B	233, 238T, 240
441	196T	2182C	230
488	196T	2347	212
519	307P	2349	195
527	282, 307P	2409	261
529	283T	2412	212
564	299	2453	290T
566	275	2470	206
695	274	2472	255
744	196T	2483	204
745	196T	2567	235P
749	196T	2578	294
751	196T	2613	234
856	229	2618	260
860	229	2619	309
871	272T	2636	222
963	223	2669	234
1005	310	2677	290T
1006	310	2691	196T
1007	285T	2692	248
1008	251	2816	236T
1038	301P	2837	200
1093	301P	2839	247
1126	306T	2849	203
1130	306T	2851	200
1134	227P, 308	2868	206
1173	297	2888	200
1174	297	2988	252
1188	271	3044	197T
1191	235P	3045	198T
1192	235P	3132	229
1230	199T	3179	266
1275	258	3220	254
1304	306T	3221	254
1306	227P, 308	3237	212
1331	289	3258	284T
1366	296	3324	298
1402	209	3329	298
1405	233	3351	263
1422	233	3363	311
1546	244	3390	288
1568	211	3427	225
1592	306T	3429	225
1627	232P	3449	257, 304P
1630	242, 305T	3488	256

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
3496	271	5604_4	234
3497	271	5612_13	245T
3520	200	5614_14	292
3634	284T	5614_15	292
3635	254	5614_18	271
3653	234	5615_1	235P
3692	201	5615_20	232P
3709	200	5615_23	233
3720	206	5615_5	235P
3723	200	5615_6	232P, 235P
3752	281	5615_7	232P
3755	289		
3773	280	Australian Chart No.	Notices
3863	278		
3879	270		
3884	277		
3892	279	Aus 55	265P
3901	296	Aus 143	216T
3929	267T	Aus 327	224T
3944	296	Aus 357	231T
3951	266	Aus 816	214
3988	277	Aus 818	214
3990	259	Aus 821	264
3993	295	Aus 824	264
3999	287	Aus 825	264
4030	253		
4031	253	Belgian Chart No.	Notices
4038	253		
4039	253		
4040	253	BE 101	228T, 305T
4051	300		
4062	300	German Chart No.	Notices
4104	283T		
4115	283T		
4117	268	DE 50	228T, 305T
4118	268	DE 90	228T, 305T
4126	250		
4140	233, 238T	Indian Chart No.	Notices
4202	283T		
4203	283T		
4209	283T	IN 353	286
4215	283T	IN 3028	291
4216	283T		
4247	237		
4420	221	Japanese Chart No.	Notices
4494	221		
4600	226T		
4601	226T	JP 153	213P
4602	226T	JP 1222	212
4618	300		
4632	196T		
4638	196T	New Zealand Chart No.	Notices
4708	215T, 293		
4709	293	NZ 5571	210P
4710	293		
4723	215T	International Chart No.	Notices
4733	217		
4783	269		
4806	283T		
4810	283T		
4811	300	INT 51	300
4944	220	INT 62	300
5600_3	218	INT 104	283T
5600_9	218	INT 140	233, 238T
5602_14	272T	INT 202	283T
5602_15	272T	INT 203	283T
5602_16	272T	INT 209	283T
5602_19	272T	INT 215	283T
5604_3	234	INT 407	283T

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 552	256		
INT 600	226T		
INT 601	226T		
INT 602	226T		
INT 632	196T		
INT 638	196T		
INT 708	215T, 293		
INT 709	293		
INT 710	293		
INT 723	215T		
INT 810	283T		
INT 811	300		
INT 1041	230		
INT 1042	233, 238T, 240		
INT 1043	238T		
INT 1044	233		
INT 1045	228T, 305T		
INT 1148	278		
INT 1202	236T		
INT 1219	236T		
INT 1297	290T		
INT 1300	209		
INT 1400	233		
INT 1416	242, 305T		
INT 1417	228T, 243, 305T		
INT 1418	239		
INT 1420	228T, 305T		
INT 1422	239		
INT 1423	228T, 305T		
INT 1461	228T, 305T		
INT 1470	244		
INT 1471	228T, 305T		
INT 1472	228T, 305T		
INT 1473	305T		
INT 1474	228T, 305T		
INT 1477	241		
INT 1479	241		
INT 1506	235P		
INT 1507	235P		
INT 1549	235P		
INT 1551	232P		
INT 1553	271		
INT 1554	271		
INT 1565	271		
INT 1566	292		
INT 1664	245T		
INT 1705	234		
INT 1722	272T		
INT 1727	272T		
INT 1730	218		
INT 1832	225		
INT 1851	297		
INT 1871	284T		
INT 1875	254		
INT 1876	254		
INT 3550	294		
INT 3660	207		
INT 5362	288		
INT 6854	196T		
INT 6856	196T		
INT 7017	200		
INT 7199	200		
INT 7200	200		
INT 7229	266		
INT 7241	266		
INT 7404	291		
INT 7413	286		
INT 7722	274		
INT 12992	290T		

II

237 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
4247	4945/25	Effective from 08/01/26 Delete magenta limit and chart number, 4248, in position 36° 41'·71S., 73° 01'·16W.

II

255 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
2472	5814/25	Effective immediately Delete reference, Adjoining Chart 4721, in S border at longitude 125° 15'·9E. Delete reference, Adjoining Chart 4721, in E border at latitude 9° 14'·5S.

II

218* ENGLAND - South Coast - Depths.

Source: CEFAS

Chart 2036 (INT 1730) [*previous update 3346/25*] ETRS89 DATUM

Insert	depth, 27	(a)	50° 45'·91N., 1° 15'·70W.
Delete	depth, 34, close NW of:	(a)	above
Insert	depth, 18, and extend 2m contour NE to enclose	(b)	50° 45'·78N., 1° 15'·50W.
Delete	depth, 22, close NW of:	(b)	above
Insert	depth, 17, and extend 2m contour NW to enclose	(c)	50° 45'·72N., 1° 15'·26W.
Delete	depth, 22, close NW of:	(c)	above
Insert	depth, 13	(d)	50° 45'·59N., 1° 15'·35W.
Delete	depth, 18, close E of:	(d)	above
Replace	depth, 19, with depth, 16		50° 45'·51N., 1° 14'·49W.
	depth, 16, with depth, 14		50° 45'·39N., 1° 14'·16W.

Chart 2038 [*previous update 4328/24*] ETRS89 DATUM

Insert	depth, 27	(a)	50° 45'·914N., 1° 15'·698W.
Delete	depth, 34, close NW of:	(a)	above
Insert	depth, 18, and extend 2m contour NE to enclose	(b)	50° 45'·783N., 1° 15'·504W.
Delete	depth, 21, close SE of:	(b)	above
Insert	depth, 13	(c)	50° 45'·586N., 1° 15'·353W.
Delete	depth, 18, close E of:	(c)	above

Chart 2045 [*previous update 5734/25*] ETRS89 DATUM

Replace	depth, 19, with depth, 16		50° 45'·51N., 1° 14'·49W.
	depth, 16, with depth, 14		50° 45'·39N., 1° 14'·16W.

Chart 5600_9 (Panel A, River Hamble to Cowes) [*previous update 3346/25*] ETRS89 DATUM

Insert	depth, 27	(a)	50° 45'·91N., 1° 15'·70W.
Delete	depth, 34, close NW of:	(a)	above
Insert	depth, 18, and extend 2m contour NE to enclose	(b)	50° 45'·78N., 1° 15'·50W.
Delete	depth, 22, close NW of:	(b)	above
Insert	depth, 17, and extend 2m contour NW to enclose	(c)	50° 45'·72N., 1° 15'·26W.
Delete	depth, 25, close NW of:	(c)	above
Insert	depth, 13	(d)	50° 45'·59N., 1° 15'·35W.
Delete	depth, 18, close E of:	(d)	above
Replace	depth, 19, with depth, 16		50° 45'·51N., 1° 14'·49W.
	depth, 16, with depth, 14		50° 45'·39N., 1° 14'·16W.

Chart 5600_3 [*previous update 5734/25*] ETRS89 DATUM

Replace	depth, 19, with depth, 16		50° 45'·51N., 1° 14'·49W.
	depth, 16, with depth, 14		50° 45'·39N., 1° 14'·16W.

II

248* **ENGLAND - East Coast - Buoy.**

Source: Harwich Haven Authority Notice 95/25

Chart 2692 [*previous update 5529/25*] ETRS89 DATUM

Insert

 *Fl(5)Y.20s W1 Waverider*

51° 52'·63N., 1° 41'·04E.

II

271* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update 5472/25*] ETRS89 DATUM

Insert	depth, 38		53° 39'·52N., 0° 11'·66W.
	depth, 45, and extend 5m contour SW to enclose	(a)	53° 39'·62N., 0° 11'·99W.
Delete	depth, 55, close S of:	(a)	above
Insert	depth, 45, and extend 5m contour SW to enclose	(b)	53° 39'·74N., 0° 12'·07W.
Delete	depth, 53, close SE of:	(b)	above
Insert	depth, 51	(c)	53° 39'·93N., 0° 12'·41W.
Delete	depth, 63, close S of:	(c)	above

Chart 3496 (INT 1565) (Panel C, Immingham Oil Terminal to Humber Sea Terminal) [*previous update 5292/25*] ETRS89 DATUM

Insert	depth, 38	(a)	53° 39'·521N., 0° 11'·658W.
Delete	depth, 49, close SE of:	(a)	above
Insert	depth, 45, enclosed by 5m contour	(b)	53° 39'·617N., 0° 11'·987W.
Delete	depth, 55, close S of:	(b)	above
Insert	depth, 48, enclosed by 5m contour		53° 39'·675N., 0° 12'·012W.
	depth, 45, enclosed by 5m contour	(c)	53° 39'·736N., 0° 12'·069W.
Delete	depth, 53, close SE of:	(c)	above
Insert	depth, 47, enclosed by 5m contour		53° 39'·796N., 0° 12'·105W.
	depth, 57	(d)	53° 39'·852N., 0° 12'·409W.
Delete	depth, 63, close E of:	(d)	above
Insert	depth, 51		53° 39'·879N., 0° 12'·322W.
		(e)	53° 39'·927N., 0° 12'·411W.
Delete	depth, 58, close NE of:	(e)	above
Insert	depth, 52	(f)	53° 39'·982N., 0° 12'·482W.
Delete	depth, 64, close SW of:	(f)	above
Insert	depth, 52	(g)	53° 40'·050N., 0° 12'·532W.
Delete	depth, 56, close NE of:	(g)	above
Insert	depth, 5, enclosed by 5m contour	(h)	53° 40'·203N., 0° 12'·762W.
Delete	depth, 61, close NE of:	(h)	above
Insert	depth, 56	(i)	53° 40'·306N., 0° 12'·857W.
Delete	depth, 61, close W of:	(i)	above
Insert	depth, 54		53° 40'·368N., 0° 12'·902W.
	depth, 57	(j)	53° 40'·483N., 0° 13'·046W.
Delete	depth, 64, close SW of:	(j)	above

II

271* ENGLAND - East Coast - Depths. (continued)

Chart 3497 (INT 1554) [*previous update 138/26*] ETRS89 DATUM

Insert	depth, 38	53° 39'·52N., 0° 11'·66W.
	depth, 45, and extend 5m contour SW to enclose	53° 39'·62N., 0° 11'·99W.
	depth, 45, and extend 5m contour SW to enclose	53° 39'·74N., 0° 12'·07W.
	depth, 51	53° 39'·93N., 0° 12'·41W.
	depth, 52	(a) 53° 40'·05N., 0° 12'·53W.
Delete	depth, 56, close NE of:	(a) above
Insert	depth, 5, enclosed by 5m contour	53° 40'·20N., 0° 12'·76W.
	depth, 54	(b) 53° 40'·37N., 0° 12'·90W.
Delete	depth, 6, close NW of:	(b) above
Insert	depth, 57	53° 40'·48N., 0° 13'·05W.
	depth, 31	(c) 53° 40'·73N., 0° 13'·70W.
Delete	depth, 48, close SE of:	(c) above
Insert	depth, 54	(d) 53° 41'·09N., 0° 13'·59W.
Delete	depth, 62, close SE of:	(d) above

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update 138/26*] ETRS89 DATUM

Insert	depth, 38	53° 39'·52N., 0° 11'·66W.
	depth, 45, and extend 5m contour SW to enclose	53° 39'·62N., 0° 11'·99W.
	depth, 45, and extend 5m contour SW to enclose	53° 39'·74N., 0° 12'·07W.
	depth, 51	(a) 53° 39'·93N., 0° 12'·41W.
Delete	depth, 64, close NW of:	(a) above
Insert	depth, 52	(b) 53° 40'·05N., 0° 12'·53W.
Delete	depth, 56, close NE of:	(b) above
Insert	depth, 5, enclosed by 5m contour	53° 40'·20N., 0° 12'·76W.
	depth, 54	(c) 53° 40'·37N., 0° 12'·90W.
Delete	depth, 6, close NW of:	(c) above
Insert	depth, 57	53° 40'·48N., 0° 13'·05W.
	depth, 31	(d) 53° 40'·73N., 0° 13'·70W.
Delete	depth, 48, close SE of:	(d) above
Insert	depth, 54	(e) 53° 41'·09N., 0° 13'·59W.
Delete	depth, 62, close SE of:	(e) above

II

292* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 104 (INT 1566) [*previous update 5472/25*] ETRS89 DATUM

Insert	depth, 97, enclosed by 10m contour	(a)	53° 33'·47N., 0° 12'·90E.
Delete	depth, 105, close SW of:	(a)	above
Insert	depth, 144, and extend 15m contour SE to enclose	(b)	53° 33'·26N., 0° 12'·59E.
Delete	depth, 163, close W of:	(b)	above
Insert	depth, 89, and extend 10m contour S to enclose	(c)	53° 33'·24N., 0° 12'·24E.
Delete	depth, 81, close NE of:	(c)	above
Insert	depth, 93, and extend 10m contour S to enclose		53° 33'·18N., 0° 11'·97E.

Chart 107 [*previous update 4929/25*] ETRS89 DATUM

Insert	depth, 97, and extend 10m contour E to enclose		53° 33'·43N., 0° 12'·86E.
	depth, 89, and extend 10m contour S to enclose	(a)	53° 33'·24N., 0° 12'·24E.
Delete	depth, 81, close NE of:	(a)	above

Chart 5614_15 [*previous update 5472/25*] ETRS89 DATUM

Insert	depth, 97, enclosed by 10m contour	(a)	53° 33'·47N., 0° 12'·89E.
Delete	depth, 105, close SW of:	(a)	above
Insert	depth, 144, and extend 15m contour SE to enclose	(b)	53° 33'·26N., 0° 12'·59E.
Delete	depth, 163, close W of:	(b)	above
Insert	depth, 89, and extend 10m contour S to enclose	(c)	53° 33'·24N., 0° 12'·24E.
Delete	depth, 81, close NE of:	(c)	above
Insert	depth, 93, and extend 10m contour S to enclose		53° 33'·18N., 0° 11'·97E.

Chart 5614_14 [*previous update 4929/25*] ETRS89 DATUM

Insert	depth, 97, and extend 10m contour E to enclose		53° 33'·43N., 0° 12'·86E.
	depth, 89, and extend 10m contour S to enclose	(a)	53° 33'·24N., 0° 12'·24E.
Delete	depth, 81, close NE of:	(a)	above

II

209 NORWAY - South Coast - NM Block.

Source: ENC NO3B0416 and UKHO

Note: Certain Copies Only

Chart 1402 (INT 1300) [*previous update 97/26*] WGS84 DATUM

Insert the accompanying block, centred on:

58° 19'·3N., 9° 32'·7E.

II

222 POLAND - Obstructions. Fouls.

Source: Polish Notices 44/498-500/25

Chart 2636 [*previous update 48/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	54° 32'·058N., 18° 31'·193E.
Replace	# (6) with # (52)	54° 32'·041N., 18° 31'·204E.
	 <i>Obstn</i> with  <i>Obstn</i>	54° 32'·074N., 18° 31'·247E.
	# (97) with # (94)	54° 32'·152N., 18° 31'·184E.

II

278 FINLAND - West Coast - Recommended tracks. Beacons.

Source: Finnish Notice 29/224/25

Chart 3863 (INT 1148) [*previous update 933/25*] WGS84 DATUM

Insert	recommended track, firm line, with maximum authorised draught, <1,9>, joining:	65° 00'·55N., 25° 12'·22E. 65° 00'·93N., 25° 11'·88E. 65° 01'·37N., 25° 11'·19E.
Delete		(a) 65° 00'·37N., 25° 12'·24E.
		65° 00'·46N., 25° 12'·16E.
	former recommended track, firm line, with maximum authorised draught, <1,9>, joining:	(a) above 65° 01'·39N., 25° 11'·45E.

II

230 NORTH SEA - Norwegian Sector - Platform. Legends. Danger line.

Source: Norwegian Notices 14/78346/25 and 15/78386/25]

Chart 2182C (INT 1041) [*previous update 31/26*] WGS84 DATUM

Insert



(a) 59° 52'·2N., 2° 33'·9E.

legend, Under construction, close E of:

(a) above

Delete

circular limit of danger line, radius 3200m, dotted line, centred on:

(b) 59° 51'·7N., 2° 35'·2E.

legend, *Obstn*, within:

(b) above

II

233 NORTH SEA - Norwegian Sector - Platform. Radar beacon. Restricted area. Obstruction. Aeronautical radiobeacon.

Source: Norwegian Notice 21/79213/25

Chart 272 [*previous update 5455/25*] WGS84 DATUM

Replace   2/4-E, EFS and associated radar beacon, Racon(N) and circular limit of restricted area with  *Obstn* 56° 38'·50N., 3° 19'·50E.

Chart 1405 (INT 1400) [*previous update 5823/25*] WGS84 DATUM

Replace   Tor and associated radar beacon, Racon(N) and circular limit of restricted area with  *Obstn* 56° 38'·5N., 3° 19'·5E.

Chart 1422 (INT 1044) [*previous update 5608/25*] WGS84 DATUM

Insert  *Obstn* (a) 56° 38'·5N., 3° 19'·5E.

Delete   Fla and associated radar beacon, Racon(N) and associated aeronautical radio beacon, Aero RC, close NE of: (a) above

Chart 2182B (INT 1042) [*previous update 5455/25*] WGS84 DATUM

Delete   and associated radar beacon, Racon(N) 56° 38'·5N., 3° 19'·6E.

Chart 4140 (INT 140) [*previous update 5786/25*] WGS84 DATUM

Delete   Tor 56° 38'·6N., 3° 19'·4E.

Chart 5615_23 [*previous update 5455/25*] WGS84 DATUM

Delete   and associated radar beacon, Racon(N) 56° 38'·6N., 3° 19'·6E.


II

239 NORTH SEA - Netherlands Sector - Obstructions.


Source: Netherlands Notice 51-52/321/25

Chart 125 (INT 1422) [*previous update 5686/25*] WGS84 DATUM

Insert




52° 29'·39N., 4° 09'·01E.




52° 27'·05N., 3° 58'·83E.

Chart 1631 (INT 1418) [*previous update 5686/25*] WGS84 DATUM

Insert



52° 29'·39N., 4° 09'·01E.



52° 27'·05N., 3° 58'·83E.

II

240 NORTH SEA - Netherlands Sector - Automatic Identification System.

Source: Netherlands Notice 51-52/328/25

Note: Former Notice 4221(T)/24 is cancelled.

Chart 2182B (INT 1042) [*previous update 233/26*] WGS84 DATUM

Insert Automatic Identification System, AIS, at platform

53° 41'·1N., 6° 21'·5E.

II

241 NETHERLANDS - Buoyage.

Source: Netherlands Notices 51-52/324/25 and 51-52/326/25

Chart 116 (INT 1477) [*previous update New Edition 17/07/2025*] WGS84 DATUM

Move



MHC C, from:

51° 22'·55N., 3° 40'·22E.

to:

51° 22'·55N., 3° 39'·77E.

Chart 120 (INT 1479) (Panel B, Vlissingen-Oost (Sloehaven)) [*previous update 4832/25*] WGS84 DATUM

Replace



with



Fl.4s

51° 27'·25N., 3° 40'·37E.

51° 27'·10N., 3° 40'·14E.

Chart 120 (INT 1479) [*previous update 4832/25*] WGS84 DATUM

Move



MHC C, from:

51° 22'·55N., 3° 40'·22E.

to:

51° 22'·55N., 3° 39'·77E.

II

242 BELGIUM - Wreck.

Source: Netherlands Notice 51-52/319/25

Chart 1630 (INT 1416) [*previous update 5768/25*] WGS84 DATUM

Replace

 *Wk* with  *Wk*

51° 31'·68N., 2° 32'·40E.

II

243 NORTH SEA - Netherlands Sector - Automatic Identification System.

Source: Netherlands Notice 51-52/328/25

Note: Former Notice 4221(T)/24 is cancelled.

Chart 1633 (INT 1417) [*previous update 91/26*] WGS84 DATUM

Insert Automatic Identification System, AIS, at N05-A platform 53° 41'·07N., 6° 21'·53E.

II

244 NETHERLANDS - Restricted area.

Source: Netherlands Notice 51-52/322/25

Chart 1546 (INT 1470) [*previous update 2472/25*] WGS84 DATUM

Insert	limit of restricted area, TTTTT , joining:	53° 00′·08N., 4° 46′·95E. 53° 00′·04N., 4° 46′·96E. 52° 59′·78N., 4° 46′·42E.
	symbol, entry prohibited, centred on:	53° 00′·00N., 4° 46′·50E.

II

195 FRANCE - West Coast - NM Block.

Source: French Notice 39/41/25

Chart 2349 (Panel B, Port de Douarnenez) [*previous update 5501/25*] WGS84 DATUM

Insert the accompanying block, centred on: 48° 06'·0N., 4° 20'·0W.

II

225 FRANCE - West Coast - Light.

Source: French Notice 44/43/2025

Chart 3427 (INT 1832) [*previous update 5761/25*] WGS84 DATUM

Delete

★ VQ.G

48° 22'·97N., 4° 26'·93W.

Chart 3429 [*previous update 5601/25*] WGS84 DATUM

Delete

★ VQ.G

48° 22'·97N., 4° 26'·93W.

II

234 FRANCE - North Coast - Anchorage areas.

Source: French Notice 26/40/25

Chart 2135 [*previous update 165/26*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	49° 24'·69N., 0° 50'·08W. 49° 25'·68N., 1° 00'·01W. 49° 28'·80N., 1° 06'·25W. 49° 33'·10N., 1° 11'·06W. 49° 37'·50N., 1° 02'·26W. (a) 49° 37'·50N., 0° 50'·08W.
Delete	former limit of anchorage area, pecked line, joining:	49° 25'·26N., 0° 50'·09W. 49° 26'·32N., 1° 01'·88W. 49° 32'·75N., 1° 11'·20W. 49° 36'·40N., 1° 08'·70W. 49° 37'·50N., 1° 06'·50W. (a) above

Chart 2136 [*previous update 1138/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	49° 34'·45N., 0° 43'·61W. 49° 34'·25N., 0° 43'·23W. 49° 27'·75N., 0° 43'·23W. 49° 24'·63N., 0° 49'·49W. 49° 25'·25N., 0° 55'·78W.
Delete	former limit of anchorage area, pecked line, joining:	49° 34'·44N., 0° 44'·01W. 49° 33'·89N., 0° 43'·00W. 49° 28'·00N., 0° 43'·00W. 49° 25'·12N., 0° 48'·60W. 49° 25'·77N., 0° 55'·78W.

Chart 2613 (INT 1705) [*previous update 5566/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	49° 37'·50N., 0° 49'·74W. 49° 34'·25N., 0° 43'·23W. 49° 27'·75N., 0° 43'·23W. 49° 24'·63N., 0° 49'·49W. 49° 25'·68N., 1° 00'·01W. 49° 28'·80N., 1° 06'·25W. 49° 33'·10N., 1° 11'·06W. 49° 37'·50N., 1° 02'·26W.
Delete	former limit of anchorage area, pecked line, joining:	49° 37'·50N., 0° 49'·50W. 49° 33'·90N., 0° 43'·01W. 49° 28'·00N., 0° 43'·00W. 49° 25'·12N., 0° 48'·60W. 49° 26'·32N., 1° 01'·88W. 49° 32'·73N., 1° 11'·22W. 49° 36'·40N., 1° 08'·70W. 49° 37'·50N., 1° 06'·50W.

II

234 FRANCE - North Coast - Anchorage areas. (continued)

Chart 2669 [*previous update 5517/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	49° 23'·50N., 1° 57'·23W. 49° 22'·77N., 1° 57'·24W. 49° 27'·80N., 2° 04'·77W. 49° 34'·50N., 2° 04'·77W. 49° 34'·50N., 2° 01'·85W.
Delete	former limit of anchorage area, pecked line, joining:	49° 23'·51N., 1° 57'·26W. 49° 23'·49N., 1° 57'·26W. 49° 23'·49N., 1° 58'·85W. 49° 26'·44N., 2° 01'·84W. 49° 34'·01N., 2° 01'·86W.

Chart 3653 [*previous update 1138/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	49° 30'·57N., 2° 04'·77W. 49° 34'·50N., 2° 04'·77W. 49° 34'·50N., 2° 01'·85W.
Delete	former limit of anchorage area, pecked line, joining:	49° 30'·59N., 2° 01'·85W. 49° 34'·50N., 2° 01'·84W.

Chart 5604_3 [*previous update 1977/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	49° 24'·00N., 1° 59'·08W. 49° 27'·80N., 2° 04'·77W. 49° 34'·50N., 2° 04'·77W. 49° 34'·50N., 2° 01'·85W.
Delete	former limit of anchorage area, pecked line, joining:	49° 24'·00N., 1° 59'·37W. 49° 26'·44N., 2° 01'·84W. 49° 34'·46N., 2° 01'·86W.

Chart 5604_4 [*previous update 4691/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	49° 23'·50N., 1° 57'·23W. 49° 22'·77N., 1° 57'·24W. 49° 27'·80N., 2° 04'·77W. 49° 31'·23N., 2° 04'·77W.
Delete	former limit of anchorage area, pecked line, joining:	49° 23'·51N., 1° 57'·26W. 49° 23'·49N., 1° 57'·26W. 49° 23'·49N., 1° 58'·85W. 49° 26'·44N., 2° 01'·84W. 49° 31'·22N., 2° 01'·85W.

II

254 PORTUGAL - West Coast - Depths.

Source: Portuguese Notice 11/291/25

Chart 3220 (INT 1875) [*previous update New Edition 01/05/2025*] WGS84 DATUM

Insert	depth, 138, and extend 15m contour W to enclose	(a)	38° 40'·463N., 9° 17'·935W.
Delete	depth, 172, close NW of:	(a)	above
Insert	depth, 85, and extend 10m contour W to enclose		38° 40'·413N., 9° 17'·898W.
	depth, 51, and extend 10m contour W to enclose	(b)	38° 40'·351N., 9° 17'·895W.
Delete	depth, 116, close NW of:	(b)	above

Chart 3221 (INT 1876) [*previous update 3245/25*] WGS84 DATUM

Insert	depth, 138, enclosed by 15m contour		38° 40'·463N., 9° 17'·935W.
	depth, 85, enclosed by 10m contour		38° 40'·413N., 9° 17'·898W.
	depth, 51, enclosed by 10m contour	(a)	38° 40'·351N., 9° 17'·895W.
Delete	depth, 127, close SE of:	(a)	above

Chart 3635 [*previous update 2327/25*] WGS84 DATUM

Insert	depth, 138	(a)	38° 40'·46N., 9° 17'·94W.
Delete	depth, 177, close N of:	(a)	above

II

297 SPAIN - North Coast - Wreck.

Source: Spanish Notice 46/340/25

Chart 1173 (INT 1851) [*previous update 4036/25*] WGS84 DATUM

Insert



43° 20'·27N., 3° 00'·82W.

Chart 1174 [*previous update New Edition 31/07/2025*] WGS84 DATUM

Insert



43° 20'·27N., 3° 00'·82W.

II

202 ITALY - West Coast - Marine farm.

Source: Italian Notice 20.5/25

Chart 1908 [*previous update 5827/25*] WGS84 DATUM

Insert



(buoyed)

41° 03'·0N., 13° 51'·6E.

Chart 1911 [*previous update 4556/25*] WGS84 DATUM

Insert



(buoyed)

41° 03'·0N., 13° 51'·6E.

II

207 TÜRKIYE - South Coast - Rocks.

Source: Turkish Notice 39/188/25

Chart 246 (INT 3660) [*previous update New Edition 30/10/2025*] WGS84 DATUM

Insert



36° 32'·55N., 35° 21'·05E.

36° 32'·30N., 35° 20'·47E.

II

219 FRANCE - Corse - Buoy.

Source: French Notice 47/90/25

Chart 166 [*previous update 5499/25*] WGS84 DATUM

Insert

 *Fl(5)Y ODAS*

42° 20′·0N., 6° 43′·6E.

Chart 1974 [*previous update 5232/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

42° 20′·0N., 6° 43′·6E.

II

223 ITALY - Sicilia - Outfall.

Source: Italian Notice 21.17/25

Chart 963 (Panel A, Golfo di Palermo) [*previous update 5750/25*] WGS84 DATUM

Insert outfall, , joining:

38° 05′·72N., 13° 26′·35E.

38° 06′·21N., 13° 26′·61E.

38° 06′·35N., 13° 26′·72E.

II

249 MALTA - Restricted area.

Source: ENC MT500177

Chart 177 [*previous update 5100/25*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	35° 53'·772N., 14° 31'·529E.
		35° 53'·883N., 14° 31'·393E.
		35° 53'·895N., 14° 31'·408E.

II

258 TÜRKIYE - Black Sea Coast - Buoy.
Source: ENC TR4GGH00

Chart 1275 (Panel D, Ereğli) [*previous update 5626/25*] WGS84 DATUM

Move

 *Fl(3)R.12s*, from:

to:

41° 17'·05N., 31° 23'·43E.

41° 17'·00N., 31° 23'·43E.

II

262 TÜRKIYE - West Coast - Light-beacon.

Source: ENC TR4FPP00

Chart 1675 (Panel E, Approaches to Ayvalik) [*previous update 4328/25*] WGS84 DATUM

Amend light-beacon to, VQ(6)+LFL.15s5m10M 39° 19'·28N., 26° 38'·06E.

II

294 EGYPT - North Coast - Wrecks. Buoyage. Depth.

Source: ENC EG4EGM24

Chart 2578 (INT 3550) [*previous update 4716/25*] WGS84 DATUM

Insert		(a) 31° 27'·51N., 32° 25'·12E.
Delete	+++ , close SW of:	(a) above
Insert	 <i>Fl.G.2s Hm 230</i>	31° 27'·00N., 32° 24'·42E.
	 <i>Iso.R.4s Hm 230</i>	31° 26'·90N., 32° 24'·87E.
Delete	 <i>Fl.G.2s Hm 215</i>	31° 26'·21N., 32° 24'·17E.
	 <i>Iso.R.4s Hm 215</i>	31° 26'·11N., 32° 24'·62E.
	depth, 235, and associated 30m contour	31° 38'·06N., 32° 29'·14E.

II

310 TÜRKIYE - Marmara Denizi - Light-beacons. Light.

Source: Turkish Notice 41/197/25

Chart 1005 [*previous update 5684/25*] WGS84 DATUM

Amend light to, Q.6m7M 40° 58'·31N., 27° 57'·98E.

Chart 1006 (Panel D, Marmara Ereğlisi) [*previous update New Edition 13/11/2025*] WGS84 DATUM

Replace  Kilkaya Q(3)10s9m8M, with  Kilkaya Q.6m7M 40° 58'·324N., 27° 57'·937E.

II


229 MOROCCO - West Coast - Obstruction.

Source: French Notice 44/152/25

Note: Former Notice 4192(T)/25 is cancelled.

Chart 856 [*previous update 4877/25*] WGS84 DATUM


Insert



33° 42'·78N., 7° 38'·63W.

Chart 860 [*previous update 5219/25*] WGS84 DATUM


Insert



33° 42'·78N., 7° 38'·63W.

Chart 3132 [*previous update 5305/25*] WGS84 DATUM

Insert



33° 42'·8N., 7° 38'·6W.

II

274 MADAGASCAR - East Coast - Legend.

Source: French Notice 47/183/25

Chart 695 (INT 7722) [*previous update 3739/25*] WGS84 DATUM

Delete legend, *Passe du Sud (prohibited)*, centred on: 18° 09'·32S., 49° 26'·76E.

II

200* UNITED ARAB EMIRATES - Lights.

Source: MENAS Notice 12/25

Chart 2837 (INT 7017) [*previous update 5407/25*] WGS84 DATUM

Insert	★ Fl.20M	(a) 25° 10'·6N., 56° 20'·8E.
Delete	★ Fl.16M, close NE of:	(a) above

Chart 2851 [*previous update 5828/25*] WGS84 DATUM

Insert	★ Fl.20M	(a) 25° 10'·6N., 56° 20'·8E.
Delete	★ Fl.16M, close NE of:	(a) above

Chart 2888 (INT 7199) [*previous update 5547/25*] WGS84 DATUM

Insert	★ Fl.5s20M	(a) 25° 10'·6N., 56° 20'·8E.
Delete	★ Fl.5s16M, close NE of:	(a) above

Chart 3520 (INT 7200) [*previous update 1959/25*] WGS84 DATUM

Insert	★ Fl.5s20M	(a) 25° 10'·61N., 56° 20'·76E.
Delete	★ Fl.5s16M, close NE of:	(a) above

Chart 3709 [*previous update 3803/25*] WGS84 DATUM

Insert	★ Fl.5s176m20M (FUJAYRAH)	25° 10'·61N., 56° 20'·76E.
Delete	★ Fl.5s94m16M (FUJAYRAH)	25° 10'·77N., 56° 21'·03E.

Chart 3723 [*previous update 3803/25*] WGS84 DATUM

Insert	★ Fl.5s176m20M	25° 10'·61N., 56° 20'·76E.
Delete	★ Fl.5s94m16M	25° 10'·77N., 56° 21'·03E.

II

266* **UNITED ARAB EMIRATES - NM Block. Buoy.**

Source: ADNOC

Chart 3179 (INT 7229) [*previous update 5658/25*] WGS84 DATUM

Insert the accompanying block, centred on:

24° 37'·3N., 52° 36'·7E.

Chart 3951 (INT 7241) [*previous update 5377/25*] WGS84 DATUM

Move

 *Fl.R. 6s JBD-04*, from:

24° 34'·90N., 52° 32'·46E.

to:

24° 34'·83N., 52° 32'·49E.

II

280* KUWAIT - Restricted area.

Source: MENAS Notice 339/25

Note: Former Notice 4265(T)/24 is cancelled.

Chart 3773 [*previous update 5192/25*] WGS84 DATUM

Insert circular limit of restricted area, entry prohibited,
  radius 300m (0.16M), centred on:

29° 24'·10N., 48° 50'·51E.

II

281* UNITED ARAB EMIRATES - Buoyage.

Source: AD PORTS GROUP

Chart 3752 (Panel B, Khalifa Port) [*previous update 5567/25*] WGS84 DATUM

Insert	 <i>Fl.Y.5s T-1</i>	24° 47'·82N., 54° 38'·26E.
	 <i>Fl.Y.5s P-3</i>	24° 49'·68N., 54° 41'·47E.
	 <i>Fl.Y.5s P-4</i>	24° 50'·72N., 54° 41'·82E.
	 <i>Fl.Y.5s P-1</i>	24° 51'·03N., 54° 40'·68E.
	 <i>Fl.Y.5s P-2</i>	24° 51'·92N., 54° 41'·36E.

Chart 3752 (Panel A, Approaches to Khalifa Port) [*previous update 5567/25*] WGS84 DATUM

Insert	 <i>Fl.Y.5s C-1</i>	24° 46'·18N., 54° 39'·97E.
	 <i>Fl.Y.5s T-3</i>	24° 46'·64N., 54° 40'·56E.
	 <i>Fl.Y.5s T-2</i>	24° 46'·92N., 54° 39'·50E.
	 <i>Fl.Y.5s P-5</i>	24° 51'·45N., 54° 42'·50E.
	 <i>Fl.Y.5s C-2</i>	24° 52'·02N., 54° 43'·71E.

II

286 INDIA - East Coast - Automatic Identification System. Light. Landmark.

Source: Indian Notice 19/130/25

Chart IN 353 (INT 7413) [*previous update 4777/24*] WGS84 DATUM

Move	★ Fl.15s30m20M and associated Automatic Identification	
	System, AIS, from:	18° 52′·1N., 84° 35′·1E.
	to:	(a) 18° 52′·8N., 84° 35′·7E.
Delete	☉ Lt Ho (disused), close E of:	(a) above

II

291 INDIA - East Coast - NM Block.

Source: Indian Notice 19/132/25

Chart IN 3028 (INT 7404) [*previous update New Edition 30/11/2021*] WGS84 DATUM

Insert the accompanying block, centred on: 13° 16'·2N., 80° 20'·9E.

II

253* SINGAPORE - Maritime limit.

Source: Maritime and Port Authority of Singapore

Chart 4030 [*previous update 4669/25*] WGS84 DATUM

Delete maritime limit, pecked line, joining: 1° 13'·296N., 103° 38'·498E.
1° 13'·405N., 103° 38'·724E.
1° 13'·405N., 103° 39'·374E.

Chart 4031 [*previous update New Edition 14/08/2025*] WGS84 DATUM

Delete maritime limit, pecked line, joining: 1° 13'·297N., 103° 38'·500E.
1° 13'·405N., 103° 38'·724E.
1° 13'·405N., 103° 39'·374E.

Chart 4038 [*previous update 167/26*] WGS84 DATUM

Delete maritime limit, pecked line, joining: 1° 13'·30N., 103° 38'·51E.
1° 13'·40N., 103° 38'·72E.
1° 13'·41N., 103° 39'·37E.

Chart 4039 [*previous update 167/26*] WGS84 DATUM

Delete maritime limit, pecked line, joining: 1° 13'·30N., 103° 38'·50E.
1° 13'·41N., 103° 38'·72E.
1° 13'·41N., 103° 39'·37E.

Chart 4040 [*previous update 167/26*] WGS84 DATUM

Delete maritime limit, pecked line, joining: 1° 13'·30N., 103° 38'·51E.
1° 13'·40N., 103° 38'·72E.
1° 13'·41N., 103° 39'·37E.

II

296 MALAYSIA - Peninsular Malaysia, West Coast - Light.

Source: Malaysian Notice 9/209/25

Chart 1366 [*previous update 5275/25*] WGS84 DATUM

Amend range of light to, 15M 5° 14'·68N., 100° 16'·52E.

Chart 3901 [*previous update 5275/25*] WGS84 DATUM

Amend range of light to, 15M 5° 14'·7N., 100° 16'·6E.

Chart 3944 [*previous update 5275/25*] WGS84 DATUM

Amend range of light to, 15M 5° 14'·69N., 100° 16'·53E.

II

211 CHINA - South Coast - Buoyage.

Source: Chinese Notice 38/1137/25

Chart 1568 [*previous update 5294/25*] CGCS 2000 DATUM

Insert



Fl.G.4s J1

21° 59'·45N., 113° 29'·31E.



Fl.R.4s J2

21° 59'·44N., 113° 29'·18E.

II

250 CHINA - South Coast - Wrecks.

Source: Hong Kong Notice 24/64/25

Chart 4126 [*previous update 3275/25*] WGS84 DATUM

Replace

 Wk with  Wk

22° 15'·69N., 114° 28'·55E.

II

256 CHINA - South Coast - Buoyage.

Source: Chinese Notice 32/978/25

Chart 103 [*previous update 3911/25*] CGCS 2000 DATUM

Insert



Mo(O)Y.12s ODAS 3

18° 12'·0N., 110° 18'·3E.



Mo(O)Y.12s ODAS 1

17° 59'·1N., 110° 27'·1E.

Chart 3488 (INT 552) [*previous update 170/26*] WGS84 DATUM

Insert



Mo(O)Y.12s ODAS 1

17° 59'·1N., 110° 27'·1E.

II

257 CHINA - East Coast - Virtual aids to navigation.

Source: Chinese Notice 45/1391/25

Chart 1719 [*previous update 4930/25*] CGCS 2000 DATUM

Delete	symbol, Virtual aid to navigation, special topmark, V-AIS, out of position	24° 26′·76N., 118° 11′·51E.
--------	--	-----------------------------

Chart 3449 [*previous update 4930/25*] CGCS 2000 DATUM

Delete	symbol, Virtual aid to navigation, special topmark, V-AIS	24° 27′·58N., 118° 11′·54E.
		24° 26′·76N., 118° 11′·51E.
		24° 24′·58N., 118° 09′·04E.

II

259 CHINA - South Coast - Legend. Wind farm.

Source: Chinese Notice 38/1139/25

Chart 3990 [*previous update 5308/25*] WGS84 DATUM

Replace legend, Wind farm under construction (2023), with symbol,
Wind farm

21° 18′·8N., 108° 10′·6E.

II

260 **TAIWAN - Depths.**

Source: UKHO

Chart 2618 (Panel B, Su'Ao) [*previous update 162/26*] WGS84 DATUM

Insert depth, *119*

(a) 24° 35'·83N., 121° 52'·01E.

Delete depth, *104* , close SW of:

(a) above

II

261 TAIWAN - Lights.
Source: Taiwanese Chart 61001

Chart 2409 [*previous update 194/26*] WGS84 DATUM

Amend	light to, Iso.G.3s25m17M	22° 57′·76N., 120° 08′·86E.
	light to, Iso.R.3s25m13M	22° 57′·64N., 120° 08′·94E.

II

263 CHINA - South Coast - Lights.

Source: Chinese Notice 39/1175/25

Chart 3351 [*previous update 3799/25*] CGCS 2000 DATUM

Insert	★ Fl.R.4s8m4M	20° 57′·18N., 110° 35′·58E.
	★ Fl.G.4s8m4M	20° 57′·15N., 110° 35′·43E.
	★ Fl.5s18m4M	20° 52′·28N., 110° 36′·42E.
Amend	light to, Fl.R.3s10m4M	20° 56′·97N., 110° 35′·12E.
Delete	★ F.R.6m4M	20° 57′·09N., 110° 35′·71E.
	★ Fl.3s6m4M	20° 57′·04N., 110° 35′·64E.
	★ Fl.5s4m4M	20° 51′·89N., 110° 36′·47E.

II

268 CHINA - South Coast - NM Blocks. Depth.

Source: Hong Kong Notice 20/54-55/25

Chart 4117 [*previous update 5169/25*] WGS84 DATUM

Insert the accompanying block, centred on:

22° 18'·7N., 114° 11'·9E.

Chart 4118 [*previous update 5169/25*] WGS84 DATUM

Insert the accompanying block, centred on:

22° 18'·7N., 114° 11'·9E.

depth, 04, and extend 2m contour N to enclose

22° 17'·037N., 114° 11'·115E.

II

270 VIETNAM - Depths.

Source: ENC V14S0057

Chart 3879 [*previous update 3466/25*] WGS84 DATUM

Insert depth, *127*

(a) 10° 16'·11N., 103° 52'·86E.

Delete depth, *149*, close SE of:

(a) above

II

276 CHINA - East Coast - Light-beacon. Wind turbines. Radar beacons.

Source: Chinese Notice 37/1103/25

Chart 1720 [*previous update 4342/25*] CGCS 2000 DATUM

Insert	 F.R	23° 59'·76N., 117° 48'·27E.
	symbol, wind turbine, Mo(C)12s19m3M	(a) 23° 56'·01N., 118° 14'·18E.
		(b) 23° 54'·51N., 118° 11'·49E.
Delete	symbol, wind turbine, close NW of:	(a) above
		(b) above
Replace	symbol, wind turbine with symbol, wind turbine, Mo(C)12s19m5M	23° 56'·85N., 118° 13'·42E.
		23° 53'·62N., 118° 12'·88E.
		(c) 23° 55'·19N., 118° 10'·42E.
		(d) 23° 55'·46N., 118° 14'·69E.
Insert	radar beacon, Racon(N), at wind turbine	(c) above
	radar beacon, Racon(B), at wind turbine	(d) above
Replace	symbol, wind turbine with symbol, wind turbine, Mo(C)12s19m3M	23° 56'·32N., 118° 12'·24E.
		23° 56'·01N., 118° 11'·59E.
		23° 54'·21N., 118° 13'·53E.

II

277 VIETNAM - Light. Wrecks.

Source: ENC V14S0051

Chart 3884 [*previous update 5242/25*] WGS84 DATUM

Amend light to, Fl(4)15s28m17M 15° 52′·60N., 108° 23′·35E.

Replace ++ PA with  15° 52′·44N., 108° 31′·56E.

Chart 3988 [*previous update 170/26*] WGS84 DATUM

Insert  15° 52′·4N., 108° 31′·6E.

Amend light to, Fl(4)15s28m17M 15° 52′·6N., 108° 23′·3E.

II

279 CHINA - South Coast - Buoyage.

Source: Chinese Notice 39/1174/25

Chart 3892 [*previous update 5447/25*] CGCS 2000 DATUM

Delete



Mo(O)Y.12s S3

20° 54'·4N., 111° 40'·0E.



Mo(O)Y.12s S5

20° 53'·2N., 111° 36'·9E.



Mo(O)Y.12s S8

20° 51'·5N., 111° 32'·0E.

II

287 CHINA - South Coast - Buoyage. Lights.

Source: Chinese Notice 41/1221/25

Chart 3999 [previous update 5293/25] CGCS 2000 DATUM

Insert



Q C5

(a) 21° 36'·27N., 108° 40'·30E.

Delete



VQ(3)5s C5 close SE of:

(a) above

Insert



VQ(3)5s C7

21° 36'·10N., 108° 40'·12E.



VQ(3)5s C8

21° 35'·96N., 108° 39'·98E.



Fl.6s10m4M

21° 35'·96N., 108° 40'·25E.

21° 35'·84N., 108° 40'·13E.

II

295 CHINA - South Coast - Buoyage. Lights.

Source: Chinese Notices 39/1177-1178/25

Chart 3993 [*previous update 4771/25*] CGCS 2000 DATUM

Insert



VQ(6)+LFl.10s

21° 43'·69N., 108° 35'·68E.



Iso.R.4s9m2M

21° 43'·68N., 108° 35'·66E.



Fl(2+1)R.6s

21° 43'·16N., 108° 38'·04E.



Iso.R.4s9m4M

21° 43'·13N., 108° 37'·89E.

21° 43'·00N., 108° 37'·88E.

Delete



Fl(2)R.6s G5

21° 43'·63N., 108° 35'·68E.



Fl(3)R.10s G4

21° 43'·52N., 108° 35'·65E.

II

308 CHINA - East Coast - Anchor berths. Anchorage area. Swinging circles.

Source: Chinese Notices 39/1163-1165/25

Chart 1134 [*previous update 103/26*] CGCS 2000 DATUM

Insert	 1, with swinging circle, radius 750m, pecked line,	
	centred on:	30° 39'·47N., 122° 23'·52E.
	 2, with swinging circle, radius 750m, pecked line,	
	centred on:	30° 39'·06N., 122° 24'·33E.

Chart 1306 [*previous update 103/26*] CGCS 2000 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 30° 45'·20N., 122° 42'·20E.
		(b) 30° 46'·84N., 122° 41'·84E.
		(c) 30° 46'·83N., 122° 40'·92E.
		(d) 30° 45'·20N., 122° 41'·29E.
	 , within:	(a)-(d) above
	 1, centred on:	30° 46'·45N., 122° 41'·46E.
	 2, centred on:	30° 45'·59N., 122° 41'·66E.
	 1, with swinging circle, radius 750m, pecked line,	
	centred on:	30° 39'·47N., 122° 23'·52E.
	 2, with swinging circle, radius 750m, pecked line,	
	centred on:	30° 39'·06N., 122° 24'·33E.
	 1, with swinging circle, radius 800m, pecked line,	
	centred on:	30° 27'·48N., 122° 30'·90E.
	 2, with swinging circle, radius 800m, pecked line,	
	centred on:	30° 27'·49N., 122° 31'·94E.
	 3, with swinging circle, radius 800m, pecked line,	
	centred on:	30° 27'·49N., 122° 32'·97E.
	 4, with swinging circle, radius 800m, pecked line,	
	centred on:	30° 27'·48N., 122° 33'·99E.

II

309 TAIWAN - Buoyage.

Source: UKHO

Chart 2619 (Panel B, Keelung) [*previous update New Edition 20/11/2025*] WGS84 DATUM

Replace  , with  *VQ.Y* 25° 09'·938N., 121° 46'·417E.

Chart 2619 (Panel A, Approaches to Keelung) [*previous update New Edition 20/11/2025*] WGS84 DATUM

Replace  , with  *VQ.Y* 25° 09'·94N., 121° 46'·42E.
25° 09'·26N., 121° 47'·89E.

II

311 CHINA - South Coast - Buoyage. Lights.

Source: Chinese Notice 41/1218/25

Chart 3363 [*previous update 3673/25*] CGCS 2000 DATUM

Insert



Mo(C)Y.12s

21° 05'·02N., 110° 25'·75E.



Fl(2+1)R.6s J2

21° 04'·94N., 110° 26'·08E.



Q(3)10s J3

21° 04'·89N., 110° 25'·78E.



VQ J1

21° 04'·64N., 110° 26'·22E.

★ Iso.R.4s11m4M

21° 04'·77N., 110° 25'·70E.

21° 04'·60N., 110° 25'·92E.

II

212 JAPAN - Nansei Shotō - Depths. Rocks.

Source: Japanese Notice 51/548/25

Chart JP 1222 [*previous update 1234/25*] WGS84 DATUM

Replace	depth, 104, with seabed type, R, with depth 98, with seabed type, R	30° 02′·02N., 129° 53′·71E.
	depth, 79, <i>Rep(2019)</i> , with depth, 68	30° 02′·62N., 129° 51′·58E.
	depth, 107, <i>Rep(2019)</i> , with depth, 98	30° 01′·70N., 129° 51′·60E.
	 with seabed type, R, with  with seabed type, R	30° 03′·20N., 129° 51′·20E.

Chart 2347 [*previous update 5205/25*] WGS84 DATUM

Replace	depth, 21, with seabed type, R, with depth, 13, with seabed type, R	30° 03′·8N., 129° 51′·2E.
	depth, 109, with seabed type, R, with depth, 98, with seabed type, R	30° 02′·5N., 129° 54′·0E.

Chart 2412 [*previous update 41/26*] WGS84 DATUM

Replace	depth, 21, with seabed type, R, with depth, 13, with seabed type, R	30° 03′·2N., 129° 51′·7E.
---------	---	---------------------------

Chart 3237 [*previous update 1234/25*] WGS84 DATUM

Replace	depth, 21, with seabed type, R, with depth 13, with seabed type, R	30° 03′·2N., 129° 51′·3E.
	depth, 104, with seabed type, R, with depth 98, with seabed type, R	30° 02′·0N., 129° 53′·7E.
	depth, 121, with depth 98	30° 01′·7N., 129° 51′·6E.

II

251 KOREA - West Coast - Lights.

Source: Korean Notice 46/694/25

Chart 1008 [*previous update 3901/25*] WGS84 DATUM

Amend range of light to, 7M

35° 59'·41N., 126° 39'·45E.

35° 59'·18N., 126° 39'·47E.

II

273 **RUSSIA - Pacific Ocean Coast - Light.**

Source: Russian Notice 49/5125(T)/25

Chart 2130 [*previous update 1488/25*] WGS84 DATUM

Delete

★ Fl.3s12m8M Beringa and associated sector

59° 12'·23N., 149° 02'·98E.

II

288 KOREA - South Coast - Buoyage.

Source: Korean Notice 47/716/25

Chart 3390 (INT 5362) (Panel, Yulchon) [*previous update 3919/25*] WGS84 DATUM

Delete



Fl(4)Y.8s C

34° 54'·17N., 127° 36'·80E.



Fl(4)Y.8s B

34° 54'·17N., 127° 36'·85E.

II

206 INDONESIA - Kalimantan - Wreck. Legend.

Source: PUSHIDROSAL

Chart 2470 [*previous update 5839/25*] WGS84 DATUM

Insert



Delete

legend, *Rep*, close SW of:

(a) 1° 48'·7N., 108° 28'·9E.

(a) above

Chart 2868 [*previous update 5552/25*] WGS84 DATUM

Insert



1° 48'·1N., 108° 31'·1E.

Chart 3720 [*previous update 551/25*] WGS84 DATUM

Insert



1° 48'·07N., 108° 31'·12E.

II

221 PHILIPPINE ISLANDS - Mindanao - Light.

Source: NAMRIA

Chart 4420 [*previous update 1770/25*] WGS84 DATUM

Amend light to, Fl(2)10s

7° 02'·9N., 125° 57'·1E.

Chart 4494 [*previous update 5745/25*] WGS84 DATUM

Amend light to, Fl(2)10s

7° 02'·92N., 125° 57'·09E.

II

214 AUSTRALIA - Queensland - Light.
Source: Australian Notice 25/1063/25

Chart Aus 816 [*previous update 148/25*] WGS84 DATUM

Amend light to, Fl.13s 128m 20M 24° 43'·79S., 153° 12'·52E.

Chart Aus 818 [*previous update 598/25*] WGS84 DATUM

Amend light to, Fl.13s 128m 20M 24° 43'·79S., 153° 12'·52E.

II

264 AUSTRALIA - Queensland - Depths. NM Blocks. Rocks.

Source: Australian Notice 25/1062/25

Chart Aus 821 [*previous update 1101/25*] WGS84 DATUM

Insert	depth, 83, enclosed by 10m contour	19° 59'·80S., 149° 42'·50E.
	depth, 32, enclosed by 5m contour, with seabed type, <i>R</i>	20° 02'·72S., 149° 56'·79E.
	depth, 44, enclosed by 5m contour, with seabed type, <i>R</i>	(a) 20° 05'·75S., 149° 56'·67E.
Delete	depth, 14, close SE of:	(a) above
Insert	depth, 96, enclosed by 10m contour, with seabed type, <i>R</i>	20° 09'·29S., 149° 52'·41E.
	depth, 69	(b) 20° 09'·78S., 149° 53'·16E.
Delete	depth, 24, close SW of:	(b) above
Insert	10m contour, joining:	20° 09'·78S., 149° 53'·03E.
		20° 09'·13S., 149° 53'·48E.
		20° 09'·12S., 149° 53'·58E.
		20° 09'·18S., 149° 53'·66E.
		20° 09'·96S., 149° 53'·73E.
		20° 10'·02S., 149° 53'·65E.
		20° 09'·91S., 149° 53'·08E.

Chart Aus 824 [*previous update 1939/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	20° 11'·2S., 149° 45'·0E.
	the accompanying block B, centred on:	20° 11'·2S., 149° 58'·8E.
	the accompanying block C, centred on:	21° 02'·1S., 148° 54'·8E.

Chart Aus 825 [*previous update 4142/25*] WGS84 DATUM

Insert	depth, 83, enclosed by 10m contour	19° 59'·80S., 149° 42'·50E.
--------	------------------------------------	-----------------------------

II

293 AUSTRALIA - Western Australia - Submarine cable. NM Block.

Source: Australian Notices 25/1070/25 and 25/1072/25

Chart 4708 (INT 708) [*previous update 5198/25*] WGS84 DATUM

Insert submarine cable, , joining:

35° 58'·8S., 117° 30'·0E.
 35° 50'·2S., 115° 25'·7E.
 35° 37'·9S., 114° 43'·9E.
 35° 14'·5S., 114° 35'·8E.
 34° 55'·1S., 114° 04'·5E.
 34° 20'·8S., 113° 49'·4E.
 32° 29'·4S., 113° 45'·6E.
 31° 50'·4S., 113° 54'·4E.
 31° 37'·6S., 114° 05'·2E.
 31° 37'·7S., 114° 20'·4E.

Chart 4709 (INT 709) [*previous update 3422/25*] WGS84 DATUM

Insert the accompanying block, centred on:

submarine cable, , joining:

35° 50'·6S., 137° 01'·3E.
 36° 41'·6S., 134° 33'·3E.
 36° 42'·4S., 133° 22'·6E.
 36° 32'·3S., 128° 14'·5E.
 36° 17'·4S., 121° 55'·4E.
 35° 50'·2S., 115° 25'·7E.
 35° 37'·9S., 114° 43'·9E.
 35° 14'·5S., 114° 35'·8E.
 34° 55'·1S., 114° 04'·5E.
 34° 20'·8S., 113° 49'·4E.
 32° 29'·4S., 113° 45'·6E.
 31° 50'·4S., 113° 54'·4E.
 31° 37'·6S., 114° 05'·2E.
 31° 37'·7S., 114° 20'·4E.

Chart 4710 (INT 710) [*previous update New Edition 02/08/2018*] WGS84 DATUM

Insert submarine cable, , joining:

35° 59'·5S., 117° 30'·0E.
 35° 50'·2S., 115° 25'·7E.
 35° 37'·9S., 114° 43'·9E.
 35° 14'·5S., 114° 35'·8E.
 34° 55'·1S., 114° 04'·5E.
 34° 20'·8S., 113° 49'·4E.
 34° 15'·0S., 113° 49'·2E.

II

203 UNITED STATES OF AMERICA - West Coast - Obstructions. Depth.

Source: ENC US5PDXGU

Chart 2849 (Panel B) [*previous update 66/26*] NAD83 DATUM

Insert	 <i>Obstn</i>	45° 38'·45N., 122° 46'·69W.
	 <i>Obstn</i>	45° 37'·70N., 122° 47'·40W.
	 <i>Obstn</i>	45° 37'·22N., 122° 47'·44W.
	 <i>Obstn</i>	(a) 45° 37'·20N., 122° 47'·30W.
Delete	depth, 5, close SE of:	(a) above

II

220 CANADA - British Columbia - Obstruction.

Source: Canadian Notice 11/3603/25

Chart 4944 [*previous update 3434/25*] NAD27 DATUM

Replace  *ODAS/SADO* with  *ODAS/SADO*

49° 05'·71N., 126° 55'·98W.


II

247 UNITED STATES OF AMERICA - West Coast - Obstructions.


Source: ENC's US5PDXNQ and US5PDXNR

Chart 2839 (Panel B) [*previous update 67/26*] NAD83 DATUM

Insert



46° 11'·03N., 123° 08'·01W.



46° 09'·22N., 123° 02'·71W.

II

300 ECUADOR - Buoy.

Source: Ecuadorean Daily Notice 29/10/25

Chart 4051 (INT 51) [*previous update 4944/25*] WGS84 DATUM

Insert

 ODAS

2° 23'·8N., 89° 38'·5W.

Chart 4062 (INT 62) [*previous update 4944/25*] WGS84 DATUM

Insert

 ODAS

2° 23'·8N., 89° 40'·5W.

Chart 4618 [*previous update New Edition 29/05/2025*] WGS84 DATUM

Insert

 ODAS

2° 23'·8N., 89° 52'·8W.

Chart 4811 (INT 811) [*previous update New Edition 14/08/2025*] WGS84 DATUM

Insert

 ODAS

2° 23'·8N., 89° 52'·8W.

II

205 BRAZIL - South Coast - Wreck. Depths.

Source: Brazilian Notice 22/S 180/25

Chart 29 [*previous update 2873/25*] WGS84 DATUM

Insert	 <i>Wk</i>	(a) 23° 59'·71S., 46° 19'·42W.
Delete	depth, 89, close NE of:	(a) above
Insert	depth, 15	23° 59'·70S., 46° 19'·67W.
		(b) 24° 00'·97S., 46° 20'·45W.
		(c) 24° 01'·34S., 46° 20'·66W.
Delete	depth, 155, close NW of:	(b) above
	depth, 157, close NE of:	(c) above
	depth, 88, and associated 10m contour	23° 59'·85S., 46° 20'·01W.

II

275 BRAZIL - South Coast - Depths. Rock.

Source: Brazilian Notice 23/S 190/25

Chart 566 [*previous update 5458/25*] WGS84 DATUM

Insert	depth, 122	22° 53'·66S., 43° 09'·73W.
	depth, 135	(a) 22° 53'·72S., 43° 09'·62W.
Delete	depth, 166, close NW of:	(a) above
Insert	depth, 68	(b) 22° 53'·40S., 43° 08'·50W.
Delete	depth, 97, close NW of:	(b) above
Insert	depth, 59	(c) 22° 53'·55S., 43° 08'·28W.
Delete	depth, 72, close SE of:	(c) above
Insert	depth, 102, with seabed type, R	(d) 22° 51'·50S., 43° 08'·33W.
Delete	depth, 136, close NW of:	(d) above

II

289 ARGENTINA - NM Blocks. Jetty. Light.

Source: ENC AR402550

Chart 1331 [*previous update 4872/25*] WGS84 DATUM

Insert jetty, single firm line, joining:

38° 55'·55S., 62° 03'·22W.

38° 56'·42S., 62° 03'·77W.

(a) 38° 56'·53S., 62° 03'·50W.

★ Fl(2)R.4s

(a) above

Chart 3755 (Panel B, Puertos Belgrano and Rosales) [*previous update 4872/25*] WGS84 DATUM

Insert the accompanying block A, centred on:

38° 56'·1S., 62° 03'·3W.

Chart 3755 [*previous update 4872/25*] WGS84 DATUM

Insert the accompanying block B, centred on:

38° 56'·1S., 62° 04'·0W.

II

298 ARGENTINA - Wreck.

Source: Argentine Notice 12/155/25

Chart 3324 [*previous update 3576/25*] WGS84 DATUM

Insert



38° 10′·1S., 57° 26′·7W.

Chart 3329 [*previous update 3576/25*] WGS84 DATUM

Insert



38° 10′·1S., 57° 26′·7W.

II

299 BRAZIL - South Coast - Depths.

Source: Brazilian Notice 22/S 184/25

Chart 564 [*previous update 5458/25*] WGS84 DATUM

Insert depth, 98, and extend 10m contour SE to enclose

(a) 22° 46'·73S., 43° 09'·00W.

Delete depth, 114, close SE of:

(a) above

II

252* HONDURAS - Buoy.

Source: Empresa Nacional Portuaria, Honduras

Chart 2988 (Panel C, Approaches to Puerto Cortés) [*previous update 3695/25*] WGS84 DATUM

Insert



Mo(A)6s

15° 51'·90N., 87° 57'·90W.

II

282* **GUYANA - Wreck. Light-beacon.**

Source: Maritime Administration Department of Guyana

Chart 527 [*previous update 4019/25*] WGS84 DATUM

Insert



6° 57'·03N., 58° 19'·02W.



Q.G Blue Jacket (U)

6° 56'·90N., 58° 14'·60W.

II

201 **UNITED STATES OF AMERICA - East Coast - Virtual aid to navigation.**
Source: ENC US4FL2JH

Chart 3692 [*previous update 51/25*] NAD83 DATUM

Insert	symbol, Virtual aid to navigation, safe water topmark, V-AIS, out of position	28° 21'·51N., 80° 30'·34W.
--------	--	----------------------------

II

204 UNITED STATES OF AMERICA - East Coast - Obstruction.

Source: ENC US5MA1SJ

Chart 2483 (Panel C, Gloucester Harbor) [*previous update 3557/25*] NAD83 DATUM

Insert

 *Obstn PA*

42° 35′·743N., 70° 39′·817W.

II

217 CANADA - Newfoundland and Labrador - Fog signal.
Source: Canadian Notice 11/4017/25

Chart 4733 [*previous update 5809/25*] NAD83 DATUM

Insert

- Fog Sig

48° 21'·0N., 53° 12'·4W.

II

269 CANADA - Saint Lawrence River - NM Block. Light.

Source: Canadian Notice 9/1234/25

Chart 4783 (Panel, Port de Pointe-au-Pic) [*previous update 758/25*] NAD83 DATUM

Insert the accompanying block, centred on: 47° 37'·4N., 70° 08'·3W.

Chart 4783 [*previous update 758/25*] NAD83 DATUM

Delete  • Iso Y 2s36m8M 47° 52'·34N., 69° 40'·88W.

II

208(P)/26 ENGLAND - East Coast - Depths. Wreck. Obstruction.

Source: British Government Survey

1. Recent survey information has shown that numerous depths less than charted exist in the vicinity of Hewett Ridges and Leman Bank. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
19m	52° 56'·18N., 2° 07'·30E.
13·4m	52° 56'·48N., 2° 06'·89E.
14·5m	52° 56'·08N., 2° 07'·03E.
6·9m	52° 57'·75N., 2° 03'·24E.
7·3m	52° 58'·06N., 2° 02'·76E.
7·5m	52° 58'·33N., 2° 02'·28E.
11·7m	52° 59'·71N., 1° 59'·26E.
13m	52° 59'·49N., 1° 57'·85E.
7·2m	53° 05'·40N., 2° 02'·30E.
15·4m	53° 05'·22N., 2° 03'·92E.
9·3m	52° 55'·69N., 2° 10'·44E.
7·4m	52° 54'·42N., 2° 11'·50E.
* 6·4m	53° 06'·69N., 1° 58'·47E.
* 13·1m	53° 01'·84N., 2° 10'·20E.
* 7·6m	52° 59'·21N., 2° 00'·34E.
* 8·1m	52° 57'·42N., 2° 03'·97E.
* 7·5m	52° 58'·06N., 2° 02'·76E.
* 9·1m	52° 57'·11N., 2° 04'·54E.
* 4·5m	53° 03'·09N., 2° 08'·26E.
* 10·2m	52° 56'·87N., 2° 05'·23E.
* 25·7m	53° 02'·25N., 1° 45'·32E.

2. *The least depth over the wreck in position 53° 08'·36N., 1° 53'·44E. is reported to be 6m.
3. *An obstruction with depth 9·2m exists in position 52° 56'·78N., 2° 09'·18E.
4. Mariners are advised to navigate with caution in the area.
5. *These changes will be included in the next New Editions of Charts 105 and 106.
6. *Charts 1503 and 1408 will be updated by Notice to Mariners.
7. *Former Notice 1096(P)/25 is cancelled.
 *Indicates new or revised entry
 (ETRS89 DATUM)

Charts affected - 105 - 106

II

232(P)/26 ENGLAND - East Coast - Depths.

Source: m/v Northern Storm and m/v Lode

- Recent survey information has shown that depths less than charted exist within Beadnell Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
13·7m	55° 32'·61N., 1° 35'·99W.
* 3·7m	55° 31'·98N., 1° 36'·31W.
* 7·4m	55° 32'·02N., 1° 35'·85W.

- Recent survey information has shown that depths less than charted exist within Warkworth Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·5m	55° 21'·244N., 1° 33'·515W.
21·3m	55° 21'·338N., 1° 31'·998W.
9·8m	55° 20'·398N., 1° 31'·907W.
14·8m	55° 20'·552N., 1° 32'·084W.
17·0m	55° 18'·618N., 1° 31'·383W.
25·8m	55° 19'·492N., 1° 31'·074W.
* 2·7m	55° 20'·135N., 1° 33'·468W.
* 9·0m	55° 20'·399N., 1° 31'·936W.
* 9·4m	55° 18'·528N., 1° 31'·686W.
* 6·6m	55° 18'·346N., 1° 31'·898W.

- Recent survey information has shown that depths less than charted exist within Cambois Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·9m	55° 09'·44N., 1° 29'·53W.
* 1·0m	55° 10'·40N., 1° 30'·67W.

- Recent survey information has shown that depths less than charted exist within Hauxley Haven. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
1·3m	55° 19'·234N., 1° 32'·060W.
1·3m	55° 19'·119N., 1° 32'·026W.

- *Recent survey information has shown that depths less than charted exist within Druridge Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
* 6·3m	55° 17'·84N., 1° 31'·65W.
* 8·0m	55° 17'·56N., 1° 31'·48W.
* 3·4m	55° 13'·87N., 1° 31'·13W.

- Mariners are advised to navigate with caution in the area.
- Charts will be updated when surveying activities are complete.
- *Former Notice 5496(P)/25 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 156 - 1627 (INT 1551) - 5615_20 - 5615_6 - 5615_7

II

235(P)/26 ENGLAND - East Coast - Depths. Wrecks. Obstruction.

Source: mv Northern Storm

1. Recent survey information has shown that depths less than charted exist east of Black Halls Point. The most significant is as follows:

<i>Depth</i>	<i>Position</i>
18·9m	54° 45'·42N., 1° 12'·51W.

2. *The least depth over the wrecks in the following positions is reported to be:

<i>Depth</i>	<i>Position</i>
22m	54° 48'·83N., 1° 13'·81W.
43·5m	54° 53'·88N., 1° 08'·21W.
*40m	54° 56'·25N., 1° 10'·88W.
*43m	54° 53'·41N., 1° 08'·69W.
*40m	54° 43'·33N., 0° 57'·21W.

3. *An obstruction, depth 46·0m, is reported to exist in position 55° 02'·04N., 1° 14'·49W.
4. Mariners are advised to navigate with caution in the area.
5. Charts will be updated when full details are available.
6. *Former Notice 65(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 152 (INT 1549) - 156 - 1191 (INT 1507) - 1192 (INT 1506) - 1935 - 2567 - 5615_1 - 5615_5 - 5615_6

II

245(T)/26 IRELAND - East Coast - Works. Pontoon.

Source: Belfast Harbour Commissioners Notice 27/25

1. Cathode replacement works at Stormont Wharf are taking place in an area bounded by the following positions:

54° 36'·8N., 5° 54'·5W.
54° 36'·9N., 5° 54'·5W.
54° 37'·3N., 5° 53'·9W.
54° 37'·3N., 5° 53'·8W.
2. Works will be assisted by divers using a floating pontoon and standby boat "LANDBERG".
3. Works are expected to last until the 16th of January 2026.
4. Mariners are advised to navigate with caution in the area, passing slowly and keeping wash to a minimum, and consult the local port authorities for the latest information on VHF Ch. 12.
(ETRS89 DATUM)

Charts affected - 1752 (INT 1664) - 5612_13

II

272(T)/26 ENGLAND - South Coast - Scientific instruments.

Source: Partrac and KHM Plymouth

1. Unmarked scientific instruments, 0·6m in height, have been established on the seabed in the following positions:

50° 20′·755N., 4° 09′·690W.

50° 21′·687N., 4° 08′·042W.

50° 24′·778N., 4° 12′·230W.

2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 30 (INT 1722) - 871 - 1901 (INT 1727) - 1967 - 5602_14 - 5602_15 - 5602_16 - 5602_19

II

302(T)/26 SCOTLAND - West Coast - Buoy.

Source: KHM Clyde NM 36/25

1. The light-buoy, *Fl.Y.5s*, in position $56^{\circ} 03' \cdot 688\text{N.}$, $4^{\circ} 49' \cdot 724\text{W.}$ is reported unlit.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Chart affected - 2000

II

236(T)/26 POLAND - Buoyage.

Source: Polish Notice 40/441(T)/25

1. Light-buoys have been temporarily established in the following positions:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>AIS</i>	<i>Position</i>
<i>Q</i>	<i>NC-01</i>	North cardinal	Yes	55° 07'·28N., 16° 57'·19E.
<i>Q</i>	<i>NC-063</i>	North cardinal	Yes	55° 07'·05N., 17° 06'·51E.
<i>Q</i>	<i>NC-105</i>	North cardinal	Yes	55° 06'·90N., 17° 16'·72E.
<i>VQ(6)+LFl.10s</i>	<i>SC-09</i>	South cardinal	Yes	55° 01'·52N., 16° 58'·38E.
<i>VQ(6)+LFl.10s</i>	<i>SC-49</i>	South cardinal	Yes	55° 00'·01N., 17° 05'·17E.
<i>Fl.Y.5s</i>	<i>SM-28</i>	Special	No	55° 07'·12N., 17° 01'·87E.
<i>Fl.Y.5s</i>	<i>SM-98</i>	Special	No	55° 06'·29N., 17° 13'·72E.
<i>Fl.Y.5s</i>	<i>SM-107</i>	Special	No	55° 05'·30N., 17° 16'·77E.
<i>Fl.Y.5s</i>	<i>SM-89</i>	Special	No	55° 02'·24N., 17° 12'·54E.
<i>Fl.Y.5s</i>	<i>SM-62</i>	Special	No	55° 03'·99N., 17° 06'·78E.
<i>Fl.Y.5s</i>	<i>SM-05</i>	Special	No	55° 04'·41N., 16° 57'·79E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2816

II

290(T)/26 POLAND - Restricted area.

Source: Polish Notice 16/200(T)/23

1. A restricted area, entry prohibited, has been established within and surrounding Port Zewnętrzny:

53° 55'·889N., 14° 16'·648E.

53° 55'·923N., 14° 16'·603E.

53° 56'·300N., 14° 16'·786E.

53° 55'·869N., 14° 18'·105E.

53° 55'·071N., 14° 18'·145E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 2974(T)/23 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2453 (INT 12992) - 2677 (INT 1297)

II

228(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
55° 01'·41N., 3° 41'·11E.	266
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

- Mariners are advised to navigate with caution in the area.

- *Former Notice 5672(T)/25 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 122 (INT 1472) - 124 (INT 1471) - 130 (INT 1423) - 266 - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

238(T)/26 NORTH SEA - Netherlands Sector - Obstruction.

Source: Netherlands Notice 51-52/325(T)/25

1. An obstruction exists in position 54° 49′·4N., 4° 56′·2E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2182A (INT 1043) - 2182B (INT 1042) - 4140 (INT 140)

II

305(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
* 51° 37'·48N., 2° 59'·00E.	110
* 51° 37'·55N., 3° 06'·53E.	110
* 51° 40'·05N., 2° 57'·84E.	110
* 51° 41'·10N., 3° 00'·69E.	110
* 51° 42'·79N., 3° 06'·65E.	110
* 51° 45'·75N., 3° 02'·46E.	110
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·30N., 4° 35'·53E.	124
55° 01'·41N., 3° 41'·11E.	266
* 51° 43'·04N., 2° 54'·58E.	1630
* 51° 46'·06N., 2° 56'·02E.	1630
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

II

305(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 228(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 122 (INT 1472) - 124 (INT 1471) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

246(T)/26 PORTUGAL - South Coast - Buoy.

Source: Portuguese Notice 9/264(T)/25

1. The *No 2* lateral buoy, *Fl.R.4s*, in position $37^{\circ} 06' \cdot 96\text{N.}$, $8^{\circ} 31' \cdot 54\text{W.}$ is reported unreliable.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 83

II

284(T)/26 PORTUGAL - West Coast - Obstruction.

Source: Portuguese Notice 11/298(T)/25

1. A floating obstruction has been reported in position 41° 10'·53N., 8° 44'·55W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 3258 (INT 1871) - 3634

II

301(P)/26 GREECE - Aegean Sea Coast - Submarine cables.

Source: Greek Notices 10/175-179/25

1. Submarine cables are being laid between Attikí, Nisos Sérifos and Nisos Mísos, joining the following positions:

37° 44'·7N., 24° 03'·9E.
37° 43'·3N., 24° 05'·9E.
37° 42'·2N., 24° 06'·5E.
37° 37'·3N., 24° 04'·7E.
37° 27'·0N., 24° 13'·2E.
37° 04'·8N., 24° 19'·1E.
37° 03'·1N., 24° 21'·2E.
37° 02'·6N., 24° 25'·4E.
37° 04'·1N., 24° 32'·1E.
37° 05'·4N., 24° 32'·8E.
37° 07'·7N., 24° 31'·7E.
37° 07'·9N., 24° 31'·8E.

2. and

37° 07'·8N., 24° 31'·8E.
37° 07'·6N., 24° 31'·8E.
37° 05'·2N., 24° 33'·6E.
37° 00'·5N., 24° 33'·2E.
36° 54'·5N., 24° 28'·6E.
36° 49'·9N., 24° 27'·1E.
36° 45'·0N., 24° 29'·2E.

3. These changes will be included in New Editions of Charts 1038 and 1093 to be published early 2026.
4. Charts 1031, 1037, 1095, 1538, 1539 and 1657 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 1038 - 1093

II

227(P)/26 CHINA - East Coast - Works.

Source: Chinese Bulletin 40/25

1. Wharf construction works are taking place, within an area bounded by the following positions:

30° 41'·14N., 122° 23'·88E.

30° 41'·15N., 122° 23'·90E.

30° 40'·60N., 122° 24'·13E.

30° 40'·59N., 122° 24'·11E.

2. Mariners are advised to navigate with caution in the area.
(CGCS 2000 DATUM)

Charts affected - 1134 - 1306

II

304(P)/26 CHINA - East Coast - Berth. Depth. Port development.

Source: UKHO

1. Zhangzhou LNG Terminal has been established, bounded by the following positions:

24° 16'·08N., 118° 07'·53E.

24° 15'·91N., 118° 07'·44E.

24° 15'·83N., 118° 07'·58E.

24° 15'·70N., 118° 07'·86E.

24° 15'·70N., 118° 08'·09E.

24° 15'·80N., 118° 08'·09E.

2. A new berth with a minimum depth of 13·5m has been constructed in the vicinity of position 24° 15'·55N., 118° 08'·00E.
3. The minimum depth of the approach channel, in the vicinity of position 24° 09'·15N., 118° 09'·10E., is now 14·5m.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. Charts will be updated when full details are available.

(CGCS 2000 DATUM)

Charts affected - 1719 - 1720 - 3449

II

306(T)/26 CHINA - East Coast - Works.

Source: Chinese Notice 42/1275(T)/25

1. An offshore operating area has been established, bounded by the following positions:

29° 57'·87N., 121° 52'·05E.

29° 57'·47N., 121° 52'·05E.

29° 57'·86N., 121° 53'·45E.

29° 58'·39N., 121° 53'·45E.

2. Offshore operating areas with a circular limit, radius 0·03M, have been established, centred on the following positions:

29° 59'·03N., 121° 48'·05E.

29° 58'·98N., 121° 49'·74E.

29° 57'·66N., 121° 51'·12E.

29° 57'·90N., 121° 52'·68E.

29° 58'·26N., 121° 54'·24E.

29° 57'·96N., 121° 48'·90E.

29° 57'·18N., 121° 51'·06E.

29° 56'·76N., 121° 52'·80E.

29° 57'·00N., 121° 54'·54E.

29° 57'·96N., 121° 56'·40E.

29° 55'·44N., 121° 54'·90E.

29° 54'·00N., 122° 03'·00E.

29° 59'·52N., 121° 56'·58E.

3. Mariners are advised to navigate with caution in the area.
(CGCS 2000 DATUM)

Charts affected - 1126 - 1130 - 1304 - 1592

II

213(P)/26 JAPAN - Seto Naikai - Buoyage. Virtual aid to navigation.

Source: Japanese Notice 51/5553(P)/25

1. Safe water mark light-buoy, *Iso 4s*, in position $34^{\circ} 20' \cdot 10\text{N.}$, $133^{\circ} 28' \cdot 68\text{E.}$ has been removed until further notice.
2. Safe water mark light-buoy, *Mo(A) 8s*, in position $34^{\circ} 21' \cdot 30\text{N.}$, $133^{\circ} 23' \cdot 76\text{E.}$ has been replaced by V-AIS, safe water topmark, until further notice.
3. The chart will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - JP 153

II

197(T)/26 RUSSIA - Pacific Ocean Coast - Buoyage. Restricted areas.

Source: Russian Notices 47/4913(T)- 4914(T)/25

1. Yellow special purpose pillar buoys have been established in the following positions:

43° 04'·52N., 131° 54'·47E.

43° 04'·32N., 131° 54'·67E.

2. Restricted areas, anchoring, fishing, trawling, and other underwater activities are prohibited, have been established within areas bounded by the following positions:

43° 04'·57N., 131° 54'·75E.

43° 04'·59N., 131° 54'·88E.

43° 04'·54N., 131° 54'·92E.

43° 04'·52N., 131° 54'·77E.

3. and

43° 04'·72N., 131° 55'·20E.

43° 04'·80N., 131° 55'·28E.

43° 04'·77N., 131° 55'·35E.

43° 04'·69N., 131° 55'·27E.

4. and

43° 04'·87N., 131° 55'·18E.

43° 04'·90N., 131° 55'·20E.

43° 04'·87N., 131° 55'·38E.

43° 04'·84N., 131° 55'·38E.

5. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3044

II

198(T)/26 RUSSIA - Pacific Ocean Coast - Buoyage.

Source: Russian Notice 47/4911(T)/25

1. Yellow special purpose pillar buoys have been established in the following positions:

42° 52'·32N., 132° 22'·07E.

42° 52'·02N., 132° 22'·37E.

42° 51'·72N., 132° 22'·37E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3045

II

199(T)/26 RUSSIA - Pacific Ocean Coast - Marine farm.

Source: Russian Notice 47/4908(T)/25

1. A marine farm has been established in the following positions:

49° 16'·8N., 143° 51'·1E.

49° 16'·5N., 143° 53'·2E.

49° 15'·8N., 143° 50'·7E.

2. Mariners are advised to avoid entering the area and to navigate with caution.
(UNDETERMINED DATUM)

Chart affected - 1230

II

267(T)/26 KOREA - South Coast - Platform. Radar beacon. Automatic Identification System. Fog signal.

Source: Korean Notice 39/608(T)/25

1. A lit platform, Mo(U)10s17m9M, has been established in position 34° 25′·20N., 127° 09′·09E.
2. *A radar beacon, Racon (D), Automatic Identification System, AIS, and fog signal, Horn, have been established at the platform.
3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 4390(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3929

II

285(T)/26 KOREA - West Coast - Light-beacon.

Source: Korean Notice 43/650(T)/25

1. A special light-beacon, Fl(4)Y.8s6m7M has been temporarily established in position 34° 47'·568N., 126° 21'·253E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1007

II

215(T)/26 AUSTRALIA - Western Australia - Works. Restricted area.

Source: Australian Notice 25/1080(T)/25

1. Vessels are conducting subsea operations in the vicinity of position 19° 49'·0S., 113° 11'·0E.
2. A 500m exclusion zone exists around vessels.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4708 (INT 708) - 4723 (INT 723)

II

216(T)/26 AUSTRALIA - Victoria - Buoy.

Source: Australian Notice 25/1090(T)/25

1. The special light-buoy, *Fl(3)Y.10s R1*, in position $38^{\circ} 16' \cdot 47\text{S}$., $144^{\circ} 58' \cdot 36\text{E}$., is off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 143

II

224(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 25/1083(T)/25

1. On or about 20 December 2025, vessel *Skandi Singapore* will be conducting subsea operations, which involves diving, in the following positions:

19° 27'·0S., 116° 29'·3E.

19° 33'·4S., 116° 29'·7E.

19° 34'·7S., 116° 27'·0E.

19° 35'·5S., 116° 26'·1E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 327

II

231(T)/26 AUSTRALIA - Victoria - Buoy. Automatic Identification System. Scientific instrument.

Source: Australian Notice 25/1085(T)/25

1. A light-buoy, *Fl.Y.4s*, with AIS exists in position 38° 58'·4S., 147° 51'·5E.
2. Mariners are advised to navigate with caution within the area
(WGS84 DATUM)

Chart affected - Aus 357

II

265(P)/26 AUSTRALIA - Western Australia - Depths. Buoyage. Light-beacon. Dredged areas.

Source: Australian Chart Aus55

- Depths less than charted exist within the approaches to Port Walcott. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
17·5m	20° 23'·18S., 117° 26'·04E.
13·9m	20° 31'·55S., 117° 26'·64E.
13·5m	20° 32'·02S., 117° 26'·34E.
13·5m	20° 30'·99S., 117° 25'·19E.
12·7m	20° 31'·78S., 117° 25'·10E.
14·7m	20° 31'·16S., 117° 24'·18E.
10·3m	20° 32'·70S., 117° 24'·50E.
13·7m	20° 32'·56S., 117° 23'·96E.
15m	20° 31'·83S., 117° 23'·29E.
14·5m	20° 31'·57S., 117° 22'·66E.
14·2m	20° 32'·24S., 117° 22'·98E.
13·2m	20° 32'·57S., 117° 23'·24E.
13m	20° 32'·93S., 117° 22'·90E.
13·7m	20° 31'·70S., 117° 22'·01E.

- and

<i>Depth</i>	<i>Position</i>
* 15·2m	20° 24'·24S., 117° 11'·16E.
* 6·5m	20° 24'·62S., 117° 30'·94E.
* 10·9m	20° 24'·74S., 117° 22'·70E.
* 9·6m	20° 27'·03S., 117° 19'·57E.
* 11·8m	20° 33'·18S., 117° 23'·84E.
* 12·3m	20° 26'·51S., 117° 10'·04E.
* 16·9m	20° 24'·98S., 117° 15'·75E.
* 14·9m	20° 25'·10S., 117° 18'·04E.
* 9·7m	20° 26'·06S., 117° 11'·53E.
* 9·5m	20° 27'·61S., 117° 11'·50E.
* 8·4m	20° 27'·51S., 117° 10'·41E.
* 8·3m	20° 27'·70S., 117° 15'·51E.
* 9·5m	20° 27'·61S., 117° 29'·76E.

- The buoy in position 20° 34'·28S., 117° 12'·61E. has been amended to, Red Pillar Buoy, cylinder topmark, *Fl.R.3s No 30*.
- *The No15 light-buoy in position 20° 28'·70S., 117° 16'·81E. has been amended to, Green Pillar Buoy, cone topmark, *Fl.G.3s*.
- *The No16 light-buoy in position 20° 29'·12S., 117° 16'·60E. has been amended to, Red Pillar Buoy, cylinder topmark, *Fl.R.3s*.
- *The No14 light-beacon in position 20° 28'·88S., 117° 16'·92E. has been amended to cylinder topmark, *Fl.R.3s*.
- *The 20m dredged area in position 20° 34'·95S., 117° 11'·04E. is now 15·6m.
- *The 19·1m and 19·4m dredged areas in the vicinity of position 20° 34'·65S., 117° 12'·13E. are now 15·6m.
- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- These changes will be included in a New Edition of Chart Aus55 to be published early 2026.
- *Former Notice 64(P)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - Aus 55

II

210(P)/26 NEW ZEALAND - North Island - Dredged area. Depths.

Source: New Zealand Chart 5571

1. The limits of the dredged channel have been amended and now join the following positions:

38° 41'·117S., 178° 00'·323E.
38° 41'·073S., 178° 00'·283E.
38° 41'·027S., 178° 00'·365E.
38° 41'·028S., 178° 00'·374E.
38° 40'·983S., 178° 00'·453E.
38° 40'·976S., 178° 00'·454E.
38° 40'·598S., 178° 01'·137E.
38° 40'·577S., 178° 01'·185E.
38° 40'·566S., 178° 01'·203E.
38° 40'·536S., 178° 01'·238E.
38° 40'·440S., 178° 01'·404E.
38° 40'·419S., 178° 01'·444E.
38° 40'·423S., 178° 01'·451E.
38° 40'·396S., 178° 01'·557E.
38° 40'·416S., 178° 01'·572E.
38° 40'·537S., 178° 01'·357E.
38° 40'·532S., 178° 01'·347E.
38° 40'·698S., 178° 01'·068E.

2. Depths less than charted exist within Gisborne Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
7·5m	38° 41'·022S., 178° 00'·362E.
9·3m	38° 40'·890S., 178° 00'·745E.
0·9m	38° 40'·665S., 178° 01'·140E.
6·1m	38° 40'·612S., 178° 01'·092E.
4·3m	38° 40'·578S., 178° 01'·133E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - NZ 5571

II

226(T)/26 NEW ZEALAND - North Island - Submarine cable.

Source: Australian Notice 25/1093(T)/25

1. On or about the 16 December 2025, Mertech Marine will be conducting cable recovery of the Tasman 2 Cable between Auckland and Sydney between the following positions:

36° 50'·8S., 174° 08'·8E.

37° 00'·6S., 173° 00'·3E.

36° 46'·9S., 164° 32'·0E.

35° 56'·1S., 160° 21'·3E.

36° 04'·1S., 159° 48'·5E.

35° 30'·8S., 156° 07'·5E.

34° 53'·1S., 154° 23'·1E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4600 (INT 600) - 4601 (INT 601) - 4602 (INT 602)

II

196(T)/26 SOUTH PACIFIC OCEAN - Fiji Islands - Lights.

Source: Maritime Safety Authority of Fiji

1. The following lights are reported to be temporarily unlit:

Characteristic

LFl(2)30s14m12M

Fl.5s70m15M

* LFl.8s10m10M

Position

18° 08'·02S., 178° 41'·22E.

16° 13'·41S., 179° 05'·77E.

* 16° 57'·86S., 179° 51'·84E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 4580(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 384 - 440 (INT 6854) - 441 - 488 - 744 - 745 - 749 - 751 - 1674 - 2691 (INT 6856) - 4632 (INT 632) - 4638 (INT 638)

II

283(T)/26 SOUTH ATLANTIC OCEAN - Buoyage.

Source: NOAA

1. The National Oceanographic and Atmospheric Administration (NOAA) maintains an array of buoys called Prediction and Research Moored Array in the Atlantic (PIRATA).
2. The PIRATA buoys, white and orange, 2 metre toroid buoys with radar reflectors, are located in the following positions:

<i>Designation</i>	<i>Position</i>
<i>PI287A</i>	0° 00'·4N., 2° 41'·9W.
<i>PI286A</i>	0° 01'·2N., 9° 52'·8W.
<i>PI280A</i>	18° 51'·1S., 34° 39'·5W.
<i>PI285A</i>	0° 00'·6N., 34° 59'·8W.
<i>PI284A</i>	7° 56'·8N., 38° 01'·8W.
<i>PI283A</i>	4° 00'·5N., 37° 56'·2W.
<i>PT073</i>	6° 02'·0S., 10° 00'·4W.
<i>PT074</i>	9° 54'·5S., 9° 58'·7W.
<i>PT065</i>	20° 27'·1N., 23° 08'·5W.
<i>PT068</i>	11° 29'·3N., 22° 59'·2W.
<i>PT069</i>	4° 02'·7N., 22° 59'·2W.
<i>*PT075</i>	1° 06'·5N., 24° 07'·6W.
<i>PT070</i>	8° 00'·5S., 30° 38'·0W.
<i>PT062</i>	13° 31'·4S., 32° 35'·8W.
<i>PT063</i>	20° 01'·5N., 37° 50'·8W.
<i>PT072</i>	15° 00'·2N., 37° 59'·5W.

3. NOAA also maintain Climate Moorings in the North Pacific Ocean. The buoy is a yellow 2 metre solid hull discus buoy with radar reflectors which is located in the following position:

<i>Designation</i>	<i>Position</i>
<i>PA019</i>	50° 07'·6N., 144° 49'·5W.

4. Mariners are advised to give all buoys a 5 nautical mile wide berth.
5. Further information and up to date positions are available on the National Data Buoy Center website <https://www.ndbc.noaa.gov/>.
6. *Former Notice 4011(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 529 - 4104 (INT 104) - 4115 - 4202 (INT 202) - 4203 (INT 203) - 4209 (INT 209) - 4215 (INT 215) - 4216 (INT 407) - 4806 - 4810 (INT 810)

II

303(P)/26 BRAZIL - North Coast - Depth.

Source: Brazilian Local Navigational Warning I 9221/25

1. A depth of 2·4m is reported to exist in the vicinity of position 0° 42'·20S., 48° 26'·95W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 330

II

307(P)/26 GUYANA - Beacons. Works.

Source: Maritime Administration Department of Guyana

1. Unlit navigational beacons are under construction in the following positions:

6° 24'·19N., 58° 17'·48W.
6° 22'·27N., 58° 18'·95W.
6° 20'·63N., 58° 18'·64W.
6° 17'·68N., 58° 16'·07W.
6° 16'·99N., 58° 16'·10W.
6° 15'·39N., 58° 16'·39W.
6° 12'·62N., 58° 18'·06W.
6° 12'·60N., 58° 17'·96W.
6° 12'·51N., 58° 18'·05W.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 5495(P)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 519 - 527