



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 04

22 January 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
1275	INT 1375	NP 55
1608	INT 1552	e-NP 55
2214	INT 9315	NP 83
2351		NP 131
2376		NP 284
2429		
2566		
2583		
2592		
2988		
3480		
5526		

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



I

UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 22 January 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙2376	Taiwan - West Coast, Kaohsiung.	1:20,000	50	80
On publication of this New Edition former Notice 5414(P)/25 is cancelled. This chart remains affected by Notices 3497(T)/23, 2183(T)/24 and 4377(T)/24.				
⊙2566	International Chart Series, England - East Coast, Tees and Hartlepool Bays.		7	26
INT 1552	Ⓐ Tees Bay.	1:20,000		
	Ⓑ Continuation of River Tees.	1:20,000		
	Ⓒ Hartlepool Bay.	1:10,000		
On publication of this New Edition former Notice 2946(T)/22 is cancelled.				
⊙3480	China, Korea and Japan, Yellow Sea and Korea Strait.	1:1,200,000	52	80, 82, 84, 86
On publication of this New Edition former Notice 1965(T)/23 is cancelled. This chart remains affected by Notices 877(P)/16, 3109(T)/19, 1278(T)/21, 3935(P)/22, 433(T)/23, 526(T)/23, 2539(T)/23, 3299(T)/23, 4854(T)/24, 845(T)/25, 1568(T)/25, 2809(T)/25 and 4412(T)/25.				
5526	Mariners' Routeing Guide, Southern North Sea.	1:550,000	-	142

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP55 & e-NP55	ADMIRALTY Sailing Directions North Sea (East) Pilot 14th Edition (2026)	22/01/2026	Updated to NM Week 46/25 (13/11/25) First updates in NM week 04/26. NP55 Edition 13 (2025) is cancelled.
ISBN Number: 978-0-70-774-9013			
NP83	ADMIRALTY List of Lights and Fog Signals Volume K 6 th Edition (2026) Western Pacific Ocean, south of the Equator Including Bismarck, Solomon, Coral and Tasman Seas	22/01/2026	Updated to Week 48/25 (27/11/25) First Updates in NM Week 04/26 (22/01/26) Volume K 5 th Edition (2025) is cancelled.
ISBN Number: 978-0-70-772-5017			
NP284	ADMIRALTY List of Radio Signals Meteorological Observation Stations Volume 4 7 th Edition (2026).	22/01/2026	Updated to NM Week 48/25 (27/11/25). First updates in NM Week 04/26 (22/01/26). The 6th Edition (2025) of NP284 is cancelled.
ISBN Number: 978-0-70-774-8368			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 05 FEBRUARY 2026

New Editions of ADMIRALTY Charts

Chart	Title, limits and other remarks	Scale	Charts to be WITHDRAWN	Folio	2026 Catalogue page
1275	Black Sea – Türkiye, Ereğli to Amasra. Ⓐ Amasra. Ⓑ Bartın Limanı. Ⓒ Zonguldak. Ⓓ Ereğli.	1:125,000 1:25,000 1:12,500 1:12,500 1:25,000	⊙1275	31	46
1608	Aegean Sea, Approaches to Çanakkale Boğazi (The Dardanelles). Ⓐ Bozcaada. Ⓑ Akçansa Cement Pier.	1:100,000 1:7,500 1:7,500	⊙1608	29	48
2214	Black Sea including Marmara Denizi and Sea of Azov.	1:200,000	⊙2214	31	18, 20, 46
2351 INT 9315	International Chart Series, Norway - West Coast, Andenes to LoppHAVET.	1:350,000	⊙2351 INT 9315	14	38
2429	Türkiye, Çanakkale Boğazi (The Dardanelles). Ⓐ Nara Geçidi (The Narrows) Ⓑ Çanakkale. Ⓒ South Entrance to Çanakkale Boğazi.	1:75,000 1:25,000 1:5,000 1:25,000	⊙2429	29	48
2583	Baltic Sea - Denmark, Smålandsfarvandet, Western Part. Ⓐ Approaches to Skælskør. Ⓑ Bandholm.	1:75,000 1:20,000 1:8,000	⊙2583	10	34
2592 INT 1375	International Chart Series, Denmark, Lillebælt, Northern Part. Ⓐ Assens.	1:75,000 1:6,000	⊙2592 INT 1375	10	34
2988	Central America, Ports in the Gulf of Honduras. Ⓐ Approaches to Puerto Barrios and Santo Tomás de Castilla. Ⓑ Puerto Barrios and Santo Tomás de Castilla. Ⓒ Approaches to Puerto Cortés. Ⓓ Puerto Cortés.	1:65,000 1:25,000 1:30,000 1:15,000	⊙2988	85	122

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
2376	Taiwan - West Coast, Kaohsiung.	⊙2376
2566 INT 1552	International Chart Series, England - East Coast, Tees and Hartlepool Bays.	⊙2566 INT 1552
3480	China, Korea and Japan, Yellow Sea and Korea Strait.	⊙3480
5526	Mariners' Routeing Guide, Southern North Sea.	5526

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 3, Sub-Distributor Section, Australia

Delete:

THE CHART AND MAP SHOP			
SUB DISTRIBUTOR OF: Voyager Worldwide			
70 High Street			
Fremantle 6160			
Western Australia			
T: +61 8 9335 8665			
F: +61 8 9335 8865			
info@chartandmapshop.com.au			
www.chartandmapshop.com.au			
DIGITAL	PAPER	POD	PUBLICATIONS

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
28	371T	1543	367
39	323T	1602	350, 434
66	422P	1603	350
73	339	1612	424
106	367	1631	408
116	430	1721	414
120	430	1728	330P
202	409	1748	377P, 388
204	409	1749	325
220	409	1826	429P
223	316	1827	361
292	376, 410P	1828	361
294	376, 410P	1859	327P
340	415	1862	411
431	320P	1892	362
432	320P	1908	324
497	351, 417	1965	401
515	409	1975	425
522	426	1994	363
545	436	2001	325
689	382	2014	349
707	323T, 407	2015	349, 372
738	313	2035	357
775	381	2036	318
813	317	2038	318
819	345	2041	370T
863	411	2045	357
880	359	2052	425
882	355	2056	321
903	433	2073	382
908	324	2074	381
913	387T	2075	382, 413
932	321	2093	429P
937	405T	2094	429P
959	426	2100	377P
969	314P	2108	433
983	399	2115	433
1007	390	2169	400
1056	354	2182A	367
1066	319	2182B	316
1126	333P	2182C	316, 376, 410P
1143	434	2198	429P
1166	327P	2212	332T
1176	327P	2225	428
1187	369T	2227	428
1201	359	2232	332T
1210	335	2241	428
1213	389	2248	428
1214	315	2258	383
1227	322	2260	326
1252	353	2261	423
1254	385	2284	364
1255	385	2326	400
1256	385	2333	360
1281	352	2347	421T
1289	385	2409	398
1303	434	2412	421T
1331	348	2414	427
1336	377P	2422	427
1369	415	2426	427
1408	367, 404	2427	340
1411	429P	2434	406P
1424	379	2486	386
1426	409	2490	386
1427	410P	2492	322, 386
1483	343	2594	433
1504	367	2595	433
1534	367, 432	2601	372
1535	367	2611	344T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2615	357	4117	405T
2637	403T	4119	329T, 368
2670	386	4121	329T
2678	384	4122	329T, 368
2679	349	4126	405T
2685	358	4127	393P, 405T
2688	374, 403T, 435	4129	329T
2692	425	4492	399
2724	429P	4509	421T
2754	395	4510	421T
2769	347	4521	421T
2785	321	4931	391
2793	318	4961	380
2794	319	5600_10	370T
2797	321	5600_11	370T
2801	341	5600_2	357
2862	321	5600_21	318
2889	366T	5600_5	357
2948	431	5601_10	344T
2972	342	5601_5	357
3029	319	5602_11	371T
3045	334	5602_12	371T
3046	334	5605_15	361
3064	325	5606_10	361
3133	411	5606_11	361
3134	411	5608_16	327P
3176	378P	5608_18	327P
3177	366T	5608_20	327P
3178	366T	5610_17	429P
3179	366T	5610_2	363
3237	421T	5610_3	363
3259	375T	5611_12	400
3265	317	5611_6	400
3274	402T	5612_1	429P
3311	331	5612_11	429P
3313	412	5613_19	429P
3316	331	5613_2	429P
3317	412	5614_2	367
3365	387T, 416	5614_23	424
3412	378P	5614_3	367
3454	394P	5614_4	367, 432
3476	328	5614_5	367
3482	427	5614_6	367
3483	377P	5616_21	347
3484	431	5617_7	316
3488	401	5620_12	402T
3551	421T		
3674	365		
3695	396		
3708	312P		
3709	312P		
3723	312P		
3729	321, 373		
3730	373		
3746	363		
3755	348		
3773	315		
3824	413		
3837	377P		
3875	401		
3892	330P		
3928	387T		
3938	397T		
3951	366T		
3963	422P		
3990	330P, 401		
3992	397T		
4052	421T		
4053	421T		
		Australian Chart No.	Notices
		Aus 816	392
		Aus 821	392
		Aus 829	392
		Aus 830	392
		Aus 831	392
		Aus 832	392
		German Chart No.	Notices
		DE 2	336
		DE 36	372
		DE 44	346
		DE 46	337
		DE 47	338
		DE 50	356
		DE 87	356
		DE 90	356

II

INDEX OF CHARTS AFFECTED

German Chart No.	Notices	International Chart No.	Notices
DE 163	372	INT 1560	425
Indian Chart No.	Notices	INT 1563	361
IN 22	407	INT 1606	429P
IN 202	323T	INT 1607	429P
IN 251	323T	INT 1608	429P
IN 254	323T	INT 1635	363
IN 255	407	INT 1636	363
IN 292	323T, 407	INT 1650	402T
IN 293	407	INT 1654	327P
Japanese Chart No.	Notices	INT 1655	327P
JP 179	418	INT 1726	344T
JP 187	418, 419, 420	INT 1729	357
JP 198	418, 419, 420	INT 1730	318
JP 213	419, 420	INT 1733	370T
JP 1221	421T	INT 1741	362
JP 1228	418	INT 1880	375T
International Chart No.	Notices	INT 1901	339
INT 52	421T	INT 1939	411
INT 53	421T	INT 3350	389
INT 509	421T	INT 5252	387T, 416
INT 510	421T	INT 5254	387T
INT 550	427	INT 5508	405T
INT 551	377P	INT 5709	377P
INT 552	401	INT 7021	323T, 407
INT 554	431	INT 7022	407
INT 752	407	INT 7211	366T
INT 1041	316, 376, 410P	INT 7216	378P
INT 1042	316	INT 7219	378P
INT 1043	367	INT 7222	366T
INT 1045	356	INT 7226	366T
INT 1142	365	INT 7229	366T
INT 1155	326	INT 7241	366T
INT 1168	342	INT 7318	323T
INT 1188	413	INT 7331	323T
INT 1201	349, 372	INT 7334	407
INT 1205	382	INT 7386	317
INT 1210	382, 413	INT 7390	345
INT 1219	349	INT 12902	403T
INT 1240	382	INT 13510	372
INT 1288	374, 403T, 435	INT 13520	372
INT 1298	384		
INT 1302	433		
INT 1331	433		
INT 1332	433		
INT 1333	433		
INT 1401	410P		
INT 1413	356		
INT 1418	408		
INT 1452	346		
INT 1453	337		
INT 1454	338		
INT 1456	336		
INT 1461	356		
INT 1477	430		
INT 1479	430		
INT 1510	367		
INT 1558	367, 432		
INT 1559	367		

II

316* SCOTLAND - East Coast - Legends.

Source: Moray Offshore Windfarm

Chart 223 [*previous update 5356/25*] ETRS89 DATUM

Delete	legend, <i>Planned</i> , centred on:	57° 55'·67N., 2° 57'·35W. 57° 55'·69N., 2° 57'·04W.
--------	--------------------------------------	--

Chart 2182B (INT 1042) [*previous update 240/26*] WGS84 DATUM

Delete	legend, Under construction, centred on:	58° 05'·2N., 2° 56'·2W.
	legend, <i>Under const</i> , centred on:	57° 55'·0N., 2° 55'·3W.

Chart 2182C (INT 1041) [*previous update 230/26*] WGS84 DATUM

Delete	legend, Under const (see Note), centred on:	58° 03'·0N., 3° 07'·1W.
	legend, <i>Under const</i> , centred on:	57° 55'·0N., 2° 55'·9W.

Chart 5617_7 [*previous update 5607/25*] ETRS89 DATUM

Delete	legend, <i>Planned</i> , centred on:	57° 49'·69N., 2° 52'·90W. 57° 49'·67N., 2° 52'·16W. 57° 44'·29N., 2° 46'·75W. 57° 44'·07N., 2° 47'·16W.
--------	--------------------------------------	--


II

318* ENGLAND - South Coast - Wreck.

Source: Cowes Harbour Commission

Chart 2036 (INT 1730) [*previous update 218/26*] ETRS89 DATUM


Insert



50° 46'·23N., 1° 17'·23W.

Chart 2038 [*previous update 218/26*] ETRS89 DATUM


Insert



50° 46'·230N., 1° 17'·225W.

Chart 2793 [*previous update New Edition 29/08/2024*] ETRS89 DATUM


Insert



50° 46'·230N., 1° 17'·225W.

Chart 5600_21 [*previous update New Edition 14/11/2024*] ETRS89 DATUM

Insert



50° 46'·230N., 1° 17'·225W.

II

347* SCOTLAND - Hebrides - Rock. Depth.

Source: UKHO and Bob Bradfield

Chart 2769 [*previous update 1898/25*] ETRS89 DATUM

Insert ⚓

(a) 56° 52′·86N., 7° 29′·90W.

Delete depth, 2, close E of:

(a) above

Chart 5616_21 (Panel A, Approaches to Castle Bay) [*previous update 1898/25*] ETRS89 DATUM

Insert ⚓

(a) 56° 52′·86N., 7° 29′·90W.

Delete depth, 2, close E of:

(a) above

II

357* ENGLAND - South Coast - Depths.

Source: British Government Survey

Note: Former Notice 4614(P)/25 is cancelled.

Chart 2035 (INT 1729) [*previous update 3913/25*] ETRS89 DATUM

Insert	depth, <i>13</i> , enclosed by 2m contour	(a)	50° 40'·26N., 1° 36'·82W.
Delete	depth, <i>69</i> , close NW of:	(a)	above
	depth, <i>44</i> , close SE of:	(a)	above
Insert	depth, <i>8</i> , enclosed by 10m contour	(b)	50° 39'·84N., 1° 37'·47W.
Delete	depth, <i>106</i> , close SW of:	(b)	above
Insert	depth, <i>66</i>	(c)	50° 39'·31N., 1° 37'·51W.
Delete	depth, <i>71</i> , close NE of:	(c)	above

Chart 2045 [*previous update 218/26*] ETRS89 DATUM

Insert	depth, <i>13</i> , enclosed by 2m contour	50° 40'·26N., 1° 36'·82W.
	depth, <i>8</i> , and extend 10m contour NW to enclose	50° 39'·84N., 1° 37'·47W.

Chart 2615 [*previous update 3913/25*] ETRS89 DATUM

Insert	depth, <i>13</i> , enclosed by 2m contour	50° 40'·26N., 1° 36'·82W.
	depth, <i>8</i> , and extend 10m contour NW to enclose	50° 39'·84N., 1° 37'·47W.

Chart 5600_5 [*previous update New Edition 04/12/2025*] ETRS89 DATUM

Insert	depth, <i>13</i> , enclosed by 2m contour	(a)	50° 40'·26N., 1° 36'·82W.
Delete	depth, <i>69</i> , close NW of:	(a)	above
	depth, <i>44</i> , close SE of:	(a)	above
Insert	depth, <i>8</i> , enclosed by 10m contour	(b)	50° 39'·84N., 1° 37'·47W.
Delete	depth, <i>106</i> , close SW of:	(b)	above
Insert	depth, <i>66</i>	(c)	50° 39'·31N., 1° 37'·51W.
Delete	depth, <i>71</i> , close NE of:	(c)	above

Chart 5600_2 [*previous update 1479/25*] ETRS89 DATUM

Insert	depth, <i>13</i> , enclosed by 2m contour	50° 40'·26N., 1° 36'·82W.
	depth, <i>8</i> , and extend 10m contour NW to enclose	50° 39'·84N., 1° 37'·47W.

Chart 5601_5 [*previous update 3913/25*] ETRS89 DATUM

Insert	depth, <i>13</i> , enclosed by 2m contour	50° 40'·26N., 1° 36'·82W.
	depth, <i>8</i> , and extend 10m contour NW to enclose	50° 39'·84N., 1° 37'·47W.

II

361* ENGLAND - South East Coast - Depths. Drying height.

Source: Thanet District Council

Chart 1827 (Panel C, Ramsgate) [*previous update New Edition 28/08/2025*] ETRS89 DATUM

Insert	depth, 22	(a)	51° 19'·485N., 1° 25'·359E.
Delete	depth, 27, close NW of:	(a)	above
Insert	depth, 3	(b)	51° 19'·512N., 1° 25'·462E.
Delete	depth, 34, close N of:	(b)	above
Insert	depth, 11	(c)	51° 19'·801N., 1° 25'·395E.
Delete	depth, 17, close N of:	(c)	above
Replace	drying height, 09, with drying height, 14		51° 19'·657N., 1° 25'·344E.

Chart 1827 (Panel A, Approaches to Ramsgate) [*previous update New Edition 28/08/2025*] ETRS89 DATUM

Insert	depth, 3		51° 19'·512N., 1° 25'·462E.
--------	----------	--	-----------------------------

Chart 1828 (INT 1563) (Panel, Ramsgate) [*previous update New Edition 04/09/2025*] ETRS89 DATUM

Insert	depth, 22	(a)	51° 19'·485N., 1° 25'·359E.
Delete	depth, 27, close NW of:	(a)	above
Insert	depth, 3	(b)	51° 19'·512N., 1° 25'·462E.
Delete	depth, 34, close N of:	(b)	above
Insert	depth, 11	(c)	51° 19'·801N., 1° 25'·395E.
Delete	depth, 17, close N of:	(c)	above
Replace	drying height, 09, with drying height, 14		51° 19'·657N., 1° 25'·344E.

Chart 5605_15 (Panel B, Ramsgate) [*previous update New Edition 27/11/2025*] ETRS89 DATUM

Insert	depth, 22	(a)	51° 19'·485N., 1° 25'·359E.
Delete	depth, 27, close NW of:	(a)	above
Insert	depth, 3	(b)	51° 19'·512N., 1° 25'·462E.
Delete	depth, 34, close N of:	(b)	above
Insert	depth, 11	(c)	51° 19'·801N., 1° 25'·395E.
Delete	depth, 17, close N of:	(c)	above
Replace	drying height, 09, with drying height, 14		51° 19'·657N., 1° 25'·344E.

Chart 5605_15 (Panel A, Approaches to Ramsgate) [*previous update New Edition 27/11/2025*] ETRS89 DATUM

Insert	depth, 3		51° 19'·512N., 1° 25'·462E.
--------	----------	--	-----------------------------

Chart 5606_10 (Panel C, Ramsgate) [*previous update 5696/25*] ETRS89 DATUM

Insert	depth, 22	(a)	51° 19'·485N., 1° 25'·359E.
Delete	depth, 27, close NW of:	(a)	above
Insert	depth, 3	(b)	51° 19'·512N., 1° 25'·462E.
Delete	depth, 34, close N of:	(b)	above
Insert	depth, 11	(c)	51° 19'·801N., 1° 25'·395E.
Delete	depth, 17, close N of:	(c)	above
Replace	drying height, 09, with drying height, 14		51° 19'·657N., 1° 25'·344E.

Chart 5606_11 (Panel C, Approaches to Ramsgate) [*previous update New Edition 27/11/2025*] ETRS89 DATUM

Insert	depth, 3		51° 19'·512N., 1° 25'·462E.
--------	----------	--	-----------------------------

II

363* SCOTLAND - West Coast - Depths.

Source: British Government Survey

Chart 1994 (INT 1636) [*previous update 5762/25*] ETRS89 DATUM

Insert	depth, 48, enclosed by 5m contour	(a)	55° 57'·309N., 4° 50'·145W.
Delete	depth, 81, close N of:	(a)	above
Insert	depth, 84, and extend 10m contour E to enclose	(b)	55° 57'·473N., 4° 49'·890W.
Delete	depth, 91, close SW of:	(b)	above
Insert	depth, 199, and extend 20m contour N to enclose		55° 57'·828N., 4° 49'·643W.
	depth, 278, and extend 30m contour E to enclose	(c)	55° 57'·964N., 4° 49'·186W.
Delete	depth, 29, close SW of:	(c)	above
Insert	depth, 148, enclosed by 15m contour	(d)	55° 58'·708N., 4° 48'·236W.
Delete	depth, 157, close S of:	(d)	above
Insert	depth, 75	(e)	55° 58'·816N., 4° 48'·355W.
Delete	depth, 83, close NW of:	(e)	above
Insert	depth, 159	(f)	55° 58'·762N., 4° 49'·323W.
Delete	depth, 172, close N of:	(f)	above
Replace	depth, 42, with depth, 32		55° 57'·322N., 4° 50'·023W.
	depth, 24, with depth, 227		55° 58'·891N., 4° 50'·646W.
	depth, 14, with depth, 07		55° 59'·133N., 4° 50'·875W.
	depth, 3, with depth, 17, and extend 2m contour S to enclose		55° 59'·148N., 4° 51'·017W.
	depth, 23, with depth, 22		55° 59'·141N., 4° 51'·467W.
	depth, 143, with depth, 124		55° 59'·497N., 4° 51'·438W.
	depth, 74, with depth, 68		55° 59'·539N., 4° 51'·398W.

Chart 3746 (INT 1635) [*previous update 5762/25*] ETRS89 DATUM

Insert	depth, 84	(a)	55° 57'·47N., 4° 49'·89W.
Delete	depth, 91, close W of:	(a)	above
Insert	depth, 199, and extend 20m contour N to enclose		55° 57'·83N., 4° 49'·64W.
	depth, 278, and extend 30m contour E to enclose	(b)	55° 57'·96N., 4° 49'·19W.
Delete	depth, 29, close SW of:	(b)	above
Insert	depth, 148, enclosed by 15m contour	(c)	55° 58'·71N., 4° 48'·24W.
Delete	depth, 157, close S of:	(c)	above
Insert	depth, 75	(d)	55° 58'·82N., 4° 48'·35W.
Delete	depth, 83, close NW of:	(d)	above
Insert	depth, 159	(e)	55° 58'·76N., 4° 49'·32W.
Delete	depth, 172, close N of:	(e)	above
Insert	depth, 17, and extend 2m contour S to enclose		55° 59'·15N., 4° 51'·02W.
Replace	depth, 23, with depth, 22		55° 59'·14N., 4° 51'·47W.
	depth, 14, with depth, 07		55° 59'·13N., 4° 50'·88W.

Chart 5610_3 (Panel A, Cartsdyke to Helensburgh) [*previous update 4096/25*] ETRS89 DATUM

Insert	depth, 75	(a)	55° 58'·816N., 4° 48'·355W.
Delete	depth, 83, close NW of:	(a)	above
Insert	depth, 148, enclosed by 15m contour	(b)	55° 58'·708N., 4° 48'·236W.
Delete	depth, 157, close S of:	(b)	above

II

363* SCOTLAND - West Coast - Depths. (continued)

Chart 5610_2 (Panel A, Southern Approaches to Loch Long Including Holy Loch) [*previous update 5762/25*] ETRS89 DATUM

Insert	depth, 84	(a)	55° 57'·47N., 4° 49'·89W.
Delete	depth, 91, close W of:	(a)	above
Insert	depth, 199, and extend 20m contour N to enclose		55° 57'·83N., 4° 49'·64W.
	depth, 278, and extend 30m contour E to enclose	(b)	55° 57'·96N., 4° 49'·19W.
Delete	depth, 29, close SW of:	(b)	above
Insert	depth, 75	(c)	55° 58'·82N., 4° 48'·37W.
Delete	depth, 83, close NW of:	(c)	above
Insert	depth, 159	(d)	55° 58'·76N., 4° 49'·32W.
Delete	depth, 172, close N of:	(d)	above
Insert	depth, 17, and extend 2m contour S to enclose		55° 59'·15N., 4° 51'·02W.
Replace	depth, 23, with depth, 22		55° 59'·14N., 4° 51'·47W.
	depth, 14, with depth, 07		55° 59'·13N., 4° 50'·88W.

II

367* ENGLAND - East Coast - Pilot boarding places.

Source: Peel Ports Great Yarmouth

Note: This update is included in New Edition 5614_25, published early 2026.

Chart 106 [previous update 5309/25] ETRS89 DATUM

Insert	① Cockle	52° 42'·83N., 1° 47'·00E.
--------	----------	---------------------------

Chart 1408 [previous update 5716/25] WGS84 DATUM

Insert	①	52° 42'·8N., 1° 47'·0E.
--------	---	-------------------------

Chart 1504 (INT 1510) [previous update 5590/25] ETRS89 DATUM

Insert	①	52° 42'·80N., 1° 47'·00E.
--------	---	---------------------------

Chart 1534 (INT 1558) [previous update 5532/25] ETRS89 DATUM

Insert	① Cockle	52° 42'·80N., 1° 47'·00E.
--------	----------	---------------------------

Replace	① Great Yarmouth Inner with ① Outer Harbour	52° 34'·75N., 1° 46'·00E.
---------	---	---------------------------

	① Great Yarmouth River Port with ① River	52° 34'·20N., 1° 45'·70E.
--	--	---------------------------

	① Great Yarmouth and Lowestoft Outer with ① Holm (Great Yarmouth and Lowestoft)	52° 32'·00N., 1° 51'·90E.
--	--	---------------------------

Chart 1535 (INT 1559) [previous update 5374/25] ETRS89 DATUM

Replace	① Great Yarmouth Inner with ① Outer Harbour	52° 34'·75N., 1° 46'·00E.
---------	---	---------------------------

	① Great Yarmouth River Port with ① River	52° 34'·20N., 1° 45'·70E.
--	--	---------------------------

	① Great Yarmouth and Lowestoft Outer with ① Holm (Great Yarmouth and Lowestoft)	52° 32'·00N., 1° 51'·90E.
--	--	---------------------------

Chart 1543 [previous update 5374/25] ETRS89 DATUM

Insert	① Cockle	52° 42'·80N., 1° 47'·00E.
--------	----------	---------------------------

Replace	① Great Yarmouth Inner with ① Outer Harbour	52° 34'·70N., 1° 46'·00E.
---------	---	---------------------------

	① Great Yarmouth River Port with ① River	52° 34'·16N., 1° 45'·69E.
--	--	---------------------------

	① Great Yarmouth and Lowestoft Outer with ① Holm (Great Yarmouth and Lowestoft)	52° 31'·95N., 1° 52'·05E.
--	--	---------------------------

Chart 2182A (INT 1043) [previous update New Edition 13/11/2025] WGS84 DATUM

Insert	① Cockle	52° 42'·8N., 1° 47'·0E.
--------	----------	-------------------------

Replace	① Great Yarmouth and Lowestoft Outer with ① Holm (Great Yarmouth and Lowestoft)	52° 32'·0N., 1° 51'·9E.
---------	--	-------------------------

II

367* ENGLAND - East Coast - Pilot boarding places. (continued)

Chart 5614_4 (Panel A, Approaches to Great Yarmouth) [*previous update 5532/25*] ETRS89 DATUM

Replace	① <i>Great Yarmouth Inner</i> with ① <i>Outer Harbour</i>	52° 34'·75N., 1° 46'·00E.
	① <i>Great Yarmouth River Port</i> with ① <i>River</i>	52° 34'·20N., 1° 45'·70E.

Chart 5614_5 (Panel A, Northern Approaches to Great Yarmouth) [*previous update 5532/25*] ETRS89 DATUM

Replace	① <i>Great Yarmouth Inner</i> with ① <i>Outer Harbour</i>	52° 34'·75N., 1° 46'·00E.
---------	---	---------------------------

Chart 5614_3 [*previous update 5374/25*] ETRS89 DATUM

Replace	① <i>Great Yarmouth River Port</i> with ① <i>River</i>	52° 34'·20N., 1° 45'·70E.
---------	--	---------------------------

Chart 5614_6 (Panel A, Caister-on-Sea to Mundesley) [*previous update New Edition 30/10/2025*] ETRS89 DATUM

Insert	① <i>Cockle</i>	52° 42'·80N., 1° 47'·00E.
--------	-----------------	---------------------------

Chart 5614_2 [*previous update 5374/25*] ETRS89 DATUM

Insert	① <i>Cockle</i>	52° 42'·80N., 1° 47'·00E.
Replace	① <i>Great Yarmouth Inner</i> with ① <i>Outer Harbour</i>	52° 34'·70N., 1° 46'·00E.
	① <i>Great Yarmouth River Port</i> with ① <i>River</i>	52° 34'·16N., 1° 45'·69E.
	① <i>Great Yarmouth and Lowestoft Outer</i> with ① <i>Holm</i> (<i>Great Yarmouth and Lowestoft</i>)	52° 31'·95N., 1° 52'·05E.

II

400* SCOTLAND - West Coast - Depths.

Source: Scottish Government

Chart 2169 [*previous update 4568/24*] ETRS89 DATUM

Insert	depth, 3, and extend 5m contour S to enclose	(a)	56° 09'·29N., 5° 34'·38W.
Delete	depth, 67, close NE of:	(a)	above
Insert	depth, 97, and extend 10m contour E to enclose		56° 09'·63N., 5° 33'·05W.
	depth, 113		56° 08'·94N., 5° 32'·57W.

Chart 2326 [*previous update 447/25*] ETRS89 DATUM

Insert	depth, 3, enclosed by 5m contour		56° 09'·29N., 5° 34'·38W.
	depth, 97, enclosed by 10m contour	(a)	56° 09'·63N., 5° 33'·05W.
Delete	depth, 128, close SE of:	(a)	above
Insert	depth, 143	(b)	56° 09'·92N., 5° 32'·60W.
Delete	depth, 174, close NE of:	(b)	above
Insert	depth, 86, enclosed by 10m contour		56° 10'·55N., 5° 31'·60W.
	depth, 15, and extend 20m contour SE to enclose		56° 09'·38N., 5° 32'·16W.
	depth, 113	(c)	56° 08'·94N., 5° 32'·57W.
Delete	depth, 143, close N of:	(c)	above
Insert	depth, 135	(d)	56° 08'·76N., 5° 32'·83W.
Delete	depth, 165, close S of:	(d)	above

Chart 5611_12 [*previous update 447/25*] ETRS89 DATUM

Insert	depth, 3, enclosed by 5m contour		56° 09'·29N., 5° 34'·38W.
	depth, 97, enclosed by 10m contour	(a)	56° 09'·63N., 5° 33'·05W.
Delete	depth, 128, close SE of:	(a)	above
Insert	depth, 143	(b)	56° 09'·92N., 5° 32'·60W.
Delete	depth, 174, close NE of:	(b)	above
Insert	depth, 86, enclosed by 10m contour		56° 10'·55N., 5° 31'·60W.
	depth, 15, and extend 20m contour SE to enclose		56° 09'·38N., 5° 32'·16W.
	depth, 113	(c)	56° 08'·94N., 5° 32'·57W.
Delete	depth, 143, close N of:	(c)	above
Insert	depth, 135	(d)	56° 08'·76N., 5° 32'·83W.
Delete	depth, 165, close S of:	(d)	above

Chart 5611_6 [*previous update 3444/23*] ETRS89 DATUM

Insert	depth, 3, and extend 5m contour S to enclose	(a)	56° 09'·29N., 5° 34'·38W.
Delete	depth, 67, close NE of:	(a)	above
Insert	depth, 97, and extend 10m contour E to enclose		56° 09'·63N., 5° 33'·05W.
	depth, 113		56° 08'·94N., 5° 32'·57W.

II

424* ENGLAND - East Coast - NM Blocks.

Source: North Yorkshire Council

Chart 1612 (Panel B, Scarborough Harbour) [*previous update 2023/24*] ETRS89 DATUM

Insert the accompanying block, centred on: 54° 16'·9N., 0° 23'·4W.

Chart 5614_23 (Panel D, Scarborough Harbour) [*previous update 1024/24*] ETRS89 DATUM

Insert the accompanying block, centred on: 54° 16'·9N., 0° 23'·4W.

II

425* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1975 [*previous update 5699/25*] ETRS89 DATUM

Replace	depth, 163, with depth, 157	51° 51'·24N., 1° 37'·54E.
---------	-----------------------------	---------------------------

Chart 2052 (INT 1560) [*previous update 5647/25*] ETRS89 DATUM

Replace	depth, 163, with depth, 157	51° 51'·24N., 1° 37'·54E.
---------	-----------------------------	---------------------------

Chart 2692 [*previous update 248/26*] ETRS89 DATUM

Insert	depth, 157	(a) 51° 51'·24N., 1° 37'·54E.
--------	------------	-------------------------------

Delete	depth, 163, close S of:	(a) above
--------	-------------------------	-----------

II

432* ENGLAND - East Coast - Depths.

Source: Peel Ports Great Yarmouth

Chart 1534 (INT 1558) (Panel A, Great Yarmouth Outer Harbour) [*previous update 367/26*] ETRS89 DATUM

Insert	depth, 79	(a)	52° 34'·843N., 1° 44'·754E.
Delete	depth, 84, close NW of:	(a)	above
Insert	depth, 26	(b)	52° 34'·605N., 1° 44'·693E.
Delete	depth, 35, close W of:	(b)	above
Insert	depth, 49, and extend 5m contour N to enclose	(c)	52° 34'·608N., 1° 44'·615E.
Delete	depth, 72, close W of:	(c)	above
Replace	depth, 45, with depth, 38		52° 34'·717N., 1° 44'·768E.
	depth, 28, with depth, 23		52° 34'·596N., 1° 44'·563E.

Chart 5614_4 (Panel B, Great Yarmouth Outer Harbour) [*previous update 367/26*] ETRS89 DATUM

Insert	depth, 79	(a)	52° 34'·843N., 1° 44'·754E.
Delete	depth, 84, close NW of:	(a)	above
Insert	depth, 26	(b)	52° 34'·605N., 1° 44'·693E.
Delete	depth, 35, close W of:	(b)	above
Insert	depth, 49, and extend 5m contour N to enclose	(c)	52° 34'·608N., 1° 44'·615E.
Delete	depth, 72, close W of:	(c)	above
Replace	depth, 45, with depth, 38		52° 34'·717N., 1° 44'·768E.
	depth, 28, with depth, 23		52° 34'·596N., 1° 44'·563E.

II

358 RUSSIA - Arctic Coast - Depth.

Source: Russian Notice 44/4540/25

Chart 2685 [*previous update 5236/25*] WGS84 DATUM

Insert depth, *46*, enclosed by 50m contour

81° 09'·0N., 78° 50'·2E.

II

360 RUSSIA - Barents Sea Coast - NM Block. Marine Reserve.

Source: Russian Notice 36/3769/25

Chart 2333 [*previous update 4268/25*] WGS84 DATUM

Insert the accompanying block, centred on:

69° 13'·0N., 31° 28'·0E.

limit of marine reserve, $\tau\tau\tau\tau$ MR $\tau\tau\tau\tau$, joining:

69° 50'·12N., 31° 31'·74E.

69° 51'·55N., 31° 34'·06E.

69° 49'·84N., 31° 40'·89E.

69° 48'·53N., 31° 38'·19E.

II

326 FINLAND - South Coast - Coastline.

Source: Finnish Notice 31/243/25

Chart 2260 (INT 1155) [*previous update 3033/25*] WGS84 DATUM

Insert	coastline, single firm line, joining:	(a) 60° 29'·294N., 26° 56'·669E. 60° 29'·293N., 26° 56'·672E. 60° 29'·290N., 26° 56'·680E. 60° 29'·291N., 26° 56'·685E. 60° 29'·275N., 26° 56'·700E. 60° 29'·267N., 26° 56'·666E. (b) 60° 29'·266N., 26° 56'·663E.
Delete	charted detail, within: former coastline, single firm line, joining:	(a)-(b) above (a)-(b) above

II

342 LATVIA - Note. Legend.

Source: Latvian Notices 7/182/24 and 10/202/25

Chart 2972 (INT 1168) [*previous update 4227/25*] WGS84 DATUM

Insert	the accompanying note, ENTRY RESTRICTED, centred on:	57° 03'·5N., 24° 07'·1E.
	legend, <i>Entry restricted (see Note)</i> , centred on:	57° 02'·760N., 24° 02'·683E.

II

349 POLAND - Depths. Well. Buoy.

Source: Polish Notices 44/508/25 and 44/511/25

Chart 2014 (INT 1219) [previous update 5519/25] WGS84 DATUM

Insert	 Well	53° 58'·25N., 14° 19'·80E.
	depth, 10, enclosed by 10m contour	54° 06'·54N., 14° 51'·36E.
	depth, 133	54° 13'·64N., 14° 45'·85E.
Replace	depth, 16, with depth, 149	54° 08'·60N., 14° 54'·62E.
	depth, 138, with depth, 132	54° 12'·69N., 14° 51'·22E.

Chart 2015 (INT 1201) [previous update 5754/25] WGS84 DATUM

Insert	 Well	53° 58'·25N., 14° 19'·80E.
	depth, 10, enclosed by 10m contour	54° 06'·54N., 14° 51'·36E.
	depth, 133	(a) 54° 13'·64N., 14° 45'·85E.
Delete	depth, 15, close SE of:	(a) above
Replace	depth, 16, with depth, 149	54° 08'·60N., 14° 54'·62E.
	depth, 138, with depth, 132	54° 12'·69N., 14° 51'·22E.

Chart 2679 [previous update 5519/25] WGS84 DATUM

Insert	depth, 133	54° 13'·64N., 14° 45'·85E.
	depth, 135	54° 13'·68N., 14° 49'·13E.
	depth, 132	(a) 54° 12'·69N., 14° 51'·22E.
Delete	depth, 138, close SE of:	(a) above
Insert	depth, 138	(b) 54° 12'·87N., 14° 54'·81E.
Delete	depth, 163, close NE of:	(b) above
Insert	depth, 143	(c) 54° 08'·98N., 14° 52'·01E.
Delete	depth, 159, close SE of:	(c) above
Insert	depth, 10, enclosed by 10m contour	54° 06'·54N., 14° 51'·36E.
	depth, 113	(d) 54° 06'·32N., 14° 54'·48E.
Delete	depth, 124, close SW of:	(d) above
Insert	 Well	53° 58'·25N., 14° 19'·80E.
	 Fl. Y. I. 5s WEI	53° 58'·35N., 14° 19'·80E.
Replace	depth, 16, with depth, 149	54° 08'·60N., 14° 54'·61E.
Delete	depth, 15	54° 13'·20N., 14° 46'·00E.
	depth, 155	54° 13'·34N., 14° 49'·73E.

II

365 FINLAND - West Coast - NM Block.

Source: Finnish Notice 30/237/25

Chart 3674 (INT 1142) (Panel A, Jakobstad) [*previous update 5779/24*] WGS84 DATUM

Insert the accompanying block, centred on: 63° 42' · 6N., 22° 41' · 5E.

II

372* GERMANY - Baltic Coast - Restricted area. Legend. Explosives dumping ground.

Source: WSA Ostsee 378/25

Chart DE 36 (INT 13520) [*previous update 5172/25*] WGS84 DATUM

Insert symbol, explosives dumping ground, centred on: 54° 34'·51N., 12° 28'·08E.

Chart DE 163 (INT 13510) [*previous update 5176/25*] WGS84 DATUM

Insert circular limit of restricted area, radius 100m,

TTTT  TTTT, centred on:

(a) 54° 34'·51N., 12° 28'·08E.

legend, *Foul (Expl.)*, close SW of:

(a) above

Chart 2015 (INT 1201) [*previous update 349/26*] WGS84 DATUM

Insert symbol, explosives dumping ground, centred on: 54° 34'·51N., 12° 28'·08E.

Chart 2601 [*previous update 5744/25*] WGS84 DATUM

Insert symbol, explosives dumping ground, centred on: 54° 34'·51N., 12° 28'·08E.

II

374 POLAND - NM Block.

Source: Polish Notices 36/408/25 and 45/528/25

Note: This update is included in New Edition 2637, published early 2026.

Chart 2688 (INT 1288) [*previous update 5711/25*] WGS84 DATUM

Insert the accompanying block, centred on:

54° 23′·3N., 18° 44′·0E.

II

382 FINLAND - Ålands - Buoyage.

Source: Finnish Notices 30/235/25 and 30/242/25

Chart 689 (INT 1240) [*previous update 5253/25*] WGS84 DATUM

Replace



60° 01'·24N., 19° 53'·03E.

59° 42'·49N., 20° 33'·07E.

Chart 2073 (INT 1205) [*previous update 5253/25*] WGS84 DATUM

Replace



60° 01'·24N., 19° 53'·03E.

59° 42'·49N., 20° 33'·07E.

Chart 2075 (INT 1210) [*previous update 5453/25*] WGS84 DATUM

Replace



59° 42'·49N., 20° 33'·07E.

II

384 POLAND - Depths. NM Block.

Source: ENC PL4MAP38, PL5POLIC and PL5TRZEB

Chart 2678 (INT 1298) (Panel A, Port Trzebież) [*previous update 1486/25*] WGS84 DATUM

Insert	depth, <i>17</i> , and extend 2m contour NE to enclose	53° 39'·616N., 14° 31'·031E.
	depth, <i>41</i>	(a) 53° 39'·628N., 14° 31'·075E.
Delete	depth, <i>49</i> , close NE of:	(a) above
Replace	depth, <i>39</i> , with depth, <i>44</i>	53° 39'·640N., 14° 31'·116E.

Chart 2678 (INT 1298) (Panel C, Police) [*previous update 1486/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	53° 33'·7N., 14° 35'·6E.
--------	-------------------------------------	--------------------------

Chart 2678 (INT 1298) [*previous update 1486/25*] WGS84 DATUM

Insert	depth, <i>15</i> , enclosed by 2m contour	(a) 53° 38'·86N., 14° 36'·53E.
Delete	depth, <i>27</i> , close NE of:	(a) above
Insert	depth, <i>17</i> , enclosed by 2m contour	53° 38'·83N., 14° 36'·67E.
Replace	depth, <i>115</i> , with depth, <i>129</i>	53° 33'·75N., 14° 35'·49E.

II

413 FINLAND - Saaristomeri - Maximum authorised draught.
Source: Finnish Notice 33/262/25

Chart 2075 (INT 1210) [*previous update 382/26*] WGS84 DATUM

Amend maximum authorised draught to, <3,6m> 59° 58'·39N., 21° 44'·34E.

Chart 3824 (INT 1188) [*previous update 5453/25*] WGS84 DATUM

Amend maximum authorised draught to, <3,6m> 59° 58'·07N., 21° 44'·30E.

II

428 ESTONIA - Wrecks. Rocks. Depths. Legends. Note. Obstruction.

Source: Estonian Chart 507

Chart 2225 [previous update 2285/25] WGS84 DATUM

Insert	depth, 11, with seabed type, R	(a)	59° 37'·70N., 24° 57'·48E.
Delete	depth, 28, with seabed type, R, close NW of:	(a)	above
Insert	depth, 186, with seabed type, R, enclosed by 20m contour		59° 37'·47N., 24° 56'·07E.
	depth, 108, with seabed type, R	(b)	59° 36'·90N., 24° 57'·75E.
Delete	depth, 124, close NW of:	(b)	above
Insert	depth, 14, with seabed type, R	(c)	59° 36'·70N., 25° 00'·57E.
Delete	depth, 24, close NE of:	(c)	above
Insert		(d)	59° 36'·38N., 24° 59'·50E.
	legend, <i>Historic Wreck</i> (see Note), close NE of:	(d)	above
	depth, 15, with seabed type, R		59° 36'·09N., 24° 59'·39E.
	depth, 72, with seabed type, R	(e)	59° 37'·55N., 25° 04'·55E.
Delete	depth, 79, close N of:	(e)	above
Insert	depth, 31	(f)	59° 35'·92N., 25° 06'·70E.
Delete	depth, 39, close SE of:	(f)	above
Insert	depth, 35, with seabed type, R, and extend 5m contour S to enclose		59° 31'·84N., 25° 07'·27E.
	the accompanying note, HISTORIC WRECKS, centred on:		59° 29'·45N., 24° 51'·32E.

Chart 2227 (Panel, Vanasadam) [previous update 4913/25] WGS84 DATUM

Replace	 with 		59° 26'·890N., 24° 47'·360E.
---------	--	--	------------------------------

Chart 2227 [previous update 4913/25] WGS84 DATUM

Insert	depth, 85, with seabed type, R	(a)	59° 39'·38N., 24° 36'·54E.
Delete	depth, 94, close SW of:	(a)	above
Insert	depth, 255		59° 38'·83N., 24° 37'·01E.
	depth, 45		59° 38'·13N., 24° 36'·24E.
	 Wk	(b)	59° 32'·39N., 24° 41'·58E.
Delete	 Wk, close N of:	(b)	above
Insert	 Wk		59° 31'·67N., 24° 44'·75E.
	 Obstr		59° 30'·84N., 24° 47'·31E.
	 Wk		59° 30'·07N., 24° 38'·30E.
Replace	 with 		59° 26'·89N., 24° 47'·36E.
	depth, 25, with depth, 24		59° 31'·51N., 24° 37'·41E.
	 with  Wk		59° 33'·53N., 24° 44'·32E.

II

428 ESTONIA - Wrecks. Rocks. Depths. Legends. Note. Obstruction. (continued)

Chart 2241 [*previous update 5199/25*] WGS84 DATUM

Insert	 Wk		59° 27'·09N., 24° 03'·56E.
	depth, 49, enclosed by 50m contour	(a)	59° 36'·75N., 24° 05'·51E.
Delete	depth, 52, close NE of:	(a)	above
Insert	depth, 83	(b)	59° 38'·99N., 24° 22'·70E.
Delete	depth, 87, close SW of:	(b)	above
Insert	depth, 57	(c)	59° 46'·62N., 24° 35'·24E.
Delete	depth, 73, close S of:	(c)	above
Replace	depth, 58, with depth, 5		59° 25'·32N., 24° 11'·38E.
	 Wk with  Wk	(d)	59° 38'·79N., 24° 20'·89E.
Insert	legend, <i>Historic Wreck (see Note)</i> , close SW of:	(d)	above
Replace	 Wk with  Wk		59° 45'·85N., 24° 49'·33E.
	 Wk with  Wk	(e)	59° 46'·48N., 24° 50'·57E.
Insert	legend, <i>Historic Wreck (see Note)</i> , close SW of:	(e)	above

Chart 2248 [*previous update 5038/25*] WGS84 DATUM

Insert	 Wk		59° 27'·09N., 24° 03'·56E.
	depth, 49, enclosed by 50m contour	(a)	59° 36'·75N., 24° 05'·51E.
Delete	depth, 52, close NE of:	(a)	above
Insert	depth, 83	(b)	59° 38'·99N., 24° 22'·70E.
Delete	depth, 87, close SW of:	(b)	above
Insert	depth, 57	(c)	59° 46'·62N., 24° 35'·24E.
Delete	depth, 73, close S of:	(c)	above
Insert	depth, 65	(d)	59° 44'·24N., 25° 05'·90E.
Delete	depth, 80, NW of:	(d)	above
Replace	depth, 58, with depth, 5		59° 25'·32N., 24° 11'·38E.
	wreck out of position,  Wk with wreck out of position,		
	 Wk	(e)	59° 38'·79N., 24° 20'·89E.
Insert	legend, <i>Historic Wreck (see Note)</i> , close SW of:	(e)	above
Replace	 Wk with  Wk		59° 45'·85N., 24° 49'·33E.
	 Wk with  Wk	(f)	59° 46'·48N., 24° 50'·57E.
Insert	legend, <i>Historic Wreck (see Note)</i> , close S of:	(f)	above

II

433 DENMARK - Islands - Wreck. Buoy. NM Block. Fish havens. Depths. Danger lines.

Source: Danish Chart Corrections 33/183/25 and 33/186/25 and ENC DK40949E

Chart 903 (INT 1333) [previous update 5445/25] WGS84 DATUM

Delete  *Wk* (a) 55° 35'·73N., 12° 48'·34E.
 , close N of: (a) above

Chart 2108 (INT 1302) [previous update 5231/25] WGS84 DATUM

Insert  (118) 56° 09'·86N., 12° 16'·28E.
 (69) 56° 08'·68N., 12° 15'·58E.
Delete danger line, dotted line, joining: (a) 56° 09'·93N., 12° 15'·71E.
(b) 56° 09'·55N., 12° 16'·45E.
(c) 56° 09'·70N., 12° 16'·73E.
(d) 56° 10'·00N., 12° 16'·48E.
(e) 56° 10'·09N., 12° 15'·98E.
and
(f) 56° 08'·71N., 12° 15'·21E.
(g) 56° 08'·35N., 12° 15'·80E.
(h) 56° 08'·53N., 12° 16'·16E.
(i) 56° 08'·87N., 12° 15'·58E.
seabed type, *R*, within: (a)-(e) above
(f)-(i) above

Chart 2115 [previous update 5403/25] WGS84 DATUM

Insert  (118) 56° 09'·86N., 12° 16'·28E.
 (69) 56° 08'·68N., 12° 15'·77E.
depth, 61, *Rep* (2020) (a) 56° 08'·68N., 12° 15'·28E.
Delete depth, 66, close NE of: (a) above
danger line, dotted line, joining: (b) 56° 09'·93N., 12° 15'·71E.
(c) 56° 09'·55N., 12° 16'·45E.
(d) 56° 09'·70N., 12° 16'·73E.
(e) 56° 10'·00N., 12° 16'·48E.
(f) 56° 10'·09N., 12° 15'·98E.
and
(g) 56° 08'·71N., 12° 15'·21E.
(h) 56° 08'·35N., 12° 15'·80E.
(i) 56° 08'·53N., 12° 16'·16E.
(j) 56° 08'·87N., 12° 15'·58E.
seabed type, *R*, within: (b)-(f) above
(g)-(j) above

Chart 2594 (INT 1331) [previous update 5445/25] WGS84 DATUM

Insert the accompanying block, centred on: 56° 09'·2N., 12° 15'·7E.

II

433 DENMARK - Islands - Wreck. Buoy. NM Block. Fish havens. Depths. Danger lines. (continued)

Chart 2595 (INT 1332) [*previous update 5445/25*] WGS84 DATUM

Delete



Wk

(a) 55° 35'·72N., 12° 48'·35E.



, close N of:

(a) above

II

435 POLAND - Fouls.

Source: Polish Notice 48/577/25

Chart 2688 (INT 1288) [*previous update 374/26*] WGS84 DATUM

Insert *#(133)*

(a) 54° 27'·59N., 18° 40'·17E.

Delete *#*, close SW of:

(a) above

II

336* GERMANY - North Sea Coast - Depths.

Source: WSA Weser-Jade-Nordsee, Survey LP29529/25

Chart DE 2 (INT 1456) [*previous update 5412/25*] WGS84 DATUM

Replace depth, 127, with depth, 108

53° 48'·85N., 7° 57'·15E.

II

337* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP29439/25

Chart DE 46 (INT 1453) [*previous update 73/26*] WGS84 DATUM

Insert depth, 9, enclosed by 10m contour

(a) 53° 50'·57N., 8° 56'·87E.

Delete depth, 127, close NE of:

(a) above

II

338* GERMANY - North Sea Coast - Depth.

Source: WSA Elbe-Nordsee, Survey LP29504/25

Chart DE 47 (INT 1454) [*previous update 4516/25*] WGS84 DATUM

Insert depth, 95, and extend 10m contour SW to enclose

53° 50'·38N., 9° 20'·75E.

II

346* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP29502/25 and NPorts Cuxhaven, Survey LP29540/25

Chart DE 44 (INT 1452) (Panel, Cuxhaven) [*previous update 70/26*] WGS84 DATUM

Insert	depth, 141	(a) 53° 52'·848N., 8° 42'·248E.
		(b) 53° 52'·752N., 8° 42'·345E.
Delete	depth, 152, close W of:	(a) above
	depth, 151, close SW of:	(b) above
Insert	depth, 151	(c) 53° 52'·819N., 8° 42'·331E.
Delete	depth, 162, close NW of:	(c) above
Insert	depth, 137	(d) 53° 52'·680N., 8° 42'·424E.
Delete	depth, 153, close N of:	(d) above
Insert	depth, 127	(e) 53° 52'·619N., 8° 42'·472E.
Delete	depth, 144, close NW of:	(e) above
	depth, 133, close SW of:	(e) above
Replace	depth, 147, with depth, 135	53° 52'·897N., 8° 42'·147E.

Chart DE 44 (INT 1452) [*previous update 70/26*] WGS84 DATUM

Replace	depth, 142, with depth, 131	53° 53'·45N., 8° 41'·74E.
	depth, 133, with depth, 127	53° 52'·60N., 8° 42'·44E.

II

356* NETHERLANDS - Submarine power cable.

Source: Fa. ONE-Dyas B.V. 04/11/25

Chart DE 50 (INT 1045) [*previous update 71/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

53° 41'·5N., 6° 29'·0E.

53° 41'·0N., 6° 26'·3E.

53° 40'·4N., 6° 24'·8E.

53° 40'·5N., 6° 22'·3E.

53° 41'·1N., 6° 21'·6E.

Chart DE 87 (INT 1413) [*previous update New Edition 01/01/2026*] WGS84 DATUM

Insert submarine power cable,   , joining:

53° 41'·46N., 6° 29'·00E.

53° 41'·03N., 6° 26'·26E.

53° 40'·37N., 6° 24'·76E.

53° 40'·53N., 6° 22'·29E.

53° 41'·05N., 6° 21'·57E.

Chart DE 90 (INT 1461) [*previous update 3452/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

53° 41'·46N., 6° 29'·00E.

53° 41'·03N., 6° 26'·26E.

53° 40'·37N., 6° 24'·76E.

53° 40'·53N., 6° 22'·29E.

53° 41'·05N., 6° 21'·57E.

II

376 NORTH SEA - Norwegian Sector - Obstructions. Submarine pipeline. Danger line. Legend.

Source: Norwegian Notices 19/78914/25 and 19/78954/25

Chart 292 [previous update 5823/25] WGS84 DATUM

Insert	 <i>Langfjellet North</i>	59° 49'·80N., 2° 37'·44E.
	 <i>Langfjellet South</i>	59° 48'·73N., 2° 37'·10E.
	 <i>Rind</i>	59° 47'·04N., 2° 26'·01E.

Chart 294 [previous update 31/26] WGS84 DATUM

Insert	submarine pipeline,  , joining:	60° 10'·72N., 2° 35'·23E. 60° 06'·98N., 2° 35'·62E.
	 <i>Langfjellet North</i>	59° 49'·80N., 2° 37'·44E.
	 <i>Langfjellet South</i>	59° 48'·73N., 2° 37'·10E.
	 <i>Rind</i>	59° 47'·04N., 2° 26'·01E.
	 <i>Fulla</i>	60° 00'·00N., 2° 22'·17E.
Delete	circular limit of danger line, radius 3000m (1·62M), dotted line, and associated legend, <i>Obstn</i> , centred on:	60° 00'·02N., 2° 23'·43E.

Chart 2182C (INT 1041) [previous update 316/26] WGS84 DATUM

Insert	submarine pipeline,  , joining:	60° 10'·7N., 2° 35'·2E. 60° 07'·0N., 2° 35'·6E.
	 <i>Fulla</i>	60° 00'·0N., 2° 22'·2E.
	 <i>Langfjellet North</i>	59° 49'·8N., 2° 37'·4E.
	 <i>Langfjellet South</i>	59° 48'·7N., 2° 37'·1E.
	 <i>Rind</i>	59° 47'·0N., 2° 26'·0E.

II

404 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 01/02/26

Chart 1408 [*previous update 367/26*] WGS84 DATUM

Insert



Fl.Y.5s PG

52° 58′·4N., 4° 07′·1E.

II

408 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 01/02/26

Chart 1631 (INT 1418) [*previous update 239/26*] WGS84 DATUM

Insert



Fl.Y.5s PG

52° 58′·44N., 4° 06′·73E.

II

430 NETHERLANDS - Depths. Drying heights.

Source: Netherlands Notice 01/04/26

Chart 116 (INT 1477) [*previous update 241/26*] WGS84 DATUM

Insert	depth, 44, and extend 5m contour and 10m contour N to enclose	51° 25'·36N., 3° 39'·27E.
	depth, 72	(a) 51° 25'·40N., 3° 37'·94E.
Delete	depth, 77, close SW of:	(a) above

Chart 120 (INT 1479) (Panel A, Continuation to Nauw van Bath) [*previous update 241/26*] WGS84 DATUM

Insert	drying height, 03, enclosed by 0m low water line	51° 22'·62N., 4° 05'·48E.
	drying height, 03, and extend 0m low water line, 2m contour and 5m contour NE to enclose	(a) 51° 23'·64N., 4° 04'·88E.
Delete	depth, 45, close S of:	(a) above

Chart 120 (INT 1479) [*previous update 241/26*] WGS84 DATUM

Insert	depth, 72	(a) 51° 25'·40N., 3° 37'·94E.
Delete	depth, 75, close SW of:	(a) above
Insert	depth, 44, and extend 5m contour and 10m contour N to enclose	51° 25'·36N., 3° 39'·27E.
	depth, 29	(b) 51° 21'·67N., 3° 43'·22E.
Delete	depth, 35, close SW of:	(b) above
Insert	drying height, 04, enclosed by 0m low water line, and extend 2m contour and 5m contour SW to enclose	51° 21'·80N., 3° 51'·50E.
	drying height, 01, enclosed by 0m low water line, and extend 2m contour and 5m contour SE to enclose	51° 22'·17N., 3° 51'·80E.
	depth, 15, and extend 2m contour SW to enclose	51° 23'·10N., 4° 02'·61E.
	drying height, 03, and extend 0m low water line, 2m contour and 5m contour NE to enclose	(c) 51° 23'·64N., 4° 04'·88E.
Delete	depth, 45, close S of:	(c) above

II

339 SPAIN - South West Coast - Lights. Dolphins.

Source: Spanish Notice 42/320/25

Chart 73 (INT 1901) [*previous update 5706/25*] WGS84 DATUM

Insert	★ Fl(4)G.10s	37° 08′·84N., 6° 52′·44W.
	★ Fl.Y.3s	37° 08′·80N., 6° 52′·33W.
Replace	★ Fl(4)G.10s with □ Dn	37° 08′·84N., 6° 52′·41W.
	★ Fl.Y.3s with □ Dn	37° 08′·85N., 6° 52′·37W.

II

362 FRANCE - North Coast - NM Block.

Source: French Notice 42/40/25

Chart 1892 (INT 1741) [*previous update 5280/25*] ETRS89 DATUM

Insert the accompanying block, centred on:

50° 44'·7N., 1° 32'·5E.

II

324 ITALY - West Coast - Rocks. Depths. Wreck.
Source: Italian Notices 21.6/25, 21.8-9/25, and 21.12-13/25

Chart 908 [previous update 63/26] WGS84 DATUM

Insert	 with seabed type, R	40° 47'·22N., 14° 02'·95E. 40° 46'·18N., 14° 00'·46E. (a) 40° 21'·74N., 14° 47'·70E. (a) above
Delete	depth, 127	
Insert	depth, 156, close N of:	
Insert		40° 23'·55N., 14° 51'·80E.
Replace	 with  with seabed type, R	40° 45'·87N., 14° 00'·22E.

Chart 1908 [previous update 202/26] WGS84 DATUM

Insert		40° 23'·6N., 14° 51'·8E.
--------	---	--------------------------

II

331 RUSSIA - Black Sea Coast - Restricted areas.

Source: Russian Notice 44/4590/25

Chart 3311 [*previous update 2600/24*] WGS84 DATUM

Insert limit of restricted area, ~~TTTT~~~~X~~~~TTTT~~, joining:

44° 32'·53N., 38° 03'·89E.

44° 32'·10N., 38° 03'·13E.

44° 32'·26N., 38° 02'·91E.

44° 32'·62N., 38° 03'·71E.

and

44° 21'·34N., 38° 31'·17E.

44° 20'·76N., 38° 31'·71E.

44° 20'·63N., 38° 31'·45E.

44° 21'·26N., 38° 30'·87E.

44° 21'·35N., 38° 31'·07E.

Chart 3316 [*previous update 889/25*] WGS84 DATUM

Insert limit of restricted area, ~~TTTT~~~~X~~~~TTTT~~, joining:

44° 37'·37N., 37° 54'·68E.

44° 37'·19N., 37° 54'·09E.

44° 37'·33N., 37° 53'·99E.

44° 37'·51N., 37° 54'·57E.

II

335 ITALY - Sardegna - Pilot boarding place. Note.

Source: ENC IT500316 and UKHO

Chart 1210 (Panel C, Porto di Arbatax) [*previous update 5810/25*] WGS84 DATUM

Delete



39° 57'·276N., 9° 42'·934E.

Chart 1210 (Panel B, Approaches to Arbatax) [*previous update 5810/25*] WGS84 DATUM

Insert

the accompanying note, PILOTAGE

within title panel

Delete



39° 57'·28N., 9° 42'·94E.

II

343 ITALY - East Coast - Buoyage.

Source: Italian Notice 21.26/25

Chart 1483 [*previous update 5063/25*] WGS84 DATUM

Replace

 with  *Fl(2)Y.6s*

45° 04'·35N., 12° 27'·90E.

 *Fl(2)Y.6s* with 

45° 03'·98N., 12° 28'·50E.

 with  *Fl(3)Y.9s*

45° 03'·60N., 12° 27'·90E.

 *Fl(3)Y.9s* with 

45° 03'·97N., 12° 27'·30E.

II

351 TÜRKiYE - Marmara Denizi - NM Block.

Source: Turkish Notice 36/165/25

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 5661/25*] WGS84 DATUM

Insert the accompanying block, centred on:

40° 49'·3N., 29° 13'·4E.

II

354 TÜRKIYE - West Coast - Depths.

Source: Turkish Chart 2248

Chart 1056 [*previous update 5806/25*] WGS84 DATUM

Insert	depth, 29 , and extend 50m contour N to enclose	(a) 37° 09'·53N., 27° 19'·21E.
Delete	depth, 105 , and associated 20m contour, close N of:	(a) above
	depth 50, and associated 50m contour	37° 09'·98N., 27° 19'·67E.

II

364 ROMANIA - Depth.

Source: Romanian Chart 1.030.02

Chart 2284 [*previous update 5312/25*] WGS84 DATUM

Insert depth, 74 , and extend 10m contour NE to enclose

43° 58'·13N., 28° 40'·43E.

II

379 FRANCE - Corse - Restricted areas. NM Block.

Source: French Notice 44/91/25

Chart 1424 (Panel, Ajaccio) [*previous update 2555/25*] WGS84 DATUM

Insert	limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	(a) 41° 55'·523N., 8° 46'·188E. 41° 55'·523N., 8° 46'·279E. 41° 55'·655N., 8° 46'·301E.
Delete	former limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	(a) above 41° 55'·640N., 8° 46'·189E.
Insert	the accompanying block, centred on:	41° 55'·3N., 8° 44'·7E.

Chart 1424 (Panel, Golfe D'Ajaccio and Golfe De Valinco) [*previous update 2555/25*] WGS84 DATUM

Insert	limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	(a) 41° 55'·52N., 8° 46'·19E. 41° 55'·52N., 8° 46'·28E. 41° 55'·65N., 8° 46'·30E.
Delete	former limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	(a) above 41° 55'·64N., 8° 46'·19E.

II

381* CYPRUS - Submarine cable.

Source: Alcatel Submarine Networks

Chart 775 [*previous update 2993/24*] WGS84 DATUM

Insert submarine cable, , joining:

34° 43'·99N., 32° 26'·98E.
34° 42'·59N., 32° 27'·28E.
34° 41'·93N., 32° 27'·18E.
34° 40'·62N., 32° 27'·41E.
34° 40'·31N., 32° 27'·50E.
34° 39'·13N., 32° 28'·16E.
34° 38'·48N., 32° 28'·40E.

Chart 2074 [*previous update 5714/25*] WGS84 DATUM

Insert submarine cable, , joining:

34° 44'·0N., 32° 27'·0E.
34° 42'·6N., 32° 27'·3E.
34° 41'·9N., 32° 27'·2E.
34° 40'·6N., 32° 27'·4E.
34° 40'·3N., 32° 27'·5E.
34° 39'·1N., 32° 28'·2E.
34° 38'·4N., 32° 28'·4E.

II

389 **FRANCE - Corse - NM Block.**

Source: French Notice 46/98/25

Chart 1213 (INT 3350) [*previous update 3544/25*] WGS84 DATUM

Insert the accompanying block, centred on:

41° 22'·2N., 9° 16'·4E.

II

409 CROATIA - Submarine power cable.

Source: Croatian Notice 9/1/25

Chart 202 [*previous update 5393/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

44° 30'·9N., 14° 18'·6E.

44° 31'·2N., 14° 19'·9E.

44° 31'·3N., 14° 27'·4E.

Chart 204 [*previous update 5393/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

44° 30'·9N., 14° 18'·6E.

44° 31'·2N., 14° 19'·9E.

44° 31'·3N., 14° 27'·4E.

Chart 220 [*previous update New Edition 27/11/2025*] WGS84 DATUM

Insert submarine power cable,   , joining:

44° 30'·9N., 14° 18'·6E.

44° 31'·2N., 14° 19'·9E.

44° 31'·3N., 14° 27'·4E.

Chart 515 [*previous update 5512/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

44° 30'·9N., 14° 18'·6E.

44° 31'·2N., 14° 19'·9E.

44° 31'·3N., 14° 27'·4E.

Chart 1426 (Panel D, Luka Mali Lošinj) [*previous update 96/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

44° 31'·3N., 14° 27'·4E.

44° 31'·3N., 14° 26'·1E.

II

412 GEORGIA - Harbour limits. Legends. Note.

Source: ENC GE310300

Chart 3313 [previous update 4299/25] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a) 41° 39'·45N., 41° 38'·38E. (b) 41° 40'·05N., 41° 37'·80E. (c) 41° 46'·50N., 41° 41'·55E. 41° 42'·92N., 41° 42'·70E. 41° 40'·33N., 41° 41'·18E. (b)-(c) above
Replace	legend, <i>Bat'umi Harbour Limit (see Note)</i> , along NE side of: the existing note, SUPSA HARBOUR LIMIT AREA, with the accompanying note, SUPSA AND BAT'UMI HARBOUR LIMITS, centred on:	42° 25'·00N., 41° 41'·61E.
Delete	former harbour limit, pecked line, and associated legend, <i>Bat'umi Harbour Limit</i> , joining:	(a) above (b) above 41° 43'·49N., 41° 41'·54E. 41° 42'·92N., 41° 42'·69E. 41° 40'·36N., 41° 41'·18E.

Chart 3317 (Panel C, Bat'umi) [previous update New Edition 01/01/2026] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	41° 39'·460N., 41° 38'·370E. (a) 41° 40'·050N., 41° 37'·800E. (b) 41° 42'·312N., 41° 39'·115E.
	legend, <i>Bat'umi Harbour Limit (see Note)</i> , along SE side of:	(a)-(b) above
	legend, <i>Bat'umi Harbour Limit (see Note)</i> , along NE side of:	(a)-(b) above
Delete	former harbour limit, pecked line, and associated legend, <i>Bat'umi Harbour Limit (see Note)</i> , joining:	41° 39'·459N., 41° 38'·373E. 41° 40'·056N., 41° 37'·799E. 41° 42'·312N., 41° 40'·249E.

II

417 TÜRKiYE - Marmara Denizi - Light.

Source: Turkish Notice 37/170/25

Chart 497 (Panel C, Diliskelesi) [*previous update 351/26*] WGS84 DATUM

Amend light to, Fl.Y.4s13m5M 40° 46′ ·22N., 29° 32′ ·96E.

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 351/26*] WGS84 DATUM

Amend light to, Fl.Y.4s13m5M 40° 46′ ·22N., 29° 32′ ·96E.

II

411 MOROCCO - West Coast - Jetties. Legend.

Source: UKHO

Chart 863 (Panel E, Laâyoune) [*previous update 179/26*] WGS84 DATUM

Insert	jetty, double firm line, width 35m, joining:	(a) 27° 02'·79N., 13° 28'·07W.
		(b) 27° 02'·81N., 13° 28'·05W.
		(c) 27° 02'·79N., 13° 27'·97W.
	legend, Jetty under construction (2026), close N of:	(a)-(c) above

Chart 863 (Panel G, Approaches to Laâyoune) [*previous update 179/26*] WGS84 DATUM

Insert	jetty, single firm line, joining:	27° 02'·37N., 13° 26'·07W.
		27° 02'·52N., 13° 26'·58W.
		and
		(a) 27° 02'·24N., 13° 26'·13W.
		(b) 27° 02'·81N., 13° 28'·05W.
		(c) 27° 02'·58N., 13° 28'·20W.
	legend, Jetty under construction (2026), close N of:	(a)-(c) above

Chart 1862 (INT 1939) [*previous update 2479/25*] WGS84 DATUM

Insert	jetty, single firm line, joining:	27° 02'·3N., 13° 26'·4W.
		27° 02'·8N., 13° 28'·1W.
		27° 02'·6N., 13° 28'·2W.

Chart 3133 [*previous update 5408/25*] WGS84 DATUM

Insert	jetty, single firm line, joining:	27° 02'·3N., 13° 26'·4W.
		27° 02'·8N., 13° 28'·1W.
		27° 02'·6N., 13° 28'·2W.

Chart 3134 [*previous update 5097/25*] WGS84 DATUM

Insert	jetty, single firm line, joining:	27° 02'·3N., 13° 26'·4W.
		27° 02'·8N., 13° 28'·1W.
		27° 02'·6N., 13° 28'·2W.

II

315* KUWAIT - Depths. Buoy.

Source: SHOM

Chart 1214 (Panel, Minā' Ash Shuwaykh) [*previous update 3168/24*] WGS84 DATUM

Delete	depth, 77	29° 24'·09N., 47° 58'·08E.
	depth, 66	29° 23'·57N., 47° 57'·57E.
	depth, 65	29° 23'·38N., 47° 57'·42E.
		29° 21'·74N., 47° 56'·65E.
	depth, 78 <i>Rep (2017)</i>	29° 21'·33N., 47° 56'·24E.

Chart 1214 [*previous update 3168/24*] WGS84 DATUM

Delete		29° 25'·78N., 48° 02'·98E.
--------	---	----------------------------

Chart 3773 [*previous update 280/26*] WGS84 DATUM

Delete		29° 25'·87N., 48° 02'·97E.
--------	---	----------------------------

II

317 SRI LANKA - South Coast - Depths. Lights.

Source: ENC's LK4QK01A and LK5K01A1

Note: This update is included in New Edition 3264, to be published early 2026.

Chart 813 (INT 7386) [*previous update New Edition 06/11/2025*] WGS84 DATUM

Insert	depth, 215	6° 04'·0N., 81° 01'·4E.
Replace	depth, 16, with depth, 13	6° 05'·3N., 81° 04'·0E.

Chart 3265 [*previous update 2802/25*] WGS84 DATUM

Insert	depth, 257	(a) 6° 04'·94N., 81° 05'·39E.
Delete	depth, 27, close NE of:	(a) above
Insert	depth, 275, and extend 30m contour SE to enclose	6° 04'·24N., 81° 04'·17E.
	depth, 237	(b) 6° 04'·21N., 81° 02'·85E.
Delete	depth, 27, close NE of:	(b) above
Amend	light to, Iso.R.4s	6° 06'·78N., 81° 06'·24E.
	light to, Iso.G.4s	6° 07'·01N., 81° 06'·38E.
Replace	depth, 29, with depth, 215	6° 03'·96N., 81° 01'·38E.
	depth, 16, with depth, 13	6° 05'·27N., 81° 04'·02E.

II

345 SRI LANKA - South Coast - Rock. Depths. Buoy.

Source: ENC LK5G04A1

Chart 819 (INT 7390) (Panel, Galle Harbour) [*previous update New Edition 16/10/2025*] WGS84 DATUM

Insert	depth, <i>141</i> , with seabed type, <i>R</i> , and extend 15m contour NW to enclose	(a)	6° 00'·784N., 80° 13'·494E.
Delete	depth, <i>149</i> , close SE of:	(a)	above
Replace	 <i>Mo(A) Fairway</i> with  <i>Mo(A)10s Fairway</i>		6° 00'·479N., 80° 13'·285E.

Chart 819 (INT 7390) [*previous update New Edition 16/10/2025*] WGS84 DATUM

Insert	depth, <i>141</i> , with seabed type, <i>R</i> , and extend 15m contour NW to enclose	(a)	6° 00'·78N., 80° 13'·49E.
Delete	depth, <i>149</i> , close SE of:	(a)	above
Replace	 <i>Mo(A) Fairway</i> with  <i>Mo(A)10s Fairway</i>		6° 00'·48N., 80° 13'·28E.

II

407* INDIA - West Coast - Submarine cable.

Source: Alcatel Submarine Networks

Chart IN 22 (INT 752) [*previous update 39/26*] WGS84 DATUM

Insert submarine cable, , joining:

18° 41'·5N., 71° 50'·1E.
18° 35'·4N., 71° 31'·8E.
18° 33'·8N., 71° 26'·9E.
18° 20'·5N., 70° 32'·8E.

Chart IN 255 (INT 7334) [*previous update 4786/25*] WGS84 DATUM

Insert submarine cable, , joining:

18° 41'·5N., 71° 50'·1E.
18° 35'·4N., 71° 31'·8E.
18° 33'·8N., 71° 26'·9E.
18° 20'·1N., 70° 31'·4E.

Chart IN 292 (INT 7021) [*previous update 4285/25*] WGS84 DATUM

Insert submarine cable, , joining:

18° 41'·5N., 71° 50'·1E.
18° 35'·4N., 71° 31'·8E.
18° 33'·8N., 71° 26'·9E.
18° 20'·5N., 70° 33'·0E.

Chart IN 293 (INT 7022) [*previous update 4285/25*] WGS84 DATUM

Insert submarine cable, , joining:

18° 41'·5N., 71° 50'·1E.
18° 35'·4N., 71° 31'·8E.
18° 33'·8N., 71° 26'·9E.
18° 20'·5N., 70° 33'·0E.

Chart 707 [*previous update 5286/25*] WGS84 DATUM

Insert submarine cable, , joining:

18° 41'·5N., 71° 50'·1E.
18° 35'·4N., 71° 31'·8E.
18° 33'·8N., 71° 26'·9E.
18° 20'·5N., 70° 32'·9E.

II

328 INDONESIA - Sumatera - Buoy. Light-beacons.

Source: Indonesian Notice 37/331/25

Chart 3476 (Panel A, Entrance to Sungai Palembang) [*previous update 5146/25*] WGS84 DATUM

Insert



Fl.Y.5s

2° 16'·92S., 104° 55'·62E.

Chart 3476 (Panel C, Continuation to Selat Jaran) [*previous update 5146/25*] WGS84 DATUM

Insert



Fl.R.3s10m5M

2° 47'·25S., 104° 56'·10E.

Chart 3476 (Panel D, Continuation to Palembang) [*previous update 5146/25*] WGS84 DATUM

Insert



Fl.R.3s10m5M

2° 47'·25S., 104° 56'·10E.



Fl.R.5s10m5M

2° 54'·73S., 104° 54'·08E.

II

313 CHINA - Yellow Sea Coast - Buoyage. Virtual aid to navigation.

Source: Chinese Notice 44/1328/25

Chart 738 [*previous update 5010/25*] CGCS 2000 DATUM

Replace	symbol, Virtual aid to navigation, starboard lateral topmark, V-AIS, with  <i>Q.G No 39</i>	34° 44'·415N., 119° 30'·407E.
Delete	former  <i>Q.G No 39</i>	34° 44'·492N., 119° 30'·392E.

II

350 CHINA - East Coast - Buoyage.

Source: Chinese Notice 45/1386/25

Chart 1602 [*previous update 5261/25*] CGCS 2000 DATUM

Insert



Fl.R. 4s No 2

31° 10'·13N., 121° 56'·47E.



Fl.R. 4s Xiasha(1)

31° 08'·61N., 121° 59'·19E.

Chart 1603 [*previous update 5693/25*] CGCS 2000 DATUM

Insert



Fl(2)R. 6s No 4

31° 13'·38N., 121° 55'·68E.



Fl(2)G. 6s No 3

31° 12'·88N., 121° 55'·47E.



Fl.R. 4s No 2

31° 12'·49N., 121° 55'·21E.

31° 10'·13N., 121° 56'·47E.



Fl.G. 4s Zhongsha(1)

31° 12'·06N., 121° 55'·06E.



Fl.R. 4s Xiasha(1)

31° 08'·61N., 121° 59'·19E.

II

352 CHINA - East Coast - Submarine power cables. Wind farm.

Source: Chinese Notices 38/1122/25 and 39/1159-1160/25

Chart 1281 [*previous update 5724/25*] CGCS 2000 DATUM

Insert limit of wind farm, pecked line, joining:

- (a) 32° 50'·63N., 121° 34'·14E.
- (b) 32° 50'·62N., 121° 35'·61E.
- (c) 32° 47'·64N., 121° 35'·66E.
- (d) 32° 47'·66N., 121° 30'·23E.

and

- (e) 32° 45'·66N., 121° 25'·10E.
- (f) 32° 43'·87N., 121° 25'·10E.
- (g) 32° 42'·61N., 121° 22'·66E.
- (h) 32° 42'·61N., 121° 19'·20E.

symbol, wind farm, within:

(a) - (d) above

(e) - (h) above

submarine power cable,   , joining:

- 32° 48'·01N., 121° 30'·92E.
 - 32° 47'·40N., 121° 28'·04E.
 - 32° 46'·01N., 121° 24'·83E.
 - 32° 42'·74N., 121° 20'·21E.
 - 32° 41'·69N., 121° 17'·08E.
- and
- 32° 33'·42N., 121° 02'·86E.
 - 32° 38'·55N., 121° 12'·68E.
 - 32° 40'·85N., 121° 19'·40E.

II

353 CHINA - Bo Hai - Anchorage areas. Legends.

Source: Chinese Notice 44/1324/25

Chart 1252 [*previous update 4910/25*] CGCS 2000 DATUM

Insert limit of anchorage area, pecked line, joining:

- (a) 40° 23'·87N., 121° 33'·27E.
- (b) 40° 23'·89N., 121° 35'·11E.
- (c) 40° 21'·81N., 121° 35'·15E.
- (d) 40° 21'·79N., 121° 33'·31E.
- and
- (e) 40° 21'·24N., 121° 32'·19E.
- (f) 40° 21'·25N., 121° 33'·13E.
- (g) 40° 19'·67N., 121° 33'·16E.
- (h) 40° 19'·67N., 121° 32'·65E.

symbol,  No 3, within:

(a) - (d) above

symbol, dangerous cargo anchorage,  No 4, close E of:

(e) - (h) above

II

359 CHINA - Yellow Sea Coast - Lights. Radar beacons.

Source: Chinese Notices 42/1240-1242/25

Note: This update is included in New Edition 1253, published early 2026.

Chart 880 [*previous update 2064/25*] CGCS 2000 DATUM

Insert	★ Fl.6s10m4M	35° 01'·54N., 119° 18'·12E.
--------	--------------	-----------------------------

Chart 1201 [*previous update 4383/25*] CGCS 2000 DATUM

Insert	★ Fl.6s10m4M	35° 01'·54N., 119° 18'·12E.
	★ Fl.4s10m5M	(a) 34° 50'·57N., 119° 12'·73E.
	radar beacon, Racon(B), at light	(a) above
Amend	light to, Fl.3s53m4M	34° 51'·97N., 119° 16'·44E.
Move	★ Fl(3)G.10s12m5M and associated radar beacon, Racon(G)	
	from:	34° 55'·38N., 119° 12'·06E.
	to:	34° 55'·23N., 119° 12'·06E.
	★ Fl(3)G.10s13m5M from:	34° 33'·20N., 119° 39'·20E.
	to:	34° 33'·02N., 119° 38'·75E.
Delete	★ Fl(3)G.10s16m5M and associated radar beacon, Racon(B)	34° 50'·11N., 119° 11'·55E.

II

368 CHINA - South Coast - Depths. Obstruction.

Source: Hong Kong Notices 22/59-60/25

Chart 4119 [*previous update 5114/25*] WGS84 DATUM

Insert	depth, 148 , and extend 15m contour NW to enclose	22° 19'·419N., 114° 07'·240E.
	 <i>Obstn</i>	22° 19'·342N., 114° 07'·159E.
	depth, 168	(a) 22° 19'·143N., 114° 06'·988E.
Delete	depth, 175 , close N of:	(a) above
Insert	depth, 116	(b) 22° 19'·103N., 114° 07'·198E.
Delete	depth, 124 , close NE of:	(b) above
Insert	depth, 158	22° 18'·921N., 114° 06'·234E.
Insert	depth, 108	(c) 22° 18'·921N., 114° 07'·401E.
Delete	depth, 112 , close NE of:	(c) above
Insert	depth, 16	(d) 22° 18'·902N., 114° 06'·335E.
Delete	depth, 172 , close N of:	(d) above
Insert	depth, 107	(e) 22° 18'·750N., 114° 07'·348E.
Delete	depth, 112 , close NW of:	(e) above
Insert	depth, 98 , enclosed by 10m contour	22° 18'·643N., 114° 07'·204E.
	depth, 102	(f) 22° 17'·989N., 114° 07'·017E.
Delete	depth, 115 , close NE of:	(f) above
Insert	depth, 103	(g) 22° 17'·768N., 114° 07'·180E.
Delete	depth, 114 , close N of:	(g) above
Replace	depth, 128 , with depth, 119	22° 18'·950N., 114° 07'·297E.
Delete	depth, 164	22° 18'·960N., 114° 06'·302E.

Chart 4122 [*previous update 4389/25*] WGS84 DATUM

Insert	 <i>Obstn</i>	22° 19'·342N., 114° 07'·159E.
	depth, 158	22° 18'·921N., 114° 06'·234E.
	depth, 168	(a) 22° 19'·143N., 114° 06'·988E.
Delete	depth, 175 , close NE of:	(a) above

II

385 CHINA - Yellow Sea Coast - Wreck.

Source: Chinese Notice 51/1581/25

Chart 1254 [*previous update 5542/25*] CGCS 2000 DATUM

Insert



37° 26′·1N., 122° 45′·5E.

Chart 1255 [*previous update 5321/25*] CGCS 2000 DATUM

Insert



37° 26′·1N., 122° 45′·5E.

Chart 1256 [*previous update 94/26*] WGS84 DATUM

Insert



37° 26′·1N., 122° 45′·5E.

Chart 1289 [*previous update 4384/25*] CGCS 2000 DATUM

Insert



37° 26′·11N., 122° 45′·49E.

II

396 CHINA - Yellow Sea Coast - Restricted areas. Legends.

Source: Chinese Notice 45/1382/25

Chart 3695 [*previous update 2019/25*] CGCS 2000 DATUM

Insert

limit of restricted area, ㄗㄗㄗㄗ, joining:

38° 57′·033N., 121° 36′·858E.

38° 57′·010N., 121° 36′·870E.

38° 56′·650N., 121° 36′·950E.

38° 56′·450N., 121° 36′·980E.

38° 56′·110N., 121° 37′·060E.

38° 55′·912N., 121° 37′·093E.

and

38° 57′·052N., 121° 37′·014E.

38° 56′·500N., 121° 37′·130E.

38° 56′·190N., 121° 37′·200E.

38° 55′·890N., 121° 37′·250E.

38° 55′·830N., 121° 37′·263E.

legend, *Protected Area*, centred on:

38° 56′·830N., 121° 36′·987E.

38° 56′·291N., 121° 37′·093E.

II

398 TAIWAN - Buoyage.

Source: Taiwanese Notice 148/25

Chart 2409 [*previous update 261/26*] WGS84 DATUM

Insert

 *Fl.Y.4s ODAS*

(a) 23° 31'·90N., 119° 41'·38E.

Delete

 *Al.GY.8s ODAS*, close W of:
or

(a) above

II

401 VIETNAM - Light.

Source: VMS-North Notice 75/25

Chart 1965 [*previous update 4221/25*] WGS84 DATUM

Amend light to, Fl(2)10s15M 20° 49′·61N., 107° 17′·69E.

Chart 3488 (INT 552) [*previous update 256/26*] WGS84 DATUM

Amend light to, Fl(2)15M 20° 49′·4N., 107° 17′·7E.

Chart 3875 [*previous update 4221/25*] WGS84 DATUM

Amend Le Cancrelat light to, Fl(2)10s15M 20° 49′·58N., 107° 17′·75E.

Chart 3990 [*previous update 259/26*] WGS84 DATUM

Amend light to, Fl(2)10s15M 20° 49′·6N., 107° 17′·8E.

II

414 CHINA - East Coast - Anchor berths. Swinging circles.

Source: Chinese Notice 33/994/25

Chart 1721 [*previous update 28/26*] CGCS 2000 DATUM

Insert  with swinging circle, radius 650m, pecked line, centred
on:

27° 58′·74N., 121° 33′·30E.

27° 58′·68N., 121° 34′·42E.

II

415 CHINA - South Coast - Platforms. Submarine power cables. Wreck.

Source: UKHO

Note: This update is included in New Edition 1968, published early 2026.

Chart 340 [previous update 5353/25] CGCS 2000 DATUM

Insert



22° 28'·45N., 114° 36'·22E.

Chart 1369 [previous update 115/26] CGCS 2000 DATUM

Insert

submarine power cable,  , joining:

22° 42'·27N., 115° 00'·12E.

22° 40'·71N., 115° 01'·81E.

22° 38'·69N., 115° 01'·40E.

22° 34'·09N., 115° 03'·68E.

22° 29'·64N., 115° 04'·11E.

22° 20'·55N., 114° 59'·83E.

(a) 22° 19'·00N., 114° 59'·70E.

and

22° 21'·77N., 115° 00'·41E.

22° 20'·57N., 114° 54'·90E.

(b) 22° 18'·96N., 114° 54'·73E.



(a) above

(b) above

II

427 MALAYSIA - Peninsular Malaysia, East Coast - Submarine pipeline. Legend. Platform. Radar beacon.

Source: Marine Department, Malaysia Notice 226/25

Note: Former Notice 4942(P)/24 is cancelled.

Chart 2414 [previous update 5664/25] WGS84 DATUM

Insert submarine pipeline, , joining:

5° 38'·8N., 104° 58'·8E.
 (a) 5° 41'·4N., 105° 01'·4E.
 (b) 5° 57'·5N., 104° 59'·2E.
 (c) 6° 10'·2N., 104° 54'·1E.
 (a)-(c) above

legend, Gas (see Note - PIPELINES), along:

(c) above

Chart 2422 [previous update 5664/25] WGS84 DATUM

Insert submarine pipeline, , joining:

5° 38'·8N., 104° 58'·8E.
 (a) 5° 41'·4N., 105° 01'·4E.
 (b) 5° 57'·5N., 104° 59'·2E.
 5° 58'·0N., 104° 59'·0E.
 (a)-(b) above

legend, Gas (see Note - PIPELINES), along:

Chart 2426 [previous update 5664/25] WGS84 DATUM

Insert submarine pipeline, , joining:

5° 38'·8N., 104° 58'·8E.
 (a) 5° 41'·4N., 105° 01'·4E.
 (b) 5° 57'·5N., 104° 59'·2E.
 (c) 6° 10'·2N., 104° 54'·1E.
 (a)-(b) above

legend, Gas (see Note - PIPELINES), along:

  Bindu A

(c) above

radar beacon, Racon(B), at platform

(c) above

Chart 3482 (INT 550) [previous update 170/26] WGS84 DATUM

Insert submarine pipeline, , joining:

5° 38'·8N., 104° 58'·8E.
 (a) 5° 41'·4N., 105° 01'·4E.
 (b) 5° 57'·5N., 104° 59'·2E.
 (c) 6° 10'·2N., 104° 54'·1E.
 (a)-(c) above

legend, Gas (see Note - PIPELINES), along:

(c) above

II

434 CHINA - East Coast - Buoyage.

Source: Chinese Notice 36/1074/25

Chart 1143 [*previous update 116/26*] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 1</i>	30° 50′·53N., 121° 43′·64E.
	 <i>Mo(O)Y.12s No 2</i>	30° 50′·52N., 121° 42′·75E.
	 <i>Mo(O)Y.12s No 3</i>	30° 50′·32N., 121° 39′·73E.
	 <i>Mo(O)Y.12s No 5</i>	30° 49′·82N., 121° 36′·96E.
	 <i>Mo(O)Y.12s No 7</i>	30° 49′·27N., 121° 34′·79E.

Chart 1303 [*previous update 116/26*] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 1</i>	30° 50′·53N., 121° 43′·64E.
--------	--	-----------------------------

Chart 1602 [*previous update 350/26*] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 1</i>	30° 50′·53N., 121° 43′·64E.
--------	--	-----------------------------

II

418 JAPAN - Kyūshū - Submarine power cable.

Source: Japanese Notice 1/4/26

Chart JP 179 [*previous update 5205/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

33° 27'·46N., 129° 45'·30E.
33° 27'·55N., 129° 44'·54E.
33° 27'·28N., 129° 44'·32E.
33° 27'·37N., 129° 43'·68E.

Chart JP 187 [*previous update 5205/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

33° 27'·5N., 129° 45'·3E.
33° 27'·6N., 129° 44'·5E.
33° 27'·3N., 129° 44'·3E.
33° 27'·4N., 129° 43'·7E.

Chart JP 198 [*previous update 2010/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

33° 27'·46N., 129° 45'·30E.
33° 27'·42N., 129° 45'·20E.
33° 27'·58N., 129° 44'·76E.
33° 27'·55N., 129° 44'·54E.
33° 27'·28N., 129° 44'·32E.
33° 27'·39N., 129° 44'·08E.
33° 27'·37N., 129° 43'·68E.

Chart JP 1228 [*previous update 3646/24*] WGS84 DATUM

Insert submarine power cable,   , joining:

33° 27'·46N., 129° 45'·30E.
33° 27'·42N., 129° 45'·20E.
33° 27'·58N., 129° 44'·76E.
33° 27'·55N., 129° 44'·54E.
33° 27'·28N., 129° 44'·32E.
33° 27'·39N., 129° 44'·08E.
33° 27'·37N., 129° 43'·68E.

II

419 JAPAN - Kyūshū - Wreck.

Source: Japanese Notice 1/5/26

Chart JP 187 [*previous update 418/26*] WGS84 DATUM

Insert



33° 18′·1N., 129° 33′·2E.

Chart JP 198 [*previous update 418/26*] WGS84 DATUM

Insert



33° 18′·1N., 129° 33′·2E.

Chart JP 213 [*previous update 5206/25*] WGS84 DATUM

Insert



33° 18′·1N., 129° 33′·2E.

II

420 JAPAN - Kyūshū - Fish haven.

Source: Japanese Notice 1/6/26

Chart JP 187 [*previous update 419/26*] WGS84 DATUM

Insert



32° 50′·3N., 129° 37′·1E.

Chart JP 198 [*previous update 419/26*] WGS84 DATUM

Insert



32° 50′·33N., 129° 37′·08E.

Chart JP 213 [*previous update 419/26*] WGS84 DATUM

Insert



32° 50′·33N., 129° 37′·08E.

II

334 RUSSIA - Pacific Ocean Coast - Light.

Source: Russian Notice 47/4912/25

Chart 3045 [*previous update 2764/24*] WGS84 DATUM

Insert

★ Fl.4s7M

42° 54′·8N., 132° 28′·2E.

Chart 3046 [*previous update 2348/25*] WGS84 DATUM

Insert

★ Fl.4s7M

42° 54′·8N., 132° 28′·2E.

II

355 KOREA - East Coast - Fog signal.

Source: Korean Notice 46/682/25

Chart 882 [*previous update 5515/25*] WGS84 DATUM

Delete fog signal, Horn(1)55s, at light

37° 37'·37N., 129° 03'·86E.

II

390 KOREA - West Coast - NM Block.

Source: Korean Notice 46/690/25

Chart 1007 [*previous update New Edition 20/11/2025*] WGS84 DATUM

Insert the accompanying block, centred on:

34° 44'·8N., 126° 21'·6E.

II

416 KOREA - West Coast - Light-float.

Source: Korean Notice 36/555/25

Note: This update is included in New Edition 3480, published early 2026.

Chart 3365 (INT 5252) [*previous update 61/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

34° 27′ · 16N., 125° 46′ · 44E.

II

319 INDONESIA - Kalimantan - Wreck.

Source: Indonesian Notice 44/389/25

Chart 1066 [*previous update 5839/25*] WGS84 DATUM

Insert

 Rep (2025)

3° 26′·6S., 113° 21′·0E.

Chart 2794 [*previous update 1193/25*] WGS84 DATUM

Insert

 Rep (2025)

3° 26′·6S., 113° 21′·0E.

Chart 3029 [*previous update 1380/25*] WGS84 DATUM

Insert

 Rep (2025)

3° 26′·6S., 113° 21′·0E.

II

321 INDONESIA - Jawa - Depths.

Source: ENC ID300078

Chart 932 (Panel B, Approaches to Pelabuhan Tanjung Priok) [previous update 5710/25] WGS84 DATUM

Insert	depth, 2	(a)	6° 01'·85S., 106° 51'·17E.
Delete	depth, 34, close NW of:	(a)	above

Chart 2056 [previous update 5183/25] WGS84 DATUM

Insert	depth, 63	(a)	5° 11'·41S., 105° 57'·78E.
Delete	depth, 77, close SW of:	(a)	above
Insert	depth, 126	(b)	5° 20'·37S., 106° 00'·64E.
Delete	depth, 141, close S of:	(b)	above
Insert	depth, 26	(c)	5° 15'·96S., 106° 12'·53E.
Delete	depth, 28, close NW of:	(c)	above
Insert	depth, 295	(d)	5° 25'·60S., 106° 20'·88E.
Delete	depth, 37, close SW of:	(d)	above
Insert	depth, 27	(e)	5° 28'·98S., 106° 25'·56E.
Delete	depth, 31, close NE of:	(e)	above
Insert	depth, 26	(f)	5° 23'·51S., 106° 43'·27E.
Delete	depth, 30, close S of:	(f)	above
Insert	depth, 22	(g)	5° 46'·39S., 106° 51'·27E.
Delete	depth, 30, close SW of:	(g)	above
Replace	depth, 32, with depth, 28		5° 23'·60S., 106° 09'·34E.
	depth, 29, with depth, 225		5° 19'·55S., 106° 11'·97E.

Chart 2785 [previous update 5076/25] WGS84 DATUM

Insert	depth, 126		5° 20'·4S., 106° 00'·6E.
	depth, 48, enclosed by 5m contour	(a)	5° 04'·3S., 106° 00'·7E.
Delete	depth, 6, close S of:	(a)	above

Chart 2797 [previous update 5710/25] WGS84 DATUM

Insert	depth, 26	(a)	5° 23'·5S., 106° 43'·3E.
Delete	depth, 30, close S of:	(a)	above

Chart 2862 [previous update 5710/25] WGS84 DATUM

Insert	depth, 48, enclosed by 5m contour	(a)	5° 04'·3S., 106° 00'·7E.
Delete	depth, 6, close S of:	(a)	above
Insert	depth, 126		5° 20'·4S., 106° 00'·6E.
	depth, 26	(b)	5° 23'·5S., 106° 43'·3E.
Delete	depth, 30, close S of:	(b)	above
Insert	depth, 22	(c)	5° 46'·4S., 106° 51'·3E.
Delete	depth, 30, close SW of:	(c)	above
Replace	depth, 29, with depth, 225		5° 19'·5S., 106° 12'·0E.

Chart 3729 [previous update 5662/25] WGS84 DATUM

Insert	depth, 26	(a)	5° 23'·51S., 106° 43'·27E.
Delete	depth, 30, close S of:	(a)	above

II

373 INDONESIA - Jawa - Platform. Submarine pipeline.

Source: Indonesian Notices 34/298-299/25

Note: Former Notice 2983(P)/25 is cancelled.

Chart 3729 [*previous update 321/26*] WGS84 DATUM

Insert



submarine pipeline, , joining:

(a) 6° 15'·86S., 108° 26'·08E.

6° 16'·58S., 108° 25'·32E.

(a) above

Chart 3730 [*previous update 5662/25*] WGS84 DATUM

Insert



submarine pipeline, , joining:

(a) 6° 15'·86S., 108° 26'·08E.

6° 16'·77S., 108° 25'·24E.

(a) above

II

388 MALAYSIA - Sarawak - NM Block.

Source: Malaysian Notice 10/238/25

Chart 1748 [*previous update 5812/25*] WGS84 DATUM

Insert the accompanying block, centred on:

3° 14′·8N., 113° 04′·3E.

II

399 PHILIPPINE ISLANDS - Luzon - Wrecks. Depths. Obstructions. Danger lines.

Source: NAMRIA

Chart 983 [*previous update New Edition 03/07/2025*] WGS84 DATUM

Insert	 <i>Wk</i>	14° 48'·57N., 120° 16'·92E.
	depth, 204	(a) 14° 48'·45N., 120° 17'·04E.
Delete	depth, 182, <i>Rep (1985)</i> and associated 20m contour	(a) above
Replace	 <i>Obstn</i> with depth, 236	14° 48'·44N., 120° 16'·90E.
Delete	depth, 35, and associated 5m contour	14° 50'·03N., 120° 13'·01E.
	depth, 33, <i>Rep (1976)</i> and associated danger line, dotted line	14° 50'·05N., 120° 13'·04E.
	depth, 22	14° 48'·65N., 120° 15'·20E.
	depth, 168, and associated 20m contour	14° 48'·78N., 120° 16'·36E.
	 <i>Obstns, Rep (1975)</i> and associated danger line, dotted line	14° 48'·56N., 120° 16'·96E.
	depth, 101	14° 48'·97N., 120° 17'·77E.
	 <i>Obstn</i>	14° 48'·03N., 120° 17'·49E.
	 <i>Rep (1974)</i>	14° 47'·98N., 120° 17'·19E.

Chart 4492 [*previous update 3536/25*] WGS84 DATUM

Delete	depth, 22	14° 48'·62N., 120° 15'·23E.
--------	-----------	-----------------------------

II

431 INDONESIA - Molucca Sea - NM Block. Depth.

Source: ENC ID300481 and UKHO

Chart 2948 [*previous update 5328/25*] WGS84 DATUM

Insert the accompanying block, centred on:

4° 42'·6N., 127° 07'·8E.

Chart 3484 (INT 554) [*previous update 5328/25*] WGS84 DATUM

Replace depth, 3, with depth, 23

4° 39'·0N., 127° 04'·6E.

II

392 AUSTRALIA - Queensland - NM Blocks. Marine Reserve. Legends.

Source: Australian Notice 25/1065/25

Chart Aus 816 [*previous update 214/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	25° 06'·2S., 153° 11'·2E.
	limit of marine reserve, $\tau\tau\tau\tau$, joining:	24° 29'·90S., 154° 02'·80E.
		24° 29'·90S., 154° 00'·06E.
	legend, <i>ESSA (see Note)</i> , orientated NW/SE, centred on:	24° 21'·86S., 153° 57'·75E.

Chart Aus 821 [*previous update 264/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	20° 24'·8S., 149° 37'·0E.
	legend, <i>ESSA (see Note)</i> , orientated NW/SE, centred on:	19° 36'·64S., 150° 30'·50E.

Chart Aus 829 [*previous update 5584/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	17° 53'·5S., 145° 53'·4E.
	legend, <i>ESSA (see Note)</i> , orientated NW/SE, centred on:	17° 18'·08S., 146° 55'·53E.
		17° 36'·00S., 147° 10'·33E.

Chart Aus 830 [*previous update 4867/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	16° 55'·5S., 145° 34'·9E.
	legend, <i>ESSA (see Note)</i> , orientated NW/SE, centred on:	16° 40'·05S., 146° 40'·11E.
		17° 09'·49S., 146° 52'·04E.

Chart Aus 831 [*previous update 4145/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	16° 15'·2S., 145° 11'·7E.
	legend, <i>ESSA (see Note)</i> , orientated NW/SE, centred on:	15° 06'·49S., 146° 02'·91E.

Chart Aus 832 [*previous update 4867/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	15° 07'·7S., 144° 35'·5E.
	legend, <i>ESSA (see Note)</i> , orientated NW/SE, centred on:	14° 26'·20S., 145° 43'·34E.
		15° 04'·88S., 146° 02'·27E.

II

380 CANADA - British Columbia - Mooring buoy. Pier. Pile. Lights.

Source: Canadian Notice 10/3490/25

Chart 4961 (Panel, A-B) [*previous update 3981/25*] NAD83 DATUM

Insert symbol, white can mooring buoy, Fl (Priv) 49° 07' 01.4"N., 123° 04' 49.3"W.

Chart 4961 (Panel, B-C) [*previous update 3981/25*] NAD83 DATUM

Insert pier, single firm line, joining: 49° 11' 27.4"N., 122° 54' 35.5"W.

49° 11' 27.9"N., 122° 54' 37.3"W.

49° 11' 27.6"N., 122° 54' 37.5"W.

(a) 49° 11' 27.8"N., 122° 54' 38.2"W.

(b) 49° 11' 28.6"N., 122° 54' 37.7"W.

49° 11' 28.4"N., 122° 54' 37.0"W.

49° 11' 28.1"N., 122° 54' 37.2"W.

49° 11' 27.6"N., 122° 54' 35.3"W.

Delete pile, •, close W of:

(a)-(b) above

Insert • F Y 27m

(c) 49° 09' 50.3"N., 122° 55' 50.9"W.

Delete • F Y 29m, close NE of:

(c) above

Amend light to, F Y 68m

49° 09' 43.9"N., 122° 55' 54.2"W.

II

391 CANADA - British Columbia - Depths. Rocks.

Source: Canadian Notice 10/3908/25

Chart 4931 (Panel, Kitimat) [*previous update 2380/25*] NAD83 DATUM

Insert	depth, <i>102</i>	53° 59' 41·0"N., 128° 40' 55·0"W.
	depth, <i>108</i>	(a) 53° 59' 39·6"N., 128° 40' 54·9"W.
Delete	depth, <i>139</i> , close NW of:	(a) above
Insert	depth, <i>01</i>	(b) 53° 59' 31·3"N., 128° 40' 30·9"W.
Delete	depth, <i>09</i> , close SE of:	(b) above

Chart 4931 [*previous update 2380/25*] NAD83 DATUM

Insert	✕ (<i>02</i>)	53° 56' 53·2"N., 128° 39' 52·3"W.
	⦿	53° 55' 26·9"N., 128° 43' 41·8"W.
	depth, <i>23</i>	53° 54' 17·1"N., 128° 45' 44·3"W.
	✕ (<i>09</i>)	53° 54' 22·9"N., 128° 41' 01·8"W.

II

383 COLOMBIA - Pacific Ocean Coast - NM Block.

Source: Colombian Notices 404/25 and 410/25

Chart 2258 [*previous update 5702/25*] WGS84 DATUM

Insert the accompanying block, centred on:

4° 11'·3N., 77° 32'·4W.

II

325 URUGUAY - Spoil grounds. Legend.

Source: Uruguayan Notice 9/55/25

Chart 1749 [*previous update 5156/25*] WGS84 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 34° 59'·10S., 55° 58'·47W. 35° 00'·56S., 55° 50'·84W. 35° 00'·55S., 55° 50'·00W. and (b) 35° 01'·21S., 55° 59'·07W. 35° 02'·72S., 55° 51'·13W. 35° 02'·71S., 55° 50'·00W.
Delete	former limit of spoil ground, pecked line, joining:	(a) above (b) above

Chart 2001 (Panel B, Approaches to Montevideo) [*previous update 4762/25*] WGS84 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 34° 59'·10S., 55° 58'·47W. 35° 00'·56S., 55° 50'·84W. 35° 00'·54S., 55° 48'·69W. and (b) 35° 01'·21S., 55° 59'·07W. 35° 02'·72S., 55° 51'·13W. 35° 02'·70S., 55° 48'·69W.
Delete	former limit of spoil ground, pecked line, joining:	(a) above (b) above

Chart 3064 [*previous update 5156/25*] WGS84 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 34° 58'·3S., 56° 10'·5W. (b) 34° 58'·6S., 56° 01'·1W. (c) 35° 00'·6S., 55° 50'·8W. (d) 35° 00'·4S., 55° 39'·0W. (e) 35° 02'·6S., 55° 39'·0W. (f) 35° 02'·7S., 55° 51'·1W. (g) 34° 59'·9S., 56° 05'·9W. (h) 34° 59'·3S., 56° 10'·8W.
	legend, <i>Spoil Ground</i> , within:	(a)-(h) above

II

348 ARGENTINA - Buoyage.

Source: Argentinian Notice 12/156/25

Chart 1331 (Panel, Entrance to Bahía Blanca) [*previous update 289/26*] WGS84 DATUM

Insert	 <i>Q.R</i>	(a) 39° 00'·88S., 61° 53'·78W.
Delete	 <i>Q.R '15'</i> , close NW of:	(a) above
Insert	 <i>Fl(2)G.4s Par No13</i>	(b) 39° 02'·76S., 61° 53'·34W.
Delete	 <i>Fl(2)G.4s '13'</i> , close E of:	(b) above

Chart 3755 [*previous update 289/26*] WGS84 DATUM

Insert	 <i>Q.R</i>	(a) 39° 00'·88S., 61° 53'·78W.
Delete	 <i>Q.R '15'</i> , close NW of:	(a) above

II

436 BRAZIL - East Coast - NM Block.

Source: ENC BR501103

Chart 545 (Panel A, Porto de Aratu) [*previous update 4355/25*] WGS84 DATUM

Insert the accompanying block, centred on: 12° 47'·0S., 38° 28'·7W.

II

423 COLOMBIA - Caribbean Sea Coast - NM Blocks. Depths. Mooring buoy.

Source: ENC CO500253

Chart 2261 (Panel B, Puerto Barranquilla) [*previous update 2024/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	11° 02'·8N., 74° 49'·1W.
	depth, <i>112</i>	(a) 11° 06'·42N., 74° 51'·15W.
Delete	depth, <i>136</i> , close SW of:	(a) above

Chart 2261 (Panel C, Continuation of Puerto Barranquilla) [*previous update 2024/25*] WGS84 DATUM

Insert	the accompanying block B, centred on:	11° 02'·2N., 74° 48'·5W.
	depth, <i>111</i>	11° 00'·37N., 74° 46'·09W.
	depth, <i>108</i>	10° 59'·84N., 74° 45'·78W.
	depth, <i>104</i>	(a) 10° 59'·48N., 74° 45'·67W.
Delete	depth, <i>117</i> , close W of:	(a) above
Insert		10° 58'·65N., 74° 45'·54W.
	depth, <i>97</i> , enclosed by 10m contour	(b) 10° 58'·49N., 74° 45'·33W.
Delete	depth, <i>111</i> , close SW of:	(b) above
Insert	depth, <i>44</i> , enclosed by 5m contour	10° 57'·92N., 74° 45'·27W.
	depth, <i>4</i> , enclosed by 5m contour	(c) 10° 57'·84N., 74° 45'·27W.
Delete	depth, <i>91</i> , close NW of:	(c) above
Insert	depth, <i>46</i> , enclosed by 5m contour	10° 57'·18N., 74° 45'·31W.

II

426* **BELIZE - Moored storage tanker.**
Source: UKHO

Chart 522 [*previous update 4748/23*] WGS84 DATUM

Delete



17° 20′·20N., 88° 11′·63W.

Chart 959 [*previous update 4748/23*] WGS84 DATUM

Delete



17° 20′·16N., 88° 11′·63W.

II

322 **UNITED STATES OF AMERICA - East Coast - Buoyage.**
Source: ENC US3EC10M

Chart 1227 [*previous update 5065/25*] NAD83 DATUM

Insert	 <i>Fl.Y.4s 'DMON'</i>	42° 28'·00N., 70° 41'·01W.
Delete	former  <i>Fl.Y.4s 'DMON'</i>	42° 31'·60N., 70° 32'·91W.

Chart 2492 [*previous update 156/26*] NAD83 DATUM

Move	 <i>Fl.Y.4s 'DMON'</i> , from:	42° 31'·6N., 70° 32'·8W.
	to:	42° 28'·0N., 70° 41'·0W.

II

340 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US5MA1SH

Chart 2427 [*previous update 3557/25*] NAD83 DATUM

Move	 <i>Fl.R. 4s "16"</i> , from:	42° 32'·24N., 70° 51'·12W.
	to:	42° 32'·25N., 70° 51'·15W.

II

341 UNITED STATES OF AMERICA - East Coast - Buoy.
Source: ENC US3GA10M

Chart 2801 [*previous update 3127/25*] NAD83 DATUM

Move

 *Fl.Y.4s 'E'*, from:

32° 16'·64N., 80° 24'·49W.

to:

32° 16'·38N., 80° 23'·88W.

II

386 UNITED STATES OF AMERICA - East Coast - Light.

Source: ENC US3EC10M

Chart 2486 [*previous update 4532/25*] NAD83 DATUM

Amend range of light to, 14M

43° 45'·88N., 69° 18'·95W.

Chart 2490 [*previous update 187/26*] NAD83 DATUM

Amend range of light to, 14M

43° 45'·89N., 69° 18'·90W.

Chart 2492 [*previous update 322/26*] NAD83 DATUM

Amend	range of light to, 14M
-------	------------------------

43° 45'·8N., 69° 18'·9W.

Chart 2670 [*previous update 156/26*] NAD83 DATUM

Amend range of light to, 14M

43° 46'·1N., 69° 19'·2W.

II

395 **UNITED STATES OF AMERICA - East Coast - Light.**
Source: ENC US5CT1ES

Chart 2754 [*previous update 2174/25*] NAD83 DATUM

Insert

★ Q.20ft3M

41° 16′·12N., 72° 20′·29W.

II

327(P)/26 ENGLAND - Bristol Channel - Depths.

Source: Bristol Port Company

- Recent survey information has shown that numerous depths less than charted exist within King Road. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·5m	51° 31'·29N., 2° 43'·03W.
3·7m	51° 31'·22N., 2° 43'·19W.
4·9m	51° 31'·16N., 2° 42'·89W.
4·9m	51° 31'·14N., 2° 43'·06W.
3·2m	51° 31'·06N., 2° 43'·28W.
4·7m	51° 31'·03N., 2° 43'·17W.
4·4m	51° 30'·92N., 2° 43'·30W.
2·3m	51° 30'·80N., 2° 43'·63W.
1·6m	51° 30'·77N., 2° 44'·09W.
1·4m	51° 30'·74N., 2° 44'·21W.
4·2m	51° 30'·72N., 2° 43'·58W.
2·1m	51° 30'·71N., 2° 43'·96W.
1·1m	51° 30'·70N., 2° 44'·30W.
2m	51° 30'·69N., 2° 43'·76W.
0·2m	51° 30'·63N., 2° 44'·55W.
3·9m	51° 30'·62N., 2° 43'·75W.
0·9m	51° 30'·59N., 2° 44'·33W.
0·9m	51° 30'·58N., 2° 43'·05W.
0·1m	51° 30'·56N., 2° 44'·74W.
1·4m	51° 30'·54N., 2° 44'·55W.
4·9m	51° 30'·53N., 2° 43'·92W.
2·7m	51° 30'·50N., 2° 44'·15W.
0·5m	51° 30'·50N., 2° 44'·91W.

- and

<i>Depth</i>	<i>Position</i>
0·8m	51° 30'·50N., 2° 45'·75W.
1·5m	51° 30'·48N., 2° 44'·75W.
0·6m	51° 30'·47N., 2° 45'·22W.
*0·5m	51° 30'·473N., 2° 44'·542W.
1·2m	51° 30'·44N., 2° 45'·41W.
1·7m	51° 30'·43N., 2° 45'·15W.
1m	51° 30'·43N., 2° 45'·84W.
*1·7m	51° 30'·406N., 2° 44'·911W.
1·5m	51° 30'·39N., 2° 46'·05W.
*1·8m	51° 30'·364N., 2° 45'·057W.
1·9m	51° 30'·36N., 2° 45'·89W.
*5·2m	51° 30'·344N., 2° 44'·364W.
*1·9m	51° 30'·301N., 2° 45'·350W.
*2·6m	51° 30'·295N., 2° 45'·859W.
*4·9m	51° 30'·280N., 2° 44'·637W.
2·8m	51° 30'·24N., 2° 46'·14W.
*3·4m	51° 30'·203N., 2° 45'·937W.
4·5m	51° 30'·15N., 2° 46'·16W.
4·6m	51° 30'·15N., 2° 46'·62W.
*4m	51° 30'·143N., 2° 46'·270W.
*6·1m	51° 30'·143N., 2° 45'·231W.
*9·5m	51° 30'·124N., 2° 44'·958W.
*9·3m	51° 30'·107N., 2° 45'·174W.

II

327(P)/26 ENGLAND - Bristol Channel - Depths. (continued)

3. and

<i>Depth</i>	<i>Position</i>
6·7m	51° 30'·08N., 2° 46'·82W.
6·9m	51° 30'·08N., 2° 46'·43W.
*6·7m	51° 30'·071N., 2° 46'·166W.
10·3m	51° 30'·05N., 2° 45'·33W.
*11·8m	51° 30'·045N., 2° 45'·650W.
*8·9m	51° 30'·035N., 2° 46'·224W.
13·1m	51° 30'·02N., 2° 45'·50W.
14·4m	51° 29'·98N., 2° 45'·96W.
14·8m	51° 29'·92N., 2° 46'·44W.
14·9m	51° 29'·83N., 2° 46'·92W.
14·1m	51° 29'·81N., 2° 46'·41W.
5·7m	51° 29'·53N., 2° 47'·17W.
6m	51° 29'·50N., 2° 47'·37W.

4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

5. These changes will be included in a New Edition of Charts 1166, 1176, 1859, 5608_16, 5608_18 and 5608_20.

6. *Former Notice 5796(P)/25 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1166 - 1176 (INT 1654) - 1859 (INT 1655) - 5608_16 - 5608_18 - 5608_20

II

344(T)/26 ENGLAND - South Coast - Works. Jetty.

Source: Poole Harbour Commissioners Notice 65/25

1. Jetty construction works are taking place in the vicinity of position 50° 40'·996N., 1° 56'·957W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 2611 (INT 1726) - 5601_10

II

370(T)/26 ENGLAND - South Coast - Pipe.

Source: ABP Southampton NM 121(T)/2025

1. A partially submerged pipe has been anchored in the area bounded by the following positions:

50° 53′·606N., 1° 24′·942W.

50° 53′·567N., 1° 24′·869W.

50° 53′·556N., 1° 24′·883W.

50° 53′·595N., 1° 24′·957W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 2041 (INT 1733) - 5600_10 - 5600_11

II

371(T)/26 ENGLAND - South Coast - Scientific instruments.

Source: Venterra Group

1. Unmarked scientific instruments, 0·6m in height, have been established on the seabed in the following positions:

50° 14'·955N., 3° 45'·437W.

50° 13'·904N., 3° 46'·185W.

2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 28 - 5602_11 - 5602_12

II

402(T)/26 WALES - South Coast - Buoyage.

Source: Milford Haven Port Authority Notice 132/25

1. The yellow Special Mark light-buoy, *Q(4)Y.10s*, that has recently replaced the South Hook South Cardinal light-buoy, *Q(6)+LFl.15s* in charted position 51° 41'·819N., 5° 06'·102W., currently has a temporary light character of *Fl.Y.5s*.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 3274 (INT 1650) - 5620_12

II

429(P)/26 SCOTLAND - South West Coast - Depths. Wreck. Obstruction.

Source: mv Northern Gale

1. *Recent survey information has shown that numerous depths less than charted exist within Luce Bay and Beaufort's Dyke, and between Cairns Money Head and The Mull of Galloway. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
*4·2m	54° 48'·03N., 5° 02'·64W.
*11·3m	54° 47'·90N., 5° 03'·18W.
*8·7m	54° 46'·80N., 5° 01'·06W.
*12·9m	54° 46'·50N., 5° 00'·82W.
*13·5m	54° 46'·43N., 5° 01'·21W.
25·9m	54° 46'·34N., 5° 04'·81W.
*12·8m	54° 45'·94N., 5° 00'·85W.
17·8m	54° 45'·03N., 5° 00'·92W.
26·1m	54° 44'·72N., 5° 01'·79W.
21·3m	54° 44'·17N., 5° 01'·10W.
18·3m	54° 43'·54N., 4° 59'·35W.
26·3m	54° 42'·97N., 5° 00'·22W.
13·9m	54° 41'·91N., 4° 57'·76W.
26·6m	54° 38'·42N., 4° 57'·35W.
24·9m	54° 37'·65N., 4° 55'·30W.
26·4m	54° 37'·16N., 4° 52'·23W.
27·5m	54° 37'·06N., 4° 54'·12W.
14·2m	54° 38'·23N., 4° 53'·65W.
17·1m	54° 37'·89N., 4° 53'·68W.
26·7m	54° 37'·99N., 4° 50'·22W.
18·4m	54° 38'·73N., 4° 51'·27W.
8·4m	54° 39'·29N., 4° 49'·61W.
13·6m	54° 40'·36N., 4° 50'·69W.
5·4m	54° 40'·58N., 4° 51'·39W.
17·4m	54° 41'·08N., 4° 46'·33W.
18·4m	54° 40'·44N., 4° 46'·28W.
30·3m	54° 35'·54N., 4° 43'·77W.

2. A non-dangerous wreck, depth 56m exists in position 54° 44'·22N., 5° 04'·16W.
3. *An obstruction, depth 5·4m exists in position 54° 46'·14N., 5° 00'·36W.
4. Charts will be updated when full details are available.
5. Mariners are advised to navigate with caution in the area.
6. *Former Notice 185(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1411 (INT 1608) - 1826 (INT 1607) - 2093 - 2094 - 2198 - 2724 (INT 1606) - 5610_17 - 5612_1 - 5612_11 - 5613_19 - 5613_2

II

403(T)/26 POLAND - Buoyage.

Source: Polish Notices 31/347(T)/25 and 44/497(T)/25

1. The following special light-buoys, *Fl.Y.2s*, have been established:

<i>Designation</i>	<i>Position</i>
<i>FS6</i>	54° 23'·27N., 18° 46'·18E.
<i>FS7</i>	54° 22'·91N., 18° 46'·19E.
<i>FS8</i>	54° 22'·62N., 18° 46'·20E.
<i>FS9</i>	54° 22'·61N., 18° 46'·00E.
<i>FS10</i>	54° 23'·03N., 18° 45'·95E.
<i>FS11</i>	54° 23'·46N., 18° 45'·89E.
<i>FS12</i>	54° 23'·537N., 18° 45'·448E.
<i>WK1</i>	54° 22'·63N., 18° 46'·08E.
<i>WK2</i>	54° 22'·63N., 18° 46'·17E.
<i>WK3</i>	54° 22'·58N., 18° 46'·17E.
<i>WK4</i>	54° 22'·58N., 18° 46'·08E.

2. The following unlit special buoys have been established:

<i>Designation</i>	<i>Position</i>
<i>*MR11</i>	54° 23'·25N., 18° 45'·76E.
<i>*MR12</i>	54° 23'·249N., 18° 45'·396E.
<i>*MR14</i>	54° 23'·713N., 18° 44'·277E.
<i>*MR5</i>	54° 24'·25N., 18° 46'·69E.
<i>*MR6</i>	54° 24'·08N., 18° 46'·92E.
<i>*MR7</i>	54° 23'·89N., 18° 47'·10E.
<i>*MR8</i>	54° 23'·69N., 18° 46'·96E.
<i>*MR9</i>	54° 23'·39N., 18° 46'·42E.
<i>*MR10</i>	54° 23'·25N., 18° 46'·13E.
<i>*MR13</i>	54° 23'·418N., 18° 45'·142E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. *Former Notice 4656(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2637 (INT 12902) - 2688 (INT 1288)

II

369(T)/26 NORTH SEA - United Kingdom Sector - Fog signal. Wind turbine.

Source: Ørsted Notice to Mariners November 2025

1. *A fog signal at the wind turbine, in position, 53° 50'·04N., 1° 58'·70E., is inoperative.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 4210(T)/25 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Chart affected - 1187

II

410(P)/26 NORTH SEA - Norwegian Sector - Offshore installation. Precautionary area.

Source: Norwegian Notice 22/79357/25

1. Marine installation activities are taking place in the Vale field.
2. A precautionary area has been established, radius 500m, centred on 59° 42'·34N., 2° 18'·53E.
3. Fishing and trawling within the precautionary area are prohibited.
4. Mariners are advised to navigate with caution in the area and keep a safe distance from the ongoing operations.
(WGS84 DATUM)

Charts affected - 292 - 294 - 1427 (INT 1401) - 2182C (INT 1041)

II

375(T)/26 PORTUGAL - West Coast - Buoyage. Platform.

Source: Portuguese Notice 9/263(T)/25

1. *A floating platform has been installed marked by special light-buoys in the following positions:

<i>Designation</i>	<i>Characteristics</i>	<i>Position</i>
* <i>Floating platform</i>	<i>LFl.Y.6s</i>	38° 28'·680N., 8° 52'·322W.
* <i>N Buoy</i>	Unlit	38° 28'·921N., 8° 52'·498W.
* <i>S Buoy</i>	<i>LFl.Y.6s</i>	38° 28'·711N., 8° 52'·285W.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1120(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3259 (INT 1880)

II

332(T)/26 UKRAINE - Buoy.

Source: Ukrainian Notices 15/224(T)/24 and 41/703/25

1. The south cardinal light-buoy, *Q(6)+LFl.15s*, in position 46° 19'·03N., 30° 56'·18E. is reported missing.
2. *Former Notice 3892(T)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2212 - 2232

II

312(P)/26 UNITED ARAB EMIRATES - Reclamation area. Works. Buoyage.

Source: Port of Fujairah Notice 369/25

1. Reclamation works are taking place, within an area bounded by the following positions:

* 25° 10'·495N., 56° 22'·145E.

* 25° 10'·419N., 56° 22'·759E.

* 25° 11'·153N., 56° 22'·613E.

2. The following light-buoys have been established to mark the reclamation works:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
* <i>Fl(2)Y.8s</i>	<i>Y1</i>	Special Purpose Buoy	25° 10'·472N., 56° 22'·338E.
* <i>Q(3)10s</i>		East Cardinal Buoy	25° 10'·419N., 56° 22'·759E.
<i>Fl(2)Y.8s</i>	<i>Y2</i>	Special Purpose Buoy	25° 10'·832N., 56° 22'·702E.
* <i>Fl(2)Y.8s</i>	<i>Y3</i>	Special Purpose Buoy	25° 10'·449N., 56° 22'·513E.
<i>Fl(2)Y.8s</i>	<i>Y4</i>	Special Purpose Buoy	25° 11'·034N., 56° 22'·671E.
* <i>Fl(2)Y.8s</i>	<i>Y5</i>	Special Purpose Buoy	25° 10'·634N., 56° 22'·732E.

3. Mariners are advised to navigate with caution in the area.

4. Charts will be updated when works are complete.

5. *Former Notice 2395(P)/25 is cancelled.

*Indicates new or revised entry

(WGS84 DATUM)

Charts affected - 3708 - 3709 - 3723

II

366(T)/26 UNITED ARAB EMIRATES - Buoyage.

Source: AD Ports

1. Lit yellow Metocean buoys have been established in the following positions:

<i>Characteristic</i>	<i>Position</i>
<i>Fl(4)Y.20s</i>	24° 38'·68N., 52° 35'·37E.
* <i>Fl(4)Y.20s</i>	24° 38'·45N., 52° 35'·11E.
* <i>Fl(4)Y.20s</i>	24° 39'·13N., 52° 35'·59E.
* <i>Fl(4)Y.20s</i>	24° 31'·15N., 52° 51'·08E.
* <i>Fl(4)Y.20s</i>	24° 08'·58N., 53° 35'·37E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 3887(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2889 (INT 7211) - 3177 (INT 7222) - 3178 (INT 7226) - 3179 (INT 7229) - 3951 (INT 7241)

II

378(P)/26 UNITED ARAB EMIRATES - Restricted area. Buoyage. Works.

Source: Dubai Maritime Authority

1. An exclusion zone, marked by special light-buoys, *FL.Y*, has been established bounded by the following positions:

25° 11'·53N., 55° 12'·90E.

25° 11'·75N., 55° 11'·80E.

25° 11'·19N., 55° 11'·36E.

25° 10'·15N., 55° 11'·56E.

25° 10'·06N., 55° 11'·88E.

25° 10'·32N., 55° 12'·59E.

25° 10'·60N., 55° 12'·91E.

2. *Reclamation works to build a new artificial island within this area are in progress.
3. *Unauthorised vessels are not permitted to enter the construction area, and mariners are advised to contact the local port authorities for the latest information.
4. *Charts will be updated when works are complete.
5. *Former Notice 5049(P)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 3176 (INT 7216) - 3412 (INT 7219)

II

323(T)/26 INDIA - West Coast - Works.

Source: Indian Notice 21/142(T)/25

1. Offshore operations including anchor handling, towing, supply and support activity are taking place in the vicinity of the following positions:

22° 32'·57N., 68° 38'·96E.

21° 04'·6N., 72° 14'·8E.

21° 03'·8N., 72° 15'·9E.

21° 01'·9N., 72° 33'·3E.

21° 04'·0N., 72° 31'·6E.

21° 06'·3N., 72° 31'·0E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 39 - 707 - IN 202 - IN 251 (INT 7318) - IN 254 (INT 7331) - IN 292 (INT 7021)

II

329(T)/26 CHINA - South Coast - Works.

Source: Hong Kong Notice 24/67(T)/25

1. Marine site investigation works are taking place within an area bounded by the following positions:

22° 18'·282N., 114° 04'·127E.

22° 18'·428N., 114° 04'·593E.

22° 17'·548N., 114° 05'·024E.

22° 17'·278N., 114° 05'·804E.

22° 17'·088N., 114° 05'·886E.

22° 16'·879N., 114° 04'·489E.

22° 17'·222N., 114° 03'·647E.

22° 17'·818N., 114° 03'·600E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 4119 - 4121 - 4122 - 4129

II

330(P)/26 CHINA - South Coast - Submarine cable.

Source: Chinese Chart 16570

1. A submarine cable has been laid, joining the following positions:

21° 02'·96N., 109° 04'·97E.

20° 58'·60N., 108° 58'·04E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when full details are available.
(CGCS 2000 DATUM)

Charts affected - 1728 - 3892 - 3990

II

333(P)/26 CHINA - East Coast - Overhead cable. Safe vertical clearance.

Source: mv Stena Superior

1. It has been reported that the vertical clearance of the overhead power cable, in position 29° 43'·82N., 122° 13'·52E. , has been reduced to 70m.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when full details are available.
4. *Former Notice 3465(P)/24 is cancelled.
*Indicates new or revised entry
(CGCS 2000 DATUM)

Chart affected - 1126

II

393(P)/26 CHINA - South Coast - Depth. Obstructions. Wrecks.

Source: Hong Kong Chart 2502

1. New wrecks and obstructions exist in the following positions:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Obstruction	17·5m	22° 09'·88N., 114° 08'·10E.
Obstruction	19·4m	22° 09'·76N., 114° 08'·13E.
Wreck	27m	22° 12'·80N., 114° 21'·38E.
Wreck	26·5m	22° 14'·53N., 114° 20'·64E.

2. Depths less than charted exist within the Po Toi Islands. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
22·5m	22° 09'·75N., 114° 16'·57E.

3. Mariners are advised to navigate with caution in the area.
4. These changes will be included in a New Edition of Chart 4127 to be published early 2026.
5. Charts 937, 341, 3026 and 4129 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 4127

II

397(T)/26 CHINA - South Coast - Works. Dredging area.

Source: 46/1447(T)-1449(T)/25

1. Dredging works are taking place within an area bounded by the following positions:

21° 31'·99N., 108° 21'·08E.

21° 31'·99N., 108° 21'·52E.

21° 19'·22N., 108° 21'·47E.

21° 19'·22N., 108° 21'·06E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 3938 - 3992

II

405(T)/26 CHINA - South Coast - Submarine cable. Works.

Source: Hong Kong Notice 23/63(T)/25

1. Submarine cable laying works are taking place between the following positions:

22° 17'·115N., 114° 16'·101E.

22° 17'·109N., 114° 15'·790E.

22° 16'·341N., 114° 15'·081E.

22° 16'·083N., 114° 15'·460E.

22° 15'·545N., 114° 15'·669E.

22° 14'·05N., 114° 15'·76E.

22° 12'·99N., 114° 16'·73E.

22° 12'·11N., 114° 17'·16E.

22° 11'·57N., 114° 17'·54E.

22° 11'·01N., 114° 23'·81E.

22° 11'·30N., 114° 25'·66E.

22° 11'·25N., 114° 29'·49E.

22° 10'·70N., 114° 30'·15E.

2. Mariners are advised to navigate with caution in the area and maintain a safe distance from any vessels involved in the works.

(WGS84 DATUM)

Charts affected - 937 (INT 5508) - 4117 - 4126 - 4127

II

422(P)/26 THAILAND - Gulf of Thailand Coast - Restricted area.

Source: Chevron

1. The restricted area has been amended and is now bounded by the following positions:

10° 50'·0N., 101° 07'·0E.

8° 22'·0N., 101° 07'·0E.

8° 22'·0N., 101° 47'·0E.

9° 10'·0N., 101° 47'·0E.

9° 10'·0N., 101° 35'·0E.

10° 50'·0N., 101° 35'·0E.

2. Numerous changes to charted detail have taken place within the restricted area.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Charts 67, 2414 and 2426 will be updated by Notice to Mariners.
5. These changes will be included in New Editions of Charts 66 and 3963 to be published early 2026.
(WGS84 DATUM)

Charts affected - 66 - 3963

II

387(T)/26 KOREA - West Coast - Buoyage. Automatic Identification Systems.

Source: Korean Notice 46/709(T)/25

1. Yellow light-floats, with Automatic Identification System, *AIS*, have been established in the following positions:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
<i>Fl(5)Y.20s</i>	<i>No A</i>	34° 53'·24N., 125° 47'·79E.
<i>Fl(5)Y.20s</i>	<i>No C</i>	34° 53'·05N., 125° 47'·73E.

2. A yellow special buoy, with Automatic Identification System, *AIS*, has been deployed, in the following position:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl(5)Y.20s</i>	<i>No E</i>	Pillar buoy	34° 53'·16N., 125° 47'·20E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 913 (INT 5254) - 3365 (INT 5252) - 3928

II

377(P)/26 MALAYSIA - Sarawak - Submarine pipeline. Spoil grounds.

Source: Marine Department, Sarawak Notices 31/25 and 173(T)/25

1. Pipeline laying operations are taking place, joining the following positions:

3° 35'·06N., 113° 20'·18E.
3° 35'·69N., 113° 19'·44E.
3° 38'·82N., 113° 16'·19E.
3° 38'·13N., 113° 11'·42E.
3° 30'·90N., 113° 04'·41E.
3° 30'·33N., 113° 04'·05E.
3° 27'·00N., 113° 02'·82E.
3° 19'·96N., 113° 04'·77E.
3° 18'·12N., 113° 05'·96E.

2. *Dumping grounds for dredged materials have been established in the areas bounded by the following positions:

*3° 14'·50N., 112° 53'·50E.
*3° 14'·50N., 112° 55'·00E.
*3° 15'·80N., 112° 55'·00E.
*3° 15'·80N., 112° 53'·50E.

3. *and

*3° 43'·12N., 113° 11'·35E.
*3° 42'·09N., 113° 12'·14E.
*3° 43'·01N., 113° 13'·33E.
*3° 44'·04N., 113° 12'·54E.

4. Mariners are advised to keep 5 nautical miles away from the above location.

5. Charts will be updated when works are complete.

6. *Former Notice 2191(P)/25 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 1336 - 1748 - 2100 - 3483 (INT 551) - 3837 (INT 5709)

II

421(T)/26 NORTH PACIFIC OCEAN - General information.

Source: Japanese Notice 1/5004(T)/26

1. A rocket launch is due to take place from the Tanegashima Space Center between 1 February 2026 to 31 March 2026.
2. A sea warning area will be established, bounded by the coastline and the following positions:

30° 25'·67N., 130° 58'·35E.
30° 26'·80N., 130° 59'·88E.
30° 27'·02N., 131° 00'·00E.
30° 27'·02N., 131° 28'·80E.
30° 16'·20N., 131° 28'·80E.
30° 16'·20N., 130° 57'·82E.
30° 21'·95N., 130° 57'·82E.
30° 22'·33N., 130° 57'·68E.

3. Between 1 February 2026 and 31 March 2026, rocket debris is predicted to fall within areas bounded by the following positions:

30° 03'·0N., 132° 23'·0E.
30° 30'·0N., 132° 27'·0E.
30° 20'·0N., 133° 39'·0E.
30° 03'·3N., 133° 37'·1E.
29° 54'·5N., 133° 24'·7E.

4. and

29° 04'·5N., 139° 46'·6E.
29° 12'·0N., 139° 37'·8E.
29° 56'·6N., 139° 44'·2E.
30° 04'·7N., 140° 15'·6E.
29° 32'·0N., 144° 01'·0E.
28° 41'·4N., 143° 53'·9E.
28° 32'·3N., 143° 23'·0E.

5. and

24° 47'·0N., 161° 09'·0E.
26° 43'·0N., 161° 51'·0E.
24° 21'·0N., 168° 26'·0E.
22° 25'·0N., 167° 44'·0E.

6. Mariners are advised to navigate with caution within these areas.
(WGS84 DATUM)

Charts affected - 2347 - 2412 - 3237 - 3551 - 4052 (INT 52) - 4053 (INT 53) - 4509 (INT 509) - 4510 (INT 510) - 4521 - JP 1221

II

314(P)/26 BRAZIL - East Coast - Alongside depth.

Source: Brazilian Local Navigational Warning E 9216/25

1. An alongside depth of 5·9m exists in position 8° 03'·47S., 34° 52'·13W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 969

II

320(P)/26 BRAZIL - South Coast - Depths.

Source: Brazilian Notice 20/S 176(P)/25

1. Shoaling has been reported in the vicinity of the lines joining the following positions:

<i>Depth</i>	<i>Position</i>
8·8m	23° 00'·71S., 43° 58'·50W. 23° 00'·34S., 43° 58'·50W.
10m	22° 58'·04S., 43° 57'·55W. 22° 57'·71S., 43° 57'·86W.
7·2m	22° 57'·27S., 43° 50'·18W. 22° 57'·68S., 43° 50'·85W.

2. Depths less than charted exist within the approaches to Porto de Sepetiba. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
8·2m	23° 00'·68S., 43° 59'·28W.
12·6m	22° 59'·10S., 43° 56'·88W.
7·9m	22° 57'·49S., 43° 56'·31W.
13·1m	22° 59'·37S., 43° 56'·72W.
10·3m	23° 00'·70S., 43° 59'·42W.
11·2m	23° 00'·62S., 43° 59'·19W.
12·5m	23° 00'·45S., 43° 59'·35W.
10·8m	23° 00'·65S., 43° 59'·00W.
10·7m	23° 00'·49S., 43° 58'·92W.
11·5m	22° 59'·41S., 43° 58'·47W.
13·8m	22° 59'·23S., 43° 58'·10W.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

4. *Former Notice 4228(P)/24 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 431 - 432

II

406(P)/26 COLOMBIA - Caribbean Sea Coast - Restricted area.

Source: Colombian Notice 447/25

1. A restricted area has been established, bounded by the following positions:

10° 17'·97N., 75° 31'·28W.
10° 17'·88N., 75° 31'·22W.
10° 17'·83N., 75° 31'·33W.
10° 17'·92N., 75° 31'·37W.
2. No vessels of any kind are authorised to transit within 100m of the restricted area due to the risk of collapse of a 22m high structure.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2434

II

394(P)/26 UNITED STATES OF AMERICA - East Coast - Buoyage. Lights. Works.

Source: ENC US5NYCEG and US Coast Guard District 1 LL 34/24

1. Hudson River tunnel construction is taking place between Pier 66 and Weehawken Cove.
2. A cofferdam is being established within an area bounded by the following positions:

40° 45'·321N., 74° 00'·888W.
40° 45'·297N., 74° 00'·533W.
40° 45'·211N., 74° 00'·544W.
40° 45'·236N., 74° 00'·894W.
3. The corners of the cofferdam will be marked by lights, Fl.4s
4. Additional lights will be added every 30ft of the structure.
5. Special purpose light-buoys, *Fl.4s*, marking the construction have been established in the following approximate positions:

<i>Designation</i>	<i>Position</i>
*A	40° 45'·400N., 74° 00'·681W.
*B	40° 45'·392N., 74° 00'·563W.
*C	40° 45'·133N., 74° 00'·774W.
*D	40° 45'·127N., 74° 00'·653W.

6. VHF Channel 13/16/67 will be monitored while onsite.
7. Mariners are advised to navigate with caution in the area and consult the local port authorities for full details.
8. *Former Notice 4918(P)/24 is cancelled.
*Indicates new or revised entry
(NAD83 DATUM)

Chart affected - 3454