



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 05

29 January 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts
1392	JP 151	INT 1303
1983	JP 153	INT 1368
1990	JP 179	INT 1370
1992	JP 187	INT 1478
2106	JP 198	INT 1801
2227	JP 213	INT 1804
2521	JP 221	INT 2881
2596	JP 226	
2597	JP 1030	
2664	JP 1032	
AUS 55	JP 1034	
BE 106	JP 1051	
JP 10	JP 1097	
JP 11	JP 1098	
JP 28	JP 1101	
JP 53	JP 1102	
JP 54	JP 1108	
JP 70	JP 1163	
JP 77	JP 1169	
JP 80	JP 1172	
JP 87	JP 1180	
JP 90	JP 1195	
JP 93	JP 1206	
JP 106	JP 1220	
JP 108	JP 1221	
JP 120	JP 1222	
JP 139	JP 1228	
JP 145		
JP 149		

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 29 January 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1983	Mediterranean Sea, Tyrrhenian Sea, Capo Carbonara to Capo San Vinto. On publication of this New Edition former Notice 5521(P)/25 is cancelled. This chart remains affected by Notices 1550(T)/24 and 5790(P)/25.	1:300,000	24	42, 44
⊙1990	Mediterranean Sea, Oristano to Arbatax including Golfo di Cagliari. On publication of this New Edition former Notice 5521(P)/25 is cancelled. This chart remains affected by Notice 1550(T)/24.	1:300,000	25	42
⊙1992	Mediterranean Sea, Porto Vecchio to Arbatax including Bonifacio Strait. On publication of this New Edition former Notice 5521(P)/25 is cancelled. This chart is to be deleted from the list of charts affected by Notice 120(P)/26. This chart remains affected by Notice 5790(P)/25.	1:300,000	25	42
⊙2596 INT 1370	International Chart Series, Denmark, Entrance to the Baltic, Storebælt, Northern Part. On publication of this New Edition former Notice 4683(P)/25 is cancelled. This chart remains affected by Notice 5107(T)/25.	1:75,000	10	34
⊙2597 INT 1368	International Chart Series, Denmark - Entrance to the Baltic, Storebælt, Southern Part. This chart remains affected by Notices 1800(T)/25 and 2381(T)/25.	1:75,000	10	34
⊙BE106 INT 1478	International Chart Series, Westerschelde – Zeeschelde, From Baalhoek to Wintam. Ⓐ Baalhoek to Antwerpen. Ⓑ Antwerpen to Hoboken. Ⓒ Hoboken to Wintam.	1:30,000 1:15,000 1:10,000	9	24
This chart remains affected by Notices 1312(T)/25 and 3098(T)/25.				

Publication dates of these charts reflect the dates shown on the Australian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙AUS55	12/12/2025	Australia - North West Coast, Western Australia, Approaches to Port Walcott. On publication of this New Edition former Notices 265(P)/26 is cancelled. This chart remains affected by Notice 142(P)/25.	1:50,000	63	92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 12 FEBRUARY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
2106 INT 1303	International Chart Series, Entrances to the Baltic Sea, Storebælt and Lillebælt to Fehmarn Belt.	1:200,000	⊙2106 INT 1303	10	34
2227	Gulf of Finland, Estonia, Tallinn and Approaches. Vanasadam.	1:27,500 1:7,500	⊙2227	11	36
2521 INT 1801	International Chart Series, France - West Coast, Chaussée de Sein to Belle-Île.	1:150,000	⊙2521 INT 1801	17	20
2664 INT 1804	International Chart Series, France - West Coast, Pointe de la Coubre to Ponte D'Arcachon.	1:168,500	⊙2664 INT 1804	17	40

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
1983	Mediterranean Sea, Tyrrhenian Sea, Capo Carbonara to Capo San Vinto.	⊙1983
1990	Mediterranean Sea, Oristano to Arbatax including Golfo di Cagliari.	⊙1990
1992	Mediterranean Sea, Porto Vecchio to Arbatax including Bonifacio Strait.	⊙1992
2596 INT 1370	International Chart Series, Denmark, Entrance to the Baltic, Strebælt, Northern Part.	⊙2596 INT 1370
2597 INT 1368	International Chart Series, Denmark - Entrance to the Baltic, Storebælt Southern Part.	⊙2597 INT 1368
AUS55	Australia - North West Coast, Western Australia, Approaches to Port Walcott.	⊙AUS55
BE106 INT 1478	International Chart Series, Westerschelde – Zeeschelde, From Baalhoek to Wintam.	⊙BE106 INT 1478

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts:

<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>	<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>
JP10	30 July 2026	JP93	30 July 2026
JP11	30 July 2026	JP106	30 July 2026
JP28	30 July 2026	JP108	30 July 2026
JP53	30 July 2026	JP120	30 July 2026
JP54	30 July 2026	JP139	30 July 2026
JP70	30 July 2026	JP145	30 July 2026
JP77	30 July 2026	JP149	30 July 2026
JP80	30 July 2026	JP151	30 July 2026
JP87	30 July 2026	JP153	30 July 2026
JP90	30 July 2026	JP179	30 July 2026

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts (continued):

<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>	<i>Chart to be WITHDRAWN</i>	<i>Date of withdrawal</i>
JP187	30 July 2026	JP1102	30 July 2026
JP198	30 July 2026	JP1108	30 July 2026
JP213	30 July 2026	JP1163	30 July 2026
JP221	30 July 2026	JP1169	30 July 2026
JP226	30 July 2026	JP1172	30 July 2026
JP1030	30 July 2026	JP1180	30 July 2026
JP1032	30 July 2026	JP1195	30 July 2026
JP1034	30 July 2026	JP1206	30 July 2026
JP1051	30 July 2026	JP1220	30 July 2026
JP1097	30 July 2026	JP1221	30 July 2026
JP1098	30 July 2026	JP1222	30 July 2026
JP1101	30 July 2026	JP1228	30 July 2026

ADMIRALTY CHARTS INDEPENDENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙1392 INT 2881	Africa - West Coast, Ports and Anchorages in Togo and Benin. On withdrawal of this chart former Notice 130(P)/26 is cancelled. This chart is to be deleted from the list of charts affected by Notices 1795(P)/25 and 4198(T)/25.	29 January 2026

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
67	515	1834	509T
110	454T	1853	483, 502
121	494	1934	453
122	454T	1994	451
124	454T	2001	503
127	464P	2014	455, 484T
130	454T	2015	455
156	450P	2018	455, 484T
207	460	2046	525
235	437	2054	529
266	454T	2056	438
306	456	2161	504
311	456	2182C	501
323	526	2189	476P
324	487	2211	467
340	498	2225	463
517	477	2231	531
527	477	2259	472
540	481	2401	495
545	481	2409	486
572	477	2414	515
709	518T	2426	530
811	478P	2449	526
820	478P	2456	447
843	500, 511T	2464	465
903	473	2465	465
909	438	2482	509T
967	448	2515	443T
1007	464P	2523	507
1029	520	2530	520
1049	520	2595	473
1065	464P, 490	2618	466
1066	458	2687	477
1081	508P	2710	512
1104	527	2734	474
1130	469	2755	447
1144	516	2797	458
1176	510T	2844	446
1187	445	2860	447
1190	494	2861	512
1191	445	2883	507
1249	489	2886	507
1255	485T	2890	447
1256	485T, 489	3184	496
1258	464P	3224	452
1270	464P	3231	491
1303	516	3235	492
1305	469	3282	475T
1387	497	3284	475T
1405	501	3291	456
1406	526	3320	505
1426	513	3365	464P
1513	459	3391	464P, 524
1534	523	3457	479
1543	441, 517	3471	449
1598	459	3476	439, 440P
1607	526	3497	488
1610	526	3548	442
1627	450P	3561	442, 514P
1628	471	3642	464P
1630	454T	3666	464P
1632	454T	3730	458
1633	454T	3731	457
1644	528	3772	507
1657	459	3778	482P
1716	495	3780	482P
1749	468	3796	482P
1751	468	3819	467
1828	526	3820	506

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	International Chart No.	Notices
3825	444T	INT 404	487
3929	464P	INT 405	487
3950	507	INT 600	493
4404	487	INT 601	493
4405	487	INT 702	518T
4413	462	INT 703	518T
4414	462	INT 706	518T
4600	493	INT 707	518T
4601	493	INT 714	518T
4702	518T	INT 752	518T
4703	518T	INT 755	518T
4706	518T	INT 756	518T
4707	518T	INT 1041	501
4714	518T	INT 1045	454T, 480
4923	470	INT 1112	474
4961	499	INT 1153	472
4966	519	INT 1189	444T
5605_1	526	INT 1201	455
5605_11	526	INT 1202	455, 484T
5606_1	526	INT 1203	529
5606_11	509T	INT 1219	455, 484T
5606_4	526	INT 1230	500, 511T
5607_1	526	INT 1238	478P
5608_18	510T	INT 1239	478P
5610_3	451	INT 1251	467
5614_1	517	INT 1252	506
5614_19	488	INT 1277	531
5614_2	441	INT 1332	473
5614_21	494	INT 1333	473
5614_4	523	INT 1400	501
5615_20	450P	INT 1413	480
5615_21	453	INT 1416	454T
5615_6	450P	INT 1417	454T
5615_7	450P	INT 1420	454T
5621_15	525	INT 1423	454T
5622_4	525	INT 1452	461
		INT 1461	454T, 480
		INT 1465	460
		INT 1471	454T
		INT 1472	454T
		INT 1473	454T
		INT 1474	454T
		INT 1507	445
		INT 1508	494
		INT 1511	526
		INT 1550	453
		INT 1551	450P
		INT 1554	488
		INT 1558	523
		INT 1562	526
		INT 1563	526
		INT 1564	526
		INT 1573	509T
		INT 1636	451
		INT 1654	510T
		INT 1761	446
		INT 1882	452
		INT 2089	456
		INT 2810	497
		INT 2814	456
		INT 5251	464P
		INT 5252	464P
		INT 5360	464P, 524
		INT 5363	464P
		INT 5364	464P
		INT 6881	465
		INT 6882	465
		INT 7243	507
		INT 7244	507
Belgian Chart No.	Notices		
BE 101	454T		
German Chart No.	Notices		
DE 44	461		
DE 50	454T, 480		
DE 87	480		
DE 90	454T, 480		
Indian Chart No.	Notices		
IN 22	518T		
IN 31	518T		
IN 33	518T		
Japanese Chart No.	Notices		
JP 139	521		
JP 145	522		
JP 1172	521		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 7249 INT 7250 INT 7260 INT 12511	507 507 507 467		

II

441* ENGLAND - East Coast - Depths.

Source: British Government Survey

Note: Former Notice 4704(P)/25 is cancelled.

Chart 1543 [*previous update 367/26*] ETRS89 DATUM

Replace depth, 71, with depth, 15, and extend 2m contour E to enclose 52° 27'·72N., 1° 47'·80E.

Chart 5614_2 [*previous update 367/26*] ETRS89 DATUM

Replace depth, 71, with depth, 15, and extend 2m contour E to enclose 52° 27'·72N., 1° 47'·80E.

II

451* SCOTLAND - West Coast - Obstruction. Wreck. Depth.

Source: Peel Ports Clydeport

Chart 1994 (INT 1636) [*previous update 363/26*] ETRS89 DATUM

Insert	 <i>Obstn</i>	55° 57'·500N., 4° 45'·897W.
Replace	 <i>Wk</i> with  <i>Wk</i>	55° 57'·591N., 4° 45'·826W.
	depth, <i>133</i> , with depth, <i>121</i>	55° 57'·595N., 4° 45'·481W.

Chart 5610_3 (Panel A, Carttsyke to Helensburgh) [*previous update 363/26*] ETRS89 DATUM

Insert	 <i>Obstn</i>	55° 57'·500N., 4° 45'·897W.
Replace	 <i>Wk</i> with  <i>Wk</i>	55° 57'·591N., 4° 45'·826W.
	depth, <i>133</i> , with depth, <i>121</i>	55° 57'·595N., 4° 45'·481W.

II

453* ENGLAND - East Coast - Light.

Source: Port of Tyne

Chart 1934 (INT 1550) (Panel A, Willington Quay to Saint Anthony's Point) [*previous update New Edition 28/08/2025*
] ETRS89 DATUM

Insert



54° 59'·175N., 1° 30'·575W.

Chart 5615_21 (Panel B, Willington Quay to Wincomblee) [*previous update New Edition 06/11/2025*] ETRS89 DATUM

Insert



54° 59'·175N., 1° 30'·575W.

II

488* ENGLAND - East Coast - Drying heights. Depths.

Source: ABP Humber

Chart 3497 (INT 1554) [*previous update 271/26*] ETRS89 DATUM

Insert	drying height, <i>I</i> , and extend 0m low water line S to enclose	(a)	53° 42'·62N., 0° 25'·49W.
Delete	drying height, <i>02</i> , close NW of:	(a)	above
Insert	depth, <i>2</i> , enclosed by 2m contour	(b)	53° 42'·46N., 0° 25'·09W.
Delete	depth, <i>24</i> , close NE of:	(b)	above
	depth, <i>25</i> , close NW of:	(b)	above
Insert	depth, <i>22</i>	(c)	53° 42'·37N., 0° 24'·70W.
Delete	depth, <i>28</i> , close W of:	(c)	above
Insert	drying height, <i>I9</i> , enclosed by 0m low water line	(d)	53° 42'·64N., 0° 24'·80W.
Delete	depth, <i>I</i> , close NE of:	(d)	above
Insert	drying height, <i>22</i> , enclosed by 0m low water line	(e)	53° 42'·66N., 0° 24'·51W.
Delete	depth, <i>09</i> , close SW of:	(e)	above
Insert	drying height, <i>I7</i> , and extend approximate 0m low water line SW to enclose	(f)	53° 42'·65N., 0° 24'·23W.
Delete	depth, <i>I1</i> , close NW of:	(f)	above
Insert	depth, <i>I1</i>	(g)	53° 42'·64N., 0° 23'·21W.
Delete	depth, <i>I9</i> , close SE of:	(g)	above
Insert	drying height, <i>I6</i>	(h)	53° 43'·08N., 0° 22'·79W.
Delete	drying height, <i>01</i> , close SW of:	(h)	above
Insert	drying height, <i>I6</i> , enclosed by 0m low water line	(i)	53° 43'·00N., 0° 22'·75W.
Delete	depth, <i>03</i> , close SE of:	(i)	above
Insert	drying height, <i>I7</i> , and extend the 0m low water line N to enclose	(j)	53° 43'·04N., 0° 22'·55W.
Delete	drying height, <i>06</i> , close S of:	(j)	above
Insert	drying height, <i>01</i> , enclosed by 0m low water line		53° 43'·19N., 0° 22'·40W.
	drying height, <i>07</i>	(k)	53° 42'·96N., 0° 22'·14W.
Delete	drying height, <i>04</i> , close NE of:	(k)	above

II

488* ENGLAND - East Coast - Drying heights. Depths. (continued)

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 138/26*] ETRS89 DATUM

Insert	drying height, <i>1</i> , and extend 0m low water line S to enclose	(a)	53° 42'·62N., 0° 25'·49W.
Delete	drying height, <i>02</i> , close NW of:	(a)	above
Insert	depth, <i>2</i> , enclosed by 2m contour	(b)	53° 42'·46N., 0° 25'·09W.
Delete	depth, <i>24</i> , close NE of:	(b)	above
	depth, <i>25</i> , close NW of:	(b)	above
Insert	depth, <i>22</i>	(c)	53° 42'·37N., 0° 24'·70W.
Delete	depth, <i>28</i> , close W of:	(c)	above
Insert	drying height, <i>19</i> , enclosed by 0m low water line	(d)	53° 42'·64N., 0° 24'·80W.
Delete	depth, <i>1</i> , close NE of:	(d)	above
Insert	drying height, <i>22</i> , enclosed by 0m low water line	(e)	53° 42'·66N., 0° 24'·51W.
Delete	depth, <i>09</i> , close SW of:	(e)	above
Insert	drying height, <i>17</i> , and extend approximate 0m low water line SW to enclose	(f)	53° 42'·65N., 0° 24'·23W.
Delete	depth, <i>11</i> , close NW of:	(f)	above
Insert	depth, <i>11</i>	(g)	53° 42'·64N., 0° 23'·21W.
Delete	depth, <i>19</i> , close SE of:	(g)	above
Insert	drying height, <i>16</i>	(h)	53° 43'·08N., 0° 22'·79W.
Delete	drying height, <i>01</i> , close SW of:	(h)	above
Insert	drying height, <i>16</i> , enclosed by 0m low water line	(i)	53° 43'·00N., 0° 22'·75W.
Delete	depth, <i>03</i> , close SE of:	(i)	above
Insert	drying height, <i>17</i> , and extend the 0m low water line N to enclose	(j)	53° 43'·04N., 0° 22'·55W.
Delete	drying height, <i>06</i> , close S of:	(j)	above
Insert	drying height, <i>01</i> , enclosed by 0m low water line		53° 43'·19N., 0° 22'·40W.
	drying height, <i>07</i>	(k)	53° 42'·96N., 0° 22'·14W.
Delete	drying height, <i>04</i> , close NE of:	(k)	above

II

494* ENGLAND - East Coast - Restricted area.

Source: Health and Safety Executive

Chart 121 [*previous update 2674/25*] ETRS89 DATUM

Insert circular limit of restricted area, radius 500m, TTTT, centred
on: 53° 56'·08N., 0° 31'·36E.

Chart 1190 (INT 1508) [*previous update 4091/25*] ETRS89 DATUM

Insert circular limit of restricted area, radius 500m (0.27M), $\pi\pi\pi\pi$,
centred on: $53^{\circ} 56' \cdot 08\text{N.}, 0^{\circ} 31' \cdot 36\text{E.}$

Chart 5614_21 [*previous update 2674/25*] ETRS89 DATUM

Insert circular limit of restricted area, radius 500m (0.27M), $\pi\pi\pi\pi$,
centred on: $53^{\circ} 56' \cdot 08\text{N.}, 0^{\circ} 31' \cdot 36\text{E.}$

II

517* ENGLAND - East Coast - Buoyage.

Source: Sizewell C Harbour Authority

Chart 1543 [*previous update 441/26*] ETRS89 DATUM

Insert



52° 13'·47N., 1° 38'·21E.

52° 12'·93N., 1° 38'·23E.

Chart 5614_1 (Panel A, Orford Ness to Benacre Ness) [*previous update New Edition 30/10/2025*] ETRS89 DATUM

Insert



52° 13'·47N., 1° 38'·21E.

52° 12'·93N., 1° 38'·23E.

II

523* ENGLAND - East Coast - NM Blocks.

Source: Greyfriars Project Management Ltd

Note: Former Notice 4979(P)/23 is cancelled.

Chart 1534 (INT 1558) (Plan A, Great Yarmouth Outer Harbour) [*previous update 432/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 52° 34'·4N., 1° 44'·0E.

Chart 5614_4 (Plan B, Great Yarmouth Outer Harbour) [*previous update 432/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 52° 34'·4N., 1° 44'·0E.

II

525* IRELAND - South Coast - NM Blocks. Notes.

Source: Port of Waterford

Chart 2046 (Panel A, Waterford) [*previous update 3817/25*] ETRS89 DATUM

Insert	the accompanying block A, centred on:	52° 15′·8N., 7° 06′·7W.
Delete	note, BRIDGE UNDER CONSTRUCTION, centred on:	52° 15′·328N., 7° 06′·642W.

Chart 2046 [*previous update 3817/25*] ETRS89 DATUM

Insert	the accompanying block B, centred on:	52° 15′·9N., 7° 06′·6W.
--------	---------------------------------------	-------------------------

Chart 5621_15 (Panel C, Waterford) [*previous update 363/25*] ETRS89 DATUM

Insert	the accompanying block, centred on:	52° 15′·7N., 7° 06′·7W.
--------	-------------------------------------	-------------------------

Chart 5622_4 (Panel C, Continuation of Queens Channel to Waterford) [*previous update 547/24*] ETRS89 DATUM

Insert	the accompanying block, centred on:	52° 15′·9N., 7° 06′·6W.
Delete	note, BRIDGE UNDER CONSTRUCTION, centred on:	52° 14′·50N., 7° 05′·70W.

II

526* DOVER STRAIT - Submarine cable.

Source: Pelagian

Note: Charts 323, 1406, 1610, 1828, 2449, 5605_1, 5605_11, 5606_1, 5606_4, 5607_1 are to be deleted from the list of charts affected by Notice 1339(P)/25.

Chart 323 (INT 1564) [previous update 5647/25] ETRS89 DATUM

Insert	submarine cable,  , joining:	51° 22'·75N., 1° 26'·85E. 51° 23'·48N., 1° 29'·50E. 51° 23'·44N., 1° 30'·38E. 51° 23'·13N., 1° 31'·44E. 51° 23'·12N., 1° 32'·68E. 51° 23'·54N., 1° 33'·43E. 51° 23'·72N., 1° 39'·39E. 51° 22'·59N., 1° 43'·77E. 51° 22'·49N., 2° 13'·34E. 51° 21'·46N., 2° 15'·35E. 51° 21'·49N., 2° 20'·32E. 51° 22'·47N., 2° 26'·90E.
--------	---	---

Chart 1406 [previous update 5669/25] WGS84 DATUM

Insert	submarine cable,  , joining:	51° 22'·61N., 1° 43'·89E. 51° 22'·56N., 2° 06'·61E. 51° 22'·38N., 2° 13'·30E. 51° 21'·58N., 2° 15'·21E. 51° 21'·26N., 2° 18'·84E. 51° 22'·38N., 2° 26'·49E. 51° 22'·29N., 2° 29'·57E.
--------	---	--

Chart 1607 (INT 1562) [previous update 5647/25] ETRS89 DATUM

Delete	legend, <i>Under construction</i> , centred on:	51° 23'·19N., 1° 32'·35E.
--------	---	---------------------------

Chart 1610 (INT 1511) [previous update 5483/25] ETRS89 DATUM

Insert	submarine cable,  , joining:	51° 23'·54N., 1° 35'·79E. 51° 23'·76N., 1° 39'·05E. 51° 23'·60N., 1° 39'·98E. 51° 23'·25N., 1° 40'·68E. 51° 22'·64N., 1° 43'·75E. 51° 22'·47N., 2° 12'·51E. 51° 22'·17N., 2° 14'·20E. 51° 21'·58N., 2° 15'·21E. 51° 21'·36N., 2° 18'·16E. 51° 21'·58N., 2° 21'·84E.
--------	---	---

Chart 1828 (INT 1563) [previous update 361/26] ETRS89 DATUM

Delete	legend, <i>Planned</i> , centred on:	51° 23'·29N., 1° 30'·90E. 51° 23'·65N., 1° 37'·24E.
--------	--------------------------------------	---

II

526* DOVER STRAIT - Submarine cable. (continued)

Chart 2449 [*previous update 5669/25*] WGS84 DATUM

submarine cable, , joining:

51° 23'·55N., 1° 35'·80E.
 51° 23'·75N., 1° 39'·56E.
 51° 23'·29N., 1° 40'·53E.
 51° 22'·64N., 1° 43'·75E.
 51° 22'·51N., 2° 08'·37E.
 51° 22'·45N., 2° 13'·38E.
 51° 21'·68N., 2° 14'·96E.
 51° 21'·36N., 2° 18'·16E.
 51° 21'·62N., 2° 22'·11E.
 51° 22'·43N., 2° 26'·63E.
 51° 22'·26N., 2° 29'·26E.

Chart 5605_1 (Panel B, Northern Approaches to Dover Strait) [*previous update 4459/25*] WGS84 DATUM

Insert submarine cable, , joining:

51° 22'·60N., 1° 43'·89E.
 51° 22'·50N., 2° 12'·01E.
 51° 22'·17N., 2° 14'·20E.
 51° 21'·58N., 2° 15'·21E.
 51° 21'·36N., 2° 18'·16E.
 51° 21'·58N., 2° 21'·83E.
 51° 22'·46N., 2° 26'·85E.
 51° 22'·14N., 2° 28'·86E.

Chart 5605_11 [*previous update 4554/25*] WGS84 DATUM

Insert submarine cable, , joining:

51° 13'·49N., 2° 53'·96E.
 51° 15'·04N., 2° 51'·24E.
 51° 17'·99N., 2° 47'·11E.
 51° 19'·08N., 2° 46'·37E.
 51° 19'·28N., 2° 46'·12E.
 51° 19'·58N., 2° 45'·87E.
 51° 19'·74N., 2° 45'·55E.
 51° 20'·11N., 2° 44'·96E.
 51° 20'·35N., 2° 44'·75E.
 51° 20'·54N., 2° 44'·68E.

Chart 5606_1 [*previous update 5669/25*] WGS84 DATUM

Insert submarine cable, , joining:

51° 22'·60N., 1° 43'·89E.
 51° 22'·51N., 2° 11'·40E.
 51° 22'·35N., 2° 13'·67E.
 51° 21'·58N., 2° 15'·21E.
 51° 21'·36N., 2° 18'·16E.
 51° 21'·58N., 2° 21'·83E.
 51° 22'·48N., 2° 27'·12E.
 51° 22'·12N., 2° 28'·85E.

II

526* DOVER STRAIT - Submarine cable. (continued)

Chart 5606_4 [*previous update 5647/25*] ETRS89 DATUM

Insert submarine cable, , joining:

51° 22'·75N., 1° 26'·85E.
51° 23'·46N., 1° 29'·43E.
51° 23'·44N., 1° 30'·38E.
51° 23'·33N., 1° 30'·73E.
51° 23'·12N., 1° 31'·51E.
51° 23'·12N., 1° 32'·72E.
51° 23'·49N., 1° 33'·28E.
51° 23'·60N., 1° 33'·72E.
51° 23'·55N., 1° 35'·70E.

Chart 5607_1 [*previous update 5669/25*] WGS84 DATUM

Insert submarine cable, , joining:

51° 22'·60N., 1° 43'·89E.
51° 22'·57N., 2° 12'·49E.
51° 22'·17N., 2° 14'·20E.
51° 21'·58N., 2° 15'·21E.
51° 21'·36N., 2° 18'·16E.
51° 21'·58N., 2° 21'·83E.
51° 22'·48N., 2° 27'·12E.
51° 22'·12N., 2° 28'·87E.

II

474 ICELAND - Obstruction. Virtual aid to navigation.

Source: Icelandic Notice 12/103/25

Chart 2734 (INT 1112) [*previous update 4228/25*] WGS84 DATUM

Delete



Subm buoy, and associated symbol, Virtual aid to navigation, *V-AIS*

64° 17'·95N., 21° 52'·88W.

II

446 SWEDEN - East Coast - Depths.

Source: Swedish Chart 711

Chart 2844 (INT 1761) [*previous update 4596/25*] WGS84 DATUM

Insert	depth, <i>145</i> , enclosed by 15m contour	57° 17'·57N., 16° 37'·55E.
	depth, <i>198</i> , enclosed by 20m contour	(a) 57° 17'·95N., 16° 38'·61E.
Delete	depth, <i>29</i> , close NW of:	(a) above
Insert	depth, <i>182</i> , enclosed by 20m contour	57° 17'·73N., 16° 39'·48E.
	depth, <i>122</i> , enclosed by 15m contour	57° 18'·20N., 16° 43'·54E.
	depth, <i>163</i> , enclosed by 20m contour	(b) 57° 18'·10N., 16° 43'·83E.
Delete	depth, <i>28</i> , close NE of:	(b) above

II

455 GERMANY - Baltic Coast - Buoy.

Source: German Notice 46/2400/25

Chart 2014 (INT 1219) [*previous update 349/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 44'·00N., 14° 14'·00E.

Chart 2015 (INT 1201) [*previous update 372/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 44'·00N., 14° 14'·00E.

Chart 2018 (INT 1202) [*previous update New Edition 27/11/2025*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 44'·00N., 14° 14'·00E.

II

463 ESTONIA - Depth.

Source: Estonian Notice 12/196/25

Chart 2225 (Panel, Muuga Sadam) [*previous update 428/26*] WGS84 DATUM

Insert depth, 122

59° 29'·702N., 24° 58'·027E.

II

467 FINLAND - South Coast - Buoy.

Source: Finnish Notice 35/274/25

Chart 2211 (INT 12511) [*previous update 3153/25*] WGS84 DATUM

Replace



60° 03'·20N., 24° 21'·45E.

Chart 3819 (INT 1251) [*previous update 3153/25*] WGS84 DATUM

Replace



60° 03'·20N., 24° 21'·45E.

II

472 FINLAND - South Coast - Swept area. Coastline.

Source: Finnish Notices 30/230/25 and 35/275/25

Chart 2259 (INT 1153) [*previous update 1286/24*] WGS84 DATUM

Insert	swept depth out of position, <u>12₃</u>	60° 31'·569N., 27° 09'·994E.
	coastline, single firm line, joining:	(a) 60° 31'·549N., 27° 10'·001E.
		(b) 60° 31'·552N., 27° 10'·024E.
		(c) 60° 31'·498N., 27° 10'·046E.
		(d) 60° 31'·492N., 27° 09'·987E.
Delete	charted detail, within:	(a)-(d) above
	former coastline, single firm line, joining:	(a) above
		60° 31'·498N., 27° 10'·023E.
		60° 31'·497N., 27° 10'·018E.
		60° 31'·496N., 27° 10'·018E.
		60° 31'·493N., 27° 09'·986E.
		(d) above

II

473 SWEDEN - West Coast - Depths.

Source: Swedish Chart 8141

Chart 903 (INT 1333) (Panel C, Øresundsbroen) [*previous update 433/26*] WGS84 DATUM

Replace	depth, 55, with depth, 51	55° 34'·821N., 12° 50'·358E.
---------	---------------------------	------------------------------

Chart 903 (INT 1333) [*previous update 433/26*] WGS84 DATUM

Insert	sounding out of position, 51	55° 34'·82N., 12° 50'·36E.
--------	------------------------------	----------------------------

Chart 2595 (INT 1332) [*previous update 433/26*] WGS84 DATUM

Replace	sounding out of position, 55, with sounding out of position, 51	55° 34'·82N., 12° 50'·36E.
---------	---	----------------------------

II

500 SWEDEN - East Coast - NM Block.

Source: Swedish Notice 1099/19812/25

Chart 843 (INT 1230) [*previous update 122/26*] WGS84 DATUM

Insert the accompanying block, centred on:

58° 39′·7N., 17° 07′·1E.

II

506 FINLAND - South Coast - Buoy.

Source: Finnish Notice 35/273/25

Chart 3820 (INT 1252) (Panel, Port of Inkoo) [*previous update 2144/25*] WGS84 DATUM

Replace  with  59° 59′.72N., 23° 59′.97E.

Chart 3820 (INT 1252) [*previous update 2144/25*] WGS84 DATUM

Replace  with  59° 59′.72N., 23° 59′.97E.

II

529 SWEDEN - East Coast - NM Blocks.

Source: Swedish Notice 1099/19820/25

Chart 2054 (INT 1203) (Panel B, Approaches to Klintehamn) [*previous update 182/26*] WGS84 DATUM

Insert the accompanying block A, centred on: 57° 22'·8N., 18° 10'·5E.

Chart 2054 (INT 1203) (Panel C, Klintehamn) [*previous update 182/26*] WGS84 DATUM

Insert the accompanying block B, centred on: 57° 23'·1N., 18° 10'·3E.

II

531 LITHUANIA - Buoyage. Restricted areas.

Source: Lithuanian Nav Warning 79/25 and ENC LT282001

Note: Former Notice 1939(T)/24 is cancelled.

Chart 2231 (INT 1277) [*previous update 2896/25*] WGS84 DATUM

Delete

 *Survey Gauge*

(a) 56° 01'·59N., 20° 13'·17E.

(b) 56° 01'·59N., 20° 17'·49E.

(c) 56° 01'·61N., 20° 21'·81E.

(d) 56° 01'·59N., 20° 26'·15E.

semi circular limit of safety zone,  and fishing prohibited

area, pecked line, centred on:

(a) above

(b) above

(c) above

(d) above

II

445* NORTH SEA - United Kingdom Sector - Buoyage.
Source: Orsted

Chart 1187 [*previous update 5417/25*] ETRS89 DATUM

Delete	 <i>Fl.Y.5s MOORING 1</i>	53° 53′·99N., 1° 32′·45E.
	 <i>Fl.Y.5s MOORING 2</i>	53° 57′·76N., 1° 32′·81E.
	 <i>Fl.Y.5s MOORING 3</i>	53° 57′·74N., 1° 50′·72E.

Chart 1191 (INT 1507) [*previous update 5606/25*] ETRS89 DATUM

Delete	 <i>Fl.Y.5s MOORING 2</i>	53° 57′·76N., 1° 32′·81E.
--------	--	---------------------------

II

460 NETHERLANDS - Buoyage.

Source: Netherlands Notice 02/06/26

Chart 207 (INT 1465) [*previous update 5691/25*] WGS84 DATUM

Replace

 *Fl(4)Y.15s YK-B* with  *Q.Y AL-A*

51° 58'·63N., 3° 59'·57E.

Delete

 *Fl.Y.5s AL-A*

51° 58'·76N., 3° 59'·50E.

II

461* GERMANY - North Sea Coast - Legend.

Source: NPorts Cuxhaven 14/25

Chart DE 44 (INT 1452) (Panel, Cuxhaven) [*previous update 346/26*] WGS84 DATUM

Delete legend, *Works in progress*, centred on: 53° 51' · 935N., 8° 42' · 420E.

II

480* NETHERLANDS - Automatic Identification System. Virtual aids to navigation.

Source: NL BaZ 51/328/25

Chart DE 50 (INT 1045) [*previous update 356/26*] WGS84 DATUM

Replace	symbol, Virtual aid to navigation, V-AIS, with Automatic Identification System, AIS, at N05-A platform	53° 41'·1N., 6° 21'·5E.
---------	--	-------------------------

Chart DE 87 (INT 1413) [*previous update 356/26*] WGS84 DATUM

Replace	symbol, Virtual aid to navigation, V-AIS, with Automatic Identification System, AIS, at N05-A platform	53° 41'·06N., 6° 21'·53E.
---------	--	---------------------------

Chart DE 90 (INT 1461) [*previous update 356/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at N05-A platform	53° 41'·06N., 6° 21'·53E.
--------	---	---------------------------

II

501 NORTH SEA - Norwegian Sector - Light.

Source: Norwegian Notice 14/78330/25

Chart 1405 (INT 1400) [*previous update 233/26*] WGS84 DATUM

Amend range of light to, 18M

59° 18′·4N., 4° 52′·3E.

Chart 2182C (INT 1041) [*previous update 376/26*] WGS84 DATUM

Amend range of light to, 18M

59° 18′·5N., 4° 52′·7E.

II

452 PORTUGAL - West Coast - NM Blocks. Depths.

Source: ENC PT528514

Chart 3224 (INT 1882) (Panel A, Sines) [*previous update 3126/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	37° 55′·2N., 8° 50′·7W.
Replace	depth, 16, with depth, 02	37° 57′·484N., 8° 53′·501W.
Replace	depth, 195, with depth, 187	37° 56′·172N., 8° 51′·523W.

Chart 3224 (INT 1882) [*previous update 3126/25*] WGS84 DATUM

Insert	the accompanying block B, centred on:	37° 55′·3N., 8° 50′·5W.
--------	---------------------------------------	-------------------------

II

527 SPAIN - North Coast - Submarine cable.

Source: Spanish Notice 10/72/25

Chart 1104 [*previous update 5718/25*] WGS84 DATUM

Insert submarine cable, , joining:

43° 28'·7N., 3° 52'·5W.

43° 29'·0N., 3° 51'·8W.

43° 31'·9N., 3° 53'·1W.

43° 34'·8N., 3° 51'·1W.

43° 37'·6N., 3° 50'·3W.

43° 38'·5N., 3° 50'·4W.

II

459 GREECE - Aegean Sea Coast - Depths. Submarine pipelines. Legends. Marine farms. Fouls.

Source: ENC GR5QQK01

Chart 1513 [*previous update 5535/25*] WGS84 DATUM

Replace depth, 245, with depth, 225 37° 56'·61N., 23° 23'·96E.

Delete # 37° 58'·48N., 23° 25'·53E.

Chart 1598 (Panel A, Póros Megáron) [*previous update 551/24*] WGS84 DATUM

Insert depth, 285, and extend 30m contour NW to enclose 37° 59'·745N., 23° 26'·932E.

depth, 29, enclosed by 30m contour (a) 37° 59'·770N., 23° 26'·771E.

Delete depth, 31, close NW of: (a) above

Insert submarine pipeline, -----, joining: (b) 37° 59'·052N., 23° 25'·286E.

(c) 37° 59'·359N., 23° 24'·976E.

and

(d) 37° 59'·049N., 23° 25'·272E.

(e) 37° 59'·347N., 23° 24'·971E.

legend, *Water*, along: (b)-(c) above

(d)-(e) above



37° 58'·390N., 23° 26'·310E.

37° 58'·358N., 23° 26'·383E.

depth, 48, enclosed by 50m contour (f) 37° 56'·885N., 23° 26'·544E.

(g) 37° 56'·216N., 23° 26'·443E.

Delete depth, 53, close NW of: (f) above

depth, 52, close NE of: (g) above

Insert depth, 45, enclosed by 50m contour (h) 37° 56'·775N., 23° 26'·723E.

Delete depth, 51, close SW of: (h) above

Insert depth, 44 (i) 37° 56'·330N., 23° 26'·720E.

Delete depth, 49, close NW of: (i) above

Replace depth, 245, with depth, 225 37° 56'·614N., 23° 23'·961E.

Delete # 37° 58'·485N., 23° 25'·529E.

37° 58'·287N., 23° 26'·812E.

Chart 1657 [*previous update 4122/25*] WGS84 DATUM

Insert depth, 225 (a) 37° 56'·61N., 23° 23'·96E.

Delete depth, 245, close NW of: (a) above

II

513 CROATIA - NM Block.

Source: Croatian Notice 8/1/25

Chart 1426 (Plan B, Rovinj) [*previous update 409/26*] WGS84 DATUM

Insert the accompanying block, centred on:

45° 05'·1N., 13° 38'·0E.

II

528 TÜRKIYE - South Coast - Jetties. Light.

Source: ENC TR53123C

Chart 1644 (Panel C, Marmaris) [*previous update 5626/25*] WGS84 DATUM

Insert	jetty, double firm line, width 12m, joining:	36° 50′·92N., 28° 16′·95E.
		(a) 36° 50′·84N., 28° 16′·94E.
Move	★Q.R,from:	(b) 36° 50′·88N., 28° 16′·95E.
	to:	(a) above
Delete	jetty, single firm line, joining:	36° 50′·92N., 28° 16′·94E.
		(b) above

II

456* ANGOLA - Single Point Moorings. Restricted areas.

Source: Cabinda Gulf Oil Company

Chart 306 (INT 2814) [*previous update 5729/25*] WGS84 DATUM

Delete symbol, floating single point mooring, *Mo(G)* and associated circular limit of restricted area, $\tau\tau\tau\tau$, centred on: 5° 27'·6S., 12° 01'·8E.

Chart 311 (INT 2089) [*previous update 4835/25*] WGS84 DATUM

Delete symbol, lighted, floating single point mooring 5° 27'·6S., 12° 01'·7E.

Chart 3291 [*previous update 150/26*] WGS84 DATUM

Delete symbol, floating single point mooring, *Mo(G)17s, Malongo 2 Oil Loading Terminal (see Note)* and associated circular limit of restricted area, $\tau\tau\tau\tau$, centred on: 5° 27'·57S., 12° 01'·83E.

II

497 CAMEROON - Note. NM Block.

Source: French Notice 28/170/25 & UKHO

Chart 1387 (INT 2810) [*previous update 3314/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	2° 50′·0N., 9° 50′·2E.
	the accompanying note, USE OF LARGER SCALE CHARTS, centred on:	4° 10′·6N., 9° 50′·5E.

II

507* QATAR - Submarine cables.

Source: QatarEnergy

Chart 2523 (INT 7250) [*previous update 33/26*] WGS84 DATUM

Insert submarine cable, , joining:

25° 57'·24N., 51° 30'·16E.
 26° 01'·14N., 51° 32'·60E.
 26° 05'·05N., 51° 33'·74E.
 26° 06'·96N., 51° 31'·83E.
 26° 12'·47N., 51° 33'·04E.
 26° 17'·15N., 51° 34'·92E.
 26° 20'·51N., 51° 37'·30E.
 26° 27'·54N., 51° 42'·79E.
 26° 36'·73N., 51° 51'·58E.
 26° 36'·70N., 51° 56'·30E.
 (a) 26° 37'·98N., 51° 57'·58E.
 26° 35'·61N., 52° 00'·06E.
 and
 26° 38'·22N., 51° 57'·11E.
 26° 38'·06N., 51° 57'·36E.
 (a) above

Chart 2883 (INT 7260) [*previous update 3903/25*] WGS84 DATUM

Insert submarine cable, , joining:

26° 34'·8N., 51° 49'·7E.
 26° 36'·7N., 51° 51'·6E.
 26° 36'·7N., 51° 56'·3E.
 (a) 26° 38'·0N., 51° 57'·6E.
 26° 35'·7N., 52° 00'·0E.
 and
 26° 38'·1N., 51° 57'·2E.
 (a) above

Chart 2886 (INT 7243) [*previous update 32/26*] WGS84 DATUM

Insert submarine cable, , joining:

25° 57'·3N., 51° 30'·2E.
 26° 01'·2N., 51° 32'·6E.
 26° 05'·1N., 51° 33'·7E.
 26° 07'·0N., 51° 31'·8E.
 26° 12'·5N., 51° 33'·0E.
 26° 17'·1N., 51° 34'·9E.
 26° 27'·5N., 51° 42'·8E.
 26° 36'·7N., 51° 51'·6E.
 26° 36'·7N., 51° 56'·3E.
 (a) 26° 38'·0N., 51° 57'·6E.
 26° 35'·7N., 52° 00'·0E.
 and
 26° 38'·1N., 51° 57'·2E.
 (a) above

II

507* QATAR - Submarine cables. (continued)

Chart 3772 (INT 7249) [*previous update 3875/25*] WGS84 DATUM

Insert submarine cable, , joining:

25° 58'·48N., 51° 31'·00E.
25° 58'·49N., 51° 31'·00E.
25° 59'·01N., 51° 31'·36E.
25° 59'·05N., 51° 31'·38E.
25° 59'·09N., 51° 31'·40E.
25° 59'·94N., 51° 31'·90E.
26° 00'·00N., 51° 31'·93E.

Chart 3950 (INT 7244) [*previous update 160/25*] WGS84 DATUM

Insert submarine cable, , joining:

25° 57'·25N., 51° 30'·17E.
25° 59'·09N., 51° 31'·40E.
26° 01'·14N., 51° 32'·60E.
26° 02'·00N., 51° 32'·88E.

II

439 INDONESIA - Sumatera - Light-beacon.

Source: Indonesian Notice 47/409/25

Chart 3476 (Panel D, Continuation to Palembang) [*previous update 328/26*] WGS84 DATUM

Insert



Fl.10s12m10M

2° 55'·85S., 104° 53'·92E.

II

449 INDONESIA - Sumatera - Lights. Buoy.

Source: ENC's ID400160 and ID500160

Chart 3471 [*previous update 752/25*] WGS84 DATUM

Delete

★ Oc.4s8M

2° 14'·85S., 104° 54'·55E.

★ Fl.2s7M

2° 14'·43S., 104° 54'·91E.

★ Fl.5s8M

2° 12'·96S., 104° 55'·72E.

2° 12'·42S., 104° 55'·77E.

 Fl.R.5s

2° 10'·87S., 104° 58'·43E.

II

466 TAIWAN - NM Block.

Source: UKHO

Chart 2618 (Panel A, Taichung) [*previous update 260/26*] WGS84 DATUM

Insert the accompanying block, centred on:

24° 18'·9N., 120° 30'·6E.

II

469 CHINA - East Coast - Ferry routes. Legends.

Source: Chinese Notice 35/1040/25

Chart 1130 [previous update 5687/25] CGCS 2000 DATUM

Insert	maritime limit, pecked line, joining:	29° 58'·65N., 122° 22'·48E. 29° 57'·90N., 122° 21'·83E. 29° 57'·34N., 122° 22'·04E. and 29° 58'·34N., 122° 22'·55E. 29° 57'·84N., 122° 22'·19E. 29° 57'·07N., 122° 22'·32E. 29° 58'·32N., 122° 22'·36E. 29° 57'·66N., 122° 22'·01E.
	legend, <i>Ferry Routes</i> , orientated SW/NE, centred on:	
	legend, <i>Ferry Routes</i> , orientated NW/SE, centred on:	

Chart 1305 [previous update 5416/25] CGCS 2000 DATUM

Insert	maritime limit, pecked line, joining:	(a) 29° 58'·65N., 122° 22'·49E. (b) 29° 58'·21N., 122° 22'·10E. and (c) 29° 58'·56N., 122° 22'·71E. (d) 29° 58'·20N., 122° 22'·45E. (a) - (d) above
	legend, <i>Ferry Routes</i> , within:	

II

486 TAIWAN - Maritime limit. Pilot boarding place.
Source: UKHO

Chart 2409 [*previous update 398/26*] WGS84 DATUM

Insert maritime limit, pecked line, joining:

- (a) 22° 57'·35N., 120° 07'·22E.
- (b) 22° 56'·49N., 120° 07'·78E.
- (c) 22° 55'·72N., 120° 06'·38E.
- (d) 22° 56'·58N., 120° 05'·82E.

①, within:

(a) - (d) above

II

489 CHINA - Bo Hai - Explosive dumping ground.

Source: Chinese Notice 52/1620/25

Chart 1249 [*previous update 4910/25*] CGCS 2000 DATUM

Insert symbol, explosives dumping ground, centred on:

39° 11'·6N., 120° 49'·6E.

Chart 1256 [*previous update 385/26*] WGS84 DATUM

Insert symbol, explosives dumping ground, centred on:

39° 11'·6N., 120° 49'·6E.


II

491 TAIWAN - Obstruction.

Source: UKHO

Chart 3231 [*previous update 194/26*] WGS84 DATUM

Insert



24° 26′·98N., 120° 36′·50E.

II

492 TAIWAN - Maritime limits. Pilot boarding place.

Source: UKHO

Chart 3235 (Panel A, Heping Port) [*previous update 162/26*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	24° 16′·18N., 121° 45′·20E. 24° 16′·22N., 121° 45′·21E. 24° 16′·22N., 121° 46′·30E. 24° 16′·17N., 121° 46′·29E.
Move	① from:	24° 16′·23N., 121° 45′·34E.
	to:	24° 16′·20N., 121° 45′·67E.
Delete	circular limit, centred on:	24° 16′·26N., 121° 45′·33E.

Chart 3235 [*previous update 162/26*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	24° 16′·22N., 121° 45′·21E. 24° 16′·22N., 121° 46′·30E. 24° 15′·23N., 121° 46′·11E. 24° 15′·23N., 121° 45′·02E.
Move	① from:	24° 16′·27N., 121° 45′·20E.
	to:	24° 15′·73N., 121° 45′·66E.

II

495 CHINA - East Coast - Submarine power cables.

Source: Chinese Notice 37/1100/25

Chart 1716 [*previous update 30/26*] CGCS 2000 DATUM

Insert submarine power cable,  , joining:

- (a) 25° 12'·28N., 119° 27'·09E.
25° 11'·99N., 119° 27'·26E.
25° 11'·30N., 119° 27'·37E.
25° 10'·13N., 119° 27'·21E.
25° 09'·90N., 119° 27'·00E.
25° 09'·82N., 119° 27'·15E.
and
(a) above
25° 11'·97N., 119° 27'·42E.
25° 11'·48N., 119° 27'·52E.
25° 11'·11N., 119° 27'·55E.
25° 10'·96N., 119° 27'·65E.

Chart 2401 [*previous update 5443/25*] CGCS 2000 DATUM

Insert submarine power cable,  , joining:

- (a) 25° 12'·27N., 119° 27'·10E.
25° 11'·99N., 119° 27'·26E.
25° 11'·30N., 119° 27'·37E.
25° 10'·13N., 119° 27'·21E.
25° 09'·90N., 119° 27'·00E.
25° 09'·82N., 119° 27'·15E.
and
(a) above
25° 11'·97N., 119° 27'·42E.
25° 11'·48N., 119° 27'·52E.
25° 11'·11N., 119° 27'·55E.
25° 10'·96N., 119° 27'·65E.

II

498 CHINA - South Coast - Wreck.
Source: UKHO

Chart 340 [*previous update 415/26*] CGCS 2000 DATUM

Insert

 *Rep(2025) PA*

22° 28′·61N., 114° 37′·64E.

II

515 THAILAND - Gulf of Thailand Coast - Restricted areas. Moored storage tanker. Wells.

Source: Chevron

Chart 67 [*previous update 4445/25*] WGS84 DATUM

Insert



10° 51'·8N., 101° 09'·7E.

10° 49'·0N., 101° 09'·6E.

Chart 2414 [*previous update 427/26*] WGS84 DATUM

Insert

limit of restricted area, pecked line, joining:

(a) 8° 28'·0N., 101° 07'·0E.

8° 22'·0N., 101° 07'·0E.

8° 22'·0N., 101° 47'·0E.

(b) 8° 28'·0N., 101° 47'·0E.

Delete



limit of restricted area, pecked line, joining:

10° 04'·5N., 101° 24'·9E.

(a) above

(b) above

II

516 CHINA - East Coast - Light-beacons.

Source: Chinese Notice 36/1075/25

Chart 1144 [*previous update 2831/25*] CGCS 2000 DATUM

Insert



Mo(C)Y.12s10m3M

30° 36′·02N., 122° 06′·52E.

30° 35′·98N., 122° 06′·78E.

Chart 1303 [*previous update 434/26*] CGCS 2000 DATUM

Insert



Mo(C)Y.12s10m3M

30° 36′·02N., 122° 06′·52E.

30° 35′·98N., 122° 06′·78E.

II

530 THAILAND - Gulf of Thailand Coast - NM Block.

Source: Chevron

Chart 2426 [*previous update 427/26*] WGS84 DATUM

Insert the accompanying block, centred on:

8° 28'·0N., 101° 24'·6E.

II

521 JAPAN - Honshū - Lights.

Source: Japanese Notice 2/10/26

Chart JP 139 [*previous update 1707/25*] WGS84 DATUM

Amend light to, Fl R 3M 35° 35′·78N., 134° 19′·19E.

Delete  35° 35′·67N., 134° 19′·13E.

Chart JP 1172 [*previous update 188/25*] WGS84 DATUM

Amend light to, Fl R 3M 35° 35′·77N., 134° 19′·19E.

Delete  35° 35′·69N., 134° 19′·13E.

II

522 JAPAN - Honshū - Superbuoy. Automatic Identification System.

Source: Japanese Notice 2/11/26

Chart JP 145 [*previous update 2242/25*] WGS84 DATUM

Delete



Mo(U) 15s and associated Automatic Identification
System, *AIS*

39° 25′·63N., 139° 44′·38E.

II

490 KOREA - South Coast - Buoyage.

Source: Korean Notice 36/560/25

Chart 1065 [*previous update 107/26*] WGS84 DATUM

Replace

 <i>Fl.Y.6s A</i> with symbol, white, blue and white mooring buoy, <i>Fl.6s A</i>	34° 56′·12N., 128° 34′·05E.
 <i>Fl.Y.6s C</i> with symbol, white, blue and white mooring buoy, <i>Fl.6s C</i>	34° 55′·90N., 128° 33′·40E.
 <i>Fl.Y.6s B</i> with symbol, white, blue and white mooring buoy, <i>Fl.6s B</i>	34° 55′·82N., 128° 34′·65E.

II

504 RUSSIA - Pacific Ocean Coast - Floating dock. Wreck.

Source: Russian Notice 51/5308/25

Chart 2161 (Panel C, Port Korsakov) [*previous update 164/26*] WGS84 DATUM

Delete floating dock, centred on: 46° 37'·34N., 142° 46'·06E.



46° 37'·33N., 142° 46'·17E.

II

524 KOREA - South Coast - Depths. Fish havens. NM Block.

Source: ENC KR4F4H20

Chart 3391 (INT 5360) [*previous update 3529/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	34° 41'·1N., 127° 56'·2E.
	depth, 158	(a) 34° 46'·62N., 127° 48'·44E.
Delete	depth, 164, close N of:	(a) above
Insert	 (25)	(b) 34° 44'·62N., 127° 51'·03E.
Delete	depth, 48, close E of:	(b) above
Insert	 (105)	(c) 34° 33'·88N., 127° 43'·18E.
Delete	depth, 147, close W of:	(c) above

II

438 INDONESIA - Jawa - Buoyage. Legend.

Source: Indonesian Notice 43/379/25

Chart 909 [previous update 5062/25] WGS84 DATUM

Insert



Fl.4s

5° 58'·24S., 106° 08'·82E.



5° 58'·44S., 106° 08'·37E.



Fl.G.5s

5° 58'·74S., 106° 08'·19E.

legend, *Marked channel*, orientated NE/SW, centred on:

5° 58'·98S., 106° 07'·92E.

Chart 2056 [previous update 321/26] WGS84 DATUM

Insert



Fl.4s

5° 58'·24S., 106° 08'·82E.

II

448 PHILIPPINE ISLANDS - Palawan - Depth.

Source: ENC PH2SSA40

Chart 967 [*previous update 1399/25*] UNDETERMINED DATUM

Insert depth, *100*, enclosed by 100fm approximate contour

10° 17'·1N., 117° 50'·0E.

II

457 INDONESIA - Jawa - Depths.

Source: ENC ID400097

Chart 3731 [*previous update 5839/25*] WGS84 DATUM

Insert	depth, 28	(a)	6° 38'·26S., 111° 49'·64E.
Delete	depth, 30, close W of:	(a)	above
Insert	depth, 245	(b)	6° 40'·20S., 111° 49'·38E.
Delete	depth, 26, close SE of:	(b)	above
Insert	depth, 275	(c)	6° 40'·15S., 111° 55'·76E.
Delete	depth, 29, close SW of:	(c)	above
Insert	depth, 31	(d)	6° 39'·20S., 111° 58'·61E.
Delete	depth, 32, close E of:	(d)	above
Replace	depth, 163, with depth, 15		6° 44'·30S., 111° 56'·51E.

II

458 INDONESIA - Jawa - Buoyage.

Source: Indonesian Notice 41/365/25

Chart 1066 [*previous update 319/26*] WGS84 DATUM

Move



Fl.10s, from:

6° 41'·2S., 109° 07'·9E.

to:

6° 47'·9S., 109° 08'·2E.

Chart 2797 [*previous update 321/26*] WGS84 DATUM

Move



Fl.10s, from:

6° 40'·9S., 109° 08'·2E.

to:

6° 47'·9S., 109° 08'·2E.

Chart 3730 [*previous update 373/26*] WGS84 DATUM

Insert



Fl.10s

6° 47'·91S., 109° 08'·20E.

Delete

former  *Fl.10s*

6° 40'·92S., 109° 08'·16E.

II

462 PHILIPPINE ISLANDS - Luzon - Buoy. Beacon. Light.
Source: ENC PH5POCUL

Chart 4413 [*previous update 5339/25*] WGS84 DATUM

Insert



Fl(2)2s

(a) 11° 53'·7N., 120° 03'·6E.

Delete



, close SE of:

(a) above



F.G.

11° 53'·7N., 120° 01'·2E.

Chart 4414 [*previous update 3943/25*] WGS84 DATUM

Insert



Fl(2)2s

(a) 11° 53'·7N., 120° 03'·6E.

Delete



, close SE of:

(a) above



F.G.

11° 53'·7N., 120° 01'·2E.

II

493 NEW ZEALAND - South Island - Depth.

Source: ENC NZ200025

Chart 4600 (INT 600) [*previous update 4798/25*] WGS84 DATUM

Insert depth, 58 45° 29'·9S., 171° 12'·0E.

Chart 4601 (INT 601) [*previous update New Edition 24/07/2025*] WGS84 DATUM

Insert depth, 58 45° 29'·9S., 171° 12'·0E.

II

465 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Light. Light-beacon. Outfalls.

Source: French Notice 42/220/25

Chart 2464 (INT 6882) [*previous update 4480/25*] WGS84 DATUM

Insert	outfall,  , joining:	22° 22'·01S., 166° 58'·77E. 22° 21'·97S., 166° 58'·92E. 22° 21'·94S., 166° 59'·11E. (a) 22° 21'·91S., 166° 59'·44E. (b) 22° 23'·03S., 166° 57'·61E. (b) above
Amend	light to, Iso.R.4s7m6M Ioro	
Delete	sectors at light	
	former outfall,  , joining:	22° 21'·99S., 166° 58'·78E. 22° 21'·84S., 166° 59'·06E. 22° 21'·80S., 166° 59'·14E. 22° 21'·79S., 166° 59'·22E. 22° 21'·80S., 166° 59'·30E. (a) above
	 Dir Iso.4s4m11M	22° 22'·99S., 166° 57'·71E.

Chart 2465 (INT 6881) [*previous update 4480/25*] WGS84 DATUM

Insert	outfall,  , joining:	22° 22'·01S., 166° 58'·75E. 22° 21'·97S., 166° 58'·92E. 22° 21'·94S., 166° 59'·11E. (a) 22° 21'·91S., 166° 59'·44E. (b) 22° 23'·03S., 166° 57'·61E. (b) above
Amend	light to, Iso.R.4s7m6M Ioro	
Delete	sectors at light	
	former outfall,  , joining:	22° 21'·99S., 166° 58'·78E. 22° 21'·84S., 166° 59'·06E. 22° 21'·80S., 166° 59'·14E. 22° 21'·79S., 166° 59'·22E. 22° 21'·80S., 166° 59'·30E. (a) above
	 Dir Iso.4s4m11M	22° 22'·99S., 166° 57'·71E.

II

470 CANADA - British Columbia - Obstructions.

Source: Canadian Notice 11/3744/25

Chart 4923 [*previous update New Edition 14/08/2025*] NAD27 DATUM

Insert	 <i>ODAS/SADO</i>	(a) 51° 37'·6N., 130° 48'·0W.
Delete	former:  <i>ODAS/SADO</i> , close SE of:	(a) above
Insert	 <i>ODAS/SADO</i>	52° 06'·0N., 130° 19'·4W.
Delete	former:  <i>ODAS/SADO</i>	51° 56'·9N., 130° 27'·9W.

II

499 CANADA - British Columbia - Piles. Dolphin.

Source: Canadian Notice 11/3490/25

Chart 4961 (Panel, B-C) [*previous update 380/26*] NAD83 DATUM

Insert pile, •

49° 09' 01·6"N., 122° 59' 51·1"W.

49° 09' 01·3"N., 122° 59' 51·5"W.

49° 09' 00·2"N., 122° 59' 52·6"W.

(a) 49° 09' 00·7"N., 122° 59' 52·2"W.

Delete □, close NE of:

(a) above

II

519 CANADA - British Columbia - Submarine cables. NM Block.

Source: Canadian Notice 9/3496/25

Chart 4966 [*previous update 3600/25*] NAD83 DATUM

Insert submarine cable, , joining:

49° 18' 47.8"N., 123° 19' 45.9"W.

49° 18' 43.0"N., 123° 18' 46.2"W.

49° 18' 46.9"N., 123° 18' 06.6"W.

49° 19' 10.3"N., 123° 12' 47.7"W.

49° 19' 00.2"N., 123° 10' 47.4"W.

and

49° 18' 35.7"N., 123° 09' 25.7"W.

49° 18' 47.9"N., 123° 09' 13.5"W.

49° 18' 51.2"N., 123° 09' 07.2"W.

49° 18' 52.6"N., 123° 08' 47.9"W.

49° 18' 46.1"N., 123° 10' 06.5"W.

the accompanying block, centred on:

II

483 PERU - NM Blocks. Anchorage areas. Legends.

Source: Peruvian Notices 11/179-180/25 and UKHO

Chart 1853 (Panel, Puerto Callao) [*previous update 5336/25*] WGS84 DATUM

Insert the accompanying block A, centred on: 12° 03'·4S., 77° 09'·2W.

Chart 1853 [*previous update 5336/25*] WGS84 DATUM

Insert the accompanying block B, centred on: 12° 02'·4S., 77° 09'·6W.

the accompanying block C, centred on: 12° 02'·5S., 77° 00'·7W.

limit of anchorage area, pecked line, joining: (a) 11° 58'·02S., 77° 11'·70W.

(b) 11° 58'·43S., 77° 11'·61W.

(c) 11° 58'·49S., 77° 12'·49W.

(d) 11° 58'·02S., 77° 12'·67W.

legend, No 7 , within:

(a)-(d) above

Delete former limit of anchorage area, pecked line, joining: (e) 11° 58'·56S., 77° 11'·14W.

(f) 11° 59'·10S., 77° 11'·11W.

(g) 11° 59'·09S., 77° 10'·25W.

(h) 11° 58'·51S., 77° 10'·26W.

former legend, No 7 , within:

(e)-(h) above

II

502 PERU - Wreck.

Source: Peruvian Notice 12/209/25

Chart 1853 [*previous update 483/26*] WGS84 DATUM

Insert



11° 59'·28S., 77° 08'·77W.

II

520 MEXICO - Pacific Ocean Coast - Submarine cable.

Source: Alcatel Submarine Networks

Note: Amplifying note: Former Notice 32(P)/25 is cancelled.

Chart 1029 [*previous update 709/24*] WGS84 DATUM

Insert submarine cable, , joining:

32° 19'·7N., 117° 03'·4W.
32° 18'·8N., 117° 04'·8W.
32° 17'·4N., 117° 05'·9W.
32° 16'·1N., 117° 09'·1W.
32° 13'·7N., 117° 11'·1W.

Chart 1049 [*previous update 4247/24*] WGS84 DATUM

Insert submarine cable, , joining:

32° 19'·6N., 117° 03'·6W.
32° 18'·8N., 117° 04'·8W.
32° 18'·2N., 117° 05'·4W.
32° 17'·4N., 117° 05'·9W.
32° 16'·9N., 117° 07'·0W.
32° 16'·3N., 117° 08'·9W.
32° 15'·7N., 117° 09'·6W.
32° 15'·3N., 117° 09'·8W.
32° 13'·7N., 117° 11'·2W.

Chart 2530 [*previous update 5234/25*] NAD83 DATUM

Insert submarine cable, , joining:

32° 19'·6N., 117° 03'·6W.
32° 18'·8N., 117° 04'·8W.
32° 17'·3N., 117° 06'·0W.
32° 16'·1N., 117° 09'·2W.
32° 12'·1N., 117° 12'·4W.

II

442 URUGUAY - Drying contours. Drying heights. Depths.

Source: ENC UY500624

Chart 3548 [*previous update 5059/25*] WGS84 DATUM

Insert	circular limit of 0m low water line, radius 100m, centred on:	34° 02'·76S., 58° 17'·25W.
	drying height, 02, enclosed by 0m low water line	34° 02'·82S., 58° 16'·30W.
	drying height, 04, enclosed by 0m low water line	(a) 34° 02'·87S., 58° 15'·91W.
Delete	depth, 07, close N of:	(a) above

Chart 3561 [*previous update 5059/25*] WGS84 DATUM

Insert	circular limit of 0m low water line, radius 100m, centred on:	34° 02'·76S., 58° 17'·25W.
		34° 03'·18S., 58° 16'·91W.
	drying height, 02, enclosed by 0m low water line	34° 02'·82S., 58° 16'·30W.
	drying height, 04, enclosed by 0m low water line	(a) 34° 02'·87S., 58° 15'·91W.
Delete	depth, 07, close N of:	(a) above
Insert	drying height, 01, enclosed by 0m low water line	34° 03'·19S., 58° 16'·03W.
	drying height, 01, enclosed by 0m low water line	(b) 34° 04'·27S., 58° 15'·88W.
Delete	depth, 12, close NW of:	(b) above
Insert	depth, 2, and extend 2m contour W to enclose	(c) 34° 06'·26S., 58° 14'·78W.
Delete	depth, 34, close NW of:	(c) above
Insert	depth, 14, and extend 2m contour W to enclose	(d) 34° 08'·41S., 58° 13'·59W.
Delete	depth, 36, close N of:	(d) above

II

468 ARGENTINA - Restricted area. Pilot boarding place. Legend. Buoyage. Note.

Source: Argentine Notice 11/126/25

Chart 1749 [*previous update 325/26*] WGS84 DATUM

Delete  and associated legend, *Deep draught vessels* 34° 44'·49S., 57° 45'·46W.

Chart 1751 (Panel B, Puerto La Plata) [*previous update 2840/25*] WGS84 DATUM

Delete limit of restricted area, TTTT, and associated pilot boarding
place symbol, and associated legend, *Deep-draught (see Note)*,
joining: 34° 43'·88S., 57° 46'·72W.
34° 44'·11S., 57° 44'·83W.
(a) 34° 44'·15S., 57° 45'·12W.
(b) 34° 44'·00S., 57° 46'·44W.
34° 43'·88S., 57° 46'·72W.

 *Fl(5)Y.20s 'ZP-1'* (b) above

 *Fl(5)Y.20s 'ZP-2'* (a) above

note, PILOT BOARDING AREA, centred on: 34° 49'·11S., 57° 54'·87W.

II

481 BRAZIL - East Coast - Wrecks.

Source: ENC BR501112

Chart 540 [*previous update 5671/25*] WGS84 DATUM

Insert



12° 59'·67S., 38° 32'·33W.

12° 59'·79S., 38° 32'·10W.

Chart 545 (Panel C, Porto de Salvador) [*previous update 436/26*] WGS84 DATUM

Insert



12° 59'·67S., 38° 32'·33W.

12° 59'·79S., 38° 32'·10W.

II

503 URUGUAY - Buoyage.

Source: Uruguayan Notice 11/63/25

Chart 2001 (Panel A, Bahía de Montevideo) [*previous update 325/26*] WGS84 DATUM

Insert



34° 54'·71S., 56° 15'·98W.



34° 54'·98S., 56° 15'·81W.

Chart 2001 (Panel B, Approaches to Montevideo) [*previous update 325/26*] WGS84 DATUM

Insert



34° 54'·98S., 56° 15'·70W.

II

471 VENEZUELA - Buoyage.

Source: Venezuelan Notices 76A-77A/25

Chart 1628 (Panel, Puerto Cabello) [*previous update 37/26*] WGS84 DATUM

Insert



Fl.R.3s

10° 28'·21N., 67° 59'·30W.



Fl.G.3s

10° 28'·19N., 67° 59'·10W.

II

477 GUYANA - Buoy.

Source: Guyana Maritime Administration Department, Notice 184/25

Chart 517 [*previous update 4624/25*] WGS84 DATUM

Insert

 *Fl (5)Y.20s*

6° 57'·9N., 57° 48'·5W.

Chart 527 [*previous update 282/26*] WGS84 DATUM

Insert

 *Fl (5)Y.20s*

6° 57'·93N., 57° 48'·54W.

Chart 572 [*previous update 4019/25*] UNDETERMINED DATUM

Insert

 *Fl (5)Y.20s*

6° 58'·2N., 57° 48'·6W.

Chart 2687 [*previous update 4019/25*] UNDETERMINED DATUM

Insert

 *Fl (5)Y.20s*

6° 57'·92N., 57° 48'·56W.

II

496 UNITED STATES OF AMERICA - Gulf of Mexico - NM Block.

Source: ENC's US5CRPBF and US5CRPCF

Chart 3184 (Panel A, Port Aransas to Corpus Christi) [*previous update 4066/25*] NAD83 DATUM

Insert the accompanying block, centred on: 27° 49'·5N., 97° 11'·5W.

II

505 VENEZUELA - Buoyage.

Source: Venezuelan Notice 89/25

Chart 3320 (Panel A, Boca Grande and Approaches) [*previous update 5798/25*] WGS84 DATUM

Insert

 <i>Fl.G '39-9'</i>	8° 36'·83N., 60° 41'·30W.
 <i>Fl.G '36-7'</i>	8° 37'·88N., 60° 38'·23W.
 <i>Fl.R '28'</i>	8° 35'·96N., 60° 31'·02W.
 <i>Fl.10s '0-1'</i>	8° 55'·79N., 60° 11'·39W.

II

437 GREENLAND - West Coast - Depths.

Source: Danish Chart 1313

Chart 235 [*previous update New Edition 26/06/2025*] UNDETERMINED DATUM

Insert	depth, 35, enclosed by 10fm contour		64° 50'·8N., 52° 29'·3W.
	depth, 64, enclosed by 10fm contour	(a)	64° 45'·2N., 52° 25'·1W.
Delete	depth, 18, and associated 20fm contour close SW of:	(a)	above
Insert	depth, 20, enclosed by 20fm contour	(b)	64° 38'·2N., 52° 28'·6W.
Delete	depth, 45, close S of:	(b)	above
Insert	depth, 18, enclosed by 20fm contour		64° 23'·4N., 52° 29'·9W.
	depth, 7, enclosed by 10fm contour	(c)	64° 22'·4N., 52° 21'·5W.
Delete	depth, 31, close S of:	(c)	above
Insert	depth, 2, enclosed by 10fm contour, <i>Rep (2010)</i>	(d)	64° 16'·2N., 52° 19'·4W.
Delete	depth, 55, close NW of:	(d)	above
Insert	depth, 212		64° 14'·8N., 52° 30'·4W.
	depth, 25	(e)	64° 08'·9N., 52° 26'·6W.
Delete	depth, 50, close NE of:	(e)	above
Insert	depth, 173, enclosed by 20fm contour	(f)	64° 07'·3N., 52° 21'·1W.
Delete	depth, 42, close SW of:	(f)	above
Insert	depth, 122, enclosed by 20fm contour		64° 03'·9N., 52° 14'·9W.
Replace	depth, 20, with depth, 11, enclosed by a 20fm contour		64° 06'·7N., 52° 13'·7W.

II

447 UNITED STATES OF AMERICA - East Coast - Light. Buoyage.

Source: ENC US2EC04M

Chart 2456 [*previous update 156/26*] NAD83 DATUM

Amend light to, Fl(3+1)WR.30s175ft14M GAY HEAD 41° 20'·91N., 70° 50'·06W.

Chart 2755 [*previous update 5252/25*] NAD83 DATUM

Delete

 Fl.Y.20s 'PAM1'	40° 22'·30N., 73° 34'·45W.
 Fl.Y.20s 'PAM2'	40° 21'·48N., 73° 28'·95W.
 Fl.Y.20s 'PAM3'	40° 19'·91N., 73° 21'·96W.
 Fl.Y.20s 'PAM4'	40° 18'·74N., 73° 15'·86W.
 Fl(5)Y.20s	40° 16'·48N., 73° 19'·95W.
 Fl.Y.20s 'PAM5'	40° 16'·63N., 73° 22'·39W.
 Fl.Y.20s 'PAM6'	40° 18'·27N., 73° 26'·14W.
 Fl.Y.20s 'PAM7'	40° 20'·42N., 73° 31'·00W.

Chart 2860 [*previous update 156/26*] NAD83 DATUM

Amend light to, Fl(3+1)WR.30s175ft14M *Gay Hd.* 41° 20'·9N., 70° 50'·1W.

Delete

 Fl.Y.20s 'PAM1'	40° 22'·3N., 73° 34'·5W.
 Fl.Y.20s 'PAM2'	40° 21'·5N., 73° 29'·0W.
 Fl.Y.20s 'PAM3'	40° 20'·1N., 73° 21'·8W.
 Fl.Y.20s 'PAM4'	40° 18'·7N., 73° 15'·9W.
 Fl(5)Y.20s	40° 16'·5N., 73° 20'·0W.
 Fl.Y.20s 'PAM5'	40° 16'·6N., 73° 22'·4W.
 Fl.Y.20s 'PAM6'	40° 18'·3N., 73° 26'·1W.
 Fl.Y.20s 'PAM7'	40° 20'·3N., 73° 30'·8W.

Chart 2890 [*previous update 156/26*] NAD83 DATUM

Amend light to, Fl(3+1)WR.30s175ft14M Gay Head 41° 20'·91N., 70° 50'·07W.

II

479 UNITED STATES OF AMERICA - East Coast - Depths. Dredged depths.

Source: ENC US5NYCDE

Chart 3457 [*previous update 4543/25*] NAD83 DATUM

Insert	depth, <i>34</i>	40° 41'·497N., 74° 08'·278W.
	depth, 7, enclosed by 18ft contour	40° 41'·354N., 74° 08'·162W.
	depth, <i>47</i>	(a) 40° 40'·915N., 74° 08'·865W.
Delete	depth, <i>48</i> , close NW of:	(a) above
Amend	dredged depth to, <i>14ft(2025)</i> , centred on:	40° 40'·938N., 74° 08'·517W.
	dredged depth to, <i>36ft(2025)</i> , centred on:	40° 40'·245N., 74° 08'·447W.
	dredged depth to, <i>40ft(2025)</i> , centred on:	40° 39'·786N., 74° 08'·767W.
Delete	depth, 28, and associated 30ft contour	40° 40'·603N., 74° 08'·570W.

II

487 CANADA - Newfoundland and Labrador - Obstructions.

Source: Canadian Notices 10/4001/25, 10/5001/25 and 10/8048/25

Chart 324 [*previous update 940/25*] UNDETERMINED DATUM

Insert	 <i>ODAS</i>	(a) 52° 45'·2N., 51° 40'·8W.
Delete	 <i>ODAS</i> , close SE of:	(a) above
Replace	 <i>ODAS</i> with  <i>ODAS</i>	52° 41'·0N., 51° 57'·8W.
Delete	 <i>ODAS</i>	52° 39'·9N., 52° 06'·0W.
	 <i>Obstn</i>	52° 45'·7N., 51° 51'·3W.
		52° 49'·1N., 51° 41'·4W.
	 <i>Obstn</i>	52° 48'·7N., 51° 34'·5W.

Chart 4404 (INT 404) [*previous update 3820/25*] WGS84 DATUM

Insert	 <i>ODAS</i>	(a) 52° 45'·2N., 51° 40'·8W.
Delete	 <i>Obstn</i> , close N and close W of:	(a) above
	 <i>Obstn</i>	52° 39'·9N., 52° 06'·0W.

Chart 4405 (INT 405) [*previous update New Edition 31/07/2025*] WGS84 DATUM

Insert	 <i>ODAS</i>	(a) 52° 45'·2N., 51° 40'·8W.
Delete	 <i>Obstn</i> , close N and close W of:	(a) above
	 <i>Obstn</i>	52° 40'·0N., 52° 06'·0W.

II

512 **UNITED STATES OF AMERICA - East Coast - Buoyage.**
Source: ENC US3DE01M

Chart 2710 [*previous update 5831/25*] WGS84 DATUM

Delete	 <i>Fl.Y.4s 'WE'</i>	35° 57'·3N., 75° 19'·0W.
	 <i>Fl.Y.4s 'EA'</i>	35° 57'·3N., 74° 50'·8W.
	 <i>Fl.Y.4s 'SEPM'</i>	35° 51'·3N., 74° 51'·0W.
	 <i>Fl.Y.4s 'NEPM'</i>	36° 03'·5N., 74° 46'·7W.

Chart 2861 [*previous update 5016/25*] NAD83 DATUM

Delete	 <i>Fl.Y.4s 'WE'</i>	35° 57'·3N., 75° 20'·0W.
	 <i>Fl.Y.4s 'EA'</i>	35° 57'·4N., 74° 50'·8W.
	 <i>Fl.Y.4s 'SEPM'</i>	35° 51'·3N., 74° 51'·0W.
	 <i>Fl.Y.4s 'NEPM'</i>	36° 03'·5N., 74° 46'·6W.

II

443(T)/26 SCOTLAND - Hebrides - Buoy.

Source: Bakkafrost Scotland

1. An unlit yellow wave monitoring buoy has been established in position 58° 15'·06N., 6° 54'·61W.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Chart affected - 2515

II

450(P)/26 ENGLAND - East Coast - Depths.

Source: m/v Northern Storm, m/v Lode and m/v Northern Breeze

- Recent survey information has shown that depths less than charted exist within Beadnell Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
13·7m	55° 32'·61N., 1° 35'·99W.
3·7m	55° 31'·98N., 1° 36'·31W.
7·4m	55° 32'·02N., 1° 35'·85W.

- Recent survey information has shown that depths less than charted exist within Warkworth Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·5m	55° 21'·244N., 1° 33'·515W.
21·3m	55° 21'·338N., 1° 31'·998W.
9·8m	55° 20'·398N., 1° 31'·907W.
14·8m	55° 20'·552N., 1° 32'·084W.
17·0m	55° 18'·618N., 1° 31'·383W.
25·8m	55° 19'·492N., 1° 31'·074W.
2·7m	55° 20'·135N., 1° 33'·468W.
9·0m	55° 20'·399N., 1° 31'·936W.
9·4m	55° 18'·528N., 1° 31'·686W.
6·6m	55° 18'·346N., 1° 31'·898W.

- Recent survey information has shown that depths less than charted exist within Cambois Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·9m	55° 09'·44N., 1° 29'·53W.
1·0m	55° 10'·40N., 1° 30'·67W.

- Recent survey information has shown that depths less than charted exist within Hauxley Haven. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
1·3m	55° 19'·234N., 1° 32'·060W.
1·3m	55° 19'·119N., 1° 32'·026W.

- Recent survey information has shown that depths less than charted exist within Druridge Bay. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
6·3m	55° 17'·84N., 1° 31'·65W.
8·0m	55° 17'·56N., 1° 31'·48W.
3·4m	55° 13'·87N., 1° 31'·13W.

- *Recent survey information has shown that depths less than charted exist between Castle Point and Marden Rocks. The most significant is as follows:

<i>Depth</i>	<i>Position</i>
6·6m	55° 25'·88N., 1° 34'·03W.

- Mariners are advised to navigate with caution in the area.
- Charts will be updated when surveying activities are complete.
- *Former Notice 232(P)/26 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 156 - 1627 (INT 1551) - 5615_20 - 5615_6 - 5615_7

II

475(T)/26 SCOTLAND - Shetland Islands - Buoyage.

Source: Scottish Sea Farms

1. Yellow wave monitoring buoys, *Fl(5)Y.20s*, have been established in the following positions:

60° 25'·39N., 0° 51'·34W.

60° 25'·85N., 0° 47'·10W.

2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 3282 - 3284

II

509(T)/26 ENGLAND - East Coast - Wreck.

Source: Peel Ports London Medway Notice 02/26

1. A dangerous wreck, with its mast visible at all tides, has been reported in position 51° 24'·81N., 0° 36'·22E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1834 - 2482 (INT 1573) - 5606_11

II

510(T)/26 ENGLAND - Bristol Channel - Buoy.

Source: ABP South Wales Notice 62/25

1. The *No 4* port hand lateral buoy, *Fl.R.3s*, in position $51^{\circ} 32' \cdot 39\text{N.}$, $2^{\circ} 59' \cdot 08\text{W.}$ is temporarily unlit.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1176 (INT 1654) - 5608_18

II

444(T)/26 FINLAND - Saaristomeri - Works.

Source: Finnish Notice 35/278(T)/25

1. Construction works are taking place, in an area bounded by the following positions:

60° 26'·35N., 22° 13'·15E.

60° 26'·36N., 22° 13'·20E.

60° 26'·19N., 22° 13'·13E.

60° 26'·15N., 22° 12'·99E.

60° 26'·17N., 22° 12'·96E.

60° 26'·23N., 22° 13'·07E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3825 (INT 1189)

II

478(P)/26 SWEDEN - East Coast - Wrecks, Obstructions, Depths.

Source: Swedish Charts 6141 and 6142

1. Wrecks and obstructions exist in the following positions:

<i>Depth</i>	<i>Position</i>
2·9m	59° 19'·683N., 18° 00'·092E.
5·3m	59° 19'·696N., 18° 00'·021E.
24m	59° 19'·578N., 18° 09'·610E.
16·9m	59° 20'·016N., 18° 10'·100E.
14m	59° 20'·138N., 18° 09'·230E.

2. Depths less than charted exist in the following positions:

<i>Depth</i>	<i>Position</i>
10·6m	59° 19'·744N., 18° 10'·248E.

3. Mariners are advised to navigate with caution in the area.
4. These changes will be included in New Editions of Charts 811 and 820 to be published early 2026.
(WGS84 DATUM)

Charts affected - 811 (INT 1239) - 820 (INT 1238)

II

484(T)/26 POLAND - Buoy.

Source: Polish Notice 49/591(T)/25

1. An ODAS buoy, *Fl(5)Y.20s*, has been deployed, until further notice, in position 55° 04'·54N., 16° 53'·49E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202)

II

511(T)/26 SWEDEN - East Coast - Works. Dredging area.

Source: Swedish Notice 1100/19764/26

1. Dredging works are taking place, until 5 March 2026, in the vicinity of Oxelösund harbour basin:
58° 39′·55N., 17° 06′·88E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 843 (INT 1230)

II

454(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
*51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

II

454(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 305(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 122 (INT 1472) - 124 (INT 1471) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

482(P)/26 UNITED ARAB EMIRATES - Works. Dredging areas. Buoyage.

Source: ADNOC

1. Works are in progress to construct the Ruwais LNG export facility in the vicinity of 24° 09'·00N., 52° 40'·00E.
2. A dredged approach channel, depth 15·0m has been established bounded by the following positions:

24° 09'·38N., 52° 40'·50E.
 24° 09'·57N., 52° 40'·15E.
 24° 10'·18N., 52° 40'·57E.
 24° 11'·21N., 52° 41'·29E.
 24° 11'·16N., 52° 41'·43E.
 24° 10'·15N., 52° 40'·72E.

3. The harbour basin has been dredged to 15·5m, bounded by the following positions:

24° 09'·38N., 52° 40'·50E.
 24° 08'·88N., 52° 40'·36E.
 24° 08'·79N., 52° 40'·25E.
 24° 08'·80N., 52° 40'·23E.
 24° 09'·24N., 52° 39'·91E.
 24° 09'·57N., 52° 40'·15E.

4. The following lateral light-buoys have been established, marking the limit of the approach channel and harbour basin:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>RLNG-1</i>	<i>Q.G</i>	24° 11'·56N., 52° 41'·52E.
<i>RLNG-2</i>	<i>Q.R</i>	24° 11'·45N., 52° 41'·65E.
<i>RLNG-3</i>	<i>Fl.G.5s</i>	24° 11'·28N., 52° 41'·34E.
<i>RLNG-4</i>	<i>Fl.R.5s</i>	24° 11'·21N., 52° 41'·47E.
<i>RLNG-5</i>	<i>Fl.G.10s</i>	24° 11'·01N., 52° 41'·15E.
<i>RLNG-6</i>	<i>Fl.R.10s</i>	24° 10'·94N., 52° 41'·28E.
<i>RLNG-7</i>	<i>Fl.G.5s</i>	24° 10'·73N., 52° 40'·96E.
<i>RLNG-8</i>	<i>Fl.R.5s</i>	24° 10'·66N., 52° 41'·08E.
<i>RLNG-9</i>	<i>Fl.G.5s</i>	24° 10'·46N., 52° 40'·77E.
<i>RLNG-10</i>	<i>Fl.R.5s</i>	24° 10'·39N., 52° 40'·89E.
<i>RLNG-11</i>	<i>Q.G</i>	24° 10'·18N., 52° 40'·57E.
<i>RLNG-12</i>	<i>Q.R</i>	24° 10'·15N., 52° 40'·72E.
<i>RLNG-13</i>	<i>Fl.G.5s</i>	24° 09'·94N., 52° 40'·40E.
<i>RLNG-14</i>	<i>Fl.R.5s</i>	24° 09'·86N., 52° 40'·64E.
<i>RLNG-15</i>	<i>Fl.G.10s</i>	24° 09'·69N., 52° 40'·23E.
<i>RLNG-16</i>	<i>Fl.R.10s</i>	24° 09'·58N., 52° 40'·56E.
<i>RLNG-17</i>	<i>Q.G</i>	24° 09'·45N., 52° 40'·06E.
<i>RLNG-18</i>	<i>Q.R</i>	24° 09'·30N., 52° 40'·48E.
<i>RLNG-20</i>	<i>Fl.R.3s</i>	24° 09'·09N., 52° 40'·41E.
<i>RLNG-22</i>	<i>Q.R</i>	24° 08'·88N., 52° 40'·36E.

5. Mariners are advised to navigate with caution in the area and consult the local port authority for the latest information.
6. Charts will be updated when works are complete.
7. Former Notice 143(T)/26 is cancelled.
(WGS84 DATUM)

Charts affected - 3778 - 3780 - 3796

II

518(T)/26 INDIAN OCEAN - Buoyage.

Source: NOAA

1. White and orange RAMA data light-buoys, with radar reflectors and mast carrying sensors, are laid in the following positions:

<i>Designation</i>	<i>Position</i>
<i>RA184A</i>	0° 00'·0N., 89° 57'·6E.
<i>RA186A</i>	0° 10'·9N., 80° 24'·2E.
<i>RA187A</i>	1° 30'·5S., 80° 33'·4E.
<i>RA188A</i>	1° 34'·7S., 66° 59'·4E.
<i>RA190A</i>	1° 42'·3N., 66° 42'·9E.
<i>RA191A</i>	3° 59'·1N., 66° 58'·9E.
* <i>RA192A</i>	6° 35'·5N., 69° 23'·3E.
<i>RA193A</i>	15° 02'·9N., 88° 59'·9E.
<i>RA194A</i>	8° 02'·6N., 88° 56'·8E.
<i>RT028</i>	11° 50'·5S., 80° 18'·8E.
* <i>RT043</i>	7° 17'·6S., 89° 20'·3E.
<i>RT044</i>	12° 00'·8N., 88° 30'·1E.
<i>RT045</i>	7° 59'·0S., 80° 28'·9E.
<i>RT046</i>	4° 03'·7S., 80° 31'·9E.
<i>RT047</i>	3° 55'·2S., 64° 58'·5E.
* <i>RT048</i>	1° 19'·4S., 61° 26'·7E.
<i>RT049</i>	12° 00'·7S., 64° 57'·7E.

2. The positions of the buoys are subject to frequent change, they may be off station for extended periods of time and additional buoyage may be deployed.
3. *The latest information can be found on the Indian National Centre for Ocean Information Services (INCOIS) website, <https://incois.gov.in/site/datainfo/jointportal.jsp> and on the NOAA website, <https://www.pmel.noaa.gov/gtmba/mooring-status-summary>.
4. *Former Notice 3402(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 709 - 4702 (INT 702) - 4703 (INT 703) - 4706 (INT 706) - 4707 (INT 707) - 4714 (INT 714) - IN 22 (INT 752) - IN 31 (INT 756) - IN 33 (INT 755)

II

440(P)/26 INDONESIA - Sumatera - Buoyage.

Source: ENC's ID400160 and ID500160

1. Changes to buoyage have taken place within Sungai Palembang between $2^{\circ} 10' \cdot 88\text{S.}$, $104^{\circ} 58' \cdot 42\text{E.}$ and $2^{\circ} 59' \cdot 27\text{S.}$, $104^{\circ} 49' \cdot 30\text{E.}$
2. These changes will be included in a New Edition of Chart 3476 to be published early 2026.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3476

II

485(T)/26 CHINA - Yellow Sea Coast - Wreck.

Source: Chinese Notice 52/1649(T)/25

1. A fishing vessel has been reported to be drifting in the vicinity of position: 38° 02'·2N., 123° 02'·3E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1255 - 1256

II

464(P)/26 KOREA - South Coast - Radio reporting lines. Radio reporting points. Vessel traffic services.

Source: KHOA

1. There have been significant changes to the radio reporting lines and direction of the associated radio calling-in points within the following areas:

<i>VTS Area</i>	<i>Central Position</i>
<i>Hosan VTS</i>	37° 05'·14N., 129° 28'·18E.
<i>Pohang VTS</i>	36° 10'·83N., 129° 34'·49E.
<i>Ulsan VTS</i>	35° 25'·09N., 129° 29'·57E.
<i>Busan VTS</i>	35° 00'·83N., 129° 09'·90E.
<i>Busan New Port VTS</i>	34° 54'·42N., 128° 54'·27E.
<i>Okpo VTS</i>	34° 51'·96N., 128° 46'·44E.
<i>Masan VTS</i>	35° 03'·77N., 128° 38'·45E.
<i>Tongyeong Coastal VTS</i>	34° 34'·0N., 128° 23'·2E.
<i>Samcheonpo VTS</i>	34° 49'·38N., 128° 06'·47E.
<i>Yeosu VTS</i>	34° 36'·59N., 127° 53'·64E.
<i>Yeosu Coastal VTS</i>	34° 11'·60N., 127° 27'·66E.
<i>Wando VTS</i>	34° 06'·97N., 126° 47'·28E.
<i>Jeju VTS</i>	33° 40'·00N., 126° 33'·41E.
<i>Jindo VTS</i>	34° 14'·25N., 125° 55'·57E.
<i>Mokpo VTS</i>	34° 36'·30N., 126° 13'·37E.
<i>Taeon VTS</i>	36° 41'·24N., 125° 55'·00E.
<i>Incheon VTS</i>	37° 13'·19N., 126° 24'·43E.
<i>Pyeongtaek VTS</i>	37° 07'·90N., 126° 31'·68E.
<i>Gyeongin VTS</i>	37° 32'·80N., 126° 34'·13E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. These changes will be included in New Editions of Charts 127, 1007, 1065, 1258, 1270, 3365, 3391, 3642, 3666 and 3929.
4. Charts 882, 896, 898, 1008, 1259 and 1271 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 127 - 1007 - 1065 - 1258 - 1270 (INT 5363) - 3365 (INT 5252) - 3391 (INT 5360) - 3642 (INT 5364) - 3666 (INT 5251) - 3929

II

508(P)/26 UNITED STATES OF AMERICA - West Coast - Anchorage areas. Anchor berths.

Source: ENCs US5LGBCE and US5LGBCD

1. Anchorage areas have changed within San Pedro Bay. The new anchorage areas are bounded by the following positions:

<i>Designation</i>	<i>Former Position</i>
F	33° 41'·685N., 118° 09'·756W. 33° 42'·220N., 118° 09'·902W. 33° 43'·082N., 118° 10'·530W. 33° 43'·081N., 118° 08'·153W.
G	33° 41'·688N., 118° 13'·711W. 33° 42'·430N., 118° 14'·319W. 33° 43'·089N., 118° 12'·299W. 33° 43'·089N., 118° 11'·300W. 33° 42'·137N., 118° 11'·627W. 33° 41'·687N., 118° 11'·912W.

2. Anchor berths with swinging circles, radius 548·6m, pecked line, have been established, centred on the following positions:

<i>Designation</i>	<i>Former Position</i>
G-4	33° 41'·759N., 118° 13'·322W.
G-5	33° 42'·024N., 118° 12'·518W.
G-6	33° 42'·499N., 118° 11'·871W.
F-4	33° 42'·177N., 118° 09'·224W.
F-5	33° 42'·225N., 118° 08'·253W.

3. Anchor berths with swinging circles, radius 457·2m, pecked line, have been established, centred on the following positions:

<i>Designation</i>	<i>Former Position</i>
G-1	33° 42'·330N., 118° 13'·852W.
G-2	33° 42'·549N., 118° 13'·186W.
G-3	33° 42'·753N., 118° 12'·519W.
F-2	33° 42'·903N., 118° 09'·275W.
F-3	33° 42'·879N., 118° 08'·550W.

4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. For further details use NOAA Electronical Navigational Charts.
6. These changes will be included in a New Edition of Chart 1081 to be published early 2026.
7. Former Notice 126(P)/26 is cancelled.
(NAD83 DATUM)

Chart affected - 1081

II

476(P)/26 BRAZIL - East Coast - Obstruction.

Source: Brazilian Notice 23/I 191(P)/25

1. An obstruction area exists, bounded by the following positions:

0° 00'·45N., 50° 35'·39W.

0° 00'·22N., 50° 35'·43W.

0° 00'·65N., 50° 37'·61W.

0° 01'·25N., 50° 37'·80W.

0° 00'·76N., 50° 36'·53W.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2189

II

514(P)/26 ARGENTINA - Depths.

Source: ENC's AR420060 and AR401560

1. Depths less than charted exist in the vicinity of Canal Brown and Canal Emilio Mitre. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
0·9m	34° 33'·79S., 58° 10'·65W.
3m	34° 34'·03S., 58° 10'·58W.
4·8m	34° 37'·03S., 58° 09'·93W.
4·9m	34° 37'·47S., 58° 07'·93W.
5·5m	34° 38'·90S., 58° 03'·99W.
5·4m	34° 39'·38S., 58° 01'·85W.
6m	34° 39'·89S., 58° 02'·38W.
6m	34° 40'·34S., 58° 01'·70W.
4·4m	34° 37'·11S., 58° 12'·48W.
4·9m	34° 37'·96S., 58° 09'·11W.
5m	34° 38'·26S., 58° 07'·38W.
3·9m	34° 39'·38S., 58° 06'·85W.
4·7m	34° 40'·34S., 58° 04'·13W.
4·2m	34° 40'·82S., 58° 03'·15W.
6·9m	34° 40'·81S., 57° 59'·74W.
3m	34° 35'·46S., 58° 15'·76W.
3m	34° 35'·22S., 58° 16'·04W.

2. Mariners are advised to navigate with caution in the area.
3. These changes will be included in a New Edition of Chart 3561 to be published early 2026.
4. Charts 1323 and 1751 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 3561