



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 06

05 February 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
115	INT 1369	NP 286(7)
207	INT 1375	NP 136(1)
292	INT 1400	e-NP 136(1)
294	INT 1402	NP 136(2)
295	INT 1426	e-NP 136(2)
938	INT 1465	
1186	INT 1503	
1275	INT 1642	
1405	INT 1643	
1428	INT 9112	
1608	INT 9122	
1741	INT 9315	
1797		
1951		
2214		
2230		
2351		
2429		
2583		
2592		
2988		
3210		
3490		
3593		
4127		
4937		

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



I

UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 05 February 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1275	Black Sea – Türkiye, Ereğli to Amasra. Ⓐ Amasra. Ⓑ Bartın Limanı. Ⓒ Zonguldak. Ⓓ Ereğli.	1:125,000 1:25,000 1:12,500 1:12,500 1:25,000	31	46
	This chart remains affected by Notice 2383(T)/24.			
⊙1608	Aegean Sea, Approaches to Çanakkale Boğazı (The Dardanelles). Ⓐ Bozcaada. Ⓑ Akçansa Cement Pier.	1:100,000 1:7,500 1:7,500	29	48
⊙2214	Black Sea including Marmara Denizi and Sea of Azov. This chart remains affected by Notice 938(T)/12, 6397(P)/19, 2503(P)/23, 4029(T)/23, 4708(P)/24 and 2211(T)/25.	1:1,200,000	31	18, 20, 46
⊙2351 INT 9315	International Chart Series, Norway - West Coast, Andenes to LoppHAVet.	1:350,000	14	38
⊙2429	Türkiye, Çanakkale Boğazı (The Dardanelles). Ⓐ Nara Geçidi (The Narrows) Ⓑ Çanakkale. Ⓒ South Entrance to Çanakkale Boğazı.	1:75,000 1:25,000 1:5,000 1:25,000	29	48
⊙2583	Baltic Sea - Denmark, Smålandsfarvandet, Western Part. Ⓐ Approaches to Skælskør. Ⓑ Bandholm.	1:75,000 1:20,000 1:8,000	10	34
⊙2592 INT 1375	International Chart Series, Denmark, Lillebælt, Northern Part. Ⓐ Assens.	1:75,000 1:6,000	10	34
	This chart remains affected by Notice 5060(T)/23 and 4052(T)/25.			
⊙2988	Central America, Ports in the Gulf of Honduras. Ⓐ Approaches to Puerto Barrios and Santo Tomás de Castilla. Ⓑ Puerto Barrios and Santo Tomás de Castilla. Ⓒ Approaches to Puerto Cortés. Ⓓ Puerto Cortés.	1:65,000 1:25,000 1:30,000 1:15,000	85	122
	On publication of this New Edition former Notice 5524(P)/25 is cancelled.			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP286(7)	ADMIRALTY List of Radio Signals Pilot Services, Vessel Traffic Services and Port Operations Central and South America and the Caribbean NP286(7) Volume 6 7 th Edition (2026)	05/02/2026	Updated to NM Week 50/25 (11/12/25) First updates from NM Week 06/26 (05/02/26) The 6 th Edition (2025) of NP286(7) is cancelled.
ISBN: 978-0-70-774-8283			
NP136(1) & e-NP136(1)	ADMIRALTY Ocean Passages for the World Atlantic Ocean Volume 1 Third Edition 2026	05/02/2026	The Second Edition 2021 of Ocean Passages for the World Atlantic Ocean Volume 1 is now cancelled.
ISBN Number: 978-0-70-774-6562			
NP136(2) & e-NP136(2)	ADMIRALTY Ocean Passages for the World Indian and Pacific Oceans Volume 2 Third Edition 2026	05/02/2026	The Second Edition 2021 of Ocean Passages for the World Indian and Pacific Oceans Volume 2 is now cancelled.
ISBN Number: 978-0-70-774-6579			

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 19 FEBRUARY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
115 INT 1503	International Chart Series, Scotland - East Coast, Moray Firth.	1:200,000	⊙115 INT 1503	6	28, 30, 32
207 INT 1465	International Chart Series, Netherlands, Hoek Van Holland to Vlaardingen. Part A, Nieuwe Waterweg and Europoort. Part B, Continuation Nieuwe Waterweg.	1:20,000 1:20,000	⊙207 INT 1465	9	24
292	North Sea Offshore Charts, Sheet 3.	1:200,000	⊙292	6	28, 32
294	North Sea Offshore Charts, Sheet 2.	1:200,000	⊙294	6	28, 32

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 19 FEBRUARY 2026

New Editions of ADMIRALTY Charts (continued)

295	North Sea Offshore Charts, Sheet 1.	1:200,000	⊙295	6	28, 32
938	International Chart Series, Denmark, Entrance to the Baltic, Storebælt,	1:50,000	⊙938	10	34
INT 1369	Middle Part.		INT 1369		
	Ⓐ Approaches to Nyborg.	1:20,000			
	Ⓑ Vestbroen - West Bridge.	1:7,500			
	Ⓒ Østbroen - East Bridge.	1:25,000			
1186	International Chart Series, England - East Coast, River Thames		⊙1186	8	24
INT 1426	Canvey Island to Tilbury.		INT 1426		
	Ⓐ Canvey Island to Coalhouse Point.	1:12,500			
	Ⓑ Coalhouse Point to Tilbury.	1:12,500			
1405	International Chart Series, Norway - West Coast, Eldfisk Oil Field to	1:350,000	⊙1405	13	28, 32
INT 1400	Boknafjorden.		INT 1400		
<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
1428	International Chart Series, Norway - West Coast, Florø to Smøla.	1:350,000	⊙1428	13	32, 38
INT 1402			INT 1402		
1741	International Chart Series, Antarctica, South Shetland Islands,	1:15,000	⊙1741	97	136
INT 9122	Greenwich Island, English Strait and Discovery Bay.		INT 9122		
	Iquique Cove and Approaches.	1:5,000			
1797	Central America - East Coast. Belize, Monkey River to Colson Point.	1:125,000	⊙1797	85	122
	Ⓐ Commerce Bight.	1:12,000			
	Ⓑ Big Creek and Approaches.	1:20,000			
1951	International Chart Series, England - West Coast, Approaches to	1:25,000	⊙1951	3	26
INT 1642	Liverpool.		INT 1642		
2230	Black Sea, Constanța to Kefken Adasi.	1:400,000	⊙2230	31	46, 48
3210	International Chart Series, Antarctica, Plans in the South Shetland		⊙3210	97	136
INT 9112	Islands.		INT 9112		
	Ⓐ Point Wild.	1:10,000			
	Ⓑ Penguin Island.	1:20,000			
	Ⓒ Yankee Harbour.	1:15,000			
3490	International Chart Series, England - West Coast, Port of Liverpool.		⊙3490	3	26
INT 1643	Ⓐ Seaforth to Tranmere.	1:15,000	INT 1643		
	Ⓑ Tranmere to Garston and Eastham.	1:15,000			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 19 FEBRUARY 2026

New Editions of ADMIRALTY Charts (continued)

3593	Southern Ocean, South Sandwich Islands.		⊙3593	96	136
	Approaches to the South Sandwich Islands.	1:500,000			
	Ⓐ Candlemas Islands.	1:50,000			
	Ⓑ Cordelia Bay.	1:50,000			
	Ⓒ Douglas Strait.	1:50,000			
4127	China - Hong Kong, South Eastern Approaches.	1:25,000	⊙4127	47	78
4937	Canada, British Columbia/Colombie-Britannique, Chatham Sound, Prince Rupert Harbour.	1:20,000	⊙4937	91	108
	Butze Rapids.	1:5,000			

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
1275	Black Sea – Turkey, Ereğli to Amasra.	⊙1275
1608	Aegean Sea, Approaches to Çanakkale Boğazı (The Dardanelles)	⊙1608
2214	Black Sea including Marmara Denizi and Sea of Azov.	⊙2214
2351 INT 9315	International Chart Series, Norway - West Coast, Andenes to LoppHAVet.	⊙2351 INT 9315
2429	Turkey, Çanakkale Boğazı (The Dardanelles)	⊙2429
2583	Baltic Sea, Denmark, Smålandsfarvandet, Western Part.	⊙2583
2592 INT 1375	International Chart Series, Denmark, Lillebælt Northern Part.	⊙2592 INT 1375
2988	Central America, Ports in the Gulf of Honduras.	⊙2988

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
12	615P	1335	637
73	607T	1339	646
87	581	1340	589
106	566	1369	639
116	602T, 645	1384	537
120	645	1385	537
151	574	1408	566
153	574	1427	553T, 613T, 618T
158	547	1483	572
191	656	1503	566
204	572	1539	575
207	603T	1555	622
226	534P	1644	611
252	658	1749	565
259	605T	1757	540T
265	629	1760	643
292	613T	1761	571T, 649
294	613T	1792	559
295	553T	1853	659
333	555	1862	554T
341	542, 622	1866	569
396	641	1909	585
497	616	1962	622
527	562	1968	571T, 622
529	592T	1991	590
595	592T	2014	564P
601	573T	2018	564P
686	573T	2027	557
810	614	2028	557
811	533	2040	564P
817	648T	2056	653
820	533	2085	605T
822	585	2115	583
837	591	2116	574
838	585	2182C	618T
870	532	2182D	553T, 618T
873	532	2189	548P, 550P
876	612	2236	596
893	605T	2252	605T
903	583	2269	543
914	570	2319	580
916	570	2333	543
933	653	2374	555
937	542, 622	2375	555
958	631	2401	619, 649
961	626	2409	643
964	535	2412	571T, 630
969	626	2456	563
1008	644	2488	567
1065	597	2490	567
1128	627P	2492	567
1134	560	2523	625
1147	573T	2524	627P
1176	651	2595	583
1199	560	2611	536T
1201	545	2616	587
1223	604	2636	578
1230	598	2637	586
1249	657	2638	633
1250	599, 657	2645	647P
1255	599, 657	2653	627P
1256	657	2658	547
1259	597	2659	547
1268	541P	2669	557
1269	541P	2670	567
1274	544	2683	551T
1277	641	2721	627P
1306	560	2722	627P
1322	621	2753	652T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2797	653	4246	642
2799	577	4414	584
2819	623	4463	584
2837	625	4509	630
2847	625	4601	632
2862	653	4602	632
2886	625	4704	547
2887	552	4723	579T
2888	552	4768	606
2889	552	4806	592T
2897	593	4810	592T
2898	588	5601_11	536T
2899	593, 650T	5604_6	557
2914	584	5605_13	590
2952	609	5608_15	651
2956	593, 650T	5613_5	600T
2986	624	5614_18	568
3026	622	5614_19	568
3064	565	5616_10	540T
3133	554T	5620_13	539T
3134	554T		
3175	552	Australian	Notices
3176	552	Chart No.	
3186	601		
3187	601		
3231	643	Aus 57	654
3236	571T	Aus 327	595T, 654
3275	539T	Aus 743	628
3313	596	Aus 808	632
3324	565	Aus 827	617
3412	552		
3429	640	Belgian	Notices
3490	600T	Chart No.	
3496	568		
3497	568		
3634	581	BE 11	582T
3635	581	BE 101	582T
3658	571T		
3729	653	German	Notices
3734	549T	Chart No.	
3735	576		
3736	549T	DE 2	556
3737	549T, 576	DE 20	556
3773	604	DE 50	561
3778	538T		
3780	538T	Indian	Notices
3790	576, 625	Chart No.	
3859	546T		
3959	550P	IN 210	558T
3962	550P	IN 254	558T
3980	656	IN 292	558T
3981	608		
4032	638	Japanese	Notices
4033	655	Chart No.	
4037	620		
4042	610		
4043	610	JP 80	635
4044	610	JP 87	635
4104	592T	JP 90	635
4115	592T	JP 153	636T
4138	546T	JP 1098	634
4175	546T		
4202	592T	New Zealand	Notices
4203	592T	Chart No.	
4209	592T		
4215	592T	NZ 61	594
4216	592T		
4240	642		
4245	642		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	International Chart No.	Notices
INT 104	592T	INT 7134	555
INT 120	605T	INT 7135	555
INT 202	592T	INT 7142	615P
INT 203	592T	INT 7148	547
INT 209	592T	INT 7149	547
INT 215	592T	INT 7199	552
INT 407	592T	INT 7211	552
INT 509	630	INT 7212	552
INT 601	632	INT 7216	552
INT 602	632	INT 7219	552
INT 704	547	INT 7232	552
INT 723	579T	INT 7243	625
INT 810	592T	INT 7250	625
INT 1010	593	INT 7252	576, 625
INT 1040	553T, 618T	INT 7255	549T, 576
INT 1041	618T	INT 7258	549T
INT 1045	561	INT 7259	576
INT 1085	573T	INT 7261	549T
INT 1104	588	INT 7299	541P
INT 1105	593, 650T	INT 7331	558T
INT 1110	593, 650T	INT 7430	648T
INT 1175	605T	INT 9120	534P
INT 1202	564P	INT 11431	587
INT 1218	564P	INT 12902	586
INT 1219	564P		
INT 1232	591		
INT 1238	533		
INT 1239	533		
INT 1310	532		
INT 1315	532		
INT 1332	583		
INT 1333	583		
INT 1336	631		
INT 1401	553T, 613T, 618T		
INT 1424	556		
INT 1456	556		
INT 1465	603T		
INT 1474	582T		
INT 1477	602T, 645		
INT 1479	645		
INT 1509	566		
INT 1554	568		
INT 1565	568		
INT 1603	627P		
INT 1604	627P		
INT 1630	540T		
INT 1643	600T		
INT 1651	539T		
INT 1654	651		
INT 1726	536T		
INT 1771	614		
INT 1840	624		
INT 1901	607T		
INT 1939	554T		
INT 2051	546T		
INT 2087	592T		
INT 2610	546T		
INT 2613	546T		
INT 2807	537		
INT 2808	537		
INT 3195	574		
INT 3196	574		
INT 5508	542, 622		
INT 7008	547		
INT 7017	625		
INT 7018	625		
INT 7021	558T		
INT 7114	629		
INT 7132	555		

II

537 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
1384 INT 2807	2886/25	Effective from 29/01/2026 Insert accompanying note, LARGER SCALE CHARTS, centred on 5° 48'·8N., 0° 15'·0W. Insert magenta limit and chart number, FR7835, as follows: North: East: 2° 44'·1E. 6° 27'·1N. South: West: 2° 13'·8E. 6° 06'·4N. Amend chart number to read, FR7587, in position 5° 56'·2N., 1° 13'·0E. Delete magenta limit and chart number, 1392, in position 6° 11'·2N., 2° 25'·7E.
1385 INT 2808	2911/25	Effective from 29/01/2026 Insert accompanying note, LARGER SCALE CHARTS, centred on 6° 00'·7N., 5° 13'·3E. Insert magenta limit and chart number, FR7835, as follows: North: East: 2° 44'·1E. 6° 27'·1N. South: West: - 6° 06'·4N. Delete magenta limit and chart number, 1392, in position 6° 11'·3N., 2° 25'·8E.

II

566* ENGLAND - East Coast - Platform. Foul. Restricted area.

Source: Eni UK Ltd

Chart 106 [*previous update 367/26*] ETRS89 DATUM

Replace   48/29-B with # (a) 53° 03'·24N., 1° 41'·07E.

Delete circular limit of restricted area, radius 500m, TTTT, centred
on: (a) above

Chart 1408 [*previous update 404/26*] WGS84 DATUM

Replace   with # 53° 03'·2N., 1° 41'·1E.

Chart 1503 (INT 1509) [*previous update 5417/25*] ETRS89 DATUM

Replace   48/29-B with # (a) 53° 03'·24N., 1° 41'·07E.

Delete circular limit of restricted area, radius 500m (0·27M), TTTT,
centred on: (a) above

II

568* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 3496 (INT 1565) (Panel A, Hull Docks Eastern Part) [*previous update 271/26*] ETRS89 DATUM

Insert	depth, 68, and extend 7m contour NE to enclose	(a)	53° 43'·924N., 0° 16'·113W.
Delete	depth, 79, close NE of:	(a)	above
Insert	depth, 76	(b)	53° 43'·890N., 0° 16'·016W.
Delete	depth, 85, close E of:	(b)	above
Insert	depth, 67, and extend 7m contour NE to enclose	(c)	53° 43'·729N., 0° 15'·940W.
Delete	depth, 84, close SE of:	(c)	above

Chart 3497 (INT 1554) [*previous update 488/26*] ETRS89 DATUM

Insert	depth, 67, and extend 7m contour NE to enclose	(a)	53° 43'·73N., 0° 15'·94W.
Delete	depth, 84, close SE of:	(a)	above
Insert	depth, 76	(b)	53° 43'·89N., 0° 16'·02W.
Delete	depth, 89, close NE of:	(b)	above
	depth, 79, close SW of:	(b)	above

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update 271/26*] ETRS89 DATUM

Insert	depth, 67, and extend 7m contour NE to enclose	(a)	53° 43'·73N., 0° 15'·94W.
Delete	depth, 84, close SE of:	(a)	above
Insert	depth, 76	(b)	53° 43'·89N., 0° 16'·02W.
Delete	depth, 79, close SW of:	(b)	above
	depth, 89, close NE of:	(b)	above

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 488/26*] ETRS89 DATUM

Insert	depth, 67, and extend 7m contour NE to enclose	(a)	53° 43'·73N., 0° 15'·94W.
Delete	depth, 84, close SE of:	(a)	above
Insert	depth, 76	(b)	53° 43'·89N., 0° 16'·02W.
Delete	depth, 79, close SW of:	(b)	above
	depth, 89, close NE of:	(b)	above

II

569* SCOTLAND - West Coast - Drying contours. Drying height. Depths.

Source: Aspect Land and Hydrographic Surveys

Chart 1866 (Panel B, Irvine) [*previous update 5383/25*] ETRS89 DATUM

Insert	circular limit of 0m low water line, radius 10m, centred on:	55° 36'·588N., 4° 40'·897W.
	depth, 05, enclosed by 2m contour	(a) 55° 36'·528N., 4° 41'·382W.
Delete	depth, 16, and associated 2m contour, close SW of:	(a) above
Insert	depth, 09	(b) 55° 36'·494N., 4° 41'·326W.
Delete	depth, 13, close S of:	(b) above
Insert	drying height, 09, enclosed by 0m low water line	55° 36'·397N., 4° 41'·610W.

II

590* ENGLAND - South Coast - Harbour limits. Legends.

Source: UKHO

Chart 1991 (Panel D, Folkestone Harbour) [*previous update New Edition 05/12/2024*] ETRS89 DATUM

Insert	harbour limit, pecked line, joining:	51° 04'·505N., 1° 10'·438E.
		(a) 51° 04'·470N., 1° 10'·525E.
		(b) 51° 04'·557N., 1° 11'·684E.
		and
		(c) 51° 04'·566N., 1° 11'·695E.
		(d) 51° 04'·977N., 1° 11'·832E.
	legend, <i>Harbour limit</i> , along N side of:	(a)-(b) above
	legend, <i>Harbour limit</i> , along W side of:	(c)-(d) above

Chart 5605_13 (Panel D, Folkestone Harbour) [*previous update 5675/25*] ETRS89 DATUM

Insert	harbour limit, pecked line, joining:	(a) 51° 04'·557N., 1° 11'·684E.
		(b) 51° 04'·513N., 1° 11'·101E.
		and
		(c) 51° 04'·566N., 1° 11'·695E.
		(d) 51° 04'·977N., 1° 11'·832E.
	legend, <i>Harbour limit</i> , along N side of:	(a)-(b) above
	legend, <i>Harbour limit</i> , along W side of:	(c)-(d) above

II

651* ENGLAND - Bristol Channel - Depths.

Source: Bristol Port Company

Chart 1176 (INT 1654) [*previous update 4830/25*] ETRS89 DATUM

Insert	depth, <i>104</i>	(a) 51° 26′·82N., 2° 59′·01W.
Delete	depth, <i>106</i> , close NE of:	(a) above

Chart 5608_15 [*previous update 2821/25*] ETRS89 DATUM

Insert	depth, <i>104</i>	(a) 51° 26′·82N., 2° 59′·01W.
Delete	depth, <i>106</i> , close NE of:	(a) above

II

543 **RUSSIA - Barents Sea Coast - Nature reserves. Note.**
Source: Russian Notices 37/3867-3868/25

Chart 2269 [*previous update 2104/25*] PULKOVO 1942 DATUM

Insert limit of nature reserve, $\text{TTTT}MR\text{TTTT}$, joining:

69° 08'·2N., 36° 00'·1E.
69° 08'·4N., 36° 01'·0E.
69° 09'·8N., 35° 58'·8E.
69° 12'·7N., 35° 48'·3E.
69° 12'·2N., 35° 47'·1E.
69° 11'·4N., 35° 48'·7E.

and

68° 38'·2N., 37° 48'·1E.
68° 38'·4N., 37° 49'·2E.
68° 38'·6N., 37° 49'·5E.
68° 38'·9N., 37° 48'·7E.
68° 41'·7N., 37° 47'·4E.
68° 49'·7N., 37° 21'·1E.
68° 50'·1N., 37° 11'·5E.
67° 50'·3N., 36° 50'·8E.

the accompanying note, NATURE RESERVES, centred on:

Chart 2333 [*previous update 360/26*] WGS84 DATUM

Insert limit of nature reserve, $\text{TTTT}MR\text{TTTT}$, joining:

69° 08'·19N., 35° 59'·89E.
69° 08'·46N., 36° 00'·80E.
69° 09'·86N., 35° 58'·62E.
69° 12'·68N., 35° 48'·14E.
69° 12'·22N., 35° 46'·91E.
69° 11'·41N., 35° 48'·50E.
69° 13'·7N., 31° 26'·8E.

the accompanying block, centred on:

II

588 ICELAND - Obstruction. Virtual aid to navigation.

Source: Icelandic Notice 12/104/25

Chart 2898 (INT 1104) [*previous update 5402/25*] WGS84 DATUM

Delete



Subm buoy and associated symbol, Virtual aid to navigation, V-AIS, out of position

65° 46'·3N., 23° 44'·4W.

II

593 ICELAND - Obstructions. Virtual aids to navigation. Light.

Source: Icelandic Notices 12/98/25 and 12/105-106/25

Chart 2897 (INT 1010) [*previous update 5653/25*] WGS84 DATUM

Delete



Gjögurtá

66° 10'·5N., 18° 16'·0W.

Chart 2899 (INT 1105) [*previous update 5780/25*] WGS84 DATUM

Delete

★ Fl(2) 10s 28m 8M Gjögurtá and associated circular white
arc

66° 10'·5N., 18° 16'·1W.

Chart 2956 (INT 1110) [*previous update 5614/25*] WGS84 DATUM

Insert



Subm buoy

(a) 66° 07'·62N., 18° 25'·08W.

symbol, Virtual aid to navigation, V-AIS

(a) above

Delete

former  Subm buoy, and associated symbol, Virtual aid
to navigation, V-AIS

66° 05'·42N., 18° 23'·70W.

★ Fl(2) 10s 28m 8M Gjögurtá

66° 10'·45N., 18° 16'·13W.

II

532 SWEDEN - West Coast - Wreck.

Source: Swedish Chart 9321

Chart 870 (INT 1310) [*previous update 5459/25*] WGS84 DATUM

Insert



57° 55'·44N., 11° 39'·71E.

Chart 873 (INT 1315) [*previous update New Edition 11/09/2025*] WGS84 DATUM

Insert



57° 55'·44N., 11° 39'·72E.

II

533 SWEDEN - East Coast - Restricted area.

Source: Swedish Notice 1100/19796/25

Chart 811 (INT 1239) [*previous update 174/26*] WGS84 DATUM

Delete	limit of restricted area, entry prohibited, pecked line, joining:	59° 19'·358N., 18° 04'·543E.
		59° 19'·347N., 18° 04'·617E.
		59° 19'·208N., 18° 04'·690E.
		59° 19'·196N., 18° 04'·679E.

Chart 820 (INT 1238) [*previous update 174/26*] WGS84 DATUM

Delete	limit of restricted area, entry prohibited, pecked line, joining:	59° 19'·36N., 18° 04'·54E.
		59° 19'·35N., 18° 04'·62E.
		59° 19'·21N., 18° 04'·69E.
		59° 19'·20N., 18° 04'·68E.

II

578 POLAND - Foul.

Source: Polish Notice 45/529/25

Chart 2636 [*previous update 222/26*] WGS84 DATUM

Insert # (87)

54° 31′·459N., 18° 33′·087E.

II

583 DENMARK - Islands - Wreck. Rock. Fish haven.

Source: Danish Chart Corrections 37/199-200/25

Chart 903 (INT 1333) [*previous update 473/26*] WGS84 DATUM

Insert



Rep (2025)

55° 39′·88N., 12° 39′·31E.

Chart 2115 [*previous update 433/26*] WGS84 DATUM

Replace



with



(85)

55° 25′·77N., 12° 17′·29E.

Chart 2595 (INT 1332) [*previous update 473/26*] WGS84 DATUM

Insert



Rep (2025)

55° 39′·88N., 12° 39′·31E.

Replace



with



(85)

55° 25′·77N., 12° 17′·29E.

II

586 POLAND - Light.

Source: Polish Notice 45/528/25

Chart 2637 (INT 12902) [*previous update 5842/25*] WGS84 DATUM

Delete

★ Fl.R.6s7m3M

54° 23′·354N., 18° 43′·320E.

II

587 FINLAND - West Coast - Obstructions. Rocks. Dolphins. Depth.

Source: Finnish Notice 33/265/25

Chart 2616 (INT 11431) (Panel B, Rahja) [*previous update 4831/25*] WGS84 DATUM

Insert	 <i>Obstn</i>	64° 12'·97N., 23° 39'·87E.
	 with seabed type, <i>R</i>	64° 13'·00N., 23° 39'·95E.
	 with seabed type, <i>R</i>	64° 13'·05N., 23° 40'·22E.
	 with seabed type, <i>R</i>	64° 13'·01N., 23° 40'·26E.
		(a) 64° 12'·98N., 23° 40'·39E.
Delete	 , close NW of:	(a) above
Insert	 with seabed type, <i>R</i>	(b) 64° 13'·12N., 23° 40'·69E.
Delete	depth, 08, close SW of:	(b) above
Insert	 <i>Obstn</i>	64° 13'·12N., 23° 41'·07E.

II

591 SWEDEN - East Coast - NM Block.

Source: Swedish Notice 1100/19819/26

Chart 837 (INT 1232) [*previous update 4126/25*] WGS84 DATUM

Insert the accompanying block, centred on:

58° 55′·9N., 17° 58′·6E.

II

612 SWEDEN - West Coast - Buoy.

Source: Swedish Notice 1101/19815/26

Chart 876 (Panel A, TSS In The Sound) [*previous update 5364/25*] WGS84 DATUM

Delete

 (1.5. - 31.10.)

56° 04'·00N., 12° 39'·20E.

II

614 SWEDEN - East Coast - Wreck.

Source: Swedish Notice1101/19809/26

Note: Former Notice 62(T)/25 is cancelled.

Chart 810 (INT 1771) [*previous update 5474/25*] WGS84 DATUM

Insert



59° 26′·10N., 17° 19′·89E.

II

631 DENMARK - Islands - Legends.

Source: Danish Chart Correction 40/215/25

Chart 958 (INT 1336) [*previous update 5488/25*] WGS84 DATUM

Amend	legend to, Ldg.Lts	55° 16'·60N., 14° 47'·87E.
	legend to, 209°	55° 17'·66N., 14° 48'·93E.

II

556* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, WSA Weser-Jade-Nordsee, Survey LP29618/25

Chart DE 2 (INT 1456) [*previous update 336/26*] WGS84 DATUM

Insert	depth, <i>81</i> , enclosed by 10m contour	(a) 53° 48'·56N., 8° 00'·85E.
Delete	depth, <i>94</i> , and associated 10m contour, close SE of:	(a) above
Replace	depth, <i>102</i> , with depth, <i>95</i> , enclosed by 10m contour	53° 50'·33N., 8° 00'·54E.

Chart DE 20 (INT 1424) [*previous update 5007/25*] WGS84 DATUM

Insert	depth, <i>81</i> , enclosed by 10m contour	(a) 53° 48'·56N., 8° 00'·85E.
Delete	depth, <i>94</i> , and associated 10m contour, close SE of:	(a) above

II

561* NORTH SEA - German Sector - Rocks.

Source: WSA Elbe-Nordsee 5, 15, 16/26

Chart DE 50 (INT 1045) [*previous update 480/26*] WGS84 DATUM

Insert

+ (41)

54° 27'·8N., 5° 25'·1E.

+ (42)

54° 30'·7N., 5° 35'·7E.

+ (40)

54° 39'·4N., 6° 05'·1E.

II

645 NETHERLANDS - Marine farms. Legends.

Source: Netherlands Notice 3/7/26

Chart 116 (INT 1477) [*previous update 430/26*] WGS84 DATUM

Insert	limit of marine farm, pecked line, joining:	(a) 51° 22'·78N., 3° 39'·33E. 51° 22'·58N., 3° 40'·10E. 51° 22'·58N., 3° 39'·77E. 51° 22'·55N., 3° 39'·77E. 51° 22'·55N., 3° 39'·44E. 51° 22'·60N., 3° 38'·92E.
		(b) 51° 22'·63N., 3° 38'·93E.
Delete	former limit of marine farm, pecked line, joining:	(a) above 51° 22'·65N., 3° 40'·62E. 51° 22'·57N., 3° 40'·60E. 51° 22'·58N., 3° 39'·44E.
		(b) above
Insert	legend, (<i>see Note</i>), centred on:	51° 22'·66N., 3° 39'·29E.
Delete	former legend, (<i>see Note</i>), centred on:	51° 22'·66N., 3° 39'·82E.

Chart 120 (INT 1479) [*previous update 430/26*] WGS84 DATUM

Insert		(a) 51° 22'·68N., 3° 39'·33E.
	legend, (<i>see Note</i>), close S of:	(a) above
	limit of marine farm, pecked line, joining:	(b) 51° 22'·78N., 3° 39'·33E. 51° 22'·58N., 3° 40'·10E. 51° 22'·58N., 3° 39'·77E. 51° 22'·55N., 3° 39'·77E. 51° 22'·55N., 3° 39'·44E. 51° 22'·60N., 3° 38'·92E.
		(c) 51° 22'·63N., 3° 38'·93E.
Delete	former limit of marine farm, pecked line, joining:	(b) above 51° 22'·65N., 3° 40'·62E. 51° 22'·57N., 3° 40'·60E. 51° 22'·58N., 3° 39'·45E.
		(c) above
	former 	51° 22'·65N., 3° 39'·75E.

II

557 FRANCE - North Coast - Buoy.

Source: French Notice 44/37/25

Chart 2027 [*previous update 4882/25*] WGS84 DATUM

Delete  *Fl(5)Y.20s Wave recorder* 48° 54'·39N., 2° 55'·38W.

Chart 2028 [*previous update 5517/25*] WGS84 DATUM

Delete  *Fl(5)Y.20s Wave recorder* 48° 54'·40N., 2° 55'·38W.

Chart 2669 [*previous update 234/26*] WGS84 DATUM

Delete  *Fl(5)Y.20s Wave recorder* 48° 54'·36N., 2° 55'·40W.

Chart 5604_6 [*previous update 5517/25*] WGS84 DATUM

Delete  *Fl(5)Y.20s Wave recorder* 48° 54'·36N., 2° 55'·40W.

II

581 PORTUGAL - West Coast - Buoyage. Note.

Source: Portuguese Notice 09/262/25

Note: Former Notices 3904(T)/25, 3906(T)/25, 4315(T)/25 and 4317(T)/25 are cancelled.

Chart 87 [previous update 2934/25] WGS84 DATUM

Insert

 Fl(5)Y ODAS

41° 43'·5N., 9° 06'·3W.

41° 03'·3N., 9° 13'·7W.

40° 11'·2N., 9° 30'·1W.

39° 05'·2N., 9° 37'·9W.

Chart 3634 [previous update 5557/25] WGS84 DATUM

Insert

 Fl(5)Y.20s EOLOS E02 ODAS

41° 43'·53N., 9° 06'·34W.

 Fl(5)Y.20s EOLOS E10 ODAS

41° 03'·29N., 9° 13'·71W.

 Fl(5)Y.20s EOLOS E15 ODAS

40° 11'·17N., 9° 30'·35W.

Chart 3635 [previous update 254/26] WGS84 DATUM

Insert

 Fl(5)Y.20s EOLOS E15 ODAS

40° 11'·17N., 9° 30'·05W.

 Fl(5)Y.20s EOLOS E42 ODAS

39° 05'·21N., 9° 37'·94W.

the accompanying note, AUTOMATIC IDENTIFICATION
SYSTEMS, centred on:

39° 03'·93N., 8° 50'·17W.

II

623 FRANCE - West Coast - NM Block.

Source: French Notice 40/53/25

Chart 2819 (Panel A, Audierne) [*previous update 736/24*] WGS84 DATUM

Insert the accompanying block, centred on:

48° 00'·9N., 4° 32'·8W.

II

624 **FRANCE - West Coast - Buoy.**

Source: French Notice 49/60/25

Chart 2986 (INT 1840) [*previous update 3644/25*] WGS84 DATUM

Delete



Fl(5)Y.20s Houlographe Wave recorder

47° 09′·14N., 2° 20′·08W.

II

640 **FRANCE - West Coast - Light.**

Source: French Notice 49/55/25

Chart 3429 [*previous update 225/26*] WGS84 DATUM

Delete

★ Fl.R.4s5M

48° 24′·09N., 4° 22′·14W.

II

535 ITALY - Sicilia - Depths.

Source: Italian Notice 18.4/25

Chart 964 (Panel B, Marettimo) [*previous update 5282/25*] WGS84 DATUM

Insert	depth, <i>136</i>	(a)	37° 58'·385N., 12° 04'·557E.
Delete	depth, <i>165</i> , close SW of:	(a)	above
Replace	depth, <i>117</i> , with depth, <i>99</i> , and extend 10m contour NE to enclose		37° 58'·325N., 12° 04'·490E.
	depth, <i>122</i> with depth, <i>11</i>		37° 58'·297N., 12° 04'·563E.
	depth, <i>173</i> , with depth, <i>161</i>		37° 58'·273N., 12° 04'·654E.
	depth, <i>87</i> , with depth, <i>76</i>		37° 58'·243N., 12° 04'·534E.
	depth, <i>121</i> , with depth, <i>11</i>		37° 58'·217N., 12° 04'·614E.
	depth, <i>163</i> , with depth, <i>152</i>		37° 58'·205N., 12° 04'·819E.

Chart 964 (Panel D, Levanzo) [*previous update 5282/25*] WGS84 DATUM

Replace	depth, <i>25</i> with depth, <i>22</i>		37° 59'·191N., 12° 20'·784E.
---------	--	--	------------------------------

II

544 TÜRKiYE - Black Sea Coast - Buoy.

Source: Turkish Notice 45/218/25

Chart 1274 (Panel B, Approaches to Samsun) [*previous update 5659/25*] WGS84 DATUM

Amend light-buoy to, *Fl.Y.4s (3 buoys)* 41° 15' · 72N., 36° 24' · 56E.

II

570 ITALY - West Coast - Rocks. Obstruction.

Source: Italian Notices 20.7-8/25

Chart 914 [*previous update 5827/25*] WGS84 DATUM

Insert  with seabed type, *R* 40° 47'·55N., 14° 10'·96E.

Replace  *Obstns* with  40° 49'·15N., 14° 07'·14E.

Chart 916 (Panel A, Baia and Pozzuoli) [*previous update 5731/25*] WGS84 DATUM

Insert  40° 49'·158N., 14° 07'·136E.

II

572 ITALY - East Coast - Light-beacon.

Source: Italian Notice 1.13/26

Chart 204 [*previous update 409/26*] WGS84 DATUM

Insert



Fl(5)Y.20s5M

45° 13'·5N., 12° 29'·8E.

Chart 1483 [*previous update 343/26*] WGS84 DATUM

Insert



Fl(5)Y.20s5M

45° 13'·49N., 12° 29'·81E.

II

574 FRANCE - South Coast - Legend. Notes. Buoyage.

Source: French Notice 39/85/25

Chart 151 (INT 3196) [previous update 4878/25] WGS84 DATUM

Delete	legend, <i>JO 2024 (voir nota) (see note)</i> , centred on:	43° 16'·636N., 5° 19'·862E.
	note, 2024 Olympic Games - Modification of buoyage and regulations, centred on:	43° 20'·296N., 5° 22'·240E.
	note, Jeux Olympiques 2024 - Modification du balisage et réglementation, centred on:	43° 20'·297N., 5° 21'·685E.

Chart 153 (INT 3195) [previous update 4878/25] WGS84 DATUM

Delete	 <i>Fl(5)Y.20s ODAS</i>	43° 14'·69N., 5° 20'·00E.
	 <i>Fl.Y</i>	43° 15'·00N., 5° 20'·00E.
	legend, <i>JO 2024 (voir nota) (see note)</i> , centred on:	43° 14'·87N., 5° 19'·02E.
	note, 2024 Olympic Games - Modification of buoyage and regulations, centred on:	43° 21'·06N., 5° 09'·64E.
	note, Jeux Olympiques 2024 - Modification du balisage et réglementation, centred on:	43° 21'·07N., 5° 08'·31E.

Chart 2116 [previous update 4878/25] WGS84 DATUM

Delete	 <i>Fl(5)Y.20s ODAS</i>	43° 14'·69N., 5° 20'·00E.
	 <i>Fl.Y</i>	43° 15'·00N., 5° 20'·00E.
	legend, <i>JO 2024 (voir nota) (see note)</i> , centred on:	43° 15'·35N., 5° 18'·65E.
	note, 2024 Olympic Games - Modification of buoyage and regulations, centred on:	43° 26'·75N., 5° 18'·69E.
	note, Jeux Olympiques 2024 - Modification du balisage et réglementation, centred on:	43° 26'·75N., 5° 16'·03E.

II

575 GREECE - Kykládes - Restricted areas. Legends. Note.

Source: ENC GR5MAO03

Chart 1539 (Panel F, Órmos Mílou) [*previous update 4284/24*] WGS84 DATUM

Insert	circular limit of restricted area, radius 300m, $\pi\pi\pi\pi$, centred	
	on:	36° 44'·36N., 24° 23'·24E. 36° 43'·01N., 24° 26'·59E. 36° 42'·64N., 24° 27'·47E.
	legend, <i>Historic Wreck (see Note)</i> , centred on:	36° 44'·52N., 24° 23'·53E. 36° 43'·04N., 24° 26'·95E. 36° 42'·58N., 24° 27'·13E.
	the accompanying note, HISTORIC WRECKS, centred on:	36° 41'·82N., 24° 22'·21E.

II

585 ALGERIA - Foul.

Source: Algerian Notice 23/02/25

Chart 822 [*previous update 4509/25*] WGS84 DATUM

Insert #

35° 50′·39N., 0° 14′·64W.

Chart 838 [*previous update 3962/24*] WGS84 DATUM

Insert #

35° 50′·386N., 0° 14′·639W.

Chart 1909 [*previous update 4509/25*] WGS84 DATUM

Insert #

35° 50′·4N., 0° 14′·6W.

II

596 GEORGIA - Depths. Lights.

Source: ENC GE510420

Note: This update is included in New Edition 3317, published late 2025 and New Edition 2214, published early 2026.

Chart 2236 [previous update 5642/25] WGS84 DATUM

Delete	★ F.WRG.22-10M	42° 16′·3N., 41° 38′·6E.
--------	----------------	--------------------------

Chart 3313 [previous update 412/26] WGS84 DATUM

Insert	depth, 174	(a) 42° 14′·39N., 41° 36′·86E.
--------	------------	--------------------------------

Delete	depth, 252, close NW of:	(a) above
	★ F.WRG.25m22-10M	42° 16′·35N., 41° 38′·60E.

II

611 TÜRKIYE - South Coast - Buoyage.

Source: Turkish Notice 39/186/25

Chart 1644 (Panel G, Göçek) [*previous update 528/26*] WGS84 DATUM

Delete

 *Fl(2)Y.6s*

36° 45'·098N., 28° 55'·746E.

 *Fl(2)Y.3s*

36° 45'·060N., 28° 55'·889E.

II

616 TÜRKİYE - Marmara Denizi - Restricted area. Light.

Source: ENC TR3FO000

Chart 497 (Panel C, Diliskelesi) [*previous update 417/26*] WGS84 DATUM

Delete	limit of restricted area, entry prohibited, pecked line, joining:	40° 44'·58N., 29° 30'·87E.
		40° 44'·56N., 29° 31'·72E.
		40° 44'·14N., 29° 31'·73E.
		40° 44'·21N., 29° 30'·99E.

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 417/26*] WGS84 DATUM

Amend	range of light to, 3M	40° 39'·73N., 29° 14'·88E.
Delete	limit of restricted area, entry prohibited, pecked line, joining:	40° 44'·58N., 29° 30'·87E.
		40° 44'·56N., 29° 31'·72E.
		40° 44'·14N., 29° 31'·73E.
		40° 44'·21N., 29° 30'·99E.

II

658 ALGERIA - Pier. Lights.

Source: Algerian Notice 21/01/25

Chart 252 [*previous update 2766/25*] WGS84 DATUM

Insert pier, single firm line, joining:

36° 53'·0N., 6° 57'·4E.

36° 53'·2N., 6° 57'·4E.

36° 53'·4N., 6° 57'·2E.

(a) 36° 53'·4N., 6° 57'·1E.

★ Q.R.10m7M

(a) above

Amend light to, Oc.R.4s10m7M

36° 53'·2N., 6° 56'·6E.

light to, Q.G.10m10M

36° 53'·7N., 6° 57'·1E.

II

621 CAMEROON - Buoy.

Source: French Notice 49/168/25

Note: Former Notice 5595(T)/25 is cancelled.

Chart 1322 (Panel A, Port de Kribi) [*previous update 5563/24*] WGS84 DATUM

Delete



L Fl.10s

2° 56'·78N., 9° 53'·35E.

II

547 SAUDI ARABIA - Red Sea Coast - Depths. Rock.

Source: ENC S14R0133, S14R0134 and S14R0136

Chart 158 (INT 7008) [*previous update 4212/25*] WGS84 DATUM

Insert	depth, 31	(a)	20° 23'·8N., 39° 41'·0E.
Delete	depth, 128, close SW of:	(a)	above
Insert	depth, 197, and extend 20m contour S to enclose	(b)	20° 22'·3N., 39° 33'·5E.
Delete	⊙PA, close NW of:	(b)	above
Insert	depth, 17, and extend 20m contour NE to enclose	(c)	20° 19'·3N., 39° 32'·5E.
Delete	depth, 188, close SW of:	(c)	above
Insert	depth, 69, and extend 20m contour SW to enclose		20° 18'·2N., 39° 39'·9E.
	depth, 47	(d)	20° 15'·4N., 39° 45'·3E.
Delete	depth, 48, close SE of:	(d)	above
Replace	depth, 165, with depth, 147		20° 16'·3N., 39° 34'·7E.

Chart 2658 (INT 7149) [*previous update 4979/25*] WGS84 DATUM

Insert	depth, 146, enclosed by 20m contour		21° 07'·99N., 39° 03'·02E.
	depth, 139, and extend 20m approximate contour NW to enclose		21° 10'·13N., 39° 08'·64E.

Chart 2659 (INT 7148) [*previous update 4278/24*] WGS84 DATUM

Insert	depth, 146, and extend 20m approximate contour SE to enclose		21° 07'·99N., 39° 03'·02E.
	depth, 139, and extend 20m approximate contour NW to enclose		21° 10'·13N., 39° 08'·64E.
	depth, 163, enclosed by 20m contour	(a)	20° 50'·80N., 39° 14'·46E.
Delete	depth, 206, close NW of:	(a)	above

Chart 4704 (INT 704) [*previous update 4094/25*] WGS84 DATUM

Replace	depth, 16, with depth, 147		20° 16'·3N., 39° 34'·7E.
---------	----------------------------	--	--------------------------

II

552* UNITED ARAB EMIRATES - Anchorage area. Legend.

Source: Dubai Maritime Authority Nav Warning 65/25

Chart 2887 (INT 7232) [*previous update 32/26*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	25° 25'·9N., 55° 11'·9E. 25° 24'·8N., 55° 13'·4E. 25° 23'·8N., 55° 11'·5E. 25° 25'·0N., 55° 10'·1E.
--------	--	--

Chart 2888 (INT 7199) [*previous update 200/26*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	25° 25'·9N., 55° 11'·9E. 25° 24'·8N., 55° 13'·4E. 25° 23'·8N., 55° 11'·5E. 25° 25'·0N., 55° 10'·1E.
--------	--	--

Chart 2889 (INT 7211) [*previous update 32/26*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	25° 25'·9N., 55° 11'·9E. 25° 24'·8N., 55° 13'·4E. 25° 23'·8N., 55° 11'·5E. 25° 25'·0N., 55° 10'·1E.
--------	--	--

Chart 3175 (INT 7212) [*previous update 5547/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 25° 25'·94N., 55° 11'·92E. (b) 25° 24'·80N., 55° 13'·36E. (c) 25° 23'·84N., 55° 11'·47E. (d) 25° 25'·04N., 55° 10'·08E.
	legend, <i>Al Hamriyah (Dubai)</i> , within:	(a)-(d) above

Chart 3176 (INT 7216) [*previous update 5547/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 25° 25'·94N., 55° 11'·92E. (b) 25° 24'·80N., 55° 13'·36E. (c) 25° 23'·84N., 55° 11'·47E. (d) 25° 25'·04N., 55° 10'·08E.
	legend, <i>Al Hamriyah (Dubai)</i> , within:	(a)-(d) above

Chart 3412 (INT 7219) [*previous update 4672/25*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 25° 25'·94N., 55° 11'·92E. (b) 25° 24'·80N., 55° 13'·36E. (c) 25° 23'·84N., 55° 11'·47E. (d) 25° 25'·04N., 55° 10'·08E.
	legend, <i>Al Hamriyah (Dubai)</i> , within:	(a)-(d) above

II

555 EGYPT - Red Sea Coast - Note. Submarine cables.

Source: ENC EG3GOS02

Chart 333 (INT 7135) [*previous update 3233/24*] WGS84 DATUM

Insert	the accompanying note, AUTOMATIC IDENTIFICATION SYSTEMS, centred on:	28° 01'·38N., 33° 11'·74E.
	submarine cable,  , joining:	28° 01'·03N., 33° 29'·54E. 28° 00'·00N., 33° 30'·80E. and 28° 04'·00N., 33° 38'·98E. 28° 03'·71N., 33° 39'·06E. 28° 03'·30N., 33° 39'·50E. and 28° 16'·74N., 33° 19'·18E. 28° 16'·88N., 33° 18'·78E. 28° 19'·20N., 33° 16'·69E.

Chart 2374 (INT 7134) [*previous update 5554/25*] WGS84 DATUM

Insert	the accompanying note, AUTOMATIC IDENTIFICATION SYSTEMS, centred on:	27° 52'·58N., 33° 03'·78E.
	submarine cable,  , joining:	28° 01'·01N., 33° 29'·56E. 27° 59'·96N., 33° 30'·79E. and 28° 04'·00N., 33° 39'·49E. 27° 59'·95N., 33° 40'·63E. and 28° 16'·74N., 33° 19'·18E. 28° 20'·76N., 33° 15'·25E. and 28° 21'·93N., 33° 05'·18E. 28° 22'·07N., 33° 05'·38E. 28° 22'·05N., 33° 06'·32E. 28° 22'·19N., 33° 07'·04E. 28° 22'·36N., 33° 10'·69E. 28° 20'·97N., 33° 12'·56E. 28° 20'·20N., 33° 13'·27E. 28° 19'·00N., 33° 14'·13E.

Chart 2375 (INT 7132) [*previous update 5554/25*] WGS84 DATUM

Insert	submarine cable,  , joining:	27° 59'·95N., 33° 40'·63E. 28° 02'·00N., 33° 39'·90E. 28° 04'·00N., 33° 39'·49E. and 27° 59'·95N., 33° 30'·83E. 28° 01'·01N., 33° 29'·57E. and 28° 00'·98N., 33° 29'·52E. 27° 59'·93N., 33° 30'·75E.
--------	---	--

II

576 BAHRAIN - Light-beacons. Lights. Legends. Buoyage.

Source: ENC's BH51502B and BH45004B

Chart 3735 (INT 7259) [previous update 4234/25] WGS84 DATUM

Insert	 Q(3)10s	26° 18'·610N., 50° 36'·885E.
Amend	light to, Fl.G.5s	26° 14'·568N., 50° 37'·214E.
Delete	legend, Works in progress (2012), centred on:	26° 18'·699N., 50° 37'·524E.
	legend, <i>Fountain</i> , centred on:	26° 15'·207N., 50° 35'·834E.
	★ Q.R	26° 15'·209N., 50° 35'·900E.

Chart 3737 (INT 7255) [previous update 4234/25] WGS84 DATUM

Insert	 Fl(6)G.9s No.9	(a) 26° 20'·15N., 50° 22'·87E.
Delete	 Fl(2)G.9s No.9, close S of:	(a) above
Insert	 Fl(2)R.8s No.10	(b) 26° 19'·43N., 50° 23'·52E.
Delete	 Fl(3)R.10s No.10 , close NE of:	(b) above
Insert	 Fl(2)G.3s No.11	(c) 26° 19'·43N., 50° 23'·36E.
Delete	 Fl(3)G.10s No.11, close NE of:	(c) above
Insert	 Iso.4s	26° 18'·78N., 50° 26'·62E.
Amend	No.12 light-buoy to, LFl.10s	26° 17'·20N., 50° 23'·20E.
	light to, Fl.G	26° 11'·51N., 50° 24'·95E.
	light to, Fl.R	26° 11'·48N., 50° 24'·94E.
Replace	 Fl.R.5s No.6 with  Fl.R.4s No.6	26° 20'·65N., 50° 22'·64E.
	 with 	26° 11'·13N., 50° 20'·12E.
	 with 	26° 11'·07N., 50° 20'·11E.

Chart 3790 (INT 7252) [previous update 4234/25] WGS84 DATUM

Amend	No.12 light-buoy to, LFl.10s	26° 17'·21N., 50° 23'·23E.
-------	------------------------------	----------------------------

II

604 KUWAIT - Buoy.

Source: MENAS Notice 1/26

Chart 1223 (Panel A, Mīnā' 'Abd Allāh, Mīnā' Ash Shu' Aybah and Mīnā' al Aḥmadī) [*previous update 3365/25*]
WGS84 DATUM

Delete

 *Fl(5)Y.20s A7*

29° 06′·60N., 48° 17′·95E.

Chart 3773 [*previous update 315/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s A7*

29° 06′·60N., 48° 17′·95E.

II

625* QATAR - Obstruction.

Source: mv Castor Leader

Chart 2523 (INT 7250) [*previous update 507/26*] WGS84 DATUM


Insert



26° 27'·4N., 51° 07'·8E.

Chart 2837 (INT 7017) [*previous update 200/26*] WGS84 DATUM


Insert



26° 27'·4N., 51° 07'·8E.

Chart 2847 (INT 7018) [*previous update 4291/25*] WGS84 DATUM


Insert



26° 27'·4N., 51° 07'·8E.

Chart 2886 (INT 7243) [*previous update 507/26*] WGS84 DATUM

Insert



26° 27'·4N., 51° 07'·8E.

Chart 3790 (INT 7252) [*previous update 576/26*] WGS84 DATUM

Insert



26° 27'·4N., 51° 07'·8E.

II

629 DJIBOUTI - Pier. Legend. Buoy. Automatic Identification System. Note.

Source: French Notices 43/194/25 and 43/196/25

Chart 265 (INT 7114) [*previous update 104/26*] WGS84 DATUM

Insert	pier, single firm line, joining:	11° 30′·15N., 43° 13′·77E.
		11° 30′·50N., 43° 14′·16E.
		11° 31′·14N., 43° 14′·67E.
		11° 31′·16N., 43° 14′·88E.
		11° 36′·64N., 43° 13′·02E.
	legend, <i>Access channel (marked)</i> , centred on:	
	 <i>Q(3)10s</i>	
	Automatic Identification System, <i>AIS</i> , at light-buoy	(a) 11° 37′·93N., 43° 10′·21E.
	the accompanying note, UNDERWATER HUNTING	(a) above
	PROHIBITED, centred on:	12° 46′·04N., 43° 49′·49E.

II

610 SINGAPORE - Submarine cable.

Source: Maritime and Port Authority of Singapore and UKHO

Chart 4042 [*previous update 5728/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 21'·19N., 104° 03'·52E.
1° 19'·11N., 104° 05'·97E.
1° 17'·75N., 104° 06'·96E.
1° 17'·54N., 104° 07'·15E.

Chart 4043 [*previous update 5728/25*] WGS84 DATUM

Insert submarine cable, , joining:

1° 23'·18N., 104° 00'·03E.
1° 23'·32N., 104° 00'·29E.
1° 23'·51N., 104° 00'·48E.
1° 23'·57N., 104° 00'·58E.
1° 23'·55N., 104° 00'·68E.
1° 23'·46N., 104° 00'·85E.
1° 23'·41N., 104° 00'·90E.
1° 19'·11N., 104° 05'·97E.
1° 17'·75N., 104° 06'·96E.
1° 17'·54N., 104° 07'·15E.

Chart 4044 [*previous update 184/26*] WGS84 DATUM

Insert submarine cable, , joining:

1° 23'·18N., 104° 00'·03E.
1° 23'·32N., 104° 00'·29E.
1° 23'·51N., 104° 00'·48E.
1° 23'·57N., 104° 00'·58E.
1° 23'·55N., 104° 00'·68E.
1° 23'·46N., 104° 00'·85E.
1° 23'·41N., 104° 00'·90E.
1° 21'·29N., 104° 03'·40E.

II

620* SINGAPORE - Dredged depths.

Source: Maritime and Port Authority of Singapore

Note: Former Notice 3471(P)/25 is cancelled.

Chart 4037 [*previous update 2660/25*] WGS84 DATUM

Amend	dredged depth to, <i>11·0m (2025)</i> , centred on:	1° 15′·975N., 103° 51′·680E.
	dredged depth to, <i>10·8m (2025)</i> , centred on:	1° 15′·915N., 103° 51′·609E.

II

638* SINGAPORE - Dredged depths.

Source: Maritime and Port Authority of Singapore

Note: Former Notice 3470(P)/25 is cancelled.

Chart 4032 [previous update 5211/25] WGS84 DATUM

Amend	dredged depth to, 17·5m (2025), centred on:	1° 14'·283N., 103° 44'·165E.
	dredged depth to, 17·1m (2025), centred on:	1° 14'·299N., 103° 44'·293E.
	dredged depth to, 15·4m (2025), centred on:	1° 14'·319N., 103° 44'·442E.
	dredged depth to, 14·8m (2025), centred on:	1° 14'·338N., 103° 44'·589E.
	dredged depth to, 16·6m (2025), centred on:	1° 14'·365N., 103° 44'·778E.
	dredged depth to, 15·2m (2025), centred on:	1° 14'·393N., 103° 44'·990E.
	dredged depth to, 15·9m (2025), centred on:	1° 14'·225N., 103° 44'·189E.
	dredged depth to, 13·2m (2025), centred on:	1° 14'·318N., 103° 44'·943E.
	dredged depth to, 11·8m (2025), centred on:	1° 14'·331N., 103° 45'·037E.
	dredged depth to, 7·0m (2025), centred on:	1° 14'·259N., 103° 44'·957E.
	dredged depth to, 10·7m (2025), centred on:	1° 14'·237N., 103° 45'·034E.

II

655* SINGAPORE - Dredged depths.

Source: Maritime and Port Authority of Singapore

Note: Former Notice 4663(T)/25 is cancelled.

Chart 4033 [previous update 4754/25] WGS84 DATUM

Amend	dredged depth to, 3·7m (2025), centred on:	1° 17'·958N., 103° 41'·509E.
	dredged depth to, 8·7m (2025), centred on:	1° 17'·897N., 103° 41'·437E.
	dredged depth to, 7·0m (2025), centred on:	1° 17'·860N., 103° 40'·637E.
	dredged depth to, 10·0m (2025), centred on:	1° 17'·853N., 103° 41'·217E.
	dredged depth to, 10·4m (2025), centred on:	1° 17'·842N., 103° 41'·129E.
	dredged depth to, 11·8m (2025), centred on:	1° 17'·843N., 103° 41'·356E.
	dredged depth to, 11·2m (2025), centred on:	1° 17'·822N., 103° 41'·218E.
	dredged depth to, 11·9m (2025), centred on:	1° 17'·808N., 103° 41'·132E.
	dredged depth to, 14·5m (2025), centred on:	1° 17'·597N., 103° 41'·595E.
	dredged depth to, 8·9m (2025), centred on:	1° 17'·560N., 103° 41'·635E.
	dredged depth to, 14·1m (2025), centred on:	1° 17'·500N., 103° 41'·236E.

II

542 CHINA - South Coast - Fish haven.

Source: Chinese Notice 45/1396/25

Chart 341 [*previous update New Edition 18/12/2025*] WGS84 DATUM

Insert	limit of fish haven, dotted line, joining:	(a) 22° 06′·08N., 114° 03′·12E. (b) 22° 06′·07N., 114° 03′·07E. (c) 22° 05′·29N., 114° 03′·19E. (d) 22° 05′·29N., 114° 03′·76E. (e) 22° 06′·17N., 114° 03′·62E. (f) 22° 06′·15N., 114° 03′·48E.
	 , within:	(a)-(f) above
Delete	former limit of fish haven, dotted line, joining:	(a) above (f) above

Chart 937 (INT 5508) [*previous update 4871/25*] WGS84 DATUM

Insert	limit of fish haven, dotted line, joining:	(a) 22° 06′·08N., 114° 03′·12E. (b) 22° 06′·07N., 114° 03′·07E. (c) 22° 05′·29N., 114° 03′·19E. (d) 22° 05′·29N., 114° 03′·76E. (e) 22° 06′·17N., 114° 03′·62E. (f) 22° 06′·15N., 114° 03′·48E.
	 , within:	(a)-(f) above
Delete	former limit of fish haven, dotted line, joining:	(a) above (f) above

II

545 CHINA - Yellow Sea Coast - Wreck.

Source: Chinese Notice 45/1383/25

Chart 1201 [*previous update 359/26*] CGCS 2000 DATUM

Insert



35° 01'·48N., 119° 15'·48E.

II

559 CHINA - South Coast - Buoy.

Source: Chinese Notice 45/1393/25

Chart 1792 [*previous update 135/26*] CGCS 2000 DATUM

Delete

 *Mo(O)Y.12s Shuiwen*

23° 16′·47N., 117° 06′·53E.

II

560 CHINA - East Coast - Buoyage. Virtual aid to navigation.

Source: Chinese Notice 45/1388/25

Chart 1134 [*previous update 308/26*] CGCS 2000 DATUM

Delete	symbol, blue and yellow emergency wreck marking buoy, <i>Al.Oc.BuY.3s No 2</i>	30° 44'·88N., 122° 31'·91E.
	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS	30° 44'·75N., 122° 31'·72E.
	symbol, blue and yellow emergency wreck marking buoy, <i>Al.Oc.BuY.3s No 1</i>	30° 44'·68N., 122° 31'·49E.

Chart 1199 [*previous update New Edition 27/11/2025*] CGCS 2000 DATUM

Delete	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	30° 44'·7N., 122° 31'·6E.
--------	--	---------------------------

Chart 1306 [*previous update 308/26*] CGCS 2000 DATUM

Delete	symbol, blue and yellow emergency wreck marking buoy, <i>Al.Oc.BuY.3s No 2</i>	30° 44'·88N., 122° 31'·91E.
	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS out of position	30° 44'·65N., 122° 31'·59E.

II

599 CHINA - Bo Hai - Platforms. Submarine pipelines.

Source: Chinese Notice 37/1098/25

Chart 1250 [*previous update 5321/25*] CGCS 2000 DATUM

Insert submarine pipeline, , joining:

38° 23'·5N., 120° 06'·8E.

38° 23'·5N., 120° 07'·1E.

38° 21'·4N., 120° 07'·9E.

and

38° 21'·7N., 120° 05'·6E.

38° 21'·4N., 120° 06'·6E.

(a) 38° 21'·2N., 120° 07'·7E.

and

(a) above

(b) 38° 20'·5N., 120° 06'·4E.

(a) above

(b) above

 PL19-3WHPH

 PL19-3WHPN

Chart 1255 [*previous update 385/26*] CGCS 2000 DATUM

Insert submarine pipeline, , joining:

38° 23'·5N., 120° 06'·8E.

38° 23'·5N., 120° 07'·1E.

38° 21'·4N., 120° 07'·9E.

and

38° 21'·7N., 120° 05'·6E.

38° 21'·4N., 120° 06'·6E.

(a) 38° 21'·2N., 120° 07'·7E.

and

(a) above

(b) 38° 20'·5N., 120° 06'·4E.

(a) above

(b) above

 PL19-3WHPH

 PL19-3WHPN

II

619 CHINA - East Coast - Legend. Maritime limits.

Source: Chinese Notice 39/1168/25

Chart 2401 [*previous update 495/26*] CGCS 2000 DATUM

Insert	maritime limit, pecked line, joining:	(a) 25° 45'·14N., 119° 57'·70E. 25° 41'·64N., 119° 58'·52E.
		(b) 25° 44'·03N., 119° 59'·85E. 25° 47'·40N., 119° 58'·74E.
Delete	legend, Under construction (2020), centred on: former maritime limit, pecked line, joining:	(a) above (b) above

II

622 CHINA - South Coast - Danger line.

Source: UKHO

Note: This update is included in New Edition 4127, published early 2026.

Chart 341 [*previous update 542/26*] WGS84 DATUM

Insert  PA

22° 07′·30N., 114° 19′·70E.

Chart 937 (INT 5508) [*previous update 542/26*] WGS84 DATUM

Insert  PA

22° 07′·30N., 114° 19′·70E.

Chart 1555 [*previous update New Edition 18/12/2025*] CGCS 2000 DATUM

Insert  PA

22° 07′·3N., 114° 19′·7E.

Chart 1962 [*previous update New Edition 27/11/2025*] WGS84 DATUM

Insert  PA

22° 07′·3N., 114° 19′·7E.

Chart 1968 [*previous update New Edition 18/12/2025*] WGS84 DATUM

Insert  PA

22° 07′·3N., 114° 19′·7E.

Chart 3026 [*previous update New Edition 27/11/2025*] WGS84 DATUM

Insert  PA , out of position

22° 07′·30N., 114° 19′·70E.

II

630 CHINA - East Coast - Wreck.

Source: Chinese Notice 39/1166/25

Chart 2412 [*previous update 212/26*] WGS84 DATUM

Insert

 *Rep(2025) PA*

29° 30′·8N., 123° 40′·7E.

Chart 4509 (INT 509) [*previous update 41/26*] WGS84 DATUM

Insert

 *PA*

29° 30′·8N., 123° 40′·7E.

II

639 CHINA - South Coast - Light.

Source: Chinese Notice 40/1204/25

Chart 1369 [*previous update 415/26*] CGCS 2000 DATUM

Insert

★ Iso.R.3s7m3M

22° 42′·85N., 115° 33′·35E.

II

643 TAIWAN - Radar beacons.

Source: UKHO

Chart 1760 [*previous update 194/26*] WGS84 DATUM

Insert	radar beacon, Racon(X), at light	23° 46′·9N., 120° 09′·1E.
	radar beacon, Racon(N), at light	23° 46′·8N., 120° 09′·7E.

Chart 2409 [*previous update 486/26*] WGS84 DATUM

Insert	radar beacon, Racon(X), at light	23° 46′·85N., 120° 09′·03E.
	radar beacon, Racon(N), at light	23° 46′·79N., 120° 09′·65E.

Chart 3231 (Panel, Mai-Liao and Approaches) [*previous update 491/26*] WGS84 DATUM

Insert	radar beacon, Racon(X), at light	23° 46′·84N., 120° 09′·06E.
	radar beacon, Racon(N), at light	23° 46′·79N., 120° 09′·66E.

Chart 3231 [*previous update 491/26*] WGS84 DATUM

Insert	radar beacon, Racon(X), at light	23° 46′·85N., 120° 09′·03E.
	radar beacon, Racon(N), at light	23° 46′·80N., 120° 09′·65E.

II

649 CHINA - East Coast - Wreck.

Source: Chinese Notice 1/13/26

Chart 1761 [*previous update New Edition 27/11/2025*] WGS84 DATUM

Insert



25° 34'·7N., 119° 57'·1E.

Chart 2401 [*previous update 619/26*] CGCS 2000 DATUM

Insert



25° 34'·73N., 119° 57'·12E.

II

657 CHINA - Bo Hai - Wreck.

Source: Chinese Notice 36/1067/25

Chart 1249 [*previous update 489/26*] CGCS 2000 DATUM

Insert

 *Rep (2025) PA*

38° 30′·4N., 120° 06′·0E.

Chart 1250 [*previous update 599/26*] CGCS 2000 DATUM

Insert

 *Rep (2025) PA*

38° 30′·4N., 120° 06′·0E.

Chart 1255 [*previous update 599/26*] CGCS 2000 DATUM

Insert

 *Rep (2025) PA*

38° 30′·4N., 120° 06′·0E.

Chart 1256 [*previous update 489/26*] WGS84 DATUM

Insert



38° 30′·4N., 120° 06′·0E.

II

634 JAPAN - Honshū - Light.

Source: Japanese Notice 3/26/26

Chart JP 1098 [*previous update 5423/24*] WGS84 DATUM

Replace

★ Dir Oc W R G 7/6M (occas) with ★

37° 40′·39N., 141° 01′·63E.

II

635 JAPAN - Honshū - Wreck.

Source: Japanese Notice 3/28/26

Chart JP 80 [*previous update 5816/25*] WGS84 DATUM

Insert ++

35° 13'·57N., 139° 45'·95E.

Chart JP 87 [*previous update 5816/25*] WGS84 DATUM

Insert ++

35° 13'·57N., 139° 45'·95E.

Chart JP 90 [*previous update 5816/25*] WGS84 DATUM

Insert ++

35° 13'·57N., 139° 45'·95E.


II

597 KOREA - South Coast - Obstructions. Danger line.

Source: Korean Notice 38/584/25

Chart 1065 [*previous update 490/26*] WGS84 DATUM

Insert



35° 07'·83N., 128° 36'·09E.

Chart 1259 (Panel A,Masan) [*previous update 5774/25*] WGS84 DATUM

Insert



(a) 35° 07'·83N., 128° 36'·09E.

Delete

depth, 85 , and associated dangerline and legend, *Obstns*, close
NW of:

(a) above

II

598 RUSSIA - Pacific Ocean Coast - Harbour limit. Legend.

Source: Russian Notice 47/4907/25 and ENC RU5MRW90

Chart 1230 (Panel B, Reyd Poronaysk) [*previous update 651/25*] UNDETERMINED DATUM

Insert	semi-circular harbour limit, radius 2800m, pecked line, centred on $49^{\circ} 13' \cdot 54\text{N.}$, $143^{\circ} 07' \cdot 10\text{E}$, joining:	(a) $49^{\circ} 14' \cdot 45\text{N.}$, $143^{\circ} 09' \cdot 03\text{E}$.
		(b) $49^{\circ} 12' \cdot 10\text{N.}$, $143^{\circ} 06' \cdot 57\text{E}$.
	legend, <i>Port Limit</i> , along SE side of:	(a)-(b) above

II

644 KOREA - West Coast - Light.

Source: Korean Notices 38/587-588/25

Note: This update is included in New Edition 3480, published early 2026.

Chart 1008 [*previous update 251/26*] WGS84 DATUM

Amend range of light to, 7M

36° 02'·10N., 126° 32'·08E.

II

584 PHILIPPINE ISLANDS - Palawan - Buoyage.

Source: Philippine Notice 10/38/25

Note: Former Notice 1563(P)/25 is cancelled.

Chart 2914 (Panel B, Puerto Princesa) [*previous update 2188/23*] WGS84 DATUM

Insert



9° 44'·76N., 118° 43'·75E.



9° 44'·58N., 118° 43'·26E.

9° 44'·33N., 118° 43'·26E.



9° 43'·38N., 118° 44'·27E.

9° 43'·08N., 118° 44'·97E.

9° 42'·77N., 118° 45'·75E.



9° 42'·30N., 118° 45'·67E.

9° 42'·64N., 118° 44'·85E.

9° 42'·91N., 118° 44'·20E.

Chart 4414 [*previous update 462/26*] WGS84 DATUM

Delete



11° 02'·6N., 119° 12'·5E.

11° 04'·8N., 119° 14'·2E.

11° 07'·0N., 119° 12'·0E.

11° 14'·3N., 119° 12'·6E.

11° 15'·0N., 119° 16'·8E.

11° 17'·8N., 119° 20'·0E.

11° 23'·2N., 119° 24'·1E.

11° 22'·8N., 119° 26'·2E.

Chart 4463 [*previous update 431/25*] WGS84 DATUM

Insert



8° 45'·90N., 117° 49'·30E.



8° 45'·78N., 117° 49'·86E.

II

609 **INDONESIA - Sulawesi - Light.**
Source: ENC ID5305R3

Chart 2952 [*previous update 3929/25*] WGS84 DATUM

Amend light to, Fl.5s25m12M

0° 30′ ·1N., 123° 04′ ·1E.

II

633 INDONESIA - Sulawesi - NM Blocks.

Source: ENC ID500176

Chart 2638 (Panel F, Makassar) [*previous update 1419/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	5° 06′·5S., 119° 24′·9E.
	the accompanying block B, centred on:	5° 08′·0S., 119° 23′·9E.

II

653 INDONESIA - Jawa - Wreck.

Source: Indonesian Notice 44/390/25

Chart 933 [*previous update 5710/25*] WGS84 DATUM

Insert wreck out of position,  Rep (2025)

5° 53'·62S., 106° 40'·41E.

Chart 2056 [*previous update 438/26*] WGS84 DATUM

Insert  Rep

5° 53'·62S., 106° 40'·41E.

Chart 2797 [*previous update 458/26*] WGS84 DATUM

Insert  Rep

5° 53'·6S., 106° 40'·4E.

Chart 2862 [*previous update 321/26*] WGS84 DATUM

Insert  Rep

5° 53'·6S., 106° 40'·4E.

Chart 3729 [*previous update 373/26*] WGS84 DATUM

Insert  Rep

5° 53'·62S., 106° 40'·41E.

II

617 AUSTRALIA - Queensland - Buoyage.

Source: Australian Notice 1/4/26

Note: Former Notice 4538(T)/25 is cancelled.

Chart Aus 827 [*previous update 4867/25*] WGS84 DATUM

Replace



Q(9) 15s with



Q(9) 15s

19° 17'·85S., 147° 22'·65E.

II

628 **AUSTRALIA - Western Australia - Light.**

Source: Australian Notice 1/15/26

Chart Aus 743 [*previous update 5639/25*] WGS84 DATUM

Amend light to, VQ.G G05

21° 35'·1S., 115° 01'·8E.

II

632 AUSTRALIA - New South Wales - Restricted areas. NM Blocks.

Source: Australian Notice 1/3/26

Chart Aus 808 [*previous update 5142/25*] WGS84 DATUM

Insert limit of restricted area, $\tau\tau\tau\tau$, joining:

33° 57'·99S., 151° 15'·93E.
33° 58'·57S., 151° 18'·32E.
33° 58'·77S., 151° 18'·87E.
33° 59'·31S., 151° 19'·39E.
33° 59'·80S., 151° 19'·72E.
34° 01'·31S., 151° 20'·26E.
34° 05'·94S., 151° 22'·23E.
34° 11'·39S., 151° 24'·05E.
34° 12'·46S., 151° 24'·75E.
34° 19'·70S., 151° 33'·34E.
34° 23'·31S., 151° 39'·36E.

Delete former limit of restricted area, $\tau\tau\tau\tau$, joining:

33° 55'·87S., 151° 15'·59E.
33° 55'·88S., 151° 16'·37E.
33° 57'·94S., 151° 20'·50E.
33° 58'·12S., 151° 20'·78E.
33° 58'·59S., 151° 21'·15E.
34° 00'·67S., 151° 22'·18E.
34° 10'·79S., 151° 25'·99E.
34° 19'·73S., 151° 37'·32E.
34° 20'·87S., 151° 39'·36E.

Chart 4601 (INT 601) [*previous update 493/26*] WGS84 DATUM

Insert the accompanying block, centred on: 34° 14'·2S., 151° 14'·9E.

Chart 4602 (INT 602) [*previous update 5797/25*] WGS84 DATUM

Insert the accompanying block, centred on: 34° 31'·8S., 151° 09'·5E.

II

654 AUSTRALIA - Western Australia - Fish haven.

Source: Australian Notice 1/11/26

Chart Aus 57 [*previous update 4553/25*] WGS84 DATUM

Insert



20° 26′·12S., 116° 33′·79E.

Chart Aus 327 [*previous update 4856/25*] WGS84 DATUM

Insert



20° 26′·1S., 116° 33′·8E.

II

594 NEW ZEALAND - South Island - NM Block. Marine farm.

Source: New Zealand Notice 1/20/26

Chart NZ 61 [*previous update New Edition 01/09/2025*] WGS84 DATUM

Insert the accompanying block, centred on:

40° 44'·2S., 172° 49'·1E.

Delete



41° 01'·55S., 173° 04'·92E.

II

577 ECUADOR - Depths. Jetty.

Source: Ecuadorean Chart 10401

Chart 2799 (Panel A, Manta) [*previous update 186/26*] WGS84 DATUM

Insert	depth, 62	(a)	0° 55'·931S., 80° 43'·582W.
Delete	depth, 77, close E of:	(a)	above
Insert	depth, 43, and extend 5m contour NW to enclose	(b)	0° 56'·061S., 80° 43'·586W.
Delete	depth, 66, close NE of:	(b)	above

Chart 2799 (Panel C, Approaches to Manta) [*previous update 186/26*] WGS84 DATUM

Insert	jetty, single firm line, joining:	0° 55'·92S., 80° 40'·09W.
		0° 55'·89S., 80° 40'·16W.
		0° 55'·83S., 80° 40'·27W.
Replace	depth, 108, with depth, 96, enclosed by 10m contour	0° 54'·51S., 80° 39'·10W.
	depth, 77, with depth, 62	0° 55'·93S., 80° 43'·58W.

II

580 COLOMBIA - Pacific Ocean Coast - Light. Leading line. Legend.

Source: ENC CO500730

Chart 2319 (Panel, Puerto de Buenaventura) [*previous update 5333/25*] WGS84 DATUM

Delete ★ Fl.Bu.5s43m12M La Pilota (a) 3° 53'·006N., 77° 04'·192W.
leading line, pecked line, and associated legend, Dir 051°,
extending in direction 231°, from: (a) above

Chart 2319 [*previous update 5333/25*] WGS84 DATUM

Delete ★ Fl.Bu.5s12M (a) 3° 53'·01N., 77° 04'·19W.
leading line, pecked line and firm line, and associated legend,
Dir 051°, extending in direction 231°, from: (a) above

II

642 CHILE - Northern Coasts - Depths. Legends. Rocks.

Source: Chilean Notice 11/69/25

Chart 4240 [*previous update 4351/24*] PSAD56 DATUM

Insert	depth, 42, and extend danger line, dotted line, NE to enclose	(a)	37° 05'·5S., 73° 30'·9W.
Delete	depth, 7, close SW of:	(a)	above
	 ED and associated legend Ra Cockatrice		37° 04'·6S., 73° 35'·3W.
	 ED and associated legend Ra Hector		37° 06'·8S., 73° 35'·6W.

Chart 4245 [*previous update 565/23*] PSAD56 DATUM

Insert	depth, 42	(a)	37° 05'·2S., 73° 30'·9W.
Delete	depth, 7, close SW of:	(a)	above
	 ED and associated legend Roc.Cockatrice		37° 04'·9S., 73° 35'·1W.
	 and associated legend Roc.Hector		37° 07'·1S., 73° 35'·2W.

Chart 4246 [*previous update 826/21*] SAD69 DATUM

Replace	depth, 76, with depth, 42		37° 05'·53S., 73° 30'·99W.
Delete	 ED and associated legend Ra Cockatrice		37° 04'·86S., 73° 35'·15W.
	 ED and associated legend Ra Hector		37° 07'·07S., 73° 35'·25W.

II

659 PERU - Dolphins. Submarine pipelines.

Source: Peruvian Notice 12/210/25

Chart 1853 [*previous update 502/26*] WGS84 DATUM

Insert

☐ Dn

11° 59′·88S., 77° 08′·60W.

11° 59′·93S., 77° 08′·78W.

submarine pipeline, , joining:

11° 59′·62S., 77° 09′·81W.

11° 59′·82S., 77° 09′·51W.

11° 59′·95S., 77° 08′·24W.

and

11° 59′·94S., 77° 08′·77W.

11° 59′·96S., 77° 08′·24W.

II

565 ARGENTINA - Lights.

Source: ENC AR301150

Chart 1749 [*previous update 468/26*] WGS84 DATUM

Delete	★ Fl.7M	35° 44'·59S., 57° 22'·19W.
--------	---------	----------------------------

Chart 3064 [*previous update 325/26*] WGS84 DATUM

Amend	range of light to, 28M	36° 18'·5S., 56° 46'·4W.
-------	------------------------	--------------------------

Delete	★ Fl.8s10m7M	35° 44'·6S., 57° 22'·2W.
--------	--------------	--------------------------

Chart 3324 [*previous update 298/26*] WGS84 DATUM

Amend	range of light to, 28M	36° 18'·6S., 56° 46'·4W.
-------	------------------------	--------------------------

II

589 ARGENTINA - Buoyage.

Source: Argentine Notice 1/14/26

Chart 1340 (Panel B) [*previous update 5602/25*] WGS84 DATUM

Insert



Fl(5)Y.20s Km 180

33° 53'·53S., 58° 54'·00W.

Move



Fl(4)G.16s Km 161·9, from:
to:

33° 57'·22S., 58° 44'·93W.

33° 57'·20S., 58° 45'·12W.

II

608 BRAZIL - South Coast - Depths. Lights.

Source: ENC BR401830

Chart 3981 [*previous update 4897/23*] WGS84 DATUM

Insert	depth, 18	(a)	26° 02'·2S., 48° 26'·9W.
Delete	depth, 193, close SW of:	(a)	above
Insert	depth, 176	(b)	26° 06'·1S., 48° 28'·7W.
Delete	depth, 197, close SE of:	(b)	above
Insert	★ Fl.8M	(c)	26° 27'·2S., 48° 35'·6W.
Delete	★ F.Y.7M, close NW of:	(c)	above

II

626 BRAZIL - East Coast - Buoyage. Automatic Identification Systems. Virtual aids to navigation. Legend.

Source: Brazilian Notice 21/E 178/25

Chart 961 [*previous update 5117/25*] WGS84 DATUM

Insert	 <i>Fl.R.3s No 1</i>	(a)	8° 22'·478S., 34° 53'·609W.
	Automatic Identification System, <i>AIS</i> , at <i>No 1</i> light-buoy	(a)	above
	 <i>Fl.G.3s No 2</i>	(b)	8° 22'·590S., 34° 53'·584W.
	Automatic Identification System, <i>AIS</i> , at <i>No 2</i> light-buoy	(b)	above
	 <i>Q(3)R.20s No 3</i>	(c)	8° 22'·763S., 34° 54'·753W.
	Automatic Identification System, <i>AIS</i> , at <i>No 3</i> light-buoy	(c)	above
	 <i>Q(3)G.20s No 4</i>	(d)	8° 22'·864S., 34° 54'·725W.
	Automatic Identification System, <i>AIS</i> , at <i>No 4</i> light-buoy	(d)	above
	 <i>Fl.R.3s No 5</i>	(e)	8° 22'·991S., 34° 55'·711W.
	Automatic Identification System, <i>AIS</i> , at <i>No 5</i> light-buoy	(e)	above
	 <i>Fl.G.3s No 6</i>	(f)	8° 23'·102S., 34° 55'·687W.
	Automatic Identification System, <i>AIS</i> , at <i>No 6</i> light-buoy	(f)	above
	symbol, Virtual aid to navigation, starboard lateral topmark, V-AIS, out of position		8° 23'·180S., 34° 56'·844W.
	symbol, Virtual aid to navigation, port lateral topmark, V-AIS		8° 23'·390S., 34° 56'·790W.

Chart 969 (Panel B, Approaches to Recife and Suape) [*previous update 5800/24*] WGS84 DATUM

Insert	 <i>Fl.R.3s No 1</i>	(a)	8° 22'·48S., 34° 53'·61W.
	Automatic Identification System, <i>AIS</i> , at <i>No 1</i> light-buoy	(a)	above
	legend, <i>Buoyed channel</i> , centred on:		8° 22'·86S., 34° 54'·81W.

II

637 ARGENTINA - Buoyage.

Source: Argentine Notice 12/159/25

Chart 1335 [*previous update 5287/25*] WGS84 DATUM

Insert	 Fl(4)R.16s Km 495.7	(a) 32° 20'·70S., 60° 44'·60W.
Delete	 Fl(4)R.16s Km 495.8, close NE of:	(a) above

Chart 1335 (Panel A, Continuation of Río Paraná) [*previous update 5287/25*] WGS84 DATUM

Insert	 Fl(4)R.16s Km 495.7	(a) 32° 20'·70S., 60° 44'·60W.
Delete	 Fl(4)R.16s Km 495.8, close NE of:	(a) above
Insert	 Fl(4)R.16s Km 497.4	(b) 32° 19'·73S., 60° 43'·95W.
Delete	 Fl(4)R.16s Km 497.5, close E of:	(b) above
Insert	 Fl(4)R.16s Km 533.6	(c) 32° 04'·35S., 60° 40'·20W.
Delete	 Fl(4)R.16s Km 533.1, close NE of:	(c) above
Move	 Fl(4)R.16s Km 532.1, from:	32° 04'·66S., 60° 39'·74W.
	to:	32° 04'·73S., 60° 39'·78W.

II

646 URUGUAY - NM Block. Legends.

Source: ENC UY500625

Chart 1339 [*previous update 5021/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	33° 55'·5S., 58° 20'·3W.
	legend, <i>Protected Areas (see Note)</i> , centred on:	33° 55'·63S., 58° 25'·00W.
		34° 01'·66S., 58° 20'·47W.

II

656 BRAZIL - South Coast - Spoil grounds.

Source: Brazilian Notice 22/S 187(P)/25

Chart 191 [*previous update 2957/25*] WGS84 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 24° 08'·19S., 46° 22'·69W. 24° 08'·19S., 46° 23'·88W. 24° 06'·02S., 46° 23'·85W.
Delete	former limit of spoil ground, pecked line, joining:	(b) 24° 06'·03S., 46° 22'·14W. (a) above 24° 07'·10S., 46° 22'·68W. (b) above

Chart 3980 [*previous update 2957/25*] WGS84 DATUM

Insert	limit of spoil ground, pecked line, joining:	(a) 24° 08'·2S., 46° 22'·7W. 24° 08'·2S., 46° 23'·9W. 24° 06'·0S., 46° 23'·9W.
Delete	former limit of spoil ground, pecked line, joining:	(b) 24° 06'·0S., 46° 22'·1W. (a) above 24° 07'·1S., 46° 22'·7W. (b) above

II

562* GUYANA - Light-beacon. Wreck.

Source: Guyana Maritime Administration Department Notice 23/26

Chart 527 [*previous update 477/26*] WGS84 DATUM

Delete



Q.3m4M



6° 53'·63N., 58° 11'·63W.

6° 53'·66N., 58° 11'·47W.

II

601 UNITED STATES OF AMERICA - Gulf of Mexico - Light-beacons.

Source: ENC US5HOUDG

Chart 3186 (Panel 2) [*previous update 5237/25*] NAD83 DATUM

Insert	 Fl.G.4s17ft '89A'	(a) 29° 40'·62N., 94° 58'·86W.
Delete	 Fl.G.4s17ft '89A', close SE of:	(a) above

Chart 3187 (Panel 1) [*previous update 4994/25*] NAD83 DATUM

Insert	 Fl.G.4s17ft '89A'	(a) 29° 40'·622N., 94° 58'·858W.
Delete	 Fl.G.4s17ft '89A', close SE of:	(a) above
Move	 Q.R.20ft, from:	29° 41'·975N., 94° 59'·841W.
	to:	29° 41'·973N., 94° 59'·824W.

II

641 COLOMBIA - Caribbean Sea Coast - Buoyage.

Source: ENC CO400618

Chart 396 [*previous update 5836/25*] WGS84 DATUM

Amend	catenary anchor leg mooring light-buoy to, <i>Fl(2)8s</i>	9° 31'·1N., 75° 47'·2W.
-------	---	-------------------------

Chart 1277 (Panel, Puerto Coveñas) [*previous update New Edition 04/12/2025*] WGS84 DATUM

Amend	TLU3 catenary anchor leg mooring light-buoy to, <i>Fl(2)8s</i>	9° 31'·60N., 75° 46'·98W.
	TLU1 catenary anchor leg mooring light-buoy to, <i>Fl(5)20s</i>	9° 29'·63N., 75° 44'·07W.

Chart 1277 [*previous update New Edition 04/12/2025*] WGS84 DATUM

Amend	TLU3 catenary anchor leg mooring light-buoy to, <i>Fl(2)8s</i>	9° 31'·60N., 75° 46'·98W.
	TLU1 catenary anchor leg mooring light-buoy to, <i>Fl(5)20s</i>	9° 29'·63N., 75° 44'·07W.

II

563 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US5MA1GJ

Chart 2456 [*previous update 447/26*] NAD83 DATUM

Insert

 *Fl.Y.4s*

41° 37'·59N., 70° 43'·28W.

II

567 UNITED STATES OF AMERICA - East Coast - Light.

Source: ENC US5PWMCC

Note: Directional light remains unchanged.

Chart 2488 [*previous update 5484/25*] NAD83 DATUM

Amend range of light to, 14M 43° 37'·38N., 70° 12'·47W.

Chart 2490 [*previous update 386/26*] NAD83 DATUM

Amend range of light to, 14M 43° 37'·39N., 70° 12'·47W.

Chart 2492 [*previous update 386/26*] NAD83 DATUM

Amend range of light to, 14M 43° 37'·3N., 70° 12'·5W.

Chart 2670 [*previous update 386/26*] WGS84 DATUM

Amend range of light to, 14M 43° 37'·4N., 70° 12'·5W.

II

606 CANADA - Gulf of Saint Lawrence - Wreck.

Source: Canadian Notice 12/4486/25

Chart 4768 [*previous update 2336/25*] NAD83 DATUM

Insert

 *Rep(2025) PA*

47° 59'·89N., 64° 14'·69W.

II

536(T)/26 ENGLAND - South Coast - Beacon. Buoy.

Source: Poole Harbour Commissioners Notice 63/25

1. The unlit beacon in position $50^{\circ} 42' \cdot 223N.$, $1^{\circ} 59' \cdot 859W.$ is reported as submerged. It is marked by an unlit orange buoy.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 2611 (INT 1726) - 5601_11

II

539(T)/26 WALES - South Coast - Buoy.

Source: Milford Haven Port Authority Notice 144/25

1. The yellow spherical buoy, in position $51^{\circ} 42' \cdot 210N.$, $4^{\circ} 57' \cdot 220W.$, is reported off station.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 3275 (INT 1651) - 5620_13

II

540(T)/26 SCOTLAND - West Coast - Buoy.

Source: Bakkafrost Scotland

1. A yellow data collection buoy with yellow flag topmark has been established in position 57° 47'·96N., 6° 47'·16W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1757 (INT 1630) - 5616_10

II

600(T)/26 ENGLAND - West Coast - Works.

Source: Port of Liverpool, NM 124/25

1. Upgrade works to the Woodside Ferry Terminal are currently taking place in the vicinity of position
53° 23'·754N., 3° 00'·473W.
2. Mariners are advised to navigate with caution in the area and consult the local port authority for the latest information.
3. *Former Notice 2038(T)/25 is cancelled.
*Indicates new or revised entry.
(ETRS89 DATUM)

Charts affected - 3490 (INT 1643) - 5613_5

II

627(P)/26 SCOTLAND - West Coast - Depths. Obstruction.

Source: mv Northern Gale, mv Northern Remote and British Government

- Recent survey information has shown that depths less than charted exist within the vicinity of Boreray, St Kilda. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
63m	57° 53'·79N., 8° 31'·88W.
65m	57° 53'·60N., 8° 29'·28W.
60m	57° 53'·29N., 8° 28'·83W.
64m	57° 52'·37N., 8° 31'·33W.
61m	57° 51'·83N., 8° 32'·00W.
23·3m	57° 51'·73N., 8° 30'·62W.
48m	57° 51'·56N., 8° 29'·69W.
39m	57° 51'·18N., 8° 27'·91W.
34m	57° 51'·09N., 8° 28'·01W.
59m	57° 51'·09N., 8° 31'·04W.
47m	57° 51'·05N., 8° 32'·82W.
47m	57° 50'·66N., 8° 27'·55W.
60m	57° 50'·42N., 8° 29'·05W.
50m	57° 49'·84N., 8° 28'·47W.
18·3m	57° 53'·01N., 8° 30'·14W.
38m	57° 52'·98N., 8° 29'·63W.
36m	57° 52'·77N., 8° 30'·03W.
34m	57° 52'·37N., 8° 28'·92W.
19·7m	57° 51'·59N., 8° 28'·86W.
* 22·7m	57° 52'·94N., 8° 29'·94W.
* 19·7m	57° 52'·72N., 8° 29'·89W.
* 15·7m	57° 52'·46N., 8° 29'·02W.
* 24·6m	57° 52'·13N., 8° 30'·96W.
* 43m	57° 51'·06N., 8° 28'·57W.

- Recent survey information has shown that depths less than charted exist within the vicinity of Soay, St Kilda. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
71m	57° 52'·51N., 8° 38'·04W.
70m	57° 51'·03N., 8° 39'·78W.
56m	57° 50'·28N., 8° 39'·11W.
21·2m	57° 50'·07N., 8° 38'·83W.
* 11·6m	57° 49'·79N., 8° 39'·12W.
* 74m	57° 49'·28N., 8° 39'·05W.

- Recent survey information has shown that depths less than charted exist within the vicinity of Hirta, St Kilda. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
60m	57° 51'·44N., 8° 34'·83W.
50m	57° 49'·98N., 8° 34'·13W.
13·9m	57° 49'·54N., 8° 35'·73W.
29m	57° 49'·37N., 8° 36'·02W.
18·6m	57° 49'·34N., 8° 35'·82W.
40m	57° 48'·43N., 8° 36'·90W.
61m	57° 47'·91N., 8° 35'·11W.
38m	57° 47'·79N., 8° 34'·91W.
38m	57° 47'·64N., 8° 34'·52W.
43m	57° 47'·63N., 8° 34'·23W.
33m	57° 47'·49N., 8° 33'·81W.
45m	57° 47'·44N., 8° 33'·88W.
73m	57° 47'·38N., 8° 38'·99W.
58m	57° 46'·35N., 8° 34'·77W.

II

627(P)/26 SCOTLAND - West Coast - Depths. Obstruction. (continued)

4. and

<i>Depth</i>	<i>Position</i>
43m	57° 49'·80N., 8° 33'·92W.
43m	57° 49'·72N., 8° 33'·60W.
43m	57° 49'·59N., 8° 33'·41W.
44m	57° 49'·31N., 8° 33'·26W.
44m	57° 48'·81N., 8° 32'·66W.
* 18·9m	57° 49'·39N., 8° 36'·23W.
* 1·9m	57° 48'·58N., 8° 34'·15W.
* 16m	57° 47'·85N., 8° 34'·87W.
* 15·6m	57° 47'·72N., 8° 34'·45W.
* 8·5m	57° 47'·54N., 8° 32'·49W.
* 55m	57° 47'·20N., 8° 32'·81W.
* 56m	57° 46'·85N., 8° 36'·62W.

5. An obstruction, depth 1·2m, is reported to exist in position 57° 48'·60N., 8° 34'·11W.
6. Recent survey information has shown that depths less than charted exist within the vicinity of Levenish, St Kilda. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
6·5m	57° 47'·55N., 8° 31'·49W.
7·1m	57° 47'·54N., 8° 31'·56W.
61m	57° 47'·74N., 8° 29'·71W.
14·9m	57° 47'·60N., 8° 30'·81W.

7. Mariners are advised to navigate with caution in the area.
8. Charts will be updated when full details are available.
9. *Former Notice 4441(P)/25 is cancelled.
 *Indicates new or revised entry
 (ETRS89 DATUM)

Charts affected - 1128 - 2524 - 2653 - 2721 (INT 1603) - 2722 (INT 1604)

II

551(T)/26 NORWAY - North Coast - Buoy.

Source: Norwegian Notice 23/79672(T)/25

1. A yellow ODAS light-buoy, *Fl(5)Y.20s*, has been established in position 72° 30'·1N., 20° 10'·1E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2683

II

650(T)/26 ICELAND - Light.

Source: Icelandic Notice 13/130(T)/25

1. The lights and sectors of the Hrísey light, in position $66^{\circ} 01' \cdot 09\text{N.}$, $18^{\circ} 24' \cdot 03\text{W.}$ have been reported as unreliable.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2899 (INT 1105) - 2956 (INT 1110)

II

564(P)/26 POLAND - Wind farm. Works.

Source: Polish Notices 45/546(T)-547(T)/25

1. Wind farm construction works are taking place, within an area bounded by the following positions:

54° 48'·95N., 17° 51'·21E.
54° 51'·62N., 17° 50'·76E.
54° 51'·48N., 17° 41'·46E.
54° 53'·41N., 17° 33'·52E.
55° 00'·01N., 17° 31'·17E.
55° 02'·32N., 17° 17'·96E.
55° 02'·58N., 17° 14'·82E.
55° 02'·07N., 17° 11'·83E.
55° 03'·48N., 17° 06'·84E.
55° 02'·61N., 17° 06'·11E.
55° 00'·99N., 17° 05'·41E.
55° 00'·45N., 17° 04'·34E.
55° 01'·91N., 16° 58'·49E.
55° 06'·94N., 16° 57'·53E.
55° 06'·97N., 17° 02'·63E.
55° 06'·21N., 17° 13'·76E.
55° 06'·52N., 17° 15'·75E.
55° 06'·02N., 17° 16'·50E.
55° 05'·27N., 17° 16'·58E.
55° 03'·71N., 17° 14'·27E.
55° 02'·54N., 17° 18'·29E.
55° 00'·19N., 17° 31'·89E.
54° 59'·98N., 17° 32'·30E.
54° 59'·75N., 17° 32'·44E.
54° 58'·32N., 17° 32'·65E.

54° 53'·81N., 17° 34'·25E.
54° 51'·93N., 17° 41'·71E.
54° 52'·28N., 17° 51'·39E.
54° 49'·01N., 17° 51'·45E.

2. Mariners are advised to navigate with caution and avoid fishing within the area.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218)

II

605(T)/26 GULF OF BOTHNIA - Traffic separation scheme. Two-way routes.

Source: Swedish Notice 1101/19836(T)/26

1. Due to winter conditions, the '*TSS In Norra Kvarken*' and associated two-way routes are not operational between the following positions:

63° 25'·3N., 20° 34'·8E. (Southern Entrance)

63° 35'·1N., 21° 03'·7E. (Northern Entrance)

2. Information for winter navigation is available from the local maritime authorities.
(WGS84 DATUM)

Charts affected - 259 (INT 120) - 893 (INT 1175) - 2085 - 2252

II

553(T)/26 NORTH SEA - Norwegian Sector - Scientific instruments.

Source: Norwegian Notice 23/79696(T)/25

1. Unmarked subsurface ODAS scientific instruments, have been established in the following positions:

<i>Position</i>	<i>Metres below surface</i>
61° 20'·56N., 2° 13'·67E.	26m
61° 20'·36N., 2° 12'·17E.	27m

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 295 - 1427 (INT 1401) - 2182D (INT 1040)

II

582(T)/26 NETHERLANDS - Buoy. Measuring instrument.

Source: Belgian Notice 2/78(T)/26

1. A yellow spar special purpose light-buoy, *Fl(5)Y.20s MT-W*, marking a measuring instrument, has been established in position $51^{\circ} 24' \cdot 59\text{N.}$, $3^{\circ} 27' \cdot 19\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - BE 11 - BE 101 (INT 1474)

II

602(T)/26 NETHERLANDS - Works. Depth.

Source: Netherlands Notice 3/10(T)/26

1. Due to maintenance works in the Kanaal door Walcheren, the water level in the channel, in the vicinity of position 51° 27'·24N., 3° 35'·30E., will be lowered by 0·60 m to NAP + 0·30 m.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Chart affected - 116 (INT 1477)

II

603(T)/26 NETHERLANDS - General information.

Source: Netherlands Notice 3/8(T)/26

1. The Hartelsluis, in the vicinity of position 51° 52'·01N., 4° 18'·59E., is closed for traffic.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 207 (INT 1465)

II

613(T)/26 NORTH SEA - United Kingdom Sector - Obstruction.

Source: Equinor

1. An obstruction exists in the vicinity of position 59° 52'·65N., 2° 01'·03E.
2. The obstruction has a safe clearance depth of 91m
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 292 - 294 - 1427 (INT 1401)

II

618(T)/26 NORTH SEA - Norwegian Sector - Offshore installation. Restricted area.

Source: Norwegian Notice 1/79894(T)/26

1. An unmarked subsea structure 'CAN-Ductor' has been established in position 61° 00'·1N., 3° 07'·8E.
2. A fishing prohibited area, has been established, radius 1000m.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1427 (INT 1401) - 2182C (INT 1041) - 2182D (INT 1040)

II

607(T)/26 SPAIN - South West Coast - Works. Buoyage.

Source: Spanish Notice 48/356(T)/25

1. Dumping works are taking place in the entrance to Puerto Huelva in an area marked by special purpose light-buoys, *Fl.Y.2s*, in the following positions:

37° 07'·50N., 6° 50'·29W.

37° 07'·75N., 6° 50'·53W.

37° 07'·68N., 6° 50'·64W.

37° 07'·46N., 6° 50'·37W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 73 (INT 1901)

II

546(T)/26 NAMIBIA - Wreck.

Source: South African Notice 10/77(T)/25

1. A non-dangerous wreck exists in approximate position 22° 47'·18S., 14° 26'·57E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3859 (INT 2610) - 4138 (INT 2613) - 4175 (INT 2051)

II

554(T)/26 MOROCCO - West Coast - Scientific instruments.

Source: French Notice 48/1(T)/25

1. Scientific instruments, have been established in the following positions:

<i>Depth</i>	<i>Position</i>
16m	27° 15'·0N., 13° 27'·8W.
36m	27° 56'·3N., 12° 57'·4W.
42m	28° 00'·7N., 12° 48'·0W.
29m	28° 27'·9N., 11° 26'·4W.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1862 (INT 1939) - 3133 - 3134

II

573(T)/26 SIERRA LEONE - Obstruction.

Source: mv Maersk New Delhi

1. An obstruction, depth unknown, is reported to exist in position 8° 27'·15N., 13° 21'·85W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 601 - 686 - 1147 (INT 1085)

II

538(T)/26 UNITED ARAB EMIRATES - Disused submarine pipeline. Buoyage.

Source: ADNOC

1. A disposal pipeline is currently afloat, extending from the coastline in the vicinity of $24^{\circ} 11' \cdot 38\text{N.}, 52^{\circ} 37' \cdot 55\text{E.}$
2. Two yellow special buoys mark the pipeline in the following positions:
 - A. $24^{\circ} 11' \cdot 87\text{N.}, 52^{\circ} 37' \cdot 86\text{E.}$
 - B. $24^{\circ} 12' \cdot 36\text{N.}, 52^{\circ} 38' \cdot 16\text{E.}$
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3778 - 3780

II

541(P)/26 IRAN - Dredged area.

Source: NAVAREA IX Warning 546/25

1. A new dredged channel, depth 9·0m, has been established bounded by the following positions:

30° 05'·35N., 48° 59'·32E.

30° 05'·41N., 48° 59'·49E.

30° 04'·60N., 48° 59'·91E.

30° 00'·30N., 49° 01'·76E.

29° 57'·15N., 49° 05'·31E.

29° 54'·69N., 49° 09'·82E.

29° 54'·51N., 49° 09'·68E.

29° 57'·00N., 49° 05'·14E.

30° 00'·18N., 49° 01'·55E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 1268 - 1269 (INT 7299)

II

549(T)/26 BAHRAIN - Buoy.

Source: MENAS Nav Warning 332/25

1. The *KI* lateral light-buoy, *Fl(2+1)R.10s*, in position $26^{\circ} 10' \cdot 535\text{N}$., $50^{\circ} 42' \cdot 583\text{E}$. is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3734 (INT 7261) - 3736 (INT 7258) - 3737 (INT 7255)

II

615(P)/26 SAUDI ARABIA - Red Sea Coast - Harbour developments. Channel. Channel depth. Buoyage. Light. Light-beacons. Dredging area. Berths. Alongside depths.

Source: Saudi Ports Authority and UKHO

- Extensive harbour developments and dredging are taking place at Port of Ḍubā (NEOM) (27° 33'·600N., 35° 32'·700E.). The most significant are as follows:
- A new buoyed approach channel, 414m wide, with a depth of 18·5m, has been established in the entrance to Port of Ḍubā (NEOM).
- A directional light, 100·8°, Iso.WRG.6s8M, has been established in position, 27° 33'·59N., 35° 33'·53E., with the following sectors:

<i>Colour</i>	<i>Bearing</i>
*R	104·3° - 101·8° (2·5°)
W	101·8° - 099·8° (2°)
*G	099·8° - 097·3° (2·5°)

- The following lateral light-buoys have been established marking the approach channel:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
<i>Fl.G.3s</i>	<i>B 1</i>	27° 33'·781N., 35° 31'·723E.
<i>Fl.R.3s</i>	<i>B 2</i>	27° 34'·000N., 35° 31'·785E.
<i>Fl.G.3s</i>	<i>B 3</i>	27° 33'·732N., 35° 32'·019E.
<i>Fl.R.3s</i>	<i>B 4</i>	27° 33'·950N., 35° 32'·092E.
<i>Fl.G.3s</i>	<i>B 5</i>	27° 33'·684N., 35° 32'·320E.
<i>Fl.R.3s</i>	<i>B 6</i>	27° 33'·897N., 35° 32'·409E.

- The harbour basin has been dredged to 18·5m.
- The following light-beacons have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
Q.G	A	27° 33'·685N., 35° 31'·840E.
Q.R	B	27° 33'·674N., 35° 31'·929E.
Q.G	C	27° 33'·654N., 35° 32'·149E.
Q.R	D	27° 33'·637N., 35° 32'·279E.

- The following light-beacons have been removed:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
Fl.G.3s	No 1	27° 33'·730N., 35° 31'·765E.
Fl.R.3s	No 2	27° 33'·848N., 35° 31'·811E.
Fl.G.1·5s	No 3	27° 33'·685N., 35° 32'·153E.
Fl.R.1·5s	No 4	27° 33'·789N., 35° 32'·169E.
Fl(2)G.3s	No 5	27° 33'·659N., 35° 32'·400E.
Fl(2)R.3s	No 6	27° 33'·749N., 35° 32'·542E.

- The following uncharted berths exist:

<i>Berth</i>	<i>Alongside depth</i>	<i>Position</i>
4	11·2m	27° 33'·498N., 35° 32'·899E.
5	12·1m	27° 33'·609N., 35° 32'·901E.
6	11·5m	27° 33'·725N., 35° 32'·904E.
7	14·3m	27° 33'·889N., 35° 32'·842E.

- A special purpose light-buoy, *Fl.Y.2s* has been established in position 27° 33'·868N., 35° 32'·461E.
- The special purpose light-buoy, *Fl(5)Y*, in position 27° 33'·700N., 35° 32'·600E. has been removed.
- Mariners are advised to navigate with caution in the area and consult Ḍubā Port Authority (NEOM) for the latest information.
- Charts will be updated when works are complete.
- *Former Notice 108(P)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 12 (INT 7142)

II

558(T)/26 INDIA - West Coast - Wreck.

Source: Indian Nav Warning 952/25

1. A dangerous wreck has been reported in position 19° 57'·50N., 72° 35'·40E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - IN 210 - IN 254 (INT 7331) - IN 292 (INT 7021)

II

648(T)/26 MYANMAR (BURMA) - Offshore installations.

Source: UKHO

1. Drilling operations are taking place, until 31 December 2026, bounded by the following positions:

19° 37'·8N., 92° 35'·0E.

19° 31'·0N., 92° 38'·6E.

19° 22'·8N., 92° 31'·9E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 817 (INT 7430)

II

571(T)/26 TAIWAN - Obstruction.

Source: UKHO

1. Drifting containers have been reported in position 25° 30′·66N., 121° 32′·32E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 1761 - 1968 - 2412 - 3236 - 3658

II

647(P)/26 CHINA - Bo Hai - Depths.

Source: mv Amali and UKHO

1. *Depths in the approach channel to Dagang Gangqu, in the vicinity of position 38° 45'·88N., 117° 55'·34E. are reported to be dredged to 14·6m - 15m.
2. *A depth of 12·1m has been reported to exist in the vicinity of position 38° 45'·58N., 117° 42'·46E., at Tianjin Nangang LNG Terminal.
3. Mariners are advised to consult the local port authority for the latest information.
4. *Former Notice 4271(P)/24 is cancelled.
*Indicates new or revised entry
(CGCS 2000 DATUM)

Chart affected - 2645

II

636(T)/26 JAPAN - Seto Naikai - Submarine power cables. Works.

Source: Japanese Notice 3/5022(T)/26.

1. Submarine power cable laying works are taking place, until 1st March 2026, within an area bounded by the coastline and the following positions:

34° 20′·87N., 133° 31′·40E.
34° 21′·08N., 133° 31′·50E.
34° 21′·25N., 133° 31′·50E.
34° 21′·38N., 133° 31′·35E.
34° 21′·58N., 133° 30′·75E.
34° 21′·57N., 133° 30′·57E.
34° 21′·47N., 133° 30′·43E.
34° 21′·33N., 133° 30′·37E.
34° 20′·77N., 133° 30′·18E.

and

34° 20′·70N., 133° 30′·37E.
34° 21′·28N., 133° 30′·55E.
34° 21′·40N., 133° 30′·63E.
34° 21′·43N., 133° 30′·72E.
34° 21′·23N., 133° 31′·25E.
34° 21′·20N., 133° 31′·30E.
34° 21′·13N., 133° 31′·30E.
34° 21′·00N., 133° 31′·23E.

(WGS84 DATUM)

Chart affected - JP 153

II

579(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 1/24(T)/26

1. On or about 12 January 2026, *FPU Scarborough* and support vessels will be conducting mooring operations within an area bounded by the following positions:

19° 50'·5S., 113° 14'·4E.

19° 55'·5S., 113° 19'·8E.

20° 00'·0S., 113° 14'·7E.

19° 55'·5S., 113° 09'·2E.

2. A 5NM clearance is requested.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

595(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 1/28(T)/26

1. Vessel *DLV2000* is conducting subsea operations in the vicinity of position 20° 36'·1S., 115° 36'·8E.
2. A 2·5M clearance is requested.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 327

II

534(P)/26 ANTARCTICA - Depths.

Source: Argentine Chart 762

1. Depths less than charted exist within the vicinity of Deception Island. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
8·3m	63° 03'·19S., 60° 58'·02W.
37m	63° 00'·484S., 60° 31'·679W.
1·9m	62° 59'·877S., 60° 33'·023W.
3·6m	62° 59'·832S., 60° 33'·052W.
9·8m	62° 59'·741S., 60° 33'·797W.
7·8m	62° 59'·487S., 60° 32'·683W.
7·7m	62° 59'·395S., 60° 32'·478W.
18·5m	62° 59'·482S., 60° 31'·945W.
1·5m	62° 59'·686S., 60° 35'·195W.
16·3m	62° 59'·821S., 60° 34'·653W.
4·2m	62° 59'·981S., 60° 32'·987W.
14·2m	63° 03'·15S., 60° 59'·02W.
13m	63° 03'·44S., 60° 58'·06W.
15·6m	63° 02'·68S., 60° 57'·63W.
11m	63° 00'·32S., 60° 43'·54W.

2. Mariners are advised to navigate with caution in the area.
3. These changes will be included in a New Edition of Chart 226 to be published early 2026.
(WGS84 DATUM)

Chart affected - 226 (INT 9120)

II

548(P)/26 BRAZIL - East Coast - Depths.

Source: HYDROLANT 2166/25

1. Shoaling has been reported in the vicinity of a line joining the following positions:

0° 54'·78N., 49° 45'·40W.

0° 57'·66N., 49° 43'·16W.

2. The most significant depth is 7·5m, in position 0° 54'·89N., 49° 45'·00W.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2189

II

550(P)/26 BRAZIL - East Coast - Depths.

Source: HYDROLANT 2162/25

1. Shoaling has been reported in the vicinity of a line joining the following positions:

1° 00'·85N., 49° 40'·91W.

1° 04'·84N., 49° 38'·96W.

2. The most significant depth is 6m, in position 1° 01'·04N., 49° 40'·47W.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2189 - 3959 - 3962

II

592(T)/26 SOUTH ATLANTIC OCEAN - Buoyage.

Source: NOAA

1. The National Oceanographic and Atmospheric Administration (NOAA) maintains an array of buoys called Prediction and Research Moored Array in the Atlantic (PIRATA).
2. The PIRATA buoys, white and orange, 2 metre toroid buoys with radar reflectors, are located in the following positions:

<i>Designation</i>	<i>Position</i>
* <i>PI287A</i>	2° 24'·8N., 4° 37'·8W.
<i>PI286A</i>	0° 01'·2N., 9° 52'·8W.
<i>PI280A</i>	18° 51'·1S., 34° 39'·5W.
<i>PI285A</i>	0° 00'·6N., 34° 59'·8W.
<i>PI284A</i>	7° 56'·8N., 38° 01'·8W.
<i>PI283A</i>	4° 00'·5N., 37° 56'·2W.
<i>PT073</i>	6° 02'·0S., 10° 00'·4W.
<i>PT074</i>	9° 54'·5S., 9° 58'·7W.
<i>PT065</i>	20° 27'·1N., 23° 08'·5W.
<i>PT068</i>	11° 29'·3N., 22° 59'·2W.
<i>PT069</i>	4° 02'·7N., 22° 59'·2W.
* <i>PT075</i>	1° 36'·5N., 24° 41'·0W.
<i>PT070</i>	8° 00'·5S., 30° 38'·0W.
<i>PT062</i>	13° 31'·4S., 32° 35'·8W.
<i>PT063</i>	20° 01'·5N., 37° 50'·8W.
<i>PT072</i>	15° 00'·2N., 37° 59'·5W.

3. NOAA also maintain Climate Moorings in the North Pacific Ocean. The buoy is a yellow 2 metre solid hull discus buoy with radar reflectors which is located in the following position:

<i>Designation</i>	<i>Position</i>
<i>PA019</i>	50° 07'·6N., 144° 49'·5W.

4. Mariners are advised to give all buoys a 5 nautical mile wide berth.
5. Further information and up to date positions are available on the National Data Buoy Center website <https://www.ndbc.noaa.gov/>.
6. *Former Notice 283(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 529 - 595 (INT 2087) - 4104 (INT 104) - 4115 - 4202 (INT 202) - 4203 (INT 203) - 4209 (INT 209) - 4215 (INT 215) - 4216 (INT 407) - 4806 - 4810 (INT 810)

II

652(T)/26 MEXICO - Gulf of Mexico - Buoyage.

Source: Mexican Notices 16/187(T)/21 and 20/104(T)-106(T)/25

1. The following lateral light-buoys are temporarily out of service:

<i>Characteristic</i>	<i>Position</i>
* <i>Fl.R.3s</i>	20° 58'·11N., 97° 18'·59W.
<i>Fl.G.3s</i>	20° 58'·03N., 97° 18'·55W.
* <i>Fl.G.3s</i>	20° 57'·84N., 97° 19'·23W.
* <i>Fl.G.3s</i>	20° 57'·77N., 97° 19'·49W.

2. *Mariners are advised to navigate with caution in the area and contact the local port authority for the latest information.
3. *Former Notice 4899 (T)/21 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 2753