



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 07

12 February 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
1159	2238	INT 603	NP 88
1274	2521	INT 708	
2016	2664	INT 722	
2035	2720	INT 723	
2106	4603	INT 1303	
2133	4708	INT 1602	
2227	4722	INT 1729	
2236	4723	INT 1801	
2237		INT 1804	
		INT 4180	
		INT 7139	

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



I

UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 12 February 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙2106 INT 1303	International Chart Series, Entrances to the Baltic Sea, Storebælt and Lillebælt to Fehmarn Belt.	1:200,000	10	34
On publication of this New Edition former Notice 4681(P)/25 is cancelled. This chart remains affected by Notices 1111(P)/22, 4052(T)/25 and 5107(T)/25.				
⊙2227	Gulf of Finland, Estonia, Tallinn and Approaches. Vanasadam.	1:27,500 1:7,500	11	36
On publication of this New Edition former Notice 5677(P)/25 is cancelled. This chart remains affected by Notices 1442(T)/24, 2570(T)/24, 4540(T)/24 and 2365(T)/25.				
⊙2521 INT 1801	International Chart Series, France - West Coast, Chaussée de Sein to Belle-Île. This chart remains affected by Notice 3268(T)/23.	1:150,000	17	20
⊙2664 INT 1804	International Chart Series, France - West Coast, Pointe de la Coubre to Pointe D'Arcachon. This chart is to be deleted from the list of charts affected by Notice 474(P)/22.	1:168,500	17	40

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP88	ADMIRALTY List of Lights and Fog Signals Volume Q 6 th Edition (2026) Eastern Indian Ocean, South of the Equator Including Java, Banda and Timor Seas ISBN Number: 978-0-70-772-5024	12/02/2026	Updated to Week 01/26 (01/01/26) First Updates in NM Week 07/26 (12/02/26) Volume Q 5 th Edition (2025) is cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 26 FEBRUARY 2026

New Editions of ADMIRALTY Charts

Chart	Title, limits and other remarks	Scale	Charts to be WITHDRAWN	Folio	2026 Catalogue page
1159	Türkiye, İstanbul Boğazi Güneyi (Southern Bosphoros).	1:20,000	⊙1159	29	48
1274	Black Sea – Türkiye, Samsun and Fatsa with Approaches. Ⓐ Samsun. Ⓑ Approaches to Samsun. Ⓒ Approaches to Fatsa.	1:12,500 1:100,000 1:100,000	⊙1274	31	46
2016 INT 4180	International Chart Series, West Indies, Puerto Rico to Leeward Islands.	1:300,000	⊙2016 INT 4180	86	124
2035 INT 1729	International Chart Series, England - South Coast, Western Approaches to the Solent.	1:25,000	⊙2035 INT 1729	1	24
2133 INT 7139	International Chart Series, Red Sea - Egypt, Gulf of Suez, Approaches to Suez Bay (Bağr al Qulzum).	1:55,000	⊙2133 INT 7139	32	60
2236	Black Sea, Türkiye, Georgia and Russia, Tirebolu to Tuapse.	1:400,000	⊙2236	31	46
2237	Black Sea, Türkiye, İnceburun to Işikli Burnu.	1:400,000	⊙2237	31	46
2238	Black Sea – Türkiye, Kefken Adası to İnceburun.	1:400,000	⊙2238	31	46, 48
2720 INT 1602	International Chart Series, Scotland - North Coast, Flannan Isles to Sule Skerry.	1:200,000	⊙2720 INT 1602	6	28
4603 INT 603	International Chart Series, Indian Ocean, Australia - North Coast and Adjacent Waters.	1:3,500,000	⊙4603 INT 603	63	18
4708 INT 708	International Chart Series, Indian Ocean, Australia West Coast.	1:3,500,000	⊙4708 INT 708	64	18, 136
4722 INT 722	International Chart Series, Australia - Northwest Coast, Adele Island to Dampier including adjacent waters.	1:1,500,000	⊙4722 INT 722	63	70, 72, 74, 88
4723 INT 723	International Chart Series, Australia - North West Coast, Java to North West Cape.	1:1,500,000	⊙4723 INT 723	63	70, 72, 88, 92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
2106 INT 1303	International Chart Series, Entrances to the Baltic Sea, Storebælt and Lillebælt to Fehmarn Belt.	⊙2106 INT 1303
2227	Gulf of Finland, Estonia, Tallinn and Approaches.	⊙2227
2521 INT 1801	International Chart Series, France - West Coast, Chaussée de Sein to Belle-Île.	⊙2521 INT 1801
2664 INT 1804	International Chart Series, France - West Coast, Pointe de la Coubre to Pointe D'Arcachon.	⊙2664 INT 1804

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
29	674P	1495	696T
87	668T	1497	696T
105	725P, 740	1503	725P, 740
106	725P	1512	699
108	725P	1516	669
110	670T, 707T	1537	683
116	707T	1546	716
120	707T	1602	731P
122	670T, 707T	1603	710
124	670T, 707T	1610	692
130	670T, 707T	1629	671T
155	713	1630	670T, 692, 707T
252	717P	1632	670T, 707T
266	670T, 707T	1633	670T, 707T
274	749	1644	684
319	711	1648	736T
323	663	1700	717P
344	703	1712	717P
355	741P	1776	709
356	741P	1835	721
359	720	1862	690P
368	737	1892	663
369	737	1910	717P
375	720	1941	697
376	720	1959	664T
485	714	2056	676P
494	737	2059	662
495	677P	2079	685
496	677P	2115	722
497	686	2116	713
594	737	2123	700
596	737	2126	730, 747
663	705P, 729P	2131	730
820	743T	2134	744P
863	690P, 752	2137	676P
882	719	2182A	725P
896	712	2182B	725P
898	712	2221	730
933	676P	2226	662
964	708	2255	673
996	736T	2268	673
1049	660	2276	723T
1059	715	2289	672
1066	676P	2292	672
1100	715	2347	736T
1128	732	2348	726
1130	751	2401	754
1152	689	2409	682
1165	689	2412	694, 755
1179	689	2443	693P
1187	725P	2456	738
1190	725P	2470	676P
1199	755	2471	676P
1249	702	2492	738
1250	702	2603	666
1256	702	2626	720
1261	715	2635	732
1281	706	2638	676P
1304	751	2683	726
1351	663	2721	732
1366	691T	2722	732
1387	704	2753	720
1391	675	2794	676P
1406	692	2796	676P
1408	692, 725P, 740	2797	676P
1447	746T	2813	750
1448	661	2816	662
1452	718P	2817	662
1455	661	2841	732

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2860	738	5608_3	689
2862	676P	5608_9	689
2872	676P	5609_5	699
2873	676P	5610_11	730
2877	676P	5610_12	747
2889	693P	5614_25	725P
2890	738	5614_7	725P
2892	676P	5614_8	725P
2893	676P	5616_27	732
2894	676P	5621_12	746T
2922	666		
2948	676P	Australian Chart No.	Notices
2951	676P		
2957	676P	Aus 143	756P
2967	681		
2970	727	Belgian Chart No.	Notices
3017	676P		
3118	704	BE 101	670T, 707T
3177	693P		
3178	693P	German Chart No.	Notices
3179	693P		
3231	745	DE 37	739
3258	667T	DE 44	748
3310	705P	DE 47	753
3361	705P	DE 50	670T, 707T
3365	687	DE 90	670T, 707T
3412	698		
3432	675	Indian Chart No.	Notices
3480	755		
3483	676P	IN 308	711
3484	676P	IN 3002	680, 711
3558	742P	IN 3012	680, 711
3634	665T		
3635	668T	Japanese Chart No.	Notices
3729	676P		
3758	676P	JP 77	736T
3831	676P	JP 93	736T
3833	676P	JP 120	733, 734, 735T
3879	724	JP 1163	733, 734, 735T
3884	728		
3928	688	International Chart No.	Notices
3929	687		
3947	676P	INT 52	736T
3948	676P	INT 53	736T
3949	676P	INT 103	668T
3977	678P	INT 509	736T
3985	724	INT 510	736T
3988	728	INT 551	676P
4030	676P	INT 554	676P
4032	701	INT 602	679
4035	701	INT 604	679
4036	676P	INT 1042	725P
4042	676P	INT 1043	725P
4052	736T	INT 1045	670T, 707T
4053	736T	INT 1061	732
4103	668T	INT 1165	672
4117	695	INT 1166	672
4418	676P	INT 1216	662
4419	676P	INT 1238	743T
4420	676P	INT 1356	739
4469	676P		
4495	676P		
4509	736T		
4510	736T		
4602	679		
4604	679		
5601_8	673		
5607_1	692		
5608_12	689		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1416	670T, 692, 707T		
INT 1417	670T, 707T		
INT 1420	670T, 707T		
INT 1423	670T, 707T		
INT 1452	748		
INT 1454	753		
INT 1461	670T, 707T		
INT 1470	716		
INT 1471	670T, 707T		
INT 1472	670T, 707T		
INT 1473	670T, 707T		
INT 1474	670T, 707T		
INT 1477	707T		
INT 1479	707T		
INT 1483	663		
INT 1508	725P		
INT 1509	725P, 740		
INT 1511	692		
INT 1564	663		
INT 1603	732		
INT 1604	732		
INT 1610	689		
INT 1725	673		
INT 1741	663		
INT 1871	667T		
INT 1939	690P		
INT 2088	704		
INT 2810	704		
INT 3192	713		
INT 3360	741P		
INT 3362	741P		
INT 5252	687		
INT 5355	712		
INT 7002	727		
INT 7211	693P		
INT 7219	698		
INT 7222	693P		
INT 7226	693P		
INT 7229	693P		
INT 7238	693P		
INT 7408	711		
INT 7409	711		
INT 7411	680, 711		
INT 7690	705P		
INT 7698	705P, 729P		
INT 7700	705P		
INT 7735	696T		
INT 7736	696T		
INT 9314	726		

II

709 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
1776	5067/25	Effective from 19/02/2026 Insert magenta limit and chart reference 1741 (see Note – POSITIONS), as follows: North: 62° 24'·16S. East: 59° 33'·70W. South: 62° 32'·65S. West: 59° 48'·33W. Insert the accompanying note, CHART 1741: POSITIONS, centred on 62° 24'·25S., 60° 57'·88W. Replace the existing note, CHARTS 225, 449, 1740, 1741, 1774 AND 3205: POSITIONS, with the accompanying note, CHARTS 225, 449, 1740, 1774 AND 3205: POSITIONS, centred on 62° 19'·68S., 60° 57'·85W. Delete magenta limit and chart number, 1741, in position 62° 30'·74S., 59° 48'·39W.

II

673* ENGLAND - South Coast - Marine farms. Buoyage.

Source: Portland Harbour Authority Notice 24/2025

Chart 2255 (INT 1725) [previous update 1900/25] ETRS89 DATUM

Insert	limit of marine farm, pecked line, joining:	(a) 50° 35'·91N., 2° 26'·50W. (b) 50° 35'·81N., 2° 26'·57W.
Move	 , from:	50° 35'·83N., 2° 26'·43W.
	to:	50° 35'·87N., 2° 26'·57W.
Delete	 Fl.Y.5s	(c) 50° 35'·74N., 2° 26'·34W. (d) 50° 35'·76N., 2° 26'·42W.
	former limit of marine farm, pecked line, joining:	(a) above 50° 35'·88N., 2° 26'·43W. 50° 35'·86N., 2° 26'·35W. 50° 35'·84N., 2° 26'·27W. (c) above (d) above (b) above

Chart 2268 [previous update 3614/25] ETRS89 DATUM

Insert	limit of marine farm, pecked line, joining:	(a) 50° 35'·905N., 2° 26'·501W. (b) 50° 35'·808N., 2° 26'·574W.
Move	 , from:	50° 35'·831N., 2° 26'·446W.
	to:	50° 35'·868N., 2° 26'·569W.
Delete		(c) 50° 35'·883N., 2° 26'·428W. (d) 50° 35'·859N., 2° 26'·348W. (e) 50° 35'·836N., 2° 26'·271W.
	 Fl.Y.5s	(f) 50° 35'·738N., 2° 26'·341W. (g) 50° 35'·761N., 2° 26'·419W. 50° 35'·785N., 2° 26'·499W.
	former limit of marine farm, pecked line, joining:	(a) above (c) above (d) above (e) above (f) above (g) above (b) above

II

673* ENGLAND - South Coast - Marine farms. Buoyage. (continued)

Chart 5601_8 (Panel A, Weymouth and Portland) [*previous update 1900/25*] ETRS89 DATUM

Insert	limit of marine farm, pecked line, joining:	(a) 50° 35'·91N., 2° 26'·50W. (b) 50° 35'·81N., 2° 26'·57W.
Move	 , from:	50° 35'·83N., 2° 26'·43W.
	to:	50° 35'·87N., 2° 26'·57W.
Delete	 Fl.Y.5s	(c) 50° 35'·74N., 2° 26'·34W. (d) 50° 35'·76N., 2° 26'·42W.
	former limit of marine farm, pecked line, joining:	(a) above 50° 35'·88N., 2° 26'·43W. 50° 35'·86N., 2° 26'·35W. 50° 35'·84N., 2° 26'·27W. (c) above (d) above (b) above

II

689* ENGLAND - Bristol Channel - Depth. Wreck.

Source: Trinity House

Chart 1152 [*previous update 3180/25*] ETRS89 DATUM

Replace depth, 12₆ with  51° 22'·40N., 3° 29'·39W.

Chart 1165 [*previous update New Edition 06/03/2025*] ETRS89 DATUM

Replace depth, 12₆ with  51° 22'·40N., 3° 29'·39W.

Chart 1179 (INT 1610) [*previous update 389/25*] ETRS89 DATUM

Replace depth, 12₆ with  51° 22'·40N., 3° 29'·39W.

Chart 5608_12 [*previous update 325/24*] ETRS89 DATUM

Replace depth, 12₆ with  51° 22'·40N., 3° 29'·39W.

Chart 5608_9 [*previous update New Edition 03/07/2025*] ETRS89 DATUM

Replace depth, 12₆ with  51° 22'·40N., 3° 29'·39W.

Chart 5608_3 [*previous update 389/25*] ETRS89 DATUM

Replace depth, 12₆ with  51° 22'·40N., 3° 29'·39W.

II

692* ENGLAND - East Coast - Superbuoy. Automatic Identification System.

Source: Five Estuaries Offshore Wind Farm Ltd

Chart 1406 [*previous update 526/26*] WGS84 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 51° 55'·74N., 2° 07'·28E.

Chart 1408 [*previous update 566/26*] WGS84 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 51° 55'·7N., 2° 07'·3E.

Chart 1610 (INT 1511) [*previous update 526/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 51° 55'·74N., 2° 07'·28E.

Chart 1630 (INT 1416) [*previous update 242/26*] WGS84 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 51° 55'·74N., 2° 07'·28E.

Chart 5607_1 [*previous update 526/26*] WGS84 DATUM

Delete  Fl(5)Y.20s and associated Automatic Identification
System, AIS 51° 55'·74N., 2° 07'·28E.

II

699* WALES - West Coast - Wreck. Drying height.

Source: The Royal Commission on the Ancient and Historical Monuments of Wales

Chart 1512 (Panel F, Porth Dinllaen) [*previous update 4376/25*] ETRS89 DATUM

Insert

 *Wk*, drying height *17*

52° 56′·26N., 4° 33′·03W.

Chart 5609_5 (Panel B, Porth Dinllaen) [*previous update 3848/25*] ETRS89 DATUM

Insert

 *Wk*, drying height *17*

52° 56′·26N., 4° 33′·03W.

II

721* **ENGLAND - East Coast - NM Block.**

Source: Peel Ports

Note: Former Notice 4007(P)/24 is cancelled.

Chart 1835 [*previous update 3040/25*] ETRS89 DATUM

Insert the accompanying block, centred on:

51° 24'·2N., 0° 31'·6E.

II

730* SCOTLAND - West Coast - Lights. Beacons.

Source: Northern Lighthouse Board

Chart 2126 [*previous update 5005/25*] ETRS89 DATUM

Replace ★ 2F(vert) with  55° 39'·66N., 5° 09'·63W.
55° 39'·62N., 5° 09'·72W.

Chart 2131 [*previous update 5762/25*] ETRS89 DATUM

Replace ★ Dir. 2F with  55° 41'·45N., 5° 11'·34W.
★ 2 x Dir. 2F with  2 Bns 55° 41'·39N., 5° 11'·48W.
55° 40'·83N., 5° 09'·85W.
★ Dir. 2F with  55° 40'·73N., 5° 10'·09W.
55° 40'·67N., 5° 10'·23W.
55° 39'·89N., 5° 09'·11W.
55° 39'·66N., 5° 09'·63W.
55° 39'·62N., 5° 09'·72W.

Chart 2221 [*previous update 5065/24*] ETRS89 DATUM

Replace ★ 2F(vert) with  55° 41'·45N., 5° 11'·34W.
55° 41'·41N., 5° 11'·42W.
55° 41'·39N., 5° 11'·48W.
55° 40'·83N., 5° 09'·85W.
55° 40'·82N., 5° 09'·88W.
55° 40'·73N., 5° 10'·09W.
55° 40'·67N., 5° 10'·23W.
55° 39'·89N., 5° 09'·11W.
55° 39'·66N., 5° 09'·63W.
55° 39'·62N., 5° 09'·72W.

Chart 5610_11 [*previous update 5051/25*] ETRS89 DATUM

Replace ★ Dir. 2F with  55° 41'·45N., 5° 11'·34W.
★ 2 x Dir. 2F with  2 Bns 55° 41'·39N., 5° 11'·48W.
55° 40'·83N., 5° 09'·85W.
★ Dir. 2F with  55° 40'·73N., 5° 10'·09W.
55° 40'·67N., 5° 10'·23W.
55° 39'·89N., 5° 09'·11W.
55° 39'·66N., 5° 09'·63W.
55° 39'·62N., 5° 09'·72W.

II

732* SCOTLAND - Hebrides - Firing practice area. Legends.

Source: UKHO

Chart 1128 [*previous update 3589/24*] ETRS89 DATUM

Insert	limit of firing practice area, pecked line, joining:	57° 39'·5N., 7° 22'·5W. 57° 40'·1N., 7° 22'·5W. 57° 43'·2N., 7° 20'·0W. and 57° 47'·6N., 7° 20'·0W. 57° 41'·5N., 7° 37'·1W. 57° 33'·1N., 7° 30'·3W. 57° 33'·9N., 7° 28'·0W.
	legend, <i>FIRING PRACTICE AREA (D714B)</i> (see Note), centred on:	57° 42'·7N., 7° 26'·3W.

Chart 2635 (INT 1061) [*previous update 2678/25*] ETRS89 DATUM

Insert	limit of firing practice area, pecked line, joining:	57° 39'·5N., 7° 22'·5W. 57° 40'·1N., 7° 22'·5W. 57° 49'·4N., 7° 15'·0W. 57° 41'·5N., 7° 37'·1W. 57° 33'·1N., 7° 30'·3W. 57° 33'·9N., 7° 27'·9W.
	legend, <i>FIRING PRACTICE AREA (D714B)</i> (see Note), centred on:	57° 42'·7N., 7° 26'·3W.

Chart 2721 (INT 1603) [*previous update 4778/25*] ETRS89 DATUM

Insert	limit of firing practice area, pecked line, joining:	57° 39'·55N., 7° 22'·49W. 57° 40'·07N., 7° 22'·53W. 57° 49'·38N., 7° 15'·00W. 57° 41'·47N., 7° 37'·05W. 57° 33'·08N., 7° 30'·28W. 57° 33'·93N., 7° 27'·94W. 57° 42'·48N., 7° 25'·61W.
	legend, <i>D714B</i> (see Note), centred on:	

Chart 2722 (INT 1604) [*previous update 4778/25*] ETRS89 DATUM

Insert	limit of firing practice area, pecked line, joining:	57° 39'·55N., 7° 22'·49W. 57° 40'·07N., 7° 22'·53W. 57° 49'·38N., 7° 15'·00W. 57° 41'·47N., 7° 37'·05W. 57° 33'·08N., 7° 30'·28W. 57° 33'·93N., 7° 27'·94W. 57° 42'·51N., 7° 25'·65W.
	legend, <i>D714B</i> (see Note), centred on:	

Chart 2841 [*previous update 4274/25*] ETRS89 DATUM

Insert	limit of firing practice area, pecked line, joining:	57° 39'·55N., 7° 22'·49W. 57° 40'·07N., 7° 22'·53W. 57° 49'·38N., 7° 15'·00W. 57° 45'·05N., 7° 27'·06W.
	legend, <i>FIRING PRACTICE AREA (D714B)</i> (see Note), centred on:	57° 44'·29N., 7° 25'·35W.

II

732* SCOTLAND - Hebrides - Firing practice area. Legends. (continued)

Chart 5616_27 [*previous update 1573/24*] ETRS89 DATUM

Insert limit of firing practice area, pecked line, joining:

57° 39'·5N., 7° 22'·5W.

57° 40'·1N., 7° 22'·5W.

57° 49'·4N., 7° 15'·0W.

57° 41'·5N., 7° 37'·1W.

57° 33'·1N., 7° 30'·3W.

57° 33'·9N., 7° 27'·9W.

II

740* **ENGLAND - East Coast - Well.**

Source: OPRED

Chart 105 [*previous update 5406/25*] ETRS89 DATUM

Delete



Well

53° 27'·69N., 2° 17'·00E.

Chart 1408 [*previous update 692/26*] WGS84 DATUM

Delete



Well

53° 27'·7N., 2° 17'·0E.

Chart 1503 (INT 1509) [*previous update 566/26*] ETRS89 DATUM

Delete



Well

53° 27'·69N., 2° 16'·99E.

II

747* **SCOTLAND - West Coast - Anchorage areas.**

Source: Mr B Bradfield

Chart 2126 [*previous update 730/26*] ETRS89 DATUM

Insert 

(a) 55° 29'·63N., 5° 20'·20W.

Delete , close NW of:

(a) above

Chart 5610_12 (Panel A, Kilbrannan Sound) [*previous update 5155/25*] ETRS89 DATUM

Insert 

(a) 55° 29'·63N., 5° 20'·20W.

Delete , close NW of:

(a) above

II

681 **RUSSIA - Arctic Coast - NM Block.**

Source: Russian Notice 41/4256/25

Chart 2967 [*previous update 4452/25*] WGS84 DATUM

Insert the accompanying block, centred on:

69° 14'·0N., 61° 47'·4E.

II

726 NORWAY - West Coast - NM Blocks. Light.

Source: Norwegian Notices 19/78891/25 and 19/78899/25

Note: Radar beacon remains unchanged.

Chart 2348 (INT 9314) [*previous update 4456/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	68° 14'·1N., 15° 29'·7E.
	the accompanying block B, centred on:	67° 47'·0N., 14° 25'·4E.

Chart 2683 [*previous update 5736/25*] WGS84 DATUM

Amend	light to, Oc.WRG.16-11M	67° 46'·5N., 14° 25'·5E.
-------	-------------------------	--------------------------


II

662 LATVIA - Obstruction.

Source: Latvian Notice 12/248/25

Chart 2059 (INT 1216) [*previous update 152/26*] WGS84 DATUM

Insert




Obstn

57° 46'·63N., 22° 19'·38E.

Chart 2226 [*previous update 3253/25*] WGS84 DATUM

Insert




Obstn

57° 46'·63N., 22° 19'·38E.

Chart 2816 [*previous update 182/26*] WGS84 DATUM

Insert




Obstn

57° 46'·6N., 22° 19'·4E.

Chart 2817 [*previous update 182/26*] WGS84 DATUM

Insert



Obstn

57° 46'·6N., 22° 19'·4E.

II

672 LATVIA - Depth.

Source: Latvian Notice 12/249/25

Chart 2289 (INT 1165) [*previous update 4967/25*] WGS84 DATUM

Insert sounding out of position, 4g, enclosed by 5m contour

56° 33'·25N., 20° 58'·25E.

Chart 2292 (INT 1166) [*previous update 4330/24*] WGS84 DATUM

Insert depth, 4g, enclosed by 5m contour

56° 33'·250N., 20° 58'·252E.

II

722 DENMARK - Islands - Wreck.

Source: UKHO and Danish Chart Correction 33/183/25

Note: *Certain Copies Only*

Chart 2115 [*previous update 583/26*] WGS84 DATUM

Delete



55° 35'·73N., 12° 48'·35E.

II

739* GERMANY - Baltic Coast - Buoyage.

Source: WSA Ostsee 15/26

Chart DE 37 (INT 1356) [*previous update 5758/25*] WGS84 DATUM

Delete

 (*occas*)

54° 01'·79N., 10° 45'·80E.

54° 01'·70N., 10° 45'·87E.

II

716 NETHERLANDS - Anchor berths.

Source: Netherlands Notice 04/11/26

Chart 1546 (INT 1470) [*previous update 244/26*] WGS84 DATUM

Insert



L, centred on:

53° 00′·83N., 4° 51′·04E.



M, centred on:

53° 00′·58N., 4° 50′·59E.



J, centred on:

53° 00′·33N., 4° 50′·14E.

II

748* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP29593/25

Chart DE 44 (INT 1452) (Panel, Cuxhaven) [*previous update 461/26*] WGS84 DATUM

Insert	depth, <i>109</i>	(a) 53° 52′·166N., 8° 44′·081E.
Delete	depth, <i>135</i> , close SE of:	(a) above

II

749 NORTH SEA - Norwegian Sector - NM Block. Obstruction.

Source: Norwegian Chart 307 and UKHO

Chart 274 [*previous update 5793/25*] WGS84 DATUM

Insert the accompanying block, centred on:

58° 24′·7N., 3° 34′·6E.

Replace  Symra with  Symra

58° 58′·16N., 2° 16′·91E.

II

753* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP29571/25

Chart DE 47 (INT 1454) [*previous update 338/26*] WGS84 DATUM

Insert	depth, 65	(a)	53° 41'·34N., 9° 30'·31E.
Delete	depth, 72, close S of:	(a)	above
Insert	depth, 115	(b)	53° 41'·43N., 9° 29'·77E.
Delete	depth, 125, close N of:	(b)	above
Insert	depth, 61	(c)	53° 42'·03N., 9° 30'·00E.
Delete	depth, 73, close NW of:	(c)	above
Insert	depth, 119	(d)	53° 42'·25N., 9° 29'·12E.
Delete	depth, 129, close N of:	(d)	above

II

663 FRANCE - North Coast - Depths.

Source: French Notice 49/34/25

Chart 323 (INT 1564) [*previous update 526/26*] ETRS89 DATUM

Insert	depth, 179, and extend 20m contour NW to enclose	(a)	51° 04'·77N., 1° 45'·82E.
Delete	depth, 203, close NW of:	(a)	above
Insert	depth, 146	(b)	50° 59'·03N., 1° 45'·27E.
Delete	depth, 157, close SW of:	(b)	above
Insert	depth, 74	(c)	50° 58'·90N., 1° 45'·49E.
Delete	depth, 82, close S of:	(c)	above

Chart 1351 (INT 1483) [*previous update 5030/25*] WGS84 DATUM

Insert	depth, 146, enclosed by 20m contour		50° 59'·032N., 1° 45'·267E.
	depth, 74	(a)	50° 58'·899N., 1° 45'·491E.
Delete	depth, 85, close SE of:	(a)	above

Chart 1892 (INT 1741) [*previous update 362/26*] ETRS89 DATUM

Insert	depth, 179, and extend 20m contour NW to enclose	(a)	51° 04'·77N., 1° 45'·82E.
Delete	depth, 203, close NW of:	(a)	above
Insert	depth, 146	(b)	50° 59'·03N., 1° 45'·27E.
Delete	depth, 157, close SW of:	(b)	above
Insert	depth, 74	(c)	50° 58'·90N., 1° 45'·49E.
Delete	depth, 82, close S of:	(c)	above

II

661 SPAIN - Mediterranean Sea Coast - Buoy.

Source: Spanish Notice 47/351/25

Chart 1448 [*previous update 4938/25*] WGS84 DATUM

Amend light-buoy to, *Fl(2+1)G.12s5M*

36° 09'·13N., 5° 25'·77W.

Chart 1455 [*previous update 3104/25*] WGS84 DATUM

Amend light-buoy to, *Fl(2+1)G.12s5M*

36° 09'·130N., 5° 25'·789W.

II

684 TÜRKIYE - South Coast - Piers.

Source: ENC TR403121

Chart 1644 (Panel C, Marmaris) [*previous update 611/26*] WGS84 DATUM

Insert pier, single firm line, joining:

36° 49'·78N., 28° 18'·62E.

36° 49'·70N., 28° 18'·62E.

and

36° 49'·73N., 28° 18'·58E.

36° 49'·73N., 28° 18'·62E.

and

36° 49'·70N., 28° 18'·56E.

36° 49'·70N., 28° 18'·63E.

II

686 TÜRKiYE - Marmara Denizi - Light.

Source: Turkish Notice 42/207/25

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 616/26*] WGS84 DATUM

Amend light to, Fl.Y.3s9m3M

40° 46' ·07N., 29° 43' ·50E.

II

697 ITALY - Sicilia - Obstruction.

Source: Italian Notice 22.17/25

Chart 1941 [*previous update 5690/25*] WGS84 DATUM

Insert

 *Obstm Rep (2025)*

37° 32′·0N., 15° 23′·9E.

II

700 ITALY - Sicilia - Obstruction.

Source: Italian Notice 22.13/25

Chart 2123 [*previous update 100/26*] WGS84 DATUM

Insert

 *Obstm Rep (2025)*

36° 32'·6N., 12° 29'·2E.

II

708 ITALY - Sicilia - Restricted area.

Source: Italian Notice 22.43/25

Chart 964 [*previous update 535/26*] WGS84 DATUM

Insert	circular limit of restricted area, entry prohibited, radius 300m (0·16M), centred on:	37° 46′·11N., 12° 25′·41E.
--------	--	----------------------------

II

713 FRANCE - South Coast - Buoyage.

Source: French Notice 41/84/25

Chart 155 (INT 3192) [*previous update 4935/25*] WGS84 DATUM

Delete



Fl(4)Y.15s Mémoflow

43° 19'·22N., 4° 55'·25E.



Fl(5)Y.20s ODAS

43° 18'·97N., 4° 55'·22E.

Chart 2116 [*previous update 574/26*] WGS84 DATUM

Delete



Fl(4)Y.15s

43° 18'·85N., 4° 55'·26E.



Fl(5)Y.20s ODAS

43° 18'·97N., 4° 55'·22E.

II

675* GHANA - Restricted areas.

Source: Ghana Maritime Authority

Chart 1391 [*previous update 1631/23*] WGS84 DATUM

Insert	circular limit of restricted area, entry prohibited, radius 800m, pecked line, centred on:	5° 38'·983N., 0° 04'·267E. 5° 37'·743N., 0° 04'·568E.
--------	---	--

Chart 3432 [*previous update 2099/25*] WGS84 DATUM

Insert	circular limit of restricted area, entry prohibited, radius 800m (0·43M), pecked line, centred on:	5° 38'·98N., 0° 04'·27E. 5° 37'·74N., 0° 04'·57E.
--------	---	--

II

704 CAMEROON - Buoy.

Source: French Notice 38/168/25

Note: Former Notice 1310(T)/21 is cancelled.

Chart 1387 (INT 2810) [*previous update 497/26*] WGS84 DATUM

Delete

 *Q(5)10s*

3° 29′·5N., 9° 15′·4E.

Chart 3118 (INT 2088) [*previous update 5145/25*] WGS84 DATUM

Delete

 *Q*

3° 29′·5N., 9° 15′·4E.

II

752 MOROCCO - West Coast - Wreck.

Source: French Notice 50/149/25

Chart 863 (Panel C, Essaouira) [*previous update 411/26*] WGS84 DATUM

Insert



31° 30′·030N., 9° 47′·280W.

II

727 SOMALIA - Superbuoy.
Source: Boosaaso Port Authority

Chart 2970 (INT 7002) [*previous update 2587/25*] WGS84 DATUM

Insert



11° 18'·5N., 49° 12'·0E.

II

698* UNITED ARAB EMIRATES - Legend.

Source: Dubai Maritime Authority

Chart 3412 (INT 7219) [*previous update 552/26*] WGS84 DATUM

Insert legend, Works in progress (2026) (see Note), centred on: 25° 10'·80N., 55° 12'·20E.

II

680 INDIA - East Coast - Wreck.

Source: Indian Notice 23/159/25

Chart IN 3002 [*previous update 4106/25*] WGS84 DATUM

Insert



17° 41'·63N., 83° 18'·48E.

Chart IN 3012 (INT 7411) [*previous update 4106/25*] WGS84 DATUM

Insert



17° 41'·63N., 83° 18'·48E.

II

711 INDIA - East Coast - Firing practice areas. Wrecks.

Source: Indian Notice 2/34/26

Chart IN 308 (INT 7409) [*previous update 4677/23*] WGS84 DATUM

Insert	 <i>Wk</i>	17° 42'·13N., 83° 20'·75E.
Replace	 <i>Wk</i> with  <i>Wk</i>	17° 41'·17N., 83° 20'·95E.

Chart 319 (INT 7408) [*previous update 2757/25*] WGS84 DATUM

Insert	 <i>Wk</i>	17° 42'·1N., 83° 20'·7E.
Replace	 <i>Wk</i> with  <i>Wk</i>	17° 41'·2N., 83° 21'·0E.

Chart IN 3002 [*previous update 680/26*] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	17° 48'·00N., 83° 42'·19E. 17° 47'·27N., 83° 43'·25E. and 17° 28'·29N., 83° 43'·25E. 17° 28'·00N., 83° 43'·00E. 17° 27'·80N., 83° 43'·25E.
	 <i>Wk</i>	17° 42'·13N., 83° 20'·75E.
	 <i>Wk</i>	(a) 17° 41'·17N., 83° 20'·95E.
Delete	 <i>Wk</i> , close SE of:	(a) above

Chart IN 3012 (INT 7411) [*previous update 680/26*] WGS84 DATUM

Insert	 <i>Wk</i>	17° 42'·13N., 83° 20'·75E.
	 <i>Wk</i>	(a) 17° 41'·17N., 83° 20'·95E.
Delete	 <i>Wk</i> , close SE of:	(a) above

II

701* SINGAPORE - Dredged depths.

Source: Maritime and Port Authority of Singapore

Note: Former Notices 3080(P)/25 and 3472(P)/25 are cancelled.

Chart 4032 [previous update 638/26] WGS84 DATUM

Amend	dredged depth to, 10·3m (2025), centred on:	1° 14'·280N., 103° 45'·423E.
	dredged depth to, 5·3m (2025), centred on:	1° 14'·291N., 103° 45'·562E.
	dredged depth to, 13·0m (2025), centred on:	1° 14'·437N., 103° 45'·845E.
	dredged depth to, 12·7m (2025), centred on:	1° 14'·391N., 103° 45'·917E.
	dredged depth to, 16·5m (2025), centred on:	1° 14'·318N., 103° 46'·009E.
	dredged depth to, 13·7m (2025), centred on:	1° 14'·237N., 103° 46'·102E.
	dredged depth to, 8·1m (2025), centred on:	1° 13'·635N., 103° 45'·359E.

Chart 4035 [previous update 5211/25] WGS84 DATUM

Amend	dredged depth to, 5·3m (2025), centred on:	1° 14'·290N., 103° 45'·570E.
	dredged depth to, 13·0m (2025), centred on:	1° 14'·437N., 103° 45'·845E.
	dredged depth to, 12·7m (2025), centred on:	1° 14'·392N., 103° 45'·917E.
	dredged depth to, 16·5m (2025), centred on:	1° 14'·318N., 103° 46'·009E.
	dredged depth to, 13·7m (2025), centred on:	1° 14'·225N., 103° 46'·118E.
	dredged depth to, 16·5m (2025), centred on:	1° 14'·146N., 103° 46'·229E.
	dredged depth to, 12·9m (2025), centred on:	1° 14'·049N., 103° 46'·321E.
	dredged depth to, 11·0m (2025), centred on:	1° 13'·975N., 103° 46'·401E.
	dredged depth to, 10·1m (2025), centred on:	1° 13'·879N., 103° 46'·496E.
	dredged depth to, 9·0m (2025), centred on:	1° 13'·816N., 103° 46'·556E.
	dredged depth to, 11·2m (2025), centred on:	1° 13'·761N., 103° 46'·609E.
	dredged depth to, 3·8m (2025), centred on:	1° 13'·690N., 103° 46'·628E.
	dredged depth to, 5·2m (2025), centred on:	1° 13'·675N., 103° 46'·647E.
	dredged depth to, 15·3m (2025), centred on:	1° 13'·676N., 103° 46'·691E.
	dredged depth to, 6·2m (2025), centred on:	1° 13'·646N., 103° 46'·675E.

II

682 **TAIWAN - Buoy.**

Source: UKHO

Chart 2409 [*previous update 643/26*] WGS84 DATUM

Delete

 *Fl.R*

23° 43′·68N., 119° 33′·16E.

II

683 CHINA - South Coast - NM Block.
Source: Chinese Notice 42/1261/25 and UKHO

Chart 1537 [*previous update 4286/25*] CGCS 2000 DATUM

Insert the accompanying block, centred on:

21° 25′·6N., 112° 12′·2E.

II

694 CHINA - East Coast - Wreck.

Source: Chinese Notice 40/1202/25

Note: This update is included in New Edition 3480, published early 2026.

Chart 2412 [*previous update 630/26*] WGS84 DATUM

Insert

 *Rep (2025) PA*

32° 15'·3N., 123° 06'·3E.

II

695 CHINA - South Coast - Depths.

Source: Hong Kong Notices 21/57-58/25

Chart 4117 [*previous update 268/26*] WGS84 DATUM

Insert	depth, <i>118</i>	22° 18'·215N., 114° 12'·862E.
	depth, <i>61</i>	(a) 22° 18'·195N., 114° 12'·981E.
Delete	depth, <i>77</i> , close SW of:	(a) above
Insert	depth, <i>119</i>	(b) 22° 17'·985N., 114° 12'·789E.
Delete	depth, <i>122</i> , close SW of:	(b) above
Insert	depth, <i>13</i> , enclosed by 15m contour	22° 17'·083N., 114° 13'·832E.
	depth, <i>148</i> , enclosed by 15m contour	(c) 22° 17'·048N., 114° 13'·847E.
Delete	depth, <i>157</i> , close NW of:	(c) above

II

702 CHINA - Bo Hai - Wreck.

Source: Chinese Notice 2/34/26

Chart 1249 [*previous update 657/26*] CGCS 2000 DATUM

Insert



38° 45′·9N., 119° 29′·0E.

Chart 1250 [*previous update 657/26*] CGCS 2000 DATUM

Insert



38° 45′·9N., 119° 29′·0E.

Chart 1256 [*previous update 657/26*] WGS84 DATUM

Insert



38° 45′·9N., 119° 29′·0E.

II

703 CHINA - South Coast - Depths.

Source: UKHO

Chart 344 [*previous update 131/26*] CGCS 2000 DATUM

Insert	depth, <i>141</i>	(a)	22° 48'·36N., 113° 35'·92E.
Delete	depth, <i>129</i> , close W of:	(a)	above
Insert	depth, <i>144</i>	(b)	22° 48'·30N., 113° 36'·16E.
Delete	depth, <i>133</i> , close W of:	(b)	above
Insert	depth, <i>147</i>	(c)	22° 46'·06N., 113° 38'·27E.
Delete	depth, <i>13</i> , close SW of:	(c)	above
Insert	depth, <i>144</i>	(d)	22° 45'·96N., 113° 38'·30E.
Delete	depth, <i>129</i> , close SW of:	(d)	above
Insert	depth, <i>142</i>	(e)	22° 45'·85N., 113° 38'·40E.
Delete	depth, <i>129</i> , close W of:	(e)	above
Insert	depth, <i>143</i>	(f)	22° 45'·69N., 113° 38'·44E.
Delete	depth, <i>128</i> , close NW of:	(f)	above

II

706 CHINA - East Coast - Submarine power cable.

Source: Chinese Notice 42/1245/25

Chart 1281 [*previous update 352/26*] CGCS 2000 DATUM

Insert submarine power cable,  , joining:

33° 08′·69N., 120° 50′·62E.

33° 10′·20N., 121° 25′·17E.

II

710 CHINA - East Coast - Buoyage.

Source: Chinese Notice 46/1420/25

Chart 1603 [*previous update 350/26*] CGCS 2000 DATUM

Insert



Fl.G.4s No 1

31° 12'·26N., 121° 55'·54E.



Fl(2)G.6s No 3

31° 12'·19N., 121° 55'·87E.



Fl(2)R.6s No 4

31° 12'·08N., 121° 56'·12E.



Fl(3)G.10s No 5

31° 12'·01N., 121° 56'·34E.

II

715 VIETNAM - Wrecks. Obstructions.

Source: ENC V14S0030

Chart 1059 (Panel A, Vung Tau) [previous update 2328/25] WGS84 DATUM

Insert		10° 21'·71N., 107° 03'·16E.
		(a) 10° 18'·37N., 107° 02'·65E.
Delete	former  , close NW of:	(a) above
Insert	 64 Obstn	10° 20'·08N., 107° 02'·16E.

Chart 1100 [previous update 2797/25] WGS84 DATUM

Insert		10° 21'·71N., 107° 03'·16E.
		10° 18'·68N., 107° 07'·45E.
		(a) 10° 18'·72N., 107° 06'·99E.
		(b) 10° 18'·61N., 107° 05'·91E.
		(c) 10° 18'·37N., 107° 02'·65E.
		(d) 10° 14'·14N., 106° 59'·25E.
Delete	former  , close NE of:	(a) above
		(b) above
	former  , close W of:	(c) above
	former  , close NW of:	(d) above
Insert	 64 Obstn	10° 20'·08N., 107° 02'·16E.
	 Masts	(e) 10° 18'·98N., 106° 59'·59E.
Delete	 PA, close NE of:	(e) above
Insert	 76 Obstn	10° 15'·66N., 106° 59'·27E.

Chart 1261 [previous update 2599/25] WGS84 DATUM

Insert		10° 18'·68N., 107° 07'·45E.
		(a) 10° 14'·14N., 106° 59'·25E.
Delete	former  , close NW of:	(a) above
Insert	 Wks	(b) 10° 21'·71N., 107° 03'·16E.
Delete	 , close NE of:	(b) above
Insert	 64 Obstn	10° 20'·08N., 107° 02'·16E.
	 Masts	(c) 10° 18'·98N., 106° 59'·59E.
Delete	 PA, close NE of:	(c) above
Insert	 76 Obstn	10° 15'·66N., 106° 59'·27E.

II

724 VIETNAM - Lights.

Source: ENC V14S0045

Chart 3879 [*previous update 270/26*] WGS84 DATUM

Insert	★ Fl(2+1)10s2·5M	(a) 10° 22′·38N., 104° 28′·80E.
Delete	★ Fl(2+1)10s5M, close NE of:	(a) above
Amend	range of light to, 10M	10° 21′·95N., 104° 26′·67E.
	range of light to, 5M	10° 22′·62N., 104° 29′·02E.

Chart 3985 [*previous update 4692/25*] WGS84 DATUM

Amend	range of light to, 10M	10° 22′·0N., 104° 26′·7E.
-------	------------------------	---------------------------

II

728 VIETNAM - NM Block. Buoyage. Depths.

Source: ENC V1300013

Chart 3884 (Panel, Da Nang) [*previous update 277/26*] WGS84 DATUM

Insert	the accompanying block, centred on: depth, 12, enclosed by 2m contour	16° 08'·1N., 108° 08'·5E. (a) 16° 09'·58N., 108° 14'·71E.
Delete	depth, 6, close W of:	(a) above
Insert	 Fl(3+1)Y.12s TC1	16° 08'·97N., 108° 10'·59E.
	 Fl(3+1)Y.12s TC2	16° 08'·86N., 108° 10'·89E.
	 Fl(3+1)Y.12s TC3	16° 08'·34N., 108° 09'·98E.
	 Fl(3+1)Y.12s TC4	16° 08'·13N., 108° 10'·21E.

Chart 3884 [*previous update 277/26*] WGS84 DATUM

Insert	 Fl(2)5s TD	16° 21'·57N., 108° 02'·64E.
	depth, 187, and extend 20m contour N to enclose	(a) 15° 56'·80N., 108° 27'·08E.
Delete	depth, 201, close NE of:	(a) above

Chart 3988 [*previous update 277/26*] WGS84 DATUM

Insert	 Fl(2)5s	16° 21'·6N., 108° 02'·6E.
--------	--	---------------------------

II

745 TAIWAN - Obstruction.

Source: UKHO

Chart 3231 [*previous update 643/26*] WGS84 DATUM

Insert

 *Obstn*

24° 21'·79N., 120° 29'·26E.

II

751 CHINA - East Coast - Submarine pipeline.

Source: Chinese Notice 42/1252/25

Chart 1130 [*previous update 469/26*] CGCS 2000 DATUM

Insert submarine pipeline, , joining:

29° 53'·61N., 122° 18'·08E.
29° 53'·58N., 122° 18'·06E.
29° 53'·41N., 122° 17'·70E.
29° 53'·11N., 122° 17'·49E.
29° 52'·92N., 122° 17'·52E.

Chart 1304 [*previous update New Edition 06/11/2025*] CGCS 2000 DATUM

Insert submarine pipeline, , joining:

29° 53'·61N., 122° 18'·08E.
29° 53'·58N., 122° 18'·06E.
29° 53'·41N., 122° 17'·70E.
29° 53'·11N., 122° 17'·49E.
29° 53'·00N., 122° 17'·51E.

II

754 CHINA - East Coast - Light-beacon.

Source: Chinese Notice 43/1292/25

Chart 2401 [*previous update 649/26*] CGCS 2000 DATUM

Insert



Mo(F)Y.15s5M

25° 13′·50N., 119° 33′·64E.

II

755 CHINA - East Coast - Superbuoy.

Source: Chinese Notice 2/38/26

Chart 1199 [*previous update 560/26*] CGCS 2000 DATUM

Insert

 *Mo(O)Y.12s No 1*

30° 53'·0N., 123° 17'·4E.

Chart 2412 [*previous update 694/26*] WGS84 DATUM

Insert

 *Mo(O)Y.12s No 1*

30° 53'·0N., 123° 17'·4E.

Chart 3480 [*previous update New Edition 22/01/2026*] WGS84 DATUM

Insert

 *Mo(O)Y.12s No 1*

30° 53'·0N., 123° 17'·4E.

II

733 JAPAN - Honshū - Submarine pipeline.

Source: Japanese Notice 4/42/26

Chart JP 120 [*previous update 2717/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

36° 57'·30N., 137° 24'·73E.

36° 56'·65N., 137° 25'·56E.

36° 55'·85N., 137° 26'·12E.

Chart JP 1163 [*previous update 2717/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

36° 57'·30N., 137° 24'·73E.

36° 56'·65N., 137° 25'·56E.

36° 55'·85N., 137° 26'·12E.

II

734 JAPAN - Honshū - Submarine pipelines.

Source: Japanese Notice 4/43/26

Chart JP 120 [*previous update 733/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

36° 56'·86N., 137° 25'·72E.

(a) 36° 56'·64N., 137° 26'·00E.

Delete submarine pipeline, , joining:

36° 57'·41N., 137° 25'·22E.

(a) above

Chart JP 1163 [*previous update 733/26*] WGS84 DATUM

Delete submarine pipeline, , joining:

36° 57'·41N., 137° 25'·22E.

36° 56'·64N., 137° 26'·00E.

and

36° 57'·31N., 137° 25'·23E.

36° 56'·86N., 137° 25'·72E.

II

687 KOREA - South Coast - Radio reporting lines.

Source: UKHO

Chart 3365 (INT 5252) [*previous update 416/26*] WGS84 DATUM

Insert	radio reporting line, inbound only, pecked line, joining:	34° 19'·32N., 126° 27'·58E.
		(a) 34° 17'·53N., 126° 31'·50E.
Delete	radio reporting line, inbound and outbound, pecked line, joining:	34° 18'·00N., 126° 27'·02E.
		(a) above

Chart 3929 [*previous update 5518/25*] WGS84 DATUM

Insert	radio reporting line, inbound only, pecked line, joining:	34° 19'·32N., 126° 27'·58E.
		(a) 34° 17'·53N., 126° 31'·50E.
Delete	radio reporting line, inbound and outbound, pecked line, joining:	34° 18'·00N., 126° 27'·00E.
		(a) above

II

688 KOREA - West Coast - Light.

Source: Korean Notice 48/746/25

Chart 3928 [*previous update New Edition 06/11/2025*] WGS84 DATUM

Amend light to, Fl.4s13m8M

34° 33′·58N., 126° 19′·26E.

II

712 KOREA - East Coast - Legend. Maritime limit. Breakwaters. Light.

Source: Korean Notice 45/668/25

Chart 896 (INT 5355) [*previous update 75/26*] WGS84 DATUM

Insert	breakwater, double firm line, width 30m, joining:	35° 24'·49N., 129° 22'·92E.
		35° 23'·98N., 129° 22'·92E.
	★ Fl.R.7s26m11M	35° 24'·01N., 129° 22'·92E.
Delete	maritime limit, pecked line, and associated legend, Under construction (2024), joining:	35° 24'·48N., 129° 22'·90E.
		35° 23'·99N., 129° 22'·89E.
		35° 23'·99N., 129° 22'·94E.
		35° 24'·48N., 129° 22'·94E.

Chart 898 (Panel A, Ulsan and Mipo) [*previous update 134/26*] WGS84 DATUM

Replace	breakwater, double pecked line, with breakwater, double firm line, joining:	35° 24'·49N., 129° 22'·92E.
		35° 24'·19N., 129° 22'·92E.
Delete	maritime limit, pecked line, joining:	35° 24'·49N., 129° 22'·91E.
		35° 24'·48N., 129° 22'·90E.
		35° 24'·19N., 129° 22'·90E.
		and
		35° 24'·49N., 129° 22'·93E.
		35° 24'·48N., 129° 22'·94E.
		35° 24'·19N., 129° 22'·94E.
	legend, Under construction (2024), centred on:	35° 24'·41N., 129° 23'·03E.

II

719 KOREA - East Coast - Radio reporting points.

Source: KHOA

Note: This update is included in New Edition 3666, published early 2026.

Chart 882 [*previous update 355/26*] WGS84 DATUM

Replace	 with  , direction of vessel movement 180°	37° 15'·00N., 129° 24'·92E.
	 with  , direction of vessel movement 257°	37° 09'·98N., 129° 30'·73E.
	 with  , direction of vessel movement 000°	37° 04'·00N., 129° 30'·59E.

II

679 AUSTRALIA - Queensland - Depth.

Source: Australian Notice 1/7/26

Note: This update is included in New Edition 4603, to be published early 2026.

Chart 4602 (INT 602) [*previous update 632/26*] WGS84 DATUM

Insert depth, 705 , enclosed by 1000m contour

17° 58'·4S., 148° 04'·5E.

Chart 4604 (INT 604) [*previous update 4354/25*] WGS84 DATUM

Insert depth, 705 , enclosed by 1000m contour

17° 58'·4S., 148° 04'·5E.

II

660 MEXICO - Pacific Ocean Coast - Buoy.
Source: ENC MX501112

Chart 1049 [*previous update 520/26*] WGS84 DATUM

Replace  *Fl.Y.10s* with  *Fl.Y.2s*

32° 22'·2N., 117° 06'·2W.

II

685 WEST INDIES - Leeward Islands - NM Block.

Source: French Notice 39/263/25

Chart 2079 (Panel D, Groot Baai) [*previous update 3156/25*] WGS84 DATUM

Insert the accompanying block, centred on:

18° 01'·1N., 63° 02'·9W.

II

714 WEST INDIES - Virgin Islands - Lights.

Source: ENC US5VI1DP

Chart 485 (Panel A, Frederiksted Pier) [*previous update New Edition 24/07/2025*] NAD83 DATUM

Move	★ Fl.4s5m PA, from:	17° 42′·819N., 64° 53′·413W.
	to:	17° 42′·823N., 64° 53′·367W.

Chart 485 [*previous update New Edition 24/07/2025*] NAD83 DATUM

Move	★ Fl.4s PA, from:	17° 42′·82N., 64° 53′·41W.
	to:	17° 42′·82N., 64° 53′·37W.

II

720 MEXICO - Gulf of Campeche - Submarine pipelines. Legends. Note.

Source: ENC's MX408323, MX482100, MX384000 and MX204013

Chart 359 [previous update 4377/23] WGS84 DATUM

Insert submarine pipeline, , joining:

18° 26'·35N., 93° 15'·64W.
 18° 27'·20N., 93° 15'·93W.
 18° 27'·33N., 93° 16'·00W.
 18° 27'·51N., 93° 16'·12W.
 18° 27'·65N., 93° 16'·27W.
 18° 27'·78N., 93° 16'·42W.

Chart 375 [previous update 1916/25] WGS84 DATUM

Insert submarine pipeline, , joining:

(a) 19° 22'·00N., 95° 57'·47W.
 (b) 19° 18'·77N., 95° 52'·93W.
 and
 (c) 19° 15'·17N., 95° 48'·51W.
 (d) 19° 12'·08N., 95° 46'·06W.
 19° 11'·73N., 95° 45'·76W.
 19° 11'·23N., 95° 45'·23W.
 19° 10'·36N., 95° 44'·00W.

legend, *Gas* (see Note), along:

(a)-(b) above
 (c)-(d) above

the accompanying note, PIPELINES, centred on:

19° 09'·13N., 96° 12'·04W.

Chart 376 [previous update 5866/24] WGS84 DATUM

Insert submarine pipeline, , joining:

21° 08'·1N., 97° 23'·1W.
 21° 11'·5N., 97° 18'·7W.
 21° 15'·2N., 97° 05'·7W.
 21° 13'·9N., 97° 01'·4W.
 (a) 20° 50'·3N., 96° 49'·7W.
 (b) 20° 30'·1N., 96° 41'·5W.
 (c) 20° 10'·9N., 96° 30'·9W.
 (d) 19° 49'·1N., 96° 16'·1W.
 19° 28'·3N., 96° 06'·2W.
 19° 16'·0N., 95° 49'·2W.
 19° 10'·8N., 95° 44'·6W.
 (e) 19° 08'·1N., 95° 39'·8W.
 (f) 18° 56'·4N., 95° 26'·2W.
 18° 49'·9N., 95° 05'·0W.

legend, *Gas* (see Note), along:

(a)-(b) above
 (c)-(d) above
 (e)-(f) above

II

720 MEXICO - Gulf of Campeche - Submarine pipelines. Legends. Note. (continued)

Chart 2626 [*previous update 4840/25*] WGS84 DATUM

Insert	submarine pipeline, , joining:	$18^{\circ} 26' \cdot 3N., 93^{\circ} 15' \cdot 7W.$ $18^{\circ} 27' \cdot 2N., 93^{\circ} 16' \cdot 0W.$ <i>(a)</i> $18^{\circ} 27' \cdot 8N., 93^{\circ} 16' \cdot 4W.$ <i>(b)</i> $18^{\circ} 28' \cdot 7N., 93^{\circ} 18' \cdot 4W.$ $18^{\circ} 29' \cdot 4N., 93^{\circ} 19' \cdot 0W.$ $18^{\circ} 29' \cdot 9N., 93^{\circ} 19' \cdot 4W.$ $18^{\circ} 31' \cdot 9N., 93^{\circ} 20' \cdot 0W.$ <i>(a)-(b)</i> above
	legend, <i>Gas (see Note)</i> , along:	

Chart 2753 [*previous update 3914/23*] WGS84 DATUM

Insert	submarine pipeline, , joining:	<i>(a)</i> $21^{\circ} 08' \cdot 08N., 97^{\circ} 23' \cdot 09W.$ <i>(b)</i> $21^{\circ} 09' \cdot 76N., 97^{\circ} 21' \cdot 15W.$ $21^{\circ} 10' \cdot 88N., 97^{\circ} 19' \cdot 67W.$ <i>(c)</i> $21^{\circ} 11' \cdot 02N., 97^{\circ} 19' \cdot 42W.$ <i>(d)</i> $21^{\circ} 12' \cdot 00N., 97^{\circ} 18' \cdot 11W.$ <i>(a)-(b)</i> above <i>(c)-(d)</i> above
	legend, <i>Gas (see Note)</i> , along:	

II

737 WEST INDIES - Windward Islands - Buoyage. Lights. Light-beacon.

Source: French Notice 39/261/25

Chart 368 [previous update 5478/25] WGS84 DATUM


Insert		(a) 14° 36'·035N., 61° 04'·209W.
Delete	 Fl.Y.2,5s MF, close SW of:	(a) above
Amend	light to, Dir Oc(2)G.50m9M	14° 36'·326N., 61° 03'·729W.
	light to, Dir Oc(2)G.41m9M	14° 36'·242N., 61° 03'·735W.
	designation of buoy to, No3	14° 35'·624N., 61° 03'·713W.
	designation of buoy to, C	14° 35'·491N., 61° 03'·683W.
	designation of light-beacon to, No1	14° 35'·207N., 61° 03'·793W.
	light-buoy to, VQ	14° 35'·236N., 61° 04'·577W.
Replace	 Q.G No0 with  Fl(2+1)G.6s No0	14° 35'·489N., 61° 04'·460W.
	 Q.R No1 with  Fl(3)R GI	14° 34'·491N., 61° 04'·977W.
Move	 Fl.R.2,5s SL1, from:	14° 35'·805N., 61° 04'·208W.
	to:	14° 35'·850N., 61° 04'·200W.

Chart 369 [previous update 5478/25] WGS84 DATUM

Amend	light-buoy to, VQ	14° 35'·23N., 61° 04'·58W.
	designation of light-beacon to, No1	14° 35'·20N., 61° 03'·79W.
Replace	 Q.R No1 with  Fl(3)R GI	14° 34'·49N., 61° 04'·98W.
	 Q.G No0 with  Fl(2+1)G No0	14° 35'·49N., 61° 04'·46W.

Chart 494 [previous update 732/24] WGS84 DATUM

Amend	light-buoy to, VQ	14° 35'·20N., 61° 04'·55W.
Replace	 Q.R "I" with  Fl(3)R GI	14° 34'·52N., 61° 04'·94W.

Chart 594 [previous update 5284/25] WGS84 DATUM

Amend	light-beacon to, VQ	14° 35'·19N., 61° 04'·57W.
Replace	 Q.R 'I' with  Fl(3)R GI	14° 34'·51N., 61° 04'·97W.

Chart 596 [previous update 1590/21] WGS84 DATUM

Replace	 Q.R 'I' with  Fl(3)R GI	14° 34'·51N., 61° 04'·97W.
---------	--	----------------------------

II

666 UNITED STATES OF AMERICA - East Coast - Obstructions.


Source: ENC US5ILGCE

Chart 2603 (Panel 4, Entrance to the Chesapeake and Delaware Canal) [*previous update 5300/25*] NAD83 DATUM

Insert



39° 33′·03N., 75° 32′·94W.




39° 32′·92N., 75° 32′·94W.

Chart 2603 (Panel 1) [*previous update 5300/25*] NAD83 DATUM

Insert



39° 33′·03N., 75° 32′·94W.




39° 32′·92N., 75° 32′·94W.

Chart 2922 (Panel 1) [*previous update 5265/25*] NAD83 DATUM

Insert



39° 33′·03N., 75° 32′·94W.



39° 32′·92N., 75° 32′·94W.

II

669 **UNITED STATES OF AMERICA - East Coast - Wreck.**
Source: ENC US5BOSCD

Chart 1516 [*previous update 3994/25*] NAD83 DATUM

Insert



42° 18'·49N., 70° 57'·42W.

II

738 UNITED STATES OF AMERICA - East Coast - Buoyage.

Source: ENC US2EC04M

Chart 2456 [*previous update 563/26*] NAD83 DATUM

Delete	 <i>Fl.Y.20s 'SRW SP03'</i>	41° 01'·96N., 70° 53'·53W.
	 <i>Fl.Y.20s 'SRW SP04'</i>	40° 58'·81N., 70° 53'·20W.

Chart 2492 [*previous update 567/26*] NAD83 DATUM

Delete	 <i>Fl.Y.20s 'SRW SP01'</i>	40° 58'·0N., 71° 13'·3W.
	 <i>Fl.Y.20s 'SRW SP02'</i>	41° 01'·0N., 71° 13'·4W.
	 <i>Fl.Y.20s 'SRW SP06'</i>	41° 00'·7N., 71° 05'·3W.
	 <i>Fl.Y.20s 'SRW SP05'</i>	40° 59'·4N., 71° 04'·0W.
	 <i>Fl.Y.20s 'SRW SP03'</i>	41° 02'·0N., 70° 53'·5W.
	 <i>Fl.Y.20s 'SRW SP04'</i>	40° 58'·8N., 70° 53'·2W.

Chart 2860 [*previous update 447/26*] NAD83 DATUM

Delete	 <i>Fl.Y.20s 'SRW SP01'</i>	40° 58'·0N., 71° 13'·3W.
	 <i>Fl.Y.20s 'SRW SP02'</i>	41° 01'·0N., 71° 13'·4W.
	 <i>Fl.Y.20s 'SRW SP06'</i>	41° 00'·7N., 71° 05'·3W.
	 <i>Fl.Y.20s 'SRW SP05'</i>	40° 59'·4N., 71° 04'·0W.
	 <i>Fl.Y.20s 'SRW SP03'</i>	41° 02'·0N., 70° 53'·5W.
	 <i>Fl.Y.20s 'SRW SP04'</i>	40° 58'·8N., 70° 53'·2W.

Chart 2890 [*previous update 447/26*] NAD83 DATUM

Delete	 <i>Fl.Y.20s 'SRW SP01'</i>	40° 58'·04N., 71° 13'·27W.
	 <i>Fl.Y.20s 'SRW SP02'</i>	41° 00'·97N., 71° 13'·37W.
	 <i>Fl.Y.20s 'SRW SP06'</i>	41° 00'·67N., 71° 05'·28W.
	 <i>Fl.Y.20s 'SRW SP05'</i>	40° 59'·37N., 71° 04'·04W.
	 <i>Fl.Y.20s 'SRW SP03'</i>	41° 01'·96N., 70° 53'·53W.
	 <i>Fl.Y.20s 'SRW SP04'</i>	40° 58'·81N., 70° 53'·20W.

II

750 UNITED STATES OF AMERICA - East Coast - Depths.
Source: ENC US5ORFCC

Chart 2813 [*previous update 3224/25*] NAD83 DATUM

Insert	depth, <i>40</i>	(a) 36° 57'·63N., 76° 20'·91W.
Delete	depth, <i>45</i> , close NE of:	(a) above
Insert	depth, <i>39</i>	(b) 36° 57'·58N., 76° 20'·99W.
Delete	depth, <i>44</i> , close SE of:	(b) above

II

725(P)/26 ENGLAND - East Coast - Wind farm. Buoyage. Submarine cable.

Source: Orsted

1. Construction of the Hornsea Three Offshore Windfarm will commence early 2026. The main Wind Farm Array work area will be marked by light-buoys in the following planned positions:

<i>Buoy Type</i>	<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
North Cardinal	<i>N1</i>	<i>VQ</i>	53° 58'·71N., 2° 12'·56E.
Special Mark	<i>SP1</i>	<i>Fl.Y.5s</i>	53° 58'·42N., 2° 17'·24E.
Special Mark	<i>SP2</i>	<i>Fl.Y.5s</i>	53° 58'·14N., 2° 21'·93E.
North Cardinal	<i>N2</i>	<i>Q</i>	53° 57'·85N., 2° 26'·61E.
Special Mark	<i>SP3</i>	<i>Fl.Y.5s</i>	53° 56'·99N., 2° 30'·55E.
North Cardinal	<i>N3</i>	<i>VQ</i>	53° 56'·13N., 2° 34'·50E.
Special Mark	<i>SP4</i>	<i>Fl.Y.5s</i>	53° 55'·26N., 2° 38'·45E.
North Cardinal	<i>N4</i>	<i>Q</i>	53° 54'·40N., 2° 42'·40E.
East Cardinal	<i>E1</i>	<i>Q(3)10s</i>	53° 52'·40N., 2° 44'·38E.
Special Mark	<i>SP5</i>	<i>Fl.Y.5s</i>	53° 50'·00N., 2° 45'·24E.
East Cardinal	<i>E2</i>	<i>VQ(3)5s</i>	53° 47'·61N., 2° 46'·10E.
Special Mark	<i>SP6</i>	<i>Fl.Y.5s</i>	53° 45'·21N., 2° 46'·96E.
East Cardinal	<i>E3</i>	<i>Q(3)10s</i>	53° 43'·23N., 2° 47'·25E.
South Cardinal	<i>S1</i>	<i>Q(6)+LFl.15s</i>	53° 41'·55N., 2° 45'·68E.
Special Mark	<i>SP7</i>	<i>Fl.Y.5s</i>	53° 42'·87N., 2° 41'·29E.
Special Mark	<i>SP8</i>	<i>Fl.Y.5s</i>	53° 44'·20N., 2° 36'·88E.
Special Mark	<i>SP9</i>	<i>Fl.Y.5s</i>	53° 45'·52N., 2° 32'·48E.
Special Mark	<i>SP10</i>	<i>Fl.Y.5s</i>	53° 46'·85N., 2° 28'·07E.
South Cardinal	<i>S2</i>	<i>VQ(6)+LFl.10s</i>	53° 48'·17N., 2° 23'·66E.
West Cardinal	<i>W1</i>	<i>Q(9)15s</i>	53° 50'·41N., 2° 21'·01E.
Special Mark	<i>SP11</i>	<i>Fl.Y.5s</i>	53° 52'·33N., 2° 18'·92E.
Special Mark	<i>SP12</i>	<i>Fl.Y.5s</i>	53° 54'·26N., 2° 16'·83E.
West Cardinal	<i>W2</i>	<i>VQ(9)10s</i>	53° 56'·18N., 2° 14'·73E.

2. All vessels should navigate with caution in the area. A safety zone of 500 metres becomes operational around the turbines under construction.
3. Cable laying operations will be conducted between the new wind farm and Weybourne 52° 57'·02N., 1° 07'·85E.
4. Charts will be updated when full details are available.
(ETRS89 DATUM)

Charts affected - 105 - 106 - 108 - 1187 - 1190 (INT 1508) - 1408 - 1503 (INT 1509) - 2182A (INT 1043) - 2182B (INT 1042) - 5614_25 - 5614_7 - 5614_8

II

746(T)/26 IRELAND - East Coast - Pile. Light. Works.

Source: Dublin Port Notice 32/26

1. A pile is marking the western edge of the Berth 53 work site and is lit with a Fl.G.5s lantern in position 53° 20'·718N., 6° 11'·452W.
2. This pile marks the top of the slope to the fairway and should be avoided by at least 10m.
3. The pile will shortly be removed and replaced with 3 special marks.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1447 - 5621_12

II

723(T)/26 LITHUANIA - Buoy.

Source: Lithuanian Notice 12/194(T)/25

1. The starboard hand light-buoy, *Fl.G.3s No 3A*, in position 55° 43'·66N., 21° 04'·31E. is reported off station.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2276

II

743(T)/26 SWEDEN - East Coast - Vertical clearance. Bridge.

Source: Swedish Notice 1102/19807(T)/26

1. The vertical clearance at Gamla Skurubron bridge, in position $59^{\circ} 18' \cdot 84N.$, $18^{\circ} 13' \cdot 30E.$, has been temporarily reduced to 26m.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 820 (INT 1238)

II

670(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
*51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
*51° 48'·54N., 3° 25'·32E.	110
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

II

670(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 454(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 122 (INT 1472) - 124 (INT 1471) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

707(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
* 51° 24'·59N., 3° 27'·19E.	116
* 51° 26'·83N., 3° 39'·78E.	120
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

II

707(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 670(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 120 (INT 1479) - 122 (INT 1472) - 124 (INT 1471) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

665(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 10/274(T)/25

1. The following light-buoy has been temporarily moved:

<i>Characteristic</i>	<i>Former Position</i>	<i>New Position</i>
<i>LFl.Y.6s</i>	41° 40'·50N., 9° 05'·24W.	41° 40'·51N., 9° 04'·56W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3634

II

667(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 10/278(T)/25

1. The Lateral light-buoy, *Fl(2)G.5s3M*, in position 41° 08'·65N., 8° 39'·52W. is reported off station.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3258 (INT 1871)

II

668(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 10/279(T)/25

1. The *ODAS* buoy, *CSA 88/1*, *Fl(5)Y.20s* in position 39° 30'·84N., 9° 38'·96W. has been removed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 87 - 3635 - 4103 (INT 103)

II

664(T)/26 NORTH ATLANTIC OCEAN - Arquipélago dos Açores - Buoy.

Source: Portuguese Notice 10/286(T)/25

1. The *ODAS* buoy, *BOND 6*, *Fl(5)Y.20s* in position 36° 55'·29N., 25° 09'·99W. has been removed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1959

II

717(P)/26 ALGERIA - Submarine cables.

Source: Alcatel Submarine Networks

1. Submarine cables are being laid joining the following positions:

36° 46'·8N., 2° 53'·5E.
36° 47'·1N., 2° 52'·9E.
36° 48'·5N., 2° 50'·7E.
36° 49'·3N., 2° 49'·9E.
36° 50'·5N., 2° 49'·3E.
36° 52'·2N., 2° 48'·9E.
36° 53'·0N., 2° 49'·0E.
36° 57'·1N., 2° 49'·8E.
37° 00'·7N., 2° 48'·9E.
37° 03'·4N., 2° 45'·9E.
37° 43'·2N., 2° 33'·2E.
37° 49'·4N., 2° 28'·0E.
37° 52'·4N., 2° 23'·2E.
37° 53'·1N., 2° 21'·1E.
37° 53'·6N., 2° 16'·7E.

2. and

37° 00'·8N., 6° 33'·9E.
37° 01'·1N., 6° 34'·4E.
37° 03'·5N., 6° 36'·6E.
37° 04'·6N., 6° 37'·4E.
37° 07'·4N., 6° 38'·3E.
37° 12'·9N., 6° 38'·9E.
37° 15'·8N., 6° 39'·0E.
37° 17'·5N., 6° 39'·1E.
37° 20'·1N., 6° 39'·1E.
37° 24'·2N., 6° 39'·1E.
37° 27'·5N., 6° 39'·1E.
37° 33'·7N., 6° 39'·1E.
37° 34'·6N., 6° 39'·2E.
37° 54'·7N., 6° 38'·0E.
38° 11'·6N., 6° 33'·6E.

3. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 252 - 1700 - 1712 - 1910

II

741(P)/26 ITALY - West Coast - Restricted areas. Precautionary areas.

Source: Italian Notices 22.2/25 and 22.20-21/25

1. There have been changes to restricted and precautionary areas within the Port of Genoa and approaches between the following positions: 44° 22'·43N., 8° 39'·29E. and 44° 21'·13N., 9° 03'·80E.
2. Anchoring, fishing and diving are now prohibited in the precautionary area in position 44° 24'·76N., 8° 45'·08E.
3. The restricted area, Zone 6, has been removed, bounded by the following positions:

44° 21'·540N., 9° 03'·920E.

44° 22'·105N., 8° 59'·775E.

44° 22'·650N., 8° 59'·410E.

44° 22'·080N., 9° 03'·640E.

4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. These and other changes will be included in New Editions of Charts 355 and 356 to be published early 2026.
6. Chart 354 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 355 (INT 3362) - 356 (INT 3360)

II

690(P)/26 MOROCCO - West Coast - Restricted area. Buoyage.

Source: French Notice 4/4(T)/26

1. A maritime exclusion area, closed to navigation and anchoring, has been established in the following positions:

27° 03'·15N., 13° 25'·90W.

27° 01'·12N., 13° 26'·75W.

27° 01'·94N., 13° 29'·53W.

27° 04'·00N., 13° 28'·77W.

2. Yellow light buoys with white flashing lights, have been established in the following positions:

27° 04'·00N., 13° 28'·77W.

27° 01'·94N., 13° 29'·53W.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 863 - 1862 (INT 1939)

II

705(P)/26 TANZANIA - Depths. Lights. Beacons. Submarine pipelines. Buoyage. Jetty. Rocks.

Source: Tanzania Ports Authority, Indian Chart 2693, UKHO and commercial survey

1. Numerous changes to charted detail within Tanga Port and its approaches have been reported. The most significant are as follows:
2. Depths less than charted have been reported in the following positions:

<i>Depth</i>	<i>Position</i>
16·0m	5° 01'·393S., 39° 10'·501E.
0·2m	5° 01'·986S., 39° 08'·715E.
15·8m	5° 02'·104S., 39° 10'·374E.
4·6m	5° 02'·216S., 39° 09'·258E.
* 9·4m	5° 02'·860S., 39° 08'·745E.
* 14·4m	5° 02'·881S., 39° 09'·715E.
6·5m	5° 03'·205S., 39° 09'·665E.
3·5m	5° 03'·539S., 39° 09'·490E.
21m	5° 03'·628S., 39° 10'·618E.
4·9m	5° 03'·633S., 39° 08'·340E.
5·0m	5° 03'·748S., 39° 09'·400E.
8·5m	5° 04'·038S., 39° 09'·643E.
13·1m	5° 04'·121S., 39° 10'·238E.
15·6m	5° 04'·178S., 39° 10'·514E.

3. *The following lights and beacons have been removed:

<i>Former Feature</i>	<i>Former Character</i>	<i>Former Position</i>
Toten Island South light-beacon	Fl.5s6M	5° 03'·511S., 39° 06'·491E.
Wharf light	F.R	5° 03'·928S., 39° 06'·327E.
Breakwater light	F.W	5° 03'·809S., 39° 06'·463E.
Front leading light 219°	F.R	5° 03'·871S., 39° 06'·452E.
Rear leading light 219°	F.RWR(vert)	5° 03'·991S., 39° 06'·357E.
Hospital Spit light-beacon	Q.R.4m5M	5° 03'·646S., 39° 06'·723E.
Front leading mark 204°	White beacon	5° 03'·710S., 39° 06'·786E.
Rear leading mark 204°	White beacon	5° 03'·740S., 39° 06'·775E.

4. Two submarine pipelines are reported to have been laid joining the following positions:

* 5° 02'·560S., 39° 06'·950E.
 * 5° 03'·88S., 39° 05'·37E.
 and
 5° 03'·375S., 39° 07'·764E.
 5° 03'·184S., 39° 07'·820E.

5. Mooring buoys are reported to have been established in the following positions:

5° 03'·436S., 39° 06'·688E.
 5° 03'·057S., 39° 07'·798E.
 5° 03'·213S., 39° 07'·935E.
 * 5° 03'·005S., 39° 06'·787E.

6. The jetty in the vicinity of position 5° 03'·280S., 39° 07'·869E. is reported destroyed.

II

705(P)/26 TANZANIA - Depths. Lights. Beacons. Submarine pipelines. Buoyage. Jetty. Rocks. (continued)

7. Numerous dangerous underwater rocks have been reported to exist in the approaches to Tanga, the most significant of which are in the following positions:

4° 55'·71S., 39° 15'·94E.
4° 55'·91S., 39° 15'·57E.
4° 56'·06S., 39° 15'·27E.
4° 56'·31S., 39° 14'·76E.
4° 56'·51S., 39° 14'·81E.
4° 56'·71S., 39° 14'·79E.
4° 57'·13S., 39° 14'·24E.
4° 57'·36S., 39° 14'·27E.
4° 57'·67S., 39° 12'·62E.
4° 58'·00S., 39° 12'·77E.
4° 58'·11S., 39° 12'·73E.
4° 58'·79S., 39° 12'·67E.
5° 02'·46S., 39° 09'·65E.

8. Mariners are advised to navigate with caution in this area and consult the local port authorities for the latest information.
9. *These and other changes will be included in the next New Edition of Chart 663, due to be published in early 2026.
10. *Charts 3310 and 3361 will be updated by Notice to Mariners.
11. * Former Notice 4924(P)/18 is cancelled.
 * Indicates new or revised entry
 (WGS84 DATUM)

Charts affected - 663 (INT 7698) - 3310 (INT 7690) - 3361 (INT 7700)

II

729(P)/26 TANZANIA - Buoyage. Light-beacons. Dredged area. Dredged depth. Turning circle. Quay. Works. Berth.

Source: Tanzania Ports Authority and UKHO

- *Lateral buoyage has been established, moved and amended in the approaches to Tanga as follows:

<i>Designation</i>	<i>Position</i>	<i>Comments</i>	<i>Light Characteristics</i>
<i>No 1</i>	5° 03'·75S., 39° 13'·30E.	New position	<i>Fl(2+1)G.6s</i>
<i>No 2</i>	5° 03'·94S., 39° 12'·40E.	New position	<i>Fl(2+1)R.6s</i>
<i>No 3</i>	5° 02'·27S., 39° 12'·60E.	New buoy	<i>Fl(2+1)G.6s</i>
<i>No 4</i>	5° 03'·54S., 39° 11'·99E.	Replaces Niule light-beacon	<i>Fl(2+1)R.6s</i>
<i>No 5</i>	5° 02'·443S., 39° 09'·879E.	Replaces Ulenge Reef light-beacon	<i>Fl(2+1)G.6s</i>
<i>No 6</i>	5° 03'·481S., 39° 09'·458E.	Replaces Dixon Bank buoy	<i>Fl(2+1)R.6s</i>
<i>No 7</i>	5° 02'·27S., 39° 08'·86E.	New buoy	<i>Fl(2+1)G.6s</i>
<i>No 8</i>	5° 02'·874S., 39° 08'·696E.	Replaces No 2 buoy	<i>Fl(2+1)R.6s</i>
<i>No 9</i>	5° 02'·482S., 39° 07'·817E.	Replaces Kwawa light-beacon	<i>Fl(2+1)G.6s</i>
<i>No 10</i>	5° 03'·019S., 39° 07'·139E.	Replaces Raskazone North red buoy	<i>Fl(2+1)R.6s</i>
<i>No 11</i>	5° 03'·221S., 39° 06'·857E.	Replaces Tanga East buoy	<i>Fl(2+1)G.6s</i>

- *A dredged approach channel and berthing area, depth 13m, has been established, bounded by the following positions:

5° 02'·952S., 39° 07'·081E.
 5° 03'·151S., 39° 06'·994E.
 5° 03'·264S., 39° 06'·929E.
 5° 03'·380S., 39° 06'·820E.
 5° 03'·501S., 39° 06'·653E.
 5° 03'·588S., 39° 06'·507E.
 5° 03'·558S., 39° 06'·276E.
 5° 03'·606S., 39° 06'·207E.
 5° 03'·860S., 39° 06'·149E.
 5° 03'·953S., 39° 06'·221E.
 5° 03'·815S., 39° 06'·423E.
 5° 03'·740S., 39° 06'·411E.
 5° 03'·518S., 39° 06'·768E.
 5° 03'·441S., 39° 06'·875E.
 5° 03'·379S., 39° 06'·939E.
 5° 03'·290S., 39° 07'·011E.
 5° 03'·197S., 39° 07'·064E.
 5° 02'·976S., 39° 07'·149E.
 5° 02'·952S., 39° 07'·081E.

- *Buoyage has been deployed for the dredged area as follows:

<i>Designation</i>	<i>Position</i>	<i>Buoy Type</i>	<i>Light characteristics</i>
<i>T1</i>	5° 02'·916S., 39° 07'·076E.	Starboard-hand pillar light-buoy	<i>Fl(2)G.6s</i>
<i>T2</i>	5° 02'·981S., 39° 07'·165E.	Port-hand pillar light-buoy	<i>Fl(2)R.6s</i>
<i>T3</i>	5° 03'·284S., 39° 06'·893E.	Starboard-hand pillar light-buoy	<i>Fl(2)G.6s</i>
<i>T4</i>	5° 03'·357S., 39° 06'·981E.	Port-hand pillar light-buoy	<i>Fl(2)R.6s</i>
<i>T5</i>	5° 03'·571S., 39° 06'·504E.	Starboard-hand pillar light-buoy	<i>Fl(2)G.6s</i>
<i>T6</i>	5° 03'·746S., 39° 06'·431E.	Port-hand pillar light-buoy	<i>Fl(2)R.6s</i>
<i>T7</i>	5° 03'·574S., 39° 06'·225E.	South cardinal pillar light-buoy	<i>VQ(6)+LFl.</i>
<i>T8</i>	5° 03'·864S., 39° 06'·132E.	East cardinal pillar light-buoy	<i>Q(3).10s</i>

- *A turning circle has been established within the dredged area, radius 200m, centred on position 5° 03'·677S., 39° 06'·305E.
- *Quay extension works have been completed, and a new wharf has been established alongside the dredged berthing area, from position 5° 03'·815S., 39° 06'·423E. to position 5° 03'·953S., 39° 06'·221E..
- *A berth has been established for the new wharf at position 5° 03'·833S., 39° 06'·397E.

II

729(P)/26 TANZANIA - Buoyage. Light-beacons. Dredged area. Dredged depth. Turning circle. Quay. Works. Berth. (continued)

7. *A new terminal is under construction in northern area of Tanga Bay, a works area with restrictions has been established, bounded by the following positions:

5° 01'·48S., 39° 07'·92E.

5° 02'·494S., 39° 08'·356E.

5° 02'·463S., 39° 08'·422E.

5° 01'·40S., 39° 07'·96E.

8. *Mariners are advised to navigate with caution in the area and consult the local port authorities for latest information.

9. *These and other changes will be included in the next New Edition of Chart 663, due to be published in early 2026.

10. *Former Notice 6161(P)/19 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Chart affected - 663 (INT 7698)

II

693(P)/26 UNITED ARAB EMIRATES - Submarine pipeline.

Source: ADNOC

1. Pipeline laying operations are taking place, linking Umm Lulu Oilfield to Zirku Island, joining the following positions:

24° 53'·51N., 53° 03'·60E.

24° 53'·48N., 53° 02'·13E.

24° 52'·39N., 53° 01'·75E.

24° 48'·47N., 53° 01'·68E.

24° 46'·51N., 53° 03'·48E.

24° 46'·62N., 53° 06'·84E.

24° 48'·65N., 53° 11'·80E.

24° 45'·90N., 53° 22'·38E.

24° 46'·04N., 53° 23'·43E.

24° 40'·41N., 53° 45'·60E.

24° 34'·44N., 53° 59'·58E.

24° 31'·62N., 54° 00'·38E.

24° 30'·82N., 54° 01'·32E.

2. Mariners are advised to navigate with caution in the area.

3. Chart will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 2443 (INT 7238) - 2889 (INT 7211) - 3177 (INT 7222) - 3178 (INT 7226) - 3179 (INT 7229)

II

696(T)/26 INDIAN OCEAN - La Réunion - Stakes.

Source: French Notice 49/4(T)/25

1. Stakes marking sentinel stations, have been established in the following positions:

<i>Designation</i>	<i>Position</i>
Spot perroquet	21° 02'·66S., 55° 13'·00E.
Roches Noires	21° 03'·18S., 55° 13'·27E.
Bleu Marine	21° 03'·48S., 55° 13'·15E.
Vallée des Schtroumphs	21° 03'·65S., 55° 13'·14E.
Ermitage Centre	21° 04'·19S., 55° 13'·03E.
Ermitage Passe	21° 05'·13S., 55° 13'·25E.
Livingstone	21° 05'·99S., 55° 13'·88E.
Trou d'eau	21° 06'·35S., 55° 14'·35E.
Tessier	21° 06'·61S., 55° 14'·85E.
La Corne ETIMARECO	21° 09'·96S., 55° 16'·92E.
Roche Caesari	21° 11'·18S., 55° 50'·17E.
Coulée 1977	21° 09'·54S., 55° 50'·16E.

2. Each position represents a station 100m long and 5M wide.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1495 (INT 7736) - 1497 (INT 7735)

II

691(T)/26 MALAYSIA - Peninsular Malaysia, West Coast - Buoy.

Source: Marine Department, Malaysia Notice 259(T)/25

1. The port hand lateral light-buoy, *Fl.R.2s No 5R*, in position 5° 30'·66N., 100° 19'·36E., is reported unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1366

II

731(P)/26 CHINA - East Coast - Buoyage. Virtual aids to navigation. Channel limits. Pilot boarding places.

Source: Chinese Notices 44/1331/25 and 49/1532/25

- The following light-buoys in the approaches to Shanghai have been moved to indicate an adjustment of the Nancao Hangdao channel:

<i>Characteristic</i>	<i>Designation</i>	<i>Former Position</i>	<i>New Position</i>
<i>Mo(A)6s</i>	<i>S1</i>	31° 00'·29N., 122° 28'·19E.	31° 00'·33N., 122° 27'·95E.
<i>LFl.10s</i>	<i>S2</i>	31° 00'·63N., 122° 26'·47E.	31° 00'·69N., 122° 26'·21E.
<i>Iso.4s</i>	<i>S3</i>	31° 00'·99N., 122° 24'·79E.	31° 01'·04N., 122° 24'·46E.
<i>Mo(A)6s</i>	<i>S4</i>	31° 01'·32N., 122° 23'·07E.	31° 01'·39N., 122° 22'·72E.
<i>LFl.10s</i>	<i>S5</i>	31° 01'·67N., 122° 21'·38E.	31° 01'·74N., 122° 20'·97E.
<i>Iso.4s</i>	<i>S6</i>	31° 02'·01N., 122° 19'·66E.	31° 01'·84N., 122° 19'·33E.
<i>Mo(A)6s</i>	<i>S7</i>	31° 02'·34N., 122° 17'·98E.	31° 01'·94N., 122° 17'·68E.
<i>LFl.10s</i>	<i>S8</i>	31° 02'·66N., 122° 16'·40E.	31° 02'·04N., 122° 16'·04E.
<i>Iso.4s</i>	<i>S9</i>	31° 02'·74N., 122° 14'·76E.	31° 02'·14N., 122° 14'·40E.
<i>Mo(A)6s</i>	<i>S10</i>	31° 02'·81N., 122° 13'·15E.	31° 02'·25N., 122° 12'·75E.
<i>Fl(3)G.10s</i>	<i>S11</i>	31° 03'·30N., 122° 10'·67E.	31° 02'·70N., 122° 10'·62E.
<i>Fl(3)R.10s</i>	<i>S12</i>	31° 02'·50N., 122° 09'·32E.	31° 02'·09N., 122° 09'·86E.
<i>Q.G</i>	<i>S13</i>	31° 03'·41N., 122° 08'·85E.	31° 02'·84N., 122° 08'·29E.
<i>Q.R</i>	<i>S14</i>	31° 02'·83N., 122° 07'·37E.	31° 02'·49N., 122° 07'·22E.
<i>Fl.G.4s</i>	<i>S15</i>	31° 03'·93N., 122° 06'·57E.	31° 03'·46N., 122° 06'·37E.
<i>Fl.R.4s</i>	<i>S16</i>	31° 03'·43N., 122° 05'·54E.	31° 03'·09N., 122° 05'·40E.
<i>Fl(2)G.6s</i>	<i>S17</i>	31° 04'·55N., 122° 04'·35E.	31° 04'·18N., 122° 04'·18E.
<i>Fl.G.4s</i>	<i>S23</i>	31° 05'·75N., 121° 59'·87E.	31° 05'·95N., 121° 59'·84E.
<i>Mo(O)Y.15s</i>	<i>H18</i>	31° 03'·28N., 122° 05'·63E.	31° 02'·58N., 122° 05'·94E.

- *The following virtual aids to navigation (V-AIS) have been established:

<i>Designation</i>	<i>Topmark</i>	<i>Position</i>
1	Starboard-hand lateral	31° 02'·55N., 122° 10'·45E.
2	Port-hand lateral	31° 02'·24N., 122° 10'·06E.
3	Starboard-hand lateral	31° 02'·67N., 122° 08'·36E.
4	Port-hand lateral	31° 02'·36N., 122° 08'·16E.
5	Starboard-hand lateral	31° 03'·36N., 122° 06'·16E.
6	Port-hand lateral	31° 03'·10N., 122° 05'·88E.
7	Starboard-hand lateral	31° 04'·03N., 122° 04'·10E.
S18	Port-hand lateral	31° 03'·67N., 122° 03'·65E.
8	Port-hand lateral	31° 04'·03N., 122° 03'·20E.
9	Starboard-hand lateral	31° 04'·74N., 122° 02'·25E.
10	Port-hand lateral	31° 04'·44N., 122° 02'·12E.
13	Starboard-hand lateral	31° 05'·31N., 122° 00'·79E.
12	Port-hand lateral	31° 05'·02N., 122° 00'·62E.
15	Starboard-hand lateral	31° 05'·66N., 121° 59'·88E.
14	Port-hand lateral	31° 05'·28N., 121° 59'·93E.
17	Starboard-hand lateral	31° 06'·30N., 121° 58'·22E.

II

731(P)/26 CHINA - East Coast - Buoyage. Virtual aids to navigation. Channel limits. Pilot boarding places. (continued)

3. *The limits of the Nancao Hangdao channel have been amended. The new outer limits of the fairway are lines joining the following positions:

31° 05'·09N., 121° 59'·96E.
31° 03'·88N., 122° 03'·10E.
31° 02'·19N., 122° 08'·12E.
31° 01'·92N., 122° 12'·75E.
31° 01'·49N., 122° 19'·61E.
and
31° 02'·06N., 122° 21'·00E.
31° 02'·84N., 122° 08'·29E.
31° 04'·21N., 122° 04'·09E.
31° 04'·95N., 122° 02'·20E.
31° 05'·95N., 121° 59'·84E.
31° 07'·65N., 121° 56'·61E.
4. *The pilotage boarding place, *No 3 (N)*, in position 31° 03'·38N., 122° 12'·18E. has been moved to position 31° 02'·57N., 122° 12'·75E.
5. *The pilotage boarding place, *No 3 (S)*, in position 31° 02'·26N., 122° 12'·19E. has been moved to position 31° 01'·92N., 122° 12'·75E.
6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
7. *These changes will be included in a New Edition of Chart 1602 to be published early 2026.
8. *Chart 1199 will be updated by Notice to Mariners.
9. *Former Notice 4528(P)/25 is cancelled.
(CGCS 2000 DATUM)

Chart affected - 1602

II

735(T)/26 JAPAN - Honshū - Depth.

Source: Japanese Notice 4/5025(T)/26

1. A depth of about 16·4m exists in the vicinity of position 37° 40′·58N., 137° 12′·82E.
(WGS84 DATUM)

Charts affected - JP 120 - JP 1163

II

676(P)/26 INDONESIA - Java Sea - Submarine cables.

Source: Alcatel Submarine Networks and Philippines Nav Warning 342/23

1. The Bifrost submarine cable is being laid, joining the following positions:

6° 05'·41S., 106° 48'·01E.
5° 56'·15S., 106° 49'·74E.
5° 46'·61S., 106° 54'·20E.
5° 41'·07S., 106° 58'·05E.
5° 34'·81S., 107° 13'·36E.
4° 12'·12S., 108° 07'·33E.
4° 50'·73S., 110° 15'·16E.
5° 03'·36S., 113° 10'·81E.
4° 48'·89S., 113° 48'·82E.

2.

4° 38'·66S., 116° 26'·42E.
4° 42'·35S., 117° 00'·90E.
4° 54'·02S., 117° 25'·62E.
4° 52'·50S., 117° 33'·34E.
4° 11'·15S., 118° 07'·19E.
4° 08'·61S., 118° 15'·56E.
3° 32'·00S., 118° 38'·08E.
3° 13'·58S., 118° 41'·47E.
2° 08'·16S., 118° 26'·90E.
1° 49'·18S., 118° 33'·22E.

3. and

4° 11'·67S., 108° 07'·67E.
2° 52'·79S., 109° 03'·96E.
2° 28'·03S., 109° 05'·07E.
2° 14'·41S., 108° 33'·55E.
2° 00'·91S., 108° 06'·90E.
1° 05'·19S., 106° 50'·83E.
0° 48'·59N., 105° 27'·42E.
1° 10'·46N., 105° 00'·88E.
1° 18'·83N., 104° 40'·53E.
1° 15'·87N., 104° 25'·07E.
1° 14'·38N., 104° 03'·83E.
1° 10'·99N., 103° 51'·43E.
1° 01'·25N., 103° 39'·58E.
1° 06'·55N., 103° 31'·53E.
1° 12'·97N., 103° 37'·19E.

and

1° 49'·53S., 118° 32'·18E.
1° 44'·14S., 118° 34'·23E.
1° 39'·08S., 118° 33'·06E.
0° 00'·07S., 119° 03'·94E.
0° 14'·61N., 119° 18'·94E.
1° 06'·63N., 119° 38'·79E.
1° 17'·35N., 119° 39'·12E.
1° 30'·93N., 119° 48'·63E.
1° 39'·33N., 119° 59'·41E.
1° 50'·58N., 120° 08'·42E.

II

676(P)/26 INDONESIA - Java Sea - Submarine cables. (continued)

4.

1° 58'·15N., 120° 16'·26E.
2° 05'·00N., 120° 17'·56E.
2° 16'·90N., 120° 23'·30E.
2° 38'·86N., 120° 26'·07E.
3° 07'·73N., 120° 43'·17E.
3° 30'·59N., 120° 49'·03E.
3° 42'·98N., 120° 55'·98E.
4° 10'·51N., 121° 34'·64E.
4° 16'·16N., 121° 54'·88E.
4° 26'·37N., 122° 12'·47E.

5.

4° 27'·70N., 122° 36'·18E.
4° 22'·29N., 123° 04'·79E.
4° 33'·22N., 123° 46'·69E.
4° 58'·80N., 124° 25'·36E.
5° 01'·68N., 124° 41'·88E.
5° 00'·12N., 124° 52'·17E.
5° 04'·63N., 125° 05'·49E.
5° 15'·07N., 125° 42'·72E.
5° 25'·50N., 125° 53'·30E.

6. and

2° 16'·90N., 120° 23'·30E.
2° 21'·08N., 120° 28'·43E.
2° 21'·40N., 120° 43'·35E.
2° 26'·86N., 121° 16'·41E.
2° 25'·12N., 122° 19'·56E.
2° 09'·95N., 123° 16'·47E.
2° 04'·24N., 123° 29'·82E.
1° 57'·50N., 123° 35'·03E.
1° 46'·17N., 124° 00'·79E.
1° 32'·18N., 124° 35'·22E.
1° 30'·58N., 124° 45'·60E.
1° 27'·57N., 124° 47'·10E.

II

676(P)/26 INDONESIA - Java Sea - Submarine cables. (continued)

7. and

5° 33'·33N., 126° 05'·24E.
5° 31'·20N., 126° 01'·57E.
5° 27'·22N., 125° 57'·99E.
5° 30'·22N., 125° 58'·11E.
5° 30'·62N., 125° 54'·51E.
5° 33'·27N., 125° 51'·61E.
5° 36'·58N., 125° 49'·84E.
5° 56'·88N., 125° 56'·41E.
6° 00'·88N., 125° 56'·29E.
6° 12'·30N., 125° 52'·92E.
6° 27'·47N., 125° 46'·71E.
6° 29'·75N., 125° 41'·45E.
6° 33'·28N., 125° 39'·84E.
6° 38'·22N., 125° 37'·76E.
6° 42'·07N., 125° 35'·31E.
6° 43'·10N., 125° 34'·19E.
6° 45'·17N., 125° 33'·14E.
6° 47'·53N., 125° 33'·42E.
6° 55'·35N., 125° 32'·84E.
6° 57'·43N., 125° 31'·99E.
7° 00'·17N., 125° 32'·64E.
7° 02'·45N., 125° 32'·37E.

8. and

8° 13'·30N., 129° 54'·07E.
8° 00'·65N., 129° 44'·95E.
7° 56'·43N., 129° 38'·20E.
7° 42'·37N., 129° 28'·43E.
7° 28'·62N., 129° 05'·83E.
7° 14'·27N., 128° 53'·85E.
7° 09'·18N., 128° 50'·11E.
7° 06'·07N., 128° 45'·36E.
7° 04'·67N., 128° 39'·45E.
6° 45'·08N., 128° 08'·65E.
6° 38'·16N., 128° 02'·83E.
6° 36'·52N., 127° 50'·12E.
6° 30'·90N., 127° 35'·16E.
6° 30'·87N., 127° 19'·24E.
6° 27'·63N., 127° 08'·16E.
5° 57'·37N., 126° 32'·29E.
5° 53'·68N., 126° 30'·24E.
5° 48'·13N., 126° 24'·56E.
5° 45'·57N., 126° 17'·52E.
5° 27'·22N., 125° 57'·99E.

9. Charts will be updated when works are complete.

10. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 933 - 1066 - 2056 - 2137 - 2470 - 2471 - 2638 - 2794 - 2796 - 2797 - 2862 - 2872 - 2873 - 2877 - 2892 - 2893 - 2894 - 2948 - 2951 - 2957 - 3017 - 3483 (INT 551) - 3484 (INT 554) - 3729 - 3758 - 3831 - 3833 - 3947 - 3948 - 3949 - 4030 - 4036 - 4042 - 4418 - 4419 - 4420 - 4469 - 4495

II

742(P)/26 PHILIPPINE ISLANDS - Luzon - Traffic separation scheme. Anchorage area.

Source: Philippine Notice 11/45/25 and ENC's PH4BTS40 and PH5BTG40

1. Changes to the Traffic Separation Scheme and anchorages have taken place in the vicinity of 13° 44'·76N., 121° 02'·06E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. These and other changes will be included in a New Edition of Chart 3558 to be published early 2026.
(WGS84 DATUM)

Chart affected - 3558

II

744(P)/26 BRUNEI - Jetty. Works. Buoyage.

Source: Brunei Notice 03(T)/26

1. Jetty construction works are taking place, in an area bounded by the following positions:

5° 01'·00N., 115° 03'·97E.

5° 01'·00N., 115° 04'·08E.

5° 00'·95N., 115° 04'·08E.

5° 00'·95N., 115° 03'·96E.

2. Lit special marker buoys have been established around the limits of the area.
3. Mariners are advised to navigate with caution in the area.
4. Chart 2134 will be updated when works are complete.
(WGS84 DATUM)

Chart affected - 2134

II

756(P)/26 AUSTRALIA - Victoria - Depths. Drying heights.

Source: Australian Chart Aus 143

1. Features less than charted exist around the Mud Islands and Swan Island. The most significant are as follows:

<i>Feature</i>	<i>Depth/Drying height</i>	<i>Position</i>
Depth	4·9m	38° 17'·62S., 144° 44'·40E.
Drying height	0·2m	38° 18'·15S., 144° 47'·21E.
Depth	0·2m	38° 15'·08S., 144° 42'·07E.
Drying height	0·2m	38° 14'·72S., 144° 44'·01E.
Depth	1m	38° 13'·91S., 144° 42'·82E.
Drying height	0·6m	38° 13'·58S., 144° 42'·72E.
Depth	0·6m	38° 13'·30S., 144° 45'·73E.
Depth	3·2m	38° 13'·94S., 144° 47'·54E.
Depth	2·6m	38° 12'·34S., 144° 45'·18E.
Depth	0·6m	38° 13'·67S., 144° 41'·93E.
Depth	0·9m	38° 16'·51S., 144° 42'·94E.
Drying height	0·1m	38° 18'·68S., 144° 50'·48E.
Drying height	0·2m	38° 12'·52S., 144° 43'·70E.
Drying height	0·3m	38° 13'·67S., 144° 45'·20E.
Depth	0·3m	38° 15'·45S., 144° 44'·05E.
Drying height	0·3m	38° 15'·18S., 144° 46'·24E.
Drying height	0m	38° 13'·55S., 144° 46'·60E.
Drying height	0·3m	38° 17'·43S., 144° 46'·66E.

2. Depths less than charted exist within anchorages A1, A2 and A3, south of Williamstown as follows:

<i>Depth</i>	<i>Position</i>
12·3m	37° 55'·06S., 144° 54'·96E.
11·1m	37° 53'·92S., 144° 54'·31E.
10·7m	37° 53'·17S., 144° 54'·47E.

3. Features less than charted exist in the port approaches to Geelong. The most significant are as follows:

<i>Feature</i>	<i>Depth/Drying height</i>	<i>Position</i>
Depth	5·7m	38° 02'·08S., 144° 39'·98E.
Depth	11·8m	38° 05'·48S., 144° 41'·09E.
Depth	2·5m	38° 02'·10S., 144° 35'·24E.
Depth	1·2m	38° 02'·60S., 144° 33'·63E.
Drying height	0·4m	38° 05'·74S., 144° 29'·88E.
Drying height	0·7m	38° 06'·82S., 144° 25'·51E.
Drying height	0·3m	38° 08'·59S., 144° 24'·81E.
Depth	0·1m	38° 08'·85S., 144° 23'·80E.

4. A depth of 14m, exists in position 38° 01'·80S., 144° 52'·39E.
5. These changes will be included in a New Edition of Chart Aus143 to be published early 2026.
6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - Aus 143

II

736(T)/26 NORTH PACIFIC OCEAN - General information.

Source: Japanese Notice 4/5029(T)/26

1. A rocket launch is due to take place from the Space Port Kii, between 25 February and 25 March 2026.
2. A sea warning area will be established, bounded by the following positions:

33° 33'·00N., 135° 54'·70E.
33° 33'·00N., 135° 57'·00E.
33° 29'·40N., 135° 57'·00E.
33° 29'·40N., 135° 52'·80E.
33° 31'·92N., 135° 52'·80E.
3. Between 25 February and 25 March 2026 rocket debris is predicted to fall within areas bounded by the following positions:

30° 49'·6N., 135° 18'·6E.
30° 48'·3N., 135° 56'·5E.
30° 44'·1N., 136° 00'·1E.
29° 55'·8N., 135° 58'·4E.
29° 50'·2N., 135° 52'·8E.
29° 51'·4N., 135° 16'·6E.
4. and

30° 01'·2N., 135° 09'·9E.
29° 57'·5N., 135° 48'·2E.
29° 47'·7N., 135° 51'·6E.
28° 25'·4N., 135° 43'·7E.
28° 13'·5N., 135° 36'·5E.
28° 17'·0N., 134° 59'·9E.
5. and

21° 29'·6N., 133° 11'·9E.
18° 27'·5N., 132° 53'·5E.
18° 22'·0N., 133° 47'·5E.
20° 24'·9N., 134° 00'·0E.
21° 47'·4N., 134° 00'·0E.
21° 51'·1N., 133° 23'·4E.
6. Mariners are advised to navigate with caution within these areas.
(WGS84 DATUM)

Charts affected - 996 - 1648 - 2347 - 4052 (INT 52) - 4053 (INT 53) - 4509 (INT 509) - 4510 (INT 510) - JP 77 - JP 93

II

674(P)/26 BRAZIL - South Coast - Depths.

Source: Brazilian Notice 22/S 188(P)/25

1. Depths less than charted exist within the approach to Porto de Santos.
2. Shoaling, with minimum depth 9·5m, has been reported in the vicinity of a line joining the following positions:

23° 59'·51S., 46° 18'·40W.
*23° 59'·47S., 46° 18'·80W.
*23° 59'·46S., 46° 19'·03W.
3. Shoaling, with minimum depth 8m, has been reported in the vicinity of a line joining the following positions:

*23° 59'·64S., 46° 18'·40W.
*23° 59'·61S., 46° 18'·78W.
*23° 59'·61S., 46° 19'·03W.
4. *An area of shoaling, with minimum depth 14·4m, has been reported bounded by the following positions:

*23° 59'·59S., 46° 19'·03W.
*23° 59'·59S., 46° 18'·78W.
23° 59'·62S., 46° 18'·40W.
23° 59'·54S., 46° 18'·40W.
*23° 59'·50S., 46° 18'·72W.
*23° 59'·49S., 46° 19'·03W.
5. Chart 29 will be updated when full details are available.
6. *Former Notice 4366(P)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 29

II

677(P)/26 BRAZIL - East Coast - Wreck.

Source: Brazilian Local Navigational Warning E 9498/25

1. A dangerous wreck has been reported in position 21° 53'·52S., 40° 57'·71W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 495 - 496

II

678(P)/26 BRAZIL - East Coast - Wreck.

Source: Brazilian Local Navigational Warning E 9635/25

1. A dangerous wreck has been reported in position 10° 50'·84S., 36° 55'·52W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3977

II

671(T)/26 VENEZUELA - Buoy.

Source: Venezuelan Notice 87(T)/25

1. *The north cardinal light-buoy, *VQ.15s*, in position $10^{\circ} 36' \cdot 307N.$, $66^{\circ} 57' \cdot 535W.$, is reported missing.
2. Mariners are advised to navigate with caution in the area.

*Former Notice 4086(T)/19 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 1629

II

718(P)/26 WEST INDIES - Bahamas - Alongside depths. Quay. Works.

Source: Bahamas Government

1. Alongside depths within Nassau Cruise Port have changed. The most significant are as follows:

<i>Berth</i>	<i>Depth</i>	<i>Position</i>
15	11·1m	25° 04'·814N., 77° 20'·580W.
16	10·8m	25° 04'·779N., 77° 20'·401W.
20	11·5m	25° 04'·868N., 77° 20'·546W.
19	10·8m	25° 04'·848N., 77° 20'·438W.
22	11·2m	25° 04'·896N., 77° 20'·522W.
23	10·7m	25° 04'·860N., 77° 20'·361W.
26	11·8m	25° 04'·955N., 77° 20'·537W.
25	11·0m	25° 04'·930N., 77° 20'·411W.
27	10·9m	25° 04'·972N., 77° 20'·477W.
28	11·5m	25° 04'·942N., 77° 20'·316W.

2. Quay extension works have been completed in the vicinity of positions 25° 04'·814N., 77° 20'·580W. and 25° 04'·942N., 77° 20'·316W.
3. These changes will be included in a New Edition of Chart 1452 to be published mid 2026.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Chart affected - 1452