



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 08

19 February 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
115	INT 1189	NP 61
207	INT 1192	e-NP 61
292	INT 1198	NP 131
294	INT 1369	NP 234(A)
295	INT 1400	e-NP 234(A)
740	INT 1402	
742	INT 1426	
938	INT 1465	
1038	INT 1503	
1057	INT 1611	
1058	INT 1642	
1093	INT 1643	
1158	INT 3785	
1178	INT 7740	
1186	INT 7741	
1198	INT 9112	
1405	INT 9122	
1428		
1522		
1741		
1797		
1951		
2230		
3210		
3490		
3593		
3825		
3828		
3899		
4127		
4937		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 19 February 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙115 INT 1503	International Chart Series, Scotland - East Coast, Moray Firth. On publication of this New Edition former Notice 5646(P)/25 is cancelled. This chart remains affected by Notice 2774(T)/25. This chart is to be deleted from the list of charts affected by Notice 4832(P)/24.	1:200,000	6	28, 30, 32
⊙207 INT 1465	International Chart Series, Netherlands, Hoek Van Holland to Vlaardingen. Part A, Nieuwe Waterweg and Europoort. Part B, Continuation Nieuwe Waterweg.	1:20,000 1:20,000	9	24
	This chart remains affected by Notices 2591(T)/25, 5285(T)/25 and 603(T)/26.			
⊙292	North Sea Offshore Charts, Sheet 3. On publication of this New Edition former Notice 45(P)/26 is cancelled. This chart remains affected by Notices 1676(P)/25, 2516(P)/25, 2680(P)/25, 4701(P)/25, 5767(T)/25, 149(P)/26, 410(P)/26 and 613(T)/26.	1:200,000	6	28, 32
⊙294	North Sea Offshore Charts, Sheet 2. On publication of this New Edition former Notice 45(P)/26 is cancelled. This chart remains affected by Notices 2516(P)/25, 2680(P)/25, 4255(T)/25, 4701(P)/25, 5767(T)/25, 410(P)/26, 613(T)/26.	1:200,000	6	28, 32
⊙295	North Sea Offshore Charts, Sheet 1. On publication of this New Edition former Notice 45(P)/26 is cancelled. This chart remains affected by Notices 1171(T)/24, 2566(T)/24 and 553(T)/26.	1:200,000	6	28, 32
⊙938 INT 1369	International Chart Series, Denmark, Entrance to the Baltic, Storebælt, Middle Part. Ⓐ Approaches to Nyborg. Ⓑ Vestbroen - West Bridge. Ⓒ Østbroen - East Bridge.	1:50,000 1:20,000 1:7,500 1:25,000	10	34
	This chart remains affected by Notice 5107(T)/25.			
⊙1186 INT 1426	International Chart Series, England - East Coast, River Thames Canvey Island to Tilbury. Ⓐ Canvey Island to Coalhouse Point. Ⓑ Coalhouse Point to Tilbury.	1:12,500 1:12,500	8	24
	On publication of this New Edition former Notice 83(P)/26 is cancelled. This chart remains affected by Notice 515(T)/24.			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 19 February 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1405 INT 1400	International Chart Series, Norway - West Coast, Eldfisk Oil Field to Boknafjorden.	1:350,000	13	28, 32
	On publication of this New Edition former Notice 45(P)/26 is cancelled. This chart remains affected by Notices 2544(P)/24, 2973(P)/24, 1271(T)/25, 1676(P)/25, 2710(P)/25, 4250(T)/25 and 149(P)/26.			
⊙1428 INT 1402	International Chart Series, Norway - West Coast, Florø to Smøla.	1:350,000	13	32, 38
	On publication of this New Edition former Notice 45(P)/26 is cancelled. This chart remains affected by Notices 2566(T)/24 and 4118(P)/24.			
⊙1741 INT 9122	International Chart Series, Antarctica, South Shetland Islands, Greenwich Island, English Strait and Discovery Bay.	1:15,000	97	136
	Iquique Cove and Approaches.	1:5,000		
	On publication of this New Edition former Notice 4714(P)/25 is cancelled.			
⊙1797	Central America - East Coast. Belize, Monkey River to Colson Point.	1:125,000	85	122
	Ⓐ Commerce Bight.	1:12,000		
	Ⓑ Big Creek and Approaches.	1:20,000		
	On publication of this New Edition former Notice 4581(P)/23 is cancelled.			
⊙1951 INT 1642	International Chart Series, England - West Coast, Approaches to Liverpool.	1:25,000	3	26
⊙2230	Black Sea, Constanța to Kefken Adasi.	1:400,000	31	46, 48
⊙3210 INT 9112	International Chart Series, Antarctica, Plans in the South Shetland Islands.		97	136
	Ⓐ Elephant Island, Point Wild.	1:10,000		
	Ⓑ King George Island, Penguin Island.	1:20,000		
	Ⓒ Greenwich Island, Yankee Harbour.	1:15,000		
⊙3490 INT 1643	International Chart Series, England - West Coast, Port of Liverpool.		3	26
	Ⓐ Seaforth to Tranmere.	1:15,000		
	Ⓑ Tranmere to Garston and Eastham.	1:15,000		
	This chart remains affected by Notice 600(T)/26.			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 19 February 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3593	Southern Ocean, South Sandwich Islands. Approaches to the South Sandwich Islands. Ⓐ Candlemas Islands, Nelson Channel. Ⓑ Saunders Island, Cordelia Bay. Ⓒ Southern Thule, Douglas Strait.	1:500,000 1:50,000 1:50,000 1:50,000	96	136
On publication of this New Edition former Notice 4955(P)/25 is cancelled.				
⊙4127	China - Hong Kong, South Eastern Approaches.	1:25,000	47	78
On publication of this New Edition former Notice 393(P)/26 is cancelled. This chart remains affected by Notice 405(T)/26.				
⊙4937	Canada, British Columbia/Colombie-Britannique, Chatham Sound, Prince Rupert Harbour. Butze Rapids.	1:20,000 1:5,000	91	108
On publication of this New Edition former Notice 157(P)/26 is cancelled.				

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP61 & e-NP61	ADMIRALTY Sailing Directions Pacific Islands Pilot Volume 2 14th Edition (2026) ISBN No: 978-0-70-774-7927	19/02/2026	Updated to NM Week 45/25 (06/11/2025). First updates from NM week 08/26. NP61 13 th Edition (2017) is cancelled.
NP234(A) & e-NP234(A)	ADMIRALTY Cumulative List of Notices to Mariners January 2026 ISBN No: 978-0-70-774-6586	19/02/2026	This Edition supersedes NP234(A) 2025 which is hereby cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 05 MARCH 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
740 INT 7740	International Chart Series - Indian Ocean, The Seychelles Group.	1:300,000	⊙740 INT 7740	36	56
742 INT 7741	International Chart Series, Indian Ocean, Seychelles Group, Mahé, Praslin and Adjacent Islands.	1:125,000	⊙742 INT 7741	36	56
1038	Aegean Sea – Greece, Stenó Sifnou to Stenó Kafiréa. Stenó Ándrou-Tínou.	1:150,000 1:40,000	⊙1038	28	50
1057	Aegean Sea - Greece and Türkiye, Kuşadası Körfezi and Approaches. Ⓐ Türkiye, Sığacık. Ⓑ Türkiye, Kuşadası.	1:150,000 1:15,000 1:15,000	⊙1057	29	50
1058	Aegean Sea - Greece and Türkiye, Nisos Chíos and İzmir Körfezi.	1:150,000	⊙1058	29	48, 50
1093	Aegean Sea – Greece, Stenó Antikythiron to Stenó Kafiréa.	1:300,000	⊙1093	28	50
1158	Türkiye, İstanbul Boğazı Kuzeyi (Northern Bosphorus).	1:20,000	⊙1158	29	48
1178 INT 1611	International Chart Series, United Kingdom and Ireland, Approaches to the Bristol Channel.	1:200,000	⊙1178 INT 1611	2	20, 26
1198	Türkiye, İstanbul Boğazı (The Bosphorus). Ⓐ Haliç (The Golden Horn). Ⓑ Haydarpaşa Limanı.	1:30,000 1:10,000 1:10,000	⊙1198	29	48
1522 INT 3785	Mediterranean Sea, Türkiye - West Coast, İzmir Körfezi. Ⓐ Yenikale Geçidi. Ⓑ İzmir. Ⓒ İzmir Limanı.	1:25,000 1:12,500 1:10,000 1:10,000	⊙1522 INT 3785	29	48, 50
3825 INT 1189	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Korppoo to Turku.	1:50,000	⊙3825 INT 1189	11	36
3828 INT 1192	International Chart Series, Finland - Southwest coast, Saaristomeri, Kaurissalo to Norrskata.	1:50,000	⊙3828 INT 1192	11	36
3899 INT 1198	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Lövsjär.	1:50,000	⊙3899 INT 1198	11	36

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
115 INT 1503	International Chart Series, Scotland - East Coast, Moray Firth.	⊙115 INT 1503
207 INT 1465	International Chart Series, Netherlands, Hoek Van Holland to Vlaardingen.	⊙207 INT 1465
292	North Sea Offshore Charts, Sheet 3.	⊙292
294	North Sea Offshore Charts, Sheet 2.	⊙294
295	North Sea Offshore Charts, Sheet 1.	⊙295
938 INT 1369	International Chart Series, Denmark, Entrance to the Baltic, Storebælt, Middle Part.	⊙938 INT 1369
1186 INT 1426	England - East Coast, River Thames Canvey Island to Tilbury.	⊙1186 INT 1426
1405 INT 1400	International Chart Series, Norway - West Coast, Eldfisk Oil Field to Boknafjorden.	⊙1405 INT 1400
1428 INT 1402	International Chart Series, Norway - West Coast, Florø to Smøla.	⊙1428 INT 1402
1741 INT 9122	International Chart Series, Antarctica, South Shetland Islands, Plans in Greenwich Island.	⊙1741 INT 9122
1797	Central America - East Coast. Belize, Monkey River to Colson Point.	⊙1797
1951 INT 1642	International Chart Series, England - West Coast, Approaches to Liverpool.	⊙1951 INT 1642
2230	Black Sea, Constanța to Kefken Adasi.	⊙2230
3210 INT 9112	International Chart Series, Antarctica, Plans in the South Shetland Islands.	⊙3210 INT 9112
3490 INT 1643	International Chart Series, England - West Coast, Port of Liverpool.	⊙3490 INT 1643
3593	Southern Ocean, South Sandwich Islands.	⊙3593
4127	China - Hong Kong, South Eastern Approaches.	⊙4127
4937	Canada, British Columbia/Colombie-Britannique, Chatham Sound.	⊙4937

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 1, Authorised ADMIRALTY Distributors, Greece

Amend:

NAVTOR HELLAS S.A.		
27 Poseidonos Avenue Moschato 183 44 Athens		
T: +30 216 400 5000		
sales@navtor.com		
www.navtor.com		
DIGITAL	POD	PUBLICATIONS

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
20	767	1430	858
127	796	1447	760
131	766	1488	844
141	869P	1514	769
145	869P	1534	764
152	804P	1535	764
156	792, 804P	1537	819
159	843	1541	777
186	837	1543	764
187	870	1613	813
188	870	1624	808
230	771	1626	875P
236	847P	1632	850
269	845P	1633	836
317	879T	1644	842
354	868T	1664	788T
359	800P	1673	876T
368	851	1674	876T
384	876T	1675	806
440	876T	1682	876T
441	876T	1705	757
442	813	1751	880
488	876T	1752	794
608	788T	1754	815
659	812	1784	820
663	853P	1826	840
707	878T	1889	773
709	878T	1890	773
744	876T	1900	813
745	876T	1917	778
746	876T	1935	804P
749	876T	1941	870
751	876T	1953	762T
818	879T	1965	882
830	854P, 879T	1977	840
898	852	2020	885
903	817	2026	781
913	811	2046	867T
964	797, 888	2120	757
994	889	2139	854P
1054	847P	2158	854P
1121	840	2170	757
1130	821	2172	759
1140	854P	2182A	849T
1141	854P	2182B	849T
1146	854P	2182C	758, 807
1161	783	2246	757
1165	783	2264	884
1180	774	2333	848
1188	782	2375	843
1191	804P	2400	815
1192	804P	2403	854P
1196	774	2409	801
1200	826	2434	779
1214	886	2470	839
1254	857	2486	865
1255	857	2567	804P
1267	813	2594	817
1277	779	2638	798, 846
1289	857	2647	781
1312	839	2648	781
1323	880	2663	767
1324	775	2691	876T
1365	805	2698	884
1398	879T	2711	877
1402	814	2713	884
1413	840	2773	877
1422	814	2774	877
1427	807	2872	839

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2889	841	4602	887P
2936	765	4603	799P, 824P
2952	816	4632	876T
2998	767	4638	876T
3100	805	4703	878T
3101	805	4705	878T
3104	805	4706	854P, 878T, 879T
3108	805	4707	854P, 878T, 879T
3133	871T	4708	887P
3175	789	4709	887P
3176	789	4710	887P
3177	841	4722	803P
3184	834	4723	803P
3188	833	4763	793
3227	831	4764	793
3230	772	4765	776
3232	772	4767	830
3274	827	4777	770, 872
3275	827	4778	786T
3348	819	4782	770
3412	789	4788	883
3447	763T	4953	838
3489	820	5601_8	759
3496	782	5602_13	813
3497	782	5602_4	813
3518	881	5602_6	813
3568	829	5609_1	840
3633	832	5609_10	840
3634	832	5609_15	840
3638	767	5612_24	840
3713	787T	5613_23	840
3715	787T	5614_11	826
3737	818	5614_18	782
3754	855	5614_2	764
3758	839	5614_3	764
3768	791P	5614_4	764
3833	854P	5615_1	804P
3852	873	5615_19	875P
3853	873	5615_5	804P
3875	882	5615_6	804P
3881	882	5615_7	792
3882	882	5620_12	827
3889	882	5620_13	827
3892	819	5621_1	840
3900	854P	5621_18	840
3901	854P	5622_4	867T
3902	854P		
3904	854P		
3919	854P	Australian Chart No.	Notices
3920	854P		
3921	854P		
3940	854P	Aus 143	887P
3944	854P	Aus 293	856
3945	854P	Aus 327	802
3946	854P	Aus 357	809T, 887P
3947	854P	Aus 801	887P
3990	882	Aus 802	887P
4038	854P	Aus 808	887P
4039	854P	Aus 816	874T
4040	854P	Aus 818	874T
4140	849T	Aus 819	822T
4153	866T	Aus 820	822T
4178	866T	Aus 821	822T
4400	791P	Aus 822	822T
4401	791P	Aus 823	822T
4404	830	Aus 824	822T
4490	795	Aus 825	810, 822T
4494	790P	Aus 826	822T
4601	887P	Aus 827	822T, 823T

II

INDEX OF CHARTS AFFECTED

Australian Chart No.	Notices	International Chart No.	Notices
Aus 828	822T	INT 140	849T
Aus 829	822T	INT 400	791P
Aus 830	822T	INT 401	791P
Aus 839	856	INT 404	830
Aus 841	856	INT 553	820
		INT 601	887P
		INT 602	887P
		INT 603	799P, 824P
		INT 632	876T
		INT 638	876T
		INT 703	878T
		INT 705	878T
		INT 706	854P, 878T, 879T
		INT 707	854P, 878T, 879T
		INT 708	887P
		INT 709	887P
		INT 710	887P
		INT 722	803P
		INT 723	803P
		INT 752	878T
		INT 754	879T
		INT 755	854P, 879T
		INT 756	879T
		INT 1041	758, 807
		INT 1042	849T
		INT 1043	849T
		INT 1044	814
		INT 1045	780
		INT 1062	840
		INT 1300	814
		INT 1331	817
		INT 1333	817
		INT 1353	785
		INT 1354	785
		INT 1401	807
		INT 1404	858
		INT 1413	784
		INT 1417	836
		INT 1420	850
		INT 1478	835
		INT 1506	804P
		INT 1507	804P
		INT 1540	773
		INT 1549	804P
		INT 1553	782
		INT 1554	782
		INT 1556	826
		INT 1558	764
		INT 1559	764
		INT 1565	782
		INT 1607	840
		INT 1650	827
		INT 1651	827
		INT 1652	783
		INT 1664	794
		INT 1701	813
		INT 1707	781
		INT 1708	781
		INT 1803	767
		INT 1809	832
		INT 1872	831
		INT 1954	788T
		INT 1971	869P
		INT 1972	869P
		INT 1996	788T
		INT 2513	812
		INT 2804	805
		INT 2805	805
		INT 2871	805
Belgian Chart No.	Notices		
BE 106	835		
German Chart No.	Notices		
DE 30	785		
DE 36	785		
DE 50	780		
DE 87	784		
DE 1671	785		
Indian Chart No.	Notices		
IN 22	878T		
IN 31	879T		
IN 32	879T		
IN 33	854P, 879T		
IN 273	878T		
IN 292	878T		
IN 293	878T		
IN 294	878T		
IN 313	879T		
IN 357	879T		
IN 472	854P, 879T		
IN 473	879T		
IN 3001	879T		
IN 3004	879T		
Japanese Chart No.	Notices		
JP 106	859		
JP 153	860, 861, 862, 863		
JP 1108	863		
JP 1206	864T		
New Zealand Chart No.	Notices		
NZ 463	761P		
NZ 5612	768		
Soloman Islands Chart No.	Notices		
SLB 102	828T		
SLB 301	828T		
SLB 302	828T		
Papua New Guinea Chart No.	Notices		
PNG 379	825		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 2872	805		
INT 3176	769		
INT 3184	774		
INT 3185	774		
INT 3198	757		
INT 3199	757		
INT 3361	868T		
INT 3784	808		
INT 5254	811		
INT 6854	876T		
INT 6856	876T		
INT 7010	843		
INT 7021	878T		
INT 7022	878T		
INT 7023	878T		
INT 7031	879T		
INT 7032	854P, 879T		
INT 7050	866T		
INT 7132	843		
INT 7211	841		
INT 7212	789		
INT 7216	789		
INT 7219	789		
INT 7222	841		
INT 7223	787T		
INT 7224	787T		
INT 7255	818		
INT 7344	844		
INT 7397	879T		
INT 7400	879T		
INT 7402	879T		
INT 7403	879T		
INT 7433	879T		
INT 7510	866T		
INT 7698	853P		
INT 13520	785		

II

759* ENGLAND - South Coast - Depths.

Source: Dorset Council

Chart 2172 (Panel F, Weymouth Harbour) [*previous update 3913/25*] ETRS89 DATUM

Insert	depth, 38	(a)	50° 36'·611N., 2° 26'·523W.
Delete	depth, 43, close SW of:	(a)	above
Insert	depth, 26	(b)	50° 36'·576N., 2° 26'·514W.
Delete	depth, 36, close NW of:	(b)	above
Insert	depth, 07	(c)	50° 36'·547N., 2° 26'·560W.
Delete	depth, 16, close NE of:	(c)	above

Chart 5601_8 (Panel B, Weymouth Harbour) [*previous update 673/26*] ETRS89 DATUM

Insert	depth, 38	(a)	50° 36'·611N., 2° 26'·523W.
Delete	depth, 43, close SW of:	(a)	above
Insert	depth, 26	(b)	50° 36'·576N., 2° 26'·514W.
Delete	depth, 36, close NW of:	(b)	above
Insert	depth, 07	(c)	50° 36'·547N., 2° 26'·560W.
Delete	depth, 16, close NE of:	(c)	above

II

760* IRELAND - East Coast - Buoyage.

Source: Dublin Port Notice 32/26

Chart 1447 (Panel A, Port of Dublin) [*previous update 5830/25*] ETRS89 DATUM

Insert

 *Fl.Y.5s*

53° 20′·753N., 6° 11′·185W.

53° 20′·747N., 6° 11′·062W.

53° 20′·740N., 6° 10′·940W.

53° 20′·680N., 6° 10′·820W.

II

764* ENGLAND - East Coast - Depths.

Source: Trinity House

Chart 1534 (INT 1558) [*previous update 523/26*] ETRS89 DATUM

Insert	depth, 98, and extend 10m contour W to enclose	52° 31'·32N., 1° 46'·67E.
	depth, 95, enclosed by 10m contour	52° 31'·14N., 1° 46'·47E.
	depth, 79	(a) 52° 31'·01N., 1° 46'·66E.
Delete	depth, 96, close NW of:	(a) above

Chart 1535 (INT 1559) [*previous update 367/26*] ETRS89 DATUM

Insert	depth, 31, enclosed by 5m contour	(a) 52° 30'·55N., 1° 46'·66E.
Delete	depth, 73, close NE of:	(a) above
Insert	depth, 23, and extend 5m contour W to enclose	52° 30'·83N., 1° 46'·86E.
	depth, 88, and extend 10m contour W to enclose	52° 30'·86N., 1° 46'·48E.
	depth, 79	(b) 52° 31'·01N., 1° 46'·66E.
Delete	depth, 96, close NW of:	(b) above
Insert	depth, 95, enclosed by 10m contour	52° 31'·14N., 1° 46'·47E.
	depth, 98, and extend 10m contour W to enclose	52° 31'·32N., 1° 46'·67E.
Replace	depth, 85, with depth, 65	52° 30'·90N., 1° 46'·74E.

Chart 1543 [*previous update 517/26*] ETRS89 DATUM

Insert	depth, 95, and extend 10m contour NW to enclose	52° 31'·14N., 1° 46'·47E.
Replace	depth, 85, with depth, 65	52° 30'·90N., 1° 46'·74E.

Chart 5614_4 (Panel A, Approaches to Great Yarmouth) [*previous update 523/26*] ETRS89 DATUM

Insert	depth, 98, and extend 10m contour W to enclose	52° 31'·32N., 1° 46'·67E.
	depth, 95, enclosed by 10m contour	52° 31'·14N., 1° 46'·47E.
Replace	depth, 96, with depth, 79	52° 31'·03N., 1° 46'·66E.

Chart 5614_3 [*previous update 367/26*] ETRS89 DATUM

Insert	depth, 31, enclosed by 5m contour	(a) 52° 30'·55N., 1° 46'·66E.
Delete	depth, 73, close NE of:	(a) above
Insert	depth, 23, and extend 5m contour W to enclose	52° 30'·83N., 1° 46'·86E.
	depth, 88, and extend 10m contour W to enclose	52° 30'·86N., 1° 46'·48E.
	depth, 79	(b) 52° 31'·01N., 1° 46'·66E.
Delete	depth, 96, close NW of:	(b) above
Insert	depth, 95, enclosed by 10m contour	52° 31'·14N., 1° 46'·47E.
	depth, 98, and extend 10m contour W to enclose	52° 31'·32N., 1° 46'·67E.
Replace	depth, 85, with depth, 65	52° 30'·90N., 1° 46'·74E.

Chart 5614_2 [*previous update 441/26*] ETRS89 DATUM

Insert	depth, 95, and extend 10m contour NW to enclose	52° 31'·14N., 1° 46'·47E.
Replace	depth, 85, with depth, 65	52° 30'·90N., 1° 46'·74E.

II

773* SCOTLAND - East Coast - NM Blocks.

Source: Cromarty Firth Port Authority

Chart 1889 (INT 1540) (Panel, Invergordon) [*previous update 5704/25*] ETRS89 DATUM

Insert the accompanying block A, centred on: 57° 41'·1N., 4° 10'·8W.

Chart 1889 (INT 1540) [*previous update 5704/25*] ETRS89 DATUM

Insert the accompanying block B, centred on: 57° 41'·1N., 4° 10'·9W.

Chart 1890 [*previous update 4062/24*] ETRS89 DATUM

Insert the accompanying block, centred on: 57° 41'·1N., 4° 10'·9W.

II

782* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update 271/26*] ETRS89 DATUM

Insert	depth, 5, enclosed by 5m contour	53° 39'·85N., 0° 12'·39W.
--------	----------------------------------	---------------------------

Chart 3496 (INT 1565) (Panel C, Immingham Oil Terminal to Humber Sea Terminal) [*previous update 568/26*] ETRS89 DATUM

Insert	depth, 5, enclosed by 5m contour	53° 39'·803N., 0° 12'·319W.
		(a) 53° 39'·854N., 0° 12'·391W.
Delete	depth, 57, close SW of:	(a) above
Insert	depth, 57	(b) 53° 40'·126N., 0° 12'·737W.
		(c) 53° 40'·235N., 0° 12'·871W.
Delete	depth, 65, close SW of:	(b) above
	depth, 63, close SW of:	(c) above
Insert	depth, 51	(d) 53° 40'·309N., 0° 12'·880W.
Delete	depth, 56, close SE of:	(d) above
Insert	depth, 56	(e) 53° 40'·403N., 0° 13'·029W.
Delete	depth, 6, close NE of:	(e) above

Chart 3497 (INT 1554) [*previous update 568/26*] ETRS89 DATUM

Insert	depth, 51	53° 40'·31N., 0° 12'·88W.
	depth, 5, enclosed by 5m contour	(a) 53° 39'·85N., 0° 12'·39W.
Delete	depth, 51, close NW of:	(a) above
	depth, 57, close SE of:	(a) above

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update 568/26*] ETRS89 DATUM

Insert	depth, 51	53° 40'·31N., 0° 12'·88W.
	depth, 5, enclosed by 5m contour	(a) 53° 39'·85N., 0° 12'·39W.
Delete	depth, 51, close NW of:	(a) above
	depth, 57, close SE of:	(a) above


II

783* WALES - South Coast - Obstruction.

Source: British Government Survey

Chart 1161 (INT 1652) [*previous update 132/26*] ETRS89 DATUM

Insert




Obstn

51° 32'·20N., 3° 56'·43W.

Chart 1165 [*previous update 689/26*] ETRS89 DATUM

Insert



Obstn

51° 32'·20N., 3° 56'·43W.

II

792* ENGLAND - East Coast - Beacon. Light-beacons.

Source: Trinity House

Chart 156 [*previous update 5824/25*] ETRS89 DATUM

Replace		Ldg Bns (occas) with symbol, unlit beacon with cone	
		point down topmark, Ldg Bns (ru)	55° 24'·89N., 1° 34'·91W.
Delete			55° 24'·93N., 1° 34'·68W.

Chart 5615_7 [*previous update 5824/25*] ETRS89 DATUM

Replace		Ldg Bns (occas) with symbol, unlit beacon with cone	
		point down topmark, Ldg Bns (ru)	55° 24'·89N., 1° 34'·91W.
Delete			55° 24'·93N., 1° 34'·68W.

II

794* IRELAND - East Coast - Depths.

Source: Belfast Harbour Commissioners

Chart 1752 (INT 1664) [*previous update 4727/25*] ETRS89 DATUM

Insert depth, 59

(a) 54° 39'·571N., 5° 50'·630W.

Delete depth, 64, close NE of:

(a) above

II

813* ENGLAND - South Coast - Buoy.

Source: Plymouth Marine Laboratory

Note: Former Notice 3764(T)/24 is cancelled.

Chart 442 (INT 1701) [*previous update 5276/25*] ETRS89 DATUM

Insert  Fl(5)Y.20s 50° 16'·20N., 4° 12'·95W.

Chart 1267 [*previous update 5150/25*] ETRS89 DATUM

Insert  Fl(5)Y.20s 50° 16'·20N., 4° 12'·95W.

Chart 1613 [*previous update 3316/25*] ETRS89 DATUM

Insert  Fl(5)Y.20s 50° 16'·20N., 4° 12'·95W.

Chart 1900 [*previous update 5298/25*] ETRS89 DATUM

Insert  Fl(5)Y.20s 50° 16'·20N., 4° 12'·95W.

Chart 5602_13 [*previous update 5251/24*] ETRS89 DATUM

Insert  Fl(5)Y.20s 50° 16'·20N., 4° 12'·95W.

Chart 5602_4 (Panel A, Fowey to Plymouth) [*previous update 5190/24*] ETRS89 DATUM

Insert  Fl(5)Y.20s 50° 16'·20N., 4° 12'·95W.

Chart 5602_6 (Panel A, Plymouth to Salcombe) [*previous update New Edition 03/07/2025*] ETRS89 DATUM

Insert  Fl(5)Y.20s 50° 16'·20N., 4° 12'·95W.

II

826 ENGLAND - East Coast - NM Blocks.

Source: Port of Wisbech Harbour Authority

Chart 1200 (INT 1556) [*previous update 2320/25*] ETRS89 DATUM

Insert the accompanying block, centred on: 52° 51'·8N., 0° 13'·6E.

Chart 5614_11 (Panel A, The Wash Central Part) [*previous update 3685/24*] ETRS89 DATUM

Insert the accompanying block, centred on: 52° 51'·8N., 0° 13'·6E.

II

827* WALES - South Coast - Dredged depths. Legends.

Source: Milford Haven Port Authority Notice 128/25

Chart 3274 (INT 1650) [previous update 3658/25] ETRS89 DATUM

Amend	dredged depth to, 14·3m (2025), centred on:	51° 41'·867N., 5° 02'·786W.
	legend, <i>Dredged to 18·7m (2025)</i> , centred on:	51° 41'·896N., 5° 02'·456W.
		51° 41'·915N., 5° 02'·047W.
	dredged depth to, 14·4m (2025), centred on:	51° 41'·920N., 5° 01'·682W.
	dredged depth to, 11·4m (2025), centred on:	51° 41'·922N., 5° 01'·469W.
	dredged depth to, 6·3m (2025), centred on:	51° 41'·816N., 5° 01'·469W.

Chart 3275 (INT 1651) [previous update 5325/25] ETRS89 DATUM

Amend	dredged depth to, 18·7m (2025), centred on:	51° 41'·902N., 5° 02'·308W.
	legend, <i>Dredged to 18·7m (2025)</i> , centred on:	51° 41'·914N., 5° 02'·029W.
	dredged depth to, 14·4m (2025), centred on:	51° 41'·911N., 5° 01'·724W.
	dredged depth to, 11·4m (2025), centred on:	51° 41'·919N., 5° 01'·470W.
	dredged depth to, 6·3m (2025), centred on:	51° 41'·818N., 5° 01'·398W.

Chart 5620_12 [previous update 3658/25] ETRS89 DATUM

Amend	dredged depth to, 14·3m (2025), centred on:	51° 41'·867N., 5° 02'·781W.
	legend, <i>Dredged to 18·7m (2025)</i> , centred on:	51° 41'·897N., 5° 02'·463W.
		51° 41'·915N., 5° 02'·043W.
	dredged depth to, 14·4m (2025), centred on:	51° 41'·921N., 5° 01'·683W.
	dredged depth to, 11·4m (2025), centred on:	51° 41'·922N., 5° 01'·470W.
	dredged depth to, 6·3m (2025), centred on:	51° 41'·816N., 5° 01'·463W.

Chart 5620_13 [previous update 5325/25] ETRS89 DATUM

Amend	dredged depth to, 14·4m (2025), centred on:	51° 41'·918N., 5° 01'·664W.
	dredged depth to, 11·4m (2025), centred on:	51° 41'·918N., 5° 01'·466W.
	dredged depth to, 6·3m (2025), centred on:	51° 41'·818N., 5° 01'·396W.

II

840* WALES - North Coast - Light. Fog signal.

Source: Trinity House

Note: AIS and Radar beacon remains unchanged.

Chart 1121 (INT 1062) [*previous update 5088/25*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s18M & Iso.R.4s10M		53° 25′·3N., 4° 36′·7W.
-------	--	--	-------------------------

Chart 1413 [*previous update 1187/25*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s36m18M Iso.R.4s26m10M	(a)	53° 25′·27N., 4° 36′·50W.
	fog signal to, Horn(1)30s, at light		(a) above

Chart 1826 (INT 1607) [*previous update 5431/25*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s18M Iso.R.4s10M	(a)	53° 25′·27N., 4° 36′·52W.
	fog signal to, Horn(1)30s, at light		(a) above

Chart 1977 [*previous update 4383/24*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s36m18M & Iso.R.4s26m10M	(a)	53° 25′·27N., 4° 36′·50W.
	fog signal to, Horn(1)30s, at light		(a) above

Chart 5609_15 (Panel C, The Skerries) [*previous update 3681/22*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s36m18M Iso.R.4s26m10M	(a)	53° 25′·27N., 4° 36′·50W.
	fog signal to, Horn(1)30s, at light		(a) above

Chart 5609_10 [*previous update 4383/24*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s36m18M & Iso.R.4s26m10M	(a)	53° 25′·27N., 4° 36′·50W.
	fog signal to, Horn(1)30s, at light		(a) above

Chart 5609_1 [*previous update 5088/25*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s18M & Iso.R.4s10M		53° 25′·2N., 4° 36′·7W.
-------	--	--	-------------------------

Chart 5612_24 [*previous update 3796/24*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s18M & Iso.R.4s10M		53° 25′·2N., 4° 36′·7W.
-------	--	--	-------------------------

Chart 5613_23 [*previous update 5088/25*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s18M & Iso.R.4s10M		53° 25′·2N., 4° 36′·7W.
-------	--	--	-------------------------

Chart 5621_1 [*previous update 3316/25*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)18M Iso.R.10M	(a)	53° 25′·27N., 4° 36′·50W.
	fog signal to, Horn(1)30s, at light		(a) above

Chart 5621_18 [*previous update 5637/24*] ETRS89 DATUM

Amend	The Skerries light to, Fl(2)15s18M & Iso.R.4s10M		53° 25′·2N., 4° 36′·7W.
-------	--	--	-------------------------

II

829 FØROYAR - NM Block.

Source: Faroese Notice 8/48/25

Chart 3568 [*previous update New Edition 29/05/2025*] WGS84 DATUM

Insert the accompanying block, centred on:

61° 22′·5N., 7° 43′·1W.

II

848 **RUSSIA - Barents Sea Coast - Wrecks.**

Source: Russian Notice 52/5356/25

Chart 2333 [*previous update 543/26*] WGS84 DATUM

Insert



69° 16'·43N., 34° 58'·57E.

69° 16'·49N., 35° 02'·23E.

II

858 NORWAY - West Coast - NM Block.

Source: Norwegian Notice 20/79031/25

Chart 1430 (INT 1404) [*previous update 5705/25*] WGS84 DATUM

Insert the accompanying block, centred on:

66° 46'·6N., 12° 27'·8E.

II

778 RUSSIA - Baltic Sea Coast - Buoy.

Source: ENC RU5NDK01

Note: Former Notice 1591(T)/23 is cancelled.

Chart 1917 (Panel B, Km 17·0 to Km 25·0) [*previous update 3325/24*] WGS84 DATUM

Move



Q(9)15s, from:

54° 41'·318N., 20° 11'·481E.

to:

54° 41'·366N., 20° 11'·404E.

II

785* GERMANY - Baltic Coast - Light.

Source: WSA Ostsee 23/26

Chart DE 30 (INT 1353) [*previous update 4677/25*] WGS84 DATUM

Amend	Buk light to, LFl(4)WR.15s95m24/20M	54° 07'·91N., 11° 41'·62E.
-------	-------------------------------------	----------------------------

Chart DE 36 (INT 13520) [*previous update 372/26*] WGS84 DATUM

Amend	Buk light to, LFl(4)WR.15s95m24/20M	54° 07'·91N., 11° 41'·62E.
-------	-------------------------------------	----------------------------

Chart DE 1671 (INT 1354) [*previous update 5636/25*] WGS84 DATUM

Amend	Buk light to, LFl(4)WR.15s95m24/20M	54° 07'·91N., 11° 41'·62E.
-------	-------------------------------------	----------------------------

II

817 DENMARK - Islands - Buoyage.

Source: Danish Chart Correction 40/213/25

Chart 903 (INT 1333) [*previous update 583/26*] WGS84 DATUM

Delete



55° 44'·46N., 12° 37'·95E.

 *Fl.R.3s*

55° 44'·27N., 12° 37'·22E.

Chart 2594 (INT 1331) [*previous update 433/26*] WGS84 DATUM

Delete



55° 44'·46N., 12° 37'·95E.

 *Fl.R.3s*

55° 44'·27N., 12° 37'·23E.

II

884 RUSSIA - Baltic Sea Coast - NM Blocks. Lights. Leading line.

Source: Russian Notice 45/4684/25 and ENC RU5NSKO0

Chart 2264 [*previous update 3571/25*] WGS84 DATUM

Insert the accompanying block, centred on: 59° 41'·9N., 28° 14'·8E.

Chart 2698 [*previous update 5766/25*] WGS84 DATUM

Insert the accompanying block, centred on: 59° 42'·0N., 28° 20'·5E.

Chart 2713 [*previous update 38/26*] WGS84 DATUM

Delete ★ Oc.3·5s26m5M (a) 59° 41'·96N., 28° 12'·35E.
leading line, pecked line and firm line, and associated legend,
269·9°-089·9°, extending in direction 089·9°, from: (a) above
★ Q.13m5M 59° 41'·96N., 28° 12'·73E.

II

758 NORTH SEA - Norwegian Sector - Danger line. Legend.

Source: Norwegian HO

Note: This update is included in New Editions 292 and 1405, published early 2026.

Chart 2182C (INT 1041) [*previous update 501/26*] WGS84 DATUM

Insert	circular limit of danger line, radius 2000m (1·08M), dotted line, centred on:	(a) 59° 13′·1N., 2° 25′·4E.
	legend, <i>Obstn</i> , close W of:	(a) above

II

780* **NORTH SEA - German Sector - Buoy. Automatic Identification System.**

Source: WSA Elbe-Nordsee 38/26

Chart DE 50 (INT 1045) [*previous update 561/26*] WGS84 DATUM

Delete



Fl(5)Y.20s ODAS and associated Automatic

Identification System, *AIS*

54° 50′·9N., 6° 23′·1E.

II

784* GERMANY - North Sea Coast - Buoyage.

Source: WSA Weser-Jade-Nordsee 14/26

Chart DE 87 (INT 1413) [*previous update 480/26*] WGS84 DATUM

Delete



Q MO NI

54° 05'·90N., 6° 33'·65E.



Q(3)10s MO OI

54° 02'·19N., 6° 38'·04E.

II

807* NORTH SEA - United Kingdom Sector - Platform. Foul.

Source: TotalEnergies

Note: This update is included in New Edition 292, published early 2025.

Chart 1427 (INT 1401) [*previous update New Edition 08/01/2026*] WGS84 DATUM

Replace

 ☐ Gryphon 9/18B with #

59° 21'·6N., 1° 34'·2E.

Chart 2182C (INT 1041) [*previous update 758/26*] WGS84 DATUM

Replace

 ☐ Gryphon with #

59° 21'·5N., 1° 34'·5E.

II

814 DENMARK - North Sea Coast - NM Blocks.

Source: Danish Chart Correction 35/193/25 and ENC DK5HANHL

Chart 1402 (INT 1300) (Panel B, Hanstholm) [*previous update 209/26*] WGS84 DATUM

Insert the accompanying block, centred on: $57^{\circ} 07' \cdot 8N., 8^{\circ} 35' \cdot 4E.$

Chart 1422 (INT 1044) (Panel A, Hanstholm) [*previous update 233/26*] WGS84 DATUM

Insert the accompanying block, centred on: $57^{\circ} 07' \cdot 8N., 8^{\circ} 35' \cdot 5E.$

II

835 BELGIUM - Buoyage.

Source: Belgian Notice 03/82/26

Chart BE 106 (INT 1478) (Panel A, Baalhoek to Antwerpen) [*previous update New Edition 29/01/2026*] WGS84
DATUM

Delete



Q NZT 2

51° 21'·17N., 4° 15'·19E.



Q NZT 4

51° 21'·15N., 4° 15'·26E.

II

836 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 5/19/26

Chart 1633 (INT 1417) [*previous update 243/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s (2x)*

54° 09′·66N., 5° 33′·41E.

II

850 NORTH SEA - Netherlands Sector - NM Block. Tidal stream.

Source: Netherlands Notice 5/16/26

Chart 1632 (INT 1420) [*previous update 5341/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	54° 09′·5N., 3° 20′·2E.
Delete	symbol, tidal stream station, D, centred on:	53° 25′·05N., 4° 46′·96E.

II

767 FRANCE - West Coast - Wreck.

Source: French Notice 51/41/25

Chart 20 [*previous update 5335/25*] WGS84 DATUM

Insert

 $\equiv$

46° 27'·8N., 1° 52'·4W.

Chart 2663 (INT 1803) [*previous update New Edition 09/10/2025*] WGS84 DATUM

Insert

$$\begin{array}{c} | \\ + \\ + \\ | \end{array}$$

46° 27'·76N., 1° 52'·43W.

Chart 2998 [*previous update 4025/24*] WGS84 DATUM

Insert

$$++$$

46° 27'.76N., 1° 52'.43W.

Chart 3638 [*previous update 49/25*] WGS84 DATUM

Insert

$$\begin{array}{c} | \\ + \\ + \\ | \end{array}$$

46° 27'·756N., 1° 52'·427W.

II

781 FRANCE - North Coast - Wrecks.

Source: French Notice 50/40/25

Chart 2026 [*previous update 87/26*] WGS84 DATUM

Delete	 <i>Wk</i>	48° 54'·59N., 3° 55'·16W.
	 <i>Wk (PD)</i>	48° 55'·95N., 4° 02'·09W.
	 <i>Wk (PD)</i>	48° 54'·94N., 4° 11'·08W.

Chart 2647 (INT 1708) [*previous update 4105/25*] WGS84 DATUM

Delete	 <i>Wk (PA)</i>	48° 55'·94N., 4° 02'·08W.
	 <i>Wk (PD)</i>	48° 54'·94N., 4° 11'·08W.

Chart 2648 (INT 1707) [*previous update 5517/25*] WGS84 DATUM

Delete	 <i>Wk</i>	48° 54'·59N., 3° 55'·16W.
	 <i>Wk (PA)</i>	48° 55'·94N., 4° 02'·08W.
	 <i>Wk (PA)</i>	48° 54'·94N., 4° 11'·08W.

II

831 PORTUGAL - West Coast - Submarine pipeline.

Source: Portuguese Notice 10/271/25

Chart 3227 (INT 1872) (Panel B, Porto de Aveiro) [*previous update 239/24*] WGS84 DATUM

Insert submarine pipeline, , joining:

40° 38'·702N., 8° 41'·889W.
40° 38'·721N., 8° 41'·893W.
40° 38'·731N., 8° 41'·895W.
40° 38'·750N., 8° 41'·900W.

Chart 3227 (INT 1872) (Panel C, Continuation to Aveiro) [*previous update 239/24*] WGS84 DATUM

Insert submarine pipeline, , joining:

40° 38'·702N., 8° 41'·889W.
40° 38'·721N., 8° 41'·893W.
40° 38'·731N., 8° 41'·895W.
40° 38'·749N., 8° 41'·900W.

II

832 PORTUGAL - West Coast - Depths. Obstruction.

Source: Portugese Chart 26409 and Spanish Notice 25/227/22

Chart 3633 (INT 1809) [*previous update 42/26*] WGS84 DATUM

Insert	depth, <i>17</i> _l , and extend 20m contour W to enclose	41° 45'·82N., 8° 54'·60W.
	depth, <i>41</i> , and extend 50m contour W to enclose	41° 49'·02N., 8° 57'·28W.
	depth, <i>24</i> , and extend 30m contour W to enclose	41° 49'·64N., 8° 54'·44W.
Delete	 <i>14</i> PA	41° 52'·69N., 8° 54'·19W.

Chart 3634 [*previous update 581/26*] WGS84 DATUM

Insert	depth, <i>41</i>	41° 49'·02N., 8° 57'·28W.
	depth, <i>24</i>	41° 49'·64N., 8° 54'·44W.
Delete	 <i>14</i> PA	41° 52'·69N., 8° 54'·18W.

II

757 FRANCE - South Coast - Restricted areas. Legends.

Source: French Notice 41/90/25

Chart 1705 [previous update 4895/25] WGS84 DATUM

Insert	circular limit of restricted area, anchoring, fishing and diving prohibited, radius 1400m (0·75M), TTTT , centred on:	42° 55'·0N., 5° 54'·0E.
Delete	circular limit of restricted area, radius 1000m (0·54M), TTTT , centred on:	42° 54'·9N., 5° 53'·9E.

Chart 2120 [previous update New Edition 24/07/2025] WGS84 DATUM

Insert	circular limit of restricted area, anchoring, fishing and diving prohibited, radius 370m, TTTT , centred on:	(a) 43° 03'·72N., 5° 59'·49E.
	legend, <i>Dredging prohibited</i> , within:	(a) above
	circular limit of restricted area, anchoring, fishing and diving prohibited, radius 250m, TTTT , centred on:	(b) 42° 59'·54N., 6° 18'·95E.
	legend, <i>Dredging prohibited</i> , close E of:	(b) above
	circular limit of restricted area, anchoring, fishing and diving prohibited, radius 370m, TTTT , centred on:	(c) 42° 58'·74N., 6° 19'·47E.
	legend, <i>Dredging prohibited</i> , within:	(c) above
	legend, <i>Dredging prohibited</i> , centred on:	42° 59'·34N., 6° 21'·06E.
	circular limit of restricted area, fishing and diving prohibited, radius 370m, TTTT , centred on:	42° 03'·25N., 6° 24'·18E.
	circular limit of restricted area, anchoring, fishing and diving prohibited, radius 1400m, TTTT , centred on:	(d) 42° 55'·00N., 5° 54'·00E.
	legend, <i>Dredging prohibited</i> , within:	(d) above
Delete	former circular limit of restricted area, radius 1000m, TTTT , centred on:	(d) above
		42° 59'·39N., 6° 21'·06E.
		42° 59'·28N., 6° 21'·16E.
	symbol, diving prohibited	42° 59'·29N., 6° 20'·96E.

Chart 2170 (INT 3198) [previous update 5180/25] WGS84 DATUM

Insert	semi-circular limit of restricted area, radius 370m, TTTT , centred on 43° 03'·720N., 05° 59'·490E, joining:	(a) 43° 03'·588N., 5° 59'·285E.
		(b) 43° 03'·588N., 5° 59'·695E.
	legend, <i>Mouillage, dragage, plongée et pêche interdits</i> <i>Anchoring, dredging, diving and fishing prohibited</i> , within:	(a)-(b) above

Chart 2246 (INT 3199) [previous update 5232/25] WGS84 DATUM

Insert	legend, <i>Anchoring, dredging, diving and fishing prohibited</i> , centred on:	43° 34'·28N., 7° 08'·84E.
--------	---	---------------------------

II

766 ITALY - West Coast - Wreck.

Source: Italian Notice 23.4/25

Chart 131 (Panel B, Canale di Piombino) [*previous update 2665/25*] WGS84 DATUM

Insert



42° 45'·60N., 10° 25'·80E.

II

769 SPAIN - Mediterranean Sea Coast - Buoyage.

Source: Spanish Notice 40/308/25

Chart 1514 (INT 3176) [*previous update 5794/25*] WGS84 DATUM

Move



Fl(2)G.7s5M No 3, from:

39° 57′·123N., 0° 02′·290E.

to:

39° 57′·110N., 0° 02′·242E.



Fl(2)R.7s5M No 4, from:

39° 56′·888N., 0° 02′·185E.

to:

39° 56′·886N., 0° 02′·134E.

II

774 SPAIN - Mediterranean Sea Coast - Buoyage. Maritime limit. Legend.

Source: Spanish Notice 47/352/25

Chart 1180 (INT 3185) [*previous update 4402/25*] WGS84 DATUM

Insert

 *Fl.Y.5s1M*

maritime limit, pecked line, joining:

legend, Works in progress, centred on:

41° 18'·461N., 2° 09'·325E.

41° 18'·394N., 2° 09'·667E.

41° 18'·342N., 2° 09'·751E.

41° 17'·828N., 2° 08'·898E.

41° 18'·438N., 2° 09'·500E.

41° 18'·299N., 2° 09'·733E.

41° 18'·120N., 2° 09'·420E.

Chart 1196 (INT 3184) [*previous update 4402/25*] WGS84 DATUM

Insert

maritime limit, pecked line, joining:

legend, Works in progress, centred on:

41° 17'·83N., 2° 08'·90E.

41° 18'·44N., 2° 09'·50E.

41° 18'·30N., 2° 09'·73E.

41° 18'·12N., 2° 09'·39E.

II

777 GREECE - Kykládes - Depth.

Source: ENC GR6MAS01

Chart 1541 (Panel A, Órmos Katápola) [*previous update 5092/25*] WGS84 DATUM

Insert depth, *49*, and extend 50m contour W to enclose 36° 49'·589N., 25° 50'·518E.

II

797 ITALY - Sicilia - Wreck.

Source: Italian Notice 22.15/25

Chart 964 (Panel F, Mazara del Vallo) [*previous update 708/26*] WGS84 DATUM

Insert



37° 38′·967N., 12° 34′·762E.

II

806 GREECE - Aegean Sea Coast - NM Blocks.

Source: ENC GR5V6S01

Chart 1675 (Panel A, Órmos Sígri) [*previous update 262/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	39° 12'·9N., 25° 51'·1E.
	the accompanying block B, centred on:	39° 11'·6N., 25° 49'·9E.

II

808 TÜRKIYE - West Coast - Wreck.

Source: Turkish Notice 48/239/25

Chart 1624 (INT 3784) [*previous update 1130/23*] WGS84 DATUM

Insert



38° 28'·11N., 26° 35'·69E.


II

837 ITALY - East Coast - Obstructions. Buoy.

Source: Italian Notice 23.26/25

Chart 186 [*previous update 5013/25*] WGS84 DATUM


Insert



ODAS

(a) 41° 30'·8N., 18° 03'·3E.

Delete



Obstn, close NW of:

(a) above

Move



Fl(5)Y.20s ODAS EMSO-E2M3A, from:

41° 30'·8N., 18° 04'·6E.

to:

41° 32'·2N., 18° 02'·4E.

II

842 TÜRKIYE - West Coast - Light.
Source: Turkish Notice 44/217/25

Chart 1644 (Panel B, Güllük and Asin) [*previous update 684/26*] WGS84 DATUM

Amend light to, Fl.Y.4s9m3M 37° 15' · 19N., 27° 36' · 23E.

II

870 ITALY - East Coast - Superbuoy. Automatic Identification System.

Source: Italian Notices 23.23-24/25

Chart 187 [*previous update 44/26*] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s8M ODAS</i>	(a) 38° 39′.6N., 18° 09′.6E. (a) above
	Automatic Identification System, <i>AIS</i> , at superbuoy	

Chart 188 [*previous update 44/26*] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s8M ODAS</i>	(a) 38° 39′.6N., 18° 09′.6E. (a) above
	Automatic Identification System, <i>AIS</i> , at superbuoy	

Chart 1941 [*previous update 697/26*] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s8M ODAS</i>	(a) 36° 50′.0N., 16° 30′.0E. (a) above
	Automatic Identification System, <i>AIS</i> , at superbuoy	

II

877 CROATIA - Submarine power cables. Submarine pipelines. Legends.

Source: Croatian Notices 8/7-8/25

Chart 2711 [previous update 3839/25] WGS84 DATUM

Insert	submarine power cable,   , joining:	43° 41'·79N., 15° 42'·64E. 43° 42'·10N., 15° 43'·05E. 43° 42'·95N., 15° 43'·25E. 43° 44'·35N., 15° 44'·50E. 43° 44'·74N., 15° 44'·84E.
	submarine pipeline,  , joining:	43° 40'·77N., 15° 43'·04E. 43° 40'·73N., 15° 43'·33E. 43° 40'·77N., 15° 43'·77E. 43° 40'·55N., 15° 44'·60E. 43° 40'·45N., 15° 45'·20E. 43° 40'·45N., 15° 46'·00E. (a) 43° 40'·65N., 15° 46'·55E. (b) 43° 42'·31N., 15° 47'·28E. 43° 43'·29N., 15° 48'·43E. and (c) 43° 39'·42N., 15° 40'·40E. (d) 43° 39'·98N., 15° 41'·98E. 43° 40'·13N., 15° 42'·22E. 43° 40'·31N., 15° 42'·33E. 43° 40'·53N., 15° 42'·93E. legend, <i>Water</i> , along: (a)-(b) above (c)-(d) above

Chart 2773 (Panel A, Šibenik and Approaches) [previous update 4932/25] WGS84 DATUM

Insert	submarine power cable,   , joining:	43° 44'·01N., 15° 44'·20E. 43° 44'·75N., 15° 44'·85E. and 43° 44'·80N., 15° 44'·90E. 43° 44'·93N., 15° 44'·93E. 43° 45'·05N., 15° 44'·92E.
	submarine pipeline,  , joining:	(a) 43° 40'·58N., 15° 46'·55E. (b) 43° 42'·26N., 15° 47'·25E. 43° 42'·30N., 15° 47'·27E. 43° 42'·36N., 15° 47'·32E. (c) 43° 43'·29N., 15° 48'·43E. (d) 43° 44'·00N., 15° 49'·33E. legend, <i>Water</i> , along: (a)-(b) above (c)-(d) above

II

877 CROATIA - Submarine power cables. Submarine pipelines. Legends. (continued)

Chart 2774 [*previous update 2761/24*] WGS84 DATUM

Insert	submarine power cable,   , joining:	43° 41'·79N., 15° 42'·63E. 43° 42'·10N., 15° 43'·05E. 43° 42'·95N., 15° 43'·25E. 43° 44'·35N., 15° 44'·50E. 43° 44'·74N., 15° 44'·84E.
	submarine pipeline,  , joining:	43° 40'·77N., 15° 43'·04E. 43° 40'·73N., 15° 43'·33E. 43° 40'·77N., 15° 43'·77E. 43° 40'·55N., 15° 44'·60E. 43° 40'·45N., 15° 45'·20E. 43° 40'·45N., 15° 46'·00E. (a) 43° 40'·65N., 15° 46'·55E. (b) 43° 42'·31N., 15° 47'·28E. 43° 43'·29N., 15° 48'·43E. and (c) 43° 39'·42N., 15° 40'·40E. (d) 43° 39'·98N., 15° 41'·98E. 43° 40'·13N., 15° 42'·22E. 43° 40'·31N., 15° 42'·33E. 43° 40'·53N., 15° 42'·93E.
	legend, <i>Water</i> , along:	(a)-(b) above (c)-(d) above

II

888 **ITALY - Sicilia - Wreck.**

Source: Italian Notice 23.18/25

Chart 964 (Panel F, Mazara del Vallo) [*previous update 797/26*] WGS84 DATUM

Insert



37° 39′·007N., 12° 34′·958E.


II

889 **ITALY - Sicilia - Wrecks.**

Source: Italian Notice 24.19/25

Chart 994 (Panel A, Approaches to Catania) [*previous update 793/25*] WGS84 DATUM

Insert



Wk

(a) 37° 26'·73N., 15° 07'·70E.

Delete

++ , close SW of:

(a) above

II

805 IVORY COAST - NM Blocks. Depths.

Source: French Notice 43/166/25

Chart 1365 [*previous update 96/24*] WGS84 DATUM

Insert depth, 94, and extend 100m contour S to enclose 4° 11'·3N., 7° 29'·6W.

Chart 3100 (INT 2805) [*previous update 5334/25*] UNDETERMINED DATUM

Insert	depth, 84 and extend 100m contour SE to enclose	(a)	4° 39'·7N., 6° 08'·1W.
Delete	depth, 112, close NE of:	(a)	above
Insert	depth, 26, and extend 30m contour S to enclose	(b)	4° 51'·4N., 6° 11'·1W.
Delete	depth, 33, close SW of:	(b)	above
Insert	depth, 285, and extend 30m contour SW to enclose	(c)	4° 51'·3N., 6° 08'·1W.
Delete	depth, 33, close NW of:	(c)	above
Insert	depth, 43, and extend 50m approximate contour S to enclose		4° 52'·8N., 5° 54'·0W.
	depth, 22, and extend 30m approximate contour S to enclose		5° 00'·2N., 5° 30'·9W.
	depth, 92, and extend 100m contour SE to enclose		4° 55'·0N., 5° 16'·7W.
	depth, 21, enclosed by 30m contour		5° 00'·9N., 5° 11'·0W.
	depth, 41, and extend 50m approximate contour S to enclose		5° 04'·0N., 4° 42'·0W.
	depth, 78, and extend 100m contour SE to enclose		5° 03'·0N., 4° 35'·0W.
	depth, 89, and extend 100m contour SE to enclose		5° 03'·0N., 4° 33'·0W.
	depth, 78, and extend 100m contour S to enclose		5° 03'·5N., 4° 31'·0W.
	depth, 47, and extend 50m contour S to enclose		5° 08'·3N., 4° 26'·0W.
	submarine pipeline, ---, joining:		5° 01'·5N., 4° 27'·2W.
			5° 02'·4N., 4° 27'·1W.

Chart 3101 (INT 2872) (Panel A, Approaches to Port d'Abidjan) [*previous update 1650/25*] WGS84 DATUM

Insert	depth, 209, and extend 30m contour S to enclose	5° 13'·68N., 4° 03'·00W.
	depth, 97, and extend 100m contour SE to enclose	5° 11'·56N., 3° 59'·17W.

Chart 3101 (INT 2872) [*previous update 1650/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	5° 01'·9N., 4° 32'·8W.
	depth, 47, and extend 50m approximate contour S to enclose	5° 08'·27N., 4° 26'·00W.
	depth, 209, and extend 30m contour S to enclose	5° 13'·68N., 4° 03'·00W.
	depth, 97, and extend 100m contour SE to enclose	5° 11'·56N., 3° 59'·17W.

Chart 3104 (INT 2804) [*previous update 96/24*] WGS84 DATUM

Insert	depth, 94, and extend 100m contour S to enclose	4° 11'·3N., 7° 29'·6W.
	depth, 116, and extend 200m approximate contour S to enclose	4° 28'·6N., 6° 42'·2W.
	depth, 119, and extend 200m contour S to enclose	(a) 4° 29'·2N., 6° 40'·1W.
Delete	depth, 395, close S of:	(a) above
Insert	depth, 84, and extend 100m contour SE to enclose	(b) 4° 39'·7N., 6° 08'·1W.
Delete	depth, 112, close NE of:	(b) above
Insert	depth, 285, and extend 30m contour S to enclose	(c) 4° 51'·3N., 6° 08'·1W.
Delete	depth, 33, close NW of:	(c) above
Insert	depth, 26, and extend 30m contour S to enclose	(d) 4° 51'·4N., 6° 11'·1W.
Delete	depth, 33, close SW of:	(d) above

II

805 IVORY COAST - NM Blocks. Depths. (continued)

Chart 3108 (INT 2871) [*previous update 2086/24*] WGS84 DATUM

Insert	the accompanying block, centred on:	4° 49'·9N., 6° 08'·9W.
	depth, 116, and extend 200m approximate contour SE to	
	enclose	4° 28'·60N., 6° 42'·20W.
	depth, 119, and extend 200m approximate contour S to enclose	4° 29'·24N., 6° 40'·08W.
Delete	depth, 84, and extend 100m approximate contour S to enclose (a)	4° 39'·73N., 6° 08'·08W.
	depth, 112, close SE of:	(a) above

II

812* ANGOLA - Light.

Source: Angola LNG Ltd

Chart 659 (INT 2513) (Panel B, Port of Soyo) [*previous update 4709/25*] WGS84 DATUM

Amend	light to, Fl.R	6° 06'·952S., 12° 20'·562E.
-------	----------------	-----------------------------

Chart 659 (INT 2513) (Panel A, Approaches to Soyo) [*previous update 4709/25*] WGS84 DATUM

Amend	light to, Fl.R	6° 06'·953S., 12° 20'·564E.
-------	----------------	-----------------------------

II

789* UNITED ARAB EMIRATES - Depths.

Source: Dubai Maritime Authority

Chart 3175 (INT 7212) [*previous update 552/26*] WGS84 DATUM

Insert	depth, 162	(a)	25° 27'·40N., 55° 09'·27E.
Delete	depth, 175, close NW of:	(a)	above
Insert	depth, 188, and extend 20m contour E to enclose		25° 26'·60N., 55° 10'·13E.
	depth, 157	(b)	25° 24'·75N., 55° 06'·92E.
Delete	depth, 168, close SW of:	(b)	above

Chart 3176 (INT 7216) [*previous update 552/26*] WGS84 DATUM

Insert	depth, 162	(a)	25° 27'·40N., 55° 09'·27E.
Delete	depth, 175, close NW of:	(a)	above
Insert	depth, 188, and extend 20m contour E to enclose		25° 26'·60N., 55° 10'·13E.
	depth, 157	(b)	25° 24'·75N., 55° 06'·92E.
Delete	depth, 168, close SW of:	(b)	above

Chart 3412 (INT 7219) [*previous update 698/26*] WGS84 DATUM

Insert	depth, 163		25° 28'·31N., 55° 09'·21E.
	depth, 162	(a)	25° 27'·40N., 55° 09'·27E.
Delete	depth, 175, close NW of:	(a)	above
Insert	depth, 17		25° 26'·78N., 55° 09'·56E.
	depth, 188, enclosed by 20m contour		25° 26'·60N., 55° 10'·13E.
	depth, 208	(b)	25° 26'·26N., 55° 10'·44E.
Delete	depth, 225, close NE of:	(b)	above
Insert	depth, 165	(c)	25° 26'·55N., 55° 08'·84E.
Delete	depth, 177, close NE of:	(c)	above

II

818 BAHRAIN - NM Block.

Source: ENC BH45004B

Chart 3737 (INT 7255) [*previous update 576/26*] WGS84 DATUM

Insert the accompanying block, centred on:

26° 19'·5N., 50° 38'·0E.

II

841* UNITED ARAB EMIRATES - NM Block. Submarine pipeline. Restricted area. Platform.

Source: ADNOC

Chart 2889 (INT 7211) [*previous update 552/26*] WGS84 DATUM

Insert

submarine pipeline, , joining:

24° 53'·6N., 53° 03'·7E.

24° 53'·5N., 53° 01'·7E.

24° 48'·4N., 53° 01'·7E.

24° 46'·5N., 53° 03'·5E.

24° 46'·6N., 53° 06'·8E.

(a) 24° 48'·6N., 53° 11'·8E.

(b) 24° 40'·4N., 53° 45'·6E.

24° 32'·9N., 54° 01'·4E.

(c) 24° 30'·8N., 54° 01'·3E.

(a)-(b) above

legend, *Oil* (see Note - PIPELINES), along:



(c) above

limit of restricted area, , joining:

24° 24'·6N., 53° 55'·1E.

24° 35'·6N., 53° 55'·1E.

24° 35'·6N., 54° 04'·4E.

24° 27'·1N., 54° 04'·4E.

24° 27'·1N., 54° 07'·4E.

24° 24'·8N., 54° 07'·4E.

Chart 3177 (INT 7222) [*previous update 4025/25*] WGS84 DATUM

Insert

the accompanying block, centred on:

24° 30'·4N., 54° 01'·7E.

II

843 EGYPT - Red Sea Coast - Light-beacons. Beacon tower.
Source: ENC EG4EGR17

Chart 159 (INT 7010) [*previous update 4094/25*] WGS84 DATUM

Amend	light-beacon to, Q.9M	26° 45'·4N., 34° 04'·7E.
-------	-----------------------	--------------------------

Chart 2375 (INT 7132) [*previous update 555/26*] WGS84 DATUM

Amend	light-beacon to, Fl.R.5s13m6M	26° 36'·44N., 34° 01'·08E.
-------	-------------------------------	----------------------------

	light-beacon to, Q.9M	26° 45'·35N., 34° 04'·75E.
--	-----------------------	----------------------------

Replace	 (38) with  Q(3)10s6M	26° 45'·89N., 33° 59'·67E.
---------	---	----------------------------

II

881 OMAN - Buoy.
Source: ENC OM500052

Chart 3518 (Panel B, Port Sultan Qāboos and Muscat (Masqaṭ)) [*previous update 5828/25*] WGS84 DATUM

Amend designation of buoy to, *Ras Al Ward* 23° 37′·641N., 58° 35′·090E.

II

886 KUWAIT - Wreck.
Source: MENAS Notice 12/26

Chart 1214 [*previous update 315/26*] WGS84 DATUM

Insert



29° 23′·43N., 47° 49′·58E.

II

844 INDIA - West Coast - Light.

Source: Indian Notice 22/147/25

Chart 1488 (INT 7344) (Panel, Port Pīpāvāv) [*previous update 86/26*] WGS84 DATUM

Insert ★ Fl.R.5s 20° 54′·97N., 71° 30′·40E.

Chart 1488 (INT 7344) [*previous update 86/26*] WGS84 DATUM

Insert ★ Fl.R.5s 20° 54′·97N., 71° 30′·40E.

II

772 TAIWAN - NM Block. Pilot boarding places.

Source: UKHO

Chart 3230 [previous update 4834/25] WGS84 DATUM

Insert	the accompanying block, centred on:	22° 33'·6N., 120° 37'·1E.
	① <i>L</i>	22° 37'·59N., 120° 12'·53E.
	① <i>M</i>	22° 37'·51N., 120° 12'·95E.
	① <i>S</i>	(a) 22° 37'·29N., 120° 13'·45E.
Delete	① <i>First Entrance</i> , close NW of:	(a) above
Insert	① <i>Intercontinental Terminal</i>	22° 31'·82N., 120° 13'·93E.
	① <i>Intercontinental Terminal L</i>	(b) 22° 32'·22N., 120° 14'·75E.
Delete	former ① <i>Intercontinental Terminal</i> , close SE of:	(b) above
Insert	① <i>M</i>	(c) 22° 32'·37N., 120° 15'·75E.
Delete	① <i>Second Entrance</i> , close E of:	(c) above
Insert	① <i>S</i>	22° 32'·51N., 120° 16'·32E.

Chart 3232 [previous update 5400/25] WGS84 DATUM

Insert	①	22° 31'·96N., 120° 13'·83E.
--------	---	-----------------------------

II

801 TAIWAN - Depths. Obstruction. Rock.

Source: UKHO

Chart 2409 [*previous update 682/26*] WGS84 DATUM

Insert



Obstn

depth, 40 , enclosed by 50m contour

depth, 66 , with seabed type, *R*

Delete

depth, 86, close SE of:

23° 49′·43N., 119° 26′·40E.

23° 40′·35N., 119° 25′·61E.

(a) 23° 33′·58N., 119° 30′·09E.

(a) above

II

815 CHINA - East Coast - Virtual aids to navigation.

Source: Chinese Notice 43/1290/25

Chart 1754 [*previous update New Edition 27/11/2025*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS	26° 28'·7N., 119° 56'·8E. 26° 29'·1N., 119° 59'·7E.
--------	---	--

Chart 2400 [*previous update 27/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS	26° 28'·68N., 119° 56'·82E. 26° 29'·10N., 119° 59'·71E.
	symbol, Virtual aid to navigation, special topmark, V-AIS, out of position	26° 28'·79N., 119° 53'·40E.
	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	26° 26'·25N., 119° 54'·28E.

II

819 CHINA - South Coast - Buoyage.

Source: Chinese Notice 42/1263/25

Chart 1537 [*previous update 683/26*] CGCS 2000 DATUM

Insert



21° 08′·00N., 111° 40′·43E.

Chart 3348 [*previous update 3799/25*] CGCS 2000 DATUM

Insert



21° 04′·08N., 111° 25′·73E.

Chart 3892 [*previous update 279/26*] CGCS 2000 DATUM

Insert



21° 08′·0N., 111° 40′·6E.

21° 04′·1N., 111° 25′·7E.

II

820 CHINA - South Coast - Submarine power cable.

Source: Chinese Notice 38/1130/25

Chart 1784 [*previous update 98/26*] CGCS 2000 DATUM

Insert  , joining:

22° 55'·67N., 116° 23'·98E.

22° 55'·32N., 116° 24'·16E.

22° 53'·57N., 116° 23'·28E.

22° 49'·95N., 116° 23'·91E.

22° 46'·92N., 116° 22'·46E.

22° 42'·56N., 116° 25'·35E.

Chart 3489 (INT 553) [*previous update 5505/25*] WGS84 DATUM

Insert  , joining:

22° 51'·0N., 116° 23'·7E.

22° 46'·3N., 116° 22'·9E.

22° 43'·7N., 116° 24'·6E.

II

821 CHINA - East Coast - Buoy.

Source: Chinese Notice 43/1287/25

Chart 1130 [*previous update 751/26*] CGCS 2000 DATUM

Insert



VQ(3)5s No 1

29° 48′·85N., 122° 09′·85E.

II

857 CHINA - Yellow Sea Coast - Lights.

Source: Chinese Notice 38/1120/25

Chart 1254 [*previous update 385/26*] CGCS 2000 DATUM

- | | | |
|--------|--|-------------------------------|
| Insert | ★ Fl.8s18M and associated circular white arc | (a) 37° 28′·1N., 122° 14′·9E. |
| Delete | ★ Fl.8s15M, close SW of: | (a) above |

Chart 1255 [*previous update 657/26*] CGCS 2000 DATUM

- | | | |
|--------|--|-------------------------------|
| Insert | ★ Fl.8s18M and associated circular white arc | (a) 37° 28′·1N., 122° 14′·9E. |
| Delete | ★ Fl.8s15M and associated circular white arc, close SW of: | (a) above |

Chart 1289 [*previous update 385/26*] CGCS 2000 DATUM

- | | | |
|--------|---|---------------------------------|
| Insert | ★ Fl.8s36m18M and associated circular white arc | (a) 37° 28′·08N., 122° 14′·89E. |
| Delete | ★ Fl.8s29m15M and associated circular white arc, close SW of: | (a) above |

II

882 VIETNAM - Depths. Obstructions. Pilot boarding place. Wrecks.

Source: ENC V1300002

Chart 1965 [previous update 401/26] WGS84 DATUM

Insert	 Obstn	20° 36'·42N., 107° 01'·75E.
	 Obstn	20° 37'·80N., 107° 08'·22E.

Chart 3875 [previous update 401/26] WGS84 DATUM

Insert	depth, 64	(a) 20° 38'·82N., 106° 50'·14E.
Delete	depth, 73, close NW of:	(a) above
Insert	 Obstn	20° 46'·04N., 106° 56'·12E.
	①	20° 52'·52N., 107° 05'·16E.
	depth, 16, enclosed by 5m contour	20° 49'·41N., 107° 07'·14E.
	depth, 11	20° 44'·88N., 107° 05'·72E.
		20° 42'·76N., 107° 02'·39E.
		20° 41'·54N., 107° 01'·77E.
	 Obstn	20° 37'·80N., 107° 08'·22E.
	 Obstn	20° 36'·42N., 107° 01'·75E.
Delete	 Obstn	20° 47'·69N., 106° 54'·73E.

Chart 3881 [previous update 5348/25] WGS84 DATUM

Insert	depth, 64	20° 38'·82N., 106° 50'·14E.
	 Obstn	20° 46'·04N., 106° 56'·12E.
Delete	 Obstn	20° 47'·67N., 106° 54'·70E.

Chart 3882 [previous update New Edition 25/12/2025] WGS84 DATUM

Delete	 Obstn	20° 47'·66N., 106° 54'·71E.
--------	---	-----------------------------

Chart 3889 [previous update 5240/25] WGS84 DATUM

Insert	depth, 16, enclosed by 5m contour	20° 49'·41N., 107° 07'·14E.
--------	-----------------------------------	-----------------------------

Chart 3990 [previous update 401/26] WGS84 DATUM

Insert	 Obstn	20° 36'·4N., 107° 01'·7E.
--------	---	---------------------------

II

859 JAPAN - Seto Naikai - Light.

Source: Japanese Notice 5/48/26

Chart JP 106 [*previous update 5460/25*] WGS84 DATUM

Delete



34° 25′·39N., 135° 18′·93E.

II

860 JAPAN - Seto Naikai - Light.

Source: Japanese Notice 5/49/26

Chart JP 153 [*previous update 5563/25*] WGS84 DATUM

Replace



with ★ Fl R 3s 5M

34° 25′·00N., 133° 48′·52E.

II

861 JAPAN - Seto Naikai - Light.

Source: Japanese Notice 5/50/26

Chart JP 153 [*previous update 860/26*] WGS84 DATUM

Amend light to, Fl G 3s 5M

34° 18′·52N., 133° 32′·23E.

II

862 JAPAN - Seto Naikai - Virtual aid to navigation. Buoyage.

Source: Japanese Notice 5/51/26

Note: Former Notice 213(P)/26 is cancelled.

Chart JP 153 [*previous update 861/26*] WGS84 DATUM

Replace	 <i>Mo(A) 8s</i> with symbol, Virtual aid to navigation, safe water topmark, V-AIS	34° 21'·30N., 133° 23'·76E.
Delete	 <i>Iso 4s</i>	34° 20'·09N., 133° 28'·68E.

II

863 JAPAN - Seto Naikai - Fish haven.

Source: Japanese Notice 5/53/26

Chart JP 153 [*previous update 862/26*] WGS84 DATUM

Insert



34° 08′·43N., 133° 04′·50E.

Chart JP 1108 [*previous update 3425/25*] WGS84 DATUM

Insert



34° 08′·43N., 133° 04′·50E.

II

796 KOREA - South Coast - Lights.

Source: Korean Notice 43/636/25 and 43/368-640/25

Note: This update will be included in NEs of Charts 3365 and 3929 to be published spring 2026.

Chart 127 [*previous update 4565/25*] WGS84 DATUM

Amend range of light to, 7M

34° 32'·3N., 127° 41'·7E.

34° 27'·3N., 127° 33'·8E.

34° 26'·3N., 127° 35'·0E.

34° 25'·7N., 127° 19'·7E.

34° 22'·7N., 127° 16'·4E.

34° 19'·9N., 127° 22'·5E.

II

811 KOREA - West Coast - Fog signal. Platform. Radar beacon.

Source: Korean Notice 44/656/25

Chart 913 (INT 5254) [*previous update New Edition 13/11/2025*] WGS84 DATUM

Delete

☐ Mo(U)10s15m10M Anmado, and associated fog signal,

Horn(1)30s, and radar beacon, Racon(G)

35° 26'·99N., 126° 01'·95E.

II

852 KOREA - East Coast - Radio reporting line. Legend.

Source: ENC KR4GIN30

Chart 898 (Panel B, Pohang and Approaches) [*previous update 712/26*] WGS84 DATUM

Insert	radio reporting line, inbound only, pecked line, joining:	(a)	36° 07'·27N., 129° 24'·97E.
		(b)	36° 07'·27N., 129° 26'·00E.
			36° 07'·43N., 129° 26'·00E.
	legend, <i>Pohang VTS</i> (see Note), along:	(a) - (b)	above

II

765 **INDONESIA - Banda Sea - Light.**
Source: ENC ID300493

Chart 2936 [*previous update 2621/25*] WGS84 DATUM

Delete

★ Fl.G.5s8m4M PA

2° 02'·7S., 125° 52'·7E.

II

795 PHILIPPINE ISLANDS - Luzon - Depths.

Source: Philippine Notice 11/45/25

Note: This update is included in New Edition 3558 published early 2026.

Chart 4490 [*previous update 2263/25*] WGS84 DATUM

Replace depth, 29, with depth, 25

13° 42'·24N., 120° 55'·41E.

II

798 INDONESIA - Sulawesi - Depths.

Source: ENC's ID300173 and ID3173R2

Chart 2638 (Panel C, Teluk Parepare) [*previous update 633/26*] WGS84 DATUM

Insert	depth, <i>124</i>	(a)	4° 01'·32S., 119° 36'·46E.
Delete	depth, <i>196</i> , close SW of:	(a)	above
Insert	depth, <i>26</i>	(b)	4° 03'·73S., 119° 36'·65E.
Delete	depth, <i>30</i> , close NE of:	(b)	above
Insert	depth, <i>126</i>	(c)	4° 03'·61S., 119° 37'·16E.
Delete	depth, <i>164</i> , close NE of:	(c)	above

II

816 INDONESIA - Sulawesi - Beacons.

Source: Indonesian Notice 50/438/25

Chart 2952 [*previous update 609/26*] WGS84 DATUM

Delete



2° 02′·3S., 121° 31′·9E.



2° 02′·6S., 121° 33′·8E.



2° 03′·1S., 121° 33′·7E.

II

839 INDONESIA - Kalimantan - NM Blocks. Depths.

Source: ENC ID300285

Chart 1312 [*previous update 167/26*] WGS84 DATUM

Insert the accompanying block, centred on: 2° 00'·4S., 108° 44'·2E.

Chart 2470 [*previous update 206/26*] WGS84 DATUM

Insert depth, 129, and extend 20m contour NW to enclose depth, 295 2° 13'·6S., 108° 41'·7E.
(a) 2° 05'·2S., 108° 43'·1E.

Delete depth, 34, close SW of: (a) above

Replace depth, 188, with depth, 105 2° 05'·0S., 108° 47'·4E.

depth, 119, with depth, 86 1° 55'·1S., 108° 39'·8E.

depth, 25, with depth, 196, enclosed by 20m contour 1° 50'·0S., 108° 39'·9E.

Chart 2872 [*previous update 5710/25*] WGS84 DATUM

Insert the accompanying block, centred on: 2° 00'·0S., 108° 42'·4E.

Chart 3758 [*previous update 717/25*] WGS84 DATUM

Insert the accompanying block, centred on: 2° 00'·0S., 108° 42'·5E.

II

846 INDONESIA - Sulawesi - Submarine cable.

Source: UKHO

Chart 2638 (Panel A, Selat Bangka and Selat Lembeh) [*previous update 798/26*] WGS84 DATUM

Insert submarine cable, , joining:

1° 27'·71N., 124° 47'·17E.

1° 28'·32N., 124° 47'·21E.

II

802 AUSTRALIA - Western Australia - NM Blocks.

Source: Australian Notice 2/46/26

Chart Aus 327 [*previous update 654/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	20° 52'·9S., 115° 34'·6E.
	the accompanying block B, centred on:	21° 09'·9S., 116° 37'·0E.

II

810 AUSTRALIA - Queensland - Light-beacon.

Source: Australian Notice 2/41/26

Chart Aus 825 [*previous update 264/26*] WGS84 DATUM

Insert



Fl.G.2·5s

19° 48′·56S., 149° 03′·78E.

II

825 PAPUA NEW GUINEA - Light-beacon.

Source: Australian Notice 2/43/26

Chart PNG 379 [*previous update 3349/25*] WGS84 DATUM

Amend light-beacon to, Iso. 4s

9° 18′·6S., 146° 59′·5E.

II

856 AUSTRALIA - Queensland - Buoyage. Beacon. Light-beacons.

Source: Australian Notice 2/44/26

Chart Aus 293 [*previous update 5802/25*] WGS84 DATUM

Replace

 Q with  Q

10° 35'·93S., 142° 12'·51E.

 Q(9)15s with  Q(9)15s

10° 36'·55S., 142° 12'·77E.

Chart Aus 839 [*previous update 3443/25*] WGS84 DATUM

Insert

 Fl.R.4s

10° 11'·67S., 142° 20'·62E.

Chart Aus 841 [*previous update 3443/25*] WGS84 DATUM

Insert

 Fl.R.4s

10° 11'·67S., 142° 20'·62E.

Replace

 with  Fl.G.2·5s

9° 13'·51S., 142° 13'·28E.

II

768 NEW ZEALAND - North Island - Depths.

Source: New Zealand Notice 2/21/26

Chart NZ 5612 (Panel, Napier Harbour) [*previous update New Edition 01/07/2024*] WGS84 DATUM

Insert	depth, <i>119</i>	(a) 39° 27'·779S., 176° 55'·049E.
Delete	depth, <i>124</i> , close NW of:	(a) above

Chart NZ 5612 [*previous update New Edition 01/07/2024*] WGS84 DATUM

Insert	depth, <i>119</i>	39° 27'·78S., 176° 55'·05E.
--------	-------------------	-----------------------------

II

838 CANADA - British Columbia - NM Block.

Source: Canadian Notice 10/3440/25

Chart 4953 [*previous update 4324/25*] NAD83 DATUM

Insert the accompanying block, centred on:

48° 27'·4N., 123° 17'·1W.

II

855 CANADA - British Columbia - Obstructions. Outfall. Buoy. Fog signal.

Source: Canadian Notices 11/3800/25, 11/3868/25 and 11/3959/25

Chart 3754 [*previous update 5365/25*] NAD27 DATUM

Insert	 <i>ODAS</i>	54° 01'·82N., 133° 31'·40W.
	 <i>ODAS</i>	(a) 54° 27'·00N., 131° 21'·81W.
Delete	former  <i>ODAS</i> , close NW of:	(a) above
Insert	outfall,  , joining:	54° 33'·77N., 130° 24'·94W. 54° 34'·22N., 130° 25'·46W.
Move	 <i>FL.R "C26"</i> and associated fog signal, <i>Bell</i> , at light- buoy,	
	from:	54° 13'·07N., 131° 39'·20W.
	to:	54° 13'·72N., 131° 38'·52W.

II

775 ARGENTINA - Buoy. Light-beacon.

Source: Argentine Notice 1/15/26

Chart 1324 (Panel C, Puerto Campana) [*previous update 3859/25*] WGS84 DATUM

Insert	 Fl(4)R.16s Km 98.5	(a) 34° 08'·92S., 58° 58'·02W.
Delete	 Fl(4)R.16s Km 98.5, close NW of:	(a) above

Chart 1324 [*previous update 3859/25*] WGS84 DATUM

Insert	 Fl(4)R.16s Km 98.5	(a) 34° 08'·92S., 58° 58'·02W.
Delete	 Fl(4)R.16s Km 98.5, close NW of:	(a) above

II

880 ARGENTINA - Depths. Buoyage. Light.

Source: ENC's AR420070 and AR401560

Chart 1323 (Panel A) [previous update 2900/25] WGS84 DATUM

Insert	depth, <i>14</i>	(a) 34° 26'·65S., 58° 24'·65W.
Delete	depth, <i>19</i> , close SW of:	(a) above

Chart 1751 (Panel A, Puerto de Buenos Aires) [previous update 468/26] WGS84 DATUM

Insert	depth, <i>3</i> , enclosed by 3m contour	34° 35'·22S., 58° 16'·04W.
		34° 35'·46S., 58° 15'·76W.
Amend	<i>Km 0·9</i> light-buoy to, <i>Fl(3)R.12s</i>	34° 37'·70S., 58° 20'·08W.
	light-buoy to, <i>Fl(3)G.12s</i>	34° 37'·80S., 58° 20'·04W.
Delete	 <i>Fl.5s</i>	34° 37'·83S., 58° 19'·99W.
	★ <i>Fl.Y.2s & Dir Iso.WRG.2s</i>	34° 37'·86S., 58° 20'·07W.

II

771 VENEZUELA - Ferry routes.

Source: ENC VE400505

Chart 230 (Panel, Bahía de Guamache) [*previous update 5808/25*] WGS84 DATUM

Insert	ferry route, pecked line, joining:	10° 51'·96N., 64° 08'·00W.
		10° 52'·46N., 64° 06'·63W.
		10° 53'·31N., 64° 05'·40W.
		10° 53'·78N., 64° 05'·70W.
		and
		10° 53'·36N., 64° 05'·45W.
		10° 53'·87N., 64° 05'·99W.

Chart 230 [*previous update 5808/25*] WGS84 DATUM

Insert	ferry route, pecked line, joining:	10° 50'·10N., 64° 15'·05W.
		10° 50'·54N., 64° 13'·92W.
		10° 51'·96N., 64° 08'·00W.
		10° 52'·46N., 64° 06'·63W.
		10° 53'·31N., 64° 05'·40W.
		10° 53'·78N., 64° 05'·70W.
		and
		10° 53'·36N., 64° 05'·45W.
		10° 53'·87N., 64° 05'·99W.

II

779 COLOMBIA - Caribbean Sea Coast - Wreck.

Source: Colombian Notice 1/26

Chart 1277 [*previous update 641/26*] WGS84 DATUM

Insert



10° 17'·91N., 75° 36'·43W.

Chart 2434 (Panel A, Bahía de Cartagena) [*previous update 5056/25*] WGS84 DATUM

Insert



10° 17'·91N., 75° 36'·43W.

II

833 **UNITED STATES OF AMERICA - Gulf of Mexico - Buoy.**
Source: ENC US5HOUEE

Chart 3188 (Panel 1) [*previous update 3958/25*] NAD83 DATUM

Delete symbol, orange and white pillar light-buoy, *Fl.4s* 29° 44'·543N., 95° 06'·290W.

II

834 UNITED STATES OF AMERICA - Gulf of Mexico - Superbuoys. Light.

Source: ENC US5BROCD

Chart 3184 (Panel C, Brazos Santiago to Port Brownsville) [*previous update 496/26*] NAD83 DATUM

Insert	 Fl. Y. 5s ODAS 'A'	26° 02'·50N., 97° 07'·53W.
	 Fl. Y. 5s ODAS 'B'	26° 01'·58N., 97° 07'·51W.
Delete	★ 2 Q.G. 25ft	26° 04'·45N., 97° 10'·83W.

II

851 WEST INDIES - Windward Islands - Restricted area. Anchorage areas.

Source: French Notice 46/260/25

Chart 368 [*previous update 737/26*] WGS84 DATUM

Insert	limit of restricted area, TTTT ^X TTTT , joining:		14° 36'·133N., 61° 04'·164W.
		(a)	14° 36'·030N., 61° 04'·210W.
		(b)	14° 36'·095N., 61° 04'·262W.
		(c)	14° 36'·094N., 61° 04'·362W.
			14° 35'·811N., 61° 03'·967W.
Delete	former limit of anchorage area, pecked line, joining:		14° 35'·849N., 61° 04'·200W.
		(a) above	
			14° 36'·132N., 61° 04'·161W.
			14° 35'·810N., 61° 03'·965W.
			14° 35'·805N., 61° 04'·208W.
			14° 35'·981N., 61° 04'·220W.
			14° 35'·997N., 61° 04'·223W.
		(b) above	
		(c) above	

II

873 UNITED STATES OF AMERICA - Gulf of Mexico - Fouls. Fish haven.
Source: ENC US3GC07M

Chart 3852 [*previous update 3766/25*] NAD83 DATUM

Insert	#(145)	27° 34'·1N., 82° 59'·0W.
	#(139)	27° 34'·1N., 82° 57'·8W.

Chart 3853 [*previous update 1928/25*] NAD83 DATUM

Insert	#(145)	27° 34'·1N., 82° 59'·0W.
	#(139)	27° 34'·1N., 82° 57'·8W.
Replace	 (106) with  (87)	27° 32'·3N., 82° 52'·8W.

II

885* WEST INDIES - Virgin Islands - Note. Legend.

Source: Virgin Islands Shipping Registry

Chart 2020 (Panel A, North Sound and Approaches) [*previous update New Edition 04/09/2025*] WGS84 DATUM

Insert	the accompanying note, NORTH SOUND CHANNEL, centred on:	18° 29'·279N., 64° 20'·294W.
	legend, <i>North Sound Channel (see Note)</i> , between:	18° 30'·880N., 64° 22'·844W.
		18° 30'·529N., 64° 22'·753W.

II

770 CANADA - Saint Lawrence River - Depths. Light. Landmark.

Source: Canadian Notices 10/1236/25 and 10/1320/25

Chart 4777 [*previous update 3888/25*] NAD83 DATUM

Replace

- Fl 2s34m12M Fl R 6s34m5M and associated sectors with

 Phare/Lt Ho Aband

48° 24'·93N., 68° 53'·57W.

depth, 12, with depth, 06

48° 24'·19N., 68° 55'·72W.

depth, 159, with depth, 154

48° 17'·84N., 69° 07'·13W.

Chart 4782 [*previous update New Edition 19/06/2025*] NAD83 DATUM

Insert

depth, 94, and extend 10m contour W to enclose

48° 23'·94N., 68° 54'·30W.

depth, 86, and extend 10m contour W to enclose

48° 24'·17N., 68° 55'·90W.

Replace

- Fl 2s34m12M Fl R 6s34m5M and associated sectors with

 Phare/Lt Ho Aband

48° 24'·93N., 68° 53'·57W.

depth, 58, with depth, 52

48° 24'·24N., 68° 55'·24W.

depth, 12, with depth, 06

48° 24'·19N., 68° 55'·72W.

depth, 159, with depth, 154

48° 17'·84N., 69° 07'·12W.

II

776 CANADA - Gulf of Saint Lawrence - Light.
Source: Canadian Notice 12/4023/25

Chart 4765 [*previous update 5545/25*] NAD83 DATUM

Amend light to, Fl 5s59ft11M

46° 40'·1N., 64° 42'·6W.

II

793 CANADA - Gulf of Saint Lawrence - Obstruction.

Source: Canadian Notices 12/4015/25 and 12/4022/25

Chart 4763 [*previous update 153/26*] NAD83 DATUM

Delete



47° 22'·8N., 60° 17'·8W.

Chart 4764 [*previous update 5544/25*] NAD83 DATUM

Delete



47° 22'·8N., 60° 17'·8W.

II

830 CANADA - Gulf of Saint Lawrence - Light. Landmark.
Source: Canadian Notice 11/4025/25

Chart 4404 (INT 404) [*previous update 487/26*] WGS84 DATUM

Delete



49° 20'·8N., 61° 53'·9W.

Chart 4767 [*previous update 660/24*] NAD83 DATUM

Replace



• Fl R 6s34m5M with ☉ Phare/LtHo Aband

49° 21'·1N., 61° 53'·7W.

II

865 **UNITED STATES OF AMERICA - East Coast - Buoyage.**
Source: ENC's US5BGRDD and US5BGRDC

Chart 2486 [*previous update 386/26*] NAD83 DATUM

Insert



Fl.2.5s 'DL'

44° 06'·06N., 68° 57'·10W.



Fl.Y.2.5s 'C'

44° 06'·54N., 69° 04'·38W.

Delete



'I'

44° 07'·85N., 69° 04'·18W.

II

872 CANADA - Saint Lawrence River - Beacon. Legend.

Source: Canadian Notice 12/1236/25

Chart 4777 (Panel, Forestville) [*previous update 770/26*] NAD83 DATUM

Delete

• Bn Or

48° 44'·99N., 69° 01'·87W.

Chart 4777 [*previous update 770/26*] NAD83 DATUM

Delete

legend, BnOr, centred on:

48° 44'·81N., 69° 01'·77W.

II

883 CANADA - Saint Lawrence River - Lights.

Source: Canadian Notice 12/1314/25

Chart 4788 (Panel, Portneuf) [*previous update New Edition 11/12/2025*] NAD83 DATUM

Insert	 • Iso R 2s9m10M	46° 40' 56.2"N., 71° 52' 38.3"W.
Delete	 • Iso R 2s9m6M	46° 40' 51.9"N., 71° 52' 37.1"W.

Chart 4788 [*previous update New Edition 11/12/2025*] NAD83 DATUM

Insert	 • Iso R 2s9m	(a) 46° 40' .94N., 71° 52' .64W.
Delete	 • Iso R 2s9m6M, close SE of:	(a) above

II

762(T)/26 WALES - North Coast - Buoy.

Source: Port of Mostyn

1. An isolated danger buoy marking a steel pile approximately 1m above Chart Datum has been deployed in position 53° 19'·33N., 3° 15'·71W.
2. Mariners are advised to navigate with caution in the area and consult local port authorities for the latest information. (ETRS89 DATUM)

Chart affected - 1953

II

804(P)/26 ENGLAND - East Coast - Depths. Wrecks. Obstruction.

Source: mv Northern Storm

1. Recent survey information has shown that depths less than charted exist east of Black Halls Point. The most significant is as follows:

<i>Depth</i>	<i>Position</i>
18·9m	54° 45'·42N., 1° 12'·51W.

2. The least depth over the wrecks in the following positions is reported to be:

<i>Depth</i>	<i>Position</i>
22m	54° 48'·83N., 1° 13'·81W.
43·5m	54° 53'·88N., 1° 08'·21W.
40m	54° 56'·25N., 1° 10'·88W.
43m	54° 53'·41N., 1° 08'·69W.
40m	54° 43'·33N., 0° 57'·21W.
* 41m	55° 00'·85N., 1° 14'·06W.

3. An obstruction, depth 46·0m, is reported to exist in position 55° 02'·04N., 1° 14'·49W.
4. Mariners are advised to navigate with caution in the area.
5. Charts will be updated when full details are available.
6. *Former Notice 235(P)/26 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 152 (INT 1549) - 156 - 1191 (INT 1507) - 1192 (INT 1506) - 1935 - 2567 - 5615_1 - 5615_5 - 5615_6

II

867(T)/26 IRELAND - South Coast - Works. Bridge.

Source: Wexford County Council Notice 3/26

1. Maintenance works are taking place at Barrow Railway Bridge 52° 16'·87N., 7° 00'·16W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 2046 - 5622_4

II

875(P)/26 ENGLAND - East Coast - Depths. Drying height. Dredged depths. Dredged area.

Source: Port of Blyth

- Depths less than charted exist within the Port of Blyth. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·6m	55° 08'·484N., 1° 31'·225W.
4·2m	55° 08'·451N., 1° 31'·167W.
5·4m	55° 08'·418N., 1° 31'·223W.
0·4m	55° 08'·269N., 1° 31'·248W.
3·6m	55° 07'·126N., 1° 29'·810W.
*Drying 0·1m	55° 08'·066N., 1° 30'·903W.
*4·9m	55° 07'·947N., 1° 30'·642W.
*0·4m	55° 07'·763N., 1° 30'·250W.
*6·7m	55° 07'·438N., 1° 29'·730W.
*3·9m	55° 07'·203N., 1° 29'·714W.

- *Dredged depths within the Port have changed as follows:

<i>Designation</i>	<i>Charted depth</i>	<i>New depth</i>	<i>Position</i>
Battleship Wharf Berth 1	5·8m	6·7m	55° 08'·200N., 1° 30'·980W.
Bates Wharf	7·6m	8m	55° 08'·148N., 1° 31'·095W.
Wimbourne Quay	6·7m	7·6m	55° 07'·984N., 1° 30'·743W.

- *The dredged depth at Dun Cow Quay has been reduced to 6·7m and the limit of the dredged area has been amended to the following positions:

55° 07'·754N., 1° 30'·186W.
 55° 07'·740N., 1° 30'·200W.
 55° 07'·677N., 1° 30'·024W.
 55° 07'·691N., 1° 30'·009W.
 55° 07'·754N., 1° 30'·186W.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- These changes will be included in the next New Edition of Charts 1626 and 5615_19.
- *Former Notice 5577(P)/25 is cancelled.
 *Indicates new or revised entry
 (ETRS89 DATUM)

Charts affected - 1626 - 5615_19

II

849(T)/26 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 5/18(T)/26

1. A yellow spherical light-buoy, *Fl.Y.5s DP*, has been established, in position 54° 49'·2N., 4° 56'·2E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2182A (INT 1043) - 2182B (INT 1042) - 4140 (INT 140)

II

845(P)/26 CROATIA - Depths. Buoy.

Source: Croatian Notices 11/7-8/25

1. Depths less than charted exist within the approaches to Split. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
12·5m	43° 30'·64N., 16° 22'·38E.
14·1m	43° 30'·49N., 16° 22'·18E.
16·8m	43° 31'·45N., 16° 24'·51E.
10·8m	43° 31'·42N., 16° 24'·76E.
4·8m	43° 31'·85N., 16° 24'·64E.
7·7m	43° 31'·95N., 16° 24'·49E.
21·5m	43° 32'·30N., 16° 25'·30E.
20·5m	43° 32'·38N., 16° 23'·63E.
18·2m	43° 32'·44N., 16° 23'·02E.
10·5m	43° 32'·52N., 16° 22'·30E.
10·1m	43° 32'·56N., 16° 22'·07E.

2. A north cardinal pillar buoy, *Q.4M*, has been established in position 43° 31'·74N., 16° 27'·44E.
3. These changes will be included in the next New Edition of Chart 269 to be published *early/mid/late* 2026.
(WGS84 DATUM)

Chart affected - 269

II

847(P)/26 TÜRKIYE - South Coast - Submarine cable.

Source: Turkish Notice 52/257/25

1. A submarine cable has been laid, joining the following positions:

36° 11'·99N., 29° 37'·47E.
36° 10'·20N., 29° 37'·51E.
36° 08'·27N., 29° 38'·96E.
36° 05'·89N., 29° 44'·60E.
36° 08'·72N., 29° 51'·82E.
36° 11'·27N., 29° 56'·75E.
36° 14'·83N., 30° 12'·70E.
36° 16'·89N., 30° 17'·28E.
36° 18'·37N., 30° 18'·47E.

2. These changes will be included in the next New Editions of Charts 236 and 1054 to be published early 2026.
(WGS84 DATUM)

Charts affected - 236 - 1054

II

868(T)/26 ITALY - West Coast - Restricted area.

Source: Italian Notice 24.23(T)/25

1. A restricted area, entry prohibited, has been established bounded by the following positions:

44° 25'·245N., 8° 47'·850E.

44° 25'·235N., 8° 47'·916E.

44° 25'·129N., 8° 47'·886E.

44° 25'·139N., 8° 47'·820E.

(WGS84 DATUM)

Chart affected - 354 (INT 3361)

II

869(P)/26 MOROCCO - North Coast - Works. Restricted area. Buoyage. Virtual aids to navigation.

Source: French Notice 05/08(T)/26

1. Work areas for the port extension works at the Tanger Med passenger and ro-ro port, within which entry is prohibited, have been established, marked by the following buoyage:
2. Special buoys, *Fl Y.7M* :

<i>Designation</i>	<i>Position</i>
<i>BS1</i>	35° 53'·18N., 5° 31'·02W.
<i>BS2</i>	35° 53'·08N., 5° 31'·53W.
<i>BS4</i>	35° 53'·40N., 5° 31'·35W.

3. Virtual aids to navigation (V-AIS):

<i>Designation</i>	<i>Position</i>	<i>MMSI N°</i>
<i>BV1</i>	35° 53'·06N., 5° 31'·25W.	992426110
<i>BV2</i>	35° 53'·08N., 5° 31'·53W.	992426111
<i>BV3</i>	35° 53'·18N., 5° 31'·26W.	992426112
<i>BV4</i>	35° 53'·19N., 5° 31'·54W.	992426113
<i>BV5</i>	35° 53'·48N., 5° 31'·14W.	992426114
<i>BV6</i>	35° 53'·37N., 5° 31'·46W.	992426115
<i>BV8</i>	35° 53'·55N., 5° 31'·35W.	992426116
<i>BV11</i>	35° 53'·66N., 5° 30'·51W.	992426117
<i>BV12</i>	35° 53'·83N., 5° 30'·48W.	992426118

4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 141 (INT 1972) - 145 (INT 1971)

II

788(T)/26 GAMBIA - Buoyage.

Source: Gambia Ports Authority

1. The following light-buoys have been reported unlit:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl(2)15s</i>	<i>No 2</i>	Safe Water Buoy	13° 31'·70N., 16° 49'·20W.
<i>Fl(2)R.8s</i>		Red lateral buoy	13° 29'·09N., 16° 33'·34W.

2. The *No 3* light-buoy, *Fl.7·5s*, in position 13° 34'·35N., 16° 44'·39W. is reported off station.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 608 (INT 1996) - 1664 (INT 1954)

II

871(T)/26 MOROCCO - West Coast - Wreck.

Source: French Notice 02/01(P)/26

1. A dangerous wreck exists in position 28° 32'·0N., 11° 27'·0W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3133

II

853(P)/26 TANZANIA - Depths.

Source: Commercial survey

1. Depths less than charted exist within the approaches to Tanga. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
28·9m	4° 55'·98S., 39° 12'·17E.
25·5m	4° 56'·15S., 39° 12'·10E.
28·3m	4° 56'·43S., 39° 11'·97E.
21·1m	4° 56'·74S., 39° 11'·79E.
29·3m	4° 57'·16S., 39° 11'·50E.
27·7m	4° 57'·21S., 39° 11'·69E.
29·1m	4° 57'·27S., 39° 11'·50E.
29·7m	4° 57'·40S., 39° 11'·55E.
14·9m	4° 59'·66S., 39° 11'·19E.
19·8m	4° 59'·83S., 39° 11'·16E.
21·5m	5° 01'·01S., 39° 10'·70E.
11·7m	5° 02'·349S., 39° 08'·902E.
12·2m	5° 02'·437S., 39° 08'·710E.
9·8m	5° 02'·01S., 39° 08'·60E.
14·4m	5° 02'·342S., 39° 08'·312E.
13·6m	5° 02'·420S., 39° 08'·166E.

2. Mariners are advised to navigate with caution in this area and consult the local port authorities for the latest information.
3. These and other changes will be included in a New Edition of Chart 663 to be published early 2026.
4. Charts 3310 and 3361 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 663 (INT 7698)

II

866(T)/26 SOUTH AFRICA - South Coast - Buoy. Radar beacon.

Source: South African Notice 12/79(T)/25

1. The E.M Control light-buoy, *Mo(X)Y.27m10M* in position 34° 54'·8S., 21° 42'·6E., has been temporarily extinguished.
2. The associated radar beacon, *Racon(X)*, is reported inoperative.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4153 (INT 7510) - 4178 (INT 7050)

II

787(T)/26 UNITED ARAB EMIRATES - Dredging area. Reclamation area. Works.

Source: Abu Dhabi Maritime

1. Dredging, Reclamation and Marine Works are taking place in the vicinity Jazirat al Lu' lu' (Lulu Island), bounded by the following approximate positions:

24° 28'·67N., 54° 20'·33E.

24° 29'·13N., 54° 18'·83E.

24° 30'·35N., 54° 17'·38E.

24° 31'·59N., 54° 18'·77E.

24° 30'·99N., 54° 20'·28E.

24° 31'·81N., 54° 21'·23E.

24° 30'·28N., 54° 21'·98E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 3713 (INT 7223) - 3715 (INT 7224)

II

878(T)/26 INDIA - West Coast - Buoyage.

Source: Indian Notice 22/154(T)/25 and INCOIS

1. Yellow data light-buoys, *Fl(4)15s*, with radar reflectors and mast carrying sensors have been established in the following positions:

Buoy	Position
<i>AD06</i>	18° 16'·2N., 67° 12'·5E.
<i>*AD06 (Old)</i>	16° 58'·1N., 70° 23'·6E.
<i>AD07</i>	14° 56'·6N., 68° 59'·1E.
<i>AD08</i>	12° 10'·0N., 67° 54'·7E.
<i>AD09</i>	8° 05'·4N., 73° 16'·4E.
<i>AD10</i>	10° 18'·8N., 72° 35'·4E.
<i>*CALVAL (Old)</i>	10° 35'·7N., 72° 16'·3E.
<i>CALVAL</i>	10° 29'·6N., 72° 11'·6E.
<i>CB02</i>	10° 52'·4N., 72° 12'·6E.
<i>TB12</i>	19° 45'·1N., 67° 07'·8E.
<i>STB02</i>	20° 45'·6N., 65° 16'·8E.

2. Mariners are advised to maintain a clearance of 1 nautical mile.
3. The positions of these buoys change frequently. The latest positions are available on the Indian National Centre for Ocean Information Services website at incois.gov.in/portal/OON.jsp
4. *Former Notice 4585(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 707 - 709 - 4703 (INT 703) - 4705 (INT 705) - 4706 (INT 706) - 4707 (INT 707) - IN 22 (INT 752) - IN 273 - IN 292 (INT 7021) - IN 293 (INT 7022) - IN 294 (INT 7023)

II

879(T)/26 INDIAN OCEAN - Buoyage.

Source: Indian Notice 22/155(T)/25 and INCOIS

1. Yellow data light-buoys, *Fl(4)15s*, with radar reflectors and mast-carrying sensors have been established in the following positions:

<i>Buoy</i>	<i>Position</i>	<i>Remark</i>
<i>BD08</i>	17° 49'·25N., 89° 12'·50E.	OMNI
<i>*BD09</i>	17° 27'·8N., 89° 06'·1E.	OMNI
<i>BD10</i>	16° 18'·32N., 87° 59'·20E.	OMNI
<i>*BD11</i>	17° 47'·9N., 92° 47'·7E.	OMNI
<i>BD12</i>	10° 32'·5N., 94° 01'·2E.	OMNI
<i>BD13</i>	13° 56'·28N., 86° 59'·82E.	OMNI
<i>BD14</i>	6° 34'·35N., 88° 19'·47E.	OMNI
<i>CB01</i>	11° 35'·33N., 92° 35'·77E.	Coastal
<i>CB06</i>	13° 05'·58N., 80° 18'·45E.	Coastal
<i>TB05</i>	10° 15'·1N., 88° 33'·0E.	Tsunami
<i>TB06</i>	14° 41'·8N., 89° 33'·2E.	Tsunami
<i>TB09</i>	16° 45'·6N., 89° 54'·9E.	Tsunami
<i>STB01</i>	6° 15'·00N., 88° 52'·80E.	Tsunami
<i>STB03</i>	3° 48'·6N., 91° 42'·0E.	Tsunami

2. Mariners are advised to maintain a clearance of 1 nautical mile.
3. The positions of these buoys change frequently. The latest positions are available on the Indian National Centre for Ocean Information Services website at incois.gov.in/portal/OON.jsp
4. *Former Notice 4581(T)/25 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Charts affected - 317 (INT 7400) - 818 (INT 7433) - 830 - 1398 - 4706 (INT 706) - 4707 (INT 707) - IN 31 (INT 756) - IN 32 (INT 754) - IN 33 (INT 755) - IN 313 - IN 357 (INT 7397) - IN 472 (INT 7032) - IN 473 (INT 7031) - IN 3001 (INT 7402) - IN 3004 (INT 7403)

II

854(P)/26 MALACCA STRAIT - Submarine cable. Works.

Source: Marine Department, Malaysia Notices 245(T)/25, 250(T)/25 and Maritime and Port Authority of Singapore

1. Submarine cable laying operations are taking place in connection with the SEA-ME-WE6 cable, joining the following positions:

- a. Segment S1.0

2° 45'·05N., 101° 26'·51E.

2° 43'·47N., 101° 24'·70E.

2° 41'·32N., 101° 23'·29E.

2° 41'·11N., 101° 22'·37E.

- b. Segment S1A

1° 20'·19N., 103° 37'·93E.

1° 20'·13N., 103° 37'·73E.

1° 19'·26N., 103° 37'·11E.

1° 15'·661N., 103° 36'·170E.

1° 12'·75N., 103° 36'·13E.

1° 12'·48N., 103° 35'·88E.

1° 12'·47N., 103° 35'·21E.

1° 13'·20N., 103° 32'·91E.

1° 12'·98N., 103° 32'·41E.

1° 15'·02N., 103° 24'·87E.

1° 30'·88N., 103° 10'·00E.

1° 39'·02N., 102° 58'·25E.

1° 57'·21N., 102° 17'·71E.

2° 23'·14N., 101° 45'·93E.

2° 23'·83N., 101° 44'·51E.

2° 32'·54N., 101° 33'·85E.

2° 33'·73N., 101° 32'·94E.

2° 41'·11N., 101° 22'·37E.

- c. Segment S1B

2° 41'·11N., 101° 22'·37E.

2° 42'·73N., 101° 17'·30E.

2° 47'·38N., 101° 09'·92E.

2° 50'·13N., 101° 04'·66E.

2° 56'·70N., 100° 58'·19E.

3° 00'·08N., 100° 56'·22E.

3° 01'·88N., 100° 53'·61E.

3° 03'·40N., 100° 47'·95E.

3° 11'·31N., 100° 38'·00E.

3° 43'·92N., 100° 01'·62E.

3° 44'·06N., 100° 00'·09E.

4° 35'·44N., 99° 05'·32E.

5° 24'·9N., 98° 26'·1E.

5° 36'·88N., 98° 17'·80E.

6° 37'·4N., 97° 47'·7E.

7° 48'·2N., 95° 30'·1E.

6° 23'·0N., 94° 22'·1E.

6° 02'·9N., 93° 46'·6E.

5° 44'·3N., 92° 30'·7E.

5° 58'·1N., 91° 38'·1E.

5° 52'·4N., 89° 01'·1E.

II

854(P)/26 MALACCA STRAIT - Submarine cable. Works. (continued)

6° 10′·2N., 88° 22′·8E.

2. Charts will be updated when works are complete.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 830 - 1140 - 1141 - 1146 - 2139 - 2158 - 2403 - 3833 - 3900 - 3901 - 3902 - 3904 - 3919 - 3920 - 3921 - 3940 - 3944 - 3945 - 3946 - 3947 - 4038 - 4039 - 4040 - 4706 (INT 706) - 4707 (INT 707) - IN 33 (INT 755) - IN 472 (INT 7032)

II

763(T)/26 MALAYSIA - Peninsular Malaysia, East Coast - Buoy.

Source: Marine Department, Malaysia Notice 255(T)/25

1. The special light-buoy, *Fl.Y.10s*, in position $5^{\circ} 54' \cdot 11\text{N.}$, $102^{\circ} 32' \cdot 89\text{E.}$ is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3447

II

864(T)/26 JAPAN - Nansei Shotō - Depths.

Source: Japanese Notice 5/5038(T)/26

1. Depths less than charted exist in the following positions:

<i>Depth</i>	<i>Position</i>
9m	24° 26'·37N., 123° 48'·10E.
2m	24° 27'·78N., 123° 49'·33E.
5m	24° 26'·97N., 123° 49'·35E.
0·4m	24° 27'·03N., 123° 49'·63E.
2m	24° 27'·38N., 123° 49'·68E.
4m	24° 26'·88N., 123° 49'·72E.
0·1m	24° 27'·30N., 123° 49'·85E.
6m	24° 24'·23N., 123° 53'·35E.

2. Depths up to 20m less than charted exist on the west side of a line joining the following positions:

24° 24'·10N., 123° 53'·35E.

24° 23'·75N., 123° 53'·33E.

24° 23'·50N., 123° 53'·18E.

3. Depths up to 20m less than charted exist on the east side of a line joining the following positions:

24° 23'·50N., 123° 53'·30E.

24° 23'·73N., 123° 53'·45E.

24° 24'·02N., 123° 53'·45E.

(WGS84 DATUM)

Chart affected - JP 1206

II

790(P)/26 PHILIPPINE ISLANDS - Mindanao - Submarine cable.

Source: NAMRIA NAVPHIL 279/25

1. A submarine cable is being laid, joining the following positions:

7° 06'·53N., 125° 39'·86E.

7° 06'·70N., 125° 39'·66E.

7° 06'·87N., 125° 39'·47E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4494

II

799(P)/26 PAPUA NEW GUINEA - Obstruction.

Source: UKHO

1. A 7·9m obstruction exists in position 1° 22′·7S., 144° 25′·9E.
2. This change will be included in a New Edition of Chart 4603 to be published early 2026.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4603 (INT 603)

II

803(P)/26 AUSTRALIA - Western Australia - Depths. Submarine pipelines.

Source: Australian Charts 4722 and 4723

1. Depths less than charted exist. The most significant are as follows:

<i>Depth</i>	<i>Position</i>	<i>Charts affected</i>
60m	21° 29'·8S., 114° 37'·7E.	4723
145m	20° 01'·7S., 115° 12'·2E.	4723
87m	18° 45'·5S., 119° 26'·6E.	4722
38m	19° 14'·8S., 120° 14'·6E.	4722
60m	18° 26'·9S., 120° 08'·8E.	4722
42m	17° 54'·8S., 121° 40'·3E.	4722
104m	16° 56'·3S., 120° 51'·7E.	4722
18·8m	16° 43'·3S., 121° 38'·5E.	4722
48m	14° 44'·0S., 124° 02'·0E.	4722
57m	13° 01'·7S., 124° 52'·4E.	4722
49m	12° 21'·1S., 125° 11'·2E.	4722
48m	12° 30'·6S., 125° 30'·8E.	4722

2. Submarine pipelines exist in the vicinity of the following positions (Chart affected 4723):

20° 27'·8S., 114° 50'·2E.
 20° 34'·5S., 115° 06'·7E.
 20° 41'·2S., 115° 24'·8E.
 and
 20° 34'·5S., 115° 06'·7E.
 20° 09'·0S., 114° 49'·4E.
 20° 02'·3S., 114° 46'·9E.
 19° 54'·9S., 114° 40'·3E.
 19° 52'·9S., 114° 38'·7E.
 19° 48'·3S., 114° 36'·5E.

3. Mariners are advised to navigate with caution in the area.
4. These and other changes will be included in the New Editions of Charts 4722 and 4723 to be published early 2026.
 (WGS84 DATUM)

Charts affected - 4722 (INT 722) - 4723 (INT 723)

II

809(T)/26 AUSTRALIA - Victoria - Works.

Source: Australian Notice 2/70(T)/26

1. On or about 27 January 2026, an unmanned surface vehicle (USV), *Fugro Kwilena*, will be conducting infrastructure survey operations within an area bounded by the following positions:

37° 48'·6S., 148° 25'·8E.

37° 48'·6S., 148° 26'·6E.

37° 51'·2S., 148° 26'·7E.

37° 51'·2S., 148° 25'·9E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 357

II

822(T)/26 AUSTRALIA - Queensland - General information. Depths. Obstructions.

Source: Australian Notice 2/61(T)/26

1. Recent flooding has occurred in many areas of Central Queensland between Hay Point and Cairns.
2. Obstructions may exist and depths may not be consistent with charted information. Nav aids may be off station or destroyed.
3. Mariners are advised to navigate with extreme caution in the area.
(WGS84 DATUM)

Charts affected - Aus 819 - Aus 820 - Aus 821 - Aus 822 - Aus 823 - Aus 824 - Aus 825 - Aus 826 - Aus 827 - Aus 828 - Aus 829 - Aus 830

II

823(T)/26 AUSTRALIA - Queensland - Buoyage.

Source: Australian Notice 2/57(T)/26

1. *Special light-buoys, *Fl.Y.2.5s*, exist in the following positions:

19° 06'·45S., 146° 32'·48E.

19° 07'·34S., 146° 52'·92E.

19° 09'·32S., 146° 52'·10E.

19° 12'·79S., 146° 47'·55E.

19° 13'·58S., 146° 56'·98E.

19° 14'·80S., 146° 48'·90E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 3988(T)/24 is cancelled.

*Indicates revised entry

(WGS84 DATUM)

Chart affected - Aus 827

II

824(P)/26 AUSTRALIA - Northern Territory - Depth.

Source: Australian Notice 2/45/26

1. Depth 85m exists in position 9° 35'·0S., 131° 53'·2E.
2. This change will be included in a New Edition of Chart 4603 to be published early 2026.
(WGS84 DATUM)

Chart affected - 4603 (INT 603)

II

874(T)/26 AUSTRALIA - Queensland - Buoy. Automatic Identification System.

Source: Australian Notice 2/52(T)/26

1. The north cardinal light-buoy, *Q. 7M AIS* , in position $24^{\circ} 21' \cdot 14\text{S.}$, $153^{\circ} 09' \cdot 11\text{E.}$, is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - Aus 816 - Aus 818

II

887(P)/26 AUSTRALIA - Western Australia - Submarine cable. Works.

Source: OMS Group and Australian Notice 2/63(T)/26

1. A submarine cable is being laid between Perth and Sydney, in the vicinity of the lines joining following positions:

31° 56'·2S., 115° 45'·3E.
31° 52'·8S., 115° 41'·5E.
31° 47'·4S., 115° 39'·7E.
31° 47'·4S., 115° 30'·2E.
31° 48'·6S., 115° 24'·8E.
31° 48'·7S., 115° 20'·6E.

2. and

32° 12'·6S., 115° 40'·2E.
32° 12'·4S., 115° 33'·9E.
32° 01'·3S., 115° 21'·7E.
31° 48'·7S., 115° 20'·6E.

3. and

31° 48'·7S., 115° 20'·6E.
31° 48'·1S., 115° 11'·4E.
31° 39'·8S., 114° 50'·2E.
31° 41'·2S., 114° 39'·8E.
31° 38'·2S., 114° 27'·4E.
31° 37'·5S., 114° 07'·6E.
31° 41'·8S., 113° 59'·8E.
31° 48'·7S., 113° 54'·8E.
32° 34'·2S., 113° 44'·8E.
32° 54'·0S., 113° 48'·2E.
34° 13'·9S., 113° 49'·1E.
34° 36'·5S., 113° 54'·7E.
34° 55'·0S., 114° 05'·9E.
35° 06'·4S., 114° 20'·8E.
35° 11'·7S., 114° 32'·6E.
35° 17'·5S., 114° 37'·9E.
35° 31'·8S., 114° 40'·2E.
35° 37'·4S., 114° 44'·9E.
35° 48'·6S., 115° 17'·2E.
35° 59'·6S., 117° 30'·0E.

4. and

35° 59'·6S., 117° 30'·0E.
36° 12'·1S., 120° 22'·9E.
36° 15'·2S., 121° 26'·8E.
36° 19'·2S., 121° 56'·7E.
36° 20'·0S., 123° 40'·8E.
36° 26'·5S., 125° 06'·3E.
36° 23'·8S., 125° 36'·3E.
36° 28'·3S., 126° 07'·4E.
36° 30'·4S., 126° 58'·7E.
36° 28'·5S., 127° 36'·2E.
36° 37'·3S., 130° 19'·8E.
36° 42'·1S., 133° 26'·4E.
36° 41'·4S., 134° 31'·4E.
36° 49'·4S., 135° 18'·7E.

II

887(P)/26 AUSTRALIA - Western Australia - Submarine cable. Works. (continued)

5. and

36° 49'·4S., 135° 18'·7E.
36° 41'·7S., 135° 15'·9E.
36° 32'·9S., 135° 19'·2E.
36° 23'·2S., 135° 26'·7E.
36° 16'·4S., 135° 34'·5E.
35° 51'·4S., 135° 52'·5E.
35° 40'·4S., 136° 03'·4E.
35° 38'·5S., 136° 07'·5E.
35° 32'·1S., 136° 45'·5E.
35° 31'·8S., 137° 11'·9E.
35° 19'·8S., 137° 56'·4E.
35° 14'·9S., 138° 06'·8E.
35° 00'·4S., 138° 22'·2E.
34° 58'·1S., 138° 26'·1E.
34° 57'·6S., 138° 30'·1E.

6. and

36° 49'·4S., 135° 18'·7E.
37° 26'·8S., 136° 17'·2E.
38° 31'·8S., 138° 32'·0E.
39° 21'·8S., 139° 44'·7E.
39° 55'·9S., 140° 51'·5E.
39° 56'·7S., 141° 26'·5E.
39° 53'·6S., 142° 30'·1E.
39° 51'·1S., 142° 42'·3E.
39° 22'·2S., 143° 29'·9E.
38° 43'·6S., 144° 08'·3E.
38° 27'·7S., 144° 25'·4E.
38° 26'·9S., 144° 27'·4E.
38° 26'·8S., 144° 29'·2E.

7. and

38° 20'·4S., 144° 19'·4E.
38° 21'·0S., 144° 19'·9E.
38° 21'·2S., 144° 20'·3E.
38° 21'·9S., 144° 23'·1E.
38° 22'·0S., 144° 23'·5E.
38° 24'·7S., 144° 26'·2E.
38° 26'·9S., 144° 27'·4E.

8. and

38° 20'·4S., 144° 19'·4E.
38° 21'·0S., 144° 19'·9E.
38° 21'·2S., 144° 20'·2E.
38° 21'·8S., 144° 23'·3E.
38° 22'·0S., 144° 23'·7E.
38° 23'·1S., 144° 25'·0E.
38° 25'·0S., 144° 28'·5E.
38° 25'·7S., 144° 29'·3E.
38° 26'·8S., 144° 29'·2E.

II

887(P)/26 AUSTRALIA - Western Australia - Submarine cable. Works. (continued)

9. and

38° 26'·8S., 144° 29'·2E.
38° 28'·0S., 144° 31'·1E.
38° 43'·0S., 144° 49'·5E.
39° 00'·1S., 145° 31'·1E.
39° 00'·3S., 145° 33'·0E.
39° 17'·0S., 146° 14'·2E.
39° 18'·9S., 146° 17'·2E.
39° 33'·4S., 146° 30'·0E.
39° 36'·1S., 146° 33'·4E.
39° 36'·5S., 147° 23'·3E.
39° 32'·4S., 147° 32'·4E.
39° 25'·0S., 148° 36'·4E.
39° 20'·3S., 148° 43'·6E.
39° 18'·5S., 148° 45'·8E.
39° 17'·0S., 148° 48'·5E.
39° 15'·6S., 148° 53'·6E.
39° 14'·9S., 149° 06'·2E.
39° 15'·8S., 149° 28'·0E.

10. and

39° 15'·8S., 149° 28'·0E.
39° 15'·9S., 149° 30'·0E.
39° 11'·5S., 149° 54'·1E.
39° 07'·2S., 150° 04'·5E.
38° 33'·9S., 150° 46'·5E.
38° 20'·4S., 150° 58'·5E.
35° 17'·1S., 151° 56'·5E.
35° 00'·2S., 152° 00'·5E.
34° 45'·7S., 151° 58'·0E.
34° 35'·1S., 151° 53'·8E.
34° 28'·9S., 151° 46'·3E.
34° 20'·6S., 151° 43'·6E.
34° 17'·9S., 151° 39'·4E.
34° 12'·6S., 151° 32'·4E.
34° 10'·2S., 151° 28'·3E.
34° 02'·7S., 151° 24'·6E.
34° 02'·0S., 151° 22'·4E.
33° 58'·2S., 151° 20'·6E.
33° 57'·3S., 151° 18'·7E.
33° 56'·9S., 151° 15'·4E.

11. *Cable lay and post-lay inspection activities will occur along the route and mariners are advised to keep clear of vessels, *Ile d'yue* and *Peter Faber*, during these activities.
12. *Mariners are advised to navigate with caution in the areas. Further advice on specific areas of activity will be issued through the AUSCOAST warning system.
13. Charts will be updated when full details are available upon completion of the submarine cable laying works.
14. *Former Notice 3079(P)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 4601 (INT 601) - 4602 (INT 602) - 4708 (INT 708) - 4709 (INT 709) - 4710 (INT 710) - Aus 143 - Aus 357 - Aus 801 - Aus 802 - Aus 808

II

761(P)/26 NEW ZEALAND - South Island - Rocks. Islet.

Source: New Zealand Notice 2/23(P)/26

1. A recent hydrographic survey (2025) in the vicinity of Te Whanganui / Port Underwood - Waikutakuta / Robin Hood Bay has indicated changes to rocks. The most significant changes are as follows:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Underwater Rock	2·7m	41° 20'·97S., 174° 08'·91E.
Underwater Rock	11·9m	41° 21'·36S., 174° 08'·20E.

2. An islet with an elevation of 1·7m exists in position 41° 21'·14S., 174° 08'·15E.
3. Mariners are advised to exercise caution when navigating in the area.
4. Charting action will take place in due course.
(WGS84 DATUM)

Chart affected - NZ 463

II

828(T)/26 SOUTH PACIFIC OCEAN - Solomon Islands - Light-beacon.

Source: Australian Notice 2/83(T)/26

1. *The topmark on light-beacon, Fl(3)R.10s 11m 5M (8° 05'·55S., 156° 51'·82E.) has been destroyed.
2. *Mariners are advised to navigate with caution in the area.
3. *Former Notice 4294(T)/25 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Charts affected - SLB 102 - SLB 301 - SLB 302

II

876(T)/26 SOUTH PACIFIC OCEAN - Fiji Islands - Lights.

Source: Maritime Safety Authority of Fiji

1. The following lights are reported to be temporarily unlit:

<i>Characteristic</i>	<i>Position</i>
LFl(2)30s14m12M	18° 08'·02S., 178° 41'·22E.
Fl.5s70m15M	16° 13'·41S., 179° 05'·77E.
LFl.8s10m10M	16° 57'·86S., 179° 51'·84E.
*Fl(3)12s12m15M	18° 24'·25S., 178° 09'·95E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 196(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 384 - 440 (INT 6854) - 441 - 488 - 744 - 745 - 746 - 749 - 751 - 1673 - 1674 - 1682 - 2691 (INT 6856) - 4632 (INT 632) - 4638 (INT 638)

II

791(P)/26 MEXICO - Gulf of Mexico - Wreck.

Source: NAVAREA IV 53/26

1. A dangerous wreck has been reported in position 25° 14'·2N., 97° 07'·7W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3768 - 4400 (INT 400) - 4401 (INT 401)

II

800(P)/26 MEXICO - Gulf of Mexico - Depths.

Source: ENC's MX683211 and MX583210

1. Depths less than charted exist within Dos Bocas. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·6m	18° 25'·945N., 93° 12'·159W.
9·8m	18° 25'·981N., 93° 12'·133W.
9·4m	18° 26'·023N., 93° 12'·105W.
3·8m	18° 26'·619N., 93° 11'·510W.
7·1m	18° 25'·956N., 93° 11'·322W.
7·2m	18° 25'·875N., 93° 11'·330W.
4·9m	18° 26'·004N., 93° 11'·212W.
7m	18° 26'·010N., 93° 11'·157W.
6·1m	18° 26'·005N., 93° 11'·032W.
5·3m	18° 25'·878N., 93° 12'·594W.
9·3m	18° 27'·35N., 93° 13'·45W.
17·6m	18° 28'·97N., 93° 08'·36W.
19·9m	18° 28'·88N., 93° 11'·43W.

2. *Depths deeper than charted exist within the Port of Dos Bocas. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
14m	18° 27'·161N., 93° 12'·511W.
13·3m	18° 27'·077N., 93° 12'·396W.
12·8m	18° 26'·988N., 93° 12'·389W.
13·1m	18° 26'·915N., 93° 12'·305W.
12·3m	18° 26'·778N., 93° 12'·334W.
13·1m	18° 27'·235N., 93° 12'·208W.
13·6m	18° 26'·863N., 93° 12'·092W.
12·2m	18° 26'·708N., 93° 12'·113W.

3. *A new pier has been established, joining the following positions:

18° 26'·069N., 93° 12'·059W.
18° 26'·299N., 93° 12'·142W.

4. *A restricted area, Security Zone III, prohibiting all activity except that required for oil exploration and production, has been established joining the following positions:

18° 27'·63N., 93° 16'·42W.
18° 27'·10N., 93° 15'·40W.
18° 36'·40N., 93° 07'·40W.
18° 40'·16N., 93° 06'·88W.

5. and

18° 40'·60N., 93° 11'·46W.
18° 38'·65N., 93° 16'·42W.

6. *Restricted areas, prohibiting fishing and diving, and with a maximum navigation speed of 5 knots, have been established, joining the following positions:

18° 28'·00N., 93° 15'·00W.
18° 32'·40N., 93° 15'·00W.
18° 32'·40N., 93° 11'·60W.
18° 28'·90N., 93° 11'·60W.
18° 28'·00N., 93° 12'·65W.

II

800(P)/26 MEXICO - Gulf of Mexico - Depths. (continued)

7. and

18° 28'·62N., 93° 08'·40W.
18° 29'·50N., 93° 08'·40W.
18° 32'·10N., 93° 09'·90W.
18° 32'·40N., 93° 11'·60W.
18° 28'·90N., 93° 11'·60W.
18° 28'·00N., 93° 12'·65W.

8. and

18° 28'·00N., 93° 14'·92W.
18° 27'·50N., 93° 14'·90W.
18° 27'·50N., 93° 09'·10W.

9. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

10. *These changes will be included in the next New Edition of Chart 359.

11. *Charts 2626 and 1307 will be updated by Notice to Mariners.

12. *Former Notice 2711(P)/24 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Chart affected - 359

II

786(T)/26 CANADA - Saint Lawrence River - Anchorage area.

Source: Canadian Notice 12/1212(T)/25

1. An anchor has been reported lost in position 49° 15' 24·6"N., 68° 07' 15·6"W.
2. Mariners are advised to navigate with caution in the area.
(NAD83 DATUM)

Chart affected - 4778