



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 09

26 February 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
167	4603	INT 305	NP 131
264	4708	INT 603	NP 247(1)
1159	4722	INT 708	NP 247(2)
1188	4723	INT 722	
1211	5614_16	INT 723	
1274	5614_17	INT 1045	
1618	5614_18	INT 1462	
1624	5614_19	INT 1553	
1625	AUS 143	INT 1554	
1985	DE 50	INT 1565	
2016	DE 91	INT 1602	
2035		INT 1729	
2133		INT 3784	
2236		INT 4180	
2237		INT 7115	
2238		INT 7139	
2720			
3496			
3497			
3561			

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 26 February 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1159	Türkiye, İstanbul Boğazi Güneyi (Southern Bosphoros). This chart remains affected by Notice 5172(T)/21.	1:20,000	29	48
⊙1274	Black Sea – Türkiye, Samsun and Fatsa with Approaches. Ⓐ Samsun. Ⓑ Approaches to Samsun. Ⓒ Approaches to Fatsa.	1:12,500 1:100,000 1:100,000	31	46
⊙2016 INT 4180	International Chart Series, West Indies, Puerto Rico to Leeward Islands. On publication of this New Edition former Notice 969(P)/20 is cancelled. This chart remains affected by Notices 4268(P)/20, 3579(T)/21 and 2008(P)/25. This chart is to be deleted from the list of charts affected by Notice 630(P)/20.	1:300,000	86	124
⊙2035 INT 1729	International Chart Series, England - South Coast, Western Approaches to the Solent. This chart remains affected by Notices 4646(T)/25, 4902(T)/25 and 5299(T)/25.	1:25,000	1	24
⊙2133 INT 7139	International Chart Series, Red Sea - Egypt, Gulf of Suez, Approaches to Suez Bay (Bağır al Qulzum). On publication of this New Edition former Notice 5813(P)/25 is cancelled.	1:55,000	32	60
⊙2236	Black Sea, Türkiye, Georgia and Russia, Tirebolu to Tuapse.	1:400,000	31	46
⊙2237	Black Sea, Türkiye, İnceburun to Işıklı Burnu. This chart remains affected by Notice 2383(T)/24.	1:400,000	31	46
⊙2238	Black Sea – Türkiye, Kefken Adası to İnceburun. This chart remains affected by Notices 2383(T)/24 and 4708(P)/24.	1:400,000	31	46, 48
⊙2720 INT 1602	International Chart Series, Scotland - North Coast, Flannan Isles to Sule Skerry. This chart is to be deleted from the list of charts affected by Notice 1064(P)/25.	1:200,000	6	28
⊙4603 INT 603	International Chart Series, Indian Ocean, Australia - North Coast and Adjacent Waters. This chart remains affected by Notices 128(T)/25, 1541(T)/25, 192(T)/26 799(P)/26 and 824(P)/26.	1:3,500,000	63	18

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 26 February 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙4708 INT 708	International Chart Series, Indian Ocean, Australia, West Coast. This chart remains affected by Notices 3827(T)/23, 3749(T)/24, 5803(T)/24, 1541(T)/25, 3441(P)/25, 3939(P)/25, 215(T)/26 and 887(P)/26.	1:3,500,000	64	18, 136
⊙4722 INT 722	International Chart Series, Australia - Northwest Coast, Adele Island to Dampier including adjacent waters. On publication of this New Edition former Notice 803(P)/26 is cancelled. This chart remains affected by Notices 1541(T)/25, 1947(T)/25, 5257(T)/25, 192(T)/26.	1:1,500,000	63	70, 72, 74, 88
⊙4723 INT 723	International Chart Series, Australia - North West Coast, Java to North West Cape. On publication of this New Edition former Notices 1733(T)/20 and 803(P)/26 are cancelled. This chart remains affected by Notices 3827(T)/23, 5803(T)/24, 1541(T)/25, 4301(T)/25, 5138(T)/25, 5251(T)/25, 5760(T)/25, 5777(T)/25, 215(T)/26 and 579(T)/26.	1:1,500,000	63	70, 72, 88, 92

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP247(1) & e-NP247(1)	ADMIRALTY Annual Summary of Notices to Mariners Part 1 Annual Notices to Mariners 1 – 26 Temporary and Preliminary Notices 2026 Edition ISBN: 978-0-70-772-6250	26/02/2026	This Edition supersedes NP247(1) 2025 which is hereby cancelled.
NP247(2) & e-NP247(2)	ADMIRALTY Annual Summary of Notices to Mariners Part 2 Updates to Sailing Directions and Miscellaneous Nautical Publications 2026 Edition ISBN: 978-0-70-772-6144	26/02/2026	This Edition supersedes NP247(2) 2025 which is hereby cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 12 MARCH 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
167 INT 305	International Chart Series, Mediterranean Sea, Genova to Sicilian Channel and Stretto di Messina.	1:1,000,000	⊙167 INT 305	24	20, 42, 44
264 INT 7115	International Chart Series, Gulf of Aden, Approaches to Djibouti.	1:50,000	⊙264 INT 7115	32	60
1188 INT 1553	International Chart Series, England - East Coast, River Humber, Spurn Head to Immingham. Grimsby.	1:25,000 1:10,000	⊙1188 INT 1553	7	26
1211	Italy – Sardegna, Capo Ferro to Capo Coda Cavallo.	1:50,000	⊙1211	25	42
1618	Türkiye - West Coast, Çandarlı Körfezi and Approaches. Ⓐ Aliaga. Ⓑ Nemrut Limanı.	1:50,000 1:25,000 1:15,000	⊙1618	29	48
1624 INT 3784	International Chart Series, Türkiye - West Coast, Approaches to İzmir including İzmir Körfezi.	1:75,000	⊙1624 INT 3784	29	48, 50
1625	Aegean Sea, Greece and Türkiye, Nísos Chíos to Ildır Körfezi. Ⓐ Chíos. Ⓑ Çeşme.	1:50,000 1:10,000 1:10,000	⊙1625	29	48, 50
1985	Mediterranean Sea, Ajaccio to Oristano including Bonifacio Strait.	1:300,000	⊙1985	25	42
3496 INT 1565	International Chart Series, England - East Coast, River Humber, Immingham and Hull. Ⓐ Hull Docks Eastern Part. Ⓑ Hull Docks Western Part. Ⓒ Immingham Oil Terminal to Humber Sea Terminal.	1:10,000 1:10,000 1:10,000	⊙3496 INT 1565	7	26
3497 INT 1554	International Chart Series, England - East Coast, River Humber, Immingham to Humber Bridge and the Rivers Ouse and Trent. Ⓐ Humber Bridge to Whitton Ness. Ⓑ Whitton Ness to Goole and Keadby. Ⓒ Keadby to Gainsborough. Ⓓ Goole.	1:25,000 1:50,000 1:50,000 1:100,000 1:5,000	⊙3497 INT 1554	7	26
3561	Argentina - Uruguay, Río de la Plata, La Plata to Carmelo. Punta Pereira.	1:100,000 1:20,000	⊙3561	95	118
DE50 INT 1045	International Chart Series, North Sea, Germany, Netherlands and Denmark, Terschelling to Esbjerg.	1:375,000	⊙DE50 INT 1045	9	32
DE91 INT 1462	International Chart Series, North Sea, Germany and The Netherlands, River Ems, Dukegat to Emssperrwerk (Ems Flood Barrier) Emden.	1:30,000 1:12,500	⊙DE91 INT 1462	9	32

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 12 MARCH 2026

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5614_16	Spurn Head to Grimsby Middle.	1:25,000	5614_16	31
5614_17	Ⓐ Approaches to Grimsby. Ⓑ Grimsby.	1:25,000 1:10,000	5614_17	31
5614_18	Ⓐ Immingham to Saltend. Ⓑ Goole.	1:25,000 1:5,000	5614_18	31
5614_19	Ⓐ Kingston Upon Hull to Humber Bridge. Ⓑ Humber Bridge to Whitton Ness. Ⓒ Hull Docks Western Part.	1:25,000 1:50,000 1:10,000	5614_19	31

CHARTS TO BE AVAILABLE 12 MARCH 2026

New Editions

Reproductions of Australian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
AUS143	Australia - South Coast, Victoria, Port Phillip.	1:100,000	⊙AUS143	65	92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
1159	Türkiye, İstanbul Boğazi Güneyi (Southern Bosphoros).	⊙1159
1274	Black Sea – Türkiye, Samsun and Fatsa with Approaches.	⊙1274
2016 INT 4180	International Chart Series, West Indies, Puerto Rico to Leeward Islands.	⊙2016 INT 4180
2035 INT 1729	International Chart Series, England - South Coast, Western Approaches to The Solent.	⊙2035 INT 1729
2133 INT 7139	International chart Series, Red Sea - Egypt, Gulf of Suez, Approaches to Suez Bay (Bağır al Qulzum).	⊙2133 INT 7139
2236	Black Sea, Türkiye, Georgia and Russia, Tirebolu to Tuapse.	⊙2236
2237	Black Sea, Türkiye, İnceburun to Işikli Burnu.	⊙2237
2238	Black Sea – Türkiye, Kefken Adası to İnceburun.	⊙2238
2720 INT 1602	International Chart Series, Scotland - North Coast, Flannan Isles to Sule Skerry.	⊙2720 INT 1602
4603 INT 603	International Chart Series, Indian Ocean, Australia - North Coast and Adjacent Waters.	⊙4603 INT 603
4708 INT 708	International Chart Series, Indian Ocean, Australia, West Coast.	⊙4708 INT 708
4722 INT 722	International Chart Series, Australia - Northwest Coast, Adele Island to Dampier including adjacent waters.	⊙4722 INT 722
4723 INT 723	International Chart Series, Australia - North West Coast, Java to North West Cape.	⊙4723 INT 723

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 3, Sub-Distributor Section, Latvia,

Insert:

Hansael SIA	
SUB DISTRIBUTOR OF: Navtor AS	
Piedrujas iela 7	
Rīga	
LV-1073	
T: +371 67 325 352	
F: +371 67320772	
hansael@hansael.eu	
https://hansael.eu/	
DIGITAL	PAPER

Page 3, Sub-Distributors

Insert:

Solas Marine Ve Gemi Donatim Hizmetleri Ltd	
SUB DISTRIBUTOR OF: Novaco Navigation	
Limited	
Evliyaçelebi Mh, Ozen SK	
No:4/B	
Tuzla	
İstanbul	
Türkiye	
T: +90 216 701 16 17	
info@solasmarine.com.tr	
www.solasmarine.com.tr	
Digital, POD, Publications	

Page 3, Technical Solution Provider Section,

Insert:

Avenca Limited	
The Old Barn	
Old Road	
Alderbury	
Salisbury	
Wiltshire	
SP5 3AR	
United Kingdom	
T: +44 1725 514776	
info@avenca.co.uk	
www.avenca.co.uk	
AVCS Online	

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
38	898	1504	955
44	980	1543	954
110	982T	1555	960
116	982T	1630	982T
118	922	1631	955
120	982T	1632	982T
122	982T	1633	982T
124	982T	1644	934
130	982T	1705	939
148	973	1784	958
159	930	1831	950T
200	926	1908	922
205	904	1911	922
220	926	1914	922
236	934	1998	922
266	911, 935T, 982T	2014	920
268	935T	2015	920
269	963	2018	899T, 920
306	912T	2040	920
350	985	2052	897P, 913
351	961	2055	906
443	936T	2059	906
463	902P	2101	948
515	909, 942	2132	929
595	964	2151	933
601	979	2182C	900
686	979	2225	977
798	890, 906	2241	977
802	905	2246	941
837	907	2248	977
849	917	2250	916
850	917	2254	981
862	915T	2264	977
863	974	2288	920
924	910	2350	932
958	962	2375	930
1000	971T	2407	904
1001	971T	2435	947
1008	927	2441	893
1009	908	2492	943
1055	934	2603	895
1059	894	2643	932
1062	919	2645	953
1085	919	2653	953
1087	919	2655	932
1095	934	2666	984
1099	934	2678	952
1100	894	2693	897P, 913
1144	944	2712	963
1147	979	2733	945
1190	921	2739	981
1199	914, 944	2764	969T
1200	921	2766	969T
1207	922	2773	909
1210	922	2774	963
1261	894	2789	981
1267	973	2816	899T
1281	976, 983	2817	977
1303	944	2837	893
1305	931	2847	893
1306	944	2850	918
1339	925	2858	893
1384	924	2861	891
1385	924, 964	2875	892
1387	964	2876	892
1408	955	2883	893
1427	900	2887	893, 959
1429	956	2888	893, 959
1431	980	2889	959

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Indian Chart No.	Notices
2915	892	IN 2076	896P
2941	978		
2949	951		
2952	978	Japanese Chart No.	Notices
2953	970		
3015	968	JP 10	965, 966
3118	964	JP 120	967T
3175	959	JP 1030	965, 966
3176	959	JP 1169	967T
3178	972P		
3179	972P		
3274	901	International Chart No.	Notices
3291	912T		
3310	951		
3321	964	INT 209	964
3337	923	INT 400	975
3361	951	INT 401	975
3409	893	INT 404	984
3412	959	INT 750	893
3433	964	INT 1041	900
3706	892	INT 1045	982T
3819	977	INT 1085	979
3986	894	INT 1103	945
4119	903T, 928T	INT 1176	910
4121	928T	INT 1179	908
4122	903T, 928T	INT 1201	920
4129	928T	INT 1202	899T, 920
4209	964	INT 1204	906
4232	949P	INT 1216	906
4400	975	INT 1218	920
4401	975	INT 1219	920
4404	984	INT 1220	890, 906
4746	943	INT 1232	907
4749	943	INT 1251	977
4952	940	INT 1298	952
4956	986	INT 1336	962
4960	940	INT 1401	900
4966	940	INT 1403	956
5602_2	973	INT 1416	982T
5602_4	973	INT 1417	982T
5607_5	897P, 913	INT 1418	955
5614_1	897P, 954	INT 1420	982T
5614_11	921	INT 1423	982T
5620_12	901	INT 1425	933
5621_3	980	INT 1452	937
		INT 1453	938
		INT 1454	938
		INT 1456	937
		INT 1461	982T
		INT 1471	982T
		INT 1472	982T
		INT 1473	982T
		INT 1474	982T
		INT 1477	982T
		INT 1479	982T
		INT 1508	921
		INT 1510	955
		INT 1556	921
		INT 1560	897P, 913
		INT 1570	897P, 913
		INT 1650	901
		INT 1662	980
		INT 1772	905
		INT 1800	932
		INT 1993	971T
		INT 1994	971T
		INT 2087	964
		INT 2088	964
		INT 2807	924
Australian Chart No.	Notices		
Aus 57	946		
Aus 143	957T		
Belgian Chart No.	Notices		
BE 101	982T		
German Chart No.	Notices		
DE 2	937		
DE 44	937		
DE 46	938		
DE 47	938		
DE 50	982T		
DE 90	982T		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 2808	924, 964		
INT 2810	964		
INT 2814	912T		
INT 2892	964		
INT 2899	964		
INT 3199	941		
INT 3492	904		
INT 3493	904		
INT 3657	948		
INT 4191	969T		
INT 7010	930		
INT 7017	893		
INT 7018	893		
INT 7019	898		
INT 7056	951		
INT 7132	930		
INT 7138	929		
INT 7199	893, 959		
INT 7211	959		
INT 7212	959		
INT 7216	959		
INT 7219	959		
INT 7226	972P		
INT 7229	972P		
INT 7232	893, 959		
INT 7233	893		
INT 7260	893		
INT 7338	896P		
INT 7690	951		
INT 7700	951		

II

929 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
2132 INT 7138	4767/23	Effective from 26/02/2026 Delete panel A, AIN SUKHNA – NORTH PORT (Sokhna Port) AND OIL TERMINAL Delete panel A, within Source Diagram

II

901* WALES - South Coast - Buoy.

Source: Milford Haven Port Authority Notice 132/25

Chart 3274 (INT 1650) [*previous update 827/26*] ETRS89 DATUM

Replace  *Q(6)+LFl.15s South Hook* with  *Q(4)Y.10s South Hook*

51° 41'·819N., 5° 06'·102W.

Chart 5620_12 [*previous update 827/26*] ETRS89 DATUM

Replace  *Q(6)+LFl.15s South Hook* with  *Q(4)Y.10s South Hook*

51° 41'·819N., 5° 06'·102W.

II

913* ENGLAND - East Coast - Wreck.

Source: Trinity House

Chart 2052 (INT 1560) [*previous update 425/26*] ETRS89 DATUM

Insert



51° 59′·19N., 1° 26′·00E.

Chart 2693 (INT 1570) [*previous update 4205/25*] ETRS89 DATUM

Insert



51° 59′·19N., 1° 26′·00E.

Chart 5607_5 [*previous update New Edition 18/09/2025*] ETRS89 DATUM

Insert



51° 59′·19N., 1° 26′·00E.

II

916* SCOTLAND - Orkney Islands - Wreck.

Source: Orkney Islands Council and UKHO

Note: Former Notice 3943(T)/24 is cancelled.

Chart 2250 [*previous update 2112/25*] ETRS89 DATUM

Insert



58° 55'·42N., 2° 47'·70W.

II

921* ENGLAND - East Coast - Pilot boarding places.

Source: Port of Wisbech Harbour Authority

Chart 1190 (INT 1508) [*previous update 494/26*] ETRS89 DATUM

Move	① <i>Wisbech & Sutton Bridge</i> , from:	52° 53'·88N., 0° 15'·82E.
	to:	52° 54'·00N., 0° 15'·27E.

Chart 1200 (INT 1556) [*previous update 826/26*] ETRS89 DATUM

Insert	① <i>Wisbech & Sutton Bridge (bad weather)</i>	52° 53'·25N., 0° 13'·70E.
Move	① <i>Wisbech & Sutton Bridge</i> , from:	52° 53'·88N., 0° 15'·82E.
	to:	52° 54'·00N., 0° 15'·28E.
Delete	① <i>Wisbech & Sutton Bridgebad (bad weather)</i>	52° 52'·46N., 0° 15'·16E.

Chart 5614_11 (Panel A, The Wash Central Part) [*previous update 826/26*] ETRS89 DATUM

Insert	① <i>Wisbech & Sutton Bridge (bad weather)</i>	52° 53'·25N., 0° 13'·70E.
Move	① <i>Wisbech & Sutton Bridge</i> , from:	52° 53'·88N., 0° 15'·82E.
	to:	52° 54'·00N., 0° 15'·28E.
Delete	① <i>Wisbech & Sutton Bridgebad (bad weather)</i>	52° 52'·46N., 0° 15'·16E.

II

923* ENGLAND - East Coast - Depths. Pontoon.

Source: Port of London Authority

Chart 3337 (Panel B, Thames Tidal Barrier) [*previous update 5647/25*] ETRS89 DATUM

Insert	depth, 38	(a)	51° 29'·881N., 0° 02'·131E.
Delete	depth, 48, close NE of:	(a)	above
Insert	depth, 39, and extend 5m contour NW to enclose	(b)	51° 29'·799N., 0° 01'·883E.
Delete	depth, 55, close N of:	(b)	above
Replace	depth, 55, with depth, 54		51° 29'·773N., 0° 02'·185E.

Chart 3337 [*previous update 5647/25*] ETRS89 DATUM

Insert	pontoon, single firm line, joining:		51° 30'·314N., 0° 00'·622E.
			51° 30'·267N., 0° 00'·678E.
			51° 30'·265N., 0° 00'·672E.
			51° 30'·311N., 0° 00'·617E.
	depth, 39, and extend 5m contour NW to enclose	(a)	51° 29'·799N., 0° 01'·883E.
Delete	depth, 42, close SE of:	(a)	above
Insert	depth, 38	(b)	51° 29'·881N., 0° 02'·131E.
Delete	depth, 35, close NW of:	(b)	above
Replace	depth, 55, with depth, 54		51° 29'·773N., 0° 02'·185E.
	depth, 18, with depth, 16		51° 30'·517N., 0° 02'·131W.
Delete	depth, 19		51° 30'·315N., 0° 00'·617E.
	depth, 25		51° 30'·295N., 0° 00'·647E.

II

933* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 2151 (INT 1425) [*previous update 80/26*] ETRS89 DATUM

Insert	depth, 7 ₁	(a) 51° 28′·189N., 0° 14′·988E.
Delete	depth, 7 ₂ , close SW of:	(a) above
Replace	depth, 8, with depth, 7 ₉	51° 27′·803N., 0° 15′·432E.


II

954* ENGLAND - East Coast - Buoy.

Source: Sizewell C Harbour Authority

Chart 1543 [*previous update 764/26*] ETRS89 DATUM

Insert




Fl.Y.3s

52° 13′·8N., 1° 38′·9E.

Chart 5614_1 (Panel A, Orford Ness to Benacre Ness) [*previous update 517/26*] ETRS89 DATUM

Insert



Fl.Y.3s

52° 13′·8N., 1° 38′·9E.

II

955* ENGLAND - East Coast - Buoyage.

Source: Scottish Power

Chart 1408 [*previous update 740/26*] WGS84 DATUM

Move

	<i>Q(3)10s E1</i> , from:	52° 43'·7N., 3° 00'·8E.
to:		52° 44'·3N., 3° 00'·8E.
	<i>VQ(3)5s E2</i> , from:	52° 38'·2N., 2° 56'·5E.
to:		52° 38'·9N., 2° 56'·6E.
	<i>Q(3)10s E3</i> , from:	52° 32'·9N., 2° 51'·6E.
to:		52° 33'·2N., 2° 51'·6E.

Chart 1504 (INT 1510) [*previous update 367/26*] ETRS89 DATUM

Move

	<i>Q(3)10s E1</i> , from:	52° 43'·68N., 3° 00'·78E.
to:		52° 44'·25N., 3° 00'·81E.
	<i>VQ(3)5s E2</i> , from:	52° 38'·17N., 2° 56'·53E.
to:		52° 38'·89N., 2° 56'·57E.
	<i>Fl.Y.5s SP3</i> , from:	52° 35'·54N., 2° 54'·04E.
to:		52° 36'·13N., 2° 54'·06E.
	<i>Q(3)10s E3</i> , from:	52° 32'·92N., 2° 51'·56E.
to:		52° 33'·16N., 2° 51'·63E.

Chart 1631 (INT 1418) [*previous update 408/26*] WGS84 DATUM

Move

	<i>Q(3)10s E1</i> , from:	52° 43'·68N., 3° 00'·78E.
to:		52° 44'·25N., 3° 00'·81E.
	<i>VQ(3)5s E2</i> , from:	52° 38'·17N., 2° 56'·53E.
to:		52° 38'·89N., 2° 56'·57E.
	<i>Fl.Y.5s SP3</i> , from:	52° 35'·54N., 2° 54'·05E.
to:		52° 36'·13N., 2° 54'·06E.
	<i>Q(3)10s E3</i> , from:	52° 32'·92N., 2° 51'·56E.
to:		52° 33'·16N., 2° 51'·63E.

II

973* ENGLAND - South Coast - Beacons. Landmark. Clearing line. Legend.

Source: Trinity House

Chart 148 [*previous update 4923/25*] ETRS89 DATUM

Replace	 with symbol, monument	(a) 50° 19'·68N., 4° 33'·47W.
Delete	clearing line, pecked line, and associated legend, Bn#W Mk 020°, extending in direction 200°, from: symbol, White Mark, W Mk	(a) above 50° 19'·60N., 4° 33'·52W.

Chart 1267 [*previous update 813/26*] ETRS89 DATUM

Replace	 with symbol, monument	50° 19'·68N., 4° 33'·47W.
---------	---	---------------------------

Chart 5602_2 (Panel A, Helford River to Fowey) [*previous update 5150/25*] ETRS89 DATUM

Replace	 with symbol, monument	50° 19'·68N., 4° 33'·47W.
---------	---	---------------------------

Chart 5602_4 (Panel A, Fowey to Plymouth) [*previous update 813/26*] ETRS89 DATUM

Replace	 with symbol, monument	50° 19'·68N., 4° 33'·47W.
---------	---	---------------------------

II

980* IRELAND - East Coast - Foul.

Source: Drogheda Port Company

Chart 44 [previous update 124/26] ETRS89 DATUM

Insert # 53° 44'·27N., 6° 11'·52W.

Chart 1431 (INT 1662) (Panel A, Approaches to the River Boyne) [*previous update 124/26*] ETRS89 DATUM

Insert # 53° 44'·27N., 6° 11'·52W.

Chart 5621_3 [*previous update 124/26*] ETRS89 DATUM

Insert # 53° 44'·27N., 6° 11'·52W.

II

981* IRELAND - West Coast - Depths.

Source: rv Keary

Chart 2254 [*previous update 3924/24*] ETRS89 DATUM

Replace	depth, 22, with depth, 153, enclosed by 20m contour	52° 17'·62N., 10° 11'·19W.
	depth, 27, with depth, 65, enclosed by 10m contour	52° 16'·71N., 10° 14'·22W.
	depth, 33, with depth, 65, enclosed by 10m contour	52° 16'·04N., 10° 16'·04W.

Chart 2739 [*previous update 3924/24*] ETRS89 DATUM

Insert	depth, 65, enclosed by 10m contour	52° 16'·66N., 10° 14'·30W.
	depth, 126, and extend 20m contour E to enclose	52° 17'·29N., 10° 12'·09W.
Replace	depth, 22, with depth, 153, enclosed by 20m contour	52° 17'·62N., 10° 11'·19W.

Chart 2789 [*previous update 3924/24*] ETRS89 DATUM

Insert	depth, 73, enclosed by 10m contour	52° 15'·17N., 10° 17'·86W.
	depth, 65, enclosed by 10m contour	(a) 52° 15'·99N., 10° 15'·99W.
Delete	depth, 33, close NW of:	(a) above

II

900 NORWAY - West Coast - Well. Obstructions.

Source: Norwegian Notice 17/78732/25 and ENC NO3B0804

Note: This update is included in New Edition 292 and 294, published early 2026.

Chart 1427 (INT 1401) [*previous update 807/26*] WGS84 DATUM

Insert



59° 53'·2N., 2° 22'·2E.

Chart 2182C (INT 1041) [*previous update 807/26*] WGS84 DATUM

Insert



59° 53'·2N., 2° 22'·2E.



59° 53'·7N., 2° 24'·7E.

II

945 ICELAND - Obstruction. Virtual aid to navigation.

Source: Icelandic Notice 13/134/25

Chart 2733 (INT 1103) [*previous update 5723/25*] WGS84 DATUM

Insert



Subm buoy, out of position

symbol, Virtual aid to navigation, V-AIS, out of position

(a) 63° 20′·8N., 20° 28′·6W.

(a) above

II

956 NORWAY - West Coast - Marine farm.

Source: Norwegian Notice 1/79878/26

Chart 1429 (INT 1403) [*previous update 5558/25*] WGS84 DATUM

Insert



64° 02'·9N., 9° 23'·8E.

II

890 SWEDEN - East Coast - NM Block.

Source: Swedish Notice 1102/19841/26

Chart 798 (INT 1220) (Panel C, Kappelshamnsviken) [*previous update New Edition 20/11/2025*] WGS84 DATUM

Insert the accompanying block, centred on:

57° 50'·5N., 18° 48'·2E.

II

905 SWEDEN - East Coast - Lights. Leading line.

Source: Swedish Notice 1103/19595/26

Chart 802 (INT 1772) (Panel D, Västerås) [*previous update 5452/25*] WGS84 DATUM

Delete

★ 2 F R

(a) 59° 36′·004N., 16° 34′·837E.



leading line, pecked line for 720m then firm line for 1000m
and associated legend, 2 FR≠, extending in direction 37°,
from:

59° 35′·973N., 16° 34′·787E.

(a) above

II

906 SWEDEN - East Coast - Pilot boarding place.

Source: Swedish Notice 1103/19833/26

Chart 798 (INT 1220) [*previous update 890/26*] WGS84 DATUM

Move ①, from: 57° 54'·7N., 18° 47'·6E.
 to: 57° 53'·7N., 18° 47'·6E.

Chart 2055 (INT 1204) [*previous update 57/26*] WGS84 DATUM

Move ①, from: 57° 55'·1N., 18° 47'·8E.
 to: 57° 53'·7N., 18° 47'·6E.

Chart 2059 (INT 1216) [*previous update 662/26*] WGS84 DATUM

Move ①, from: 57° 55'·1N., 18° 47'·7E.
 to: 57° 53'·7N., 18° 47'·6E.

II

907 SWEDEN - East Coast - Beacons. Leading line.

Source: Swedish Notice 1103/18822/26

Chart 837 (INT 1232) [*previous update 591/26*] WGS84 DATUM

Delete



(a) 58° 55'·39N., 17° 58'·25E.
58° 55'·26N., 17° 58'·24E.
(a) above

leading line, pecked line, extending in direction 181·8°, from:

II

908 SWEDEN - East Coast - Light. Beacon. Floodlight.

Source: Swedish Notice 1103/19846/26

Chart 1009 (INT 1179) [*previous update 4101/25*] WGS84 DATUM

Replace ★ Sandögrundet Oc WR 4s with  and associated
symbol, floodlit structure

65° 32'·99N., 22° 11'·79E.

II

910 SWEDEN - East Coast - Beacon.

Source: Swedish Notice 1103/19844/26

Chart 924 (INT 1176) [*previous update 5765/24*] WGS84 DATUM

Insert



64° 39′·91N., 21° 17′·83E.

II

920 POLAND - Notes.

Source: Polish Notice 49/589/25

Chart 2014 (INT 1219) [*previous update 455/26*] WGS84 DATUM

Insert	the accompanying note, SUBMARINE CABLES IN POLISH WATERS, centred on:	54° 01'·19N., 17° 07'·78E.
--------	---	----------------------------

Chart 2015 (INT 1201) [*previous update 455/26*] WGS84 DATUM

Insert	the accompanying note, SUBMARINE CABLES IN POLISH WATERS, centred on:	53° 52'·13N., 13° 36'·22E.
--------	---	----------------------------

Replace	the existing note with the accompanying note, SUBMARINE CABLES AND PIPELINES, centred on:	53° 51'·98N., 12° 57'·28E.
---------	---	----------------------------

Chart 2018 (INT 1202) [*previous update 455/26*] WGS84 DATUM

Insert	the accompanying note, SUBMARINE CABLES IN POLISH WATERS, centred on:	56° 14'·62N., 14° 16'·97E.
--------	---	----------------------------

Chart 2040 (INT 1218) [*previous update 5017/25*] WGS84 DATUM

Insert	the accompanying note, SUBMARINE CABLES IN POLISH WATERS, centred on:	54° 50'·72N., 20° 37'·27E.
--------	---	----------------------------

Chart 2288 [*previous update 5179/25*] WGS84 DATUM

Insert	the accompanying note, SUBMARINE CABLES IN POLISH WATERS, centred on:	54° 49'·6N., 20° 44'·6E.
--------	---	--------------------------

II

952 POLAND - Lights. Jetties.

Source: ENC PL4MAP38

Chart 2678 (INT 1298) [*previous update 384/26*] WGS84 DATUM

Delete

★ Oc.R.4s

jetty, single firm line, joining:

(a) 53° 36′·58N., 14° 35′·43E.

(b) 53° 36′·53N., 14° 35′·46E.

53° 36′·60N., 14° 35′·60E.

53° 36′·57N., 14° 35′·44E.

and

(a) above

(b) above

II

962 DENMARK - Islands - NM Block. Wrecks. Buoyage.

Source: Danish Chart 189

Note: Former Notice 5667(P)/25 is cancelled.

Chart 958 (INT 1336) (Panel B, Rønne) [*previous update 631/26*] WGS84 DATUM

Insert the accompanying block, centred on: 55° 05′·6N., 14° 41′·0E.

Chart 958 (INT 1336) [*previous update 631/26*] WGS84 DATUM

Insert	 48 Wk	55° 19′·45N., 14° 37′·27E.
	 44 Wk	55° 19′·02N., 14° 37′·59E.
	 42 Wk	55° 14′·93N., 14° 30′·46E.
	 39 Wk	55° 14′·75N., 14° 30′·07E.
Delete	 39 Wk	55° 05′·71N., 14° 41′·20E.
	 39 Wk	55° 05′·54N., 14° 41′·09E.

II

977 ESTONIA - Depths. Rocks. Wreck.

Source: ENC's EE4E0101, EE4E0604, EE4E0805, EE4E1006 and EE4E1207

Note: This update is included in New Edition 2227, published early 2026.

Chart 2225 [previous update 463/26] WGS84 DATUM

Insert	depth, 49, enclosed by 50m contour	(a)	59° 33'·62N., 25° 08'·63E.
Delete	depth, 53, close SW of:	(a)	above
Insert	depth, 65, with seabed type, R	(b)	59° 32'·39N., 25° 09'·36E.
Delete	depth, 76, close SE of:	(b)	above

Chart 2241 [previous update 428/26] WGS84 DATUM

Insert	depth, 56	(a)	59° 44'·29N., 24° 28'·49E.
Delete	depth, 73, close SW of:	(a)	above
Insert	depth, 42	(b)	59° 38'·98N., 24° 09'·61E.
Delete	depth, 47, close SW of:	(b)	above
Replace	 with 		59° 28'·37N., 24° 38'·24E.

Chart 2248 [previous update 428/26] WGS84 DATUM

Insert	depth, 42	(a)	59° 38'·98N., 24° 09'·61E.
Delete	depth, 47, close SW of:	(a)	above
Insert	depth, 56	(b)	59° 44'·29N., 24° 28'·49E.
Delete	depth, 73, close SW of:	(b)	above
Insert	depth, 67	(c)	59° 46'·60N., 25° 43'·41E.
Delete	depth, 79, close SE of:	(c)	above
	depth, 83, close NE of:	(c)	above
Insert	depth, 55	(d)	59° 48'·81N., 26° 12'·60E.
Delete	depth, 59, close NW of:	(d)	above
Replace	depth, 75, with depth, 68		59° 48'·34N., 25° 41'·36E.
	 with 		59° 28'·37N., 24° 38'·24E.

Chart 2264 [previous update 884/26] WGS84 DATUM

Insert	depth, 176, with seabed type, R, and extend 20m contour NE to enclose		59° 28'·94N., 27° 32'·84E.
	depth, 77	(a)	59° 27'·92N., 27° 33'·95E.
Delete	depth, 82, close N of:	(a)	above
Insert	depth, 168, with seabed type, R	(b)	59° 28'·32N., 27° 39'·36E.
Delete	depth, 196, close NE of:	(b)	above
Insert	depth, 169	(c)	59° 27'·75N., 27° 44'·35E.
Delete	depth, 176, close NW of:	(c)	above

Chart 2817 [previous update 662/26] WGS84 DATUM

Insert	depth, 42	(a)	59° 39'·0N., 24° 09'·6E.
Delete	depth, 47, close SW of:	(a)	above
Replace	depth, 59, with depth, 55		59° 48'·8N., 26° 12'·6E.

Chart 3819 (INT 1251) [previous update 467/26] WGS84 DATUM

Insert	depth, 56	(a)	59° 44'·29N., 24° 28'·49E.
Delete	depth, 65, close SW of:	(a)	above

II

911* **NORTH SEA - United Kingdom Sector - Buoy.**
Source: Trinity House

Chart 266 [*previous update 3259/25*] WGS84 DATUM

Delete



VQ(3)5s

54° 30′.72N., 2° 36′.65E.

II

937* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP29964/26

Chart DE 2 (INT 1456) [*previous update 556/26*] WGS84 DATUM

Insert	depth, <i>14</i> _I	(a) 53° 59′·38N., 8° 18′·96E.
Delete	depth, <i>16</i> _I , close W of:	(a) above

Chart DE 44 (INT 1452) [*previous update 748/26*] WGS84 DATUM

Insert	depth, <i>14</i> _I	(a) 53° 59′·38N., 8° 18′·96E.
Delete	depth, <i>16</i> _I , close W of:	(a) above

II

938* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP29657/25

Chart DE 46 (INT 1453) [*previous update 337/26*] WGS84 DATUM

Insert	depth, 81	(a)	53° 46′·83N., 9° 23′·06E.
Delete	depth, 88, close NE of:	(a)	above

Chart DE 47 (INT 1454) [*previous update 753/26*] WGS84 DATUM

Insert	depth, 81	(a)	53° 46′·83N., 9° 23′·06E.
Delete	depth, 88, close NE of:	(a)	above

II

932 FRANCE - West Coast - Buoy. Wave recorder.

Source: French Notice 50/44/25

Chart 2350 [*previous update 2195/25*] WGS84 DATUM

Insert



Fl(5)Y.20s Wave recorder

48° 15'·72N., 4° 47'·45W.

Chart 2643 (INT 1800) [*previous update 5761/25*] WGS84 DATUM

Insert



Fl(5)Y.20s Wave recorder

48° 15'·72N., 4° 47'·45W.

Chart 2655 [*previous update 3663/25*] ETRS89 DATUM

Insert



Fl(5)Y Wave recorder

48° 15'·7N., 4° 47'·5W.

II

904 GREECE - West Coast - Submarine power cable.

Source: ENC GR5ZM401

Chart 205 (INT 3492) [*previous update 3177/24*] ED50 DATUM

Insert limit of submarine power cable area,   ,
joining:

39° 39'·63N., 19° 51'·41E.
39° 39'·69N., 19° 57'·76E.
39° 39'·38N., 19° 57'·76E.
39° 39'·27N., 19° 55'·74E.
39° 39'·40N., 19° 53'·12E.
39° 39'·58N., 19° 51'·43E.

Chart 2407 (INT 3493) [*previous update 5304/25*] WGS84 DATUM

Insert limit of submarine power cable area,   ,
joining:

39° 39'·322N., 19° 57'·760E.
39° 39'·206N., 19° 55'·702E.
39° 39'·333N., 19° 53'·085E.
39° 39'·513N., 19° 51'·390E.
39° 39'·571N., 19° 51'·371E.
39° 39'·624N., 19° 57'·760E.

II

909 CROATIA - Depths.

Source: ENC HR3C0019

Chart 515 [*previous update 409/26*] WGS84 DATUM

Replace	depth, 79, with depth, 6	44° 08′·14N., 14° 55′·15E.
---------	--------------------------	----------------------------

Chart 2773 (Panel E, Sedmovraće) [*previous update 877/26*] WGS84 DATUM

Insert	depth, 6, and extend 10m contour N to enclose	(a) 44° 08′·14N., 14° 55′·15E.
--------	---	--------------------------------

Delete	depth, 79, close S of:	(a) above
--------	------------------------	-----------

II

917* CYPRUS - Lights.

Source: Republic of Cyprus Department of Lands and Surveys

Note: Radar beacon remains unchanged.

Chart 849 (Panel F, Vasilikos) [*previous update 4257/25*] WGS84 DATUM

Amend light to, Fl.Y.4s8m3M

34° 42'·657N., 33° 19'·443E.

34° 42'·397N., 33° 19'·115E.

Chart 850 [*previous update 4339/25*] WGS84 DATUM

Amend light to, Fl.Y.4s

34° 42'·66N., 33° 19'·44E.

34° 42'·40N., 33° 19'·12E.

II

919 GREECE - Aegean Sea Coast - Light.

Source: Greek Notice 11/194/25

Chart 1062 [*previous update 5822/25*] WGS84 DATUM

Amend light to, Fl(3)26s95m16M 38° 46'·48N., 24° 40'·88E.

Chart 1085 [*previous update 1424/25*] WGS84 DATUM

Amend light to, Fl(3)26s95m16M 38° 46'·4N., 24° 40'·9E.

Chart 1087 [*previous update New Edition 11/12/2025*] WGS84 DATUM

Amend light to, Fl(3)26s95m16M 38° 46'·4N., 24° 40'·9E.

II

922 ITALY - Sardegna - Firing practice areas. Legends.

Source: Italian Notices 18.1/25, 19.1/25, 19.3/25, 19.5/25, 19.7/25, 19.9-10/25 and 19.12/25

Chart 118 (Panel A, Approaches to La Spezia) [previous update 3898/25] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	44° 00'·00N., 9° 50'·49E.
		44° 00'·00N., 9° 53'·00E.
		43° 57'·42N., 9° 53'·00E.

Chart 1207 [previous update 5773/25] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	(a) 38° 48'·95N., 8° 39'·11E.
		(b) 38° 49'·00N., 8° 37'·00E.
		(c) 38° 50'·00N., 8° 32'·80E.
		(d) 38° 51'·80N., 8° 31'·40E.
		(e) 38° 54'·00N., 8° 30'·70E.
		(f) 38° 56'·00N., 8° 31'·70E.
		(g) 38° 57'·00N., 8° 37'·09E.
	legend, <i>Firing Practice Area (C311)</i> , within:	(a)-(g) above

Chart 1210 (Panel B, Approaches to Arbatax) [previous update 335/26] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	(a) 40° 01'·02N., 9° 45'·85E.
		(b) 39° 53'·71N., 9° 44'·21E.
		and
		(c) 39° 53'·74N., 9° 46'·73E.
		(d) 39° 54'·65N., 9° 47'·30E.
	legend, <i>Firing Practice Area (Zone 4)</i> , close E of:	(a)-(b) above
	legend, <i>Firing Practice Area (Zone 2)</i> , close SE of:	(c)-(d) above

Chart 1908 [previous update 324/26] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	(a) 40° 48'·0N., 14° 02'·4E.
		(b) 40° 48'·0N., 13° 48'·0E.
		(c) 40° 59'·0N., 13° 48'·0E.
		(d) 40° 59'·0N., 13° 58'·2E.
	legend, <i>E335</i> , within:	(a)-(d) above

Chart 1911 [previous update 202/26] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	(a) 40° 48'·0N., 14° 02'·3E.
		(b) 40° 48'·0N., 13° 48'·0E.
		(c) 40° 59'·0N., 13° 48'·0E.
		(d) 40° 59'·0N., 13° 58'·1E.
	legend, <i>E335</i> , within:	(a)-(d) above

II

922 ITALY - Sardegna - Firing practice areas. Legends. (continued)

Chart 1914 [*previous update 175/26*] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	(a) 43° 59'·97N., 9° 53'·00E. (b) 43° 45'·00N., 9° 53'·00E. (c) 43° 45'·00N., 9° 39'·00E. (d) 43° 59'·97N., 9° 28'·02E. and (e) 43° 45'·50N., 10° 16'·37E. (f) 43° 45'·50N., 10° 10'·04E. (g) 43° 48'·50N., 10° 10'·04E. (h) 43° 48'·50N., 10° 15'·65E.
	legend, <i>Exercise Area</i> (see Note), within:	(a)-(d) above (e)-(h) above

Chart 1998 [*previous update 62/26*] WGS84 DATUM

Insert	limit of firing practice area, pecked line, joining:	(a) 43° 59'·9N., 9° 53'·0E. (b) 43° 45'·0N., 9° 53'·0E. (c) 43° 45'·0N., 9° 39'·0E. (d) 43° 59'·9N., 9° 28'·1E. and (e) 43° 45'·5N., 10° 16'·3E. (f) 43° 45'·5N., 10° 10'·0E. (g) 43° 48'·5N., 10° 10'·0E. (h) 43° 48'·5N., 10° 15'·7E.
	legend, <i>Exercise Area</i> (See Note 8), within:	(a)-(d) above (e)-(h) above

II

926 ITALY - East Coast - Wreck.

Source: Italian Notice 23.28/25

Chart 200 [*previous update 141/26*] WGS84 DATUM

Insert



43° 01'·9N., 13° 59'·9E.

Chart 220 [*previous update 409/26*] WGS84 DATUM

Insert



43° 01'·9N., 13° 59'·9E.

II

934 TÜRKIYE - South Coast - Light.

Source: ENC TR4KMA00

Chart 236 [*previous update New Edition 06/11/2025*] WGS84 DATUM

Amend range of light to, 3M

36° 43'·5N., 27° 42'·8E.

Chart 1055 [*previous update New Edition 06/11/2025*] WGS84 DATUM

Amend range of light to, 3M

36° 43'·54N., 27° 42'·85E.

Chart 1095 [*previous update New Edition 18/12/2025*] WGS84 DATUM

Amend range of light to, 3M

36° 43'·5N., 27° 42'·8E.

Chart 1099 [*previous update New Edition 18/12/2025*] WGS84 DATUM

Amend range of light to, 3M

36° 43'·5N., 27° 42'·8E.

Chart 1644 (Panel F, Datça) [*previous update 842/26*] WGS84 DATUM

Amend range of light to, 3M

36° 43'·54N., 27° 42'·85E.

II

939 **FRANCE - South Coast - Buoy.**

Source: French Notice 3/84/26

Chart 1705 [*previous update 757/26*] WGS84 DATUM

Insert

 *Fl(4)Y CEV*

43° 01'·5N., 4° 14'·6E.

II

941 FRANCE - South Coast - Piers. Coastline.

Source: French Notice 46/93/25

Chart 2246 (INT 3199) (Panel A, Antibes - Port Vauban) [*previous update 757/26*] WGS84 DATUM

Insert	pier, single firm line, joining:	43° 35'·188N., 7° 07'·631E. 43° 35'·192N., 7° 07'·638E.
Delete	former pier, single firm line, joining:	43° 35'·343N., 7° 07'·818E. 43° 35'·354N., 7° 07'·807E. and 43° 35'·365N., 7° 07'·790E. 43° 35'·368N., 7° 07'·797E. and 43° 35'·304N., 7° 07'·936E. 43° 35'·324N., 7° 07'·938E.
Insert	coastline, single firm line, joining:	(a) 43° 35'·335N., 7° 07'·946E. (b) 43° 35'·337N., 7° 07'·934E. (c) 43° 35'·402N., 7° 07'·942E. (d) 43° 35'·402N., 7° 07'·954E.
Delete	charted detail, within:	(a)-(d) above


II

942 CROATIA - Obstruction. Depths.

Source: Croatian Notices 11/4-5/25

Chart 515 [*previous update 909/26*] WGS84 DATUM

Insert



44° 20'·6N., 14° 35'·0E.

depth, 108

(a) 44° 22'·2N., 14° 34'·4E.

Delete

depth, 16, close E of:

(a) above

II

948 TÜRKIYE - South Coast - Buoyage.

Source: Turkish Notice 1/5/26

Chart 2101 (INT 3657) [*previous update 4746/25*] WGS84 DATUM

Insert	 <i>Fl(3)G.9s3M No 1</i>	(a) 36° 46'·045N., 34° 40'·238E.
Delete	 <i>Fl(3)G.9s5M No 1</i> , close SW of:	(a) above
Amend	range of <i>No 2</i> light-buoy to, <i>3M</i>	36° 45'·942N., 34° 40'·028E.
Replace	 <i>Iso.2s</i> with  <i>Fl(2+1)R.10s</i>	36° 47'·515N., 34° 38'·550E.

II

961 ITALY - West Coast - Danger lines. Legends.

Source: Italian Notice 22.4/25

Chart 351 (Panel C, Chiavari and Lavagna) [*previous update 4550/25*] MONTE MARIO 1940 DATUM

Insert	danger line, dotted line, joining:	44° 19'·070N., 9° 18'·678E. 44° 19'·105N., 9° 18'·718E. and (a) 44° 18'·828N., 9° 19'·074E. (b) 44° 19'·026N., 9° 18'·628E. 44° 19'·063N., 9° 18'·672E. and (c) 44° 18'·019N., 9° 21'·251E. (d) 44° 18'·108N., 9° 21'·052E. 44° 18'·139N., 9° 21'·069E. (a)-(b) above (c)-(d) above
	legend, <i>Obstns</i> , close N of:	

II

963 CROATIA - Pilot boarding places. Legend. NM Block.

Source: Croatian Notices 6/5-10/25

Chart 269 (Panel C, Pakleni Kanal) [*previous update 5845/25*] WGS84 DATUM

Insert	①	43° 11'·30N., 16° 21'·00E.
		43° 08'·50N., 16° 27'·50E.

Chart 2712 [*previous update 5419/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	43° 25'·8N., 16° 41'·2E.
	①	43° 28'·00N., 16° 13'·00E.
		43° 13'·40N., 16° 30'·50E.
		43° 11'·30N., 16° 21'·00E.
		43° 08'·50N., 16° 27'·50E.
	legend, (Pilots), centred on:	43° 03'·28N., 16° 11'·07E.

Chart 2774 [*previous update 877/26*] WGS84 DATUM

Insert	①	43° 01'·50N., 16° 03'·00E.
	legend, (Pilots), centred on:	43° 03'·28N., 16° 11'·07E.
Move	①, from:	43° 27'·90N., 16° 10'·82E.
	to:	43° 28'·00N., 16° 13'·00E.

II

985 ITALY - West Coast - Light. Coastline. Maritime limits.

Source: Italian Notice 22.1/25

Chart 350 (Panel, Savona and Vado) [*previous update 183/26*] WGS84 DATUM

Insert	★ Fl.G.4s10m3M	44° 16′·300N., 8° 27′·146E.
	coastline, single firm line, joining:	(a) 44° 16′·246N., 8° 27′·058E.
		(b) 44° 16′·308N., 8° 27′·138E.
		(c) 44° 16′·300N., 8° 27′·150E.
		(d) 44° 16′·239N., 8° 27′·068E.
Delete	charted detail, within:	(a)-(d) above
Insert	maritime limit, pecked line, joining:	(e) 44° 16′·273N., 8° 27′·060E.
		(f) 44° 16′·317N., 8° 27′·119E.
		(g) 44° 16′·325N., 8° 27′·138E.
		(h) 44° 16′·318N., 8° 27′·156E.
		(i) 44° 16′·308N., 8° 27′·171E.
		(j) 44° 16′·296N., 8° 27′·173E.
		(k) 44° 16′·288N., 8° 27′·167E.
		(l) 44° 16′·241N., 8° 27′·103E.
Delete	charted detail, within:	(e)-(l) above
	former maritime limit, pecked line, joining:	(e) above
		(l) above

II

924 BENIN - Depths. Spoil ground. Legend. Anchorage areas.

Source: French Chart 7835

Chart 1384 (INT 2807) [previous update 537/26] WGS84 DATUM

Insert	depth, 8, enclosed by 10m contour	(a)	6° 20'·8N., 2° 32'·9E.
Delete	depth, 134, close NW of:	(a)	above
Insert	limit of spoil ground, pecked line, joining:		6° 18'·3N., 2° 30'·1E.
			6° 18'·2N., 2° 30'·0E.
		(b)	6° 17'·8N., 2° 30'·4E.
		(c)	6° 17'·8N., 2° 31'·5E.
			6° 17'·3N., 2° 31'·5E.
			6° 17'·3N., 2° 29'·9E.
			6° 17'·6N., 2° 29'·6E.
			6° 18'·3N., 2° 29'·6E.
	legend, <i>Spoil Ground</i> , close NE of:	(b)-(c)	above
	limit of anchorage area, pecked line, joining:	(d)	6° 18'·2N., 2° 30'·1E.
			6° 17'·9N., 2° 30'·4E.
			6° 17'·9N., 2° 31'·5E.
			6° 17'·2N., 2° 31'·5E.
		(e)	6° 17'·2N., 2° 30'·1E.
Delete	former limit of anchorage area, pecked line, joining:	(d)	above
		(e)	above
Replace	depth, 69, with depth, 61		6° 09'·1N., 2° 33'·3E.

Chart 1385 (INT 2808) [previous update 537/26] WGS84 DATUM

Insert	depth, 8, enclosed by 10m contour	(a)	6° 20'·8N., 2° 32'·9E.
Delete	depth, 134, close NW of:	(a)	above
Insert	depth, 61	(b)	6° 09'·1N., 2° 33'·3E.
Delete	depth, 69, close S of:	(b)	above
Insert	limit of spoil ground, pecked line, joining:		6° 18'·3N., 2° 30'·1E.
			6° 18'·2N., 2° 30'·0E.
		(c)	6° 17'·8N., 2° 30'·4E.
		(d)	6° 17'·8N., 2° 31'·5E.
			6° 17'·3N., 2° 31'·5E.
			6° 17'·3N., 2° 29'·9E.
			6° 17'·6N., 2° 29'·6E.
			6° 18'·3N., 2° 29'·6E.
	legend, <i>Spoil Ground</i> , close SE of:	(c)-(d)	above
	limit of anchorage area, pecked line, joining:	(e)	6° 18'·2N., 2° 30'·0E.
			6° 17'·9N., 2° 30'·4E.
			6° 17'·9N., 2° 31'·5E.
			6° 17'·2N., 2° 31'·5E.
		(f)	6° 17'·2N., 2° 30'·0E.
Delete	former limit of anchorage area, pecked line, joining:	(e)	above
		(f)	above

II

964* NIGERIA - Platforms. Moored storage tankers. Foul. Restricted area.

Source: French Notice 29/170/25 and UKHO

Chart 595 (INT 2087) [previous update 5334/25] WGS84 DATUM

Replace	 with #	(a) 6° 09'·8N., 2° 55'·9E.
Delete	circular limit of restricted area, TTTT, centred on:	(a) above

Chart 1385 (INT 2808) [previous update 924/26] WGS84 DATUM

Insert		5° 24'·7N., 4° 55'·8E.
Replace	 with #	(a) 6° 09'·8N., 2° 55'·9E.
Delete	circular limit of restricted area, TTTT, centred on:	(a) above
		6° 09'·1N., 4° 39'·4E.
		6° 07'·6N., 4° 33'·4E.
		5° 20'·3N., 4° 42'·5E.
		5° 19'·3N., 4° 42'·7E.
		5° 18'·6N., 4° 42'·7E.
		5° 18'·0N., 4° 41'·6E.

Chart 1387 (INT 2810) [previous update 704/26] WGS84 DATUM

Delete		4° 24'·3N., 8° 16'·0E.
--------	---	------------------------

Chart 3118 (INT 2088) [previous update 704/26] WGS84 DATUM

Insert		5° 24'·7N., 4° 55'·8E.
Delete		6° 07'·6N., 4° 33'·4E.
		5° 20'·3N., 4° 42'·5E.
		5° 18'·0N., 4° 41'·6E.

Chart 3321 (INT 2892) [previous update 2911/25] WGS84 DATUM

Insert		5° 24'·65N., 4° 55'·80E.
--------	---	--------------------------

Chart 3433 (INT 2899) [previous update 5588/19] WGS84 DATUM

Delete		4° 24'·34N., 8° 16'·04E.
--------	---	--------------------------

Chart 4209 (INT 209) [previous update 5334/25] WGS84 DATUM

Delete	 FPSO	6° 09'·8N., 2° 56'·0E.
--------	--	------------------------

II

974 MOROCCO - West Coast - Wreck.

Source: UKHO

Chart 863 (Panel C, Essaouira) [*previous update 752/26*] WGS84 DATUM

Delete



31° 30′·030N., 9° 47′·280W.

II


979* SIERRA LEONE - Obstruction.

Source: mv Maersk New Delhi and UKHO

Note: Former Notice 573(T)/26 is cancelled.

Chart 601 [*previous update 411/25*] WGS84 DATUM


Insert



8° 27'·1N., 13° 21'·8W.

Chart 686 [*previous update 274/15*] WGS84 DATUM


Insert



8° 27'·15N., 13° 21'·85W.

Chart 1147 (INT 1085) [*previous update 2814/25*] UNDETERMINED DATUM

Insert



8° 27'·1N., 13° 21'·8W.

II

951* TANZANIA - Depths.

Source: Commercial survey

Chart 2949 (INT 7056) [*previous update New Edition 24/04/2025*] WGS84 DATUM

Insert	depth, 236	(a)	4° 53'·5S., 39° 14'·8E.
Delete	depth, 48, close N of:	(a)	above

Chart 3310 (INT 7690) [*previous update 5075/25*] WGS84 DATUM

Insert	depth, 35	(a)	4° 51'·9S., 39° 19'·8E.
Delete	depth, 66, close SW of:	(a)	above
Insert	depth, 236	(b)	4° 53'·5S., 39° 14'·8E.
Delete	depth, 48, close NE of:	(b)	above
Insert	depth, 206	(c)	4° 54'·7S., 39° 13'·7E.
Delete	depth, 225, close NW of:	(c)	above
Insert	depth, 255	(d)	4° 56'·2S., 39° 12'·1E.
Delete	depth, 35, close NE of:	(d)	above
Insert	depth, 291	(e)	4° 57'·3S., 39° 11'·5E.
Delete	depth, 37, close NW of:	(e)	above

Chart 3361 (INT 7700) [*previous update 5075/25*] WGS84 DATUM

Insert	depth, 35	(a)	4° 51'·9S., 39° 19'·8E.
Delete	depth, 66, close SW of:	(a)	above
Insert	depth, 236	(b)	4° 53'·5S., 39° 14'·8E.
Delete	depth, 48, close NE of:	(b)	above
Insert	depth, 206	(c)	4° 54'·7S., 39° 13'·7E.
Delete	depth, 225, close NW of:	(c)	above
Insert	depth, 255	(d)	4° 56'·2S., 39° 12'·1E.
Delete	depth, 35, close NE of:	(d)	above
Insert	depth, 291	(e)	4° 57'·3S., 39° 11'·5E.
Delete	depth, 37, close NW of:	(e)	above

II

893 IRAN - Depth. Obstructions. Radar beacon. Buoy.

Source: ENC's IR303077, IR303078 and IR303080

Chart 2441 (INT 7233) [*previous update 5094/25*] WGS84 DATUM

Insert	 <i>Obstn</i>	26° 14'·17N., 54° 58'·41E.
Delete	radar beacon, Racon(M), at light	26° 17'·57N., 54° 30'·08E.

Chart 2837 (INT 7017) [*previous update 625/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	26° 14'·2N., 54° 58'·4E.
	 <i>Obstn</i>	27° 12'·3N., 52° 13'·4E.
Delete	radar beacon, Racon(M), at light	26° 17'·6N., 54° 30'·2E.

Chart 2847 (INT 7018) [*previous update 625/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	27° 12'·3N., 52° 13'·4E.
--------	--	--------------------------

Chart 2858 (INT 750) [*previous update 5094/25*] WGS84 DATUM

Insert	 <i>Obstn</i>	27° 12'·3N., 52° 14'·2E.
--------	--	--------------------------

Chart 2883 (INT 7260) [*previous update 507/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	27° 12'·3N., 52° 13'·4E.
Delete	 <i>Q</i>	27° 38'·3N., 52° 20'·7E.

Chart 2887 (INT 7232) [*previous update 552/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	26° 14'·2N., 54° 58'·4E.
Delete	radar beacon, Racon(M), at light	26° 17'·6N., 54° 30'·1E.

Chart 2888 (INT 7199) [*previous update 552/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	26° 14'·2N., 54° 58'·4E.
--------	--	--------------------------

Chart 3409 (Panel E, Lavan Oil Terminal) [*previous update 4434/25*] WGS84 DATUM

Insert	depth, 49, enclosed by 50m contour	26° 45'·71N., 53° 18'·91E.
--------	------------------------------------	----------------------------

II

930 EGYPT - Red Sea Coast - Depth. Light-beacons.

Source: ENC EG5R17LS

Chart 159 (INT 7010) [*previous update 843/26*] WGS84 DATUM

Amend	range of light-beacon to, 16-10M	26° 43'·0N., 33° 59'·9E.
-------	----------------------------------	--------------------------

Chart 2375 (INT 7132) [*previous update 843/26*] WGS84 DATUM

Insert	depth, 163, enclosed by 20m contour	26° 41'·10N., 34° 00'·31E.
--------	-------------------------------------	----------------------------

Amend	range of light-beacon to, 9M	26° 41'·47N., 33° 58'·39E.
-------	------------------------------	----------------------------

26° 42'·05N., 33° 59'·77E.

	range of light-beacon to, 16-10M	26° 42'·90N., 33° 59'·90E.
--	----------------------------------	----------------------------

II

959* UNITED ARAB EMIRATES - Depths.

Source: Dubai Ports, Customs and Free Zone Corporation

Chart 2887 (INT 7232) [*previous update 893/26*] WGS84 DATUM

Insert	depth, 177, and extend 20m contour SE to enclose	(a)	25° 25'·3N., 55° 09'·6E.
Delete	depth, 23, close S of:	(a)	above

Chart 2888 (INT 7199) [*previous update 893/26*] WGS84 DATUM

Insert	depth, 177, and extend 20m contour SE to enclose	(a)	25° 25'·3N., 55° 09'·6E.
Delete	depth, 23, close S of:	(a)	above

Chart 2889 (INT 7211) [*previous update 841/26*] WGS84 DATUM

Insert	depth, 177, and extend 20m contour SE to enclose	25° 25'·3N., 55° 09'·6E.
--------	--	--------------------------

Chart 3175 (INT 7212) [*previous update 789/26*] WGS84 DATUM

Insert	depth, 177, and extend 20m contour SE to enclose	(a)	25° 25'·33N., 55° 09'·56E.
Delete	depth, 215, close NW of:	(a)	above

Chart 3176 (INT 7216) [*previous update 789/26*] WGS84 DATUM

Insert	depth, 177, and extend 20m contour SE to enclose	(a)	25° 25'·33N., 55° 09'·56E.
Delete	depth, 215, close NW of:	(a)	above

Chart 3412 (INT 7219) [*previous update 789/26*] WGS84 DATUM

Insert	depth, 177, enclosed by 20m contour	25° 25'·33N., 55° 09'·56E.
--------	-------------------------------------	----------------------------

II

898 PAKISTAN - Depths. Buoy.

Source: ENC's PK4MK45Z and PK5MK40Z

Chart 38 (INT 7019) (Panel A, Gwādar) [*previous update 4720/25*] UNDETERMINED DATUM

Insert	depth, 175, and extend 20m contour NE to enclose	25° 07'·46N., 62° 29'·21E.
	depth, 167	(a) 25° 07'·37N., 62° 28'·44E.
Delete	depth, 194, close SE of:	(a) above
Insert	depth, 189, enclosed by 20m contour	25° 07'·09N., 62° 28'·87E.
Amend	light-buoy to, <i>LFl.10s</i>	25° 06'·91N., 62° 24'·72E.
Replace	depth, 204, with depth, 187, enclosed by 20m contour	25° 06'·85N., 62° 28'·52E.

Chart 38 (INT 7019) [*previous update 4720/25*] WGS84 DATUM

Amend	light-buoy to, <i>LFl.10s</i>	25° 06'·9N., 62° 25'·3E.
Replace	depth, 194, with depth, 167	25° 07'·4N., 62° 28'·4E.

II

894 VIETNAM - Buoyage. Wrecks. Depths. Obstruction.

Source: ENC V1300026

Chart 1059 (Panel A, Vung Tau) [previous update 715/26] WGS84 DATUM

Insert	 Fl(2)5s	10° 20'·22N., 107° 02'·40E. 10° 19'·68N., 107° 03'·82E.
--------	---	--

Chart 1059 (Panel B, Song Cai Mep) [previous update 715/26] WGS84 DATUM

Insert	 Mast	10° 26'·98N., 106° 59'·08E.
--------	--	-----------------------------

Delete		10° 27'·11N., 106° 59'·26E.
--------	---	-----------------------------

Chart 1100 [previous update 715/26] WGS84 DATUM

Insert	 Mast	(a) 10° 26'·98N., 106° 59'·08E.
--------	--	---------------------------------

Delete	 , close NE of:	(a) above
--------	--	-----------

Insert	 Fl(2)5s	10° 20'·23N., 107° 02'·47E. 10° 19'·68N., 107° 03'·89E.
--------	---	--

		(b) 10° 14'·57N., 106° 57'·36E.
--	---	---------------------------------

Delete	 , close NE of:	(b) above
--------	---	-----------

Move	 Fl(2)5s J, from: to:	10° 14'·77N., 106° 57'·47E. 10° 14'·58N., 106° 57'·81E.
------	---	--

Chart 1261 [previous update 715/26] WGS84 DATUM

Insert		10° 27'·55N., 107° 26'·76E.
--------	---	-----------------------------

depth, 84, enclosed by 10m contour	(a) 10° 22'·47N., 107° 26'·84E.
------------------------------------	---------------------------------

Delete	depth, 101, close N of:	(a) above
--------	-------------------------	-----------

Insert	 Obstn	10° 17'·06N., 107° 29'·02E.
--------	---	-----------------------------

		(b) 10° 14'·57N., 106° 57'·36E.
--	---	---------------------------------

Delete	 , close NE of:	(b) above
--------	--	-----------

Move	 Fl(2)5s 'J', from: to:	10° 14'·89N., 106° 57'·39E. 10° 14'·58N., 106° 57'·81E.
------	---	--

Chart 3986 [previous update 5143/25] WGS84 DATUM

Insert	 Obstn	10° 17'·1N., 107° 29'·0E.
--------	---	---------------------------

II

914 CHINA - East Coast - NM Block.

Source: Chinese Notice 49/1532/25

Chart 1199 [*previous update 755/26*] CGCS 2000 DATUM

Insert the accompanying block, centred on:

31° 01'·8N., 122° 16'·4E.

II

931 CHINA - East Coast - Buoy.

Source: Chinese Notice 45/1389/25

Chart 1305 [*previous update 469/26*] CGCS 2000 DATUM

Insert



Fl(2)5s

30° 13′·05N., 122° 28′·59E.

II

944 CHINA - East Coast - Depths. Obstruction.

Source: Chinese Notice 4/88/26

Chart 1144 [previous update 516/26] CGCS 2000 DATUM

Insert depth, 10₂

(a) 30° 34'·86N., 122° 02'·34E.

Delete depth, 13₁, close SE of:

(a) above

Insert  Obstn

30° 31'·64N., 122° 10'·78E.

Chart 1199 [previous update 914/26] CGCS 2000 DATUM

Insert  Obstn

30° 31'·6N., 122° 10'·8E.

Chart 1303 [previous update 516/26] CGCS 2000 DATUM

Insert depth, 10₂

30° 34'·86N., 122° 02'·34E.

 Obstn

30° 31'·64N., 122° 10'·78E.

Chart 1306 [previous update 560/26] CGCS 2000 DATUM

Insert  Obstn

30° 31'·64N., 122° 10'·78E.

II

947 SOUTH CHINA SEA - Lights.

Source: ENC's ID400182 and ID5182R1

Chart 2435 [*previous update 4692/25*] WGS84 DATUM

Insert	★ Iso.6s50m5M	(a) 3° 12'·73N., 106° 13'·09E.
Delete	★ Fl.3s12m11M, close SW of:	(a) above
Amend	light to, F.3m12M	3° 13'·00N., 106° 12'·98E.
	light to, Fl.4s30m9M	3° 22'·49N., 106° 15'·74E.
Delete	★ Fl.Y.3s6m10M	3° 20'·69N., 106° 15'·78E.

II

953 CHINA - Bo Hai - Channel limits.

Source: Chinese Notice 44/1326/25

Chart 2645 [*previous update 148/26*] CGCS 2000 DATUM

Insert limit of channel, pecked line, joining:

38° 50'·55N., 117° 46'·57E.

38° 47'·59N., 118° 01'·29E.

and

38° 50'·46N., 117° 46'·54E.

38° 47'·50N., 118° 01'·26E.

Chart 2653 [*previous update 4818/25*] CGCS 2000 DATUM

Insert limit of channel, pecked line, joining:

38° 50'·55N., 117° 46'·57E.

38° 48'·02N., 117° 59'·13E.

and

38° 50'·46N., 117° 46'·54E.

38° 48'·02N., 117° 58'·68E.

II

958 CHINA - South Coast - Platforms. Submarine power cables.

Source: Chinese Notice 39/1171-1172/25

Chart 1784 [*previous update 820/26*] CGCS 2000 DATUM

Insert

 $\}$ , joining:

22° 46'·94N., 115° 51'·33E.

22° 45'·05N., 115° 54'·00E.

22° 42'·48N., 115° 58'·12E.

22° 41'·45N., 115° 59'·19E.

22° 38'·96N., 116° 08'·27E.

22° 38'·49N., 116° 08'·69E.

and

22° 46'·87N., 115° 51'·23E.

22° 45'·38N., 115° 52'·36E.

22° 45'·38N., 115° 52'·76E.

22° 42'·31N., 115° 57'·51E.

22° 40'·46N., 115° 59'·57E.

22° 37'·06N., 116° 04'·07E.



22° 37'·27N., 116° 09'·78E.

22° 36'·08N., 116° 05'·13E.

II

960 CHINA - South Coast - Buoy.

Source: Chinese Notice 46/1428/25

Chart 1555 [*previous update 622/26*] CGCS 2000 DATUM

Insert



Fl(2)5s L1

20° 56′·5N., 111° 58′·8E.

II

976 CHINA - East Coast - Light-beacons. Radar beacons. Depth.
Source: Chinese Notice 44/1329/25

Chart 1281 [*previous update 706/26*] CGCS 2000 DATUM

Insert	 Mo(C)Y.12s32m5M No 10	(a) 32° 37'·94N., 122° 01'·80E. (a) above
	radar beacon, Racon(G), at light	
	 Mo(C)Y.12s30m5M No 16	(b) 32° 50'·99N., 121° 56'·80E. (b) above
	radar beacon, Racon(G), at light	
Delete	depth, 166, close W of:	(b) above

II

983 CHINA - East Coast - Depths. Obstructions.

Source: Chinese Notice 4/87/26

Chart 1281 [*previous update 976/26*] CGCS 2000 DATUM

Insert	depth, 93, and extend 10m contour NW to enclose	(a)	33° 15'·30N., 120° 52'·71E.
Delete	depth, 137, close NW of:	(a)	above
Replace	depth, 86, with  58 Obstrn		33° 14'·31N., 120° 53'·09E.
Delete	 138 Obstrn		33° 13'·98N., 120° 52'·88E.

II

965 JAPAN - Hokkaidō - Fish haven.

Source: Japanese Notice 6/56/26

Chart JP 10 [*previous update 113/26*] WGS84 DATUM

Insert



41° 50′·00N., 141° 08′·90E.

Chart JP 1030 [*previous update 110/26*] WGS84 DATUM

Insert



41° 50′·00N., 141° 08′·90E.

II

966 JAPAN - Honshū - Light.

Source: Japanese Notice 6/58/26

Chart JP 10 [*previous update 965/26*] WGS84 DATUM

Insert

★ Fl R 4s 5M

41° 22′·28N., 141° 13′·73E.

Chart JP 1030 [*previous update 965/26*] WGS84 DATUM

Insert

★ Fl R 4s 5M

41° 22′·28N., 141° 13′·73E.

II

927 KOREA - West Coast - Radio reporting lines. Legend.

Source: ENC's KR4F2O30, KR4F2O40, KR4F4C20 and KHOA

Chart 1008 [*previous update 644/26*] WGS84 DATUM

Insert	radio reporting line, inbound only, pecked line, joining:	(a)	35° 58'·25N., 126° 31'·29E.
		(b)	35° 52'·70N., 126° 30'·23E.
	legend, <i>Gunsan VTS</i> (see Note), along:	(a)-(b) above	
Replace	radio reporting line, inbound and outbound, pecked line, with radio reporting line, inbound only, pecked line, joining:		36° 00'·55N., 126° 39'·78E.
			36° 00'·41N., 126° 37'·77E.
			36° 00'·24N., 126° 31'·00E.
			36° 03'·20N., 126° 28'·14E.

II

892 INDONESIA - Nusa Tenggara - Light.

Source: Indonesian Notice 50/437/25

Note: This update is included in New Edition 4723, published early 2026.

Chart 2875 [*previous update 5361/25*] WGS84 DATUM

Insert

★ Fl.4s12M

8° 15′·3S., 115° 34′·8E.

Chart 2876 [*previous update 5361/25*] WGS84 DATUM

Insert

★ Fl.4s12M

8° 15′·3S., 115° 34′·8E.

Chart 2915 [*previous update 5361/25*] WGS84 DATUM

Insert

★ Fl.4s12M

8° 15′·3S., 115° 34′·8E.

Chart 3706 [*previous update 5361/25*] WGS84 DATUM

Insert

★ Fl.4s10m12M

8° 15′·34S., 115° 34′·77E.

II

968 INDONESIA - Kalimantan - Buoy. Light-beacons.

Source: Indonesian Notices 48/418-420/25

Chart 3015 (Panel C, Selat Laut) [*previous update 3952/25*] WGS84 DATUM

Insert



3° 20′·71S., 116° 05′·37E.

Fl.5s

(a) 3° 19′·22S., 116° 03′·98E.

Delete



Q.G.5M, close SE of:

(a) above

II

970 INDONESIA - Sulawesi - Lights.

Source: ENC ID300107

Chart 2953 [*previous update 2130/25*] WGS84 DATUM

Amend	light to, Fl(4)20s44m25M	3° 58′·7S., 123° 00′·8E.
	light to, Fl.5s20m12M	4° 01′·2S., 122° 59′·4E.
	light to, Fl.8s12m12M	4° 02′·4S., 122° 46′·3E.
	light to, Fl.2s12m12M	4° 06′·3S., 122° 41′·9E.

II

978 INDONESIA - Sulawesi - Depth.

Source: ENC ID4232R1

Chart 2941 [*previous update 1318/25*] WGS84 DATUM

Insert depth, 92, and extend 200m contour SE to enclose 0° 21'·6N., 124° 25'·0E.

Chart 2952 [*previous update 816/26*] WGS84 DATUM

Insert depth, 92, and extend 200m contour SE to enclose 0° 21'·6N., 124° 25'·0E.

II

946 AUSTRALIA - Western Australia - Foul. Wreck.

Source: Australian Notice 3/95/26

Chart Aus 57 [*previous update 654/26*] WGS84 DATUM

Insert



20° 36'·11S., 116° 35'·15E.

#

20° 37'·18S., 116° 34'·34E.

II

940 CANADA - British Columbia - Buoyage. Radar beacons. Platform. Wreck.

Source: Canadian Notices 10/3463/25, 10/3492/25 and 10/3496/25

Chart 4952 [previous update 3981/25] NAD83 DATUM

Insert	 Fl(5) Y <i>ODAS/SADO (Priv)</i>	49° 03'·68N., 123° 17'·21W.
		49° 04'·57N., 123° 20'·38W.
Move	 Fl Y <i>QA</i> , and associated radar beacon, Racon, from:	49° 16'·57N., 123° 19'·30W.
	to:	49° 16'·53N., 123° 19'·23W.

Chart 4960 [previous update 2373/25] NAD83 DATUM

Insert	 Fl(5) Y <i>ODAS/SADO (Priv)</i>	49° 03' 41·0"N., 123° 17' 12·6"W.
--------	---	-----------------------------------

Chart 4966 [previous update 519/26] NAD83 DATUM

Insert	 Fl(5) Y <i>ODAS/SADO (priv)</i>	49° 19' 51·2"N., 123° 12' 13·9"W. 49° 16' 46·9"N., 123° 16' 33·5"W.
Move	 Fl Y <i>QB</i> , and associated radar beacon, Racon, from:	49° 19' 17·5"N., 123° 12' 06·1"W.
	to:	49° 19' 17·4"N., 123° 12' 06·7"W.
	 Fl Y <i>QA</i> , and associated radar beacon, Racon, from:	49° 16' 34·4"N., 123° 19' 18·4"W.
	to:	49° 16' 31·6"N., 123° 19' 13·8"W.
Delete	 Fl(5) Y 20s (Priv) <i>ODAS/SADO Wave Energy Testing Test</i> <i>d'énergie houlomotrice</i>	49° 16' 41·9"N., 123° 16' 00·5"W.

II

986 CANADA - British Columbia - Piers. Legend.

Source: Canadian Notice 1/3443/26

Chart 4956 [*previous update New Edition 20/11/2025*] NAD83 DATUM

Insert	pier, single firm line, joining:	48° 58'·76N., 123° 48'·00W. 48° 58'·79N., 123° 47'·89W.
Delete	pier, pecked line, and associated legend, Ru, joining:	48° 58'·76N., 123° 47'·99W. 48° 58'·78N., 123° 47'·90W.

II

925 ARGENTINA - Anchorage area.

Source: ENC AR530070

Note: This update is included in New Edition 3561, published early 2026.

Chart 1339 [*previous update 646/26*] WGS84 DATUM

Insert limit of anchorage area, pecked line, joining:

33° 59'·12S., 58° 23'·59W.

33° 57'·06S., 58° 24'·61W.

33° 56'·99S., 58° 24'·41W.

33° 59'·06S., 58° 23'·39W.

II

975 UNITED STATES OF AMERICA - Gulf of Mexico - Superbuoy.
Source: ENC US1GC09M

Chart 4400 (INT 400) [*previous update 4840/25*] WGS84 DATUM

Move	 <i>Fl.Y.2.5s ODAS</i> , from:	26° 54′.0N., 90° 29′.1W.
	to:	26° 23′.5N., 90° 39′.1W.

Chart 4401 (INT 401) [*previous update 4840/25*] WGS84 DATUM

Move	 <i>Fl.Y.2.5s ODAS</i> , from:	26° 54′.0N., 90° 29′.1W.
	to:	26° 22′.1N., 90° 47′.9W.

II

891 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US2EC03M

Chart 2861 [*previous update 512/26*] NAD83 DATUM

Delete

 *Fl.Y.4s*

35° 39′·4N., 75° 09′·6W.

II

895 **UNITED STATES OF AMERICA - East Coast - Light.**
Source: ENC US5ILGCF

Chart 2603 (Panel 1) [*previous update 666/26*] NAD83 DATUM

Amend light to, Fl.2·5s15ft

39° 34'·26N., 75° 31'·05W.

II

918 **UNITED STATES OF AMERICA - East Coast - Buoy.**

Source: ENC US5BALBB

Chart 2850 (Panel, Baltimore Harbor) [*previous update 5157/25*] NAD83 DATUM

Move

 *Q.R* '2', from:

39° 12'·46N., 76° 30'·92W.

to:

39° 12'·55N., 76° 31'·08W.

II

943 CANADA - Fog signal. Legend.

Source: Canadian Notices 11/4011/25 and 11/4116/25

Chart 2492 [*previous update 738/26*] NAD83 DATUM

Delete fog signal, Horn(1), at light 45° 03'·8N., 66° 44'·0W.

Chart 4746 [*previous update 5295/25*] NAD83 DATUM

Delete legend, *Fog Sig*, at light 45° 03'·8N., 66° 44'·0W.

Chart 4749 [*previous update 5621/25*] NAD83 DATUM

Delete fog signal, *FogSig60s*, at light 45° 03'·78N., 66° 43'·98W.

II

984 CANADA - Newfoundland and Labrador - Platforms. Well. Moored storage tanker.

Source: Canadian Notices 12/8012/25 and 12/4001/25 and CHS

Chart 2666 [*previous update New Edition 05/06/2025*] WGS84 DATUM

Insert

 West White Rose

(a) 46° 47'·7N., 48° 03'·7W.

Delete

 Well, close W of:

(a) above

Chart 4404 (INT 404) [*previous update 830/26*] WGS84 DATUM

Insert



46° 47'·7N., 48° 05'·9W.

Replace

 with  FPSO

46° 47'·5N., 48° 01'·4W.

II

897(P)/26 ENGLAND - East Coast - Wrecks, Obstructions.

Source: mv Northern Gale

1. Dangerous wrecks and obstructions exist in the following positions:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Wreck	8·2m	51° 59'·77N., 1° 27'·19E.
Obstruction	9·3m	52° 04'·44N., 1° 33'·34E.

2. Mariners are advised to navigate with caution in the area.
3. Charts will be updated when full details are available.
(ETRS89 DATUM)

Charts affected - 2052 (INT 1560) - 2693 (INT 1570) - 5607_5 - 5614_1

II

899(T)/26 SWEDEN - South Coast - Works. Wrecks. Buoyage.

Source: Swedish Notice 1103/19839(T)/26

1. Decontamination works are taking place in the southern Baltic sea, on wrecks marked by buoys, in positions:

Position

55° 41'·3N., 15° 36'·3E.

55° 42'·9N., 15° 37'·3E.

55° 43'·9N., 15° 40'·1E.

55° 45'·5N., 16° 10'·1E.

2. Mariners are requested to maintain a safety distance of 0·5 M
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2018 (INT 1202) - 2816

II

935(T)/26 NORTH SEA - United Kingdom Sector - Buoyage.

Source: Sofia Offshore Wind Farm

1. Spherical yellow met-ocean light-buoys, *Fl(5)Y.20s*, have been established in the following positions within the Sofia Offshore Wind Farm:

54° 54′.99N., 2° 15′.58E.

54° 58′.16N., 2° 22′.52E.

55° 00′.28N., 2° 14′.92E.

55° 01′.46N., 2° 03′.82E.

55° 05′.54N., 2° 12′.88E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 266 - 268

II

982(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 24'·59N., 3° 27'·19E.	116
51° 26'·83N., 3° 39'·78E.	120
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
* 53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

II

982(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 707(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 120 (INT 1479) - 122 (INT 1472) - 124 (INT 1471) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

950(T)/26 NORTH ATLANTIC OCEAN - Arquipélago da Madeira - Obstruction.

Source: Portuguese Notice 11/307(T)/25

1. An obstruction, depth 20m exists in position 32° 39′.82N., 17° 03′.92W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1831

II

912(T)/26 ANGOLA - Buoyage.

Source: Portugese Notice 11/310(T)/25

1. Two yellow ODAS light buoys, *Fl(5)Y.20s*, have been established in the following positions:

5° 27'·97S., 12° 09'·56E.

5° 43'·75S., 12° 03'·73E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 306 (INT 2814) - 3291

II

915(T)/26 MOROCCO - West Coast - Buoy.

Source: French Notice 2/5(T)/26

1. The starboard-hand lateral light-buoy, *LFl.G.10s JLI*, in position $33^{\circ} 06' \cdot 52\text{N.}$, $8^{\circ} 39' \cdot 12\text{W.}$ is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 862

II

971(T)/26 SENEGAL - Works. Submarine power cable. Buoyage.

Source: French Notice 4/6(T)/26

1. Works are in progress to install a new submarine power cable in the approaches to Dakar.
2. The works are marked by special buoys in the following positions:

<i>Number</i>	<i>Position</i>
* 1	14° 41'·58N., 17° 24'·65W.
* 2	14° 41'·94N., 17° 24'·84W.
* 3	14° 42'·08N., 17° 23'·75W.

3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 5909(T)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 1000 (INT 1993) - 1001 (INT 1994)

II

972(P)/26 UNITED ARAB EMIRATES - Submarine pipelines. Restricted areas.

Source: ADNOC

1. Submarine pipelines have been laid, joining the following positions:

24° 30'·46N., 52° 57'·08E.
24° 29'·99N., 52° 57'·42E.
24° 28'·47N., 52° 57'·67E.
24° 26'·38N., 52° 56'·60E.
24° 18'·41N., 52° 57'·27E.
24° 15'·04N., 52° 55'·59E.
24° 08'·43N., 52° 54'·27E.

2. and

24° 23'·02N., 53° 23'·51E.
24° 26'·05N., 53° 19'·25E.
24° 26'·66N., 53° 15'·55E.
24° 24'·82N., 53° 04'·84E.
24° 21'·06N., 52° 59'·58E.
24° 18'·41N., 52° 57'·27E.

3. and

24° 26'·05N., 53° 19'·25E.
24° 30'·61N., 52° 57'·35E.

4. and

24° 31'·25N., 52° 54'·04E.
24° 30'·05N., 52° 54'·74E.
24° 29'·92N., 52° 56'·01E.
24° 30'·46N., 52° 57'·08E.

5. and

24° 32'·37N., 52° 56'·46E.
24° 31'·08N., 52° 57'·35E.
24° 30'·66N., 52° 57'·33E.

6. and

24° 34'·48N., 52° 57'·10E.
24° 33'·97N., 52° 57'·62E.
24° 31'·28N., 52° 57'·80E.
24° 30'·66N., 52° 57'·33E.

7. and

24° 37'·40N., 53° 00'·33E.
24° 36'·22N., 53° 00'·24E.
24° 34'·48N., 52° 57'·10E.

8. The limit of Ghasha Oilfield restricted area has been amended, and it is now bounded by the following positions:

24° 41'·34N., 52° 54'·01E.
24° 40'·18N., 53° 01'·40E.
24° 38'·91N., 53° 02'·89E.
24° 32'·12N., 53° 05'·37E.
24° 30'·58N., 53° 04'·94E.
24° 25'·80N., 52° 58'·07E.
24° 25'·45N., 52° 55'·96E.
24° 29'·39N., 52° 50'·29E.
24° 32'·03N., 52° 49'·84E.
24° 39'·23N., 52° 50'·96E.
24° 40'·78N., 52° 52'·18E.

II

972(P)/26 UNITED ARAB EMIRATES - Submarine pipelines. Restricted areas. (continued)

9. The limit of Hail Oilfield restricted area has been amended, and it is now bounded by the following approximate positions:

24° 24'·53N., 53° 23'·45E.

24° 23'·29N., 53° 27'·31E.

24° 22'·49N., 53° 28'·08E.

24° 21'·51N., 53° 28'·19E.

24° 18'·52N., 53° 26'·53E.

24° 17'·80N., 53° 25'·19E.

24° 18'·66N., 53° 23'·51E.

24° 22'·59N., 53° 21'·70E.

24° 23'·99N., 53° 22'·10E.

10. These changes will be included in a New Edition of Charts 3178 and 3179 to be published mid 2026.

11. Chart 2889 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 3178 (INT 7226) - 3179 (INT 7229)

II

896(P)/26 INDIA - West Coast - Dredged area. Turning circle. Depth.

Source: ENC IN52076N

1. A new dredged area, depth 13·0m, has been established adjacent to the extension of the New Pir Pau Jetty, bounded by the following positions:

18° 58′·98N., 72° 55′·37E.

18° 58′·95N., 72° 55′·40E.

18° 58′·84N., 72° 55′·28E.

18° 58′·86N., 72° 55′·25E.

2. A turning circle, radius 235m, depth 10·5m, has been established, centred on position: 18° 58′·88N., 72° 55′·48E.
3. These changes will be included in the next New Edition of Chart IN2076.
(WGS84 DATUM)

Chart affected - IN 2076 (INT 7338)

II

903(T)/26 CHINA - South Coast - Works.

Source: Hong Kong Notice 26/72(T)/25

1. Marine works are taking place within an area bounded by the following positions:

22° 20′·853N., 114° 06′·966E.

22° 20′·832N., 114° 06′·975E.

22° 20′·821N., 114° 06′·936E.

22° 20′·843N., 114° 06′·928E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 4119 - 4122

II

928(T)/26 CHINA - South Coast - Works.

Source: Hong Kong Notice 26/71(T)/25

1. Marine works are taking place in areas bounded by the following positions:

22° 16′·826N., 114° 05′·532E.

22° 16′·126N., 114° 04′·713E.

22° 16′·070N., 114° 03′·949E.

22° 16′·872N., 114° 04′·183E.

22° 16′·950N., 114° 05′·216E.

2. and

22° 15′·902N., 114° 03′·900E.

22° 15′·938N., 114° 04′·494E.

*22° 15′·259N., 114° 03′·711E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

4. *Former Notice 842(T)/25 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Charts affected - 4119 - 4121 - 4122 - 4129

II

967(T)/26 JAPAN - Honshū - Depths.

Source: Japanese Notice 6/5039(T)/26

1. Depths less than charted exist in the following positions:

<i>Depth</i>	<i>Position</i>
18·3m	37° 51'·58N., 136° 55'·83E.
17·4m	37° 51'·49N., 136° 55'·83E.
19·5m	37° 50'·66N., 136° 55'·55E.
18·3m	37° 50'·36N., 136° 55'·34E.

(WGS84 DATUM)

Charts affected - JP 120 - JP 1169

II

957(T)/26 AUSTRALIA - Victoria - Light-beacon. Obstruction. Automatic Identification System. Virtual aid to navigation.

Source: Australian Notice 3/132(T)/26

1. *The north cardinal light-beacon, Q 9M, and associated AIS, in position 38° 17'·71S., 144° 41'·15E., have been destroyed.
2. *An obstruction exists in their place, marked by a north cardinal virtual AIS.
3. *Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. *Former Notice 2197(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - Aus 143

II

949(P)/26 CHILE - Northern Coasts - Leading line.

Source: Chilean Chart 3211

1. Leading line bearings within Puerto Huasco, in the vicinity of position $28^{\circ} 27' \cdot 971\text{S}$., $71^{\circ} 14' \cdot 732\text{W}$., have changed by up to 2 degrees.
2. Mariners are advised to navigate with caution in the area.
3. These changes will be included in a New Edition of Chart 4232 to be published early 2026.
(SAD69 DATUM)

Chart affected - 4232

II

902(P)/26 DOMINICAN REPUBLIC - Works. Port development. Pilot boarding place. Offshore installations. Restricted area. Quay. Dolphins. Buoyage. Submarine pipeline.

Source: Ministry of Public Works and Communications and the Dominican Port Authority

1. Port development works are taking place in the Bay of Manzanillo.
2. A pilot boarding area, radius 250m, has been established, centred on position 19° 44'·73N., 71° 46'·01W., approximately 1·5M southeast of Manzanillo Point.
3. A *FPSO* with a safety zone, radius 500m, has been established in the Port of Manzanillo, centred on position 19° 43'·77N., 71° 44'·12W.
4. A LNG terminal wharf has been established, marked by lit dolphins and yellow special buoys. The buoys have been established in the following positions:

Designation

No 1

No 2

No 3

No 4

Position

19° 43'·65N., 71° 44'·28W.

19° 43'·66N., 71° 44'·26W.

19° 43'·81N., 71° 44'·05W.

19° 43'·84N., 71° 44'·07W.

5. A pipeline has been established between the *FPSO* and the shore.
6. Mariners are advised to navigate with caution and contact the local port authorities for further information.
7. Charts will be updated when works are complete.
(WGS84 DATUM)

Chart affected - 463

II

936(T)/26 CUBA - South Coast - Buoy.

Source: Cuban Notice 1/29(T)/26

1. The port hand can light-buoy, *Fl.G.5s '9'*, in position 19° 59'·3N., 75° 52'·9W., is reported missing.
(WGS84 DATUM)

Chart affected - 443

II

969(T)/26 SURINAME - Obstruction. Buoy.

Source: Maritime Authority Suriname Notice 03/26(T)

1. An underwater obstruction, marked by a red buoy, exists in position 5° 58'·52N., 57° 02'·51W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2764 (INT 4191) - 2766