



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 10

05 March 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
355	2101	INT 554	NP 74
356	2422	INT 1187	
740	2632	INT 1188	
742	2869	INT 1189	
1038	3476	INT 1190	
1057	3484	INT 1191	
1058	3823	INT 1192	
1093	3824	INT 1198	
1158	3825	INT 1611	
1178	3826	INT 3360	
1198	3827	INT 3362	
1522	3828	INT 3657	
1644	3899	INT 3785	
		INT 7740	
		INT 7741	

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 05 March 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙740 INT 7740	International Chart Series - Indian Ocean, The Seychelles Group. This chart is to be deleted from the list of charts affected by Notices 3526(P)/24 and 4547(P)/24. This chart remains affected by Notice 4582(T)/25.	1:300,000	36	56
⊙742 INT 7741	International Chart Series, Indian Ocean, Seychelles Group, Mahé, Praslin and Adjacent Islands. On publication of this New Edition former Notices 5743(P)/24 and 527(P)/25 are cancelled. This chart is to be deleted from the list of charts affected by Notice 3526(P)/24. This chart remains affected by Notice 4582(T)/25.	1:125,000	36	56
⊙1038	Aegean Sea – Greece, Stenó Sínou to Stenó Kafiréa. Stenó Ándrou-Tínou. On publication of this New Edition former Notice 301 (P) /26 is cancelled. This chart remains affected by Notice 4404 (P) /25.	1:150,000 1:40,000	28	50
⊙1057	Aegean Sea - Greece and Türkiye, Kuşadası Körfezi and Approaches. Ⓐ Türkiye, Siğacık. Ⓑ Türkiye, Kuşadası.	1:150,000 1:15,000 1:15,000	29	50
⊙1058	Aegean Sea - Greece and Türkiye, Nísos Chíos and İzmir Körfezi.	1:150,000	29	48, 50
⊙1093	Aegean Sea – Greece, Stenó Antikythíron to Stenó Kafiréa. On publication of this New Edition former Notice 301(P)/26 is cancelled. This chart remains affected by Notice 4404(P)/25.	1:300,000	28	50
⊙1158	Türkiye, İstanbul Boğazı Kuzeyi (Northern Bosphorus).	1:20,000	29	48
⊙1178 INT 1611	International Chart Series, United Kingdom and Ireland, Approaches to the Bristol Channel. This chart is to be deleted from the list of charts affected by Notices 459(P)/23 and 2513(P)/24. This chart remains affected by Notice 5204(T)/25.	1:200,000	2	20, 26
⊙1198	Türkiye, İstanbul Boğazı (The Bosphorus). Ⓐ Haliç (The Golden Horn). Ⓑ Haydarpaşa Limanı. This chart remains affected by Notice 5172(T)/21.	1:30,000 1:10,000 1:10,000	29	48

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 05 March 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1522 INT 3785	International Chart Series, Mediterranean Sea, Türkiye - West Coast, İzmir Körfezi. Ⓐ Yenikale Geçidi. Ⓑ İzmir. © İzmir Limanı.	1:25,000 1:12,500 1:10,000 1:10,000	29	48, 50
This chart remains affected by Notice 851(T)/25.				
⊙3825 INT 1189	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Korppoo to Turku.	1:50,000	11	36
This chart remains affected by Notices 5137(T)/24 and 444(T)/26.				
⊙3828 INT 1192	International Chart Series, Finland - Southwest coast, Saaristomeri, Kaurissalo to Norrskata.	1:50,000	11	36
⊙3899 INT 1198	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Lövsjär. This chart remains affected by Notice 5137(T)/24.	1:50,000	11	36

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP74	ADMIRALTY List of Lights and Fog Signals Volume A 7 th Edition (2026) British Isles and North Coast of France from Dunkerque to the Entrance to Goulet de Brest including Isle of Man, Channel Islands and North Sea Oil and Gas Production Installations ISBN Number: 978-0-70-772-5048	05/03/2026	Updated to Week 5/26 (29/01/26) First Updates in NM Week 10/26 (05/03/26) Volume A 6 th Edition (2025) is cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 19 MARCH 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊕355 INT 3362	International Chart Series, Italy - West Coast, Port of Genova East Part.	1:10,000	⊕355 INT 3362	26	42
356 INT 3360	International Chart Series, Italy - West Coast, Approaches to Genova.	1:30,000	⊕356 INT 3360	26	42
1644	Mediterranean Sea, Ports and Anchorages on the South-West Coast of Türkiye. Ⓐ Bodrum. Ⓑ Güllük and Asin. Ⓒ Marmaris. Ⓓ Yediadalar. Ⓔ Fethiye. Ⓕ Datca. Ⓖ Gocek.	1:10,000 1:25,000 1:25,000 1:25,000 1:25,000 1:25,000 1:15,000	⊕1644	30	48, 50
2101 INT 3657	International Chart Series, Türkiye - South Coast, Mersin Limanı.	1:12,500	⊕2101 INT 3657	30	46
2422	South China Sea, Indonesia, Malaysia and Singapore, Singapore to Pulau Redang.	1:500,000	⊕2422	47	68
2632	Eastern Mediterranean Sea, Anamur Burnu to Al Lādhiqīyah including Northern Cyprus.	1:300,000	⊕2632	30	46
2869	South China Sea, Outer Approaches to Singapore Strait.	1:500,000	⊕2869	47	66, 68, 70, 72
3476	Indonesia, Sumatera - East Coast, Sungai Palembang. Ⓐ Entrance to Sungai Palembang. Ⓑ Continuation to Pulau Singgris. Ⓒ Continuation to Selat Jaran. Ⓓ Continuation to Palembang. Ⓔ Palembang.	1:50,000 1:50,000 1:50,000 1:50,000 1:25,000	⊕3476	46	66
3484 INT 554	International Chart Series, Indonesia, Philippine Islands and Adjacent Seas, Mindoro Strait to Molucca Sea.	1:1,500,000	⊕3484 INT 554	58	70, 72, 74, 76, 78
3823 INT 1187	International Chart Series, Finland - Gulf of Finland – Saaristomeri, Jurmo to Vänö.	1:50,000	⊕3823 INT 1187	11	36
3824 INT 1188	International Chart Series, Finland- Gulf of Finland, Saaristomeri, Korppoo to Högsåra.	1:50,000	⊕3824 INT 1188	11	36
3826 INT 1190	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Kökar to Utä.	1:50,000	⊕3826 INT 1190	11	36
3827 INT 1191	International Chart series, Gulf of Finland, Saaristomeri, Kökar to Finnö.	1:50,000	⊕3827 INT 1191	11	36

⊕ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
740 INT 7740	International Chart Series - Indian Ocean, The Seychelles Group.	⊙740 INT 7740
742 INT 7741	International Chart Series, Indian Ocean, Seychelles Group, Mahe, Praslin and Adjacent Islands.	⊙742 INT 7741
1038	Aegean Sea – Greece, Stenó Sífnou to Stenó Kafiréa.	⊙1038
1057	Aegean Sea - Greece and Turkey, Kuşadası Körfezi and Approaches.	⊙1057
1058	Aegean Sea - Greece and Turkey, Nisos Chíos and İzmir Körfezi.	⊙1058
1093	Aegean Sea – Greece, Stenó Antikythiron to Stenó Kafiréa.	⊙1093
1158	Türkiye, İstanbul Boğazı Kuzeyi (Northern Bosphorus).	⊙1158
1178 INT 1611	International Chart Series, United Kingdom and Ireland, Approaches to the Bristol Channel.	⊙1178 INT 1611
1198	Turkey, İstanbul Boğazı (The Bosphorus).	⊙1198
1522 INT 3785	International Chart Series, Mediterranean Sea, Türkiye - West Coast, İzmir Körfezi.	⊙1522 INT 3785
3825 INT 1189	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Korppoo to Turku.	⊙3825 INT 1189
3828 INT 1192	International Chart Series, Finland - Southwest coast, Saaristomeri, Kaurissalo to Norrskata.	⊙3828 INT 1192
3899 INT 1198	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Lövskär.	⊙3899 INT 1198

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
28	1096	1330	1100
35	1066P	1351	1099
44	1047	1383	1038T
47	1058	1384	1038T
73	1011T	1391	1038T
89	1104T	1402	1109
110	1110T	1406	1099
116	1110T	1407	1106
120	1110T	1408	1019
122	1015, 1110T	1409	1106
124	1110T	1413	1023
125	1110T	1426	1009, 1040
127	1088T	1431	1047
130	1110T	1442	1063
166	1052	1473	1009
183	992T	1480	1063
190	1106	1484	996
194	1092T	1503	1019
204	1009	1538	1080
259	988T, 989T, 1105T	1539	1080
266	1093T, 1110T	1576	1005
268	1093T	1610	1099
269	1108P	1630	1110T
278	1014	1631	1110T
323	1099	1632	1110T
344	1002	1633	1110T
367	1050	1634	1096
494	1059	1657	1080
517	1024T	1670	1001
579	994	1705	990P
589	994	1728	1077
798	1055T	1729	1030P
805	1003	1760	1013, 1111
810	1049T	1835	1062T
811	999, 1098T	1892	1099
889	989T	1957	995
890	989T	1962	1013
914	1094T	1973	996
917	1017	1981	1067
935	1005	1996	998
936	1005	1998	1052
1000	1034P	1999	1052
1004	1044	2011	1023, 1056
1006	1016	2015	1042
1018	1017	2018	988T, 1105T
1031	1080	2036	1061T
1037	1080	2041	1061T
1065	1057	2054	988T, 1105T
1066	1004	2073	989T
1091	1097	2082	989T
1095	1080	2123	1092T
1099	1097	2124	1036P
1104	1070	2132	1065
1112	991	2198	1028
1121	996	2209	1037
1123	996	2252	989T
1132	1091	2256	1102
1133	1091	2295	1033
1152	1035P	2347	1088T
1176	1035P	2373	1065
1188	1020T	2374	1065
1191	1093T	2376	1071P
1200	1078	2409	1000
1230	1082	2449	1099
1237	1028	2450	1072
1250	1008	2472	1051
1255	997	2473	1081
1259	1057	2482	1062T
1329	1100	2531	1095

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2538	1092T	4918	1095
2541	1037	5600_10	1061T
2581	1066P	5600_16	1025
2595	1042	5602_11	1096
2605	1079	5602_12	1096
2613	1072	5604_1	1072
2639	1012	5605_1	1099
2645	1008	5605_2	1099
2653	1008	5606_1	1099
2656	1072	5606_11	1062T
2675	1072	5608_13	1035P
2700	993	5608_15	1035P
2709	987P	5609_12	1056
2712	1103	5612_14	1028
2764	1024T	5612_15	1028
2774	1103	5613_1	1067
2791	1031P	5613_9	1067
2797	1004	5614_11	1078
2816	988T, 1105T	5614_16	1020T
2817	988T, 989T, 1105T	5616_18	1037
2837	1107T	5616_4	1037
2842	988T, 1105T	5620_1	996
2843	988T, 1105T	5620_6	996
2844	988T, 1105T	5620_7	996
2851	1029, 1107T	5621_18	996
2858	1107T	5621_3	1047
2872	1004		
2886	1064	Australian Chart No.	Notices
2888	1029, 1107T		
2911	1051	Aus 143	1076T
2936	1051	Aus 195	1073P
3017	1004	Aus 357	1039T, 1045T, 1068T, 1089
3051	1075	Aus 802	1045T, 1068T
3100	1090	Aus 807	1043T
3101	1090	Aus 808	1022T, 1043T, 1054T, 1101
3401	1036P	Aus 809	1101
3403	1036P		
3418	1025	Belgian Chart No.	Notices
3432	1038T		
3480	1088T	BE 101	1110T
3520	1107T		
3636	1104T	German Chart No.	Notices
3666	1053		
3678	1097	DE 42	1074
3679	1097	DE 46	1074
3680	1097	DE 50	1110T
3751	1026	DE 90	1110T
3753	1026, 1081		
3798	1081	Japanese Chart No.	Notices
3817	1102		
3831	1027	JP 151	1084, 1086, 1087
4011	1070	JP 179	1088T
4014	1070	JP 1101	1083
4030	1007	JP 1102	1083, 1084, 1085, 1086
4032	1006, 1069		
4038	1010	New Zealand Chart No.	Notices
4039	1069		
4040	1069	NZ 541	1018T, 1032
4043	1027	NZ 5411	1018T, 1032
4044	1027	NZ 5412	1018T, 1032
4103	1070		
4507	1051, 1081		
4601	1043T		
4602	1043T		
4603	1060P		
4633	1005		
4708	1048T		
4723	1046T, 1048T		
4792	1021		

II

INDEX OF CHARTS AFFECTED

Soloman Islands Chart No.	Notices	International Chart No.	Notices
SLB 201 SLB 304	1041T 1041T	INT 1730 INT 1733 INT 1741 INT 1754 INT 1761 INT 1771 INT 1777 INT 1778 INT 1901 INT 1989 INT 1990 INT 1993 INT 2805 INT 2806 INT 2807 INT 2872 INT 3216 INT 3386 INT 3508 INT 4191 INT 5251 INT 7017 INT 7134 INT 7136 INT 7138 INT 7199 INT 7200 INT 7243 INT 12491	1061T 1061T 1099 993 988T, 1105T 1049T 989T 989T 1011T 1091 1091 1034P 1090 1038T 1038T 1090 1036P 1094T 1036P 1024T 1053 1107T 1065 1065 1065 1029, 1107T 1107T 1064 1102
Italian Chart No.	Notices		
IT 84	1094T		
International Chart No.	Notices		
INT 11 INT 14 INT 103 INT 120 INT 507 INT 601 INT 602 INT 603 INT 633 INT 708 INT 723 INT 750 INT 1045 INT 1062 INT 1070 INT 1201 INT 1202 INT 1203 INT 1205 INT 1206 INT 1220 INT 1223 INT 1224 INT 1239 INT 1249 INT 1300 INT 1332 INT 1366 INT 1416 INT 1417 INT 1418 INT 1420 INT 1422 INT 1423 INT 1453 INT 1461 INT 1471 INT 1472 INT 1473 INT 1474 INT 1477 INT 1479 INT 1483 INT 1504 INT 1505 INT 1507 INT 1509 INT 1511 INT 1532 INT 1553 INT 1556 INT 1564 INT 1573 INT 1654 INT 1662 INT 1703 INT 1705	1070 1070 1070 988T, 989T, 1105T 1051, 1081 1043T 1043T 1060P 1005 1048T 1046T, 1048T 1107T 1110T 996 1072 1042 988T, 1105T 988T, 1105T 989T 989T 1055T 988T, 1105T 988T, 1105T 999, 1098T 1102 1109 1042 1074 1110T 1110T 1110T 1110T 1110T 1110T 1110T 1074 1110T 1110T 1015, 1110T 1110T 1110T 1110T 1110T 1110T 1099 1106 1106 1093T 1019 1099 1066P 1020T 1078 1099 1062T 1035P 1047 1072 1072		

II

996* WALES - West Coast - Pilot boarding places.

Source: Stena Line Ports Ltd

Chart 1121 (INT 1062) [*previous update 840/26*] ETRS89 DATUM

Delete	①	52° 03'·0N., 4° 55'·7W.
--------	---	-------------------------

Chart 1123 [*previous update 4638/25*] ETRS89 DATUM

Delete	①	52° 03'·1N., 4° 55'·7W.
--------	---	-------------------------

Chart 1484 (Panel D, Fishguard Bay) [*previous update 5387/25*] ETRS89 DATUM

Insert	①	52° 01'·78N., 4° 58'·21W.
--------	---	---------------------------

Delete	former ①	52° 00'·785N., 4° 56'·965W.
--------	----------	-----------------------------

Chart 1973 [*previous update 5735/25*] ETRS89 DATUM

Insert	①	52° 01'·78N., 4° 58'·21W.
--------	---	---------------------------

Delete	former ①	52° 00'·79N., 4° 56'·83W.
--------	----------	---------------------------

Chart 5620_6 (Panel B, Fishguard Bay) [*previous update 5387/25*] ETRS89 DATUM

Insert	①	52° 01'·78N., 4° 58'·21W.
--------	---	---------------------------

Delete	former ①	52° 00'·785N., 4° 56'·965W.
--------	----------	-----------------------------

Chart 5620_7 [*previous update New Edition 31/08/2023*] ETRS89 DATUM

Insert	①	52° 01'·78N., 4° 58'·21W.
--------	---	---------------------------

Delete	former ①	52° 00'·79N., 4° 56'·83W.
--------	----------	---------------------------

Chart 5620_1 [*previous update 5637/24*] ETRS89 DATUM

Delete	①	52° 03'·1N., 4° 55'·7W.
--------	---	-------------------------

Chart 5621_18 [*previous update 840/26*] ETRS89 DATUM

Delete	①	52° 03'·0N., 4° 55'·7W.
--------	---	-------------------------

II

1019* ENGLAND - East Coast - Depths. Obstruction. Wrecks.

Source: British Government Survey

Chart 1408 [*previous update 955/26*] WGS84 DATUM

Insert	depth, 102, and extend 20m contour NE to enclose	(a)	52° 56'·9N., 2° 05'·2E.
Delete	depth, 22, close NE of:	(a)	above
Replace	 Wk with  Wk		53° 08'·4N., 1° 53'·4E.
	depth, 275, with depth, 257		53° 02'·3N., 1° 45'·3E.

Chart 1503 (INT 1509) [*previous update 740/26*] ETRS89 DATUM

Insert	depth, 45, and extend 5m contour SE to enclose	(a)	53° 03'·09N., 2° 08'·26E.
Delete	depth, 56, close SE of:	(a)	above
Insert	depth, 76, and extend 10m contour NE to enclose	(b)	52° 59'·21N., 2° 00'·34E.
Delete	depth, 102, close NW of:	(b)	above
	depth, 78, close SE of:	(b)	above
Insert	depth, 69, and extend 10m contour NE to enclose		52° 57'·75N., 2° 03'·24E.
	depth, 81, and extend 10m contour NE to enclose	(c)	52° 57'·42N., 2° 03'·97E.
Delete	depth, 88, close SW of:	(c)	above
Insert	depth, 102, and extend 20m contour NE to enclose		52° 56'·87N., 2° 05'·23E.
	 Obstr		52° 56'·78N., 2° 09'·18E.
	depth, 188, and extend 20m contour E to enclose	(d)	52° 56'·18N., 2° 07'·30E.
Delete	depth, 45, close E of:	(d)	above
Replace	 Wk with  Wk		53° 08'·36N., 1° 53'·44E.
	depth, 275, with depth, 257		53° 02'·25N., 1° 45'·32E.

II

1023* WALES - North Coast - Note.

Source: Holyhead Port Authority and UKHO

Chart 1413 [*previous update 840/26*] ETRS89 DATUM

Insert	the accompanying note, LOCAL NOTICE TO MARINERS, centred on:	53° 20'·72N., 4° 31'·18W.
--------	---	---------------------------

Chart 2011 [*previous update 1187/25*] ETRS89 DATUM

Insert	the accompanying note, LOCAL NOTICE TO MARINERS, centred on:	53° 18'·352N., 4° 38'·175W.
--------	---	-----------------------------

II

1025* ENGLAND - South Coast - Obstruction. Legends. Lights. Light-beacons. Buoy.

Source: Langstone Harbour Board

Chart 3418 [previous update 358/25] ETRS89 DATUM

Insert	 <i>Obstn</i>	50° 48'·27N., 1° 00'·05W.
	legend, <i>Rod Rythe (marked by beacons)</i> , along:	(a) 50° 48'·69N., 1° 00'·14W.
		(b) 50° 48'·57N., 1° 00'·09W.
		(c) 50° 48'·25N., 1° 00'·16W.
Delete	legend, <i>Rod Rythe</i> , close S of:	(a)-(c) above
Amend	light to, Fl.R.10s	50° 47'·79N., 1° 01'·77W.
		50° 47'·81N., 1° 01'·80W.
	light-beacon to, Fl.R.5s	50° 50'·35N., 1° 00'·27W.
Replace	 Fl.G.3s3m2M South Lake with  <i>Fl.G.3s South Lake</i>	50° 49'·49N., 0° 59'·87W.

Chart 5600_16 (Panel A, Langstone Harbour) [previous update 358/25] ETRS89 DATUM

Insert	 <i>Obstn</i>	50° 48'·27N., 1° 00'·05W.
	legend, <i>Rod Rythe (marked by beacons)</i> , along:	(a) 50° 48'·69N., 1° 00'·14W.
		(b) 50° 48'·57N., 1° 00'·09W.
		(c) 50° 48'·25N., 1° 00'·16W.
Delete	legend, <i>Rod Rythe</i> , close S of:	(a)-(c) above
Amend	light to, Fl.R.10s	50° 47'·79N., 1° 01'·77W.
		50° 47'·81N., 1° 01'·80W.
Replace	 Fl.G.3s3m2M South Lake with  <i>Fl.G.3s South Lake</i>	50° 49'·49N., 0° 59'·87W.

Chart 5600_16 (Panel B, Upper Reaches of Langstone Harbour) [previous update 358/25] ETRS89 DATUM

Amend	light-beacon to, Fl.R.5s	50° 50'·35N., 1° 00'·27W.
Replace	 Fl.G.3s3m2M South Lake with  <i>Fl.G.3s South Lake</i>	50° 49'·49N., 0° 59'·87W.

II

1028* IRELAND - North East Coast - Depth.

Source: British Government Survey

Chart 1237 [*previous update 3826/25*] ETRS89 DATUM

Replace depth, 109 , with depth, 99 , enclosed by 10m contour 54° 51'·912N., 5° 47'·362W.

Chart 2198 [*previous update 5681/25*] ETRS89 DATUM

Replace depth, 109 , with depth, 99 , enclosed by 10m contour 54° 51'·91N., 5° 47'·36W.

Chart 5612_15 [*previous update 3826/25*] ETRS89 DATUM

Replace depth, 109 , with depth, 99 , enclosed by 10m contour 54° 51'·912N., 5° 47'·362W.

Chart 5612_14 [*previous update New Edition 25/07/2024*] ETRS89 DATUM

Replace depth, 109 , with depth, 99 , enclosed by 10m contour 54° 51'·91N., 5° 47'·36W.

II

1037* SCOTLAND - West Coast - Beacon.

Source: Northern Lighthouse Board

Chart 2209 [*previous update 1765/25*] ETRS89 DATUM

Insert



57° 16′·85N., 5° 31′·17W.

Chart 2541 (Panel A, Loch Duich) [*previous update 399/25*] ETRS89 DATUM

Insert

symbol, beacon with diamond topmark

57° 16′·85N., 5° 31′·17W.

Chart 2541 (Panel B, Loch Long) [*previous update 399/25*] ETRS89 DATUM

Insert

symbol, beacon with diamond topmark

57° 16′·85N., 5° 31′·17W.

Chart 5616_18 (Panel B, Loch Alsh) [*previous update 1163/24*] ETRS89 DATUM

Insert

symbol, beacon with diamond topmark

57° 16′·85N., 5° 31′·17W.

Chart 5616_4 (Panel A, Loch Duich to Loch Carron) [*previous update 1163/24*] ETRS89 DATUM

Insert



57° 16′·85N., 5° 31′·17W.

II

1047* IRELAND - East Coast - Foul.

Source: Drogheda Port Company Notice 14/26

Chart 44 [*previous update 980/26*] ETRS89 DATUM

Insert # 53° 43'·86N., 6° 10'·12W.

Chart 1431 (INT 1662) (Panel A, Approaches to the River Boyne) [*previous update 980/26*] ETRS89 DATUM

Insert # 53° 43'·86N., 6° 10'·12W.

Chart 5621_3 [*previous update 980/26*] ETRS89 DATUM

Insert # 53° 43'·86N., 6° 10'·12W.

II

1056* WALES - North Coast - Depths.

Source: Stena Line Ports Ltd

Chart 2011 [*previous update 1023/26*] ETRS89 DATUM

Insert	depth, 119	53° 19'·793N., 4° 36'·984W.
	depth, 53	(a) 53° 19'·137N., 4° 36'·849W.
Delete	depth, 63, close NE of:	(a) above
Insert	depth, 59	(b) 53° 19'·237N., 4° 35'·852W.
Delete	depth, 64, close W of:	(b) above

Chart 5609_12 [*previous update New Edition 12/09/2024*] ETRS89 DATUM

Insert	depth, 119	53° 19'·793N., 4° 36'·984W.
	depth, 53	(a) 53° 19'·137N., 4° 36'·849W.
Delete	depth, 63, close NE of:	(a) above

II

1067* ENGLAND - West Coast - Buoy. Automatic Identification System.

Source: Flotation Energy

Note: This update is included in New Edition 1826, published early 2026.

Chart 1981 [*previous update 5431/25*] ETRS89 DATUM

Insert

 *Fl(5)Y.20s*

Automatic Identification System, *AIS*, at light-buoy

(a) 53° 46' · 35N., 3° 32' · 55W.

(a) above

Chart 5613_9 [*previous update 2264/24*] ETRS89 DATUM

Insert

 *Fl(5)Y.20s*

Automatic Identification System, *AIS*, at light-buoy

(a) 53° 46' · 35N., 3° 32' · 55W.

(a) above

Chart 5613_1 [*previous update 5431/25*] ETRS89 DATUM

Insert

 *Fl(5)Y.20s*

Automatic Identification System, *AIS*, at light-buoy

(a) 53° 46' · 35N., 3° 32' · 55W.

(a) above

II

1078* ENGLAND - East Coast - Buoyage.

Source: Port of Wisbech Harbour Authority

Chart 1200 (INT 1556) [*previous update 921/26*] ETRS89 DATUM

Move



Q(6)+LFl.15s Lake, from:

52° 51'·06N., 0° 12'·96E.

to:

52° 51'·14N., 0° 13'·14E.



Fl(2)G.6s No 3, from:

52° 51'·91N., 0° 13'·08E.

to:

52° 52'·11N., 0° 13'·26E.



LFl.R.5s BOB, from:

52° 52'·03N., 0° 13'·20E.

to:

52° 52'·19N., 0° 13'·29E.

Chart 5614_11 (Panel A, The Wash Central Part) [*previous update 921/26*] ETRS89 DATUM

Move



Q(6)+LFl.15s Lake, from:

52° 51'·06N., 0° 12'·96E.

to:

52° 51'·14N., 0° 13'·14E.



Fl(2)G.6s No 3, from:

52° 51'·91N., 0° 13'·08E.

to:

52° 52'·11N., 0° 13'·26E.



LFl.R.5s BOB, from:

52° 52'·03N., 0° 13'·19E.

to:

52° 52'·19N., 0° 13'·29E.

II

1096* ENGLAND - South Coast - Depths.

Source: Salcombe Harbour Authority

Chart 28 (Panel, Salcombe) [*previous update 2396/25*] ETRS89 DATUM

Insert	depth, 07	(a)	50° 14'·496N., 3° 46'·015W.
Delete	depth, 17, close SE of:	(a)	above

Chart 28 [*previous update 2396/25*] ETRS89 DATUM

Insert	depth, 12	(a)	50° 13'·200N., 3° 46'·596W.
		(b)	50° 13'·157N., 3° 46'·728W.
Delete	depth, 14, close S of:	(a)	above
	depth, 14, close SE of:	(b)	above

Chart 1634 (Panel, Salcombe to Start Point) [*previous update 1960/25*] ETRS89 DATUM

Insert	depth, 12	(a)	50° 13'·20N., 3° 46'·60W.
Delete	depth, 14, close S of:	(a)	above
Insert	depth, 12, and extend 2m contour NW to enclose	(b)	50° 13'·16N., 3° 46'·73W.
Delete	depth, 14, close SE of:	(b)	above

Chart 5602_12 (Panel B, Salcombe) [*previous update 2396/25*] ETRS89 DATUM

Insert	depth, 07	(a)	50° 14'·496N., 3° 46'·015W.
Delete	depth, 17, close SE of:	(a)	above

Chart 5602_11 [*previous update New Edition 11/05/2023*] ETRS89 DATUM

Insert	depth, 12	(a)	50° 13'·200N., 3° 46'·596W.
		(b)	50° 13'·157N., 3° 46'·728W.
Delete	depth, 14, close S of:	(a)	above
	depth, 14, close SE of:	(b)	above

II

1106* SCOTLAND - East Coast - Buoy.

Source: ocv Les Alizès and Inch Cape Offshore Limited

Chart 190 [*previous update New Edition 18/12/2025*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 56° 32'·26N., 2° 11'·50W.

Chart 1407 (INT 1505) [*previous update New Edition 18/12/2025*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 56° 32'·26N., 2° 11'·50W.

Chart 1409 (INT 1504) [*previous update New Edition 18/12/2025*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 56° 32'·26N., 2° 11'·50W.

II

1033 RUSSIA - White Sea Coast - Foul.

Source: Russian Notice 2/37/26

Chart 2295 [*previous update 3635/25*] WGS84 DATUM

Insert

#

64° 31'·60N., 40° 32'·20E.

II

1109 NORWAY - South Coast - Light. Radar beacon.

Source: ENC NO4V0718 and Norwegian Notice 2/80056/26

Chart 1402 (INT 1300) [*previous update 814/26*] WGS84 DATUM

Amend light to, Iso.R.2s

(a) 58° 48'·9N., 9° 28'·7E.

Delete radar beacon, Racon(K), at light

(a) above

II

999 SWEDEN - East Coast - Buoyage.

Source: Swedish Notice 1104/19864/26

Chart 811 (INT 1239) [*previous update 533/26*] WGS84 DATUM

Insert



2 Fl Y 2s

59° 18′·835N., 18° 06′·319E.

59° 18′·796N., 18° 06′·259E.

59° 18′·844N., 18° 06′·344E.

59° 18′·811N., 18° 06′·277E.

II

1042 DENMARK - Islands - Buoyage.

Source: Danish Chart Correction 1/2/26

Chart 2015 (INT 1201) [*previous update 920/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s ODAS*

55° 25'·78N., 12° 30'·15E.

55° 24'·79N., 12° 30'·17E.

Chart 2595 (INT 1332) [*previous update 583/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s Rec.St.*

55° 27'·59N., 12° 34'·76E.

55° 27'·64N., 12° 32'·99E.

55° 25'·78N., 12° 30'·15E.

55° 24'·79N., 12° 30'·12E.

II

1102 FINLAND - South Coast - Buoyage.

Source: Finnish Notice 36/280/25

Chart 2256 (INT 12491) (Panel C, Kilpilahti / Sköldvik) [*previous update 1368/25*] WGS84 DATUM

Replace  with  60° 15'·51N., 25° 34'·09E.

Chart 3817 (INT 1249) [*previous update 3364/25*] WGS84 DATUM

Replace  with  60° 15'·51N., 25° 34'·09E.
60° 14'·36N., 25° 35'·03E.
60° 13'·06N., 25° 36'·11E.


II

1014* NORTH SEA - United Kingdom Sector - Well. Restricted area.

Source: Anasuria Hibiscus UK Limited

Chart 278 [*previous update 5482/25*] WGS84 DATUM

Insert



(a) 57° 16′·52N., 0° 46′·48E.

circular limit of restricted area, radius 500m (0·27M), TTTT,

centred on:

(a) above

II

1015 NETHERLANDS - Buoy.

Source: Netherlands Notice 7/25/26

Note: This update is included in New Edition 207, to be published early 2026.

Chart 122 (INT 1472) [*previous update 5691/25*] WGS84 DATUM

Move

 *Fl(5)Y.20s MMND*, from:

51° 59'·40N., 4° 00'·30E.

to:

51° 59'·55N., 4° 00'·30E.

II

1074* GERMANY - North Sea Coast - Restricted area.

Source: WSA Nord-Ostsee-Kanal 14/26

Chart DE 42 (INT 1366) (Panel B, Brunsbüttel) [*previous update 5530/25*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	53° 54'·001N., 9° 09'·198E.
		53° 53'·980N., 9° 09'·240E.
		53° 53'·910N., 9° 09'·100E.
		53° 53'·981N., 9° 08'·989E.

Chart DE 46 (INT 1453) (Panel, Brunsbüttel) [*previous update 938/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	53° 54'·001N., 9° 09'·199E.
		53° 53'·980N., 9° 09'·240E.
		53° 53'·910N., 9° 09'·100E.
		53° 53'·983N., 9° 08'·986E.

II

991 FRANCE - North Coast - Lights.

Source: French Notice 4/39/26

Chart 1112 [*previous update 1977/25*] WGS84 DATUM

Delete

★ F.Vi

49° 38′·943N., 1° 36′·555W.

49° 38′·702N., 1° 36′·839W.

II

993 **FRANCE - North Coast - Depth.**

Source: French Notice 5/36/26

Chart 2700 (INT 1754) [*previous update 5189/25*] WGS84 DATUM

Replace depth, 09, with depth, 05

48° 38'·584N., 2° 01'·583W.

II

1070 FRANCE - West Coast - Obstructions.

Source: French Notice 4/45/26

Chart 1104 [*previous update 527/26*] WGS84 DATUM

Insert	 ODAS	(a) 47° 35′·5N., 7° 22′·3W.
Delete	 ODAS, close NW of:	(a) above

Chart 4011 (INT 11) [*previous update New Edition 05/06/2025*] WGS84 DATUM

Replace	 ODAS with  ODAS	47° 35′·5N., 7° 22′·3W.
---------	--	-------------------------

Chart 4014 (INT 14) [*previous update New Edition 05/06/2025*] WGS84 DATUM

Replace	 ODAS with  ODAS	47° 35′·5N., 7° 22′·3W.
---------	--	-------------------------

Chart 4103 (INT 103) [*previous update New Edition 17/07/2025*] WGS84 DATUM

Insert	 ODAS	(a) 47° 35′·5N., 7° 22′·3W.
Delete	 ODAS, close NW of:	(a) above

II

1072 **FRANCE - North Coast - Foul.**

Source: French Notice 4/38/26

Chart 2450 (INT 1703) [*previous update 5734/25*] ETRS89 DATUM

Insert # 50° 05'·42N., 1° 04'·65W.

Chart 2613 (INT 1705) [*previous update 234/26*] WGS84 DATUM

Insert # 50° 05'·42N., 1° 04'·65W.

Chart 2656 [*previous update 5276/25*] ETRS89 DATUM

Insert # 50° 05'·4N., 1° 04'·7W.

Chart 2675 (INT 1070) [*previous update 4844/25*] ETRS89 DATUM

Insert # 50° 05'·4N., 1° 04'·7W.

Chart 5604_1 [*previous update 4844/25*] ETRS89 DATUM

Insert # 50° 05'·4N., 1° 04'·7W.

II

1099 FRANCE - North Coast - Automatic Identification Systems.

Source: French Notice 4/35/2026

Chart 323 (INT 1564) [*previous update 663/26*] ETRS89 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·00N., 1° 45'·84E.
--------	--	---------------------------

Chart 1351 (INT 1483) [*previous update 663/26*] WGS84 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·000N., 1° 45'·840E.
--------	--	-----------------------------

Chart 1406 [*previous update 692/26*] WGS84 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·23N., 1° 45'·31E.
--------	--	---------------------------

Chart 1610 (INT 1511) [*previous update 692/26*] ETRS89 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·00N., 1° 45'·84E.
--------	--	---------------------------

Chart 1892 (INT 1741) [*previous update 663/26*] ETRS89 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·00N., 1° 45'·84E.
--------	--	---------------------------

Chart 2449 [*previous update 526/26*] WGS84 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·00N., 1° 45'·84E.
--------	--	---------------------------

Chart 5605_2 [*previous update 3316/25*] WGS84 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·00N., 1° 45'·84E.
--------	--	---------------------------

Chart 5605_1 (Panel B, Northern Approaches to Dover Strait) [*previous update 526/26*] WGS84 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·23N., 1° 45'·31E.
--------	--	---------------------------

Chart 5606_1 [*previous update 526/26*] WGS84 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>RCW</i> light-buoy	51° 01'·23N., 1° 45'·31E.
--------	--	---------------------------

II

995 NORTH ATLANTIC OCEAN - Arquipélago dos Açores - Buoy.

Source: Portugese Notice 11/295/25

Note: Former Notice 4677(T)/24 is cancelled.

Chart 1957 (Panel B, Horta) [*previous update 2545/25*] WGS84 DATUM

Insert



Fl.Y.2·5sIM ODAS HT-S-002

38° 31′·40N., 28° 37′·05W.

Chart 1957 (Panel A, Canal Do Faial) [*previous update 2545/25*] WGS84 DATUM

Insert



Fl.Y.2·5sIM ODAS HT-S-002

38° 31′·42N., 28° 37′·05W.

II

1050 NORTH ATLANTIC OCEAN - Arquipélago de Cabo Verde - Wreck. NM Block.

Source: Portuguese Notice 10/273/25 and ENC PT568502

Chart 367 (Panel A, Approaches to Porto Grande) [*previous update 2859/25*] WGS84 DATUM

Insert



16° 52'·96N., 24° 59'·99W.

Chart 367 (Panel B, Porto Grande) [*previous update 2859/25*] WGS84 DATUM

Insert

the accompanying block, centred on:

16° 53'·3N., 25° 00'·0W.

II

998 CROATIA - NM Block.

Source: ENC HR500015

Chart 1996 (Panel A, Rijeka) [*previous update 5241/25*] WGS84 DATUM

Insert the accompanying block, centred on:

45° 19'·6N., 14° 25'·8E.

II

1003 ITALY - West Coast - Marine Reserve. Buoyage.

Source: Italian Notice 23.14/25

Chart 805 (Panel C, Porto di Vibo Valentia Marina) [*previous update 3537/25*] WGS84 DATUM

Insert

limit of marine reserve, $\text{TTTT}MR\text{TTTT}$, joining:

38° 43'·752N., 16° 06'·450E.

(a) 38° 43'·767N., 16° 06'·538E.

(b) 38° 43'·395N., 16° 07'·127E.

(c) 38° 43'·733N., 16° 08'·637E.

38° 43'·961N., 16° 08'·469E.

 *Fl.Y.3s2M*

(a) above

(b) above

(c) above

II

1009 SLOVENIA - NM Blocks. Notes. Legend.

Source: Slovenian Maritime Administration

Note: Chart 1461 will be updated by Notice to Mariners following New Edition publication in early 2026.

Chart 204 [*previous update 572/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	45° 33'·2N., 13° 34'·3E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	45° 05'·8N., 15° 33'·3E.

Chart 1426 (Panel A, Luka Koper) [*previous update 513/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	45° 33'·9N., 13° 44'·6E.
	legend, <i>Koper VTS</i>	45° 35'·752N., 13° 43'·024E.
	the accompanying note, RESTRICTED AREA	45° 35'·037N., 13° 44'·409E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	45° 35'·212N., 13° 44'·408E. within title panel

Chart 1473 [*previous update 4678/24*] WGS84 DATUM

Insert	legend, <i>Koper VTS (see Note - VESSEL REPORTING)</i>	45° 36'·77N., 13° 40'·44E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	45° 42'·42N., 13° 47'·80E.

II

1016 TÜRKiYE - Marmara Denizi - NM Block.

Source: ENC TR4FIN00

Chart 1006 (Plan F, Approaches to Ambarlı Limanı) [*previous update 310/26*] WGS84 DATUM

Insert the accompanying block, centred on: 40° 57'·4N., 28° 38'·0E.

II

1017 ITALY - West Coast - Danger lines. Legends.

Source: Italian Notice 23.22/25

Chart 917 [previous update 118/26] WGS84 DATUM

Insert danger line, dotted line, joining:

- (a) 38° 13'·18N., 15° 34'·69E.
- (b) 38° 13'·33N., 15° 35'·04E.
- (c) 38° 13'·09N., 15° 35'·29E.
- (d) 38° 12'·92N., 15° 34'·71E.
- and
- (e) 38° 13'·15N., 15° 35'·52E.
- (f) 38° 13'·42N., 15° 35'·24E.
- (g) 38° 13'·63N., 15° 35'·74E.
- (h) 38° 13'·24N., 15° 35'·82E.
- and
- (i) 38° 12'·92N., 15° 36'·27E.
- (j) 38° 13'·42N., 15° 36'·27E.
- (k) 38° 13'·27N., 15° 37'·05E.
- (l) 38° 12'·92N., 15° 37'·05E.

legend, *Unexploded Ordnances*, within:

- (a)-(d) above
- (e)-(h) above
- (i)-(l) above

Chart 1018 [previous update 5214/25] WGS84 DATUM

Insert danger line, dotted line, joining:

- (a) 38° 13'·18N., 15° 34'·69E.
- (b) 38° 13'·33N., 15° 35'·04E.
- (c) 38° 13'·09N., 15° 35'·29E.
- (d) 38° 12'·92N., 15° 34'·71E.
- and
- 38° 13'·15N., 15° 35'·52E.
- 38° 13'·42N., 15° 35'·24E.
- 38° 13'·63N., 15° 35'·74E.
- 38° 13'·24N., 15° 35'·82E.
- and
- 38° 12'·92N., 15° 36'·27E.
- 38° 13'·42N., 15° 36'·27E.
- 38° 13'·27N., 15° 37'·05E.
- 38° 12'·92N., 15° 37'·05E.

legend, *Unexploded Ordnances*, close E of:

- (a)-(d) above

II

1040 CROATIA - Restricted area.

Source: Croatian Notice 11/3/25

Chart 1426 (Panel E, Zaljev Raša) [*previous update 1009/26*] WGS84 DATUM

Delete	semi-circular limit of restricted area, entry prohibited, radius 500m, pecked line, centred on 44° 56' 83N., 14° 04' 60E, joining:	44° 57' 09N., 14° 04' 71E. 44° 56' 75N., 14° 04' 24E.
--------	--	--

II

1044 TÜRKiYE - Marmara Denizi - Light.

Source: Turkish Notice 1/2/26

Chart 1004 [*previous update 29/26*] WGS84 DATUM

Amend light to, Fl.Y.3s8m3M

40° 23' ·62N., 27° 47' ·44E.

II

1052 ITALY - West Coast - Current meter. Obstruction.

Source: Italian Notice 24.9/25

Note: This update is included in New Edition 167, published early 2026.

Chart 166 [*previous update 219/26*] WGS84 DATUM

Replace  *Current meter* with  *ODAS*

43° 01'·8N., 9° 41'·0E.

Chart 1998 [*previous update 922/26*] WGS84 DATUM

Replace  *Current meter* with  *ODAS*

43° 01'·9N., 9° 40'·9E.

Chart 1999 [*previous update 5499/25*] WGS84 DATUM

Replace  *Current meter* with  *ODAS*

43° 02'·0N., 9° 40'·9E.

II

1063 ITALY - East Coast - Depths.

Source: Italian Notice 24.22/25

Chart 1442 [*previous update 5388/25*] WGS84 DATUM

Insert	depth, 97, and extend 10m contour SE to enclose	45° 25'·949N., 12° 18'·332E.
Replace	depth, 117, with depth, 101	45° 26'·096N., 12° 18'·169E.
	depth, 92, with depth, 78	45° 25'·998N., 12° 18'·243E.
		45° 25'·899N., 12° 18'·491E.
	depth, 82, with depth, 74	45° 25'·860N., 12° 18'·582E.
	depth, 92, with depth, 87	45° 25'·811N., 12° 18'·329E.
	depth, 77, with depth, 72	45° 25'·893N., 12° 18'·160E.

Chart 1480 (Panel B, Porto Margher) [*previous update 4367/25*] WGS84 DATUM

Insert	depth, 97, and extend 10m contour E to enclose	45° 25'·949N., 12° 18'·332E.
Replace	depth, 117, with depth, 101	45° 26'·096N., 12° 18'·169E.
	depth, 92, with depth, 78	45° 25'·998N., 12° 18'·243E.
		45° 25'·899N., 12° 18'·491E.
	depth, 82, with depth, 74	45° 25'·860N., 12° 18'·582E.
	depth, 92, with depth, 87	45° 25'·811N., 12° 18'·329E.
	depth, 77, with depth, 72	45° 25'·893N., 12° 18'·160E.

II

1080 GREECE - Aegean Sea Coast - Submarine power cables.

Source: Greek Notice 10/175-179/25 and UKHO

Note: *Certain Copies Only for charts 1031, 1037 and 1095*

Chart 1031 [*previous update 4122/25*] WGS84 DATUM

Insert submarine power cable,  , joining:

37° 37'·40N., 24° 05'·01E.
37° 35'·73N., 24° 05'·78E.
37° 35'·36N., 24° 06'·05E.

Chart 1037 [*previous update 4284/24*] WGS84 DATUM

Insert submarine power cable,  , joining:

36° 44'·92N., 24° 29'·17E.
36° 45'·67N., 24° 28'·74E.
36° 48'·21N., 24° 27'·60E.
36° 49'·36N., 24° 27'·49E.

Chart 1095 [*previous update 934/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

37° 07'·9N., 24° 31'·8E.
37° 07'·6N., 24° 31'·8E.
37° 06'·3N., 24° 32'·8E.
and
37° 07'·9N., 24° 31'·8E.
37° 07'·7N., 24° 31'·7E.
37° 06'·2N., 24° 32'·5E.
and
36° 45'·0N., 24° 29'·2E.
36° 45'·7N., 24° 28'·7E.
36° 47'·3N., 24° 28'·0E.

Chart 1538 (Panel B, Órmos Livádi) [*previous update 2841/24*] WGS84 DATUM

Insert submarine power cable,  , joining:

37° 08'·295N., 24° 31'·925E.
37° 08'·155N., 24° 31'·942E.
37° 07'·840N., 24° 31'·773E.
37° 07'·644N., 24° 31'·780E.
37° 07'·008N., 24° 32'·262E.
and
37° 08'·298N., 24° 31'·918E.
37° 08'·155N., 24° 31'·922E.
37° 07'·820N., 24° 31'·723E.
37° 07'·694N., 24° 31'·705E.
37° 07'·185N., 24° 31'·953E.
37° 07'·008N., 24° 32'·043E.

Chart 1539 (Panel F, Órmos Mílou) [*previous update 575/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

36° 46'·28N., 24° 28'·46E.
36° 47'·34N., 24° 27'·99E.

II

1080 GREECE - Aegean Sea Coast - Submarine power cables. (continued)

Chart 1657 [*previous update 459/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

37° 44'·66N., 24° 03'·95E.
37° 43'·32N., 24° 05'·91E.
37° 42'·43N., 24° 06'·34E.
37° 41'·64N., 24° 06'·27E.
37° 38'·95N., 24° 05'·34E.
37° 38'·42N., 24° 04'·83E.
37° 37'·97N., 24° 04'·75E.
37° 35'·73N., 24° 05'·78E.
37° 34'·56N., 24° 06'·64E.
37° 32'·57N., 24° 08'·64E.

II

1097 GREECE - Kríti - Depths. Light.

Source: Greek Chart 444

Chart 1091 [*previous update 3806/25*] WGS84 DATUM

Insert	depth, 105	35° 13'·7N., 25° 55'·0E.
	depth, 100, enclosed by 100m approximate contour	(a) 35° 21'·0N., 26° 22'·7E.
Delete	depth, 143, close NW of:	(a) above
Insert	★ Fl.R.3s8M	34° 59'·4N., 25° 27'·3E.

Chart 1099 [*previous update 934/26*] WGS84 DATUM

Insert	depth, 100, enclosed by 100m approximate contour	(a) 35° 21'·0N., 26° 22'·7E.
Delete	depth, 143, close NW of:	(a) above

Chart 3678 [*previous update 5352/25*] WGS84 DATUM

Insert	depth, 105	35° 13'·68N., 25° 55'·00E.
--------	------------	----------------------------

Chart 3679 [*previous update 5081/25*] WGS84 DATUM

Insert	depth, 105	35° 13'·68N., 25° 55'·00E.
	depth, 100, enclosed by 100m approximate contour	(a) 35° 21'·04N., 26° 22'·69E.
Delete	depth, 143, close NW of:	(a) above

Chart 3680 [*previous update 3806/25*] WGS84 DATUM

Insert	★ Fl.R.3s8M	34° 59'·43N., 25° 27'·32E.
--------	-------------	----------------------------

II

1103 CROATIA - Marine Reserve. Legend. Restricted area.

Source: Croatian Notice 8/9/25

Chart 2712 [previous update 963/26] WGS84 DATUM

Insert	limit of marine reserve, $\text{TTTT}MR\text{TTTT}$, joining:	(a) 43° 00′·40N., 16° 04′·45E. (b) 43° 00′·05N., 16° 04′·45E. (c) 43° 00′·05N., 16° 03′·95E. (d) 43° 00′·25N., 16° 03′·65E. (e) 43° 00′·40N., 16° 03′·65E. (f) 43° 00′·80N., 16° 03′·85E. (g) 43° 00′·80N., 16° 04′·30E.
	legend, <i>Marine Protected Area (see Note)</i> , close NE of:	(a)-(g) above
Delete	limit of restricted area, entry prohibited, pecked line, joining:	43° 00′·44N., 16° 04′·60E. 43° 00′·28N., 16° 04′·60E. 43° 00′·20N., 16° 04′·50E. 43° 00′·17N., 16° 04′·39E. 43° 00′·15N., 16° 03′·13E. 43° 00′·18N., 16° 03′·83E. 43° 00′·31N., 16° 03′·71E. 43° 00′·45N., 16° 03′·77E. 43° 00′·64N., 16° 04′·91E. 43° 00′·66N., 16° 04′·00E. 43° 00′·67N., 16° 04′·22E.

Chart 2774 [previous update 963/26] WGS84 DATUM

Insert	limit of marine reserve, $\text{TTTT}MR\text{TTTT}$, joining:	(a) 43° 00′·40N., 16° 04′·45E. (b) 43° 00′·05N., 16° 04′·45E. (c) 43° 00′·05N., 16° 03′·95E. (d) 43° 00′·25N., 16° 03′·65E. (e) 43° 00′·40N., 16° 03′·65E. (f) 43° 00′·80N., 16° 03′·85E. (g) 43° 00′·80N., 16° 04′·30E.
	legend, <i>Marine Protected Area (see Note)</i> , close NE of:	(a)-(g) above
Delete	limit of restricted area, entry prohibited, pecked line, joining:	43° 00′·43N., 16° 04′·65E. 43° 00′·22N., 16° 04′·50E. 43° 00′·19N., 16° 04′·13E. 43° 00′·25N., 16° 03′·82E. 43° 00′·54N., 16° 03′·85E. 43° 00′·68N., 16° 03′·98E. 43° 00′·69N., 16° 04′·19E.

II

1090 IVORY COAST - Depths. Submarine pipeline.

Source: French Notice 43/166/25 and UKHO

Note: *Certain Copies Only*

Chart 3100 (INT 2805) [previous update 805/26] UNDETERMINED DATUM

Insert	depth, 84, and extend 100m contour SE to enclose	(a)	4° 39'·7N., 6° 08'·1W.
Delete	depth, 112, close NE of:	(a)	above
Insert	depth, 26, and extend 30m contour S to enclose	(b)	4° 51'·4N., 6° 11'·1W.
Delete	depth, 33, close SW of:	(b)	above
Insert	depth, 285, and extend 30m contour SW to enclose	(c)	4° 51'·3N., 6° 08'·1W.
Delete	depth, 33, close NW of:	(c)	above
Insert	depth, 43, and extend 50m approximate contour S to enclose		4° 52'·8N., 5° 54'·0W.
	depth, 22, and extend 30m approximate contour S to enclose		5° 00'·2N., 5° 30'·9W.
	depth, 92, and extend 100m contour SE to enclose		4° 55'·0N., 5° 16'·7W.
	depth, 21, enclosed by 30m contour		5° 00'·9N., 5° 11'·0W.
	depth, 41, and extend 50m approximate contour S to enclose		5° 04'·0N., 4° 42'·0W.
	depth, 78, and extend 100m contour SE to enclose		5° 03'·0N., 4° 35'·0W.
	depth, 89, and extend 100m contour SE to enclose		5° 03'·0N., 4° 33'·0W.
	depth, 78, and extend 100m contour S to enclose		5° 03'·5N., 4° 31'·0W.
	depth, 47, and extend 50m contour S to enclose		5° 08'·3N., 4° 26'·0W.
	submarine pipeline,  , joining:		5° 01'·5N., 4° 27'·2W.
			5° 02'·4N., 4° 27'·1W.

Chart 3101 (INT 2872) [previous update 805/26] UNDETERMINED DATUM

Insert	depth, 47, and extend 50m approximate contour S to enclose	5° 08'·27N., 4° 26'·00W.
	depth, 209, and extend 30m contour S to enclose	5° 13'·68N., 4° 03'·00W.
	depth, 97, and extend 100m contour SE to enclose	5° 11'·56N., 3° 59'·17W.

II

1091 MAURITANIA - Landmark.

Source: French Notice 5/162/26

Chart 1132 (INT 1989) [*previous update 3143/25*] WGS84 DATUM

Delete



20° 54′·57N., 17° 03′·05W.

Chart 1133 (INT 1990) (Panel A, Port of Nouadhibou) [*previous update 3143/25*] WGS84 DATUM

Delete



20° 54′·569N., 17° 03′·051W.

II

1029 IRAN - Light.
Source: ENC IR586071

Chart 2851 [*previous update 200/26*] WGS84 DATUM

Amend light to, Fl(2)12s12M 25° 38′·2N., 57° 46′·0E.

Chart 2888 (INT 7199) (Panel A, Jāsk) [*previous update 959/26*] WGS84 DATUM

Amend light to, Fl(2)12s25m12M 25° 38′·18N., 57° 45′·86E.

Chart 2888 (INT 7199) [*previous update 959/26*] WGS84 DATUM

Amend light to, Fl(2)12s12M 25° 38′·1N., 57° 45′·9E.

II

1064 BAHRAIN - Light-beacons. Light.

Source: ENC BH45002B

Chart 2886 (INT 7243) [*previous update 625/26*] WGS84 DATUM

Insert



25° 48'·3N., 50° 30'·7E.

25° 44'·3N., 50° 33'·7E.



25° 45'·0N., 50° 38'·5E.



Fl.3s

25° 43'·9N., 50° 38'·4E.



Fl.5s

(a) 25° 39'·2N., 50° 43'·1E.

Delete



Fl, close S of:

(a) above



Fl

25° 48'·0N., 50° 36'·5E.

II

1065 EGYPT - Red Sea Coast - Obstructions. Wells. Maritime limit. Legend.

Source: ENC's EG3GOS01 and EG3GOS02

Note: This update is included in New Edition 2133, published early 2026.

Chart 2132 (INT 7138) (Panel B, Râs Budran Terminal) [previous update 929/26] WGS84 DATUM

Insert  *Obstn* 28° 52'·34N., 33° 04'·12E.

Chart 2373 (INT 7136) [previous update 5715/25] WGS84 DATUM

Insert  *Well* 28° 34'·92N., 32° 57'·96E.
 28° 46'·74N., 32° 56'·80E.
 28° 50'·15N., 32° 54'·24E.
 28° 50'·25N., 32° 54'·60E.
 28° 50'·64N., 32° 54'·19E.
 28° 51'·27N., 32° 53'·92E.

 *Obstn* 28° 52'·37N., 33° 01'·24E.
 28° 52'·34N., 33° 04'·12E.

maritime limit, pecked line , joining: (a) 29° 29'·09N., 32° 27'·56E.
 (b) 29° 29'·88N., 32° 28'·73E.
 (c) 29° 28'·08N., 32° 30'·31E.
 (d) 29° 27'·29N., 32° 29'·14E.

legend, Cargo Transhipment Area, within: (a)-(d) above

Chart 2374 (INT 7134) [previous update 555/26] WGS84 DATUM

Insert  *Well* 28° 34'·92N., 32° 57'·96E.

II

1006* SINGAPORE - Dredged depth.

Source: Maritime and Port Authority of Singapore

Chart 4032 [*previous update 701/26*] WGS84 DATUM

Amend dredged depth to, *16.9m (2025)*, centred on:

1° 14′.393N., 103° 44′.990E.

II

1007* SINGAPORE - NM Block.

Source: Maritime and Port Authority of Singapore

Chart 4030 [*previous update 253/26*] WGS84 DATUM

Insert the accompanying block, centred on:

1° 14′·5N., 103° 37′·3E.

II

1010* SINGAPORE - Buoyage.

Source: Maritime and Port Authority of Singapore

Chart 4038 (Panel A, Town Reach) [*previous update 253/26*] WGS84 DATUM

Insert	 <i>Fl(4)Y.12s STEE-5</i>	1° 27'·43N., 103° 43'·18E.
	 <i>Fl(4)Y.10s STEE-6</i>	1° 26'·78N., 103° 44'·70E.

Chart 4038 [*previous update 253/26*] WGS84 DATUM

Insert	 <i>Fl(4)Y.12s STEE-2</i>	1° 24'·77N., 103° 40'·01E.
Delete	 <i>Fl(4)Y.12s STEE-2</i>	1° 25'·45N., 103° 40'·33E.

II

1027* SINGAPORE - Buoy.

Source: Maritime and Port Authority of Singapore

Chart 3831 [*previous update 5728/25*] WGS84 DATUM

Delete



Fl(2)10s

1° 20′.02N., 104° 02′.91E.

Chart 4043 [*previous update 610/26*] WGS84 DATUM

Delete



Fl(2)10s Jambi Jaya

1° 20′.05N., 104° 02′.91E.

Chart 4044 [*previous update 610/26*] WGS84 DATUM

Delete



Fl(2)10s Jambi Jaya

1° 20′.05N., 104° 02′.91E.

II

1069* SINGAPORE - Buoy.

Source: Maritime and Port Authority of Singapore

Chart 4032 [*previous update 1006/26*] WGS84 DATUM

Delete



TS 1

1° 13′·353N., 103° 43′·901E.

Chart 4039 [*previous update 253/26*] WGS84 DATUM

Delete



1° 13′·35N., 103° 43′·90E.

Chart 4040 [*previous update 253/26*] WGS84 DATUM

Delete



1° 13′·35N., 103° 43′·90E.

II

997 CHINA - Yellow Sea Coast - Buoy.
Source: Chinese Notice 41/1217/25

Chart 1255 [*previous update 857/26*] CGCS 2000 DATUM

Insert



38° 04′·8N., 121° 29′·9E.

II

1000 TAIWAN - Radar beacon.

Source: UKHO

Chart 2409 [*previous update 801/26*] WGS84 DATUM

Delete radar beacon, Racon(C), at light

23° 33′·28N., 119° 40′·26E.

II

1002 CHINA - South Coast - Anchorage areas. Legends. Anchor berths.

Source: UKHO

Chart 344 [*previous update 703/26*] CGCS 2000 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a)	22° 51'·60N., 113° 33'·57E.
		(b)	22° 51'·25N., 113° 33'·78E.
		(c)	22° 51'·17N., 113° 33'·48E.
		(d)	22° 51'·49N., 113° 33'·28E.
		and	
		(e)	22° 51'·07N., 113° 33'·55E.
		(f)	22° 51'·15N., 113° 33'·83E.
		(g)	22° 51'·05N., 113° 33'·90E.
		(h)	22° 50'·75N., 113° 33'·75E.
		(i)	22° 44'·58N., 113° 38'·40E.
Delete	circular limit of anchorage area, radius 0.24M, pecked line, centred on:		
	legend,  70DHA, Tankers, within:	(a)-(d) above	
	legend,  70DHB, Tankers, within:	(e)-(h) above	
	legend,  45SJA, Tanker and Typhoon Shelter within:	(i) above	
	limit of anchorage area, pecked line, and associated legend,  70DH, Typhoon Shelter for Tankers, joining:		22° 51'·49N., 113° 33'·28E. 22° 51'·57N., 113° 33'·50E. 22° 50'·99N., 113° 33'·87E. 22° 50'·74N., 113° 33'·75E.
	circular limit of anchorage area, pecked line, and associated legend,  68DH, Tankers and Typhoon Shelter, centred on:		22° 51'·26N., 113° 33'·95E.

II

1008 CHINA - Bo Hai - Buoyage. Obstructions. Radar beacon. Virtual aids to navigation.

Source: Chinese Notices 36/1063-1066/25

Chart 1250 [*previous update 702/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, special topmark, V-AIS No 3	38° 40'·9N., 117° 55'·4E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 2	38° 41'·6N., 117° 57'·3E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 1	38° 41'·2N., 117° 59'·4E.

Chart 2645 [*previous update 953/26*] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 2</i>	38° 49'·93N., 117° 56'·80E.
	 <i>Mo(O)Y.12s No 1</i>	38° 42'·23N., 117° 53'·42E.
	 <i>Mo(C)Y.12s No 1</i>	(a) 38° 41'·57N., 117° 59'·47E.
	radar beacon, <i>Racon(C)</i> , at light-buoy	(a) above
	symbol, Virtual aid to navigation, special topmark, V-AIS No 5	38° 40'·96N., 117° 51'·25E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 4	38° 41'·48N., 117° 53'·28E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 3	38° 40'·93N., 117° 55'·40E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 2	38° 41'·58N., 117° 57'·27E.
	symbol, Virtual aid to navigation, special topmark, V-AIS No 1	38° 41'·17N., 117° 59'·38E.
Delete	former  <i>Mo(O)Y.12s No 1</i>	38° 49'·50N., 118° 01'·58E.

Chart 2653 [*previous update 953/26*] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 2</i>	38° 49'·93N., 117° 56'·80E.
Delete	 <i>Obstns</i>	38° 55'·29N., 117° 49'·51E.
	former  <i>Mo(O)Y.12s No 2</i>	38° 54'·95N., 117° 52'·36E.
	 <i>Mo(O)Y.12s No 1</i>	38° 49'·50N., 118° 01'·58E.

II

1013 CHINA - South Coast - Light-beacons.

Source: Chinese Notice 39/1170/25

Chart 1760 [*previous update 643/26*] WGS84 DATUM

Insert	 Mo(C)Y.15s5M No 13	23° 17'·9N., 117° 04'·4E.
	 Mo(C)Y.15s5M No 1	23° 17'·9N., 117° 05'·0E.
	 Mo(C)Y.15s5M No 9	23° 16'·9N., 117° 00'·3E.
	 Mo(C)Y.15s5M No 8	23° 16'·2N., 116° 59'·6E.
	 Mo(C)Y.15s5M No 3	23° 16'·2N., 117° 05'·3E.

Chart 1962 [*previous update 622/26*] WGS84 DATUM

Insert	 Mo(C)Y.15s5M No 13	23° 17'·9N., 117° 04'·4E.
	 Mo(C)Y.15s5M No 1	23° 17'·9N., 117° 05'·0E.
	 Mo(C)Y.15s5M No 9	23° 16'·9N., 117° 00'·3E.
	 Mo(C)Y.15s5M No 8	23° 16'·2N., 116° 59'·6E.
	 Mo(C)Y.15s5M No 3	23° 16'·2N., 117° 05'·3E.

II

1077 CHINA - South Coast - Virtual aid to navigation.

Source: Chinese Notice 46/1429/25

Chart 1728 [*previous update 5308/25*] CGCS 2000 DATUM

Insert symbol, Virtual aid to navigation, isolated danger topmark, V-AIS

21° 21′·10N., 109° 08′·40E.

II

1111 TAIWAN - Depths. Obstruction.

Source: UKHO

Chart 1760 [*previous update 1013/26*] WGS84 DATUM

Insert



Obstn

depth, *40* , and extend 50m contour NE to enclose

depth, *39* , enclosed by 50m contour

Delete

depth, *64* , close N of:

23° 49′·4N., 119° 26′·4E.

23° 40′·4N., 119° 25′·6E.

(*a*) 23° 40′·6N., 119° 20′·8E.

(*a*) above

II

1083 JAPAN - Seto Naikai - Jetties. Works.

Source: Japanese Notice 7/70/26

Chart JP 1101 [*previous update 4118/25*] WGS84 DATUM

Insert submerged jetty, pecked line, joining:

(a) 33° 32'·75N., 131° 44'·60E.

(b) 33° 33'·17N., 131° 44'·55E.

and

(c) 33° 32'·30N., 131° 44'·67E.

(d) 33° 32'·43N., 131° 44'·73E.

legend, Under construction, close E of:

(a)-(b) above

(c)-(d) above

Chart JP 1102 [*previous update 4118/25*] WGS84 DATUM

Insert submerged jetty, pecked line, joining:

(a) 33° 32'·75N., 131° 44'·60E.

(b) 33° 33'·17N., 131° 44'·55E.

and

(c) 33° 32'·30N., 131° 44'·67E.

(d) 33° 32'·43N., 131° 44'·73E.

legend, Under construction, close E of:

(a)-(b) above

(c)-(d) above

II

1084 JAPAN - Seto Naikai - Wreck.

Source: Japanese Notice 7/71/26

Chart JP 151 [*previous update 3017/25*] WGS84 DATUM

Insert



33° 16′·15N., 131° 45′·07E.

Chart JP 1102 [*previous update 1083/26*] WGS84 DATUM

Insert



33° 16′·15N., 131° 45′·07E.

II

1085 JAPAN - Seto Naikai - Light.

Source: Japanese Notice 7/73/26

Chart JP 1102 [*previous update 1084/26*] WGS84 DATUM

Delete

★ F Fl R 3/1M

33° 23′·32N., 132° 07′·18E.

II

1086 JAPAN - Shikoku - Lights.

Source: Japanese Notice 7/74/26

Chart JP 151 [*previous update 1084/26*] WGS84 DATUM

Amend range of light to, 5M

32° 58'·36N., 132° 30'·28E.

33° 06'·56N., 132° 22'·94E.

33° 16'·53N., 132° 28'·57E.

Chart JP 1102 [*previous update 1085/26*] WGS84 DATUM

Amend light to, Oc R 4s 5M

33° 16'·53N., 132° 28'·57E.

II

1087 JAPAN - Shikoku - Rock. Danger lines.

Source: Japanese Notice 7/75/26

Chart JP 151 [*previous update 1086/26*] WGS84 DATUM

Insert

+ *Rep*

danger line, dotted line, joining:

33° 02'·03N., 132° 27'·15E.

33° 01'·88N., 132° 27'·20E.

33° 01'·97N., 132° 27'·25E.

33° 02'·17N., 132° 27'·25E.

and

33° 01'·88N., 132° 27'·12E.

33° 02'·08N., 132° 27'·08E.

33° 02'·17N., 132° 27'·12E.

II

1053 KOREA - East Coast - Platform. Radar beacon.

Source: Korean Notice 51/821/25

Chart 3666 (INT 5251) [*previous update 5130/25*] WGS84 DATUM

Insert

Mo(U)15s37m11M

radar beacon, Racon(G), at platform

(a) 36° 41'·15N., 129° 44'·55E.

(a) above

II

1057 KOREA - South Coast - Depths. NM Block. Obstructions. Wreck. Rocks.

Source: Korean Chart 2132

Chart 1065 [previous update 597/26] WGS84 DATUM

Insert	depth, 68	(a)	35° 06'·14N., 128° 42'·65E.
Delete	depth, 81, close NE of:	(a)	above
Insert	depth, 54	(b)	35° 05'·76N., 128° 42'·18E.
Delete	depth, 74, close SW of:	(b)	above
Insert	depth, 8, with seabed type, <i>R</i> , and extend 10m contour S to enclose		35° 05'·42N., 128° 29'·00E.
	depth, 87, with seabed type, <i>R</i> , and extend 10m contour NW to enclose	(c)	35° 05'·09N., 128° 29'·12E.
Delete	depth, 126, close W of:	(c)	above
Insert	 <i>Wk</i>		34° 59'·57N., 128° 29'·70E.
	 <i>Obstn</i>		34° 59'·15N., 128° 51'·43E.
	depth, 207, with seabed type, <i>R</i>	(d)	34° 59'·05N., 128° 29'·52E.
Delete	depth, 225, close NW of:	(d)	above
Insert	depth, 151, with seabed type, <i>R</i>	(e)	34° 57'·72N., 128° 29'·85E.
Delete	depth, 192, close NW of:	(e)	above
Insert	depth, 138	(f)	34° 55'·31N., 128° 29'·31E.
Delete	depth, 148, close NW of:	(f)	above
Insert	the accompanying block, centred on:		35° 03'·2N., 128° 34'·7E.

Chart 1259 (Panel A, Masan) [previous update 597/26] WGS84 DATUM

Insert	 <i>Obstn</i>		35° 07'·36N., 128° 35'·94E.
--------	--	--	-----------------------------

II

1082 RUSSIA - Pacific Ocean Coast - Maritime limits. Legends.

Source: ENC RU5NRW91

Chart 1230 (Panel D, Okhotskiy Reyd) [*previous update 598/26*] UNDETERMINED DATUM

Insert	circular limit of Cargo Transshipment Area, pecked line, radius	
	0·11M, centred on:	(a) 59° 18'·51N., 143° 05'·01E.
		(b) 59° 19'·01N., 143° 05'·01E.
	legend, <i>Anchorage No.9 Cargo Transshipment Area</i> , close E of:	(a) above
	legend, <i>Anchorage No.10 Cargo Transshipment Area</i> , close E	
	of:	(b) above

II

1004 INDONESIA - Java Sea - Submarine cable.

Source: UKHO

Chart 1066 [*previous update 458/26*] WGS84 DATUM

Insert submarine cable, , joining:

2° 53'·0S., 109° 03'·9E.

3° 54'·0S., 108° 20'·0E.

Chart 2797 [*previous update 653/26*] WGS84 DATUM

Insert submarine cable, , joining:

5° 57'·8S., 106° 49'·3E.

5° 56'·1S., 106° 49'·7E.

5° 50'·9S., 106° 51'·5E.

5° 49'·9S., 106° 52'·4E.

5° 46'·8S., 106° 53'·8E.

5° 46'·1S., 106° 55'·5E.

5° 41'·1S., 106° 58'·0E.

5° 34'·9S., 107° 13'·3E.

5° 30'·4S., 107° 15'·8E.

5° 30'·2S., 107° 16'·4E.

5° 28'·2S., 107° 17'·4E.

4° 25'·2S., 107° 59'·4E.

4° 09'·0S., 108° 09'·3E.

Chart 2872 [*previous update 839/26*] WGS84 DATUM

Insert submarine cable, , joining:

2° 53'·0S., 109° 03'·9E.

4° 11'·4S., 108° 07'·7E.

4° 30'·0S., 107° 56'·4E.

5° 00'·0S., 107° 36'·3E.

Chart 3017 [*previous update 4578/25*] WGS84 DATUM

Insert submarine cable, , joining:

4° 46'·4S., 114° 40'·9E.

4° 41'·2S., 115° 16'·4E.

4° 40'·2S., 115° 33'·7E.

II

1012 INDONESIA - Kalimantan - Depths.

Source: ENC ID500543

Chart 2639 (Panel A, Balikpapan) [*previous update 5267/25*] WGS84 DATUM

Insert	depth, 81	(a)	1° 12'·95S., 116° 45'·27E.
Delete	depth, 56, close SE of:	(a)	above
Insert	depth, 9	(b)	1° 13'·11S., 116° 45'·48E.
Delete	depth, 124, and associated 10m contour, close NW of:	(b)	above

II

1026 INDONESIA - Papua - Light.

Source: ENC ID4325R4

Chart 3751 [*previous update 2285/24*] WGS84 DATUM

Move

★ Fl.R.5s13m8M, from:

5° 43′·7S., 134° 12′·2E.

to:

5° 43′·4S., 134° 12′·1E.

Chart 3753 [*previous update 2516/24*] WGS84 DATUM

Move

★ Fl.R.5s13m8M, from:

5° 43′·7S., 134° 12′·2E.

to:

5° 43′·4S., 134° 12′·1E.

II

1051 INDONESIA - Banda Sea - Depths.

Source: ENC ID300397

Chart 2472 [*previous update 255/26*] WGS84 DATUM

Insert	depth, 52, enclosed by 100m contour	(a)	3° 10'·1S., 127° 07'·4E.
Delete	depth, 171, close N of:	(a)	above
Insert	depth, 280	(b)	3° 06'·1S., 127° 26'·8E.
Delete	depth, 370, close NE of:	(b)	above

Chart 2911 [*previous update 2621/25*] WGS84 DATUM

Insert	depth, 735	(a)	3° 44'·5S., 127° 33'·7E.
Delete	depth, 865, close S of:	(a)	above
Insert	depth, 41	(b)	3° 19'·8S., 127° 07'·8E.
Delete	depth, 45, close E of:	(b)	above
Replace	depth, 15, with depth, 142		3° 17'·8S., 127° 05'·1E.

Chart 2936 [*previous update 765/26*] WGS84 DATUM

Insert	depth, 52, enclosed by 200m contour		3° 10'·1S., 127° 07'·4E.
	depth, 280	(a)	3° 06'·1S., 127° 26'·8E.
Delete	depth, 370, close NE of:	(a)	above
Insert	depth, 41	(b)	3° 19'·8S., 127° 07'·8E.
Delete	depth, 45, close E of:	(b)	above
Replace	depth, 15, with depth, 142		3° 17'·8S., 127° 05'·1E.

Chart 4507 (INT 507) [*previous update New Edition 10/07/2025*] WGS84 DATUM

Insert	depth, 280	(a)	3° 06'·1S., 127° 26'·8E.
Delete	depth, 370, close N of:	(a)	above

II

1075 INDONESIA - Kalimantan - Depths.

Source: ENC ID5039R1

Chart 3051 (Panel A, Pelabuhan Loktuan) [*previous update 4344/24*] WGS84 DATUM

Insert	depth, <i>01</i> , and extend 2m approximate contour E to enclose	0° 10'·384N., 117° 30'·121E.
	depth, <i>11</i> , and extend 2m contour E to enclose	(a) 0° 10'·536N., 117° 30'·317E.
Delete	depth, <i>19</i> , close SW of:	(a) above
Insert	depth, <i>18</i> , enclosed by 2m contour	0° 11'·107N., 117° 30'·069E.
	depth, <i>07</i> , and extend 2m approximate contour SE to enclose	(b) 0° 11'·085N., 117° 30'·510E.
Delete	depth, <i>24</i> , close SE of:	(b) above

II

1081 INDONESIA - Papua - Wreck.

Source: Indonesian Notice 6/41/26

Chart 2473 [*previous update 99/26*] WGS84 DATUM

Insert

 *Rep (2026)*

4° 58'·0S., 136° 37'·2E.

Chart 3753 [*previous update 1026/26*] WGS84 DATUM

Insert

 *Rep (2026)*

4° 58'·0S., 136° 37'·2E.

Chart 3798 [*previous update 3528/24*] WGS84 DATUM

Insert

 *Rep (2026)*

4° 58'·0S., 136° 37'·2E.

Chart 4507 (INT 507) [*previous update 1051/26*] WGS84 DATUM

Insert

 *Rep (2026)*

4° 58'·0S., 136° 37'·2E.

II

1089 AUSTRALIA - Victoria - Wrecks.

Source: Australian Notice 3/97/26

Chart Aus 357 [*previous update 142/26*] WGS84 DATUM

Replace

 *Wk Rep(2025)* with  *Wk*

38° 34'·6S., 147° 06'·5E.

II

1101 AUSTRALIA - New South Wales - Wrecks. Historic wrecks.

Source: Australian Notice 3/86/26

Chart Aus 808 [*previous update 632/26*] WGS84 DATUM

Replace  *Wk* with  *Wk* 33° 51'·77S., 151° 18'·69E.
 *Historic Wk (see Note)* with  *Historic Wk (see Note)* 33° 51'·99S., 151° 17'·92E.

Chart Aus 809 [*previous update 5142/25*] WGS84 DATUM

Replace  *Wk* with  *Wk* 33° 51'·76S., 151° 18'·67E.
 *Historic Wk (see Note)* with  *Historic Wk (see Note)* 33° 51'·99S., 151° 17'·90E.

II

1032 NEW ZEALAND - North Island - Spoil ground. Legend. Light-beacon. Quarantine anchorage.

Source: New Zealand Notices 3/26/26 and 4/28/26

Chart NZ 541 [*previous update 5255/25*] WGS84 DATUM

Delete symbol, quarantine anchorage 37° 36'·89S., 176° 14'·70E.

Chart NZ 5411 [*previous update 5255/25*] WGS84 DATUM

Delete symbol, quarantine anchorage 37° 36'·83S., 176° 14'·42E.

Chart NZ 5412 [*previous update New Edition 01/10/2025*] WGS84 DATUM

Insert limit of spoil ground, pecked line, joining: (a) 37° 36'·96S., 176° 11'·85E.

(b) 37° 36'·83S., 176° 11'·68E.

(c) 37° 36'·69S., 176° 11'·85E.

legend, *Spoil Ground 'D'*, within: (a)-(c) above

Delete  Iso.G.2s No.17 37° 39'·307S., 176° 10'·598E.

II

1001* SOUTH PACIFIC OCEAN - Fiji Islands - Wreck.

Source: Fiji Coastal Navigational Warning 05/26

Chart 1670 (Panel A, Nadi Waters) [*previous update 4327/24*] WGS84 DATUM

Insert



17° 38'·60S., 177° 23'·69E.

II

1005 SOUTH PACIFIC OCEAN - NM Blocks. Marine Reserves.

Source: French Notice 28/221/25 and SHOM

Chart 935 [*previous update 5523/25*] IGN 1972 DATUM

Insert	the accompanying block, centred on:	18° 14'·1S., 163° 04'·9E.
	limit of marine reserve, $\tau\tau\tau\tau$ MR $\tau\tau\tau\tau$, joining:	18° 22'·4S., 164° 28'·4E. 18° 28'·6S., 164° 15'·2E. 18° 42'·6S., 164° 22'·0E. 18° 34'·5S., 164° 36'·6E. and 19° 34'·6S., 165° 31'·7E. 19° 34'·6S., 165° 28'·0E. 19° 57'·3S., 165° 27'·9E. 19° 57'·1S., 165° 39'·7E. 19° 41'·7S., 165° 39'·5E. and 19° 48'·0S., 165° 49'·7E. 19° 47'·4S., 165° 45'·1E. 19° 56'·3S., 165° 45'·4E. 19° 56'·1S., 165° 49'·7E.

Chart 936 [*previous update 5355/25*] IGN 1972 DATUM

Insert	the accompanying block, centred on:	19° 47'·3S., 165° 42'·8E.
	limit of marine reserve, $\tau\tau\tau\tau$ MR $\tau\tau\tau\tau$, joining:	20° 34'·5S., 168° 23'·0E. 20° 00'·7S., 167° 33'·6E. 19° 58'·8S., 167° 33'·2E. and 23° 30'·0S., 167° 29'·6E. 22° 57'·7S., 167° 40'·0E. and 22° 51'·6S., 168° 23'·0E. 22° 50'·6S., 167° 47'·8E.

Chart 1576 [*previous update 3870/25*] IGN 1957 SOUTH DATUM

Insert	limit of marine reserve, $\tau\tau\tau\tau$ MR $\tau\tau\tau\tau$, joining:	19° 06'·6S., 167° 20'·3E. 19° 19'·7S., 167° 23'·4E. and 19° 59'·1S., 167° 32'·8E. 20° 00'·7S., 167° 33'·2E. 21° 05'·7S., 169° 08'·1E.
--------	--	--

Chart 4633 (INT 633) [*previous update New Edition 29/05/2025*] WGS84 DATUM

Insert	the accompanying block, centred on:	18° 06'·0S., 163° 44'·4E.
	limit of marine reserve, $\tau\tau\tau\tau$ MR $\tau\tau\tau\tau$, joining:	15° 25'·8S., 161° 51'·0E. 16° 04'·9S., 161° 51'·0E. 16° 04'·9S., 164° 17'·7E.

II

1058 UNITED STATES OF AMERICA - West Coast - Depths. Lights. Restricted area.

Source: ENC's US5SEAKN and US5SEALN

Chart 47 (Panel, Everett) [*previous update 5368/25*] NAD83 DATUM

Insert	depth, 14, enclosed by 2m contour	48° 00'·232N., 122° 13'·422W.
	★ Fl.G.4s	48° 00'·137N., 122° 13'·414W.
	★ Fl.R.4s	48° 00'·116N., 122° 13'·418W.
	depth, 73	(a) 47° 59'·571N., 122° 13'·467W.
Delete	depth, 91, close NE of:	(a) above
Insert	depth, 27, enclosed by 5m contour	47° 59'·514N., 122° 13'·529W.
	limit of restricted area, entry prohibited, pecked line, joining:	47° 59'·089N., 122° 13'·807W.
		47° 59'·214N., 122° 13'·636W.
		47° 59'·334N., 122° 13'·549W.
		47° 59'·666N., 122° 13'·499W.
		47° 59'·666N., 122° 13'·437W.
Replace	depth, 33, with depth, 27	48° 00'·052N., 122° 13'·413W.

II

1095 UNITED STATES OF AMERICA - West Coast - Buoyage.
Source: ENC US4OR11C

Chart 2531 [*previous update 5820/25*] NAD83 DATUM

Insert	symbol, yellow and red pillar buoy, <i>Fl.Y (4 buoys)</i>	44° 35'·1N., 124° 14'·8W.
--------	---	---------------------------

Chart 4918 [*previous update 5820/25*] NAD83 DATUM

Insert	symbol, yellow and red pillar light-buoy, <i>Fl.Y 'NW'</i>	44° 35'·00N., 124° 14'·50W.
	symbol, yellow and red pillar light-buoy, <i>Fl.Y 'NE'</i>	44° 35'·05N., 124° 13'·10W.
	symbol, yellow and red pillar light-buoy, <i>Fl.Y 'SE'</i>	44° 33'·04N., 124° 12'·97W.
	symbol, yellow and red pillar light-buoy, <i>Fl.Y 'SW'</i>	44° 33'·00N., 124° 14'·37W.

II

994 BRAZIL - South Coast - Depths.

Source: Brazilian Notice 2/S 8/26

Chart 579 [*previous update 4061/25*] WGS84 DATUM

Insert depth, 102

(a) 25° 36'·98S., 48° 14'·33W.

Delete depth, 116, close N of:

(a) above

Chart 589 [*previous update 1375/25*] WGS84 DATUM

Insert depth, 102

(a) 25° 36'·98S., 48° 14'·33W.

Delete depth, 116, close N of:

(a) above

II

1100 ARGENTINA - Buoyage.

Source: Argentine Notice 1/13/26

Chart 1329 [*previous update 5055/25*] WGS84 DATUM

Move  *Fl(5)Y.20s Km 419-2*, from: 32° 56'·60S., 60° 37'·00W.
to: 32° 56'·78S., 60° 36'·73W.

Chart 1330 (Panel C, Puerto San Lorenzo) [*previous update 4463/25*] WGS84 DATUM

Insert  *Fl(5)Y.20s Km 447* 32° 43'·75S., 60° 43'·28W.

Delete former  *Fl(5)Y.20s Km 447* 32° 44'·100S., 60° 43'·270W.

Chart 1330 [*previous update 4463/25*] WGS84 DATUM

Move  *Fl(5)Y.20s*, from: 32° 44'·10S., 60° 43'·27W.
to: 32° 43'·75S., 60° 43'·28W.
 *Fl(5)Y.20s Km 419-2*, from: 32° 56'·60S., 60° 37'·00W.
to: 32° 56'·78S., 60° 36'·73W.

II

1059 WEST INDIES - Windward Islands - Restricted area. Marine farm.

Source: French Notice 51/260/25

Chart 494 (Panel C, Cul-de-Sac du Marin) [*previous update 737/26*] WGS84 DATUM

Insert

limit of restricted area, , joining:

- (a) 14° 27'·25N., 60° 53'·45W.
- (b) 14° 27'·23N., 60° 53'·27W.
- (c) 14° 27'·01N., 60° 53'·36W.
- (d) 14° 27'·04N., 60° 53'·56W.

, within:

(a)-(d) above

II

1021 CANADA - Saint Lawrence River - Dredging area.

Source: Canadian Notice 1/1310/26

Chart 4792 (Panel A - B) [*previous update 4893/25*] NAD83 DATUM

Delete limit of dredged area, pecked line, and associated legend,
10,7m, joining:

45° 36' 59.4"N., 73° 30' 15.4"W.

45° 36' 59.2"N., 73° 30' 14.5"W.

45° 36' 51.0"N., 73° 30' 17.7"W.

45° 36' 51.1"N., 73° 30' 18.6"W.

Chart 4792 (Panel B - C) [*previous update 4893/25*] NAD83 DATUM

Delete limit of dredged area, pecked line, and associated legend,
10,7m, joining:

45° 36' 59.4"N., 73° 30' 15.4"W.

45° 36' 59.2"N., 73° 30' 14.5"W.

45° 36' 51.0"N., 73° 30' 17.7"W.

45° 36' 51.1"N., 73° 30' 18.6"W.

II

1079 UNITED STATES OF AMERICA - East Coast - Light.
Source: ENC US5PHLFI

Chart 2605 (Panel 3) [*previous update 1525/25*] NAD83 DATUM

Amend light to, Dir Iso.G.6s27ft

40° 07'·76N., 74° 49'·23W.

II

987(P)/26 IRELAND - West Coast - Depths.

Source: Corio Generation

1. Recent survey information has shown that numerous depths less than charted exist around Skerd Rocks. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
16·2m	53° 16'·55N., 10° 02'·07W.
25·7m	53° 16'·49N., 10° 01'·66W.
14·5m	53° 16'·28N., 10° 01'·27W.
22·6m	53° 16'·58N., 10° 00'·94W.
16·5m	53° 16'·78N., 10° 00'·79W.
14·8m	53° 17'·30N., 10° 00'·50W.
14·9m	53° 17'·39N., 9° 59'·92W.
17·7m	53° 16'·79N., 9° 59'·61W.
17·2m	53° 17'·43N., 9° 58'·59W.
13·9m	53° 16'·31N., 9° 57'·33W.
16·2m	53° 16'·49N., 9° 56'·26W.
18·9m	53° 15'·83N., 9° 54'·99W.
17·3m	53° 15'·19N., 9° 54'·95W.
10·1m	53° 14'·79N., 9° 56'·12W.
17·3m	53° 14'·61N., 9° 58'·13W.
19·4m	53° 14'·47N., 9° 58'·50W.

2. Mariners are advised to navigate with caution in the area.
3. These changes will be included in a New Edition of Chart 2709 to be published mid 2026.
4. Charts 3339 and 1820 will be updated by Notice to Mariners.
(ETRS89 DATUM)

Chart affected - 2709

II

1020(T)/26 ENGLAND - East Coast - Buoyage.

Source: ABP Humber Notice 20/26

1. The light-float, *Fl(2+1)G.6s, Hawke*, in position $53^{\circ} 34' \cdot 55\text{N.}$, $0^{\circ} 05' \cdot 54\text{E.}$ has been replaced by a starboard-hand green conical light-buoy, *Fl(2+1)G.6s*, until further notice.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1188 (INT 1553) - 5614_16

II

1035(P)/26 ENGLAND - Bristol Channel - Pier. Works.

Source: Studio Four Architects

1. Birnbeck Pier restoration works are taking place, in an area bounded by the following positions:

51° 21'·34N., 2° 59'·69W.
51° 21'·39N., 2° 59'·85W.
51° 21'·47N., 2° 59'·92W.
51° 21'·47N., 2° 59'·88W.
51° 21'·48N., 2° 59'·88W.
51° 21'·51N., 2° 59'·93W.
51° 21'·54N., 2° 59'·91W.
51° 21'·44N., 2° 59'·64W.
51° 21'·42N., 2° 59'·67W.
51° 21'·37N., 2° 59'·67W.
51° 21'·34N., 2° 59'·69W.

2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1152 - 1176 (INT 1654) - 5608_13 - 5608_15

II

1061(T)/26 ENGLAND - South Coast - Pipes.

Source: ABP Southampton Notice 32(T)/26

1. Partially submerged pipes have been anchored within the area bounded by the following positions:

50° 53'·225N., 1° 24'·503W.

50° 52'·912N., 1° 24'·130W.

50° 52'·865N., 1° 24'·219W.

50° 53'·178N., 1° 24'·598W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Former Notices 55(T)/26 and 370(T)/26 are cancelled.
(ETRS89 DATUM)

Charts affected - 2036 (INT 1730) - 2041 (INT 1733) - 5600_10

II

1062(T)/26 ENGLAND - East Coast - Wreck.

Source: Peel Ports London Medway

1. A stranded wreck exists in approximate position 51° 24'·354N., 0° 33'·098E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1835 - 2482 (INT 1573) - 5606_11

II

1066(P)/26 SCOTLAND - North Coast - Restricted areas. Fouls. Wreck.

Source: Historic Environment Scotland

1. Historic Marine Protected Areas (HMPAs) have been established under the Marine (Scotland) Act 2010, joining the following positions:

58° 55'·29N., 3° 18'·89W.
58° 55'·76N., 3° 19'·02W.
58° 55'·85N., 3° 18'·70W.
58° 55'·38N., 3° 18'·58W.

2. and

58° 55'·69N., 3° 15'·23W.
58° 55'·83N., 3° 15'·38W.
58° 56'·05N., 3° 14'·28W.
58° 55'·92N., 3° 14'·15W.

3. and

58° 51'·78N., 3° 12'·12W.
58° 51'·79N., 3° 12'·52W.
58° 52'·38N., 3° 11'·86W.
58° 53'·17N., 3° 12'·52W.
58° 54'·00N., 3° 11'·01W.
58° 53'·97N., 3° 08'·30W.
58° 53'·71N., 3° 08'·27W.
58° 53'·61N., 3° 09'·63W.
58° 53'·54N., 3° 09'·71W.
58° 52'·97N., 3° 08'·07W.
58° 52'·76N., 3° 08'·39W.
58° 53'·36N., 3° 10'·19W.
58° 53'·19N., 3° 10'·45W.

4. and

58° 52'·32N., 3° 10'·15W.
58° 51'·65N., 3° 11'·39W.

5. and

58° 50'·69N., 3° 06'·16W.
58° 50'·89N., 3° 06'·24W.
58° 51'·11N., 3° 04'·84W.

6. and

58° 51'·17N., 3° 04'·20W.
58° 50'·96N., 3° 04'·11W.

7. and

58° 52'·21N., 2° 54'·86W.
58° 52'·18N., 2° 55'·02W.
58° 52'·28N., 2° 55'·10W.
58° 52'·31N., 2° 54'·94W.

8. and

58° 53'·44N., 2° 53'·76W.
58° 53'·42N., 2° 54'·09W.
58° 53'·65N., 2° 54'·16W.
58° 53'·68N., 2° 53'·83W.

II

1066(P)/26 SCOTLAND - North Coast - Restricted areas. Fouls. Wreck. (continued)

9. Additional circular Historical Marine Protected Areas (HMPAs) have been established in the following locations:

<i>Area</i>	<i>Radius</i>	<i>Centred on:</i>
Toy Ness	50m	58° 55'·12N., 3° 07'·10W.
Flotta North	180m	58° 50'·84N., 3° 07'·95W.
Flotta East	100m	58° 49'·58N., 3° 04'·74W.
Flotta East	100m	58° 50'·08N., 3° 04'·20W.
Flotta East	100m	58° 49'·69N., 3° 02'·97W.
Skerry Sound	75m	58° 53'·03N., 2° 54'·32W.

10. It is illegal to remove, alter or disturb marine historic assets, or carry out activities which could damage or interfere with a marine historic asset within Historical Marine Protected Areas (HMPAs)

11. The foul ground in position 58° 55'·06N., 3° 07'·42W., exists in position 58° 55'·12N., 3° 07'·10W.

12. The wreck with least depth, 33m, in position 58° 49'·69N., 3° 03'·03W., exists in position 58° 49'·69N., 3° 02'·97W.

13. Mariners are advised to navigate with caution in the area.

14. These changes will be included in the next New Edition of Chart GB2581.

15. These changes will be included in a New Edition of Chart GB0035 to be published early 2026.

16. Chart GB2568_1 and GB2568_2 will be updated by Notice to Mariners.
(ETRS89 DATUM)

Charts affected - 35 - 2581 (INT 1532)

II

988(T)/26 SWEDEN - East Coast - Restricted area.

Source: Swedish Notice 1104/19859/26

1. Due to ice conditions, vessels with low engine power are not recommended to pass through Kalmarsund between the following positions:

57° 12'·0N., 16° 44'·0E.

57° 03'·7N., 16° 44'·5E.

56° 33'·9N., 16° 19'·7E.

56° 15'·0N., 16° 13'·0E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 259 (INT 120) - 2018 (INT 1202) - 2054 (INT 1203) - 2816 - 2817 - 2842 (INT 1223) - 2843 (INT 1224) - 2844 (INT 1761)

II

989(T)/26 SWEDEN - East Coast - Restricted area.

Source: Swedish Notice 1104/19857/26

1. Due to ice conditions, vessels with low engine power are not recommended to pass through Öregrundsgrepen between the following positions:

60° 30'·0N., 18° 13'·0E.

60° 22'·3N., 18° 21'·5E.

60° 15'·0N., 18° 39'·0E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 259 (INT 120) - 889 (INT 1777) - 890 (INT 1778) - 2073 (INT 1205) - 2082 (INT 1206) - 2252 - 2817

II

1049(T)/26 SWEDEN - East Coast - Restricted area.

Source: Swedish Notice 1105/19888(T)/26

1. Ice breaking is prohibited, except in the fairways, between the following positions:

59° 17'·05N., 17° 36'·40E.

59° 16'·11N., 17° 34'·76E.

59° 18'·45N., 17° 29'·40E.

59° 19'·28N., 17° 31'·68E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 810 (INT 1771)

II

1055(T)/26 SWEDEN - East Coast - Maximum authorised draughts.

Source: Swedish Notices 1081/19471/25, 1082/19510/25, 1086/19587/25 and 1104/19870/26

- Maximum permissible draughts have been reduced in the Port of Visby, until further notice as follows:

<i>Location</i>	<i>Maximum permissible draught reduced to</i>	<i>In the vicinity of position</i>
Yttre hamnen	7·0m	57° 38'·100N., 18° 16'·600E.
Inre hamnen	6·1m	57° 38'·230N., 18° 16'·910E.
*Oil quay "Oljekaj"	7·1m	57° 38'·020N., 18° 16'·422E.
Quay 1	4·9m	57° 38'·189N., 18° 17'·061E.
Quay 2	4·9m	57° 38'·229N., 18° 17'·164E.
Quay 4	6·0m	57° 38'·312N., 18° 17'·081E.
*RoRo quay 7	7·1m	57° 37'·944N., 18° 16'·565E.
Quay 10	4·9m	57° 38'·260N., 18° 17'·097E.
Swept area at quay 14	9·25m	57° 37'·750N., 18° 16'·050E.
Quay 14	8·7m	57° 37'·779N., 18° 16'·014E.
Swept area at quay 15	8·7m	57° 37'·810N., 18° 16'·090E.
Quay 15	8·5m	57° 37'·793N., 18° 16'·023E.
*RoRo quay 6	7·1m	57° 38'·050N., 18° 16'·670E.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- *Former Notice 4586(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 798 (INT 1220)

II

1098(T)/26 SWEDEN - East Coast - Works. Horizontal clearance. Bridge. Fairway.

Source: Swedish Notice 1105/19642(T)/26

1. Maintenance works are taking place at Danviksbron Bridge, in position 59° 18'·82N., 18° 06'·28E.
2. The horizontal clearance of the fairway at the bridge is limited to 17m.
3. Restrictions are as follows:

Duration

- *March 10th 2026, 00:00 – March 10th 2026, 24:00
- *March 15th 2026, 00:00 – March 24th 2026, 06:00
- *March 24th 2026, 06:00 – March 28th 2026, 24:00
- *March 29th 2026, 00:00 – September 21st 2026, 06:00

Details

- *Full closure, fairway completely closed
- * Partial closure with non-operable bridge
- *Full closure, fairway completely closed
- Partial closure

4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 5032(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 811 (INT 1239)

II

1105(T)/26 SWEDEN - East Coast - Restricted area. Fairway.

Source: Swedish Notices 1104/19859/26 and 1105/19887(T)/26

1. Due to ice conditions, vessels with low engine power are not recommended to pass through Kalmarsund between the following positions:

57° 12'·0N., 16° 44'·0E.

57° 03'·7N., 16° 44'·5E.

56° 33'·9N., 16° 19'·7E.

56° 15'·0N., 16° 13'·0E.

2. * Due to winter conditions, the fairway between Ölandsbron bridge and Dämman light is closed to all traffic.

Ölandsbron bridge 56° 40'·7N., 16° 23'·7E.

Dämman light 57° 03'·5N., 16° 42'·5E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

4. *Former Notice 988(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 259 (INT 120) - 2018 (INT 1202) - 2054 (INT 1203) - 2816 - 2817 - 2842 (INT 1223) - 2843 (INT 1224) - 2844 (INT 1761)

II

1093(T)/26 NORTH SEA - United Kingdom Sector - Buoyage.

Source: Dogger Bank Wind Farm

1. The following light buoys are reported to be temporarily extinguished:

<i>Buoy type</i>	<i>Designation</i>	<i>Light characteristic</i>	<i>Position</i>
South Cardinal	<i>S3</i>	<i>Q(6)+LFl.15s</i>	54° 44'·22N., 1° 37'·55E.
East Cardinal	<i>E1</i>	<i>Q(3)10s</i>	54° 48'·82N., 2° 14'·69E.
Yellow special	<i>SP7</i>	<i>Fl.Y.5s</i>	54° 46'·40N., 2° 10'·59E.
Yellow special	<i>SP6</i>	<i>Fl(4)Y.12s</i>	54° 54'·97N., 1° 52'·09E.
Yellow special	<i>SP1</i>	<i>Fl(4)Y.12s</i>	55° 05'·55N., 1° 35'·98E.

2. Mariners are advised to navigate with caution in the area.

Charts affected - 266 - 268 - 1191 (INT 1507)

II

1110(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
* 51° 59'·87N., 3° 16'·20E.	110
51° 24'·59N., 3° 27'·19E.	116
51° 26'·83N., 3° 39'·78E.	120
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
* 52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
* 52° 43'·87N., 3° 44'·91E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

II

1110(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 982(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 120 (INT 1479) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

1011(T)/26 SPAIN - South West Coast - Buoy.

Source: Spanish Notice 2/9(T)/26

1. A green pillar buoy, *Q.G*, has been established in the following position 37° 07'·95N., 6° 50'·23W.
(WGS84 DATUM)

Chart affected - 73 (INT 1901)

II

1104(T)/26 PORTUGAL - South Coast - Dredging area. Works. Spoil ground.

Source: Portuguese Notice 1/114(T)/26

1. Dredging works are taking place in Porto de Lagos.
2. A spoil ground has been established at position 37° 01'·20N., 8° 36'·00W.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 89 - 3636

II

990(P)/26 FRANCE - South Coast - Works. Wind farm. Restricted areas.

Source: French Notice 51/84/25

1. Works are in progress to establish two floating wind farms in the vicinity of the approaches to Port-la-Nouvelle and Port-Barcarès.
2. For the latest information regarding these floating wind farms, including restrictions, mariners are advised to consult PING (portail.ping-info-nautique.fr/avurnav-notice).
3. A restricted area, entry prohibited, has been established bounded by the following positions:

43° 00'·1N., 3° 15'·0E.
43° 02'·7N., 3° 17'·0E.
43° 04'·5N., 3° 19'·7E.
43° 04'·5N., 3° 20'·0E.
43° 03'·2N., 3° 23'·0E.
43° 03'·0N., 3° 23'·1E.
43° 01'·2N., 3° 23'·8E.
42° 58'·4N., 3° 20'·3E.
42° 58'·2N., 3° 19'·0E.
42° 58'·2N., 3° 18'·7E.
42° 59'·7N., 3° 15'·1E.
4. A restricted area, anchoring prohibited, entry restricted, has been established bounded by the following positions:

42° 53'·8N., 3° 14'·5E.
42° 53'·2N., 3° 17'·5E.
42° 50'·8N., 3° 18'·5E.
42° 48'·1N., 3° 16'·0E.
42° 48'·9N., 3° 12'·2E.
42° 50'·8N., 3° 11'·2E.
42° 52'·6N., 3° 12'·8E.
42° 53'·8N., 3° 14'·5E.
5. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1705

II

992(T)/26 ISRAEL - Mediterranean Sea Coast - Buoy.

Source: Israeli Notice 94/25

1. A submerged ODAS buoy has been deployed, at a depth of 76m, until further notice, in position 33° 56'·9N., 33° 24'·6E.
(WGS84 DATUM)

Chart affected - 183

II

1036(P)/26 MEDITERRANEAN SEA - Submarine cable.

Source: Alcatel Submarine Networks and UKHO

1. *The BLUE SCS submarine fibre optic cable system is due to be laid during the years 2022 – 2024. The cable is made up of many segments and the proposed positions in water depths of less than 200m are listed below with details of the largest scale relevant Admiralty Charts affected [in brackets]. The accompanying diagram shows the overall coverage of the proposed cables.
2. **K** Italy – Stretto di Messina and approaches [917]

38° 21'·81N., 15° 31'·64E.
38° 20'·52N., 15° 36'·79E.
38° 19'·21N., 15° 39'·95E.
38° 18'·39N., 15° 40'·71E.
38° 16'·59N., 15° 40'·38E.
38° 15'·85N., 15° 39'·86E.
38° 14'·58N., 15° 35'·93E.
38° 13'·80N., 15° 35'·71E.
3. **L** Libya - Ṭarābulus (Tripoli) [3403]

33° 13'·6N., 13° 22'·4E.
32° 59'·1N., 13° 09'·9E.
32° 53'·0N., 13° 09'·4E.
4. **M** *Medina Bank* (34°50'.00N 15°10'.00E) [3403, 2124]

35° 00'·7N., 15° 23'·1E.
34° 48'·2N., 15° 05'·1E.
5. **N** Libya – Darnah [3401]

32° 46'·4N., 22° 37'·6E.
32° 50'·0N., 22° 36'·2E.
32° 53'·3N., 22° 33'·8E.
32° 59'·1N., 22° 30'·9E.
6. Vessels are advised to monitor NAVAREA III, local warnings and Notices to Mariners of other nations for the latest information regarding the cable laying activity. Vessels should give the cable laying vessels a wide berth and avoid anchoring or trawling in the vicinity of the cable.
7. For further information regarding submarine cables, see The Mariners Handbook (NP100).
8. Charts will be updated when works are complete.
9. *Former Notice 5328(P)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2124 - 3401 (INT 3508) - 3403 (INT 3216)

II

1092(T)/26 MALTA - Buoyage.

Source: Transport Malta Notice 11/26

1. Two yellow pillar light-buoy, *Fl Y.3s*, in the following positions 35° 53'·58N., 14° 38'·58E. and 35° 53'·58N., 14° 40'·62E. are reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 194 - 2123 - 2538

II

1094(T)/26 ITALY - West Coast - Buoyage.

Source: ENC IT300010

1. The following yellow light-buoys are missing:

<i>Characteristic</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl.Y.3s2M</i>	Pillar	40° 47'·460N., 14° 19'·970E.
<i>Fl.Y.3s2M</i>	Spar	40° 47'·040N., 14° 19'·950E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 914 - IT 84 (INT 3386)

II

1108(P)/26 CROATIA - Depths. Buoy.

Source: Croatian Notices 11/7-8/25 and UKHO

1. Depths less than charted exist within the approaches to Split. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
12·5m	43° 30'·64N., 16° 22'·38E.
14·1m	43° 30'·49N., 16° 22'·18E.
16·8m	43° 31'·45N., 16° 24'·51E.
10·8m	43° 31'·42N., 16° 24'·76E.
4·8m	43° 31'·85N., 16° 24'·64E.
7·7m	43° 31'·95N., 16° 24'·49E.
21·5m	43° 32'·30N., 16° 25'·30E.
20·5m	43° 32'·38N., 16° 23'·63E.
18·2m	43° 32'·44N., 16° 23'·02E.
10·5m	43° 32'·52N., 16° 22'·30E.
10·1m	43° 32'·56N., 16° 22'·07E.

2. A north cardinal pillar buoy, *Q.4M*, has been established in position 43° 31'·74N., 16° 27'·44E.
3. *These changes will be included in a New Edition of Chart 269 to be published early 2026.
4. *Former Notice 845(P)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 269

II

1034(P)/26 SENEGAL - Submarine power cables.

Source: French Notice 5/164/26

1. Submarine power cables have been laid joining the following positions:

14° 43'·12N., 17° 18'·08W.
14° 42'·83N., 17° 18'·49W.
14° 42'·19N., 17° 19'·09W.
14° 41'·76N., 17° 20'·12W.
14° 41'·74N., 17° 20'·70W.
14° 42'·58N., 17° 22'·77W.
14° 42'·44N., 17° 23'·58W.
14° 41'·87N., 17° 24'·17W.
14° 41'·74N., 17° 24'·57W.
14° 41'·74N., 17° 24'·99W.
14° 41'·95N., 17° 25'·35W.

2. and

14° 43'·10N., 17° 18'·07W.
14° 42'·76N., 17° 18'·44W.
14° 42'·09N., 17° 19'·09W.
14° 41'·70N., 17° 20'·03W.
14° 41'·78N., 17° 20'·94W.
14° 42'·53N., 17° 22'·76W.
14° 42'·40N., 17° 23'·53W.
14° 41'·75N., 17° 24'·23W.
14° 41'·68N., 17° 25'·00W.
14° 41'·94N., 17° 25'·37W.

3. Mariners are advised to navigate with caution in the area.
4. These changes will be included in a New Edition of Chart 1000 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 1000 (INT 1993)

II

1038(T)/26 GHANA - Wreck.

Source: Ghana Maritime Authority

1. A dangerous wreck exists in approximate position 5° 35'·736N., 0° 01'·618E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1383 (INT 2806) - 1384 (INT 2807) - 1391 - 3432

II

1107(T)/26 UNITED ARAB EMIRATES - Restricted area.

Source: Gulf Agency Co. Sharjah Ltd.

1. *An offshore safety zone, entry prohibited, has been established for drilling operations, radius 3000m (1·62M), centred on 25° 24'·13N., 56° 45'·19E.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 4719(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2837 (INT 7017) - 2851 - 2858 (INT 750) - 2888 (INT 7199) - 3520 (INT 7200)

II

1071(P)/26 TAIWAN - Alongside depths. Buoyage. Obstructions. Virtual aid to navigation. Wreck. Restricted areas. Depths.

Source: UKHO

- Depths and obstructions within Kaohsiung and approaches have changed. The most significant are as follows:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Depth	8·7m	22° 37'·09N., 120° 15'·26E.
Obstruction	13·9m	22° 36'·63N., 120° 16'·74E.
Obstruction	11·3m	22° 36'·79N., 120° 16'·53E.
Depth	6·8m	22° 36'·89N., 120° 17'·38E.
Depth	9·7m	22° 36'·25N., 120° 17'·64E.
Depth	12·7m	22° 34'·07N., 120° 18'·43E.
Depth	14·8m	22° 36'·04N., 120° 17'·17E.
Depth	13m	22° 35'·19N., 120° 17'·69E.
Depth	19·8m	22° 33'·50N., 120° 18'·92E.
Obstruction	4·1m	22° 37'·04N., 120° 17'·40E.
Obstruction	15·2m	22° 35'·88N., 120° 15'·10E.

- Alongside depths within Container Terminal No 7 have changed. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
18·2m	22° 32'·36N., 120° 18'·73E.
18·4m	22° 31'·94N., 120° 19'·08E.
16·6m	22° 32'·00N., 120° 18'·97E.
15·6m	22° 32'·35N., 120° 17'·93E.

- A virtual aid to navigation (V-AIS) has been removed in position 22° 37'·01N., 120° 15'·22E.
- A dangerous wreck has been removed in position 22° 31'·44N., 120° 18'·00E.
- A red can buoy, *Mo(A)15s Siren No 3*, has been moved to position 22° 28'·19N., 120° 17'·41E.
- Entry prohibited areas have been amended, to radius 1200m (0·75M), centred on the following positions:
22° 28'·19N., 120° 17'·41E.
22° 28'·82N., 120° 18'·60E.
22° 29'·65N., 120° 17'·16E.
- A red can buoy, *Fl(2)15s Siren No 1*, has been removed in position 22° 30'·21N., 120° 18'·42E.
- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- These changes will be included in the next New Edition of Chart 2376.
- Chart 3230 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 2376

II

1088(T)/26 JAPAN - Kyūshū - Light.

Source: Japanese Notice 7/5061(T)/26

1. The light, Al Fl W R 30s 253m 17M, in position 34° 14′·61N., 130° 06′·36E.has been amended to, Fl.15s 252m 7M, until further notice.
(WGS84 DATUM)

Charts affected - 127 - 2347 - 3480 - JP 179

II

1031(P)/26 INDONESIA - Banda Sea - Wrecks. Works. Pier. Alongside depth.

Source: ENC's ID5527R2 and ID5527R4

1. Wrecks exist in the following positions:

3° 38'·41S., 128° 14'·38E.

3° 38'·98S., 128° 13'·82E.

3° 38'·93S., 128° 13'·85E.

3° 39'·69S., 128° 12'·34E.

3° 38'·67S., 128° 13'·97E.

2. Port works have been completed in Klapadua, in the vicinity of position 3° 39'·01S., 128° 13'·88E.

3. A new pier exists in Pelabuhan Wayame port, in the vicinity of position 3° 39'·94S., 128° 10'·20E.

4. Alongside depth, 7·1, exists in position 3° 39'·28S., 128° 12'·90E.

5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

6. These changes will be included in a New Edition of Chart 2791 to be published early 2026.

(WGS84 DATUM)

Chart affected - 2791

II

1060(P)/26 INDONESIA - Papua - Wreck.

Source: Indonesian Notice 6/41/26

1. A dangerous wreck has been reported in position 4° 58'·0S., 136° 37'·2E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Chart 4603 will be updated by NM following New Edition publication on 26 February 2026.
(WGS84 DATUM)

Chart affected - 4603 (INT 603)

II

1022(T)/26 AUSTRALIA - New South Wales - Obstruction.

Source: Australian Notice 3/102(T)/26

1. A floating obstruction exists in position 34° 20'·79S., 151° 10'·82E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 808

II

1039(T)/26 AUSTRALIA - Victoria - Works.

Source: Australian Notice 3/124(T)/26

1. On or about 15 February 2026, vessel *Fugro Etive* will be conducting subsea operations along the pipeline between the following positions:

37° 51'·2S., 148° 26'·3E.

38° 00'·3S., 148° 26'·7E.

38° 01'·6S., 148° 27'·0E.

and

37° 52'·1S., 148° 26'·3E.

38° 06'·1S., 149° 00'·5E.

2. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Chart affected - Aus 357

II

1043(T)/26 AUSTRALIA - New South Wales - Submarine cable. Works.

Source: Australian Notice 3/104(T)/26

1. Vessel *Decisive* is conducting cable laying operations within an area bounded by the following positions:

35° 05'·40S., 150° 48'·72E.

35° 11'·27S., 151° 05'·87E.

35° 14'·06S., 151° 04'·71E.

35° 07'·36S., 150° 46'·31E.

2. The vessel will be restricted in its ability to manoeuvre and mariners are requested to maintain a sufficient clearance.
(WGS84 DATUM)

Charts affected - 4601 (INT 601) - 4602 (INT 602) - Aus 807 - Aus 808

II

1045(T)/26 AUSTRALIA - Victoria - Works.

Source: Australian Notice 3/128(T)/26

1. Vessels *PMG Emerald* and *Investigator*, with a 500m towed array, are conducting survey operations in an area bounded by the following positions:

38° 23'·1S., 147° 10'·9E.

38° 48'·2S., 148° 14'·9E.

39° 09'·5S., 147° 53'·8E.

38° 35'·9S., 146° 55'·7E.

2. The vessels will display appropriate lights and shapes and monitor VHF Ch 16.
3. Mariners are advised to navigate with caution in the area. 1000m clearance required.
(WGS84 DATUM)

Charts affected - Aus 357 - Aus 802

II

1046(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 3/112(T)/26

1. On or about 17 February 2026, vessel *Skandi Inventor* will be conducting subsea operations and survey operations in positions 19° 48'·6S., 114° 36'·3E. and 19° 52'·7S., 114° 36'·5E. A 5M radius cautionary zone and a 0·5M radius exclusion zone exists around each position.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

1048(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 3/116(T)/26

1. FPU *Scarborough* is conducting subsea operations in position 19° 55'·6S., 113° 14'·5E.
2. Mariners are advised to navigate with caution in the area. 5M clearance requested.
(WGS84 DATUM)

Charts affected - 4708 (INT 708) - 4723 (INT 723)

II

1054(T)/26 AUSTRALIA - New South Wales - Buoy.

Source: Australian Notice 3/103(T)/26

1. The special light-buoy, *Fl.Y.5s (Oct-May)* ($33^{\circ} 59' \cdot 32\text{S.}$, $151^{\circ} 20' \cdot 94\text{E.}$), has been temporarily relocated to position $33^{\circ} 59' \cdot 47\text{S.}$, $151^{\circ} 22' \cdot 62\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 808

II

1068(T)/26 AUSTRALIA - Victoria - Works.

Source: Australian Notice 3/127(T)/26

1. Vessel, *Bass Trek*, is conducting benthic survey operations within an area bounded by the following positions:

38° 20'·7S., 147° 13'·9E.

38° 37'·2S., 147° 41'·0E.

38° 51'·56S., 147° 24'·70E.

38° 33'·6S., 146° 58'·4E.

2. AUV operations will be undertaken at various locations within the survey area.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - Aus 357 - Aus 802

II

1073(P)/26 AUSTRALIA - New South Wales - Depths.

Source: Australian Chart 195

1. Depths less than charted exist in the approaches to Port Kembla. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
39m	34° 18'·44S., 151° 01'·52E.
39m	34° 18'·65S., 151° 01'·96E.
12·1m	34° 22'·23S., 150° 56'·55E.
26·1m	34° 24'·09S., 150° 56'·47E.
24·3m	34° 25'·04S., 150° 57'·18E.
12·6m	34° 24'·67S., 150° 54'·76E.
18·5m	34° 26'·85S., 150° 54'·88E.
14·8m	34° 27'·33S., 150° 56'·01E.
29·7m	34° 26'·94S., 150° 56'·59E.
20·2m	34° 27'·20S., 150° 56'·49E.
7·7m	34° 27'·79S., 150° 56'·49E.
2·8m	34° 28'·78S., 150° 55'·00E.
3·6m	34° 29'·76S., 150° 54'·83E.
31m	34° 31'·02S., 150° 55'·75E.
23·8m	34° 31'·82S., 150° 54'·71E.
66m	34° 31'·33S., 150° 59'·16E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. These changes will be included in the New Edition of Chart Aus 195 to be published early 2026.
(WGS84 DATUM)

Chart affected - Aus 195

II

1076(T)/26 AUSTRALIA - Victoria - Obstruction. Virtual aid to navigation.

Source: Australian Notice 3/132(T)/26 and UKHO

1. *An obstruction marked by a north cardinal virtual AIS exists in position 38° 17'·71S., 144° 41'·15E.
2. *Mariners are advised to navigate with caution in the area.
3. *Former Notice 957(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - Aus 143

II

1018(T)/26 NEW ZEALAND - North Island - Works. Dredging areas. Beacons. Buoy. Spoil grounds.

Source: New Zealand Notice 3/25(T)/26

1. Dredging works are being conducted in the dredged areas between 'A' Beacon, 37° 36'·08S., 176° 11'·00E., and Town Reach Beacon, 37° 39'·96S., 176° 10'·59E., until further notice.
2. A lit starboard lateral buoy, *Iso.G.2s*, has been deployed in position 37° 39'·30S., 176° 10'·59E., until further notice.
3. Additional aids to navigation may be altered as part of these works.
4. A temporary extension to the spoil grounds 'D' and 'G' is in place until further notice. The new extension is bounded by the following positions:

37° 36'·72S., 176° 11'·54E.
37° 35'·57S., 176° 12'·97E.
37° 36'·71S., 176° 14'·42E.
37° 37'·86S., 176° 12'·99E.
5. Contact the harbourmaster for the most up to date information:
Ph: 07 572 7549
Email: Port.Control@port-tauranga.co.nz
6. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - NZ 541 - NZ 5411 - NZ 5412

II

1030(P)/26 SOUTH PACIFIC OCEAN - Samoa Islands - Depths. Marine Reserves. Submarine cables.

Source: ENC's US4AS1LG, US4AS1LH, US4AS1LK, US4AS1LL

- Depths less than charted exist to the west of Tutuila Island. The most significant are in the following approximate positions:

<i>Depth</i>	<i>Position</i>
25m	14° 19'·95S., 170° 53'·90W.
21m	14° 21'·98S., 170° 53'·63W.
32m	14° 19'·31S., 170° 53'·44W.
34m	14° 21'·44S., 170° 54'·26W.
38m	14° 17'·77S., 170° 52'·45W.
14·6m	14° 19'·63S., 170° 50'·80W.
6·8m	14° 19'·13S., 170° 50'·13W.
7·7m	14° 18'·45S., 170° 49'·47W.
14·6m	14° 17'·42S., 170° 46'·66W.
5m	14° 17'·63S., 170° 44'·28W.
7·3m	14° 17'·43S., 170° 43'·30W.
2·2m	14° 17'·22S., 170° 43'·32W.

- Depths less than charted exist to the northeast of Tutuila Island. The most significant are in the following approximate positions:

<i>Depth</i>	<i>Position</i>
34m	14° 13'·00S., 170° 32'·65W.
5·9m	14° 15'·29S., 170° 35'·10W.
6·8m	14° 15'·28S., 170° 35'·81W.
21m	14° 13'·83S., 170° 38'·70W.
7·7m	14° 15'·02S., 170° 37'·26W.
38m	14° 14'·93S., 170° 36'·45W.
10·9	14° 15'·55S., 170° 33'·48W.

- Depths less than charted exist around Ofu Island and Olosega Island. The most significant are in the following approximate positions:

<i>Depth</i>	<i>Position</i>
25m	14° 09'·58S., 169° 41'·09W.
10·9m	14° 10'·07S., 169° 37'·32W.
12·8m	14° 09'·36S., 169° 36'·67W.
21m	14° 11'·12S., 169° 35'·94W.
34m	14° 11'·59S., 169° 39'·37W.
36m	14° 11'·43S., 169° 40'·77W.

- Marine reserves have been established bounded by the following positions:

14° 22'·63S., 170° 45'·33W.
14° 22'·23S., 170° 44'·43W.

- and

14° 17'·44S., 170° 32'·64W.
14° 17'·44S., 170° 31'·87W.
14° 18'·40S., 170° 33'·85W.
14° 18'·52S., 170° 34'·51W.
14° 17'·44S., 170° 34'·51W.
14° 17'·44S., 170° 33'·54W.

- and

14° 17'·11S., 170° 32'·89W.
14° 16'·48S., 170° 32'·89W.
14° 16'·48S., 170° 29'·65W.
14° 17'·44S., 170° 29'·65W.
14° 17'·44S., 170° 32'·64W.

II

1030(P)/26 SOUTH PACIFIC OCEAN - Samoa Islands - Depths. Marine Reserves. Submarine cables. (continued)

7. and

14° 16'·68S., 169° 29'·16W.
14° 16'·91S., 169° 29'·16W.
14° 15'·94S., 169° 25'·63W.
14° 16'·90S., 169° 25'·63W.
14° 16'·90S., 169° 28'·68W.
14° 17'·33S., 169° 28'·68W.
14° 17'·33S., 169° 29'·88W.
14° 16'·90S., 169° 29'·88W.
14° 16'·90S., 169° 31'·06W.
14° 15'·21S., 169° 31'·06W.
14° 15'·21S., 169° 30'·04W.

8. Submarine cables have been laid joining the following approximate positions:

14° 20'·67S., 170° 43'·16W.
14° 20'·78S., 170° 42'·92W.
14° 20'·99S., 170° 42'·67W.
14° 21'·51S., 170° 42'·34W.
14° 22'·92S., 170° 40'·97W.
14° 23'·51S., 170° 40'·74W.

9. and

14° 20'·66S., 170° 43'·15W.
14° 20'·92S., 170° 42'·54W.
14° 21'·32S., 170° 42'·19W.
14° 21'·63S., 170° 41'·34W.
14° 21'·59S., 170° 39'·07W.
14° 21'·94S., 170° 38'·22W.

10. These changes and others will be included in a New Edition of Chart 1729 to be published early 2026.

11. Chart WS 111 will be updated when full details are available.

12. Mariners are advised to navigate with caution in the area.
(PRELIMINARY NAD27 DATUM)

Charts affected - 1729 - WS 111

II

1041(T)/26 SOUTH PACIFIC OCEAN - Solomon Islands - Light-beacon.

Source: Australian Notice 3/133(T)/26

1. The light-beacon, Fl(3)20s 10m 10M (9° 08′·57S., 160° 13′·74E.), is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - SLB 201 - SLB 304

II

1024(T)/26 SURINAME - Obstruction.

Source: Maritime Authority Suriname Notice 62(T)/24

1. *An underwater buoy has been established within the water column, depth 40m, in position 7° 15'·4N., 55° 54'·6W.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 2177(T)/25 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 517 - 2764 (INT 4191)