



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 11

12 March 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
66	5612_1	INT 305	NP 131
167	5613_2	INT 1045	
264	5614_16	INT 1139	
323	5614_17	INT 1462	
1065	5614_18	INT 1553	
1081	5614_19	INT 1554	
1175	5615_3	INT 1564	
1188	5617_1	INT 1565	
1211	5617_2	INT 1607	
1312	5621_1	INT 1848	
1618	AUS 143	INT 3784	
1624	AUS 195	INT 5251	
1625	DE 50	INT 7115	
1826	DE 91	INT 11391	
1985		INT 11881	
2056			
2185			
2470			
2612			
2862			
3496			
3497			
3561			
3666			
3839			
3901			
3963			

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 12 March 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙167 INT 305	International Chart Series, Mediterranean Sea, Genova to Sicilian Channel and Stretto di Messina. This chart remains affected by Notices 5359(P)/24 and 5790(P)/25. This chart is to be deleted from the list of charts affected by Notice 120(P)/26.	1:1,000,000	24	20, 42, 44
⊙264 INT 7115	International Chart Series, Gulf of Aden. Approaches to Djibouti. On publication of this New Edition former Notice 51(P)/26 is cancelled. This chart remains affected by Notices 4275(P)/25 and 5229(P)/25.	1:50,000	32	60
⊙1188 INT 1553	International Chart Series, England - East Coast, River Humber, Spurn Head to Immingham. Grimsby. This chart remains affected by Notice 1020(T)/26.	1:25,000 1:10,000	7	26
⊙1211	Italy – Sardegna, Capo Ferro to Capo Coda Cavallo. This chart remains affected by Notices 4700(T)/24, 4629(P)/25 and 5790(P)/25. This chart is to be deleted from the list of charts affected by Notice 120(P)/26.	1:50,000	25	42
⊙1618	Türkiye - West Coast, Çandarlı Körfezi and Approaches. Ⓐ Aliaga. Ⓑ Nemrut Limanı.	1:50,000 1:25,000 1:15,000	29	48
⊙1624 INT 3784	International Chart Series, Türkiye - West Coast, Approaches to İzmir including İzmir Körfezi. This chart remains affected by Notice 851(T)/25.	1:75,000	29	48, 50
⊙1625	Aegean Sea, Greece and Türkiye, Nisos Chíos to Ildır Körfezi. Ⓐ Chíos. Ⓑ Çeşme.	1:50,000 1:10,000 1:10,000	29	48, 50
⊙1985	Mediterranean Sea, Ajaccio to Oristano including Bonifacio Strait. This chart is to be deleted from the list of charts affected by 120(P)/26.	1:300,000	25	42
⊙3496 INT 1565	International Chart Series, England - East Coast, River Humber, Immingham and Hull. Ⓐ Hull Docks Eastern Part. Ⓑ Hull Docks Western Part. Ⓒ Immingham Oil Terminal to Humber Sea Terminal.	1:10,000 1:10,000 1:10,000	7	26

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 12 March 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3497 INT 1554	International Chart Series, England - East Coast, River Humber, Immingham to Humber Bridge and the Rivers Ouse and Trent. Ⓐ Humber Bridge to Whitton Ness. Ⓑ Whitton Ness to Goole and Keadby. Ⓒ Keadby to Gainsborough. Ⓓ Goole.	1:25,000 1:50,000 1:50,000 1:100,000 1:5,000	7	26
⊙3561	Argentina - Uruguay, Río de la Plata, La Plata to Carmelo. Punta Pereira.	1:100,000 1:20,000	95	118
	On publication of this New Edition former Notice 514(P)/26 is cancelled. This chart remains affected by Notice 1189(P)/24.			
⊙DE50 INT 1045	International Chart Series, North Sea, Germany, Netherlands and Denmark, Terschelling to Esbjerg. This chart remains affected by Notice 1110(T)/26.	1:375,000	9	32
⊙DE91 INT 1462	International Chart Series, North Sea, Germany and The Netherlands, River Ems, Dukegat to Emssperrwerk (Ems Flood Barrier) Emden.	1:30,000 1:12,500	9	32

New Editions of ADMIRALTY Small Craft Charts published 12 March 2026

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5614_16	Spurn Head to Grimsby Middle. This chart remains affected by Notice 1020(T)/26.	1:25,000	31
5614_17	Ⓐ Approaches to Grimsby. Ⓑ Grimsby.	1:25,000 1:10,000	31
5614_18	Ⓐ Immingham to Saltend. Ⓑ Goole.	1:25,000 1:5,000	31
5614_19	Ⓐ Kingston Upon Hull to Humber Bridge. Ⓑ Humber Bridge to Whitton Ness. Ⓒ Hull Docks Western Part.	1:25,000 1:50,000 1:10,000	31

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

Publication dates of these charts reflect the dates shown on the Australian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙AUS143	23/01/2026	Australia - South Coast, Victoria, Port Phillip. This chart remains affected by Notices 1602(T)/22, 2051(T)/23, 5459(T)/24, 127(T)/25, 1263(P)/25, 1946(T)/25, 3221(T)/25, 3282(T)/25, 5779(T)/25, 216(T)/26, 756(P)/26, 887(P)/26 and 1076(T)/26.	1:100,000	65	92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 26 MARCH 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
66	Gulf of Thailand - Malaysia and Thailand, Tumpat to Laem Chong Phra.	1:500,000	⊙66	47	68
323 INT 1564	International Chart Series, Dover Strait Eastern Part.	1:75,000	⊙323 INT 1564	1	24
1065	Korea - South Coast, Approaches to Masan, Busan, Busan New Port and Okpo Hang. Okpo Hang.	1:75,000 1:25,000	⊙1065	52	86
1081	United States - West Coast, California, Los Angeles and Long Beach Harbors.	1:12,000	⊙1081	89	112
1312	South China Sea, Singapore Strait to Selat Karimata.	1:800,000	⊙1312	46	66, 68, 72
1826 INT 1607	International Chart Series - United Kingdom, Irish Sea, Eastern Part.	1:200,000	⊙1826 INT 1607	3	26
2056	Indonesia, Sumatera and Jawa, Selat Sunda and Approaches including Selat Panaitan. Ⓐ Selat Panaitan.	1:250,000 1:250,000	⊙2056	46	66, 72
2185 INT 11881	International Chart Series, Finland - South West Coast, Saaristomeri, Lövskär, Askgrund and Parainen. Ⓐ Lövskär. Ⓑ Pärnäinen Pärnäs. Ⓒ Askgrund. Ⓓ Parainen Pargas. Ⓔ Brunäshålet. Ⓕ Tervsund.	 1:25,000 1:5,000 1:25,000 1:25,000 1:10,000 1:10,000	⊙2185 INT 11881	11	36
2470	Indonesia and Malaysia, Singapore Strait to Selat Sunda including Java Sea.	1:1,500,000	⊙2470	46	66, 68, 70, 72, 88
2612 INT 11391	International Chart Series, Finland - Gulf of Bothnia, Port of Vaasa and Approach Channels. Ⓐ Veckargrund. Ⓑ Nygrund. Ⓒ Vaasa. Ⓓ Raippaluoto.	 1:20,000 1:20,000 1:20,000 1:20,000	⊙2612 INT 11391	11	36
2862	Indonesia, Outer Approaches to Selat Sunda.	1:500,000	⊙2862	46	66, 72
3666 INT 5251	International Chart Series - Korea - East Coast, Busan Hang to Jukbyeon Hang.	1:250,000	⊙3666 INT 5251	52	84, 86

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 26 MARCH 2026

New Editions of ADMIRALTY Charts (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
3839 INT 1139	International Chart Series, Finland - Gulf of Bothnia, Approaches to Vaasa.	1:50,000	⊙3839 INT 1139	11	36
3901	Indonesia and Malaysia, Malacca Strait, Tanjung Jamboaye to Permatang Sedepa (One Fathom Bank)	1:500,000	⊙3901	45	66
3963	Gulf of Thailand, Thailand, Laem Kho Kwang to Laem Riu including Offshore Gasfields.	1:240,000	⊙3963	47	68

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5612_1	Southern Approaches to North Channel.	1:200,000	5612_1	27
5613_2	Saint Bees Head to Mull of Galloway.	1:200,000	5613_2	29
5615_3	Saint Abb's Head to Buddon Ness.	1:200,000	5615_3	33
5617_1	Isle of May to River Tay Entrance.	1:75,000	5617_1	37
5617_2	River Tay Entrance to Montrose.	1:75,000	5617_2	37
5621_1	Dublin to Anglesey.	1:200,000	5621_1	41

CHARTS TO BE AVAILABLE

New Editions

Reproductions of Australian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
AUS195	Australia - East Coast, New South Wales, Approaches to Port Kembla.	1:25,000	⊙AUS195	65	92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
167 INT 305	Mediterranean Sea, Genova to Sicilian Channel and Stretto di Messina.	⊙167 INT 305
264 INT 7115	International Chart Series, Gulf of Aden, Approaches to Djibouti.	⊙264 INT 7115
1188 INT 1553	International Chart Series, England - East Coast, River Humber, Spurn Head to Immingham.	⊙1188 INT 1553
1211	Italy – Sardegna, Capo Ferro to Capo Coda Cavallo.	⊙1211
1618	Turkey - West Coast, Çandarlı Körfezi and Approaches.	⊙1618
1624 INT 3784	International Chart Series, Turkey - West Coast, Approaches to İzmir Including İzmir Körfezi.	⊙1624 INT 3784
1625	Aegean Sea, Greece and Turkey, Nísos Chíos to Ildır Körfezi.	⊙1625
1985	Mediterranean Sea, Ajaccio to Oristano including Bonifacio Strait.	⊙1985
3496 INT 1565	International Chart Series, England - East Coast, River Humber, Immingham and Hull.	⊙3496 INT 1565
3497 INT 1554	International Chart Series, England - East Coast, River Humber, Immingham to Humber Bridge and the Rivers Ouse and Trent.	⊙3497 INT 1554
3561	Argentina - Uruguay, Río de la Plata, La Plata to Carmelo.	⊙3561
5614_16	Spurn Head to Grimsby Middle.	5614_16
5614_17	Approaches to Grimsby.	5617_17
5614_18	Immingham to Saltend.	5614_18
5614_19	Kingston Upon Hull to Humber Bridge.	5614_19
AUS143	Australia – Victoria, Port Phillip.	⊙AUS143
DE50 INT 1045	International Chart Series, North Sea, Germany, Netherlands and Denmark, Terschelling to Esbjerg.	⊙DE50 INT 1045
DE91 INT 1462	International Chart Series, North Sea, Germany and Netherlands, River Ems, Dukegat to Emssperrwerk (Ems Flood Barrier)	⊙DE91 INT 1462

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts:-

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙1175 INT 1848	International Chart Series, France – West Coast, Port de Bayonne and Approaches including L’Adour.	02 April 2026

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 1, Authorised ADMIRALTY Distributors, Italy

Amend:

C.A.I.M. a RL			
Via dino Col .6r 16149 Genova			
T: +39 010 41001			
F: +39 010 589818			
digital@caim.it			
www.caim.it			
DIGITAL	PAPER	POD	PUBLICATIONS

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
73	1153	1402	1117T
87	1191T	1406	1181T
93	1193T	1408	1178, 1224
104	1171P	1411	1122P
107	1171P	1422	1117T
129	1139	1427	1167
134	1139	1463	1164
141	1233P	1504	1178, 1181T
145	1233P	1513	1136
153	1142	1534	1125
162	1197	1596	1136
183	1163	1630	1181T
207	1143	1631	1178, 1226
208	1225	1652	1182
209	1225	1704	1121
223	1128	1705	1160
292	1167	1721	1152
344	1159	1728	1229
414	1185T	1730	1176
497	1149, 1213	1731	1176
520	1187P	1748	1174T
536	1182	1754	1152
616	1214P	1759	1152
644	1214P	1784	1114
646	1214P	1820	1155
666	1214P	1826	1122P
674	1214P	1835	1145T
707	1123	1859	1222
709	1205T	1949	1173T
716	1214P	1956	1141
728	1162	1957	1141
733	1162	1962	1115
736	1162	1977	1164
804	1188T	1978	1164
811	1209T	2014	1156, 1232T
849	1132	2018	1156, 1232T
859	1120T	2022	1140
860	1120T	2038	1140
862	1118T	2040	1156, 1232T
863	1133	2052	1211P
874	1195T	2093	1122P
890	1223	2094	1122P
896	1238	2112	1124
910	1228P	2114	1212
913	1215	2116	1142
918	1216	2131	1116T
936	1135	2132	1234P
1005	1149	2133	1234P
1013	1205T	2134	1200P
1015	1149	2148	1127
1077	1128	2170	1147
1091	1217	2173	1155
1099	1217	2198	1122P
1163	1146	2262	1186T
1166	1222	2319	1227T
1175	1198P	2326	1172
1176	1222	2349	1175
1180	1158	2381	1116T
1185	1179	2409	1112
1186	1179	2414	1137
1191	1139	2420	1199
1227	1189	2434	1208
1235	1144	2450	1182
1250	1230	2451	1182
1259	1154, 1237	2453	1231T
1265	1144	2462	1135, 1170
1290	1177	2463	1135, 1183
1338	1124	2464	1157
1385	1202	2482	1145T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2483	1189	3892	1131, 1229
2633	1163	3928	1215
2634	1163	3959	1187P
2636	1151	3988	1119
2667	1199	3989	1119
2677	1231T	4103	1191T
2679	1231T	4104	1191T
2683	1130	4118	1210P
2688	1235	4169	1214P
2693	1211P	4171	1214P
2724	1122P	4172	1214P
2760	1205T	4179	1214P
2779	1205T	4180	1214P
2816	1232T	4204	1214P
2831	1161	4700	1214P
2850	1184	4701	1214P
2889	1126	4702	1205T, 1214P
2895	1214P	4703	1205T, 1214P
2926	1214P	4705	1123, 1214P
2927	1214P	4706	1123, 1205T
2930	1214P	4707	1205T
2931	1214P	4714	1205T
2933	1214P	4743	1177
2939	1214P	4755	1194P
2949	1214P	4911	1180
2961	1113	4935	1150
2964	1214P	4936	1150
2968	1214P	4938	1150
3089	1206	5600_10	1140
3132	1191T	5605_5	1182
3173	1236	5606_11	1145T
3177	1129	5606_12	1145T
3258	1190T	5606_8	1179
3281	1201	5607_5	1211P
3283	1201	5608_16	1222
3284	1201	5608_18	1222
3294	1201	5608_20	1222
3295	1201	5609_13	1164
3310	1214P	5609_14	1164
3321	1202	5610_10	1116T
3323	1205T	5610_17	1122P
3338	1155	5611_16	1172
3339	1155	5612_1	1122P
3361	1214P	5612_11	1122P
3446	1137	5613_1	1164
3447	1137	5613_19	1122P
3483	1124	5613_2	1122P
3599	1192P	5614_1	1211P
3636	1191T	5614_14	1171P
3676	1189	5614_15	1171P
3679	1217	5614_22	1139
3709	1138	5614_24	1139
3723	1138	5614_4	1125
3762	1148	5614_5	1125
3768	1204	5615_14	1162
3773	1144	5615_15	1162
3784	1214P	5615_4	1139
3785	1214P	5617_10	1128
3795	1214P	5617_9	1128
3797	1214P		
3803	1196		
3836	1134	Australian Chart No.	Notices
3849	1204		
3850	1165		
3851	1166	Aus 55	1203T
3877	1214P	Aus 326	1203T
3878	1214P		
3880	1214P		
3890	1131		

II

INDEX OF CHARTS AFFECTED

Belgian Chart No.	Notices	International Chart No.	Notices
BE 106	1207	INT 1416	1181T
German Chart No.	Notices	INT 1418	1178, 1226
		INT 1426	1179
DE 103 DE 1671	1168 1169	INT 1465	1143
		INT 1466	1225
Indian Chart No.	Notices	INT 1467	1225
		INT 1478	1207
IN 22 IN 31 IN 33 IN 211 IN 212 IN 255 IN 256 IN 292 IN 293 IN 2001 IN 2015 IN 2016 IN 2036 IN 2076	1123, 1205T 1205T 1205T 1123 1123 1123 1123 1123 1123 1123 1123 1123 1123 1123 1123	INT 1507	1139
		INT 1510	1178, 1181T
Japanese Chart No.	Notices	INT 1546	1162
		INT 1548	1162
JP 54 JP 120 JP 226 JP 1163 JP 1169	1218 1221T 1219 1221T 1220T	INT 1558	1125
		INT 1560	1211P
International Chart No.	Notices	INT 1566	1171P
		INT 1570	1211P
INT 103 INT 104 INT 204 INT 551 INT 700 INT 701 INT 702 INT 703 INT 705 INT 706 INT 707 INT 714 INT 752 INT 755 INT 756 INT 758 INT 1044 INT 1131 INT 1202 INT 1218 INT 1219 INT 1239 INT 1288 INT 1297 INT 1300 INT 1319 INT 1354 INT 1401 INT 1412	1191T 1191T 1214P 1124 1214P 1214P 1205T, 1214P 1205T, 1214P 1123, 1214P 1123, 1205T 1205T 1205T 1123, 1205T 1205T 1205T 1214P 1117T 1196 1156, 1232T 1156, 1232T 1156, 1232T 1209T 1235 1231T 1117T 1195T 1169 1167 1168	INT 1572	1179
		INT 1573	1145T
		INT 1606	1122P
		INT 1607	1122P
		INT 1608	1122P
		INT 1616	1155
		INT 1617	1199
		INT 1654	1222
		INT 1655	1222
		INT 1703	1182
		INT 1704	1182
		INT 1740	1182
		INT 1778	1223
		INT 1807	1177
		INT 1848	1198P
		INT 1858	1176
		INT 1871	1190T
		INT 1901	1153
		INT 1971	1233P
		INT 1972	1233P
		INT 1975	1120T
		INT 2808	1202
		INT 2892	1202
		INT 3185	1158
		INT 3188	1212
		INT 3195	1142
		INT 3198	1147
		INT 3754	1149
		INT 4634	1194P
		INT 5254	1215
		INT 5355	1238
		INT 5777	1173T
		INT 6882	1157
		INT 6883	1135, 1183
		INT 6899	1135, 1170
		INT 7000	1214P
		INT 7014	1214P
		INT 7021	1123
		INT 7022	1123
		INT 7051	1214P
		INT 7052	1214P
		INT 7053	1214P
		INT 7054	1214P
		INT 7055	1214P
		INT 7056	1214P
		INT 7060	1214P
		INT 7138	1234P
		INT 7139	1234P
		INT 7211	1126
		INT 7222	1129
		INT 7289	1144
		INT 7291	1144
		INT 7334	1123
		INT 7336	1123

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 7337	1123		
INT 7338	1123		
INT 7340	1123		
INT 7352	1123		
INT 7371	1205T		
INT 7372	1205T		
INT 7451	1228P		
INT 7560	1214P		
INT 7563	1214P		
INT 7570	1214P		
INT 7580	1214P		
INT 7581	1214P		
INT 7590	1214P		
INT 7610	1214P		
INT 7650	1214P		
INT 7660	1214P		
INT 7690	1214P		
INT 7691	1214P		
INT 7700	1214P		
INT 7702	1214P		
INT 12992	1231T		

II

1125* ENGLAND - East Coast - Depths. Alongside depths.

Source: Peel Ports

Chart 1534 (INT 1558) (Panel A, Great Yarmouth Outer Harbour) [*previous update 764/26*] ETRS89 DATUM

Insert	depth, <i>21</i>	(a) 52° 34'·322N., 1° 44'·143E.
Delete	depth, <i>3</i> , close SE of:	(a) above

Chart 1534 (INT 1558) (Panel B, Great Yarmouth Haven) [*previous update 764/26*] ETRS89 DATUM

Insert	alongside depth, · (<i>18</i>), enclosed by 2m contour	52° 36'·268N., 1° 43'·458E.
	depth, <i>44</i> , and extend 5m contour W to enclose	(a) 52° 35'·658N., 1° 43'·583E.
Delete	depth, <i>54</i> , close NE of:	(a) above
Insert	alongside depth, · (<i>08</i>)	52° 35'·212N., 1° 43'·716E.

Chart 5614_4 (Panel B, Great Yarmouth Outer Harbour) [*previous update 764/26*] ETRS89 DATUM

Insert	depth, <i>21</i>	(a) 52° 34'·322N., 1° 44'·143E.
Delete	depth, <i>3</i> , close SE of:	(a) above

Chart 5614_5 (Panel B, Great Yarmouth Haven) [*previous update 367/26*] ETRS89 DATUM

Insert	alongside depth, · (<i>18</i>), enclosed by 2m contour	52° 36'·268N., 1° 43'·458E.
	depth, <i>44</i> , and extend 5m contour W to enclose	(a) 52° 35'·658N., 1° 43'·583E.
Delete	depth, <i>54</i> , close NE of:	(a) above
Insert	alongside depth, · (<i>08</i>)	52° 35'·212N., 1° 43'·716E.

II

1128* SCOTLAND - East Coast - NM Blocks. Notes.

Source: Ardersier Port (Scotland) Ltd.

Chart 223 [*previous update 316/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 57° 36'·0N., 3° 59'·7W.

Chart 1077 [*previous update 5203/25*] ETRS89 DATUM

Insert the accompanying block, centred on: 57° 36'·2N., 3° 59'·9W.

Replace the existing note with the accompanying note, DREDGED DEPTHS, centred on: 57° 42'·00N., 3° 59'·89W.

Chart 5617_10 [*previous update 2316/25*] ETRS89 DATUM

Insert the accompanying block, centred on: 57° 36'·2N., 4° 00'·4W.

Insert the accompanying note, DREDGED DEPTHS, centred on: 57° 33'·86N., 4° 01'·39W.

Chart 5617_9 [*previous update 5356/25*] ETRS89 DATUM

Insert the accompanying block, centred on: 57° 36'·0N., 4° 00'·1W.

II

1139* ENGLAND - East Coast - Obstructions.

Source: ABPmer

Chart 129 [*previous update 3316/25*] ETRS89 DATUM

Delete	 <i>Obstn</i>	54° 10'·86N., 0° 06'·18W.
	 <i>Obstn</i>	54° 23'·40N., 0° 23'·03W.

Chart 134 [*previous update 3316/25*] ETRS89 DATUM

Delete	 <i>Obstn</i>	54° 39'·00N., 0° 48'·00W.
	 <i>Obstn</i>	54° 23'·40N., 0° 23'·03W.

Chart 1191 (INT 1507) [*previous update 445/26*] ETRS89 DATUM

Delete	 <i>Obstn</i>	54° 10'·86N., 0° 06'·18W.
--------	--	---------------------------

Chart 5614_22 (Panel A, Bridlington to Scarborough) [*previous update 3316/25*] ETRS89 DATUM

Delete	 <i>Obstn</i>	54° 10'·86N., 0° 06'·18W.
--------	--	---------------------------

Chart 5614_24 [*previous update 3316/25*] ETRS89 DATUM

Delete	 <i>Obstn</i>	54° 23'·40N., 0° 23'·03W.
--------	---	---------------------------

Chart 5615_4 (Panel A, Whitby to Hartlepool) [*previous update 5851/24*] ETRS89 DATUM

Delete	obstruction out of position,  <i>Obstn</i>	54° 39'·00N., 0° 48'·00W.
--------	---	---------------------------

II

1140* ENGLAND - South Coast - Buoy.

Source: ABP Southampton

Chart 2022 (Panel D, Ashlett Creek) [*previous update 2111/25*] ETRS89 DATUM

Replace  (*priv*) with  *Fl.Y.4s (priv)* 50° 49'·858N., 1° 19'·278W.

Chart 2038 [*previous update 318/26*] ETRS89 DATUM

Replace  (*priv*) with  *Fl.Y.4s (priv)* 50° 49'·858N., 1° 19'·278W.

Chart 5600_10 (Panel B, Ashlett Creek) [*previous update New Edition 24/04/2025*] ETRS89 DATUM

Replace  (*priv*) with  *Fl.Y.4s (priv)* 50° 49'·858N., 1° 19'·278W.

II

1155* IRELAND - West Coast - Depths.

Source: Corio Generation

Chart 1820 [*previous update 2329/25*] ETRS89 DATUM

Insert	depth, 162, enclosed by 20m contour	53° 16'·55N., 10° 02'·07W.
	depth, 145, and extend 20m contour W to enclose	(a) 53° 16'·28N., 10° 01'·27W.
Delete	depth, 24, close SE of:	(a) above
Insert	depth, 165, enclosed by 20m contour	(b) 53° 16'·78N., 10° 00'·79W.
Delete	depth, 30, close E of:	(b) above
	depth, 35, close NW of:	(b) above
Insert	depth, 148, and extend 20m contour W to enclose	(c) 53° 17'·30N., 10° 00'·50W.
Delete	depth, 23, close E of:	(c) above
Insert	depth, 162, enclosed by 20m contour	53° 16'·49N., 9° 56'·26W.
	depth, 189, enclosed by 20m contour	(d) 53° 15'·83N., 9° 54'·99W.
Delete	depth, 26, close SE of:	(d) above
Insert	depth, 232	(e) 53° 15'·60N., 9° 54'·16W.
Delete	depth, 29, close NE of:	(e) above
Insert	depth, 173, and extend 20m contour E to enclose	(f) 53° 15'·19N., 9° 54'·95W.
Delete	depth, 198, close SW of:	(f) above
Insert	depth, 101	(g) 53° 14'·79N., 9° 56'·12W.
Delete	depth, 171, close W of:	(g) above
Insert	depth, 224, enclosed by 30m contour	53° 14'·29N., 9° 56'·43W.
	depth, 194, enclosed by 20m contour	(h) 53° 14'·47N., 9° 58'·50W.
Delete	depth, 28, close E of:	(h) above

Chart 2173 (INT 1616) [*previous update 4483/25*] ETRS89 DATUM

Insert	depth, 142, and extend 20m contour N to enclose	52° 45'·54N., 9° 33'·19W.
	depth, 58, and extend 10m contour N to enclose	(a) 52° 45'·36N., 9° 34'·26W.
Delete	depth, 137, close NE of:	(a) above

Chart 3338 [*previous update 5126/24*] ETRS89 DATUM

Insert	depth, 142, and extend 20m contour N to enclose	52° 45'·54N., 9° 33'·19W.
	depth, 58, enclosed by 10m contour	(a) 52° 45'·36N., 9° 34'·26W.
Delete	depth, 137, close NE of:	(a) above

II

1155* IRELAND - West Coast - Depths. (continued)

Chart 3339 [*previous update 4483/25*] ETRS89 DATUM

Insert	depth, 162, enclosed by 20m contour	53° 16'·49N., 9° 56'·26W.
	depth, 139	(a) 53° 16'·31N., 9° 57'·33W.
Delete	depth, 162, close SW of:	(a) above
Insert	depth, 189, enclosed by 20m contour	(b) 53° 15'·83N., 9° 54'·99W.
Delete	depth, 26, close SE of:	(b) above
Insert	depth, 232	(c) 53° 15'·60N., 9° 54'·16W.
Delete	depth, 29, close NE of:	(c) above
Insert	depth, 173, and extend 20m contour E to enclose	(d) 53° 15'·19N., 9° 54'·95W.
Delete	depth, 198, close SW of:	(d) above
	depth, 37, close S of:	(d) above
Insert	depth, 101	(e) 53° 14'·79N., 9° 56'·12W.
Delete	depth, 171, close SW of:	(e) above
Insert	depth, 224, enclosed by 30m contour	53° 14'·29N., 9° 56'·43W.

II

1162* SCOTLAND - East Coast - Restricted areas. Legends. Notes. NM Blocks.

Source: Forth Ports Limited

Chart 728 [previous update 3585/24] ETRS89 DATUM

Insert	limit of restricted area, $\pi\pi\pi\pi$, joining:	(a) 56° 00'·425N., 3° 24'·367W. (b) 56° 00'·291N., 3° 24'·370W. (c) 56° 00'·289N., 3° 24'·095W. (d) 56° 00'·423N., 3° 24'·093W.
	legend, <i>Exclusion Zone (see Note)</i> , within: the accompanying note, FIRTH OF FORTH EXCLUSION ZONE, centred on:	(a) -(b) above 56° 01'·227N., 3° 23'·856W.

Chart 733 (INT 1548) [previous update 198/25] ETRS89 DATUM

Insert	limit of restricted area, $\pi\pi\pi\pi$, joining:	56° 02'·292N., 3° 18'·768W. 56° 02'·266N., 3° 18'·749W. 56° 02'·272N., 3° 18'·624W. 56° 02'·299N., 3° 18'·563W. 56° 02'·203N., 3° 18'·424W. 56° 02'·155N., 3° 18'·544W. 56° 02'·149N., 3° 18'·656W. 56° 02'·090N., 3° 18'·607W. 56° 02'·011N., 3° 18'·783W. 56° 02'·108N., 3° 18'·902W. 56° 02'·182N., 3° 18'·930W.
	legend, <i>Exclusion Zone (see Note)</i> , centred on:	56° 02'·242N., 3° 18'·759W. 56° 02'·056N., 3° 18'·742W.
	the accompanying note, FIRTH OF FORTH EXCLUSION ZONE, centred on:	56° 03'·184N., 3° 18'·602W.

Chart 736 (INT 1546) [previous update 3256/25] ETRS89 DATUM

Insert	the accompanying block A, centred on:	56° 00'·3N., 3° 21'·6W.
	the accompanying block B, centred on:	56° 02'·2N., 3° 18'·7W.
	limit of restricted area, $\pi\pi\pi\pi$, joining:	56° 00'·425N., 3° 24'·367W. (a) 56° 00'·291N., 3° 24'·370W. (b) 56° 00'·289N., 3° 24'·095W. 56° 00'·423N., 3° 24'·093W. and 55° 59'·889N., 3° 24'·395W. 55° 59'·755N., 3° 24'·398W. (c) 55° 59'·753N., 3° 24'·121W. (d) 55° 59'·887N., 3° 24'·118W.
	legend, <i>Exclusion Zone (see Note)</i> , close S of:	(a) -(b) above
	legend, <i>Exclusion Zone (see Note)</i> , close E of:	(c) -(d) above
	the accompanying note, FIRTH OF FORTH EXCLUSION ZONE, centred on:	56° 02'·257N., 3° 26'·022W.

II

1162* SCOTLAND - East Coast - Restricted areas. Legends. Notes. NM Blocks. (continued)

Chart 5615_14 [*previous update New Edition 08/06/2023*] ETRS89 DATUM

Insert	the accompanying block, centred on:	56° 00'·3N., 3° 21'·6W.
	limit of restricted area, $\pi\pi\pi\pi$, joining:	56° 02'·292N., 3° 18'·768W. 56° 02'·266N., 3° 18'·749W. 56° 02'·272N., 3° 18'·624W. 56° 02'·299N., 3° 18'·563W. 56° 02'·203N., 3° 18'·424W. 56° 02'·155N., 3° 18'·544W. (a) 56° 02'·149N., 3° 18'·656W. (b) 56° 02'·090N., 3° 18'·607W. 56° 02'·011N., 3° 18'·783W. 56° 02'·108N., 3° 18'·902W. 56° 02'·182N., 3° 18'·930W. (a) -(b) above
	legend, <i>Exclusion Zone</i> (see Note), close E of:	

Chart 5615_15 [*previous update 3256/25*] ETRS89 DATUM

Insert	the accompanying block, centred on:	56° 00'·3N., 3° 21'·6W.
	limit of restricted area, $\pi\pi\pi\pi$, joining:	56° 00'·425N., 3° 24'·367W. (a) 56° 00'·291N., 3° 24'·370W. (b) 56° 00'·289N., 3° 24'·095W. 56° 00'·423N., 3° 24'·093W. and 55° 59'·889N., 3° 24'·395W. 55° 59'·755N., 3° 24'·398W. (c) 55° 59'·753N., 3° 24'·121W. (d) 55° 59'·887N., 3° 24'·118W. (a) -(b) above (c) -(d) above
	legend, <i>Exclusion Zone</i> (see Note), close S of:	
	legend, <i>Exclusion Zone</i> (see Note), close E of:	

II

1164* WALES - North Coast - Buoy.

Source: Trinity House

Note: This update is included in New edition 1826, published early 2026.

Chart 1463 [*previous update 3233/23*] ETRS89 DATUM

Replace  with  *Fl.Y.5s* 53° 19'·80N., 3° 53'·90W.

Chart 1977 [*previous update 840/26*] ETRS89 DATUM

Replace  with  *Fl.Y.5s* 53° 19'·80N., 3° 53'·90W.

Chart 1978 [*previous update 5431/25*] ETRS89 DATUM

Replace  with  *Fl.Y.5s* 53° 19'·80N., 3° 53'·90W.

Chart 5609_14 [*previous update 3233/23*] ETRS89 DATUM

Replace  with  *Fl.Y.5s* 53° 19'·80N., 3° 53'·90W.

Chart 5609_13 [*previous update 4163/25*] ETRS89 DATUM

Replace  with  *Fl.Y.5s* 53° 19'·80N., 3° 53'·90W.

Chart 5613_1 [*previous update 1067/26*] ETRS89 DATUM

Replace  with  *Fl.Y.5s* 53° 19'·75N., 3° 53'·88W.

II

1172* SCOTLAND - West Coast - Buoy.

Source: Northern Lighthouse Board

Chart 2326 [*previous update 400/26*] ETRS89 DATUM

Delete



56° 12′·74N., 5° 33′·55W.

Chart 5611_16 [*previous update 447/25*] ETRS89 DATUM

Delete



56° 12′·74N., 5° 33′·55W.

II

1178* ENGLAND - East Coast - Buoy. Obstructions.

Source: Scottish Power

Chart 1408 [previous update 1019/26] WGS84 DATUM

Insert  Fl(5)Y.20s

(a) 52° 38'·6N., 2° 54'·7E.

Delete  20 Obstn, close W of:

(a) above

 22 Obstn

52° 43'·9N., 2° 49'·6E.

 19 Obstn

52° 42'·2N., 2° 51'·9E.

 32 Obstn

52° 41'·4N., 2° 49'·1E.

 25 Obstn

52° 41'·8N., 2° 46'·2E.

Chart 1504 (INT 1510) [previous update 955/26] ETRS89 DATUM

Insert  Fl(5)Y.20s

52° 38'·60N., 2° 54'·68E.

Delete  22 Obstn

52° 43'·92N., 2° 49'·61E.

 19 Obstn

52° 42'·21N., 2° 51'·86E.

 32 Obstn

52° 41'·41N., 2° 49'·14E.

 25 Obstn

52° 41'·81N., 2° 46'·16E.

 20 Obstn

52° 38'·50N., 2° 52'·44E.

Chart 1631 (INT 1418) [previous update 955/26] WGS84 DATUM

Insert  Fl(5)Y.20s

52° 38'·60N., 2° 54'·68E.

Delete  22 Obstn

52° 43'·92N., 2° 49'·61E.

 19 Obstn

52° 42'·21N., 2° 51'·86E.

 32 Obstn

52° 41'·41N., 2° 49'·14E.

 25 Obstn

52° 41'·81N., 2° 46'·16E.

 20 Obstn

52° 38'·50N., 2° 52'·44E.

II

1179* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 1185 (INT 1572) [*previous update 140/26*] ETRS89 DATUM

Insert	depth, 17, and extend 2m contour E to enclose	(a) 51° 30'·46N., 0° 33'·11E.
Delete	depth, 27, close NE of:	(a) above

Chart 1186 (INT 1426) (Panel A, Canvey Island to Coalhouse Point) [*previous update New Edition 19/02/2026*] ETRS89 DATUM

Insert	depth, 17, and extend 2m contour E to enclose	(a) 51° 30'·463N., 0° 33'·110E.
Delete	depth, 18, close NW of:	(a) above
	depth, 27, close NE of:	(a) above
Insert	depth, 32	(b) 51° 30'·448N., 0° 33'·237E.
Delete	depth, 37, close NW of:	(b) above
Replace	depth, 46, with depth, 33	51° 30'·492N., 0° 33'·421E.

Chart 5606_8 [*previous update 140/26*] ETRS89 DATUM

Insert	depth, 17, and extend 2m contour E to enclose	(a) 51° 30'·46N., 0° 33'·11E.
Delete	depth, 27, close NE of:	(a) above

II

1182* ENGLAND - South Coast - Wrecks. Legends. Historic wrecks.

Source: Historic England

Chart 536 (INT 1740) [previous update 4436/25] ETRS89 DATUM

Insert	 <i>Wk</i>	(a)	50° 41' · 56N., 0° 10' · 69E.
	legend, <i>Historic Wreck (see Note)</i> , close W of:	(a)	above
Delete	 and associated legend, <i>Historic Wreck (see Note)</i> , close		
	N of:	(a)	above

Chart 1652 [previous update 5020/25] ETRS89 DATUM

Insert	 <i>Wk</i>	(a)	50° 41' · 56N., 0° 10' · 69E.
	legend, <i>Historic Wreck (see Note)</i> , close W of:	(a)	above
Delete	 and associated legend, <i>Historic Wreck (see Note)</i> , close		
	N of:	(a)	above

Chart 2450 (INT 1703) [previous update 1072/26] ETRS89 DATUM

Insert	 <i>Wk</i>	(a)	50° 41' · 56N., 0° 10' · 69E.
	legend, <i>Historic Wreck (see Note)</i> , close NW of:	(a)	above
Delete	 and associated legend, <i>Historic Wreck (see Note)</i> , close		
	N of:	(a)	above

Chart 2451 (INT 1704) [previous update 5548/25] WGS84 DATUM

Insert	 <i>Wk</i>	(a)	50° 41' · 56N., 0° 10' · 69E.
	legend, <i>Historic Wreck (see Note)</i> , close NW of:	(a)	above
Delete	 and associated legend, <i>Historic Wreck (see Note)</i> , close		
	N of:	(a)	above

Chart 5605_5 (Panel A, Newhaven to Hastings) [previous update 4436/25] ETRS89 DATUM

Insert	 <i>Wk</i>	(a)	50° 41' · 56N., 0° 10' · 69E.
	legend, <i>Historic Wreck (see Note)</i> , close W of:	(a)	above
Delete	 and associated legend, <i>Historic Wreck (see Note)</i> , close		
	N of:	(a)	above

II

1199 IRELAND - West Coast - Depths.

Source: Geological Survey of Ireland

Chart 2420 (INT 1617) [*previous update 4658/25*] ETRS89 DATUM

Insert	depth, 61, and extend 100m contour SE to enclose	(a)	53° 54'·73N., 10° 28'·37W.
Delete	depth, 79, close NW of:	(a)	above
Insert	depth, 64, and extend 100m contour SW to enclose		53° 50'·70N., 10° 30'·45W.
	sounding out of position, 41, enclosed by 50m contour		53° 48'·25N., 10° 28'·32W.
	depth, 25, enclosed by 30m contour		53° 46'·93N., 10° 06'·28W.
	depth, 32, enclosed by 50m contour		53° 48'·40N., 10° 09'·57W.
	depth, 215, enclosed by 30m contour		53° 52'·43N., 10° 11'·27W.
	depth, 58, enclosed by 10m contour	(b)	53° 54'·79N., 10° 05'·87W.
Delete	depth, 107, and associated 20m contour, close NE of:	(b)	above

Chart 2667 [*previous update 5011/23*] ETRS89 DATUM

Insert	depth, 58	(a)	53° 54'·79N., 10° 05'·87W.
Delete	depth, 107, close NE of:	(a)	above
Insert	depth, 215, enclosed by 30m contour		53° 52'·43N., 10° 11'·27W.
	depth, 32, enclosed by 50m contour		53° 48'·40N., 10° 09'·57W.
	depth, 25, enclosed by 30m contour		53° 46'·93N., 10° 06'·28W.

II

1201* SCOTLAND - Shetland Islands - Marine farms.

Source: Crown Estate Scotland

Chart 3281 [*previous update 5212/25*] ETRS89 DATUM

Insert



60° 28'·12N., 1° 28'·67W.

60° 27'·97N., 1° 27'·64W.



60° 11'·74N., 1° 21'·22W.

Chart 3283 [*previous update 5212/25*] ETRS89 DATUM

Insert



60° 11'·74N., 1° 21'·22W.

Chart 3284 [*previous update 4723/25*] ETRS89 DATUM

Insert



60° 24'·32N., 1° 12'·64W.

Chart 3294 (Panel C, Seli, Sandsound and Weisdale Voes) [*previous update 5212/25*] ETRS89 DATUM

Insert

limit of marine farm, pecked line, joining:

(a) 60° 12'·03N., 1° 21'·36W.

(b) 60° 11'·95N., 1° 20'·79W.

(c) 60° 11'·44N., 1° 21'·10W.

(d) 60° 11'·50N., 1° 21'·48W.

(e) 60° 11'·57N., 1° 21'·65W.



, within:

(a)-(e) above

Chart 3295 (Panel C, Ura Firth) [*previous update 1209/25*] ETRS89 DATUM

Insert



60° 28'·14N., 1° 28'·67W.



60° 27'·97N., 1° 27'·64W.

Chart 3295 (Panel F, Dales Voe) [*previous update 1209/25*] ETRS89 DATUM

Insert



60° 24'·32N., 1° 12'·64W.

II

1222* ENGLAND - West Coast - Depths.

Source: Bristol Port Company

Chart 1166 (Panel A, Avonmouth to Severn Bridge) [*previous update 5309/25*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	(a)	51° 31'·04N., 2° 42'·98W.
Delete	depth, 6, close N of:	(a)	above
Insert	depth, 53	(b)	51° 30'·93N., 2° 43'·04W.
Delete	depth, 56, close SE of:	(b)	above
Insert	depth, 55	(c)	51° 30'·77N., 2° 43'·36W.
Delete	depth, 61, close NE of:	(c)	above

Chart 1176 (INT 1654) [*previous update 651/26*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	(a)	51° 31'·04N., 2° 42'·98W.
Delete	depth, 6, close N of:	(a)	above
Insert	depth, 55	(b)	51° 30'·77N., 2° 43'·36W.
Delete	depth, 61, close NE of:	(b)	above
Insert	depth, 16, enclosed by 2m contour	(c)	51° 30'·29N., 2° 44'·81W.
Delete	depth, 3, close NE of:	(c)	above

Chart 1859 (INT 1655) (Panel A, King Road) [*previous update 4986/25*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour		51° 31'·037N., 2° 42'·978W.
	depth, 53	(a)	51° 30'·929N., 2° 43'·039W.
Delete	depth, 58, close SE of:	(a)	above
Insert	depth, 55	(b)	51° 30'·769N., 2° 43'·361W.
Delete	depth, 69, close SW of:	(b)	above
Insert	depth, 16, enclosed by 2m contour		51° 30'·294N., 2° 44'·814W.
	depth, 49, enclosed by 5m contour	(c)	51° 30'·208N., 2° 44'·890W.
Delete	depth, 72, close N of:	(c)	above

Chart 5608_20 [*previous update New Edition 18/09/2025*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour		51° 31'·037N., 2° 42'·978W.
	depth, 53	(a)	51° 30'·929N., 2° 43'·039W.
Delete	depth, 58, close SE of:	(a)	above
Insert	depth, 55	(b)	51° 30'·769N., 2° 43'·361W.
Delete	depth, 69, close SW of:	(b)	above
Insert	depth, 16, enclosed by 2m contour		51° 30'·294N., 2° 44'·814W.
	depth, 49, enclosed by 5m contour	(c)	51° 30'·208N., 2° 44'·890W.
Delete	depth, 72, close N of:	(c)	above

Chart 5608_18 (Panel A, Avonmouth to Severn Bridge) [*previous update 5309/25*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	(a)	51° 31'·04N., 2° 42'·98W.
Delete	depth, 6, close N of:	(a)	above
Insert	depth, 53	(b)	51° 30'·93N., 2° 43'·04W.
Delete	depth, 56, close SE of:	(b)	above
Insert	depth, 55	(c)	51° 30'·77N., 2° 43'·36W.
Delete	depth, 61, close NE of:	(c)	above

II

1222* ENGLAND - West Coast - Depths. (continued)

Chart 5608_16 (Panel B, Continuation to Avonmouth) [*previous update 4830/25*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	(a)	51° 31'·04N., 2° 42'·98W.
Delete	depth, 6, close N of:	(a)	above
Insert	depth, 55	(b)	51° 30'·77N., 2° 43'·36W.
Delete	depth, 61, close NE of:	(b)	above
Insert	depth, 16, enclosed by 2m contour	(c)	51° 30'·29N., 2° 44'·81W.
Delete	depth, 3, close NE of:	(c)	above

II

1113 RUSSIA - Barents Sea Coast - Lights.

Source: Russian Notice 3/139(T)/26

Note: Radar beacon remains unchanged.

Chart 2961 [*previous update 2554/24*] UNDETERMINED DATUM

Delete

★ Fl.5sec 13m 8M

68° 58'·65N., 54° 33'·08E.

★ Fl.7sec 24m 7M

68° 33'·35N., 55° 29'·95E.

II

1130 NORWAY - North Coast - Light.

Source: Norwegian Notice 19/78874/25

Chart 2683 [*previous update 726/26*] WGS84 DATUM

Amend Torsvaag light to, Oc.WRG.9-8M

70° 14'·6N., 19° 30'·5E.

II

1151 POLAND - NM Block. Depth.

Source: ENC PL5GDYNA

Chart 2636 [*previous update 578/26*] WGS84 DATUM

Insert the accompanying block, centred on:
depth, 5 l

54° 32'·4N., 18° 30'·9E.

54° 32'·282N., 18° 32'·078E.

II

1156 POLAND - NM Block. Extraction area. Legend. Note.

Source: Polish Notices 45/531/25, 46/551/25 and 47/563/25

Chart 2014 (INT 1219) [*previous update 920/26*] WGS84 DATUM

Insert the accompanying block, centred on: 54° 29'·8N., 16° 22'·8E.

Chart 2018 (INT 1202) [*previous update 920/26*] WGS84 DATUM

Insert limit of extraction area, pecked line, joining:

- (a) 55° 36'·90N., 17° 28'·10E.
- (b) 55° 35'·85N., 17° 31'·82E.
- (c) 55° 34'·55N., 17° 33'·93E.
- (d) 55° 33'·57N., 17° 31'·14E.
- (e) 55° 32'·00N., 17° 26'·95E.
- (f) 55° 31'·87N., 17° 25'·31E.
- (g) 55° 32'·85N., 17° 20'·74E.
- (h) 55° 33'·23N., 17° 18'·75E.
- (i) 55° 33'·48N., 17° 18'·23E.
- (j) 55° 35'·22N., 17° 22'·80E.

legend, *Extraction Area* (see Note), within: (a)-(j) above

Chart 2040 (INT 1218) [*previous update 920/26*] WGS84 DATUM

Insert the accompanying note, EXTRACTION AREA, centred on: 54° 38'·25N., 20° 37'·83E.

limit of extraction area, pecked line, joining:

- (a) 55° 36'·36N., 17° 30'·01E.
- (b) 55° 35'·85N., 17° 31'·82E.
- (c) 55° 34'·55N., 17° 33'·93E.
- (d) 55° 33'·14N., 17° 30'·00E.

legend, *Extraction Area* (see Note), within: (a)-(d) above

II

1169* GERMANY - Baltic Coast - Buoyage.

Source: WSA Ostsee 45, 46/26

Chart DE 1671 (INT 1354) [*previous update 785/26*] WGS84 DATUM

Delete



Fl(5)Y.20s ODAS

54° 10′·69N., 11° 57′·15E.



Fl(5)Y.20s 6A ODAS

54° 17′·62N., 12° 18′·56E.

II

1196 FINLAND - West Coast - Power transmission line. Safe vertical clearance.

Source: Finnish Notice 1/3/2026

Chart 3803 (INT 1131) [*previous update 4217/25*] WGS84 DATUM

Delete	power transmission line, pecked line, and associated symbol, safe vertical clearance 18m, joining:	60° 39'·90N., 21° 19'·26E. 60° 40'·05N., 21° 19'·71E.
--------	---	--

II

1223 SWEDEN - East Coast - Note.

Source: Swedish Notice 1106/19899(T)/26

Chart 890 (INT 1778) [*previous update 2232/25*] WGS84 DATUM

Insert the accompanying note, BUOYAGE, centred on:

60° 23'·23N., 18° 12'·00E.

II

1235 POLAND - NM Block. Depths.

Source: ENC PL5WLADY

Chart 2688 (INT 1288) (Panel A, Port Wladyslawowo) [*previous update 435/26*] WGS84 DATUM

Insert the accompanying block, centred on: 54° 47'·8N., 18° 25'·4E.

Chart 2688 (INT 1288) (Panel B, Approaches to Wladyslawowo) [*previous update 435/26*] WGS84 DATUM

Insert	depth, 56	54° 47'·732N., 18° 25'·629E.
	depth, 59	54° 47'·788N., 18° 25'·388E.
	depth, 38	(a) 54° 47'·798N., 18° 25'·513E.
Delete	depth, 64, close SW of:	(a) above
Insert	depth, 62	(b) 54° 47'·767N., 18° 25'·582E.
Delete	depth, 92, close S of:	(b) above
Insert	depth, 62	(c) 54° 47'·814N., 18° 25'·564E.
Delete	depth, 96, close S of:	(c) above
Insert	depth, 42, and extend 5m contour NE to enclose	(d) 54° 47'·924N., 18° 25'·428E.
Delete	depth, 62, close N of:	(d) above
Insert	depth, 102, enclosed by 10m contour	(e) 54° 47'·892N., 18° 25'·570E.
Delete	depth, 69, close N of:	(e) above

II

1143 NETHERLANDS - Buoy.

Source: Netherlands Notice 7/25/26

Chart 207 (INT 1465) (Part A, Nieuwe Waterweg and Europoort) [*previous update New Edition 19/02/2026*] WGS84
DATUM

Move

 *Fl(5)Y.20s MMND*, from:

51° 59′·40N., 4° 00′·30E.

to:

51° 59′·55N., 4° 00′·30E.

II

1167 NORTH SEA - Norwegian Sector - Maritime limit. Legends.

Source: TotalEnergies

Chart 292 [*previous update New Edition 19/02/2026*] WGS84 DATUM

Delete	circular maritime limit, radius 1000m (0·54M), pecked line, and associated legend, <i>Chains and Anchors (see Note)</i> , centred on:	59° 21'·63N., 1° 34'·16E.
--------	---	---------------------------

Chart 1427 (INT 1401) [*previous update 900/26*] WGS84 DATUM

Delete	circular maritime limit, radius 1000m (0·54M), pecked line, and associated legend, <i>Chains and Anchors</i> , centred on:	59° 21'·6N., 1° 34'·2E.
--------	---	-------------------------

II

1168* NORTH SEA - German Sector - Rock.

Source: WSA Elbe-Nordsee 56/26

Chart DE 103 (INT 1412) [*previous update New Edition 01/01/2026*] WGS84 DATUM

Insert

 + (255)

54° 24′·53N., 7° 28′·63E.

II

1207 BELGIUM - NM Blocks. Buoyage. Piles. Virtual aid to navigation.

Source: Belgian Notices 4/84-90/26

Note: Former Notice 1312(T)/25 is cancelled.

Chart BE 106 (INT 1478) (Panel A, Baalhoek to Antwerpen) [*previous update 835/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	51° 19'·3N., 4° 18'·6E.
	the accompanying block B, centred on:	51° 14'·6N., 4° 23'·1E.
Move	 <i>Iso. G. 8s 75 A</i> , from:	51° 23'·82N., 4° 11'·71E.
	to:	51° 23'·83N., 4° 11'·68E.
	 <i>Iso. G. 4s 77</i> , from:	51° 23'·72N., 4° 12'·12E.
	to:	51° 23'·75N., 4° 12'·09E.

Chart BE 106 (INT 1478) (Panel B, Antwerpen to Hoboken) [*previous update 835/26*] WGS84 DATUM

Insert	 <i>VQ(6)+LFl. 10s T-RO-Z</i>	51° 14'·37N., 4° 22'·68E.
Delete	pile, •	51° 14'·39N., 4° 21'·67E.
		51° 14'·40N., 4° 21'·91E.
		51° 14'·46N., 4° 22'·04E.
		51° 14'·41N., 4° 22'·16E.
		51° 14'·45N., 4° 22'·23E.
		51° 14'·21N., 4° 22'·20E.
		51° 14'·21N., 4° 22'·33E.
		51° 14'·23N., 4° 22'·60E.
		51° 14'·23N., 4° 22'·70E.
	symbol, Virtual aid to navigation, north cardinal topmark	51° 14'·57N., 4° 24'·14E.

II

1224 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 08/28/26

Chart 1408 [*previous update 1178/26*] WGS84 DATUM

Delete



Fl.Y.5s PG

52° 58′·4N., 4° 07′·1E.

II

1225 NETHERLANDS - Depths.

Source: Netherlands Notice 08/31/26

Chart 208 (INT 1466) [*previous update 5756/25*] WGS84 DATUM

Replace	depth, 85, with depth, 79	51° 49'·89N., 4° 32'·54E.
---------	---------------------------	---------------------------

Chart 209 (INT 1467) (Part A, Krimpen a/d Lek to Dordrecht) [*previous update 3510/25*] WGS84 DATUM

Insert	depth, 48, and extend 5m contour N to enclose	(a) 51° 49'·31N., 4° 44'·61E.
--------	---	-------------------------------

Delete	depth, 56, close NW of:	(a) above
--------	-------------------------	-----------

II

1226 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 08/28/26

Chart 1631 (INT 1418) [*previous update 11/78/26*] WGS84 DATUM

Delete



Fl.Y.5s PG

52° 58′·44N., 4° 06′·73E.

II

1127 **FRANCE - North Coast - Buoyage.**

Source: French Notice 6/41/26

Chart 2148 [*previous update 5508/25*] WGS84 DATUM

Insert



49° 52'·80N., 0° 47'·50E.

49° 52'·55N., 0° 46'·34E.

II

1153 SPAIN - South West Coast - NM Blocks.

Source: Spanish Notices 45/335/25 and 46/343/25

Chart 73 (INT 1901) (Panel, Punta Umbria) [*previous update 339/26*] WGS84 DATUM

Insert the accompanying block A, centred on: 37° 09'·9N., 6° 56'·8W.

Chart 73 (INT 1901) [*previous update 339/26*] WGS84 DATUM

Insert the accompanying block B, centred on: 37° 09'·9N., 6° 56'·9W.

II

1175 FRANCE - West Coast - Restricted area. Legends.

Source: French Notice 5/41/26

Chart 2349 [*previous update 195/26*] WGS84 DATUM

Delete

limit of restricted area, $\tau\tau\tau\tau$, and associated legend, *Base de mesures (entrée limitée) Instrument calibration range (entry restricted)*, joining:

48° 11'·54N., 4° 33'·07W.

48° 11'·48N., 4° 33'·26W.

48° 11'·85N., 4° 33'·58W.

48° 11'·92N., 4° 33'·13W.

48° 11'·64N., 4° 33'·03W.

legend, *Bases de mesures (entrée limitée) Instrument calibration ranges (entry restricted)*, centred on:

48° 12'·51N., 4° 33'·39W.

II

1176 SPAIN - West Coast - Light.

Source: Spanish Notice 1/2/26

Chart 1730 [*previous update 178/26*] WGS84 DATUM

Amend range of light to, 3M

42° 13'·85N., 8° 45'·79W.

Chart 1731 (INT 1858) [*previous update 5618/25*] WGS84 DATUM

Amend range of light to, 3M

42° 13'·845N., 8° 45'·785W.

II

1177 SPAIN - North Coast - Anchorage area. Legend.

Source: Spanish Notice 51/368/25

Chart 1290 (INT 1807) [*previous update 387/25*] WGS84 DATUM

Delete	limit of anchorage area, pecked line, joining:	43° 44'·67N., 7° 37'·22W.
		43° 44'·67N., 7° 36'·00W.
		43° 43'·36N., 7° 36'·01W.
		43° 43'·37N., 7° 37'·22W.

Chart 4743 (Panel B, Approaches to Ria de Viveiro) [*previous update 2284/25*] WGS84 DATUM

Delete	limit of anchorage area, pecked line, and associated legend,	
	 <i>Bad Weather (Vessels less than 8,000 GT)</i> , joining:	43° 44'·96N., 7° 37'·11W.
		43° 44'·96N., 7° 36'·00W.
		43° 43'·46N., 7° 36'·00W.
		43° 43'·46N., 7° 37'·11W.

II

1141 NORTH ATLANTIC OCEAN - Arquipélago dos Açores - Marine Reserve.

Source: Portuguese Notices 11/293/25 and 12/314/25

Chart 1956 [*previous update 604/25*] WGS84 DATUM

Insert limit of marine reserve, `TTTTMR` `TTTT`, joining:

38° 39'·20N., 27° 12'·03W.

38° 38'·53N., 27° 13'·07W.

Chart 1957 (Panel E, Angra do Heroísmo) [*previous update 995/26*] WGS84 DATUM

Insert limit of marine reserve, `TTTTMRTTTT`, joining:

38° 39'·18N., 27° 12'·06W.

38° 38'·53N., 27° 13'·07W.

II

1121 **SPAIN - Mediterranean Sea Coast - Buoy.**

Source: Spanish Notice 4/23/26

Chart 1704 [*previous update 4895/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

41° 36′·0N., 2° 46′·2E.

II

1132* CYPRUS - Buoyage.

Source: Cyprus Department of Lands and Surveys

Chart 849 (Panel G, Approaches to Akrotiri Harbour and Limassol) [*previous update 917/26*] WGS84 DATUM

Amend	light-buoy to, <i>VQ</i>	34° 38'·41N., 33° 02'·32E.
	light-buoy to, <i>VQ(9)10s</i>	34° 38'·13N., 33° 02'·24E.

II

1136 GREECE - Aegean Sea Coast - Outfall. Wrecks.
Source: ENC GR5QQK08

Chart 1513 [*previous update 459/26*] WGS84 DATUM

Insert		37° 59'·76N., 23° 32'·89E.
		37° 59'·48N., 23° 33'·45E.
	outfall,  , joining:	37° 56'·17N., 23° 35'·24E.
		37° 56'·12N., 23° 35'·18E.
Replace	 with 	37° 59'·67N., 23° 33'·51E.

Chart 1596 [*previous update 5600/25*] WGS84 DATUM

Insert	outfall,  , joining:	37° 56'·178N., 23° 35'·253E.
		37° 56'·121N., 23° 35'·183E.

II

1142 FRANCE - South Coast - Depth.

Source: French Notice 5/87/26

Chart 153 (INT 3195) [*previous update 574/26*] WGS84 DATUM

Delete depth, 10, enclosed by 10m contour, *ED*, with seabed type, *R* 43° 19'·65N., 5° 10'·92E.

Chart 2116 [*previous update 713/26*] WGS84 DATUM

Delete  *ED*, with seabed type, *R* 43° 19'·64N., 5° 10'·91E.

II

1147 FRANCE - South Coast - Restricted areas. Legend.

Source: French Notice 48/88/25

Chart 2170 (INT 3198) [*previous update 757/26*] WGS84 DATUM

Insert	limit of restricted area, anchoring, fishing and diving prohibited, joining:	43° 06'·063N., 5° 55'·590E. (a) 43° 06'·080N., 5° 55'·700E. and (b) 43° 06'·030N., 5° 55'·700E. 43° 06'·043N., 5° 55'·603E.
	limit of restricted area,  , joining:	43° 06'·008N., 5° 56'·602E. 43° 06'·008N., 5° 58'·050E. 43° 05'·450N., 5° 58'·050E. 43° 05'·750N., 5° 56'·550E.
Amend	legend to, Anchoring, fishing and diving prohibited, centred on:	43° 04'·345N., 5° 57'·301E.
Delete	limit of restricted area, diving prohibited, joining:	43° 06'·080N., 5° 55'·601E. (a) above and (b) above 43° 06'·030N., 5° 55'·601E.

II

1149 TÜRKIYE - Marmara Denizi - NM Blocks. Notes.

Source: Turkish Notice 43/213/25

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 686/26*] WGS84 DATUM

Insert	the accompanying note, NATURE RESERVE, centred on:	40° 38'·75N., 29° 48'·65E.
	the accompanying block, centred on:	40° 49'·1N., 29° 06'·2E.

Chart 1005 [*previous update 310/26*] WGS84 DATUM

Insert	the accompanying note, NATURE RESERVE, centred on:	41° 03'·99N., 27° 46'·64E.
	the accompanying block, centred on:	40° 48'·9N., 29° 06'·4E.

Chart 1015 (INT 3754) [*previous update New Edition 06/11/2025*] WGS84 DATUM

Insert	the accompanying note, NATURE RESERVE, centred on:	40° 56'·33N., 29° 18'·54E.
	the accompanying block, centred on:	40° 49'·1N., 29° 06'·3E.

II

1158 SPAIN - Mediterranean Sea Coast - Buoy.

Source: Spanish Notice 3/16/26

Chart 1180 (INT 3185) [*previous update 774/26*] WGS84 DATUM

Move



Fl.Y.5sIM, from:

to:

41° 18′·461N., 2° 09′·325E.

41° 18′·485N., 2° 09′·505E.

II

1160 **SPAIN - Mediterranean Sea Coast - Buoy.**

Source: Spanish Notice 4/24/26

Chart 1705 [*previous update 939/26*] WGS84 DATUM

Insert

 *Fl(5)Y ODAS*

42° 19'·3N., 3° 21'·0E.

II

1161 SPAIN - Islas Baleares - Buoy.

Source: Spanish Notice 6/34/26

Chart 2831 (Panel, Puerto de Alcudia) [*previous update 4611/24*] WGS84 DATUM

Move



Fl(3)Y.15s, from:

39° 48'·96N., 3° 07'·20E.

to:

39° 48'·94N., 3° 07'·25E.

II

1163 LEBANON - Obstruction.

Source: Israeli Notice 2/26

Chart 183 [*previous update New Edition 16/10/2025*] WGS84 DATUM


Insert



33° 51'·5N., 34° 51'·3E.

Chart 2633 [*previous update 4114/25*] WGS84 DATUM


Insert



33° 51'·5N., 34° 51'·3E.

Chart 2634 [*previous update 5359/25*] WGS84 DATUM

Insert



33° 51'·5N., 34° 51'·3E.

II

1212 FRANCE - South Coast - Buoy.

Source: French Notice 8/86/26

Chart 2114 (INT 3188) (Panel B, Port-la-Nouvelle) [*previous update 3819/25*] WGS84 DATUM

Delete



Q(6)+LFl.15s

43° 01'·068N., 3° 04'·595E.

II

1213 TÜRKiYE - Marmara Denizi - Light.

Source: Turkish Notice 44/216/25

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 1149/26*] WGS84 DATUM

Amend range of light to, 5M

40° 46'·30N., 29° 42'·92E.

II

1217 GREECE - Kríti - Wreck. Rock.

Source: ENC GR3CFDEW

Chart 1091 [*previous update 1097/26*] WGS84 DATUM

Replace  with 

35° 19′·1N., 26° 15′·0E.

Chart 1099 [*previous update 1097/26*] WGS84 DATUM

Replace  with 

35° 19′·1N., 26° 15′·0E.

Chart 3679 [*previous update 1097/26*] WGS84 DATUM

Insert 

(a) 35° 19′·10N., 26° 15′·00E.

Delete , close NW of:

(a) above

II

1133 MOROCCO - West Coast - Marine farms. Anchorage area.

Source: French Notice 3/158/26

Chart 863 (Panel D, Cap Ghir to Agadir) [*previous update 974/26*] WGS84 DATUM

Insert	limit of marine farm, pecked line, joining:	(a) 30° 37'·03N., 9° 51'·01W. (b) 30° 35'·91N., 9° 49'·76W. (c) 30° 35'·30N., 9° 50'·41W. (d) 30° 36'·40N., 9° 51'·74W.
	 , within:	(a)-(d) above
		30° 34'·96N., 9° 49'·82W.
Delete		30° 34'·80N., 9° 46'·24W.


II

1202* NIGERIA - Wreck. Obstruction.


Source: BATOIL Services

Chart 1385 (INT 2808) [*previous update 964/26*] WGS84 DATUM

Insert




5° 28'·0N., 4° 57'·0E.




5° 30'·6N., 4° 59'·4E.

Chart 3321 (INT 2892) [*previous update 964/26*] WGS84 DATUM

Insert



5° 27'·96N., 4° 56'·96E.



5° 30'·60N., 4° 59'·40E.

II

1126* UNITED ARAB EMIRATES - NM Block.

Source: ADNOC

Note: This update is included in New Editions 3178 and 3179, published mid 2026.

Chart 2889 (INT 7211) [*previous update 959/26*] WGS84 DATUM

Insert the accompanying block, centred on:

24° 24′·9N., 53° 09′·0E.

II

1129* UNITED ARAB EMIRATES - Legend.

Source: AD Ports

Chart 3177 (INT 7222) [*previous update 841/26*] WGS84 DATUM

Delete legend, *Mooring buoys*, centred on:


24° 36'·24N., 54° 25'·08E.

II

1138* UNITED ARAB EMIRATES - Wreck. Depth.
Source: MENAS NAVTEX 330/2025

Chart 3709 [*previous update 200/26*] WGS84 DATUM

Insert



25° 06'·49N., 56° 24'·32E.

Chart 3723 [*previous update 200/26*] WGS84 DATUM

Insert



(a) 25° 06'·49N., 56° 24'·32E.

Delete

depth, 31, close NW of:

(a) above

II

1144* ARABIA - Shaṭṭ al'Arab - Buoy.

Source: The General Company for the Ports of Iraq (GCPI)

Chart 1235 (INT 7289) [*previous update 5192/25*] WGS84 DATUM

Insert



Fl(2)5s

29° 43'·61N., 48° 47'·78E.

Chart 1265 (INT 7291) [*previous update 5192/25*] WGS84 DATUM

Insert



Fl(2)5s

29° 43'·61N., 48° 47'·83E.

Chart 3773 [*previous update 604/26*] WGS84 DATUM

Insert



Fl(2)5s

29° 43'·61N., 48° 47'·89E.

II

1148 OMAN - NM Block.

Source: ENC OM500103

Chart 3762 [*previous update 3027/25*] WGS84 DATUM

Insert the accompanying block, centred on:

19° 41'·2N., 57° 42'·4E.

II

1236 IRAN - NM Block.

Source: ENC's IR403070 and IR403012

Note: This update is included in New Edition 3599, to be published mid 2026.

Chart 3173 [*previous update 4186/25*] WGS84 DATUM

Insert the accompanying block, centred on:

27° 05'·9N., 56° 12'·3E.

II

1123 INDIA - West Coast - Depths. Wrecks.

Source: Indian Notice 22/146/25

Note: Former Notices 4723(T)/23 and 39(T)/24 are cancelled.

Chart IN 22 (INT 752) [previous update 407/26] WGS84 DATUM

Insert	 PA	18° 11'·0N., 72° 15'·0E.
		(a) 18° 49'·7N., 72° 42'·5E.
Delete	depth, 114, close E of:	(a) above
Insert	 PA	(b) 18° 14'·7N., 72° 53'·2E.
Delete	depth, 13, close NW of:	(b) above

Chart IN 211 [previous update 4786/25] WGS84 DATUM

Insert	 PA	18° 49'·73N., 72° 42'·50E.
		18° 14'·66N., 72° 53'·16E.
		(a) 18° 58'·67N., 72° 52'·79E.
Delete	depth, 04, close N of:	(a) above

Chart IN 212 [previous update 5843/25] WGS84 DATUM

Insert	 PA	18° 14'·66N., 72° 53'·16E.
--------	--	----------------------------

Chart IN 255 (INT 7334) [previous update 407/26] WGS84 DATUM

Insert	 PA	18° 58'·7N., 72° 52'·8E.
		18° 49'·7N., 72° 42'·5E.

Chart IN 256 (INT 7340) [previous update 3676/25] WGS84 DATUM

Insert	 PA	18° 14'·7N., 72° 53'·2E.
		18° 11'·0N., 72° 15'·0E.

Chart IN 292 (INT 7021) [previous update 407/26] WGS84 DATUM

Insert	wreck out of position,  PA	18° 49'·7N., 72° 42'·5E.
	 PA	18° 11'·0N., 72° 15'·0E.
		(a) 18° 14'·7N., 72° 53'·2E.
Delete	depth, 87, close SW of:	(a) above

Chart IN 293 (INT 7022) [previous update 407/26] WGS84 DATUM

Insert	wreck out of position,  PA	18° 49'·7N., 72° 42'·5E.
	 PA	18° 11'·0N., 72° 15'·0E.
		(a) 18° 14'·7N., 72° 53'·2E.
Delete	depth, 87, close SW of:	(a) above

Chart 707 [previous update 407/26] WGS84 DATUM

Insert		18° 11'·0N., 72° 15'·0E.
--------	---	--------------------------

II

1123 INDIA - West Coast - Depths. Wrecks. (continued)

Chart IN 2001 [*previous update New Edition 15/01/2025*] WGS84 DATUM

Insert  PA 18° 58'·67N., 72° 52'·79E.

Chart IN 2015 (INT 7337) [*previous update New Edition 30/04/2023*] WGS84 DATUM

Insert  PA 18° 58'·67N., 72° 52'·79E.

Chart IN 2016 (INT 7336) [*previous update 4786/25*] WGS84 DATUM

Insert  PA 18° 58'·67N., 72° 52'·79E.
18° 49'·73N., 72° 42'·50E.

Chart IN 2036 (INT 7352) [*previous update 4570/23*] WGS84 DATUM

Insert  PA 18° 14'·66N., 72° 53'·16E.

Chart IN 2076 (INT 7338) [*previous update New Edition 30/04/2023*] WGS84 DATUM

Insert  PA 18° 58'·67N., 72° 52'·79E.

Chart 4705 (INT 705) [*previous update New Edition 15/05/2025*] WGS84 DATUM

Insert  18° 11'·0N., 72° 15'·0E.

Chart 4706 (INT 706) [*previous update New Edition 15/05/2025*] WGS84 DATUM

Insert  18° 11'·0N., 72° 15'·0E.

II

1112 TAIWAN - Buoy.

Source: Taiwanese Notice 179/25

Chart 2409 [*previous update 1000/26*] WGS84 DATUM

Insert

 *Fl.Y.4s*

23° 05′·77N., 119° 59′·40E.

II

1114 CHINA - South Coast - Light-beacons.

Source: Chinese Notice 44/1347/25

Chart 1784 [*previous update 958/26*] CGCS 2000 DATUM

Insert

■ Fl.R.6s16m10M
★

22° 46′·03N., 115° 50′·98E.

■ Fl.3s12m5M
★

22° 45′·72N., 115° 50′·65E.

II

1115 CHINA - South Coast - Buoyage.

Source: Chinese Notice 46/1424/25

Chart 1962 [*previous update 1013/26*] WGS84 DATUM

Insert

 *Mo(O)Y.12s*

22° 59′·6N., 117° 36′·4E.

22° 54′·3N., 117° 39′·7E.

II

1119 VIETNAM - Wreck.

Source: ENC VN320032

Chart 3988 [*previous update 728/26*] WGS84 DATUM

Insert



16° 43'·8N., 107° 37'·2E.

Chart 3989 [*previous update 5357/25*] WGS84 DATUM

Insert



16° 43'·8N., 107° 37'·2E.

II

1131 CHINA - South Coast - NM Blocks.

Source: Chinese Notices 35/1048/25 & 42/1264/25

Chart 3890 [*previous update 5447/25*] CGCS 2000 DATUM

Insert the accompanying block, centred on:

20° 35′·7N., 110° 45′·7E.

Chart 3892 [*previous update 819/26*] CGCS 2000 DATUM

Insert the accompanying block, centred on:

20° 35′·7N., 110° 46′·3E.

II

1137 MALAYSIA - Peninsular Malaysia, East Coast - Wrecks. Obstruction.

Source: Malaysian Notice 11/261/25

Note: This update is included in New Edition 2422, published early 2026.

Chart 2414 [previous update 515/26] WGS84 DATUM

Insert		(a) 5° 18'·8N., 103° 18'·4E.
Delete	former  , close NW of:	(a) above

Chart 3446 [previous update 5664/25] WGS84 DATUM

Insert		5° 18'·84N., 103° 18'·41E.
Delete	 PA	5° 19'·82N., 103° 16'·70E.
	 Obstn	5° 18'·49N., 103° 15'·08E.

Chart 3447 [previous update 5664/25] WGS84 DATUM

Insert		5° 18'·84N., 103° 18'·41E.
	 PA	5° 19'·83N., 103° 16'·70E.
	 Obstn	5° 18'·49N., 103° 15'·08E.

II

1152 CHINA - East Coast - Anchorage areas. Buoyage. Legend.

Source: Chinese Notices 44/1332-1333/25

Chart 1721 [*previous update 414/26*] CGCS 2000 DATUM

Insert limit of anchorage area, pecked line, joining:

- (a) 27° 40'·23N., 121° 30'·34E.
- (b) 27° 40'·18N., 121° 35'·69E.
- (c) 27° 39'·09N., 121° 35'·68E.
- (d) 27° 39'·15N., 121° 30'·33E.
- and
- (e) 27° 40'·17N., 121° 36'·30E.
- (f) 27° 40'·14N., 121° 38'·55E.
- (g) 27° 39'·06N., 121° 38'·53E.
- (h) 27° 39'·09N., 121° 36'·28E.

, within:

(a)-(d) above

legend,  *Explosives and LNG*, within:

(e)-(h) above

Chart 1754 [*previous update 815/26*] WGS84 DATUM

Insert limit of anchorage area, pecked line, joining:

- (a) 27° 40'·2N., 121° 30'·3E.
- (b) 27° 40'·2N., 121° 35'·7E.
- (c) 27° 39'·1N., 121° 35'·7E.
- (d) 27° 39'·2N., 121° 30'·3E.
- and
- (e) 27° 40'·2N., 121° 36'·3E.
- (f) 27° 40'·1N., 121° 38'·6E.
- (g) 27° 39'·1N., 121° 38'·5E.
- (h) 27° 39'·1N., 121° 36'·3E.

, within:

(a)-(d) above

(e)-(h) above

Delete

 *Mo(O)Y.12s L1*

27° 34'·0N., 121° 03'·8E.

 *Mo(O)Y.12s L3*

27° 34'·0N., 121° 08'·8E.

 *Mo(O)Y.12s L8*

27° 32'·2N., 121° 03'·4E.

 *Mo(O)Y.12s L5*

27° 32'·2N., 121° 09'·9E.

II

1152 CHINA - East Coast - Anchorage areas. Buoyage. Legend. (continued)

Chart 1759 [*previous update New Edition 27/11/2025*] CGCS 2000 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 27° 40'·2N., 121° 30'·3E. (b) 27° 40'·2N., 121° 35'·7E. (c) 27° 39'·1N., 121° 35'·7E. (d) 27° 39'·2N., 121° 30'·3E. and (e) 27° 40'·2N., 121° 36'·3E. (f) 27° 40'·1N., 121° 38'·6E. (g) 27° 39'·1N., 121° 38'·5E. (h) 27° 39'·1N., 121° 36'·3E.
	 , within:	(a)-(d) above (e)-(h) above
Delete	 <i>Mo(O)Y.12s L1</i>  <i>Mo(O)Y.12s L3</i>  <i>Mo(O)Y.12s L8</i>  <i>Mo(O)Y.12s L5</i>	27° 34'·0N., 121° 03'·8E. 27° 34'·0N., 121° 08'·8E. 27° 32'·2N., 121° 03'·4E. 27° 32'·2N., 121° 09'·9E.

II

1159 CHINA - South Coast - Buoyage.

Source: UKHO

Chart 344 [*previous update 1002/26*] CGCS 2000 DATUM

Insert



Fl(2+1)R.6s No 4

22° 43′·95N., 113° 38′·37E.

Delete



Fl.R.4s No 4

22° 43′·88N., 113° 38′·50E.

II

1229 CHINA - South Coast - Buoyage. Depth. Light.

Source: Chinese Notices 44/1350-1351/25

Chart 1728 [*previous update 1077/26*] CGCS 2000 DATUM

Insert	★ Mo(C)Y.12s10m3M	21° 28′·78N., 109° 29′·88E.
	 Mo(C)Y.12s A5-2	21° 20′·91N., 109° 33′·44E.
	 Mo(C)Y.12s A5-1	21° 20′·65N., 109° 33′·34E.
Delete	depth, 17 , and associated 2m contour	21° 24′·01N., 109° 07′·54E.

Chart 3892 [*previous update 1131/26*] CGCS 2000 DATUM

Insert	★ Mo(C)Y.12s3M	21° 28′·8N., 109° 29′·9E.
--------	----------------	---------------------------

II

1230 CHINA - Bo Hai - Anchorage areas. Pilot boarding place. Legends.

Source: Chinese Notice 43/1281/25

Chart 1250 [*previous update 1008/26*] CGCS 2000 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 38° 31'·8N., 118° 21'·5E.
		(b) 38° 28'·3N., 118° 24'·0E.
		(c) 38° 25'·4N., 118° 17'·1E.
		(d) 38° 27'·3N., 118° 11'·4E.
	①, within:	(a)-(d) above
	symbol, quarantine anchorage, within:	(a)-(d) above
	legend,  No 2, within:	(a)-(d) above
	legend, 50,000 tons, within:	(a)-(d) above
Delete	circular limit of anchorage area, pecked line, and associated quarantine anchorage symbols, No 2, centred on:	38° 28'·6N., 118° 18'·4E.

II

1218 JAPAN - Honshū - Light.

Source: Japanese Notice 8/79/26

Chart JP 54 [*previous update 2719/25*] WGS84 DATUM

Amend light to, Fl(2) 5s 5M

39° 18′·20N., 141° 54′·13E.

II

1219 JAPAN - Nansei Shotō - Submarine power cable.

Source: Japanese Notice 8/83/26

Chart JP 226 [*previous update 5331/25*] WGS84 DATUM

Insert submarine power cable,  , joining:

26° 42'·58N., 127° 49'·58E.

26° 42'·33N., 127° 49'·77E.

26° 42'·20N., 127° 50'·32E.

26° 42'·03N., 127° 52'·75E.

II

1146 KOREA - South Coast - Light.

Source: ENC KR4G3A40

Note: This update is included in New Edition 1065, published early 2026.

Chart 1163 [*previous update 79/26*] WGS84 DATUM

Delete

★ Fl(2)Y.6s9m9M

35° 03'·923N., 128° 46'·498E.

II

1154 KOREA - South Coast - Light.

Source: Korean Notice 45/669/25

Chart 1259 (Panel B, Busan) [*previous update 1057/26*] WGS84 DATUM

Insert

★ Fl(4)Y.8s4m4M

35° 03'·64N., 129° 00'·43E.

II

1215 KOREA - West Coast - Buoy.

Source: Korean Notice 46/691/25

Note: This update is included in New Edition 3365, to be published early 2026.

Chart 913 (INT 5254) [*previous update 811/26*] WGS84 DATUM

Delete



Fl(5)Y.20s

34° 49'·23N., 125° 51'·92E.

Chart 3928 [*previous update 688/26*] WGS84 DATUM

Delete



Fl(5)Y.20s

34° 49'·23N., 125° 51'·92E.

II

1237 KOREA - South Coast - Note. Precautionary area. Legend.

Source: Korean Notice 49/766/25

Note: This update is included in New Edition 1065, published early 2026.

Chart 1259 (Panel A, Masan) [*previous update 1154/26*] WGS84 DATUM

Insert	the accompanying note, PRECAUTIONARY AREA	within title panel
	symbol, precautionary area	(a) 35° 07'·72N., 128° 36'·38E.
	legend, <i>Precautionary Area</i> (<i>see Note</i>), close W of:	(a) above

II

1238 KOREA - East Coast - Breakwater. Light.

Source: Korean Notice 49/765/25

Chart 896 (INT 5355) [*previous update 712/26*] WGS84 DATUM

Insert breakwater, single firm line, joining:

35° 15'·81N., 129° 14'·39E.

35° 15'·79N., 129° 14'·36E.

(a) 35° 15'·79N., 129° 14'·34E.

★ Fl.R.4s13m7M

(a) above

II

1124 MALAYSIA - Sabah - Platform.

Source: Malaysian Notice 11/265/25

Chart 1338 [*previous update 5041/25*] WGS84 DATUM

Delete

 ☐ BELUD SOUTH

6° 46'·5N., 115° 41'·6E.

Chart 2112 [*previous update 1757/25*] WGS84 DATUM

Delete

 ☐ BELUD SOUTH

6° 46'·50N., 115° 41'·56E.

Chart 3483 (INT 551) [*previous update 5664/25*] WGS84 DATUM

Delete

 ☐

6° 46'·5N., 115° 41'·2E.

II

1134 MALAYSIA - Sarawak - Light.

Source: Malaysian Notice 11/266/25

Chart 3836 [*previous update 5540/25*] WGS84 DATUM

Amend range of light to, 12M

2° 42′·78N., 111° 27′·98E.

II

1197 MALAYSIA - Sarawak - Wreck.

Source: Marine Department, Sarawak Notice 205/25

Chart 162 (Panel B, Bintangor to Sibu) [*previous update 795/19*] WGS84 DATUM

Insert



2° 14'·53N., 111° 48'·87E.

II

1216 INDONESIA - Jawa - NM Blocks.

Source: ENC's ID5095R6, ID400140, and ID300071

Chart 918 (Panel E, Merak) [*previous update 5466/25*] WGS84 DATUM

Insert the accompanying block A, centred on:

5° 58'·5S., 105° 59'·2E.

Chart 918 (Panel F, Cigading) [*previous update 5466/25*] WGS84 DATUM

Insert the accompanying block B, centred on:

5° 58'·6S., 105° 59'·2E.

II

1135 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Leading lines. Legends. Recommended track. Restricted areas. Buoy.

Source: French Notice 45/218/25

Chart 936 [*previous update 1005/26*] IGN 1972 DATUM

Insert	leading line, pecked line for 6896m then firm line for 26120m, extending in direction 223°, from:	(a)	22° 13'·7S., 166° 23'·1E.
	legend, 043°, seaward end of:	(a)	above
Delete	leading line, pecked line and firm line, and associated legend, 044°, extending in direction 224°, from:	(a)	above

Chart 2462 (INT 6899) [*previous update 4660/25*] WGS84 DATUM

Insert	leading line, pecked line for 6896m then firm line for 16430m, extending in direction 223°, from:	(a)	22° 13'·57S., 166° 23'·27E.
	legend, Île Freycinet 043°, seaward end of:	(a)	above
	two-way recommended track, pecked line, joining:		22° 21'·20S., 166° 15'·61E. 22° 20'·94S., 166° 15'·63E.
	limit of restricted area,  joining:	(b)	22° 18'·17S., 166° 26'·38E. 22° 19'·55S., 166° 26'·23E. 22° 20'·21S., 166° 24'·54E.
Delete	former limit of restricted area,  joining:	(b)	above 22° 20'·55S., 166° 26'·23E. 22° 20'·22S., 166° 24'·52E. 22° 20'·21S., 166° 24'·52E.
	leading line, pecked line and firm line, and associated legend, Île Freycinet 044°, extending in direction 224°, from:	(a)	above
	symbol, can mooring buoy		22° 15'·56S., 166° 24'·65E.
	leading line, firm line, joining:		22° 18'·93S., 166° 17'·89E. 22° 18'·99S., 166° 17'·65E.

Chart 2463 (INT 6883) [*previous update 4660/25*] WGS84 DATUM

Insert	leading line, pecked line for 6896m then firm line for 19224m, extending in direction 223°, from:	(a)	22° 13'·57S., 166° 23'·27E.
	legend, Île Freycinet 043°, seaward end of:	(a)	above
	two-way recommended track, pecked line, joining:		22° 21'·20S., 166° 15'·61E. 22° 20'·94S., 166° 15'·63E.
	limit of restricted area,  joining:	(b)	22° 18'·17S., 166° 26'·38E. 22° 19'·55S., 166° 26'·23E. 22° 20'·21S., 166° 24'·54E.
Delete	former limit of restricted area,  joining:	(b)	above 22° 20'·55S., 166° 26'·23E. 22° 20'·22S., 166° 24'·52E. 22° 20'·21S., 166° 24'·52E.
	leading line, pecked line and firm line, and associated legend, Île Freycinet 044°, extending in direction 224°, from:	(a)	above
	leading line, firm line, joining:		22° 18'·93S., 166° 17'·89E. 22° 18'·99S., 166° 17'·65E.

II

1157 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - NM Block. Depths.

Source: French Notice 46/217/25

Chart 2464 (INT 6882) [*previous update 465/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	22° 36'·2S., 166° 42'·2E.
	depth, 275, enclosed by 30m contour	(a) 22° 27'·13S., 166° 53'·83E.
Delete	depth, 33, close N of:	(a) above
Insert	depth, 295, enclosed by 30m contour	(b) 22° 30'·08S., 166° 50'·19E.
Delete	depth, 33, close N of:	(b) above
Insert	depth, 199, enclosed by 20m contour	22° 33'·08S., 166° 44'·83E.
		22° 47'·24S., 166° 47'·03E.
	depth, 235	(c) 22° 49'·70S., 166° 48'·54E.
Delete	depth, 25, close SE of:	(c) above

II

1170 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Buoy.

Source: French Notice 4/218/26

Chart 2462 (INT 6899) [*previous update 1135/26*] WGS84 DATUM

Insert



22° 15′·81S., 166° 24′·74E.

II

1183 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Buoy, Light-beacon.
Source: French Notice 3/218/26

Chart 2463 (INT 6883) [*previous update 1135/26*] WGS84 DATUM

Replace



with



22° 28'·52S., 166° 27'·95E.

II

1150 CANADA - British Columbia - Buoyage. Rocks. Depths. NM Block.

Source: Canadian Notices 10/3955-3958/25

Chart 4935 [*previous update 690/25*] NAD83 DATUM

Move		from:	54° 13'·37N., 130° 17'·89W.
		to:	54° 13'·37N., 130° 17'·92W.

Chart 4936 [*previous update 102/26*] NAD83 DATUM

Insert		Fl(5) Y(priv) <i>ODAS/SADO</i>	54° 18'·12N., 130° 55'·22W.
		Fl(5) Y(priv) <i>ODAS/SADO</i> , out of position	54° 18'·07N., 130° 48'·16W.
			54° 16'·95N., 130° 47'·47W.

Move		from:	54° 13'·37N., 130° 17'·89W.
		to:	54° 13'·37N., 130° 17'·92W.

Chart 4938 (Panel, Porpoise Harbour, Ridley Island and Approaches / Et Les Approches) [*previous update 4747/25*] NAD83 DATUM

Insert		Fl(5) Y(priv) <i>ODAS/SADO</i>	54° 11'·321N., 130° 20'·302W.
	✕ (19)	(a)	54° 12'·675N., 130° 17'·561W.
Delete	depth, 08, close W of:		(a) above
Insert	✕ (06)		54° 12'·688N., 130° 17'·550W.
Replace	depth, 38, with depth, 3		54° 12'·710N., 130° 17'·557W.
	depth, 16, with depth, 1		54° 12'·792N., 130° 17'·645W.
Insert	the accompanying block, centred on:		54° 12'·1N., 130° 18'·3W.

II

1180 UNITED STATES OF AMERICA - West Coast - Outfall.

Source: ENC US3CA69M

Chart 4911 [*previous update New Edition 11/09/2025*] NAD83 DATUM

Insert outfall, , joining:

34° 15'·28N., 119° 16'·24W.

34° 15'·18N., 119° 17'·50W.

II

1206 PERU - Wrecks.

Source: Peruvian Notice 1/2/26

Chart 3089 (Panel A, Talara) [*previous update 5165/25*] WGS84 DATUM

Delete



4° 34'·348S., 81° 16'·897W.



4° 34'·367S., 81° 16'·700W.

4° 34'·358S., 81° 16'·588W.

II

1165 **UNITED STATES OF AMERICA - Gulf of Mexico - Fish haven.**
Source: ENC US3LA1BA

Chart 3850 [*previous update 5039/25*] NAD83 DATUM

Insert

 (198)

27° 54'·0N., 93° 34'·6W.

II

1166 **UNITED STATES OF AMERICA - Gulf of Mexico - Submarine pipeline.**

Source: ENC US3LA1BC

Chart 3851 [*previous update 5609/25*] NAD83 DATUM

Insert submarine pipeline, , joining:

27° 53'·2N., 90° 16'·5W.

27° 57'·0N., 90° 17'·9W.

27° 59'·2N., 90° 18'·4W.

27° 59'·4N., 90° 18'·6W.

27° 59'·5N., 90° 19'·2W.

II

1204 UNITED STATES OF AMERICA - Gulf of Mexico - Danger line. Legend.

Source: ENC US3TX1AB

Chart 3768 [previous update 4840/25] WGS84 DATUM

Insert danger line, dotted line, joining:

(a) 25° 59'·4N., 96° 52'·8W.

(b) 26° 01'·3N., 96° 52'·7W.

(c) 26° 01'·1N., 96° 49'·7W.

(d) 26° 00'·3N., 96° 49'·7W.

legend, *Obstn*, within:

(a)-(d) above

Chart 3849 [previous update 5039/25] NAD83 DATUM

Insert danger line, dotted line, joining:

(a) 25° 59'·4N., 96° 52'·8W.

(b) 26° 01'·3N., 96° 52'·7W.

(c) 26° 01'·1N., 96° 49'·7W.

(d) 26° 00'·3N., 96° 49'·7W.

legend, *Obstn*, within:

(a)-(d) above

II

1208 COLOMBIA - Caribbean Sea Coast - Landmark. Signal station.

Source: ENC CO600843

Chart 2434 (Panel B, Bocachica) [*previous update 779/26*] WGS84 DATUM

Replace

  RADAR TOWER SS(Traffic) with  Ru

10° 18′·744N., 75° 34′·652W.

Chart 2434 (Panel A, Bahía de Cartagena) [*previous update 779/26*] WGS84 DATUM

Replace

  TR SS(Traffic) with  Ru

10° 18′·75N., 75° 34′·65W.

II

1184 **UNITED STATES OF AMERICA - East Coast - Light.**
Source: ENC US5BALAD

Chart 2850 [*previous update 918/26*] NAD83 DATUM

Amend light to, Iso.6s88ft & Iso.4s15ft5M

39° 07'·07N., 76° 24'·76W.

II

1189 UNITED STATES OF AMERICA - East Coast - Buoy.
Source: ENC US5PSMBD

Chart 1227 [*previous update 322/26*] NAD83 DATUM

Delete  *Fl.Y.4s* 43° 02'·41N., 70° 42'·16W.

Chart 2483 (Panel A, Approaches to Portsmouth Harbor) [*previous update 204/26*] NAD83 DATUM

Delete  *Fl.Y.4s* 43° 02'·41N., 70° 42'·16W.

Chart 3676 [*previous update 187/26*] NAD83 DATUM

Delete  *Fl.Y.4s* 43° 02'·41N., 70° 42'·16W.

II

1116(T)/26 SCOTLAND - West Coast - Beacon.

Source: Bob Bradfield and UKHO

1. The unlit north cardinal beacon in position 55° 53'·66N., 5° 24'·45W. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 2131 - 2381 - 5610_10

II

1122(P)/26 SCOTLAND - South West Coast - Depths. Wreck. Obstructions.

Source: mv Northern Gale

- Recent survey information has shown that numerous depths less than charted exist within Luce Bay and Beaufort's Dyke, and between Cairns Money Head and The Mull of Galloway. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·2m	54° 48'·03N., 5° 02'·64W.
11·3m	54° 47'·90N., 5° 03'·18W.
8·7m	54° 46'·80N., 5° 01'·06W.
12·9m	54° 46'·50N., 5° 00'·82W.
13·5m	54° 46'·43N., 5° 01'·21W.
25·9m	54° 46'·34N., 5° 04'·81W.
12·8m	54° 45'·94N., 5° 00'·85W.
17·8m	54° 45'·03N., 5° 00'·92W.
26·1m	54° 44'·72N., 5° 01'·79W.
21·3m	54° 44'·17N., 5° 01'·10W.
18·3m	54° 43'·54N., 4° 59'·35W.
26·3m	54° 42'·97N., 5° 00'·22W.
13·9m	54° 41'·91N., 4° 57'·76W.
26·6m	54° 38'·42N., 4° 57'·35W.
24·9m	54° 37'·65N., 4° 55'·30W.
26·4m	54° 37'·16N., 4° 52'·23W.
27·5m	54° 37'·06N., 4° 54'·12W.
14·2m	54° 38'·23N., 4° 53'·65W.
17·1m	54° 37'·89N., 4° 53'·68W.
26·7m	54° 37'·99N., 4° 50'·22W.
18·4m	54° 38'·73N., 4° 51'·27W.
8·4m	54° 39'·29N., 4° 49'·61W.
13·6m	54° 40'·36N., 4° 50'·69W.
5·4m	54° 40'·58N., 4° 51'·39W.

2.

17·4m	54° 41'·08N., 4° 46'·33W.
18·4m	54° 40'·44N., 4° 46'·28W.
30·3m	54° 35'·54N., 4° 43'·77W.

- A non-dangerous wreck, depth 56m exists in position 54° 44'·22N., 5° 04'·16W.

- *Obstructions exist in the following positions:

5·4m	54° 46'·14N., 5° 00'·36W.
7·0m	54° 41'·21N., 4° 51'·19W.

- Charts will be updated when full details are available.
- Mariners are advised to navigate with caution in the area.
- *Former Notice 429(P)/26 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1411 (INT 1608) - 1826 (INT 1607) - 2093 - 2094 - 2198 - 2724 (INT 1606) - 5610_17 - 5612_1 - 5612_11 - 5613_19 - 5613_2

II

1145(T)/26 ENGLAND - East Coast - Wreck.

Source: Peel Ports London Medway Notice 13/26

1. *A stranded wreck exists in position 51° 23'·475N., 0° 30'·072E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 5050(T)/25 is cancelled.

*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1835 - 2482 (INT 1573) - 5606_11 - 5606_12

II

1171(P)/26 ENGLAND - East Coast - Depths.

Source: APB Humber

1. Recent survey information has shown that numerous depths less than charted exist within the approaches to the River Humber. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·5m	53° 33'·87N., 0° 14'·58E.
9·8m	53° 33'·72N., 0° 14'·35E.
8·7m	53° 33'·71N., 0° 13'·33E.
11·7m	53° 34'·37N., 0° 13'·70E.
6·2m	53° 34'·44N., 0° 13'·48E.
9·5m	53° 34'·94N., 0° 12'·94E.
3·3m	53° 34'·70N., 0° 12'·81E.
9·4m	53° 34'·56N., 0° 12'·81E.
4·8m	53° 34'·78N., 0° 12'·59E.
7·6m	53° 33'·93N., 0° 12'·66E.
9·3m	53° 34'·31N., 0° 12'·23E.
5·0m	53° 34'·76N., 0° 12'·14E.
4·9m	53° 34'·41N., 0° 12'·01E.
6·0m	53° 33'·90N., 0° 12'·09E.
1·0m	53° 34'·81N., 0° 11'·83E.
6·5m	53° 34'·68N., 0° 11'·68E.
5·2m	53° 34'·34N., 0° 11'·77E.
5·3m	53° 34'·03N., 0° 11'·76E.
6·0m	53° 33'·74N., 0° 11'·74E.
7·2m	53° 33'·46N., 0° 11'·73E.
14·9m	53° 33'·04N., 0° 11'·86E.
6·7m	53° 32'·16N., 0° 10'·64E.
6·2m	53° 33'·86N., 0° 09'·48E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. These changes will be included in New Edition of Charts 104, 107, 5614_14 and 5614_15.
(ETRS89 DATUM)

Charts affected - 104 (INT 1566) - 107 - 5614_14 - 5614_15

II

1181(T)/26 ENGLAND - East Coast - Fog signal.

Source: Scottish Power

1. The fog signal in position 52° 09'·30N., 2° 27'·70E. is inoperative.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1406 - 1504 (INT 1510) - 1630 (INT 1416)

II

1211(P)/26 ENGLAND - East Coast - Wrecks, Obstructions.

Source: mv Northern Gale

1. Dangerous wrecks and obstructions exist in the following positions:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Wreck	8·2m	51° 59'·77N., 1° 27'·19E.
Obstruction	9·3m	52° 04'·44N., 1° 33'·34E.

2. *A dangerous wreck with the least depth 3·4m is reported to exist in lieu of the 4·4m obstruction in position 51° 59'·86N., 1° 26'·47E.
3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when full details are available.
5. *Former Notice 897(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 2052 (INT 1560) - 2693 (INT 1570) - 5607_5 - 5614_1

II

1195(T)/26 SWEDEN - West Coast - Virtual aid to navigation. Obstruction.

Source: Swedish Notice 1106/19901(T)/26

1. A virtual aid to navigation (V-AIS), isolated danger topmark, marking an obstruction, depth 6·4m, has been established in position 56° 53'·281N., 12° 28'·388E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 874 (INT 1319)

II

1209(T)/26 SWEDEN - East Coast - Works. Horizontal clearance. Bridge. Fairway.

Source: Swedish Notices 1105/19642(T)/26 and 1106/19894(T)/26

1. Maintenance works are taking place at Danviksbron Bridge, in position 59° 18'·82N., 18° 06'·28E.
2. The horizontal clearance of the fairway at the bridge is limited to 17m.
3. Restrictions are as follows:

Duration

*March 9th 2026, 22:00 – March 16th 2026,
05:00

*March 16th 2026, 05:00 – March 23rd 2026,
22:00

*March 23rd 2026, 22:00 – March 30th 2026,
05:00

*March 30th 2026, 05:00 – September 21st
2026, 22:00

Details

*Full closure, fairway completely closed

*Partial closure with non-operable bridge

*Full closure, fairway completely closed

*Partial closure

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 1098(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 811 (INT 1239)

II

1231(T)/26 POLAND - Works. Buoyage.

Source: Polish Notice 6/60(T)/26

1. Hazardous object clearance works are taking place in the area marked by buoys bounded by the following positions:

53° 56'·41N., 14° 17'·60E.

53° 56'·39N., 14° 19'·20E.

53° 56'·04N., 14° 18'·85E.

53° 56'·28N., 14° 17'·65E.

53° 56'·25N., 14° 17'·63E.

53° 56'·30N., 14° 17'·48E.

2. Vessels are requested to stay clear of the area, not to drop anchors or to conduct bottom fishing in the stated area.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2453 (INT 12992) - 2677 (INT 1297) - 2679

II

1232(T)/26 POLAND - Measuring instruments.

Source: Polish Notices 36/410(T)/25 and 47/562(T)/25

1. Measuring instruments have been established on the seabed in the following positions:

Position

54° 53'·01N., 16° 46'·08E.

54° 58'·68N., 16° 32'·64E.

55° 03'·21N., 16° 52'·36E.

55° 06'·50N., 16° 55'·69E.

55° 06'·79N., 16° 47'·77E.

55° 17'·54N., 17° 06'·13E.

55° 07'·78N., 16° 56'·41E.

* 54° 46'·09N., 17° 15'·33E.

* 54° 55'·39N., 17° 47'·74E.

* 55° 11'·50N., 17° 28'·58E.

* 55° 01'·95N., 17° 15'·60E.

* 54° 59'·32N., 17° 19'·95E.

* 54° 59'·32N., 17° 27'·88E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 5792(T)/25 is cancelled.

*Indicates new or revised entry

(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218) - 2816

II

1117(T)/26 DENMARK - North Sea Coast - Buoy.

Source: Danish Notice 52/1078(T)/25

1. The north cardinal light-buoy, *Q*, in position 57° 07'·734N., 8° 35'·334E. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1402 (INT 1300) - 1422 (INT 1044)

II

1190(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 12/316(T)/25

1. The *ODAS* light-buoy, *Fl.Y.3.5sIM APDL 1*, in position 41° 10'·46N., 8° 44'·84W., is extinguished and possibly submerged.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3258 (INT 1871)

II

1191(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 12/320(T)/25

1. The *ODAS* light-buoy, *Fl(5)Y.20s CSA 83*, in position $37^{\circ} 53' \cdot 67\text{N.}$, $9^{\circ} 27' \cdot 20\text{W.}$, has been removed.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 87 - 3132 - 3636 - 4103 (INT 103) - 4104 (INT 104)

II

1193(T)/26 PORTUGAL - South Coast - Buoy.

Source: Portuguese Notice 12/321(T)/25

1. The light-buoy, *Fl.R.4s No 2*, in position 37° 08'·84N., 7° 23'·73W., is extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 93

II

1198(P)/26 FRANCE - West Coast - Depths. Maintained channels. Quays. Works. Dredging areas.

Source: French Chart 32412

1. There have been a number of changes to depths in the approaches to and within the Port de Bayonne. The most significant are as follows:
2. The maintained depth area, 11m, at the entrance to Bayonne Port has been amended to the following positions and depths:

<i>Depth</i>	<i>Position</i>
10·5m	43° 31'·803N., 1° 32'·281W.
	43° 31'·768N., 1° 32'·107W.
	43° 31'·779N., 1° 31'·800W.
	43° 31'·855N., 1° 31'·807W.
	43° 31'·858N., 1° 31'·690W.
	43° 31'·852N., 1° 31'·620W.
	43° 31'·841N., 1° 31'·544W.
	43° 31'·820N., 1° 31'·453W.
	43° 31'·757N., 1° 31'·479W.
	43° 31'·767N., 1° 31'·533W.
	43° 31'·770N., 1° 31'·590W.
	43° 31'·767N., 1° 31'·646W.
	43° 31'·711N., 1° 32'·014W.
	43° 31'·713N., 1° 32'·349W.

3. and

<i>Depth</i>	<i>Position</i>
12m	43° 31'·978N., 1° 32'·110W.
	43° 31'·868N., 1° 32'·029W.
	43° 31'·854N., 1° 31'·997W.
	43° 31'·851N., 1° 31'·972W.
	43° 31'·855N., 1° 31'·807W.
	43° 31'·779N., 1° 31'·800W.
	43° 31'·768N., 1° 32'·107W.
	43° 31'·803N., 1° 32'·281W.

4. A new maintained depth area, depth 5m, has been established, bounded by the following positions:

43° 31'·713N., 1° 32'·131W.
 43° 31'·712N., 1° 32'·006W.
 43° 31'·768N., 1° 31'·631W.
 43° 31'·770N., 1° 31'·572W.
 43° 31'·767N., 1° 31'·530W.
 43° 31'·704N., 1° 31'·695W.
 43° 31'·646N., 1° 31'·871W.

5. An area of maintained depth, 9m, has been established between 43° 31'·789N., 1° 31'·467W. and 43° 31'·608N., 1° 30'·087W. The wrecks currently charted remain unchanged.

6. An area of maintained depth, 7m, has been established between 43° 31'·608N., 1° 30'·087W. and 43° 30'·691N., 1° 29'·659W.

7. A new maintained depth area, depth 9m, has been established, bounded by the following positions:

43° 31'·749N., 1° 30'·771W.
 43° 31'·723N., 1° 30'·538W.
 43° 31'·707N., 1° 30'·542W.
 43° 31'·732N., 1° 30'·774W.

8. A new maintained depth area, depth 9·5m, has been established, bounded by the following positions:

43° 30'·924N., 1° 29'·581W.
 43° 30'·917N., 1° 29'·561W.
 43° 30'·820N., 1° 29'·631W.
 43° 30'·827N., 1° 29'·651W.

II

1198(P)/26 FRANCE - West Coast - Depths. Maintained channels. Quays. Works. Dredging areas. (continued)

9. Quay extension works, on Quai Armand Gommès, have been completed in the vicinity of position
43° 30'·706N., 1° 29'·749W.
10. A new dredged area, depth 10m, has been established, bounded by the following positions:
- 43° 30'·827N., 1° 29'·651W.
43° 30'·820N., 1° 29'·631W.
43° 30'·646N., 1° 29'·757W.
43° 30'·654N., 1° 29'·775W.
11. A new dredged area, depth 6m, has been established at Quai Saint-Bernard, bounded by the following positions:
- 43° 30'·524N., 1° 29'·468W.
43° 30'·422N., 1° 29'·449W.
43° 30'·421N., 1° 29'·472W.
43° 30'·510N., 1° 29'·488W.
43° 30'·523N., 1° 29'·487W.
12. The maintained depth at Quai Pierre Leroy has been reduced to 6m, bounded by the following positions:
- 43° 30'·019N., 1° 29'·152W.
43° 29'·974N., 1° 29'·060W.
43° 29'·960N., 1° 29'·070W.
43° 30'·005N., 1° 29'·165W.
13. Depths less than charted exist in the following positions:
- | <i>Depth</i> | <i>Position</i> |
|--------------|-----------------------------|
| 9·8m | 43° 31'·122N., 1° 32'·506W. |
| 9·9m | 43° 31'·204N., 1° 32'·441W. |
| 10m | 43° 31'·353N., 1° 32'·325W. |
14. Chart 1175 will be withdrawn in mid 2026.
15. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1175 (INT 1848)

II

1233(P)/26 MOROCCO - North Coast - Works. Restricted area. Buoyage. Virtual aids to navigation.

Source: French Notice 05/08(T)/26 and UKHO

1. Work areas for the port extension works at the Tanger Med passenger and ro-ro port, within which entry is prohibited, have been established, marked by the following buoyage:
Special buoys, *Fl.Y.7M*:

<i>Designation</i>	<i>Position</i>
<i>BS1</i>	35° 53'·18N., 5° 31'·02W.
<i>BS2</i>	35° 53'·08N., 5° 31'·53W.
<i>BS4</i>	35° 53'·40N., 5° 31'·35W.

Virtual aids to navigation (V-AIS):

<i>Designation</i>	<i>Position</i>	<i>MMSI N°</i>
<i>BV1</i>	35° 53'·06N., 5° 31'·25W.	992426110
<i>BV2</i>	35° 53'·08N., 5° 31'·53W.	992426111
<i>BV3</i>	35° 53'·18N., 5° 31'·26W.	992426112
<i>BV4</i>	35° 53'·19N., 5° 31'·54W.	992426113
<i>BV5</i>	35° 53'·48N., 5° 31'·14W.	992426114
<i>BV6</i>	35° 53'·37N., 5° 31'·46W.	992426115
<i>BV8</i>	35° 53'·55N., 5° 31'·35W.	992426116
<i>BV11</i>	35° 53'·66N., 5° 30'·51W.	992426117
<i>BV12</i>	35° 53'·83N., 5° 30'·48W.	992426118

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 141 (INT 1972) - 145 (INT 1971)

II

1118(T)/26 MOROCCO - West Coast - Buoy.

Source: French Notice 5/7(T)/26

1. The *ODAS* light-buoy *Fl(5)Y.20s*, in position $33^{\circ} 08' \cdot 67\text{N.}$, $8^{\circ} 38' \cdot 95\text{W.}$ is reported off station. It is reported as grounded at the OCP water intake within the Port of Jorf Lasfar.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 862

II

1120(T)/26 MOROCCO - West Coast - Buoy.

Source: French Notice 6/3(T)/26

1. The special light-buoy *Fl(2)Y.6s M4*, in position $33^{\circ} 44' \cdot 12\text{N.}$, $7^{\circ} 22' \cdot 21\text{W.}$, is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 859 (INT 1975) - 860

II

1192(P)/26 IRAN - Channel. Depth. Dredged area.

Source: ENCs IR403070 and IR403012

1. Significant changes to the channel have taken place in the approaches to Bandar-E Shahīd Bāhonar and the Hormozgan Steel Complex Marine Terminal.
2. A channel, maintained depth *15·0m*, has been established bounded by the following positions:

27° 05′·90N., 56° 16′·03E.
27° 06′·87N., 56° 14′·34E.
27° 06′·97N., 56° 14′·07E.
27° 07′·14N., 56° 07′·99E.
27° 07′·02N., 56° 07′·83E.
27° 07′·01N., 56° 07′·36E.
27° 07′·06N., 56° 07′·11E.
27° 07′·12N., 56° 06′·69E.
27° 07′·24N., 56° 06′·65E.
27° 07′·37N., 56° 06′·88E.
27° 07′·42N., 56° 07′·44E.
27° 07′·34N., 56° 07′·90E.
27° 07′·17N., 56° 14′·08E.
27° 07′·05N., 56° 14′·45E.
27° 06′·06N., 56° 16′·15E.
3. The charted dredged area, *15·0m (2011)*, centred on 27° 05′·77N., 56° 16′·44E. has been discontinued.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. These changes will be included in a New Edition of Chart 3599 to be published early 2026. Chart 3173 will be updated by Notice to Mariners.
(WGS84 DATUM)

Chart affected - 3599

II

1234(P)/26 EGYPT - Red Sea Coast - Spoil ground. Depths. Buoyage. Channel. Breakwaters. Dredged areas. Works. Reclamation area. Light.

Source: ENC EG5EGR12 and EG3GOS01

1. Significant changes to charted detail have taken place in the approaches to and within the North port of Ain Sukhna. The most significant of these are as follows:
2. The existing spoil ground has been extended, joining the following positions

29° 38'·76N., 32° 26'·06E.
 29° 38'·76N., 32° 27'·50E.
 29° 37'·76N., 32° 27'·50E.
 29° 37'·76N., 32° 26'·06E.

3. Depths less than charted exist within the spoil ground. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
27·3m	29° 38'·09N., 32° 26'·15E.
31m	29° 38'·71N., 32° 26'·97E.
31m	29° 37'·97N., 32° 27'·16E.

4. The East cardinal buoy in position 29° 38'·89N., 32° 24'·51E. has been amended to *Q(3)10s*.
5. Reclamation has taken place on the approach to the port resulting in significant changes to the coastline North and South of the approach channel.
6. The North breakwater has been extended to position 29° 39'·02N., 32° 22'·58E.
7. The South breakwater has been extended to position 29° 38'·63N., 32° 22'·56E.
8. The following lights have been moved:

<i>Characteristic</i>	<i>Former Position</i>	<i>New Position</i>
<i>Fl.G.6M</i>	29° 39'·02N., 32° 22'·21E.	29° 39'·02N., 32° 22'·58E.
<i>Fl.R.6M</i>	29° 38'·63N., 32° 22'·31E.	29° 38'·63N., 32° 22'·56E.

9. A cargo transshipment area has been established within an area bounded by the following positions:

29° 43'·70N., 32° 28'·27E.
 29° 43'·70N., 32° 25'·79E.
 29° 41'·30N., 32° 25'·79E.
 29° 41'·30N., 32° 28'·27E.

10. Two new outer breakwaters have been established in the following positions:

<i>Designation</i>	<i>Position</i>
North Outer breakwater	29° 39'·93N., 32° 21'·64E. 29° 39'·93N., 32° 22'·32E.

and

<i>Designation</i>	<i>Position</i>
South Outer breakwater	29° 37'·55N., 32° 21'·74E. 29° 37'·63N., 32° 22'·50E.

11. Buoys have been removed as follows:

<i>Characteristic</i>	<i>Buoy Type</i>	<i>Position</i>
<i>VQ</i>	North Cardinal	29° 38'·73N., 32° 21'·06E.
<i>VQ</i>	North Cardinal	29° 38'·73N., 32° 20'·91E.
<i>VQ</i>	North Cardinal	29° 38'·74N., 32° 20'·77E.
<i>VQ</i>	North Cardinal	29° 38'·73N., 32° 20'·64E.
<i>VQ</i>	North Cardinal	29° 38'·73N., 32° 20'·49E.
<i>Fl(2)R.5s</i>	Spar	29° 38'·73N., 32° 20'·35E.
<i>*Fl(2)R.5s</i>	Spar	29° 38'·74N., 32° 21'·24E.

II

1234(P)/26 EGYPT - Red Sea Coast - Spoil ground. Depths. Buoyage. Channel. Breakwaters. Dredged areas. Works. Reclamation area. Light. (continued)

12. A new North Ain Sukhna container terminal has been established dredged to 18m with turning circle, the new terminal is bounded by the following positions:

29° 38'·88N., 32° 21'·15E.
29° 38'·88N., 32° 20'·28E.
29° 39'·66N., 32° 19'·76E.
29° 39'·57N., 32° 19'·58E.
29° 39'·13N., 32° 19'·87E.
29° 38'·87N., 32° 19'·57E.
29° 38'·87N., 32° 19'·13E.
29° 38'·67N., 32° 19'·13E.
29° 38'·69N., 32° 21'·15E.

13. The front leading light, in position 29° 38'·82N., 32° 19'·54E. has been moved to the following position, 29° 38'·82N., 32° 19'·01E. The leading lines and bearings remain unchanged.
14. Excavation works are taking place to establish a further new container terminal in the vicinity of position 29° 38'·35N., 32° 21'·24E.
15. Chart 2132 panel A will be withdrawn in early 2026.
16. These changes will be included in the next New Edition of Chart 2133 to be published early 2026.
17. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
18. *Former Notice 5813(P)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2132 (INT 7138) - 2133 (INT 7139)

II

1205(T)/26 INDIAN OCEAN - Buoyage.

Source: NOAA

1. White and orange RAMA data light-buoys, with radar reflectors and mast carrying sensors, are laid in the following positions:

<i>Designation</i>	<i>Position</i>
<i>RA184A</i>	0° 00'·0N., 89° 57'·6E.
<i>RA186A</i>	0° 10'·9N., 80° 24'·2E.
<i>RA187A</i>	1° 30'·5S., 80° 33'·4E.
<i>RA188A</i>	1° 34'·7S., 66° 59'·4E.
<i>RA190A</i>	1° 42'·3N., 66° 42'·9E.
<i>RA191A</i>	3° 59'·1N., 66° 58'·9E.
* <i>RA192A</i>	4° 44'·04N., 73° 29'·48E.
<i>RA193A</i>	15° 02'·9N., 88° 59'·9E.
<i>RA194A</i>	8° 02'·6N., 88° 56'·8E.
<i>RT028</i>	11° 50'·5S., 80° 18'·8E.
<i>RT043</i>	7° 17'·6S., 89° 20'·3E.
<i>RT044</i>	12° 00'·8N., 88° 30'·1E.
<i>RT045</i>	7° 59'·0S., 80° 28'·9E.
<i>RT046</i>	4° 03'·7S., 80° 31'·9E.
<i>RT047</i>	3° 55'·2S., 64° 58'·5E.
* <i>RT048</i>	1° 03'·5S., 97° 40'·5E.
<i>RT049</i>	12° 00'·7S., 64° 57'·7E.

2. The positions of the buoys are subject to frequent change, they may be off station for extended periods of time and additional buoyage may be deployed.
3. The latest information can be found on the Indian National Centre for Ocean Information Services (INCOIS) website, <https://incois.gov.in/site/datainfo/jointportal.jsp> and on the NOAA website, <https://www.pmel.noaa.gov/gtmba/mooring-status-summary>.
4. *Former Notice 518(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 709 - 1013 (INT 7371) - 2760 - 2779 - 3323 (INT 7372) - 4702 (INT 702) - 4703 (INT 703) - 4706 (INT 706) - 4707 (INT 707) - 4714 (INT 714) - IN 22 (INT 752) - IN 31 (INT 756) - IN 33 (INT 755)

II

1214(P)/26 INDIAN OCEAN - Submarine cables.

Source: Alcatel Submarine Networks and UKHO

1. The Daraja submarine fibre optic cable system is due to be laid joining the following positions:
2. Port Salalah (Oman) to Mombasa (Kenya)

17° 00'·59N., 54° 09'·30E.
15° 46'·5N., 54° 57'·4E.
14° 48'·2N., 56° 05'·1E.
14° 20'·4N., 57° 41'·0E.
12° 24'·3N., 58° 23'·5E.
10° 07'·9N., 57° 38'·5E.
7° 12'·8N., 55° 35'·1E.
4° 44'·3N., 55° 52'·1E.
2° 44'·1S., 49° 04'·5E.
4° 22'·1S., 45° 56'·2E.
4° 49'·3S., 44° 00'·2E.
4° 34'·9S., 43° 07'·2E.
3° 57'·4S., 42° 36'·1E.
4° 05'·9S., 41° 57'·3E.
4° 10'·8S., 40° 45'·0E.
4° 09'·2S., 40° 10'·8E.
4° 11'·0S., 40° 02'·7E.
4° 04'·171S., 39° 42'·978E.

3. Dar Es Salaam (Tanzania) to Maputo (Mozambique)

4° 18'·8S., 42° 03'·1E.
4° 26'·0S., 41° 38'·4E.
4° 52'·4S., 41° 23'·7E.
5° 15'·2S., 41° 02'·5E.
6° 45'·0S., 40° 16'·7E.
and
6° 43'·8S., 41° 51'·8E.
6° 45'·4S., 39° 49'·3E.
6° 42'·8S., 39° 38'·1E.
6° 42'·54S., 39° 23'·03E.
6° 43'·25S., 39° 14'·04E.

4. and

4° 21'·8S., 41° 53'·0E.
12° 07'·1S., 41° 46'·4E.
16° 11'·6S., 41° 11'·5E.
26° 06'·6S., 35° 58'·3E.
26° 52'·5S., 35° 09'·3E.
26° 56'·3S., 34° 38'·1E.
26° 48'·1S., 34° 15'·3E.
25° 54'·1S., 33° 09'·3E.
25° 50'·26S., 32° 56'·62E.
25° 54'·58S., 32° 46'·26E.
25° 54'·60S., 32° 41'·44E.
25° 55'·58S., 32° 40'·27E.
25° 56'·25S., 32° 40'·27E.
25° 57'·22S., 32° 38'·34E.
25° 56'·86S., 32° 37'·15E.

II

1214(P)/26 INDIAN OCEAN - Submarine cables. (continued)

5. Mozambique to Republic Of South Africa

28° 58'·5S., 31° 45'·3E.
29° 24'·5S., 32° 01'·9E.
29° 50'·9S., 32° 40'·4E.
29° 48'·0S., 33° 07'·0E.
26° 52'·9S., 35° 05'·7E.
and
29° 48'·0S., 33° 07'·0E.
30° 07'·3S., 33° 06'·1E.
30° 31'·6S., 32° 46'·5E.
30° 46'·2S., 32° 43'·9E.
31° 11'·3S., 32° 06'·2E.
31° 02'·3S., 31° 40'·9E.
31° 04'·6S., 31° 26'·2E.
30° 29'·89S., 30° 55'·20E.
30° 22'·60S., 30° 41'·73E.
and
30° 03'·02S., 30° 53'·21E.
30° 08'·44S., 31° 05'·05E.
30° 17'·24S., 31° 07'·71E.
30° 28'·32S., 31° 03'·96E.
30° 52'·32S., 31° 15'·23E.

6. In order to simplify the depiction of this submarine cable, a reduced number of geographical positions have been listed.
7. The accompanying diagram shows the overall coverage of the proposed cables.
8. Mariners are advised to navigate with caution in these areas.
9. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 616 - 644 (INT 7581) - 646 - 666 (INT 7702) - 674 (INT 7691) - 716 (INT 7060) - 2895 - 2926 (INT 7660) - 2927 - 2930 (INT 7580) - 2931 (INT 7610) - 2933 (INT 7650) - 2939 (INT 7590) - 2949 (INT 7056) - 2964 (INT 758) - 2968 (INT 7000) - 3310 (INT 7690) - 3361 (INT 7700) - 3784 (INT 7014) - 3785 - 3795 - 3797 - 3877 (INT 7055) - 3878 (INT 7054) - 3880 (INT 7053) - 4169 (INT 7563) - 4171 (INT 7560) - 4172 (INT 7570) - 4179 (INT 7051) - 4180 (INT 7052) - 4204 (INT 204) - 4700 (INT 700) - 4701 (INT 701) - 4702 (INT 702) - 4703 (INT 703) - 4705 (INT 705)

II

1228(P)/26 BANGLADESH - Depths, Buoy.

Source: Bangladeshi Chart 2508

1. Depths in the approach channel to Mongla Port have changed. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
5·6m	22° 17'·75N., 89° 36'·22E.
5·3m	22° 24'·43N., 89° 36'·45E.
5·1m	22° 24'·77N., 89° 36'·21E.
5·4m	22° 26'·41N., 89° 35'·45E.
5·6m	22° 27'·04N., 89° 35'·25E.
4·6m	22° 27'·12N., 89° 35'·30E.
4·9m	22° 27'·61N., 89° 35'·25E.
5·7m	22° 27'·65N., 89° 35'·21E.
5·3m	22° 28'·23N., 89° 35'·41E.
6·2m	22° 29'·19N., 89° 35'·37E.
4·3m	22° 30'·03N., 89° 35'·32E.

2. A light-buoy, *Fl.G.12s J-1*, has been moved from its previous position, 22° 21'·46N., 89° 37'·68E., to its current position, 22° 21'·37N., 89° 37'·73E.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These changes will be included in the next New Edition of Chart 910.
(WGS84 DATUM)

Chart affected - 910 (INT 7451)

II

1210(P)/26 CHINA - South Coast - Depths, Wreck.

Source: Hong Kong Chart 802

1. Depths less than charted exist within Hong Kong, central harbour and its approaches. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
4·8m	22° 18'·943N., 114° 11'·738E.
10m	22° 17'·479N., 114° 10'·150E.
4·3m	22° 17'·602N., 114° 10'·112E.
4·8m	22° 17'·628N., 114° 10'·077E.
8·6m	22° 17'·678N., 114° 09'·871E.
5·3m	22° 17'·833N., 114° 09'·974E.
5·4m	22° 17'·862N., 114° 09'·953E.
7·5m	22° 17'·931N., 114° 09'·977E.
5·9m	22° 17'·018N., 114° 09'·925E.
9·7m	22° 17'·241N., 114° 09'·649E.
8·9m	22° 17'·266N., 114° 09'·525E.
5·8m	22° 17'·293N., 114° 09'·421E.
5m	22° 18'·247N., 114° 09'·367E.
4·8m	22° 18'·424N., 114° 09'·376E.
5m	22° 18'·635N., 114° 09'·381E.
10m	22° 18'·474N., 114° 07'·779E.
10m	22° 18'·525N., 114° 07'·700E.

2. A wreck with depth 4·5m exists in position 22° 18'·917N., 114° 11'·940E.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These changes will be included in a New Edition of Chart 4118 to be published early 2026.
(WGS84 DATUM)

Chart affected - 4118

II

1220(T)/26 JAPAN - Honshū - Depth.

Source: Japanese Notice 8/5068(T)/26

1. A depth of about 6·6m exists in the vicinity of position 36° 27′·33N., 136° 26′·38E.
(WGS84 DATUM)

Chart affected - JP 1169

II

1221(T)/26 JAPAN - Honshū - Depth.

Source: Japanese Notice 8/5069(T)/26

1. A depth of about 12·4m exists in the vicinity of position 36° 45′·69N., 137° 17′·51E.
(WGS84 DATUM)

Charts affected - JP 120 - JP 1163

II

1173(T)/26 MALAYSIA - Sarawak - Light-beacon. Buoy.

Source: Malaysia Marine Department, Sarawak Notices 19(T)-20(T)/26

1. The light-beacon, Fl.Y.5s9m5M, in position $4^{\circ} 36' \cdot 13\text{N.}$, $113^{\circ} 56' \cdot 12\text{E.}$, is reported collapsed and unlit.
2. The lateral buoy, *Fl.R.4s, No 2*, in position $4^{\circ} 36' \cdot 02\text{N.}$, $113^{\circ} 57' \cdot 60\text{E.}$, is reported missing.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1949 (INT 5777)

II

1174(T)/26 MALAYSIA - Sarawak - Buoy.

Source: Marine Department, Sarawak Notice 6(T)/26

1. The Starboard-hand Lateral light-buoy, *Fl.G.5s No 5*, in position 3° 15'·82N., 113° 01'·21E. is reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1748

II

1200(P)/26 BRUNEI - Depths. Dredged areas. Alongside depths.

Source: Maritime and Port Authority of Brunei Darussalam (MPABD) and Hengyi Industries Sdn. Bhd.

1. Recent survey and port information has shown numerous depth changes within Muara Harbour.
2. A dredged area of 14·1m exists, bounded by the following positions:

5° 00'·83N., 115° 04'·11E.
 5° 01'·32N., 115° 04'·22E.
 5° 01'·71N., 115° 04'·86E.
 5° 01'·63N., 115° 04'·92E.
 5° 01'·22N., 115° 04'·50E.
 5° 00'·78N., 115° 04'·40E.

3. Alongside depths are reported to differ from those charted at Pulau Muara Besar. The most significant are as follows:

<i>Berth Number</i>	<i>Alongside Depth</i>	<i>Position</i>
1	14·1m	5° 01'·14N., 115° 04'·47E.
2	14·1m	5° 00'·99N., 115° 04'·43E.
4	14·8m	4° 59'·75N., 115° 08'·07E.
5	14·8m	4° 59'·66N., 115° 07'·98E.
6	12·0m	4° 59'·54N., 115° 07'·81E.
7	6·0m	4° 59'·56N., 115° 07'·68E.
8	14·8m	4° 59'·44N., 115° 07'·52E.

4. A dredged area, depth 7·2m, has been established at the RAY Harbour and International Integrated Marine Supply Base, centred on position 5° 00'·47N., 115° 04'·00E.
5. Depths less than charted exist. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
12·0m	5° 01'·65N., 115° 04'·75E.
11·3m	5° 01'·29N., 115° 04'·19E.
*0·2m	5° 01'·90N., 115° 08'·82E.
*6·3m	5° 01'·87N., 115° 09'·91E.
*1·1m	5° 01'·86N., 115° 09'·10E.
*0·4m	5° 01'·62N., 115° 08'·65E.
*1·4m	4° 59'·53N., 115° 06'·42E.
*4·3m	4° 59'·39N., 115° 07'·05E.
*3·6m	4° 59'·36N., 115° 05'·51E.
*3·7m	4° 59'·35N., 115° 06'·86E.
*2·9m	4° 59'·34N., 115° 05'·89E.
*4·1m	4° 59'·25N., 115° 05'·37E.
*5·1m	4° 59'·29N., 115° 06'·65E.
*3·9m	4° 59'·24N., 115° 06'·31E.
*2·1m	5° 00'·74N., 115° 04'·35E.
*1·4m	5° 00'·75N., 115° 04'·42E.

6. Mariners are advised to navigate with caution in the area and contact either Hengyi Industries Ltd Co. or the Maritime and Port Authority of Brunei Darussalam for the latest information.
7. *These changes will be included in a New Edition of Chart 2134 to be published mid 2026.
8. *Chart 1844 will be updated by Notice to Mariners.
9. *Former Notice 2009(P)/21 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Chart affected - 2134

II

1203(T)/26 AUSTRALIA - Western Australia - Buoy.

Source: Australian Notice 4/166(T)/26

1. The west cardinal light-buoy, *Q(9)15s No60*, in position $20^{\circ} 27' \cdot 45\text{S}$., $117^{\circ} 27' \cdot 25\text{E}$., is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - Aus 55 - Aus 326

II

1227(T)/26 COLOMBIA - Pacific Ocean Coast - Buoy. Obstruction.

Source: Colombian Notice 34(T)/26

1. The yellow spherical buoy, *Barge*, in position $3^{\circ} 52' \cdot 852\text{N.}$, $77^{\circ} 05' \cdot 399\text{W.}$, has sunk.
2. An obstruction exists in position $3^{\circ} 52' \cdot 880\text{N.}$, $77^{\circ} 05' \cdot 380\text{W.}$
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2319

II

1187(P)/26 BRAZIL - North Coast - Wreck.

Source: HYDROLANT 283/26

1. A dangerous wreck has been reported in position 0° 24'·5N., 47° 50'·7W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 520 - 3959

II

1185(T)/26 CUBA - North Coast - Buoy.

Source: Cuban Notice 1/14(T)/26

1. The starboard lateral pillar light-buoy, *Fl.R.4s* '2', in position 23° 08'·9N., 82° 21'·6W., is reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 414

II

1186(T)/26 COLOMBIA - Caribbean Sea Coast - Buoy.

Source: Colombian Notice 29(T)/26

1. The port hand pillar light-buoy, *Fl.G.3s 'I'* in position $7^{\circ} 57' \cdot 36\text{N.}$, $76^{\circ} 46' \cdot 04\text{W.}$, has been removed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2262

II

1188(T)/26 WEST INDIES - Leeward Islands - Buoy.

Source: French Notice 7/9(T)/26

1. A starboard lateral light-buoy, *VQ.3.2m3M No.7 BIS*, has been established in position 16° 13'·730N., 61° 32'·117W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 804

II

1194(P)/26 CANADA - Nova Scotia - Lights. Fog signals. Buoyage. Mooring buoys. Scientific instrument.

Source: Canadian Notices 12/4201-4202/25

1. There have been numerous changes to lights and fog signals at the Angus L. Macdonald Bridge 44° 39' 52.4"N., 63° 35' 03.3"W. and at the A Murray Mackay Bridge 44° 40' 44.5"N., 63° 36' 40.4"W.
2. Yellow *ODAS/SADO* can light-buoys, Fl Y (*priv*), have been established in the following positions:
44° 40' 45.3"N., 63° 36' 43.2"W.
44° 40' 44.0"N., 63° 36' 40.6"W.
3. There have been numerous changes to the mooring buoyage within the Controlled Access Zone in the vicinity of position 44° 42' 20.2"N., 63° 39' 20.4"W.
4. A subsurface Ocean Data Acquisition System, *ODAS/SADO*, with a known depth of 44m, has been removed in position 44° 40' 52.8"N., 63° 37' 35.9"W.
5. A white and orange lighted spar buoy, Navy N Fl Y, offset from position 44° 42' 19.2"N., 63° 38' 04.2"W. has been removed.
6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
7. Chart 4754 will be updated by Notice to Mariners.
8. These changes will be included in a New Edition of Chart 4755 to be published early 2026.
(NAD83 DATUM)

Chart affected - 4755 (INT 4634)