



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 12

19 March 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
35	INT 554	NP 282(1)
106	INT 1187	NP 282(2)
355	INT 1188	NP 5011
356	INT 1190	
899	INT 1191	Erratum
907	INT 1558	
910	INT 1559	5614_17
1016	INT 3360	
1452	INT 3362	
1534	INT 3657	
1535	INT 7426	
1602	INT 7428	
1644	INT 7451	
2101	INT 7452	
2422		
2632		
2869		
3264		
3476		
3484		
3823		
3824		
3826		
3827		
3900		
BD 2508		
BD 3004		
BD 5001		
BD 7510		
CP 5		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 19 March 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙355 INT 3362	International Chart Series, Italy - West Coast, Port of Genova East Part. On publication of this New Edition former Notice 741(P)/26 is cancelled. This chart remains affected by Notices 2635(T)/24, 2815(T)/25, 4307(T)/25, and 4627(P)/25.	1:10,000	26	42
⊙356 INT 3360	International Chart Series, Italy - West Coast, Approaches to Genova. On publication of this New Edition former Notice 741(P)/26 is cancelled. This chart remains affected by Notices 2635(T)/24, 2815(T)/25, 3199(T)/25, 3918(T)/25 and 4307(T)/25.	1:30,000	26	42
⊙1644	Mediterranean Sea, Ports and Anchorages on the South-West Coast of Türkiye. Ⓐ Bodrum. Ⓑ Güllük and Asin. Ⓒ Marmaris. Ⓓ Yediadalar. Ⓔ Fethiye. Ⓕ Datca. Ⓖ Gocek. This chart remains affected by Notice 2904(T)/25.	1:10,000 1:25,000 1:25,000 1:25,000 1:25,000 1:25,000 1:15,000	30	48, 50
⊙2101 INT 3657	International Chart Series, Türkiye - South Coast, Mersin Limanı.	1:12,500	30	46
⊙2422	South China Sea, Indonesia, Malaysia and Singapore, Singapore to Pulau Redang. This chart remains affected by Notices 1401(P)/18, 5260(T)/18, 1558(T)/23, 1621(T)/24, 4850(P)/24, 4921(P)/24, 281(T)/25, 941(T)/25, 3242(T)/25 and 5685(P)/25.	1:500,000	47	68
⊙2632	Eastern Mediterranean Sea, Anamur Burnu to Al Lādhiqīyah including Northern Cyprus.	1:300,000	30	46
⊙2869	South China Sea, Outer Approaches to Singapore Strait. This chart remains affected by Notices 4687(P)/21, 4921(P)/24, 3939(P)/25 and 5685(P)/25.	1:500,000	47	66, 68, 70, 72

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 19 March 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3476	Indonesia, Sumatera - East Coast, Sungai Palembang.		46	66
	Ⓐ Entrance to Sungai Palembang.	1:50,000		
	Ⓑ Continuation to Pulau Singgris.	1:50,000		
	Ⓒ Continuation to Selat Jaran.	1:50,000		
	Ⓓ Continuation to Palembang.	1:50,000		
	Ⓔ Palembang.	1:25,000		
On publication of this New Edition former Notice 440(P)/26 is cancelled.				
⊙3484 INT 554	International Chart Series, Indonesia, Philippine Islands and Adjacent Seas, Mindoro Strait to Molucca Sea.	1:1,500,000	58	70, 72, 74, 76, 78
This chart remains affected by Notices 3590(P)/20, 5550(P)/20, 6064(P)/20, 6158(P)/20, 833(P)/21, 4848(P)/21, 1384(P)/22, 2168(P)/23, 4755(P)/24, 5104(P)/24, 2521(P)/25, 4653(P)/25 and 676(P)/26. This chart is to be deleted from the list of charts affected by Notices 4497(P)/25 and 2319(P)/25.				
⊙3823 INT 1187	International Chart Series, Finland - Gulf of Finland – Saaristomeri, Jurmo to Vänö.	1:50,000	11	36
⊙3824 INT 1188	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Korppoo to Högsåra.	1:50,000	11	36
On publication of this New Edition former Notice 5137(T)/24 is cancelled.				
⊙3826 INT 1190	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Kökar to Utä.	1:50,000	11	36
⊙3827 INT 1191	International Chart series, Finland - Gulf of Finland, Saaristomeri, Kökar to Finnö.	1:50,000	11	36

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP282(1)	ADMIRALTY List of Radio Signals. Radio Aids to Navigation, Differential GPS (DGPS), Legal Time, Radio Time Signals and Electronic Position Fixing System Europe, Africa and Asia (excluding the Far East). Volume 2 Part 1 7 th Edition (2026) ISBN Number: 978-0-70-774-8382	19/03/2026	Updated to NM Week 05/26 (29/01/26). First Updates in NM Week 12/26 (19/03/26). The 6 th Edition 2025 of NP282(1) is cancelled.
NP282(2)	ADMIRALTY List of Radio Signals Radio Aids to Navigation, Differential GPS (DGPS), Legal Time, Radio Time Signals and Electronic Position Fixing System The Americas, Far East and Oceania Volume 2 Part 2 7 th Edition (2026) ISBN Number: 978-0-70-774-8339	19/03/2026	Updated to NM Week 05/26 (29/01/26). First Updates in NM Week 12/26 (19/03/26). The 6 th Edition (2026) of NP282(2) is cancelled.
NP5011& e-NP5011	ADMIRALTY Symbols and Abbreviations used on Paper Charts The official IHO guidance manual INT1 9 th Edition 2026 ISBN Number: 978-0-70-774-6623	19/03/2026	This edition supersedes NP5011 8 th Edition 2020 which is hereby cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 02 APRIL 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
35	Orkney Islands, Scapa Flow and Approaches. Continuaton of Long Hope.	1:30,000 1:30,000	⊙35	6	30
106	England - East Coast, Cromer to Smiths Knoll.	1:75,000	⊙106	7	26
1452	Bahamas, New Providence Island, Nassau. Eastern Approaches to Nassau.	1:6,000 1:15,000	⊙1452	83	126
1534 INT 1558	International Chart Series, England - East Coast, Great Yarmouth and Approaches. Ⓐ Great Yarmouth Outer Harbour. Ⓑ Great Yarmouth Haven.	1:25,000 1:7,500 1:7,500	⊙1534 INT 1558	7	26
1535 INT 1559	International Chart Series, England - East Coast, Lowestoft and Approaches. Lowestoft Harbour.	1:25,000 1:6,250	⊙1535 INT 1559	7	26
1602	China - Chang Jiang, Outer Approaches to Shanghai.	1:130,000	⊙1602	50	80
3264	Sri Lanka - South Coast, Hambantota and Approaches. Hambantota.	1:30,000 1:10,000	⊙3264	42	64
3900	Indonesia and Thailand, Pulau Rondo to Tanjung Jamboaye.	1:500,000	⊙3900	45	66
CP5	Panamá - Pacific Coast, Panamá Canal, Pacific Entrance. Puerto de Balboa.	1:30,000 1:10,000	⊙CP5	88	128

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

CHARTS TO BE AVAILABLE 02 APRIL 2026

New Charts

Reproductions of Bangladesh Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
BD2508 INT 7451	International Chart Series, Bangladesh, Pussur River, Monkey Point to Mongla Port. Ⓐ Monkey Point to Joyman Reach. 22°14'·10 N. - 22°24'·20 N., 89°32'·40 E - 89°40'·20 E. Ⓑ Joyman Reach to Mongla Port. 22°22'·40 N. - 22°32'·50 N., 89°31'·85 E - 89°39'·70 E.	1:25,000 1:25,000	⊙910 INT 7451	43	64
BD3004 INT 7452	International Chart Series, Bangladesh, Pussur River, Trikona Island to Monkey Point. Ⓐ Trikona Island to Ghusaingari Khal. 21°53'·20 N. - 22°05'·35 N., 89°28'·00 E - 89°36'·55 E. Ⓑ Ghusaingari Khal to Monkey Point. 22°03'·75 N. - 22°15'·90 N., 89°27'·00 E - 89°37'·25 E.	1:30,000 1:30,000	⊙907 INT 7452	43	64
BD5001 INT 7426	International Chart Series, Bangladesh, Approaches to Hiran Point. 21°25'·50 N. - 21°55'·25 N., 89°19'·10 E - 89°40'·80 E.	1:50,000	⊙899 INT 7426	43	64
BD7510 INT 7428	International Chart Series, Bangladesh, Approaches to Chattogram. 21°42'·00 N. - 22°21'·65 N., 91°28'·00 E - 91°56'·25 E.	1:75,000	⊙1016 INT 7428	43	64

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
355 INT 3362	International Chart Series, Italy - West Coast, Port of Genova East Part.	⊙355 INT 3362
356 INT 3360	International Chart Series, Italy - West Coast, Approaches to Genova.	⊙356 INT 3360
1644	Mediterranean Sea, Ports and Anchorages on the South-West Coast of Türkiye.	⊙1644
2101 INT 3657	International Chart Series, Türkiye - South Coast, Mersin Limanı.	⊙2101 INT 3657
2422	South China Sea, Indonesia, Malaysia and Singapore, Singapore to Pulau Redang.	⊙2422
2632	Eastern Mediterranean Sea, Anamur Burnu to Al Lādhīqīyah including Northern Cyprus.	⊙2632
2869	South China Sea, Outer Approaches to Singapore Strait.	⊙2869
3476	Indonesia, Sumatera - East Coast, Sungai Palembang.	⊙3476
3484 INT 554	International Chart Series, Indonesia, Philippine Islands and Adjacent Seas, Mindoro Strait to Molucca Sea.	⊙3484 INT 554
3823 INT 1187	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Jurmo to Vänö.	⊙3823 INT 1187
3824 INT 1188	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Korppoo to Högsåra.	⊙3824 INT 1188
3826 INT 1190	International Chart Series, Finland - Gulf of Finland, Saaristomeri, Kökar to Utä.	⊙3826 INT 1190
3827 INT 1191	International Chart series, Finland - Gulf of Finland, Saaristomeri, Kökar to Finnö.	⊙3827 INT 1191

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ERRATUM

Section 1, Week 11/26 (dated 12th March 2026), page 1.13,

Within **ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN**

The entry for 5614_17 should read (in column 3) 5614_17 **not** 5617_17

Ⓢ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
28	1241	1400	1308
39	1298	1426	1310T
40	1246T	1438	1244
58	1246T	1461	1306
105	1337P	1463	1251
110	1291	1470	1298
116	1334	1495	1355
120	1334	1497	1355
122	1291	1503	1337P
162	1319	1546	1279T
177	1327	1555	1257
196	1276	1568	1257
200	1276	1578	1365
201	1306	1601	1300
223	1258	1603	1300
266	1288	1604	1300
317	1268	1608	1326
340	1260P	1630	1291
341	1257, 1332	1631	1279T
343	1257	1673	1323T
384	1323T	1674	1323T
440	1323T	1682	1323T
441	1323T	1719	1239
488	1323T	1720	1239, 1345
494	1341	1754	1348
696	1328	1760	1239, 1345
707	1298	1844	1261
710	1266	1911	1245
734	1265	1913	1245
744	1323T	1934	1343
745	1323T	1935	1343
746	1323T	1992	1245
749	1323T	1998	1245
751	1323T	1999	1245
830	1344	2014	1242, 1263T, 1321T, 1331
855	1333	2015	1331
882	1353	2018	1263T, 1331, 1336T
896	1340	2026	1248
899	1250P	2035	1315
907	1250P	2040	1263T, 1336T
908	1267	2122	1245
909	1304	2136	1371
913	1354	2139	1312T
914	1267	2146	1371
916	1267	2158	1312T
918	1304	2172	1315
932	1301	2175	1315
933	1301	2182A	1288
936	1240	2182B	1288
937	1332	2189	1360
963	1292T	2205	1351
964	1245	2209	1285T
1005	1264	2243	1351
1006	1305	2260	1339
1016	1249P	2282	1376
1077	1258	2288	1263T
1176	1346	2349	1248
1187	1288, 1337P	2350	1248
1194	1352	2352	1262, 1325
1210	1245	2356	1248
1249	1364	2409	1255
1255	1364	2414	1359
1256	1364	2426	1302P
1259	1340	2454	1317
1270	1329	2462	1377
1281	1300, 1370	2473	1373
1328	1338	2498	1320
1335	1342	2540	1320
1374	1313T	2541	1285T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2562	1350	5609_15	1251
2578	1357	5614_25	1288
2611	1278	5615_11	1265
2613	1371	5615_20	1343
2638	1324	5615_21	1343
2688	1263T	5615_23	1288
2691	1323T	5616_18	1285T, 1320
2712	1276	5616_4	1285T
2730	1363	5617_17	1244
2731	1363	5617_9	1258
2734	1316		
2785	1304	Australian	Notices
2819	1358	Chart No.	
2847	1314T		
2882	1314T	Aus 143	1283T, 1307T
2884	1314T	Aus 293	1272
2941	1324	Aus 327	1286T, 1297T
2948	1324	Aus 357	1295T
2951	1324	Aus 802	1274
2965	1304	Aus 806	1269
3026	1257, 1332	Aus 811	1303T
3087	1243	Aus 812	1282P
3220	1309T	Aus 813	1282P
3231	1255	Aus 827	1254T
3259	1294T, 1296T		
3260	1294T	German	Notices
3313	1299	Chart No.	
3315	1317		
3317	1299	DE 30	1293
3391	1356	DE 37	1293
3427	1247	DE 44	1281
3428	1247	DE 47	1290
3429	1247		
3471	1259	Indian	Notices
3698	1277P	Chart No.	
3707	1275		
3729	1361	IN 33	1344
3773	1314T	IN 202	1298
3813	1339	IN 203	1298
3879	1349	IN 204	1298
3946	1312T	IN 211	1347
3985	1302P	IN 214	1366
4052	1369	IN 220	1372
4118	1253P	IN 221	1256
4506	1369	IN 251	1298
4507	1369	IN 259	1372
4602	1240	IN 260	1256, 1372
4603	1252, 1318	IN 292	1298
4632	1323T	IN 313	1268
4636	1240	IN 357	1268, 1375
4637	1240	IN 472	1344
4638	1323T	IN 473	1344
4705	1298	IN 2004	1372
4722	1270	IN 2022	1366
4723	1280T, 1286T, 1287T, 1289T	IN 2029	1372
4743	1322	IN 2045	1372
4780	1367	IN 2068	1298
4785	1362	IN 3001	1268
4786	1311T, 1362	IN 3004	1268
4931	1368	IN 3028	1271P
4939	1368	IN 3033	1374
4970	1330	IN 3037	1273
5601_10	1278		
5601_11	1278	New Zealand	Notices
5601_13	1315	Chart No.	
5601_2	1317		
5602_11	1241	NZ 64	1335
5602_8	1317		
5608_16	1346		

II

INDEX OF CHARTS AFFECTED

New Zealand Chart No.	Notices	International Chart No.	Notices
NZ 6612	1284P	INT 6899	1377
		INT 7018	1314T
Italian Chart No.	Notices	INT 7021	1298
		INT 7031	1344
		INT 7032	1344
IT 84	1267	INT 7264	1314T
		INT 7278	1314T
		INT 7314	1246T
International Chart No.	Notices	INT 7315	1246T
		INT 7318	1298
		INT 7319	1298
INT 52	1369	INT 7325	1298
INT 506	1369	INT 7345	1366
INT 507	1369	INT 7356	1372
INT 602	1240	INT 7358	1372
INT 603	1252, 1318	INT 7359	1372
INT 632	1323T	INT 7360	1372
INT 636	1240	INT 7362	1256, 1372
INT 637	1240	INT 7397	1268, 1375
INT 638	1323T	INT 7400	1268
INT 705	1298	INT 7402	1268
INT 722	1270	INT 7403	1268
INT 723	1280T, 1286T, 1287T, 1289T	INT 7404	1271P
INT 755	1344	INT 7426	1250P
INT 1042	1288	INT 7428	1249P
INT 1043	1288	INT 7452	1250P
INT 1112	1316	INT 7723	1328
INT 1155	1339	INT 7735	1355
INT 1201	1331	INT 7736	1355
INT 1202	1263T, 1331, 1336T	INT 7739	1266
INT 1218	1263T, 1336T	INT 9020	1275
INT 1219	1242, 1263T, 1321T, 1331	INT 9316	1262, 1325
INT 1246	1339		
INT 1288	1263T		
INT 1353	1293		
INT 1356	1293		
INT 1416	1291		
INT 1418	1279T		
INT 1452	1281		
INT 1454	1290		
INT 1470	1279T		
INT 1472	1291		
INT 1473	1291		
INT 1477	1334		
INT 1479	1334		
INT 1509	1337P		
INT 1544	1265		
INT 1550	1343		
INT 1654	1346		
INT 1702	1317		
INT 1705	1371		
INT 1726	1278		
INT 1729	1315		
INT 1750	1371		
INT 1832	1247		
INT 1833	1247		
INT 1875	1309T		
INT 1880	1294T, 1296T		
INT 1881	1294T		
INT 3165	1352		
INT 3386	1267		
INT 3550	1357		
INT 5254	1354		
INT 5355	1340		
INT 5360	1356		
INT 5363	1329		
INT 5508	1332		
INT 6854	1323T		
INT 6856	1323T		

II

1241* ENGLAND - South Coast - Beacon.

Source: Salcombe Harbour Authority

Chart 28 [*previous update 1096/26*] ETRS89 DATUM

Delete



50° 13'·692N., 3° 46'·585W.

Chart 5602_11 [*previous update 1096/26*] ETRS89 DATUM

Delete



50° 13'·692N., 3° 46'·585W.

II

1244* SCOTLAND - East Coast - Note. Depths. Legend.

Source: Peterhead Port

Chart 1438 (Panel B, Peterhead Bay and Harbours) [previous update 2431/25] ETRS89 DATUM

Insert	the accompanying note, DEPTHS, centred on:	57° 30'·323N., 1° 47'·323W.
	depth, 18, and extend 2m depth contour SE to enclose	(a) 57° 30'·407N., 1° 46'·511W.
Delete	depth, 27, close SW of:	(a) above
Insert	depth, 13, enclosed by 2m contour	(b) 57° 30'·403N., 1° 46'·386W.
Delete	depth, 21, close NE of:	(b) above
Insert	depth, 22	(c) 57° 30'·364N., 1° 46'·402W.
Delete	depth, 33, close SW of:	(c) above
Insert	depth, 13, enclosed by 2m contour	57° 30'·341N., 1° 46'·330W.
	depth, 87	(d) 57° 30'·019N., 1° 46'·420W.
Delete	depth, 94, close NE of:	(d) above
Insert	depth, 99, and extend 10m contour S to enclose	(e) 57° 30'·004N., 1° 46'·440W.
Delete	depth, 108, close S of:	(e) above
Insert	legend, DEPTHS (see Note), centred on:	57° 29'·912N., 1° 46'·709W.
	depth, 149, and extend 15m contour E to enclose	57° 29'·875N., 1° 46'·577W.
	depth, 114	57° 29'·815N., 1° 46'·550W.
	depth, 104	(f) 57° 29'·804N., 1° 46'·550W.
Delete	depth, 123, close W of:	(f) above
Insert	depth, 97, enclosed by 10m contour	57° 29'·781N., 1° 46'·858W.
	depth, 92, and extend 10m contour N to enclose	(g) 57° 29'·725N., 1° 46'·734W.
Delete	depth, 102, close E of:	(g) above
Insert	depth, 39	57° 29'·801N., 1° 47'·314W.
	depth, 2, and extend 2m contour E to enclose	57° 29'·900N., 1° 47'·262W.
Replace	depth, 46, with depth, 37	57° 30'·029N., 1° 47'·113W.

Chart 1438 (Panel A, Approaches to Peterhead) [previous update 2431/25] ETRS89 DATUM

Insert	depth, 149, and extend 15m contour E to enclose	57° 29'·88N., 1° 46'·58W.
	depth, 97, enclosed by 10m contour	57° 29'·78N., 1° 46'·86W.

II

1244* SCOTLAND - East Coast - Note. Depths. Legend. (continued)

Chart 5617_17 (Panel A, Peterhead Bay and Harbours) [*previous update 2646/25*] ETRS89 DATUM

Insert	depth, 18, and extend 2m depth contour SE to enclose	(a)	57° 30'·407N., 1° 46'·510W.
Delete	depth, 27, close SW of:	(a)	above
Insert	depth, 13, enclosed by 2m contour	(b)	57° 30'·403N., 1° 46'·386W.
Delete	depth, 21, close NE of:	(b)	above
Insert	depth, 22	(c)	57° 30'·364N., 1° 46'·402W.
Delete	depth, 33, close SW of:	(c)	above
Insert	depth, 13, enclosed by 2m contour		57° 30'·341N., 1° 46'·330W.
	depth, 87	(d)	57° 30'·019N., 1° 46'·420W.
Delete	depth, 94, close NE of:	(d)	above
Insert	depth 99, and extend 10m contour S to enclose	(e)	57° 30'·004N., 1° 46'·440W.
Delete	depth, 108, close S of:	(e)	above
Insert	depth, 149, and extend 15m contour E to enclose		57° 29'·875N., 1° 46'·577W.
	depth, 114		57° 29'·815N., 1° 46'·550W.
	depth, 104	(f)	57° 29'·804N., 1° 46'·550W.
Delete	depth, 123, close W of:	(f)	above
Insert	depth 92, and extend 10m contour N to enclose	(g)	57° 29'·724N., 1° 46'·733W.
Delete	depth, 102, close E of:	(g)	above
Insert	depth, 97, enclosed by 10m contour		57° 29'·781N., 1° 46'·858W.
	depth, 39		57° 29'·801N., 1° 47'·314W.
	depth, 2, and extend 2m contour E to enclose		57° 29'·900N., 1° 47'·262W.
Replace	depth, 46, with depth, 37		57° 30'·029N., 1° 47'·113W.

II

1251* WALES - North Coast - Buoyage.

Source: Conwy Harbour Notice 03/26

Chart 1463 (Panel, Conwy) [*previous update 1164/26*] ETRS89 DATUM

Insert	 <i>Fl.Y.10s</i>	53° 18'·055N., 3° 50'·838W.
Delete	former  <i>Fl.Y.10s</i>	53° 17'·753N., 3° 50'·422W.

Chart 5609_15 (Panel A, Conwy) [*previous update 840/26*] ETRS89 DATUM

Insert	 <i>Fl.Y.10s</i>	53° 18'·055N., 3° 50'·838W.
Delete	former  <i>Fl.Y.10s</i>	53° 17'·753N., 3° 50'·422W.

II

1258* SCOTLAND - East Coast - Pilot boarding place. Note.

Source: Ardersier Port Ltd

Chart 223 [*previous update 1128/26*] ETRS89 DATUM

Insert	① <i>Ardersier</i>	57° 38'·0N., 3° 56'·0W.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	57° 37'·75N., 3° 27'·24W.

Chart 1077 [*previous update 1128/26*] ETRS89 DATUM

Insert	① <i>Ardersier</i>	57° 38'·0N., 3° 56'·0W.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	57° 42'·59N., 4° 00'·88W.

Chart 5617_9 [*previous update 1128/26*] ETRS89 DATUM

Insert	① <i>Ardersier</i>	57° 38'·0N., 3° 56'·0W.
--------	--------------------	-------------------------

II

1265* SCOTLAND - East Coast - Obstruction.

Source: Forth Ports Ltd and UKHO

Chart 734 (INT 1544) [*previous update 5093/25*] ETRS89 DATUM

Insert

 *Unexploded Ordnance (2026)*

56° 01'·17N., 2° 56'·12W.

Chart 5615_11 [*previous update 5093/25*] ETRS89 DATUM

Insert

 *Unexploded Ordnance (2026)*

56° 01'·17N., 2° 56'·12W.

II

1278* ENGLAND - South Coast - Poles.

Source: Poole Harbour Commissioners

Chart 2611 (INT 1726) (Panel A, Continuation of Holes Bay) [*previous update 5051/25*] ETRS89 DATUM

Delete ⊥

50° 43'·053N., 1° 59'·512W.
50° 43'·061N., 1° 59'·482W.

Chart 2611 (INT 1726) [*previous update 5051/25*] ETRS89 DATUM

Delete ⊥

50° 43'·053N., 1° 59'·512W.
50° 43'·061N., 1° 59'·482W.

Chart 5601_10 [*previous update 5051/25*] ETRS89 DATUM

Delete ⊥

50° 43'·061N., 1° 59'·482W.

Chart 5601_11 [*previous update 5051/25*] ETRS89 DATUM

Delete ⊥

50° 43'·053N., 1° 59'·512W.
50° 43'·061N., 1° 59'·482W.

II

1315* ENGLAND - South Coast - Drying height. Depths.

Source: Bournemouth, Christchurch and Poole Council

Chart 2035 (INT 1729) [*previous update New Edition 26/02/2026*] ETRS89 DATUM

Insert	drying height, <i>I</i> ₅	50° 43'·46N., 1° 44'·28W.
	depth, <i>0</i> ₂	(a) 50° 43'·41N., 1° 44'·07W.
Delete	depth, <i>I</i> ₂ , close NE of:	(a) above
Insert	depth, <i>I</i> ₄ , and extend 2m contour E to enclose	50° 43'·36N., 1° 43'·98W.

Chart 2172 (Panel D, Christchurch Harbour) [*previous update 759/26*] ETRS89 DATUM

Insert	drying height, <i>I</i> ₅	50° 43'·462N., 1° 44'·283W.
	depth, <i>0</i> ₂	(a) 50° 43'·405N., 1° 44'·070W.
Delete	depth, <i>I</i> ₂ , close NE of:	(a) above
Insert	depth, <i>I</i> ₄ , enclosed by 2m contour	(b) 50° 43'·359N., 1° 43'·979W.
Delete	depth, <i>2</i> ₁ , close E of:	(b) above

Chart 2175 [*previous update 3913/25*] ETRS89 DATUM

Insert	drying height, <i>I</i> ₅	50° 43'·46N., 1° 44'·28W.
--------	--------------------------------------	---------------------------

Chart 5601_13 (Panel A, Christchurch Harbour) [*previous update 3913/25*] ETRS89 DATUM

Insert	drying height, <i>I</i> ₅	50° 43'·462N., 1° 44'·283W.
	depth, <i>0</i> ₂	(a) 50° 43'·406N., 1° 44'·070W.
Delete	depth, <i>I</i> ₂ , close NE of:	(a) above
Insert	depth, <i>I</i> ₄ , enclosed by 2m contour	(b) 50° 43'·359N., 1° 43'·980W.
Delete	depth, <i>2</i> ₁ , close E of:	(b) above

II

1317* ENGLAND - South Coast - Marine farms.

Source: Offshore Shellfish

Chart 2454 (INT 1702) [*previous update 5276/25*] ETRS89 DATUM

Insert  (*buoyed*) 50° 30'·50N., 3° 29'·48W.

Chart 3315 [*previous update 1960/25*] ETRS89 DATUM

Insert  (*buoyed*) 50° 30'·50N., 3° 29'·48W.

Delete  50° 31'·48N., 3° 29'·85W.

Chart 5601_2 [*previous update 2848/24*] ETRS89 DATUM

Insert  (*buoyed*) 50° 30'·50N., 3° 29'·48W.

Delete  50° 31'·48N., 3° 29'·85W.

Chart 5602_8 (Panel A, Salcombe to Teignmouth) [*previous update 4515/25*] ETRS89 DATUM

Insert  (*buoyed*) 50° 30'·50N., 3° 29'·48W.

Delete  50° 31'·48N., 3° 29'·85W.

II

1320* SCOTLAND - West Coast - Buoy.

Source: MOWI

Chart 2498 [*previous update 1163/24*] ETRS89 DATUM


Insert



57° 16′·51N., 5° 45′·00W.

Chart 2540 (Panel A, Kyle Akin) [*previous update 1163/24*] ETRS89 DATUM

Insert



57° 16′·511N., 5° 44′·995W.

Chart 2540 [*previous update 1163/24*] ETRS89 DATUM

Insert



57° 16′·51N., 5° 45′·00W.

Chart 5616_18 (Panel A, Kyle Akin) [*previous update 1037/26*] ETRS89 DATUM

Insert



57° 16′·511N., 5° 44′·995W.

II

1343* ENGLAND - East Coast - Wrecks. Depths.

Source: Port of Tyne Authority

Chart 1934 (INT 1550) [*previous update 453/26*] ETRS89 DATUM

Insert	 <i>Wk</i>	(a) 55° 00'·768N., 1° 24'·114W.
Delete	 <i>Wk</i> , close SE of:	(a) above
Insert	depth, 92	(b) 55° 00'·583N., 1° 24'·723W.
Delete	depth, 97, close E of:	(b) above
Replace	 <i>Wk</i> with  <i>Wk</i>	55° 00'·784N., 1° 23'·981W.
	depth, 95, with depth, 9	55° 00'·768N., 1° 24'·339W.
	depth, 78, with depth, 73	55° 00'·614N., 1° 25'·322W.
	depth, 75, with depth, 7	54° 59'·311N., 1° 28'·042W.

Chart 1935 [*previous update 5824/25*] ETRS89 DATUM

Insert	 <i>Wk</i>	(a) 55° 00'·77N., 1° 24'·11W.
Delete	 <i>Wk</i> , close SE of:	(a) above
Replace	 <i>Wk</i> with  <i>Wk</i>	55° 00'·78N., 1° 23'·98W.

Chart 5615_20 (Panel A, Entrance to River Tyne) [*previous update 85/26*] ETRS89 DATUM

Insert	 <i>Wk</i>	(a) 55° 00'·768N., 1° 24'·114W.
Delete	 <i>Wk</i> , close SE of:	(a) above
Insert	depth, 92	(b) 55° 00'·583N., 1° 24'·723W.
Delete	depth, 97, close E of:	(b) above
Replace	 <i>Wk</i> with  <i>Wk</i>	55° 00'·784N., 1° 23'·981W.
	depth, 95, with depth, 9	55° 00'·768N., 1° 24'·339W.
	depth, 78, with depth, 73	55° 00'·614N., 1° 25'·322W.

Chart 5615_21 (Panel A, River Tyne Royal Quays to Willington Quay) [*previous update 453/26*] ETRS89 DATUM

Replace	depth, 75, with depth, 7	54° 59'·311N., 1° 28'·042W.
---------	--------------------------	-----------------------------

II

1346* ENGLAND - Bristol Channel - Depths. Drying height.

Source: Bristol Port Company

Chart 1176 (INT 1654) [*previous update 1222/26*] ETRS89 DATUM

Insert	depth, 64	(a)	51° 30'·07N., 2° 48'·18W.
Delete	depth, 69, close NW of:	(a)	above
Insert	depth, 69	(b)	51° 29'·97N., 2° 48'·58W.
Delete	depth, 81, close N of:	(b)	above
Insert	depth, 46, enclosed by 5m contour	(c)	51° 29'·33N., 2° 47'·85W.
Delete	depth, 84, close NW of:	(c)	above
Insert	depth, 93, and extend 10m contour N to enclose	(d)	51° 29'·18N., 2° 48'·72W.
Delete	depth, 104, close SE of:	(d)	above
Insert	depth, 105	(e)	51° 29'·47N., 2° 49'·46W.
Delete	depth, 119, close E of:	(e)	above
Insert	depth, 116	(f)	51° 29'·22N., 2° 49'·67W.
Delete	depth, 126, close W of:	(f)	above
Insert	depth, 48, and extend 5m contour SE to enclose		51° 29'·50N., 2° 50'·55W.
	drying height, 02, enclosed by 0m low water line	(g)	51° 29'·26N., 2° 51'·14W.
Delete	depth, 62, close S of:	(g)	above
Insert	depth, 39, and extend 5m contour SE to enclose		51° 28'·96N., 2° 51'·79W.
Replace	depth, 91, with depth, 76		51° 29'·40N., 2° 47'·98W.

Chart 5608_16 (Panel A, Bristol Deep to King Road) [*previous update 1222/26*] ETRS89 DATUM

Insert	depth, 64	(a)	51° 30'·07N., 2° 48'·18W.
Delete	depth, 69, close NW of:	(a)	above
Insert	depth, 69	(b)	51° 29'·97N., 2° 48'·58W.
Delete	depth, 81, close N of:	(b)	above
Insert	depth, 46, enclosed by 5m contour	(c)	51° 29'·33N., 2° 47'·85W.
Delete	depth, 84, close NW of:	(c)	above
Insert	depth, 93, and extend 10m contour N to enclose	(d)	51° 29'·18N., 2° 48'·72W.
Delete	depth, 104, close SE of:	(d)	above
Insert	depth, 105	(e)	51° 29'·47N., 2° 49'·46W.
Delete	depth, 119, close E of:	(e)	above
Insert	depth, 116	(f)	51° 29'·22N., 2° 49'·67W.
Delete	depth, 126, close W of:	(f)	above
Insert	depth, 48, and extend 5m contour SE to enclose		51° 29'·50N., 2° 50'·55W.
	drying height, 02, enclosed by 0m low water line	(g)	51° 29'·26N., 2° 51'·14W.
Delete	depth, 62, close SE of:	(g)	above
Insert	depth, 39, and extend 5m contour S to enclose		51° 28'·96N., 2° 51'·79W.
Replace	depth, 91, with depth, 76		51° 29'·40N., 2° 47'·98W.

II

1350* SCOTLAND - Orkney Islands - Dredged depth. Depth.

Source: Orkney Islands Council

Chart 2562 (Panel B, Sounds of Rapness, Faray, Eday and Sanday) [*previous update 5133/24*] ETRS89 DATUM

Amend	dredged depth to, <i>3·4m (2025)</i> , centred on:	59° 08′·74N., 2° 36′·35W.
Delete	depth, 3	59° 08′·84N., 2° 36′·58W.

II

1262 NORWAY - North Coast - NM Block.

Source: Norwegian Notice 21/79211/25

Chart 2352 (INT 9316) [*previous update 5428/25*] WGS84 DATUM

Insert the accompanying block, centred on:

70° 13'·3N., 20° 09'·3E.

II

1316 ICELAND - Obstructions.

Source: Icelandic Notice 6/30/25 and ENC IS400036

Chart 2734 (INT 1112) [*previous update 474/26*] WGS84 DATUM

Delete



Subm buoy

64° 22'·22N., 21° 42'·86W.



Subm buoy

64° 21'·66N., 21° 41'·12W.



Subm buoy

64° 18'·49N., 21° 53'·45W.

II

1325 NORWAY - North Coast - Light.

Source: Norwegian Notice 23/79680/25

Chart 2352 (INT 9316) [*previous update 1262/26*] WGS84 DATUM

Delete

★ Oc(2) 8s Skjervøya

70° 03′·7N., 20° 59′·7E.

II

1242 POLAND - Foul.

Source: Polish Notice 45/535/25

Chart 2014 (INT 1219) [*previous update 1156/26*] WGS84 DATUM

Insert *#(141)*

54° 13'·45N., 15° 04'·37E.

II

1293* GERMANY - Baltic Coast - Light.

Source: WSA Ostsee 8/26

Chart DE 30 (INT 1353) [*previous update 785/26*] WGS84 DATUM

Amend Gollwitz-W light to, (exting)

54° 01'·44N., 11° 28'·03E.

Chart DE 37 (INT 1356) [*previous update 739/26*] WGS84 DATUM

Amend Gollwitz-W light to, Oc.WRG.5s23m18-13M (exting)

54° 01'·44N., 11° 28'·03E.

II

1331 DENMARK - Islands - Wrecks.

Source: Danish Chart 189

Note: Former Notice 5667(P)/25 is cancelled.

Chart 2014 (INT 1219) [*previous update 1242/26*] WGS84 DATUM

Insert

 39 Wks

55° 14'·75N., 14° 30'·07E.

 48 Wks

55° 19'·45N., 14° 37'·27E.

Chart 2015 (INT 1201) [*previous update 1042/26*] WGS84 DATUM

Insert

 39 Wks

55° 14'·75N., 14° 30'·07E.

 48 Wks

55° 19'·45N., 14° 37'·27E.

Chart 2018 (INT 1202) [*previous update 1156/26*] WGS84 DATUM

Insert

 39 Wks

55° 14'·75N., 14° 30'·07E.

 48 Wks

55° 19'·45N., 14° 37'·27E.

II

1339 FINLAND - South Coast - NM Block. Swept area.

Source: Finnish Notice 32/250/25

Chart 2260 (INT 1155) [*previous update 326/26*] WGS84 DATUM

Insert the accompanying block, centred on:

60° 25'·1N., 26° 55'·1E.

Chart 3813 (INT 1246) [*previous update 4460/25*] WGS84 DATUM

Replace 17₅ with 17₄

60° 25'·31N., 26° 55'·51E.

II

1281* GERMANY - North Sea Coast - Foul.

Source: WSA Elbe-Nordsee 66/26

Chart DE 44 (INT 1452) [*previous update 937/26*] WGS84 DATUM

Insert

#

53° 54′·83N., 8° 40′·10E.

II

1288* NORTH SEA - United Kingdom Sector - Automatic Identification System.

Source: Trinity House

Chart 266 [*previous update 911/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at platform	54° 17′·92N., 1° 39′·49E.
--------	---	---------------------------

Chart 1187 [*previous update 445/26*] ETRS89 DATUM

Insert	Automatic Identification System, AIS, at platform	54° 17′·92N., 1° 39′·49E.
--------	---	---------------------------

Chart 2182A (INT 1043) [*previous update 367/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at platform	54° 17′·8N., 1° 39′·4E.
--------	---	-------------------------

Chart 2182B (INT 1042) [*previous update 316/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at platform	54° 17′·9N., 1° 39′·5E.
--------	---	-------------------------

Chart 5614_25 [*previous update New Edition 15/01/2026*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at platform	54° 17′·8N., 1° 39′·4E.
--------	---	-------------------------

Chart 5615_23 [*previous update 233/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at platform	54° 17′·9N., 1° 39′·5E.
--------	---	-------------------------

II

1290* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP29853/26

Chart DE 47 (INT 1454) [*previous update 938/26*] WGS84 DATUM

Insert depth, 75 , and extend 10m contour NE to enclose

(a) 53° 43'·38N., 9° 27'·39E.

Delete depth, 81, close SE of:

(a) above

II

1291 NETHERLANDS - Wreck.

Source: Netherlands Notice 9/33/26

Chart 110 (INT 1473) [*previous update 5006/25*] WGS84 DATUM

Insert



52° 02'·36N., 3° 54'·52E.

Chart 122 (INT 1472) [*previous update 1015/26*] WGS84 DATUM


Insert



52° 02'·36N., 3° 54'·52E.

Chart 1630 (INT 1416) [*previous update 692/26*] WGS84 DATUM

Insert



52° 02'·36N., 3° 54'·52E.

II

1334 NETHERLANDS - Anchorage areas. Legends. NM Blocks.

Source: Netherlands Notice 8/30/26

Chart 116 (INT 1477) [*previous update 645/26*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 51° 23'·64N., 3° 35'·36E. (b) 51° 23'·30N., 3° 36'·50E. (c) 51° 23'·33N., 3° 37'·08E. (d) 51° 23'·29N., 3° 37'·68E. (e) 51° 23'·26N., 3° 38'·42E. (f) 51° 23'·15N., 3° 38'·42E. (g) 51° 23'·16N., 3° 37'·69E. (h) 51° 23'·21N., 3° 36'·83E. (i) 51° 23'·16N., 3° 36'·49E. (j) 51° 23'·29N., 3° 35'·97E. (k) 51° 23'·38N., 3° 35'·36E. (a)-(k) above
	legend, <i>Reserved for spuds</i> , within:	

Chart 120 (INT 1479) [*previous update 645/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	51° 23'·5N., 3° 37'·5E.
	the accompanying block B, centred on:	51° 24'·2N., 4° 04'·1E.
	limit of anchorage area, pecked line, joining:	(a) 51° 23'·64N., 3° 44'·93E. (b) 51° 22'·87N., 3° 46'·98E. (c) 51° 22'·71N., 3° 46'·80E. (d) 51° 23'·48N., 3° 44'·76E. and (e) 51° 23'·89N., 3° 47'·07E. (f) 51° 23'·65N., 3° 47'·71E. (g) 51° 23'·46N., 3° 47'·55E. (h) 51° 23'·71N., 3° 46'·87E. and (i) 51° 27'·12N., 3° 57'·52E. (j) 51° 27'·12N., 3° 58'·81E. (k) 51° 26'·87N., 3° 58'·82E. (l) 51° 26'·88N., 3° 57'·52E. (a)-(d) above (e)-(h) above (i)-(l) above
	legend, <i>Reserved for spuds</i> , within:	

Chart 120 (INT 1479) (Panel A, Continuation to Nauw van Bath) [*previous update 645/26*] WGS84 DATUM

Insert	the accompanying block C, centred on:	51° 23'·6N., 4° 04'·6E.
--------	---------------------------------------	-------------------------

II

1247 FRANCE - West Coast - Restricted areas.

Source: French Notice 2/42/26

Chart 3427 (INT 1832) [*previous update 225/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a) 48° 22'·72N., 4° 27'·09W. 48° 22'·82N., 4° 26'·94W.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(a) above 48° 22'·96N., 4° 26'·93W.

Chart 3428 (INT 1833) [*previous update 3179/25*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a) 48° 22'·716N., 4° 27'·085W. 48° 22'·824N., 4° 26'·942W.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(a) above 48° 22'·960N., 4° 26'·932W.

Chart 3429 [*previous update 640/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a) 48° 22'·72N., 4° 27'·09W. 48° 22'·82N., 4° 26'·94W.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(a) above 48° 22'·96N., 4° 26'·93W.

II

1248 FRANCE - West Coast - Marine farms.

Source: French Notice 7/41/26

Chart 2026 [*previous update 781/26*] WGS84 DATUM

Delete



48° 45'·57N., 3° 44'·19W.
48° 45'·47N., 3° 49'·77W.
48° 44'·00N., 3° 52'·50W.
48° 44'·43N., 3° 57'·90W.

Chart 2349 [*previous update 1175/26*] WGS84 DATUM

Delete



48° 05'·12N., 4° 34'·49W.
48° 14'·56N., 4° 37'·44W.

Chart 2350 [*previous update 932/26*] WGS84 DATUM

Delete



48° 05'·12N., 4° 34'·49W.
48° 14'·52N., 4° 37'·43W.

Chart 2356 [*previous update 3389/25*] WGS84 DATUM

Delete



48° 23'·35N., 4° 51'·75W.

II

1322 SPAIN - North Coast - Buoy.

Source: Spanish Notice 5/26/26

Chart 4743 (Panel A, Puerto de Cariño) [*previous update 1177/26*] WGS84 DATUM

Delete



Fl(5)Y.20s1M (Jun-Dec) ODAS

43° 43'·76N., 7° 51'·36W.

II

1358 FRANCE - West Coast - Beacons. Buoy.

Source: French Notice 50/46/25

Chart 2819 (Panel A, Audierne) [*previous update 623/26*] WGS84 DATUM

Insert



N°11

48° 01'·198N., 4° 32'·073W.



(a) 48° 01'·344N., 4° 32'·117W.

Delete



, close SW of:

(a) above

II

1371 FRANCE - North Coast - Restricted areas. Legends. Obstructions. Notes.

Source: French Notice 4/37/26

Chart 2136 [previous update 234/26] WGS84 DATUM

Delete	limit of restricted area, $\overline{\text{TTTT}}$, and associated legend, <i>Appareil de mesure (voir nota) Measuring device (see note)</i> , joining:	49° 28'·87N., 0° 14'·49W. 49° 28'·86N., 0° 14'·12W. 49° 28'·39N., 0° 14'·08W. 49° 28'·32N., 0° 14'·39W. and 49° 24'·41N., 0° 27'·93W. 49° 24'·49N., 0° 27'·57W. 49° 24'·03N., 0° 27'·13W. 49° 23'·94N., 0° 27'·51W.
	legend, <i>Appareil de mesure (voir nota) Measuring device (see note)</i> , centred on:	49° 26'·32N., 0° 20'·63W.
	 <i>Obstn (PA)</i>	49° 24'·24N., 0° 27'·56W.
	note, Measuring device, centred on:	49° 15'·82N., 0° 52'·87W.

Chart 2146 (INT 1750) [previous update 5826/25] WGS84 DATUM

Delete	limit of restricted area, $\overline{\text{TTTT}}$, and associated legend, <i>Appareil de mesure (voir nota) Measuring device (see note)</i> , joining:	49° 28'·87N., 0° 14'·49W. 49° 28'·86N., 0° 14'·12W. 49° 28'·38N., 0° 14'·08W. 49° 28'·32N., 0° 14'·39W. and 49° 22'·71N., 0° 10'·11W. 49° 22'·73N., 0° 09'·79W. 49° 22'·22N., 0° 09'·69W. 49° 22'·19N., 0° 10'·01W.
	 <i>Obstn</i>	49° 22'·42N., 0° 10'·06W.
	note, <i>Appareil de mesure</i> , centred on:	49° 15'·23N., 0° 10'·63E.
	note, Measuring device, centred on:	49° 15'·23N., 0° 14'·54E.

Chart 2613 (INT 1705) [previous update 1072/26] WGS84 DATUM

Delete	 <i>Obstn</i>	49° 24'·24N., 0° 27'·57W.
	 <i>Obstn</i>	49° 22'·42N., 0° 10'·06W.

II

1245 ITALY - Sardegna - Submarine cables.

Source: UKHO

Note: Former Notice 5790(P)/25 is cancelled. This update is included in New Edition 1211, published early 2026.

Chart 964 [*previous update 888/26*] WGS84 DATUM

Insert	submarine cable,  , joining:	37° 39'·57N., 12° 34'·16E. 37° 38'·52N., 12° 32'·70E. 37° 37'·96N., 12° 32'·14E. 37° 37'·82N., 12° 29'·15E. 37° 43'·11N., 12° 16'·79E.
--------	---	---

Chart 1210 (Panel A, Porto di Olbia) [*previous update 922/26*] WGS84 DATUM

Insert	submarine cable,  , joining:	40° 56'·448N., 9° 34'·055E. 40° 56'·448N., 9° 34'·094E. 40° 56'·656N., 9° 34'·819E. 40° 56'·678N., 9° 35'·210E.
--------	---	---

Chart 1911 [*previous update 922/26*] WGS84 DATUM

Insert	submarine cable,  , joining:	41° 45'·9N., 12° 13'·4E. 41° 45'·4N., 12° 11'·6E. 41° 44'·7N., 12° 11'·4E. 41° 44'·0N., 12° 10'·7E. 41° 41'·4N., 12° 04'·2E.
--------	---	---

Chart 1913 [*previous update 175/26*] WGS84 DATUM

Insert	submarine cable,  , joining:	44° 23'·64N., 8° 56'·83E. 44° 23'·36N., 8° 56'·86E. 44° 23'·17N., 8° 57'·44E. 44° 22'·65N., 8° 57'·92E. 44° 22'·28N., 8° 59'·74E. 44° 20'·37N., 9° 00'·79E. 44° 19'·26N., 9° 02'·21E. 44° 18'·47N., 9° 02'·92E. 44° 17'·85N., 9° 03'·25E.
--------	---	--

Chart 1992 [*previous update New Edition 29/01/2026*] WGS84 DATUM

Insert	submarine cable,  , joining:	40° 58'·3N., 9° 39'·5E. 40° 59'·3N., 9° 41'·5E. 41° 01'·1N., 9° 42'·1E. 41° 03'·7N., 9° 44'·4E. 41° 04'·6N., 9° 46'·6E. 41° 06'·0N., 9° 52'·5E.
--------	---	---

II

1245 ITALY - Sardegna - Submarine cables. (continued)

Chart 1998 [*previous update 1052/26*] WGS84 DATUM

Insert submarine cable, , joining:

44° 23'·6N., 8° 56'·8E.
 44° 23'·3N., 8° 57'·0E.
 44° 23'·2N., 8° 57'·4E.
 44° 22'·7N., 8° 57'·9E.
 44° 22'·2N., 8° 59'·8E.
 44° 20'·4N., 9° 00'·8E.
 44° 19'·0N., 9° 02'·4E.
 44° 17'·9N., 9° 03'·2E.

Chart 1999 [*previous update 1052/26*] WGS84 DATUM

Insert submarine cable, , joining:

41° 54'·5N., 10° 08'·0E.
 42° 34'·3N., 9° 59'·2E.
 42° 53'·5N., 9° 57'·8E.
 43° 05'·1N., 10° 00'·2E.
 43° 17'·3N., 9° 53'·3E.
 43° 28'·5N., 9° 42'·8E.
 43° 37'·0N., 9° 37'·4E.

Chart 2122 [*previous update 133/26*] WGS84 DATUM

Insert submarine cable, , joining:

37° 39'·5N., 12° 34'·0E.
 37° 39'·0N., 12° 33'·3E.
 and
 37° 37'·8N., 12° 29'·5E.
 37° 38'·3N., 12° 27'·8E.
 37° 40'·4N., 12° 23'·3E.
 37° 43'·1N., 12° 16'·7E.

II

1264 TÜRKiYE - Marmara Denizi - Light.
Source: ENC TR4FNH00

Chart 1005 [*previous update 1149/26*] WGS84 DATUM

Insert

★ Fl.G.4s6M & Fl.R.4s6M

40° 27'·46N., 28° 58'·25E.

II

1267 ITALY - West Coast - Obstructions. Lights. NM Blocks.

Source: Italian Notices 23.8-9/25

Chart IT 84 (INT 3386) [*previous update 5827/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	40° 49'·4N., 14° 18'·2E.
	the accompanying block B, centred on:	40° 48'·5N., 14° 18'·3E.

Chart 908 [*previous update 324/26*] WGS84 DATUM

Delete	★ FI.R	40° 49'·26N., 14° 18'·19E.
	★ FI.G	40° 49'·40N., 14° 18'·39E.

Chart 914 [*previous update 570/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	40° 48'·72N., 14° 09'·73E.
	the accompanying block, centred on:	40° 48'·9N., 14° 18'·1E.

Chart 916 (Panel C, Bagnoli) [*previous update 570/26*] WGS84 DATUM

Insert	 <i>Obstn</i>	40° 48'·724N., 14° 09'·732E.
--------	--	------------------------------

II

1276 CROATIA - Depths.

Source: Croatian Notices 11/8/25 and 11/11/25

Note: Chart 269 will be updated by Notice to Mariners following New Edition publication on 02/02/2026.

Chart 196 [*previous update New Edition 27/11/2025*] WGS84 DATUM

Insert	depth, 118, enclosed by 20m contour, <i>SD</i>	42° 58'·7N., 16° 35'·1E.
--------	--	--------------------------

Chart 200 [*previous update 926/26*] WGS84 DATUM

Insert	depth, 118, enclosed by 20m contour, <i>SD</i>	42° 58'·7N., 16° 35'·1E.
--------	--	--------------------------

Chart 2712 [*previous update 1103/26*] WGS84 DATUM

Insert	depth, 138, enclosed by 20m contour, <i>SD</i>	42° 58'·66N., 16° 36'·36E.
	depth, 118, enclosed by 20m contour, <i>SD</i>	42° 58'·69N., 16° 35'·08E.
	depth, 173, extend 20m contour SE to enclose	43° 32'·07N., 16° 20'·41E.
Replace	depth, 85, with depth, 63	43° 32'·68N., 16° 20'·49E.
	depth, 135, with depth, 125	43° 30'·62N., 16° 22'·47E.

II

1299 GEORGIA - Former mined areas. Note. Legends.

Source: ENC GE310300 and UKHO

Chart 3313 [*previous update 596/26*] WGS84 DATUM

Delete	limit of former mined area, $\tau\tau\tau\tau$, and associated legend, <i>Former Mined Area No 4 (see Note)</i> , joining:	41° 44'·42N., 41° 39'·91E. 41° 44'·42N., 41° 41'·41E. 41° 41'·74N., 41° 39'·81E. 41° 41'·31N., 41° 38'·52E. 41° 42'·03N., 41° 37'·91E.
	limit of former mined area, $\tau\tau\tau\tau$, and associated legend, <i>Former Mined Area No 5 (see Note)</i> , joining:	41° 38'·00N., 41° 31'·22E. 41° 40'·55N., 41° 28'·28E. 41° 43'·54N., 41° 30'·49E. 41° 42'·49N., 41° 34'·71E. 41° 40'·21N., 41° 36'·11E. 41° 38'·01N., 41° 32'·54E.

Chart 3317 (Panel C, Bat'umi) [*previous update 412/26*] WGS84 DATUM

Delete	limit of former mined area, $\tau\tau\tau\tau$, and associated legend, <i>Former Mined Area No 4 (see Note)</i> , joining:	41° 42'·312N., 41° 40'·244E. 41° 41'·751N., 41° 39'·898E. 41° 41'·321N., 41° 38'·599E. 41° 42'·040N., 41° 37'·999E. 41° 42'·312N., 41° 38'·230E.
	limit of former mined area, $\tau\tau\tau\tau$, and associated legend, <i>Former Mined Area No 5 (see Note)</i> , joining:	41° 41'·024N., 41° 35'·705E. 41° 40'·222N., 41° 36'·199E. 41° 39'·917N., 41° 35'·705E.

Chart 3317 (Panel A, Approaches to P'ot'i) [*previous update 412/26*] WGS84 DATUM

Delete	note, FORMER MINED AREAS	within title panel
--------	--------------------------	--------------------

II

1305 TÜRKiYE - Marmara Denizi - NM Block.

Source: ENC TR5FGP20

Chart 1006 (Panel A, Tekirdağ) [*previous update 1016/26*] WGS84 DATUM

Insert the accompanying block, centred on:

40° 57'·8N., 27° 30'·2E.

II

1306 CROATIA - Light.

Source: Croatian Notice 12/1/25

Chart 201 [*previous update 5695/25*] WGS84 DATUM

Insert

★ Fl.G

45° 07′·7N., 13° 37′·3E.

Chart 1461 [*previous update 5695/25*] WGS84 DATUM

Insert

★ Fl.G

45° 07′·7N., 13° 37′·3E.

II

1326 TÜRKIYE - West Coast - Depth.
Source: ENC TR4ETH00

Chart 1608 [*previous update New Edition 05/02/2026*] WGS84 DATUM

Insert 47, enclosed by 50m contour

39° 46'·45N., 25° 51'·73E.


II

1327 MALTA - Wreck. Depth.

Source: Transport Malta Notice 10/26 and UKHO

Chart 177 [*previous update 249/26*] WGS84 DATUM

Insert



(a) 35° 53'·437N., 14° 31'·295E.

Delete

depth, 157, close S of:

(a) above

II

1333 ALGERIA - NM Block.

Source: Algerian Notice 21/01/25

Chart 855 (Panel A, Golfe de Stora) [*previous update 5655/25*] WGS84 DATUM

Insert the accompanying block, centred on: 36° 53'·4N., 6° 57'·1E.

II

1351 UKRAINE - NM Blocks. Depths.

Source: ENC UA6T3701 and Ukrainian Notice 45/752/25

Chart 2205 [*previous update 5807/25*] WGS84 DATUM

Insert	depth, <i>10</i> ₂	(a) 46° 31'·12N., 30° 46'·02E.
Delete	depth, <i>10</i> , and associated 10m contour, close N of:	(a) above

Chart 2243 (Plan A, Odesa) [*previous update 5807/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	46° 30'·2N., 30° 44'·8E.
	the accompanying block B, centred on:	46° 29'·4N., 30° 45'·0E.
	depth, <i>10</i> ₂	46° 31'·116N., 30° 46'·022E.
	depth, <i>10</i> ₃	46° 31'·040N., 30° 46'·133E.
Delete	depth, <i>10</i> , and associated 10m contour	46° 31'·201N., 30° 46'·011E.

II

1352 **SPAIN - Mediterranean Sea Coast - NM Block.**

Source: Spanish Notice 48/357/25

Chart 1194 (INT 3165) [*previous update 2814/23*] WGS84 DATUM

Insert the accompanying block, centred on:

37° 36'·0N., 0° 59'·6W.

II

1357 EGYPT - North Coast - NM Blocks.

Source: ENC EG4EGM24

Chart 2578 (INT 3550) [*previous update 294/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	31° 25'·2N., 32° 17'·9E.
	the accompanying block B, centred on:	31° 25'·5N., 32° 28'·4E.

II

1365 MONTENEGRO - Restricted areas. Light. Reported anchorage.

Source: ENC ME3CMNE1

Chart 1578 (Panel A, Bar) [*previous update 1213/24*] WGS84 DATUM

Delete limit of restricted area, ~~TTTT~~~~XXXX~~~~TTTT~~, joining: 42° 05'·34N., 19° 04'·24E.
42° 07'·31N., 19° 03'·68E.

Chart 1578 [*previous update 1213/24*] WGS84 DATUM

Insert limit of restricted area, ~~TTTT~~~~XXXX~~~~TTTT~~, joining: 42° 26'·52N., 18° 45'·26E.
42° 26'·48N., 18° 45'·70E.

Delete former limit of restricted area, ~~TTTT~~~~XXXX~~~~TTTT~~, joining: 42° 05'·35N., 19° 04'·17E.
42° 07'·31N., 19° 03'·63E.

 ★ Fl.3s34m6M 42° 23'·74N., 18° 33'·50E.

 ⚓ 42° 25'·73N., 18° 45'·70E.

II

1376 ROMANIA - NM Block.

Source: ENC RO501031

Chart 2282 (Panel C, Portul Midia) [*previous update 2992/25*] WGS84 DATUM

Insert the accompanying block, centred on:

44° 20'·1N., 28° 40'·3E.

II

1328 MADAGASCAR - East Coast - NM Block.

Source: French Notice 47/183/25

Chart 696 (INT 7723) [*previous update 5344/25*] WGS84 DATUM

Insert the accompanying block, centred on:

18° 09'·0S., 49° 25'·8E.

II

1256 INDIA - West Coast - Wreck.

Source: Indian Notice 22/146/25

Chart IN 221 [*previous update 3932/23*] WGS84 DATUM

Insert



8° 57'·43N., 76° 31'·83E.

Chart IN 260 (INT 7362) [*previous update 5817/25*] WGS84 DATUM

Insert

wreck out of position, PA

8° 57'·4N., 76° 31'·8E.

II

1266 INDIAN OCEAN - Mauritius - Buoy.

Source: Indian Notice 23/164/25

Chart 710 (INT 7739) (Panel, Port Louis) [*previous update 832/25*] WGS84 DATUM

Delete



20° 07'·620S., 57° 28'·890E.

Chart 710 (INT 7739) [*previous update 832/25*] WGS84 DATUM

Delete



20° 07'·62S., 57° 28'·89E.

II

1268 INDIA - East Coast - Fixed point.

Source: Indian Notice 22/149/25

Chart IN 313 [*previous update 4388/25*] WGS84 DATUM

Insert  MRCC BLDG (33) 13° 04'·14N., 80° 17'·22E.

Chart 317 (INT 7400) [*previous update 4388/25*] WGS84 DATUM

Insert  (33) 13° 04'·1N., 80° 17'·2E.

Chart IN 357 (INT 7397) [*previous update 5765/25*] WGS84 DATUM

Insert  (33) 13° 04'·1N., 80° 17'·2E.

Chart IN 3001 (INT 7402) [*previous update 4388/25*] WGS84 DATUM

Insert  MRCC BLDG (33) 13° 04'·14N., 80° 17'·22E.

Chart IN 3004 (INT 7403) [*previous update 4388/25*] WGS84 DATUM

Insert  MRCC BLDG (33) 13° 04'·14N., 80° 17'·22E.

II

1273 INDIA - East Coast - NM Block.

Source: Indian Notice 22/150/25

Chart IN 3037 [*previous update 3229/23*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 50'·1N., 86° 58'·2E.

II

1298 INDIA - West Coast - Wrecks.

Source: Indian Notice 22/146/25

Note: Former Notice 3437(T)/23 is cancelled.

Chart 39 [*previous update 90/26*] INDIAN DATUM

Insert



23° 28'·0N., 68° 04'·0E.
22° 47'·0N., 67° 53'·2E.
22° 37'·7N., 68° 58'·9E.
21° 54'·1N., 68° 59'·8E.

Chart IN 202 [*previous update 90/26*] WGS84 DATUM

Insert



22° 37'·70N., 68° 58'·90E.

Chart IN 203 (INT 7319) [*previous update 90/26*] WGS84 DATUM

Insert



22° 37'·70N., 68° 58'·90E.

Chart IN 204 [*previous update New Edition 01/06/2023*] WGS84 DATUM

Insert



21° 54'·12N., 68° 59'·76E.

Chart IN 251 (INT 7318) [*previous update 90/26*] WGS84 DATUM

Insert



23° 28'·0N., 68° 04'·0E.
22° 47'·0N., 67° 53'·1E.
22° 37'·7N., 68° 58'·9E.

Chart IN 292 (INT 7021) [*previous update 1123/26*] WGS84 DATUM

Insert



21° 54'·1N., 68° 59'·8E.

Chart 707 [*previous update 1123/26*] WGS84 DATUM

Insert



22° 47'·0N., 67° 53'·1E.
22° 37'·7N., 68° 58'·9E.
21° 54'·1N., 68° 59'·8E.

Chart 1470 (INT 7325) [*previous update 281/24*] WGS84 DATUM

Insert



21° 54'·1N., 68° 59'·8E.

Chart IN 2068 [*previous update 90/26*] WGS84 DATUM

Insert



22° 37'·70N., 68° 58'·90E.

Chart 4705 (INT 705) [*previous update 1123/26*] WGS84 DATUM

Insert



21° 54'·1N., 68° 59'·8E.

II

1344 INDIAN OCEAN - Nicobar Islands - Submarine cable. Notes.

Source: Indian Notice 22/145/25

Chart IN 33 (INT 755) [*previous update New Edition 30/09/2024*] WGS84 DATUM

Insert submarine cable, , joining:

10° 35'·3N., 92° 33'·8E.
10° 35'·7N., 92° 34'·9E.
10° 30'·6N., 92° 44'·3E.
10° 26'·0N., 92° 50'·5E.
10° 02'·7N., 92° 58'·1E.
9° 44'·5N., 93° 02'·3E.
9° 20'·4N., 93° 04'·8E.
9° 16'·5N., 93° 00'·6E.
9° 10'·5N., 92° 49'·7E.
12° 59'·5N., 85° 10'·9E.

the accompanying note, SUBMARINE CABLES, centred on:

Chart IN 472 (INT 7032) [*previous update 3490/25*] WGS84 DATUM

Insert submarine cable, , joining:

10° 35'·3N., 92° 33'·8E.
10° 35'·6N., 92° 34'·1E.
10° 35'·7N., 92° 34'·9E.
10° 30'·6N., 92° 44'·3E.
10° 29'·9N., 92° 44'·6E.
10° 26'·0N., 92° 50'·5E.
10° 02'·7N., 92° 58'·1E.
9° 44'·5N., 93° 02'·3E.
9° 20'·4N., 93° 04'·8E.
9° 16'·5N., 93° 00'·6E.
9° 10'·5N., 92° 49'·7E.
6° 19'·0N., 91° 48'·4E.

the accompanying note, SUBMARINE CABLES, centred on:

Chart IN 473 (INT 7031) [*previous update 1566/25*] WGS84 DATUM

Insert submarine cable, , joining:

10° 35'·3N., 92° 33'·8E.
10° 35'·6N., 92° 34'·1E.
10° 35'·7N., 92° 34'·9E.
10° 35'·0N., 92° 36'·3E.

Chart 830 [*previous update 81/26*] WGS84 DATUM

Insert submarine cable, , joining:

10° 35'·2N., 92° 33'·7E.
10° 35'·6N., 92° 34'·1E.
10° 35'·7N., 92° 34'·9E.
10° 30'·6N., 92° 44'·3E.
10° 29'·9N., 92° 44'·6E.
10° 26'·0N., 92° 50'·5E.
10° 02'·7N., 92° 58'·1E.
9° 44'·5N., 93° 02'·3E.
9° 20'·4N., 93° 04'·8E.
9° 16'·5N., 93° 00'·6E.
9° 10'·5N., 92° 49'·7E.

II

1347 INDIA - West Coast - Light-beacon.

Source: ENC IN52076N

Chart IN 211 [*previous update 11/23/26*] WGS84 DATUM

Amend light-beacon to, Q.22m

18° 57'·52N., 72° 56'·00E.

II

1355 INDIAN OCEAN - La Réunion - Restricted areas. Legends. Note. Buoy.

Source: French Notice 2/180/26 and UKHO

Chart 1495 (INT 7736) [previous update 5674/25] WGS84 DATUM

Insert	circular limit of restricted area, radius 1M, TTTT , centred on:	(a) 20° 56'·20S., 55° 11'·80E.
	legend, <i>Helicopter Operations</i> (see Note), within:	(a) above
	the accompanying note, HELICOPTER OPERATIONS, centred on:	21° 02'·16S., 55° 33'·48E.

Chart 1497 (INT 7735) [previous update 5448/25] WGS84 DATUM

Insert	semi-circular limit of restricted area, radius 1M, TTTT , centred on 21° 20'·28S., 55° 25'·49W, joining:	(a) 21° 19'·63S., 55° 26'·31E. (b) 21° 19'·31S., 55° 25'·23E.
	circular limit of restricted area, radius 1M, TTTT , centred on:	(c) 20° 56'·20S., 55° 11'·80E.
	legend, <i>Helicopter Operations</i> (see Note), within:	(a)-(b) above (c) above
	the accompanying note, HELICOPTER OPERATIONS, centred on:	20° 46'·83S., 56° 22'·25E.
Move	FAD , from:	21° 22'·60S., 55° 26'·30E.
	to:	21° 22'·85S., 55° 26'·85E.

II

1366 INDIA - West Coast - Drying height. Wreck.

Source: Indian Notice 23/158/25

Note: Former Notice 4627(T)/23 is cancelled.

Chart IN 214 [*previous update 3168/25*] WGS84 DATUM

Insert



15° 29'·08N., 73° 48'·30E.

Chart IN 2022 (INT 7345) [*previous update 3168/25*] WGS84 DATUM

Insert



(a) 15° 29'·08N., 73° 48'·30E.

Delete

drying height, 09 , close E of:

(a) above

II

1372 INDIA - West Coast - Wreck.

Source: Indian Notice 23/158/25

Chart IN 220 [*previous update 240/24*] WGS84 DATUM

Insert



9° 56′·47N., 76° 13′·85E.

Chart IN 259 (INT 7356) [*previous update 240/24*] WGS84 DATUM

Insert



9° 56′·5N., 76° 13′·9E.

Chart IN 260 (INT 7362) [*previous update 1256/26*] WGS84 DATUM

Insert



9° 56′·5N., 76° 13′·9E.

Chart IN 2004 (INT 7359) [*previous update 3046/25*] WGS84 DATUM

Insert



9° 56′·47N., 76° 13′·85E.

Chart IN 2029 (INT 7358) [*previous update 5013/22*] WGS84 DATUM

Insert



9° 56′·47N., 76° 13′·85E.

Chart IN 2045 (INT 7360) [*previous update 3046/25*] WGS84 DATUM

Insert



9° 56′·470N., 76° 13′·850E.

II

1374 INDIA - East Coast - Buoyage.

Source: Indian Notice 23/160/25, ENC IN63033R and INHO

Chart IN 3033 (Panel, Karaikal Port) [*previous update 4158/25*] WGS84 DATUM

Insert



Fl.G.5s

10° 50′·457N., 79° 51′·068E.



Fl.R.5s

10° 50′·221N., 79° 51′·068E.

Chart IN 3033 [*previous update 4158/25*] WGS84 DATUM

Insert



Fl.G.5s

10° 50′·46N., 79° 51′·07E.



Fl.R.5s

10° 50′·22N., 79° 51′·07E.

II

1375 INDIA - East Coast - Harbour limits. Legends.

Source: Indian Notice 23/161/25

Chart IN 357 (INT 7397) [*previous update 1268/26*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	12° 19'·3N., 80° 02'·8E.
		(b)	12° 19'·3N., 80° 07'·3E.
		(c)	12° 16'·8N., 80° 07'·3E.
		(d)	12° 16'·8N., 80° 01'·2E.
		and	
			11° 34'·0N., 79° 45'·5E.
			11° 32'·8N., 79° 53'·0E.
		(e)	11° 30'·0N., 79° 53'·0E.
		(f)	11° 31'·7N., 79° 46'·0E.
		and	
		(g)	11° 07'·7N., 79° 51'·5E.
		(h)	11° 08'·0N., 79° 52'·0E.
		(i)	11° 08'·0N., 79° 56'·0E.
		(j)	11° 05'·6N., 79° 56'·0E.
		(k)	11° 05'·6N., 79° 52'·0E.
		(l)	11° 06'·3N., 79° 51'·5E.
	legend, <i>Limit of Port of Panaiyur</i> , within:	(a) - (d)	above
	legend, <i>Limit of Port of Vanagiri</i> , along N side of:	(e) - (f)	above
	legend, <i>Limit of Port of Silambimangalam</i> , within:	(g) - (l)	above

II

1259 INDONESIA - Sumatera - NM Blocks.

Source: ENC's ID300052 and ID4052R2

Chart 3471 (Panel, Pelabuhan Pangkalbalam) [*previous update 449/26*] WGS84 DATUM

Insert the accompanying block A, centred on: 2° 04'·5S., 106° 18'·2E.

Chart 3471 [*previous update 449/26*] WGS84 DATUM

Insert the accompanying block B, centred on: 2° 02'·4S., 106° 20'·8E.

 the accompanying block C, centred on: 2° 15'·4S., 105° 17'·5E.

II

1304 INDONESIA - Sumatera - Depths. Submarine cable. Pier. Buoy. Light-beacons.

Source: ENC's ID300071, ID400140 and ID5095R6

Note: This update is included in New Editions 2056 and 2862, published mid 2026.

Chart 909 [*previous update 438/26*] WGS84 DATUM

Insert	pier, single firm line, joining:	5° 58'·76S., 105° 59'·39E. 5° 58'·68S., 105° 59'·25E. 5° 58'·54S., 105° 59'·02E. 5° 58'·32S., 105° 59'·14E.
	submarine cable,  , joining:	5° 58'·91S., 105° 42'·51E. 6° 03'·30S., 105° 50'·03E. 6° 05'·00S., 105° 51'·49E.

Chart 918 (Panel D, Suralaya) [*previous update 1216/26*] WGS84 DATUM

Insert	 Fl.Y.4s6M	5° 53'·47S., 106° 01'·13E. 5° 53'·45S., 106° 01'·15E.
--------	---	--

Chart 2785 [*previous update 321/26*] WGS84 DATUM

Insert	submarine cable,  , joining:	5° 43'·8S., 105° 35'·2E. 5° 44'·3S., 105° 34'·0E. 5° 46'·4S., 105° 33'·0E. 5° 47'·2S., 105° 32'·9E. 5° 53'·0S., 105° 34'·8E. 5° 54'·7S., 105° 35'·9E. 6° 03'·3S., 105° 50'·1E. 6° 04'·0S., 105° 50'·5E. 6° 06'·2S., 105° 52'·9E.
--------	---	--

Chart 2965 (Panel A, Panjang) [*previous update 5183/25*] WGS84 DATUM

Move	 Fl.5s, from:	5° 28'·222S., 105° 17'·984E.
	to:	5° 28'·384S., 105° 18'·020E.

Chart 2965 (Panel F, Teluk Semangka) [*previous update 5183/25*] WGS84 DATUM

Insert	depth, 39, enclosed by 5m contour	(a) 5° 30'·68S., 104° 36'·37E.
Delete	depth, 55, close NE of:	(a) above
Insert	depth, 159, and extend 20m contour SW to enclose	(b) 5° 31'·38S., 104° 36'·48E.
Delete	depth, 177, close NE of:	(b) above
Insert	depth, 13, enclosed by 5m contour	(c) 5° 34'·04S., 104° 44'·23E.
Delete	depth, 93, close SW of:	(c) above
Replace	depth, 298, with depth, 22	5° 31'·48S., 104° 38'·89E.
	depth, 249, with depth, 225	5° 31'·55S., 104° 34'·26E.

II

1239 CHINA - East Coast - Virtual aids to navigation.

Source: UKHO

Chart 1719 [*previous update 257/26*] CGCS 2000 DATUM

Move	symbol, Virtual aid to navigation, special topmark, V-AIS, from:	24° 12'·24N., 118° 25'·29E.
	to:	24° 12'·27N., 118° 24'·05E.
Delete	symbol, Virtual aid to navigation, special topmark, V-AIS, out of position	24° 15'·61N., 118° 26'·06E.
	symbol, Virtual aid to navigation, special topmark, V-AIS	24° 14'·30N., 118° 27'·53E.
		24° 13'·55N., 118° 23'·81E.
		24° 11'·50N., 118° 21'·56E.

Chart 1720 [*previous update 276/26*] CGCS 2000 DATUM

Delete	symbol, Virtual aid to navigation, special topmark, V-AIS	24° 11'·50N., 118° 21'·56E.
--------	---	-----------------------------

Chart 1760 [*previous update 1111/26*] WGS84 DATUM

Move	symbol, Virtual aid to navigation, special topmark, V-AIS, from:	24° 12'·2N., 118° 25'·3E.
	to:	24° 12'·3N., 118° 24'·0E.
Delete	symbol, Virtual aid to navigation, special topmark, V-AIS	24° 15'·6N., 118° 26'·1E.
		24° 14'·3N., 118° 27'·5E.
		24° 13'·6N., 118° 23'·8E.
		24° 11'·5N., 118° 21'·6E.

II

1255 TAIWAN - Obstruction.

Source: UKHO

Chart 2409 [*previous update 1112/26*] WGS84 DATUM

Insert

 *Obstn PA*

23° 40′·70N., 120° 06′·50E.

Chart 3231 [*previous update 745/26*] WGS84 DATUM

Insert

 *Obstn PA*

23° 40′·70N., 120° 06′·50E.

II

1257 CHINA - South Coast - Buoyage. Obstructions. Wrecks.
Source: UKHO

Chart 341 [*previous update 622/26*] WGS84 DATUM

Insert	 <i>Mo(C)Y.12s No 4</i>	22° 17'·47N., 113° 50'·05E.
	 <i>PA</i>	22° 17'·40N., 113° 50'·03E.
	 <i>Obstn PA</i>	22° 08'·59N., 113° 47'·53E. 22° 02'·94N., 113° 53'·64E. 22° 02'·71N., 113° 53'·86E.
	 <i>Q(3)10s</i>	21° 56'·49N., 114° 04'·73E.

Chart 343 [*previous update New Edition 18/12/2025*] CGCS 2000 DATUM

Insert	 <i>Mo(C)Y.12s No 4</i>	22° 17'·47N., 113° 50'·05E.
	 <i>PA</i>	22° 17'·40N., 113° 50'·03E.

Chart 1555 [*previous update 960/26*] CGCS 2000 DATUM

Insert	 <i>Obstn PA</i>	22° 02'·7N., 113° 53'·9E. 21° 55'·4N., 113° 41'·4E.
	 <i>PA</i>	21° 49'·8N., 113° 06'·5E.

Chart 1568 [*previous update 211/26*] CGCS 2000 DATUM

Insert	 <i>PA</i>	21° 49'·78N., 113° 06'·52E.
--------	---	-----------------------------

Chart 3026 [*previous update 622/26*] WGS84 DATUM

Insert	 <i>Obstn PA</i>	22° 08'·59N., 113° 47'·53E. 22° 02'·94N., 113° 53'·64E. 22° 02'·71N., 113° 53'·86E. 21° 55'·42N., 113° 41'·43E.
	 <i>Mo(O)Y.12s No 2</i>	21° 55'·19N., 113° 43'·54E.
	 <i>Q(3)10s</i>	21° 56'·49N., 114° 04'·85E.

II

1300 CHINA - East Coast - Depths. NM Block.

Source: Chinese Chart 13110

Note: This update is included in New Edition 1602, published early 2026.

Chart 1281 [*previous update 983/26*] CGCS 2000 DATUM

Insert	depth, 85, and extend 10 m contour SW to enclose	32° 00'·36N., 121° 58'·97E.
Replace	depth, 178, with depth, 129	32° 04'·40N., 121° 46'·71E.

Chart 1601 (Panel A) [*previous update 5693/25*] CGCS 2000 DATUM

Insert	depth, 128	(a) 31° 22'·70N., 121° 34'·59E.
Delete	depth, 156, close SE of:	(a) above

Chart 1603 [*previous update 710/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	31° 24'·9N., 121° 49'·0E.
	depth, 15	(a) 31° 28'·20N., 121° 27'·76E.
Delete	depth, 166, close W of:	(a) above
Insert	depth, 77, enclosed by 10m contour	(b) 31° 22'·90N., 121° 34'·17E.
Delete	depth, 111, close SE of:	(b) above
Insert	depth, 33, enclosed by 5m contour	(c) 31° 22'·68N., 121° 56'·56E.
Delete	depth, 79, close S of:	(c) above
Insert	depth, 5, enclosed by 5m contour	(d) 31° 22'·49N., 121° 57'·44E.
Delete	depth, 86, close SW of:	(d) above
Insert	depth, 29, and extend 5m contour S to enclose	(e) 31° 22'·63N., 122° 01'·25E.
Delete	depth, 77, close W of:	(e) above

Chart 1604 (Panel A, Baoshan to Dongfengxi Sha) [*previous update 5693/25*] CGCS 2000 DATUM

Insert	depth, 15	(a) 31° 28'·20N., 121° 27'·76E.
Delete	depth, 166, close W of:	(a) above


II

1332 CHINA - South Coast - Obstruction. Wrecks.

Source: Hong Kong Chart 2502

Chart 341 [*previous update 1257/26*] WGS84 DATUM


Insert



22° 09'·88N., 114° 08'·10E.

Chart 937 (INT 5508) [*previous update 622/26*] WGS84 DATUM


Insert



22° 14'·53N., 114° 20'·64E.




22° 12'·80N., 114° 21'·38E.



22° 09'·88N., 114° 08'·10E.

Chart 3026 [*previous update 1257/26*] WGS84 DATUM


Insert



22° 14'·53N., 114° 20'·64E.



22° 12'·80N., 114° 21'·38E.



22° 09'·88N., 114° 08'·10E.

II

1345 CHINA - East Coast - Buoyage.

Source: Chinese Notice 45/1392/25

Chart 1720 [*previous update 1239/26*] CGCS 2000 DATUM

Insert	 <i>Mo(O)Y.12s No 4</i>	23° 43'·35N., 117° 38'·63E.
	 <i>Mo(O)Y.12s No 3</i>	23° 42'·57N., 117° 39'·61E.
	 <i>Mo(O)Y.12s No 1</i>	23° 41'·46N., 117° 37'·00E.
	 <i>Mo(O)Y.12s No 2</i>	23° 40'·64N., 117° 37'·81E.

Chart 1760 [*previous update 1239/26*] WGS84 DATUM

Insert	 <i>Mo(O)Y.12s No 3</i>	23° 42'·6N., 117° 39'·6E.
	 <i>Mo(O)Y.12s No 2</i>	23° 40'·6N., 117° 37'·8E.

II

1348 CHINA - East Coast - Virtual aids to navigation.

Source: Chinese Notice 46/1421/25

Chart 1754 [*previous update 1152/26*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, starboard lateral topmark, V-AIS	27° 27′·6N., 120° 53′·1E.
		27° 25′·0N., 120° 50′·9E.
		27° 22′·2N., 120° 48′·7E.
	symbol, Virtual aid to navigation, port lateral topmark, V-AIS	27° 26′·4N., 120° 54′·9E.
		27° 23′·9N., 120° 52′·8E.
27° 21′·2N., 120° 50′·6E.		
Delete	symbol, Virtual aid to navigation, port lateral topmark, V-AIS	27° 18′·5N., 120° 48′·4E.
		27° 17′·1N., 120° 47′·3E.
		27° 14′·7N., 120° 45′·3E.
	symbol, Virtual aid to navigation, starboard lateral topmark, V-AIS	27° 12′·6N., 120° 43′·6E.
		27° 10′·1N., 120° 41′·5E.
		27° 16′·7N., 120° 44′·2E.
		27° 14′·3N., 120° 42′·2E.
	27° 11′·9N., 120° 40′·3E.	

II

1349 VIETNAM - Depths. Light.

Source: Vietnam Maritime Safety Corporation

Chart 3879 [*previous update 724/26*] WGS84 DATUM

Insert	depth, <i>96</i> , and extend 10m contour SW to enclose	(a) 10° 14'·11N., 103° 55'·84E.
Delete	depth, <i>10</i> , close N of:	(a) above
Amend	light to, Fl.G.3s10M & Fl.R.3s10M	10° 13'·18N., 103° 57'·24E.

II

1359 GULF OF THAILAND - NM Block.

Source: Phu Quoc Petroleum Operating Company

Chart 2414 [*previous update 1137/26*] WGS84 DATUM

Insert the accompanying block, centred on:

8° 27'·1N., 102° 49'·4E.

II

1364 CHINA - Bo Hai - Obstruction.

Source: Chinese Notice 50/1553/25

Chart 1249 [*previous update 702/26*] CGCS 2000 DATUM

Insert

 *Obstn Rep(2025) PA*

39° 00′.5N., 121° 02′.2E.

Chart 1255 [*previous update 997/26*] CGCS 2000 DATUM

Insert

 *Obstn Rep(2025) PA*

39° 00′.5N., 121° 02′.2E.

Chart 1256 [*previous update 702/26*] WGS84 DATUM

Insert

 *Obstn (2025)Rep PA*

39° 00′.5N., 121° 02′.2E.

II

1370 CHINA - East Coast - Wreck.

Source: Chinese Notice 45/1384/25

Chart 1281 [*previous update 1300/26*] CGCS 2000 DATUM

Insert



33° 40′·0N., 121° 22′·0E.

II

1329 KOREA - West Coast - Light-beacon.

Source: Korean Notice 45/674/25

Chart 1270 (INT 5363) [*previous update 5394/25*] WGS84 DATUM

Delete



Fl(5)Y.20s13m9M

37° 23′·89N., 126° 17′·39E.

II

1340 KOREA - East Coast - Radio reporting lines. Legends.

Source: ENC KR4G3B30

Note: This update is included in New Editions 1065, 3666 and 127, published early 2026.

Chart 896 (INT 5355) [previous update 1238/26] WGS84 DATUM

Replace	radio reporting line, inbound and outbound, pecked line, with radio reporting line, inbound only, pecked line, joining:	35° 19'·77N., 129° 18'·70E. 35° 15'·40N., 129° 31'·21E. 35° 18'·39N., 129° 33'·87E. and 35° 11'·76N., 129° 13'·79E. 35° 07'·19N., 129° 18'·02E.
---------	--	--

Chart 1259 (Panel B, Busan) [previous update 1237/26] WGS84 DATUM

Insert	radio reporting line, inbound and outbound, pecked line, joining:	(a) 35° 03'·10N., 129° 05'·54E. (b) 35° 02'·27N., 129° 05'·58E. and (c) 35° 02'·21N., 129° 05'·58E. (d) 35° 01'·65N., 129° 05'·58E.
	legend, <i>Busan VTS</i> (see Note), along E side of:	(a)-(b) above (c)-(d) above
Delete	former radio reporting line, inbound and outbound, pecked line, and associated legends, <i>Busan VTS</i> , joining:	35° 03'·09N., 129° 05'·53E. 35° 01'·65N., 129° 05'·64E.

II

1353 KOREA - East Coast - Buoy.

Source: Korean Notice 48/740/25

Chart 882 [*previous update 719/26*] WGS84 DATUM

Delete

 ODAS

37° 47'·90N., 129° 03'·65E.

II

1354 KOREA - West Coast - Light.

Source: Korean Notice 48/747/25

Chart 913 (INT 5254) [*previous update 1215/26*] WGS84 DATUM

Delete



Fl(4)Y.8s20m7M

36° 13'·07N., 126° 13'·36E.

II

1356 KOREA - South Coast - Light-beacon.

Source: Korean Notices 48/744/25 and 49/762/25

Chart 3391 (INT 5360) [*previous update 524/26*] WGS84 DATUM

Insert



Q(3)10s12m7M

34° 30′·66N., 127° 48′·53E.

II

1252 INDONESIA - Papua - Wreck.

Source: Indonesian Notice 6/41/26

Note: Former Notice 1060(P)/26 is cancelled.

Chart 4603 (INT 603) [*previous update New Edition 26/02/2026*] WGS84 DATUM

Insert

 *Rep (2026)*

4° 58'·0S., 136° 37'·2E.

II

1261* BRUNEI - Depths.

Source: Hengyi Industries Sdn. Bhd.

Chart 1844 [*previous update 4462/25*] WGS84 DATUM

Insert	depth, 14, enclosed by 2m contour	5° 02'·50N., 115° 09'·89E.
	depth, 11, enclosed by 2m contour	(a) 5° 02'·31N., 115° 09'·65E.
Delete	depth, 18, and associated 2m contour, close E of:	(a) above
Insert	depth, 21	(b) 5° 02'·09N., 115° 09'·07E.
Delete	depth, 34, close NE of:	(b) above
Insert	depth, 24, and extend 5m contour NE to exclude	(c) 5° 02'·07N., 115° 09'·36E.
Delete	depth, 67, close NE of:	(c) above
Insert	depth, 42, and extend 5m contour E to enclose	5° 01'·88N., 115° 09'·75E.
	depth, 11, enclosed by 2m contour	(d) 5° 01'·86N., 115° 09'·10E.
Delete	depth, 25, close NE of:	(d) above
Insert	depth, 02, and extend 2m contour N to enclose	5° 01'·90N., 115° 08'·82E.

II

1301 INDONESIA - Jawa - Buoyage.

Source: Indonesian Notice 52/451/25

Chart 932 (Panel B, Approaches to Pelabuhan Tanjung Priok) [*previous update 321/26*] WGS84 DATUM

Insert  *Fl.R. 4s* 6° 01'·96S., 106° 56'·29E.

Chart 933 [*previous update 653/26*] WGS84 DATUM

Insert  *Fl.R. 4s* 6° 01'·96S., 106° 56'·29E.

 *Fl. 10s* 5° 56'·87S., 106° 56'·82E.

II

1319 MALAYSIA - Sarawak - Depth. Wreck.

Source: Marine Department, Sarawak Notice 12/26

Chart 162 (Panel B, Bintangor to Sibu) [*previous update 11/97/26*] WGS84 DATUM

Replace

depth, 23, with:  20 Wk

2° 15'·25N., 111° 46'·60E.

II

1324 INDONESIA - Sulawesi - Light.

Source: Indonesian Notice 1/3/26

Chart 2638 (Panel A, Selat Bangka and Selat Lembeh) [*previous update 846/26*] WGS84 DATUM

Delete ★ Fl.3s10m11M 1° 40′·31N., 125° 03′·71E.

Chart 2941 [*previous update 978/26*] WGS84 DATUM

Delete ★ Fl.3s11M 1° 40′·3N., 125° 03′·7E.

Chart 2948 [*previous update 431/26*] WGS84 DATUM

Delete ★ Fl.3s11M 1° 40′·3N., 125° 03′·7E.

Chart 2951 [*previous update 5328/25*] WGS84 DATUM

Delate ★ Fl.3s11M 1° 40′·3N., 125° 03′·7E.

II

1361 INDONESIA - Jawa - Spoil ground. Legend.

Source: ENC ID400529

Chart 3729 [*previous update 653/26*] WGS84 DATUM

Insert limit of spoil ground, pecked line, joining:

(a) $6^{\circ} 04' \cdot 70S.$, $107^{\circ} 56' \cdot 63E.$

(b) $6^{\circ} 05' \cdot 25S.$, $107^{\circ} 58' \cdot 83E.$

(c) $6^{\circ} 06' \cdot 94S.$, $107^{\circ} 58' \cdot 39E.$

(d) $6^{\circ} 06' \cdot 37S.$, $107^{\circ} 56' \cdot 22E.$

legend, *Spoil Ground*, within:

(a)-(d) above

II

1373 INDONESIA - Papua - NM Block.
Source: UKHO

Chart 2473 [*previous update 1081/26*] WGS84 DATUM

Insert the accompanying block, centred on:

8° 17′·9S., 133° 25′·6E.

II

1269 AUSTRALIA - New South Wales - Light.

Source: Australian Notice 4/136/26

Chart Aus 806 [*previous update 2549/25*] WGS84 DATUM

Amend light to, Fl(2)15s 44m 15M

37° 15′·7S., 150° 03′·0E.

II

1270 AUSTRALIA - Western Australia - Submarine pipeline. Legend. Moored storage tanker.

Source: Australian Notice 4/139/26

Chart 4722 (INT 722) [*previous update New Edition 26/02/2026*] WGS84 DATUM

Insert

submarine pipeline, , joining:

(a) 13° 46'·9S., 123° 19'·0E.

(b) 13° 11'·9S., 123° 57'·7E.

12° 57'·9S., 124° 26'·5E.

legend, *Gas (see Note)*, along:

(a)-(b) above

 Prelude

13° 47'·2S., 123° 19'·1E.

II

1272 AUSTRALIA - Queensland - Buoy. Depth.

Source: Australian Notice 4/138/26

Chart Aus 293 [*previous update 856/26*] WGS84 DATUM

Move	 <i>Q</i> , from:	10° 35'·93S., 142° 12'·51E.
	to:	10° 35'·93S., 142° 12'·58E.
Delete	depth, 5g	10° 35'·89S., 142° 12'·56E.

II

1274 AUSTRALIA - Victoria - Buoyage.

Source: Australian Notice 4/144/26

Chart Aus 802 [*previous update 142/26*] WGS84 DATUM

Insert

 *Fl.Y.2.5s*

(a) 39° 32'·62S., 146° 27'·82E.

Delete

 *Fl(5)Y.20s*, close NE of:

(a) above

II

1318 AUSTRALIA - Northern Territory - Depth.

Source: Australian Notice 3/92/26

Chart 4603 (INT 603) [*previous update 1252/26*] WGS84 DATUM

Delete depth, 33

9° 44′ ·0S., 128° 10′ ·7E.

II

1369 PAPUA NEW GUINEA - Depths. Islet.

Source: Australian Chart 4603

Chart 4052 (INT 52) [*previous update 4803/25*] WGS84 DATUM

Insert	depth, 498, and extend 1000m contour E to enclose	(a) 1° 05′·7S., 148° 03′·5E.
Delete	depth 563 close W of:	(a) above

Chart 4506 (INT 506) [*previous update New Edition 17/04/2025*] WGS84 DATUM

Insert	depth, 498, and extend 1000m contour E to enclose	1° 05′·7S., 148° 03′·5E.
--------	---	--------------------------

Chart 4507 (INT 507) [*previous update 1081/26*] WGS84 DATUM

Insert	depth, 498, and extend 1000m contour E to enclose	1° 05′·7S., 148° 03′·5E.
	depth, 98, enclosed by 200m contour	3° 23′·4S., 144° 19′·3E.
	islet, radius 1555m, centred on:	3° 21′·5S., 144° 12′·4E.

II

1335 NEW ZEALAND - South Island - NM Block.

Source: New Zealand Notice 4/29/26

Note: This update is included in New Editions NZ 66 and NZ 661, published early 2026.

Chart NZ 64 [*previous update 1256/25*] WGS84 DATUM

Insert the accompanying block, centred on:

45° 48'·2S., 170° 43'·6E.

II

1240 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Depths.

Source: French Notice 6/220/26

Chart 936 [*previous update 1135/26*] IGN 1972 DATUM

Insert	depth, 215	(a)	23° 17'·5S., 168° 14'·1E.
Delete	depth, 329, close NW of:	(a)	above
Insert	depth, 84, and extend 100m approximate contour SW to enclose	(b)	23° 01'·2S., 168° 18'·9E.
Delete	depth, 112, close SW of:	(b)	above
	depth, 93, close NE of:	(b)	above

Chart 4602 (INT 602) [*previous update 679/26*] WGS84 DATUM

Insert	depth, 676	(a)	21° 44'·0S., 168° 24'·8E.
Delete	depth, 765, close NE of:	(a)	above
Insert	depth, 84	(b)	23° 01'·0S., 168° 19'·1E.
Delete	depth, 93, close E of:	(b)	above

Chart 4636 (INT 636) [*previous update New Edition 18/12/2025*] WGS84 DATUM

Insert	depth, 84, and extend 100m contour SW to enclose	(a)	23° 01'·0S., 168° 19'·1E.
Delete	sounding out of position, 93, close NE of:	(a)	above
Insert	depth, 676	(b)	21° 44'·0S., 168° 24'·8E.
Delete	depth, 765, close W of:	(b)	above

Chart 4637 (INT 637) [*previous update 5355/25*] WGS84 DATUM

Insert	depth, 84, and extend 100m contour SW to enclose	(a)	23° 01'·0S., 168° 19'·1E.
Delete	sounding out of position, 93, close NE of:	(a)	above
Insert	depth, 676	(b)	21° 44'·0S., 168° 24'·8E.
Delete	depth, 765, close W of:	(b)	above

II

1377 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Restricted areas. Legends.

Source: French Notice 4/217/26

Chart 2462 (INT 6899) [*previous update 1170/26*] WGS84 DATUM

Insert	limit of restricted area, TTTTT , joining:	(a)	22° 15'·52S., 166° 28'·59E.
		(b)	22° 16'·20S., 166° 28'·57E.
		(c)	22° 16'·20S., 166° 28'·55E.
	limit of restricted area, diving prohibited, pecked line, joining:	(d)	22° 17'·84S., 166° 27'·54E.
		(e)	22° 17'·84S., 166° 27'·97E.
		(f)	22° 18'·55S., 166° 27'·97E.
		(g)	22° 18'·40S., 166° 27'·73E.
	legend, <i>Regulated Area</i> , within:	(a)-(c)	above
		(d)-(g)	above

II

1330 CANADA - British Columbia - NM Block.

Source: Canadian Notice 12/3497/25

Chart 4970 [*previous update 2429/25*] NAD83 DATUM

Insert the accompanying block, centred on:

49° 17' 20"N., 122° 57' 51"W.

II

1368 CANADA - British Columbia - NM Blocks. Obstruction.

Source: Canadian Notices 11/3908/25 and 11/3977/25

Chart 4931 [*previous update 391/26*] NAD83 DATUM

Insert the accompanying block, centred on:

53° 55′ 09"N., 128° 45′ 17"W.

Chart 4939 [*previous update 1923/25*] NAD83 DATUM

Insert the accompanying block, centred on:

53° 55′·2N., 128° 45′·1W.

Delete



53° 24′·25N., 128° 54′·00W.

II

1243 PERU - Buoyage.

Source: Peruvian Notice 1/6/26

Chart 3087 (Panel A, Bahía Ferrol) [*previous update 5273/25*] WGS84 DATUM

Insert



9° 06′·58S., 78° 38′·14W.



9° 06′·93S., 78° 33′·88W.

II

1275 ANTARCTICA - Legends.

Source: Australian Notice 4/140/26

Chart 3707 (INT 9020) [*previous update 906/10*] WGS84 DATUM

Amend	legend to, Novosilsky Dome, centred on:	65° 48'·9S., 100° 41'·3E.
	legend to, Edisto Glacier, centred on:	66° 09'·1S., 100° 43'·2E.
Delete	legend, Ice Dome, centred on:	65° 51'·6S., 100° 38'·8E.

II

1338 ARGENTINA - Buoyage.

Source: Argentine Notice 2/25/26

Chart 1328 (Panel A, Continuation of Río Paraná) [*previous update 5513/25*] WGS84 DATUM

Insert	 <i>Fl(4)G.16s Km 387·8</i>	(a) 33° 08'·68S., 60° 25'·32W.
Delete	 <i>Fl(4)G.16s Km 387·7</i> , close NE of:	(a) above
Insert	 <i>Fl(4)G.16s Km 390·4</i>	(b) 33° 09'·05S., 60° 27'·10W.
Delete	 <i>Fl(4)G.16s Km 390·5</i> , close NW of:	(b) above

II

1342 ARGENTINA - Buoy.

Source: Argentine Notice 2/24/26

Chart 1335 (Panel A, Continuation of Río Paraná) [*previous update 637/26*] WGS84 DATUM

Amend designation of buoy to, *Km 536-1* 32° 03'·48S., 60° 40'·54W.

II

1360 BRAZIL - East Coast - Submarine cable.

Source: Bazilian Notice 3/I 9/26

Chart 2189 (Panel, Macapá to Porto de Santana) [*previous update New Edition 14/11/2024*] WGS84 DATUM

Insert submarine cable, , joining:

0° 03'·39S., 51° 06'·80W.

0° 03'·65S., 51° 07'·23W.

0° 04'·09S., 51° 07'·03W.

0° 04'·53S., 51° 06'·99W.

0° 05'·00S., 51° 07'·37W.

II

1308 PANAMA - Caribbean Sea Coast - Submarine cable.

Source: Alcatel Submarine Networks

Chart 1400 [*previous update 4737/24*] WGS84 DATUM

Insert submarine cable, , joining:

9° 21'·88N., 79° 57'·84W.
9° 22'·13N., 79° 57'·86W.
9° 22'·36N., 79° 58'·00W.
9° 22'·50N., 79° 58'·29W.
9° 22'·33N., 79° 59'·07W.
9° 22'·12N., 79° 59'·51W.
9° 21'·33N., 80° 00'·69W.
9° 21'·23N., 80° 01'·24W.
9° 21'·27N., 80° 01'·63W.
9° 21'·60N., 80° 01'·97W.
9° 23'·19N., 80° 02'·22W.
9° 27'·31N., 80° 04'·41W.

II

1341 WEST INDIES - Windward Islands - Wreck.

Source: French Notice 6/256/26

Chart 494 (Panel C, Cul-de-Sac du Marin) [*previous update 1059/26*] WGS84 DATUM

Insert



14° 27'·74N., 60° 51'·80W.

II

1362 CANADA - Saint Lawrence River - Note. Buoyage. Legends. NM Block.

Source: Canadian Notices 11/1316 and 1317/25

Chart 4785 (Panel, Continuation A) [*previous update 5514/25*] NAD83 DATUM

Insert	 <i>Q.R AML (priv)</i>	46° 53'·14N., 71° 07'·95W.
	 <i>Q.R (priv)</i>	46° 52'·87N., 71° 08'·03W. 46° 52'·66N., 71° 08'·16W.
	legend, <i>Voir/See note AVERTISSEMENT/WARNING</i> , centred on:	46° 52'·39N., 71° 08'·69W.
	the accompanying note, WARNING, centred on:	46° 52'·51N., 71° 02'·03W.

Chart 4786 [*previous update 5514/25*] NAD83 DATUM

Insert	the accompanying note, WARNING, centred on:	46° 53' 01·2"N., 71° 11' 45·0"W.
	 <i>Q.R (priv)</i>	46° 52' 52·0"N., 71° 08' 01·8"W. 46° 52' 39·8"N., 71° 08' 09·7"W.
	the accompanying block, centred on:	46° 49' 21"N., 71° 12' 20"W.
	legend, <i>Voir/See note AVERTISSEMENT/WARNING</i> , centred on:	46° 52' 43·5"N., 71° 08' 12·8"W.
Amend	legend to, <i>16,7m (2025)</i> , centred on:	46° 47' 00·5"N., 71° 12' 29·3"W.
	legend to, <i>12,5m (2025)</i> , centred on:	46° 46' 59·3"N., 71° 12' 26·5"W.

II

1363 UNITED STATES OF AMERICA - East Coast - NM Blocks.

Source: ENC's US5PVDEC and US5PVDED

Chart 2730 [*previous update 5746/25*] NAD83 DATUM

Insert the accompanying block, centred on:

41° 36'·6N., 71° 24'·2W.

Chart 2731 [*previous update 4752/25*] NAD83 DATUM

Insert the accompanying block, centred on:

41° 36'·8N., 71° 24'·3W.

II

1367 CANADA - Saint Lawrence River - NM Block. Obstruction.

Source: Canadian Notice 11/1202/25

Chart 4780 (Panel, Baie des Ha! Ha!) [*previous update 3995/25*] NAD83 DATUM

Insert the accompanying block, centred on: 48° 20' 09·4"N., 70° 52' 06·1"W.

Chart 4780 (Panel, Continuation A) [*previous update 3995/25*] NAD83 DATUM

Insert  *Obstn* 48° 20' ·08N., 70° 52' ·01W.

II

1285(T)/26 SCOTLAND - West Coast - Submarine cable. Works.

Source: Scottish and Southern Electricity Networks

1. Cable laying works are taking place within an area bounded by the following positions:

57° 17'·07N., 5° 31'·05W.

57° 16'·91N., 5° 30'·88W.

57° 16'·86N., 5° 30'·93W.

57° 16'·78N., 5° 30'·96W.

57° 16'·74N., 5° 31'·16W.

57° 16'·95N., 5° 31'·18W.

2. Mariners are advised to navigate with caution in the area.
3. Charts will be updated when works are complete.
(ETRS89 DATUM)

Charts affected - 2209 - 2541 - 5616_18 - 5616_4

II

1337(P)/26 ENGLAND - East Coast - Wind farm. Buoyage. Submarine cables. Works.

Source: Orsted and Trinity House

1. *Work has commenced on the construction of the Hornsea Three Offshore Wind Farm. The main Wind Farm Array work area is marked by light-buoys in the following positions:

<i>Buoy Type</i>	<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
North Cardinal	<i>N1</i>	<i>VQ</i>	53° 58'·71N., 2° 12'·56E.
Special Mark	<i>SP1</i>	<i>Fl.Y.5s</i>	53° 58'·42N., 2° 17'·24E.
Special Mark	<i>SP2</i>	<i>Fl.Y.5s</i>	53° 58'·14N., 2° 21'·93E.
North Cardinal	<i>N2</i>	<i>Q</i>	53° 57'·85N., 2° 26'·61E.
Special Mark	<i>SP3</i>	<i>Fl.Y.5s</i>	53° 56'·99N., 2° 30'·55E.
North Cardinal	<i>N3</i>	<i>VQ</i>	53° 56'·13N., 2° 34'·50E.
Special Mark	<i>SP4</i>	<i>Fl.Y.5s</i>	53° 55'·26N., 2° 38'·45E.
North Cardinal	<i>N4</i>	<i>Q</i>	53° 54'·40N., 2° 42'·40E.
East Cardinal	<i>E1</i>	<i>Q(3)10s</i>	53° 52'·40N., 2° 44'·38E.
Special Mark	<i>SP5</i>	<i>Fl.Y.5s</i>	53° 50'·00N., 2° 45'·24E.
East Cardinal	<i>E2</i>	<i>VQ(3)5s</i>	53° 47'·61N., 2° 46'·10E.
Special Mark	<i>SP6</i>	<i>Fl.Y.5s</i>	53° 45'·21N., 2° 46'·96E.
East Cardinal	<i>E3</i>	<i>Q(3)10s</i>	53° 43'·23N., 2° 47'·25E.
South Cardinal	<i>S1</i>	<i>Q(6)+LFl.15s</i>	53° 41'·55N., 2° 45'·68E.
Special Mark	<i>SP7</i>	<i>Fl.Y.5s</i>	53° 42'·87N., 2° 41'·29E.
Special Mark	<i>SP8</i>	<i>Fl.Y.5s</i>	53° 44'·20N., 2° 36'·88E.
Special Mark	<i>SP9</i>	<i>Fl.Y.5s</i>	53° 45'·52N., 2° 32'·48E.
Special Mark	<i>SP10</i>	<i>Fl.Y.5s</i>	53° 46'·85N., 2° 28'·07E.
South Cardinal	<i>S2</i>	<i>VQ(6)+LFl.10s</i>	53° 48'·17N., 2° 23'·66E.
West Cardinal	<i>W1</i>	<i>Q(9)15s</i>	53° 50'·41N., 2° 21'·01E.
Special Mark	<i>SP11</i>	<i>Fl.Y.5s</i>	53° 52'·33N., 2° 18'·92E.
Special Mark	<i>SP12</i>	<i>Fl.Y.5s</i>	53° 54'·26N., 2° 16'·83E.
West Cardinal	<i>W2</i>	<i>VQ(9)10s</i>	53° 56'·18N., 2° 14'·73E.

2. All vessels should navigate with caution in the area. A safety zone of 500 metres becomes operational around the turbines under construction.
3. *Cable laying operations will be taking place joining the following positions:

53° 43'·72N., 2° 21'·16E.
53° 43'·97N., 2° 21'·25E.
53° 49'·09N., 2° 20'·92E.
53° 50'·40N., 2° 20'·25E.
53° 51'·09N., 2° 20'·27E.

4. and

52° 57'·05N., 1° 07'·83E.
52° 57'·96N., 1° 07'·31E.
52° 58'·67N., 1° 05'·38E.
53° 00'·11N., 1° 04'·10E.
53° 02'·06N., 1° 04'·46E.
53° 04'·28N., 1° 06'·45E.
53° 04'·18N., 1° 14'·55E.
53° 03'·83N., 1° 15'·96E.
53° 04'·57N., 1° 28'·51E.
53° 06'·95N., 1° 32'·69E.
53° 08'·75N., 1° 34'·04E.
53° 11'·32N., 1° 39'·07E.
53° 12'·21N., 1° 39'·35E.
53° 13'·58N., 1° 43'·24E.
53° 16'·40N., 1° 45'·84E.
53° 22'·00N., 1° 48'·15E.
53° 27'·91N., 1° 48'·87E.
53° 30'·16N., 1° 55'·59E.
53° 30'·86N., 2° 01'·99E.

II

1337(P)/26 ENGLAND - East Coast - Wind farm. Buoyage. Submarine cables. Works. (continued)

53° 32'·72N., 2° 03'·24E.

53° 34'·62N., 2° 02'·65E.

53° 35'·43N., 2° 04'·00E.

53° 36'·97N., 2° 04'·05E.

53° 37'·97N., 2° 07'·39E.

53° 41'·18N., 2° 16'·47E.

53° 43'·72N., 2° 21'·16E.

53° 44'·70N., 2° 23'·22E.

53° 45'·18N., 2° 24'·46E.

53° 46'·37N., 2° 29'·66E.

5. *A yellow wave recorder light-buoy, *Fl(5)Y.20s*, has been established in position 53° 05'·80N., 1° 29'·70E.
6. *These changes will be included in a New Edition of Chart 1187 to be published mid 2026.
7. *These changes will be included in the next New Editions of Charts 105 and 1503.
8. *Charts 108, 1190, 1408, 2182A, 2182B, 5614_7, 5614_8 and 5614_25 will be updated by Notice to Mariners.
9. *Former Notice 725(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 105 - 1187 - 1503 (INT 1509)

II

1263(T)/26 POLAND - Works.

Source: Polish Notice 48/583(T)/25

1. *Survey works are in progress, until further notice, within areas bounded by the following positions:

54° 32'·93N., 18° 56'·99E.
54° 32'·97N., 18° 59'·30E.
54° 31'·89N., 18° 59'·36E.
54° 31'·85N., 18° 57'·04E.

2. and

55° 25'·06N., 17° 32'·07E.
55° 10'·20N., 17° 31'·13E.
55° 10'·39N., 17° 21'·72E.
55° 12'·87N., 17° 21'·86E.
55° 13'·04N., 17° 12'·44E.
55° 22'·95N., 17° 12'·99E.
55° 22'·78N., 17° 22'·45E.
55° 25'·26N., 17° 22'·60E.

3. and

54° 57'·18N., 19° 00'·53E.
54° 57'·22N., 19° 13'·46E.
54° 51'·83N., 19° 13'·70E.
54° 51'·83N., 19° 18'·00E.
54° 41'·05N., 19° 18'·45E.
54° 41'·05N., 19° 05'·60E.
54° 46'·44N., 19° 05'·35E.
54° 46'·38N., 19° 01'·06E.

4. Explosive ordnance disposal may take place at any time within these areas.
5. *Mariners are advised to navigate with caution in the area and maintain a safe distance of at least 800m from works vessels.
6. *Former Notice 3534(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218) - 2288 - 2688 (INT 1288)

II

1321(T)/26 POLAND - Restricted area.

Source: Polish Notices 10/110(T)/25 and 50/613(T)/25

1. *A restricted area, entry prohibited, has been established bounded by the following positions:

54° 34'·98N., 16° 49'·41E.

54° 34'·77N., 16° 48'·12E.

54° 36'·47N., 16° 47'·52E.

54° 36'·80N., 16° 50'·14E.

54° 35'·49N., 16° 50'·62E.

54° 35'·37N., 16° 49'·93E.

54° 35'·09N., 16° 49'·94E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 2044(T)/25 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Chart affected - 2014 (INT 1219)

II

1336(T)/26 BALTIC SEA - Buoyage. Light-beacon. Automatic Identification System.

Source: Polish Notices 6/88(T)/24 and 50/611(T)/25

1. Survey gauges, marked by light-buoys and a light-beacon, have been established in the following positions:

<i>Characteristic</i>	<i>Designation</i>	<i>Type</i>	<i>Position</i>
Fl.Y.10s	LK-M1	Yellow beacon with X-shape topmark	54° 48'·41N., 17° 47'·45E.
*Fl(5)Y.20s	MHM LK1	Yellow conical buoy with X-shape topmark	54° 48'·98N., 17° 46'·86E.
*Fl(5)Y.20s	MHM LK2	Yellow can buoy with X-shape topmark	54° 49'·85N., 17° 46'·89E.

2. *Automatic Identification System, *AIS*, has been established on yellow can buoy, *Fl(5)Y.20s MHM LK2*.

3. *Former Notice 2189(T)/24 is cancelled.

*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 2018 (INT 1202) - 2040 (INT 1218)

II

1279(T)/26 NETHERLANDS - Restricted area.

Source: Netherlands Notice 9/34(T)/26

1. Free span has been detected in the area bounded by the following positions:

52° 53'·63N., 4° 37'·48E.

52° 53'·50N., 4° 38'·69E.

52° 53'·14N., 4° 38'·58E.

52° 53'·33N., 4° 37'·30E.

2. Fishing and anchoring are prohibited within the area.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1546 (INT 1470) - 1631 (INT 1418)

II

1294(T)/26 PORTUGAL - West Coast - Buoyage.

Source: Portuguese Notices 11/302(T)-306(T)/25

1. The following lateral buoys have been temporarily removed:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
<i>Fl(2)G.6s3M</i>	<i>No 9CN</i>	38° 29'·700N., 8° 50'·400W.
<i>Fl.R.3s3M</i>	<i>No 12CN</i>	38° 29'·449N., 8° 49'·696W.
<i>Fl.G.3s3M</i>	<i>No 13CN</i>	38° 29'·410N., 8° 49'·730W.
<i>Fl(2)R.6s3M</i>	<i>No 14CN</i>	38° 29'·280N., 8° 49'·350W.
<i>Fl(2)G.6s3M</i>	<i>No 15CN</i>	38° 29'·250N., 8° 49'·400W.

2. Mariners are advised to navigate with caution in the area.
3. Former Notices 1736(T)/24, 1718(T)/25 and 3758(T)/25 are cancelled.
(WGS84 DATUM)

Charts affected - 3259 (INT 1880) - 3260 (INT 1881)

II

1296(T)/26 PORTUGAL - West Coast - Buoyage. Platform.

Source: Portuguese Notice 11/301(T)/25

1. A floating platform has been installed marked by special light-buoys in the following positions:

<i>Designation</i>	<i>Characteristics</i>	<i>Position</i>
<i>Floating platform</i>	<i>LF1. Y.6s</i>	38° 28'·680N., 8° 52'·322W.
<i>N Buoy</i>	Unlit	38° 28'·921N., 8° 52'·498W.
<i>*S Buoy</i>	Unlit	38° 28'·711N., 8° 52'·285W.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 375(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3259 (INT 1880)

II

1309(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 12/319(T)/25

1. The light-buoy, *Fl.G.2s6M No1*, in position $38^{\circ} 39' \cdot 55\text{N.}$, $9^{\circ} 18' \cdot 79\text{W.}$, has been removed.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3220 (INT 1875)

II

1292(T)/26 ITALY - Sicilia - Restricted areas. Works.

Source: Italian Notices 19.39(T)/25 and 24.32(T)/25

1. *Breakwater renovation works are taking place in the Port of Acquasanta in the vicinity of position 38° 08'·948N., 13° 22'·572E.
2. Material for these works is being taken from the breakwater in the vicinity of position 38° 07'·448N., 13° 22'·344E.
3. For the duration of the works, navigation is prohibited in the vicinity of these breakwaters.
4. *Restricted areas, stopping, mooring, anchoring and underwater activities prohibited, have been established bounded by the following positions:

38° 08'·936N., 13° 22'·541E.
38° 08'·947N., 13° 22'·512E.
38° 08'·898N., 13° 22'·463E.
38° 08'·870N., 13° 22'·465E.
38° 08'·839N., 13° 22'·504E.
38° 08'·883N., 13° 22'·587E.
38° 08'·959N., 13° 22'·627E.
38° 08'·979N., 13° 22'·605E.
5. and

38° 07'·536N., 13° 22'·300E.
38° 07'·550N., 13° 22'·239E.
38° 07'·588N., 13° 22'·232E.
38° 07'·643N., 13° 22'·299E.
38° 07'·605N., 13° 22'·376E.
38° 07'·566N., 13° 22'·421E.
38° 07'·558N., 13° 22'·357E.
38° 07'·376N., 13° 22'·413E.
38° 07'·369N., 13° 22'·363E.
6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information on VHF 16 for the Port of Palermo and VHF 74 for the Port of Acquasanta.
7. *Former Notice 4713(T)/25 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Chart affected - 963

II

1310(T)/26 CROATIA - Buoy.

Source: Croatian Notice 12/2(T)/25

1. A yellow special buoy, *Fl.Y.3s*, has been deployed, until further notice, in position 45° 04'·80N., 13° 37'·88E.
(WGS84 DATUM)

Chart affected - 1426

II

1314(T)/26 KUWAIT - Wreck.

Source: MENAS NAVTEX 37/26

1. A dangerous wreck has been reported in position 29° 14'·06N., 48° 41'·22E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 2847 (INT 7018) - 2882 (INT 7264) - 2884 (INT 7278) - 3773

II

1246(T)/26 PAKISTAN - Buoy.

Source: NAVAREA IX Warning 1/26

1. The wreck marking buoy, *Fl.7.5s*, in position $24^{\circ} 46' \cdot 46\text{N.}$, $66^{\circ} 57' \cdot 08\text{E.}$ is reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 40 (INT 7315) - 58 (INT 7314)

II

1249(P)/26 BANGLADESH - Depths, Drying height, Anchorage areas.

Source: Bangladeshi Charts 3001 and 7510 and ENC BD407428

- Depths and drying heights less than charted exist in the approaches to Chattogram. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
6·4m	22° 13'·09N., 91° 41'·12E.
8·1m	22° 12'·41N., 91° 46'·67E.
5·2m	22° 12'·02N., 91° 47'·69E.
7·8m	22° 10'·22N., 91° 43'·53E.
8m	22° 10'·44N., 91° 46'·60E.
7·4m	22° 08'·36N., 91° 44'·58E.
7·5m	22° 08'·25N., 91° 46'·14E.
6·8m	21° 44'·70N., 91° 45'·35E.
4·7m	21° 47'·77N., 91° 53'·34E.
6·5m	21° 57'·53N., 91° 49'·83E.
7·8m	21° 59'·61N., 91° 38'·78E.
6·8m	22° 02'·62N., 91° 37'·82E.
0·7m	22° 07'·78N., 91° 28'·40E.
2·8m	22° 09'·73N., 91° 28'·68E.
5·7m	22° 07'·45N., 91° 38'·54E.
4·5m	22° 11'·52N., 91° 35'·87E.
4·8m	22° 15'·82N., 91° 37'·80E.
4·6m	22° 19'·73N., 91° 36'·57E.
0·7m	22° 19'·59N., 91° 31'·79E.
Drying 1·7m	22° 21'·10N., 91° 31'·71E.

- *Depths of up to 2m less than charted exist in Chattogram anchorage areas A (22° 15'·98N., 91° 43'·77E.) , B (22° 13'·16N., 91° 43'·24E.) and C (22° 09'·26N., 91° 46'·90E.)
- Mariners are advised to navigate with caution in the area.
- *These changes will be included in a New Edition of Chart 1016 to be published mid 2026.
- *Former Notice 4830(P)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 1016 (INT 7428)

II

1250(P)/26 BANGLADESH - Depths, Drying heights.

Source: Bangladeshi Chart 3004

- Depths less than charted exist west of the Pavanga Shoal. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
0·5m	21° 54'·44N., 89° 29'·77E.
0·7m	21° 53'·43N., 89° 29'·46E.
1·3m	21° 54'·17N., 89° 29'·39E.
2·8m	21° 53'·83N., 89° 29'·33E.
1·4m	21° 53'·59N., 89° 29'·23E.

<i>Drying Height</i>	<i>Position</i>
0·2m	21° 53'·33N., 89° 30'·63E.
0·9m	21° 53'·46N., 89° 30'·42E.
0·5m	21° 53'·31N., 89° 30'·23E.
0·6m	21° 54'·59N., 89° 29'·58E.

- Depths less than charted exist within the Pussur and Sibsa Rivers. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
11·6m	21° 54'·94N., 89° 31'·09E.
0·7m	21° 58'·05N., 89° 32'·81E.
8·2m	21° 58'·25N., 89° 30'·90E.
10·1m	21° 58'·91N., 89° 31'·66E.
3·9m	21° 59'·36N., 89° 33'·00E.
3·9m	22° 00'·18N., 89° 33'·25E.
11·4m	22° 02'·44N., 89° 30'·55E.
13·1m	22° 03'·13N., 89° 31'·29E.
19·1m	22° 06'·70N., 89° 30'·74E.
11·9m	22° 11'·40N., 89° 28'·25E.
11·5m	22° 11'·89N., 89° 28'·17E.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- These changes will be included in a New Edition of Charts 899 and 907 to be published early 2026.
(WGS84 DATUM)

Charts affected - 899 (INT 7426) - 907 (INT 7452)

II

1271(P)/26 INDIA - East Coast - Works.

Source: Indian Notice 23/166(P)/25

1. Harbour development works are taking place, within an area bounded by the following positions:

13° 16'·66N., 80° 20'·27E.

13° 16'·66N., 80° 20'·37E.

13° 16'·43N., 80° 20'·37E.

13° 16'·43N., 80° 20'·27E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - IN 3028 (INT 7404)

II

1312(T)/26 MALACCA STRAIT - Buoy.

Source: Marine Department, Malaysia Notice 6(T)/26

1. The South Fairway buoy, *LFl.10s*, in position $2^{\circ} 48' \cdot 99\text{N.}$, $101^{\circ} 14' \cdot 71\text{E.}$, is reported to be unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2139 - 2158 - 3946

II

1253(P)/26 CHINA - South Coast - Wreck.

Source: Hong Kong Notice 4/14/26

1. A dangerous wreck, 4·7m depth, exists in position 22° 18′·816N., 114° 12′·020E.
2. These changes will be included in the next New Edition of Chart 4118.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4118

II

1260(P)/26 CHINA - South Coast - Depths.

Source: UKHO

1. The depths within Daya Wan have changed. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
17·2m	22° 33'·77N., 114° 42'·01E.
19·2m	22° 39'·31N., 114° 39'·21E.
14·4m	22° 35'·79N., 114° 41'·84E.
13·5m	22° 37'·25N., 114° 41'·39E.
14·2m	22° 38'·71N., 114° 40'·98E.
13·9m	22° 40'·71N., 114° 40'·40E.
16·2m	22° 33'·78N., 114° 43'·83E.
15·8m	22° 34'·69N., 114° 43'·86E.
16·1m	22° 35'·72N., 114° 43'·85E.
13·6m	22° 36'·25N., 114° 44'·23E.
14·5m	22° 36'·90N., 114° 44'·33E.

2. The depth of 17·7m in position 22° 40'·66N., 114° 39'·11E. no longer exists.
3. The depth of 9·9m in position 22° 39'·70N., 114° 39'·88E.no longer exists.
4. These changes will be included in a New Edition of Chart 340 to published mid 2026.
5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Chart affected - 340

II

1302(P)/26 GULF OF THAILAND - Platforms. Manifolds. Submarine pipelines. Moored storage tanker. Restricted area.

Source: Phu Quoc Petroleum Operating Company

1. The Vietnam Block B Gas Project, containing platforms, manifolds, a moored storage tanker and submarine pipelines, has been established.

2. A restricted area has been established bounded by the following positions:

8° 36'·0N., 102° 45'·0E.

8° 27'·0N., 102° 45'·0E.

8° 27'·0N., 102° 36'·0E.

8° 23'·0N., 102° 36'·0E.

8° 18'·0N., 102° 49'·0E.

8° 32'·0N., 102° 52'·0E.

8° 36'·0N., 102° 49'·0E.

3. Platforms and manifolds exist in the following positions:

<i>Designation</i>	<i>Position</i>
--------------------	-----------------

WHP01	8° 21'·4N., 102° 46'·7E.
-------	--------------------------

WHP03	8° 24'·9N., 102° 38'·5E.
-------	--------------------------

WHP04	8° 30'·1N., 102° 48'·4E.
-------	--------------------------

<i>Manifold</i>	8° 24'·6N., 102° 42'·6E.
-----------------	--------------------------

<i>Manifold</i>	8° 33'·6N., 102° 47'·1E.
-----------------	--------------------------

4. A floating storage vessel is anchored 190m from the manifold in position 8° 24'·6N., 102° 42'·6E.

5. Submarine Pipelines have been established joining the following positions:

8° 24'·9N., 102° 38'·5E.

8° 22'·2N., 102° 45'·9E.

8° 21'·4N., 102° 46'·7E.

6. and

8° 21'·4N., 102° 46'·7E.

8° 22'·9N., 102° 45'·6E.

8° 24'·6N., 102° 42'·6E.

7. and

8° 21'·4N., 102° 46'·7E.

8° 30'·1N., 102° 48'·4E.

8. and

8° 30'·1N., 102° 48'·4E.

8° 32'·4N., 102° 48'·5E.

8° 33'·6N., 102° 47'·1E.

9. These changes will be included in a New Edition of Charts 2426 and 3985 to be published early 2026.

10. Chart 2414 will be updated by Notice to Mariners.

11. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2426 - 3985

II

1313(T)/26 MALAYSIA - Peninsular Malaysia, East Coast - Buoy.

Source: Marine Department, Malaysia Notice 02(T)/26

1. The port hand lateral light-buoy, *Q.R No 2*, in position $4^{\circ} 35' \cdot 88\text{N.}$, $103^{\circ} 27' \cdot 68\text{E.}$ is reported unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1374

II

1254(T)/26 AUSTRALIA - Queensland - Buoyage.

Source: Australian Notice 4/148(T)/26

1. Special light-buoys, *Fl.Y.2.5s*, exist in the following positions:

* 19° 06'·45S., 146° 33'·86E.

19° 07'·34S., 146° 52'·92E.

* 19° 09'·36S., 146° 52'·07E.

* 19° 11'·81S., 146° 49'·07E.

19° 14'·80S., 146° 48'·90E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 823(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - Aus 827

II

1280(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 4/160(T)/26

1. Vessel *Normand Scorpion* is conducting subsea operations in an area bounded by the following positions:

19° 57'·8S., 113° 16'·8E.

19° 57'·8S., 113° 04'·1E.

19° 44'·3S., 113° 04'·1E.

19° 44'·3S., 113° 16'·8E.

2. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

1282(P)/26 AUSTRALIA - New South Wales - Depths. Reefs.

Source: Australian Notice 4/146(P)/26

1. Artificial reefs are being installed as follows:

<i>Position</i>	<i>Minimum Depth</i>
28° 55'·45S., 153° 35'·13E.	20m
30° 23'·50S., 153° 06'·95E.	14m

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - Aus 812 - Aus 813

II

1283(T)/26 AUSTRALIA - Victoria - Buoy.

Source: Australian Notice 4/175(T)/26

1. The east cardinal light buoy, *Q(3)10s* 38° 13'·91S., 144° 50'·61E., is off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 143

II

1286(T)/26 AUSTRALIA - Western Australia - Platform.

Source: Australian Notice 4/156(T)/26

1. The Reindeer platform, Mo(U)15s (20° 01'·5S., 116° 18'·6E.), is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4723 (INT 723) - Aus 327

II

1287(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 4/159(T)/26

1. Vessel *Reach Remote 2* is conducting subsea operations in an area bounded by the following positions:

20° 00'·0S., 113° 03'·0E.

19° 39'·7S., 113° 03'·0E.

19° 39'·7S., 113° 24'·0E.

20° 00'·0S., 113° 24'·0E.

2. Mariners are advised to navigate with caution in the area. 1M clearance requested.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

1289(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 4/163(T)/26

1. On or about 1 March 2026, vessel *Saipem Constellation* and support vessels *Go Australis* and *Bigroll Bering* will begin subsea operations in positions 19° 52'·7S., 114° 36'·5E. and 19° 48'·6S., 114° 36'·7E.
2. Mariners are advised to navigate with caution in the area. 500m clearance requested.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

1295(T)/26 AUSTRALIA - Victoria - Works.

Source: Australian Notice 4/171(T)/26

1. On or about 23 February 2026, vessel *Fugro Etive* will begin subsea operations in the vicinity of position 38° 12'·4S., 147° 37'·2E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 357

II

1297(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 4/157(T)/26

1. On or about 2 March 2026, drill rig *Transocean Endurance* and support vessels will begin well plug and abandonment works in the vicinity of the following positions:

19° 29'·0S., 116° 36'·6E.

19° 30'·6S., 116° 36'·3E.

19° 31'·3S., 116° 35'·2E.

19° 31'·2S., 116° 06'·7E.

19° 31'·5S., 116° 05'·9E.

2. Well intervention works will be conducted in the vicinity of position 19° 45'·7S., 115° 53'·4E.
3. Mariners are advised to navigate with caution in the area. 500m clearance is requested.
(WGS84 DATUM)

Chart affected - Aus 327

II

1303(T)/26 AUSTRALIA - New South Wales - Buoy.

Source: Australian Notice 4/147(T)/26

1. The special light buoy, *Fl.Y.5s FAD (Sep-Jun)* (31° 24'·55S., 153° 04'·73E.), is off station and is currently in position 31° 26'·44S., 153° 04'·34E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 811

II

1307(T)/26 AUSTRALIA - Victoria - Wreck.

Source: Australian Notice 4/176(T)/26

1. A wreck, least depth *16·1m*, exists in position 38° 04′·86S., 145° 00′·45E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 143

II

1284(P)/26 NEW ZEALAND - South Island - Depths. Light-beacons.

Source: New Zealand Chart 6612

1. Depths less than charted exist within the entrance to Otago Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
16·5m	45° 44'·51S., 170° 41'·73E.
11·5m	45° 44'·68S., 170° 41'·88E.
7·1m	45° 45'·89S., 170° 43'·80E.
7·7m	45° 46'·14S., 170° 43'·64E.
2·8m	45° 46'·31S., 170° 43'·89E.

2. The No 1 light-beacon, in position 45° 46'·50S., 170° 43'·21E., has been amended to Fl(2)G.4s.
3. The No 1A light-beacon, in position 45° 46'·81S., 170° 43'·14E., has been amended to Fl(2)G.4s.
4. The light-beacon, in position 45° 47'·15S., 170° 43'·12E., has been amended to Fl(2)G.4s.
5. Mariners are advised to navigate with caution in the area.
6. These changes will be included in a New Edition of Chart NZ6612 to be published early 2026.
(WGS84 DATUM)

Chart affected - NZ 6612

II

1323(T)/26 SOUTH PACIFIC OCEAN - Fiji Islands - Lights.

Source: Maritime Safety Authority of Fiji

1. The following lights are reported to be temporarily unlit:

<i>Characteristic</i>	<i>Position</i>
LFl(2)30s14m12M	18° 08'·02S., 178° 41'·22E.
Fl.5s70m15M	16° 13'·41S., 179° 05'·77E.
LFl.8s10m10M	16° 57'·86S., 179° 51'·84E.
Fl(3)12s12m15M	18° 24'·25S., 178° 09'·95E.
* Fl.2s6m9M	17° 38'·70S., 179° 15'·55E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 876(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 384 - 440 (INT 6854) - 441 - 488 - 744 - 745 - 746 - 749 - 751 - 1673 - 1674 - 1682 - 2691 (INT 6856) - 4632 (INT 632) - 4638 (INT 638)

II

1277(P)/26 UNITED STATES OF AMERICA - East Coast - Works. Depths. Quay.

Source: ENC US5MIACC

1. Port development works have taken place on Lummus Island.
2. The wharf south of cut 4 has been extended, joining the following positions:

25° 46' · 142N., 80° 08' · 952W.
25° 46' · 121N., 80° 08' · 963W.
25° 46' · 291N., 80° 09' · 373W.
3. Depths have changed in the vicinity of Lummus Island. The most significant are as follows:

<i>Position:</i>	<i>Depth:</i>
25° 46' · 302N., 80° 09' · 368W.	29ft
25° 46' · 280N., 80° 09' · 311W.	33ft
25° 46' · 262N., 80° 09' · 268W.	32ft
25° 46' · 245N., 80° 09' · 223W.	34ft
25° 46' · 221N., 80° 09' · 187W.	34ft
25° 46' · 199N., 80° 09' · 116W.	36ft
25° 46' · 179N., 80° 09' · 053W.	33ft
25° 46' · 148N., 80° 08' · 989W.	37ft

4. These changes will be included in a New Edition of Chart 3698 to be published *mid* 2026.
5. Mariners are advised to navigate with caution in the area.
(NAD83 DATUM)

Chart affected - 3698

II

1311(T)/26 CANADA - Saint Lawrence River - Pier.

Source: Canadian Notice 1/108(T)/26

1. Pier 25,(46° 49'·45N., 71° 11'·72W.), is closed due to damage.
2. A minimum wake is requested.
3. Mariners are also requested to keep a minimum safe clearance distance of 50 metres.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(NAD83 DATUM)

Chart affected - 4786