



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 13

26 March 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
66	AUS 195	INT 304	NP 286(8)
166	NZ 66	INT 1139	
236	NZ 661	INT 1564	
323	NZ 6612	INT 1580	
359		INT 1607	
451		INT 5251	
1065		INT 9132	
1081		INT 11391	
1312		INT 11881	
1491			
1594			
1826			
2056			
2185			
2470			
2612			
2862			
3666			
3779			
3839			
3963			
3901			
5612_1			
5613_2			
5613_4			
5613_5			
5613_6			
5615_3			
5617_1			
5617_2			
5621_1			

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2026.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 26 March 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙66	Gulf of Thailand - Malaysia and Thailand, Tumpat to Laem Chong Phra. On publication of this New Edition former Notice 422(P)/26 is cancelled. This chart remains affected by Notice 4407(P)/24.	1:500,000	47	68
⊙323 INT 1564	International Chart Series, Dover Strait Eastern Part. This chart remains affected by Notice 1229(T)/25.	1:75,000	1	24
⊙1065	Korea - South Coast, Approaches to Masan, Busan, Busan New Port and Okpo Hang. Okpo Hang.	1:75,000 1:25,000	52	86
⊙1081	United States - West Coast, California, Los Angeles and Long Beach Harbors. On publication of this New Edition former Notice 508(P)/26 is cancelled.	1:12,000	89	112
⊙1312	South China Sea, Singapore Strait to Selat Karimata. This chart remains affected by Notices 1401(P)/18, 4687(P)/21, 3939(P)/25 and 5685(P)/25.	1:800,000	46	66, 68, 72
⊙1826 INT 1607	International Chart Series - United Kingdom, Irish Sea, Eastern Part. This chart remains affected by Notices 2671(T)/24 and 1122(P)/26. This chart is to be deleted from the list of charts affected by Notice 4161(P)/24.	1:200,000	3	26
⊙2056	Indonesia, Sumatera and Jawa, Selat Sunda and Approaches including Selat Panaitan. Ⓐ Selat Panaitan.	1:250,000 1:250,000	46	66, 72
⊙2185 INT 11881	International Chart Series, Finland - South West Coast, Saaristomeri, Lövskär, Askgrund and Parainen. Ⓐ Lövskär. Ⓑ Pärnäinen Pärnäs. Ⓒ Askgrund. Ⓓ Parainen Pargas. Ⓔ Brunäshålet. Ⓕ Tervsund.	 1:25,000 1:5,000 1:25,000 1:25,000 1:10,000 1:10,000	11	36

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 26 March 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙2470	Indonesia and Malaysia, Singapore Strait to Selat Sunda including Java Sea. This chart remains affected by Notices 1489(T)/19, 4962(T)/22, 3939(P)/25 and 5685(P)/25. This chart is to be deleted from the list of charts affected by Notice 676(P)/26.	1:1,500,000	46	66, 68, 70, 72, 88
⊙2612 INT 11391	International Chart Series, Finland - Gulf of Bothnia, Port of Vaasa and Approach Channels. Ⓐ Veckargrund. Ⓑ Nygrund. Ⓒ Vaasa. Ⓓ Raippaluoto.	 1:20,000 1:20,000 1:20,000 1:20,000	11	36
	On publication of this New Edition former Notice 5342(P)/25 is cancelled.			
⊙2862	Indonesia, Outer Approaches to Selat Sunda. This chart remains affected by Notices 1489(T)/19, 4962(T)/22 and 3939(P)/25. This chart is to be deleted from the list of charts affected by Notice 676(P)/26.	1:500,000	46	66, 72
⊙3666 INT 5251	International Chart Series - Korea - East Coast, Busan Hang to Jukbyeon Hang. This chart remains affected by Notices 593(T)/23 and 4854(T)/24. This chart is to be deleted from the list of charts affected by Notice 464(P)/26.	1:250,000	52	84, 86
⊙3839 INT 1139	International Chart Series, Finland - Gulf of Bothnia, Approaches to Vaasa. On publication of this New Edition former Notice 5342(P)/25 is cancelled.	1:50,000	11	36
⊙3901	Indonesia and Malaysia, Malacca Strait, Tanjung Jamboaye to Permatang Sedepa (One Fathom Bank) This chart is to be deleted from the list of charts affected by Notices 1494(T)/22, 3053(T)/24, 3799(T)/24, 1407(T)/25 and 854(P)/26.	1:500,000	45	66
⊙3963	Gulf of Thailand, Thailand, Laem Kho Kwang to Laem Riu including Offshore Gasfields. On publication of this New Edition former Notice 422(P)/26 is cancelled. This chart remains affected by Notice 4407(P)/24.	1:240,000	47	68

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 26 March 2026 (continued)

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5612_1	Southern Approaches to North Channel. This chart remains affected by Notice 1122(P)/26. This chart is to be deleted from the list of charts affected by Notice 5418(P)/25.	1:200,000	27
5613_2	Saint Bees Head to Mull of Galloway. This chart remains affected by Notice 1122(P)/26.	1:200,000	29
5615_3	Saint Abb's Head to Buddon Ness. This chart is to be deleted from the list of charts affected by Notice 4710(P)/25.	1:200,000	33
5617_1	Isle of May to River Tay Entrance. This chart remains affected by Notice 4710(P)/25.	1:75,000	37
5617_2	River Tay Entrance to Montrose. This chart is to be deleted from the list of charts affected by Notice 4710(P)/25.	1:75,000	37
5621_1	Dublin to Anglesey.	1:200,000	41

Publication dates of these charts reflect the dates shown on the Australian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙AUS195	06/02/2026	Australia - East Coast, New South Wales, Approaches to Port Kembla. On publication of this New Edition former Notice 1073(P)/26 is cancelled.	1:25,000	65	92

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP286(8)	ADMIRALTY List of Radio Signals Pilot Services, Vessel Traffic Services and Port Operations Africa (excluding Mediterranean Coast), Red Sea and the Persian Gulf NP286(8) Volume 6(8) 7 th Edition (2026) ISBN No: 978-0-70-774-8375	26/03/2026	Updated to NM Week 06/26 (05/02/26) First updates from NM Week 13/26 (26/03/26) The 6 th Edition (2025) of NP286(8) is cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 09 APRIL 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
166 INT 304	International Chart Series, Mediterranean Sea, Alger to Genova and Tunis.	1:1,000,000	⊙166 INT 304	25	20, 42, 44
236	Mediterranean Sea - Greece and Türkiye, Nísos Ródos to Taşlık Burnu. Türkiye, Finike.	1:300,000 1:12,500	⊙236	30	46, 48, 50
359	Mexico - East Coast, Dos Bocas Terminal. Port of Dos Bocas.	1:30,000 1:15,000	⊙359	83	122
451 INT 9132	International Chart Series, Antarctica - Graham Land, Grandidier Channel.	1:75,000	⊙451 INT 9132	97	136
1491 INT 1580	International Chart Series - England- East Coast, Harwich and Felixstowe.	1:10,000	⊙1491 INT 1580	7	24
1594	England - East Coast, River Stour, Erwarton Ness to Manningtree. Continuation to Manningtree.	1:10,000 1:10,000	⊙1594	7	24
3779	United Arab Emirates, Approaches to Ar Ruways and Jabal Az Zannah.	1:25,000	⊙3779	40	62

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5613_4	Ⓐ Approaches to Liverpool. Ⓑ Crosby Channel to River Mersey.	1:25,000 1:25,000	5613_4	29
5613_5	Gladstone Dock to Brunswick Dock.	1:15,000	5613_5	29
5613_6	Brunswick Dock to Queen Elizabeth II Dock.	1:15,000	5613_6	29

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

CHARTS TO BE AVAILABLE 09 APRIL 2026

New Editions

Reproductions of New Zealand Government Chart

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
NZ66	New Zealand, South Island - East Coast, Kātiki Point to Nugget Point.	1:200,000	⊙NZ66	72	94
NZ661	New Zealand, South Island - East Coast, Approaches to Otago Harbour.	1:100,000	⊙NZ661	72	94
NZ6612	New Zealand, South Island - East Coast, Otago Harbour.	1:100,000	⊙NZ6612	72	94
	Otago Harbour, Continuation to Upper Harbour.	1:100,000			
	Port Chalmers.	1:5,500			
	Dunedin Wharves.	1:8,000			

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
66	Gulf of Thailand - Malaysia and Thailand, Tumpat to Laem Chong Phra.	⊙66
323 INT 1564	International Chart Series, Dover Strait Eastern Part.	⊙323 INT 1564
1065	Korea - South Coast, Approaches to Masan, Busan, Busan New Port and Okpo Hang.	⊙1065
1081	United States - West Coast, California, Los Angeles and Long Beach Harbors.	⊙1081
1312	South China Sea, Singapore Strait to Selat Karimata.	⊙1312
1826 INT 1607	Irish Sea Eastern Part.	⊙1826 INT 1607
2056	Indonesia, Sumatera and Jawa, Selat Sunda and Approaches including Selat Panaitan.	⊙2056
2185 INT 11881	International Chart Series, Finland - South West Coast, Saaristomeri, Lövskär, Askgrund and Parainen.	⊙2185 INT 11881
2470	Indonesia and Malaysia, Singapore Strait to Selat Sunda including Java Sea.	⊙2470
2612 INT 11391	International Chart Series, Finland - Gulf of Bothnia, Port of Vaasa and Approach Channels.	⊙2612 INT 11391
2862	Indonesia, Outer Approaches to Selat Sunda.	⊙2862

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
3666 INT 5251	International Chart Series - Korea - East Coast, Busan Hang to Jukbyeon Hang.	⊙3666 INT 5251
3839 INT 1139	Gulf of Bothnia, Approaches to Vaasa.	⊙3839 INT 1139
3901	Indonesia and Malaysia, Malacca Strait, Tanjung Jamboaye to Permatang Sedepa (One Fathom Bank)	⊙3901
3963	Gulf of Thailand, Thailand, Laem Kho Kwang to Laem Riu including Offshore Gasfields.	⊙3963
5612_1	Southern Approaches to North Channel.	5612_1
5613_2	Saint Bees Head to Mull of Galloway.	5613_2
5615_3	Saint Abb's Head to Buddon Ness.	5615_3
5617_1	Isle of May to River Tay Entrance.	5617_1
5617_2	River Tay Entrance to Montrose.	5617_2
5621_1	Anglesey to Dublin.	5621_1
AUS195	Australia - East Coast, New South Wales, Approaches to Port Kembla.	⊙AUS195

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2	1465	1633	1431
36	1477T	1701	1421
103	1451	1704	1421
108	1464	1720	1438
120	1381	1749	1429
127	1444	1761	1384
183	1426	1774	1453P
194	1477T	1776	1475
200	1448	1962	1408, 1452
207	1456	1968	1402
242	1398	2001	1429
245	1465	2014	1459T, 1460T
294	1423	2018	1459T, 1460T
331	1389	2055	1393T
333	1480T	2079	1404
347	1434	2120	1396
369	1418	2166	1396
467	1479	2170	1394
497	1410	2182A	1464
551	1458P	2182B	1464
590	1411	2182C	1423
680	1482	2182D	1465
809	1380	2206	1473
810	1391T	2262	1483
846	1393T	2273	1447
847	1407	2274	1447
857	1392T	2275	1447
858	1392T	2282	1487
882	1414	2284	1387, 1487
903	1428	2347	1450
912	1379	2374	1480T
916	1420	2376	1442T
922	1406	2400	1488
968	1446	2401	1488
1005	1457	2403	1422
1015	1457	2412	1450
1061	1439	2429	1415, 1485
1063	1449	2452	1401, 1474
1129	1465	2476	1470
1190	1464	2502	1412
1195	1457	2538	1477T
1199	1382	2568	1424
1204	1395	2595	1428
1250	1417P, 1481	2626	1435
1255	1481	2637	1405
1258	1455T	2653	1386T
1261	1385	2662	1386T
1275	1399	2681	1426
1281	1433	2688	1405
1292	1471	2712	1448
1307	1435	2774	1448
1321	1419	2816	1460T
1369	1452	2837	1403
1386	1419	2851	1403
1408	1464, 1486	2858	1403
1415	1436T	2897	1397
1422	1467P	2901	1397
1424	1395	3026	1452
1427	1423	3064	1429
1468	1436T	3224	1468P
1501	1380	3233	1402
1555	1489	3236	1402, 1443P
1568	1489	3258	1466T
1574	1482	3303	1476T
1578	1482	3317	1413
1580	1482	3324	1429
1603	1378	3390	1437
1629	1441	3482	1385
1631	1432	3488	1385

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	International Chart No.	Notices
3489	1402, 1443P	INT 101	1465
3523	1403	INT 160	1465
3658	1384, 1490	INT 300	1426
3803	1390	INT 301	1395
3817	1454T	INT 302	1426
3831	1422	INT 509	1402
3854	1388	INT 550	1385
3892	1451	INT 552	1385
3928	1430	INT 553	1402, 1443P
3986	1385	INT 705	1403
3987	1385	INT 708	1440P
3992	1416	INT 709	1440P
4101	1465	INT 710	1440P
4117	1445	INT 750	1403
4118	1400	INT 1010	1397
4119	1484	INT 1040	1465
4122	1484	INT 1041	1423
4129	1427	INT 1042	1464
4300	1426	INT 1043	1464
4301	1395	INT 1044	1467P
4302	1426	INT 1101	1397
4509	1402	INT 1131	1390
4705	1403	INT 1154	1473
4708	1440P	INT 1202	1459T, 1460T
4709	1440P	INT 1204	1393T
4710	1440P	INT 1219	1459T, 1460T
4745	1425	INT 1229	1393T
4749	1425	INT 1231	1407
4963	1383	INT 1249	1454T
4970	1469P	INT 1288	1405
5501	1480T	INT 1316	1392T
5611_27	1470	INT 1317	1392T
5614_25	1464	INT 1332	1428
5614_7	1464	INT 1333	1428
5614_8	1464	INT 1401	1423
5621_12	1436T	INT 1417	1431
5621_5	1436T	INT 1418	1432
5621_7	1436T	INT 1424	1478
		INT 1457	1478
		INT 1460	1478
		INT 1465	1456
		INT 1478	1472
		INT 1479	1381
		INT 1508	1464
		INT 1663	1436T
		INT 1771	1391T
		INT 1781	1406
		INT 1805	1471
		INT 1871	1466T
		INT 1882	1468P
		INT 2809	1419
		INT 3198	1394
		INT 3754	1457
		INT 5362	1437
		INT 7017	1403
		INT 7134	1480T
		INT 7135	1480T
		INT 12902	1405
		INT 12991	1401, 1474
Belgian Chart No.	Notices		
BE 106	1472		
German Chart No.	Notices		
DE 4	1478		
DE 7	1478		
DE 20	1478		
Japanese Chart No.	Notices		
JP 10	1461		
JP 1030	1461, 1462, 1463		
JP 1034	1462		
New Zealand Chart No.	Notices		
NZ 66	1409P		
NZ 661	1409P		
NZ 6612	1409P		

II

1471 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update Details</i>	
1292 INT 1805	4277/25	Effective from 02/04/26 Delete magenta limit and chart number, 1175, in position 43° 32'·76N., 1° 29'·65W.

II

1412* SCOTLAND - West Coast - Marine farms.

Source: Crown Estate Scotland

Chart 2502 [*previous update 2041/25*] ETRS89 DATUM

Insert



58° 14′·92N., 5° 15′·36W.

58° 14′·76N., 5° 15′·87W.

II

1424* SCOTLAND - Orkney Islands - Restricted areas. Legends. Note. Foul.

Source: Historic Environment Scotland

Chart 2568 (Panel A, Stromness and Hoy Sound) [previous update 5404/25] ETRS89 DATUM

Insert	limit of restricted area, $\tau\tau\tau\tau$, joining:	(a)	58° 55'·688N., 3° 15'·234W.
		(b)	58° 55'·831N., 3° 15'·376W.
		(c)	58° 56'·048N., 3° 14'·281W.
		(d)	58° 55'·917N., 3° 14'·149W.
		and	
		(e)	58° 55'·762N., 3° 19'·017W.
		(f)	58° 55'·846N., 3° 18'·699W.
		(g)	58° 55'·377N., 3° 18'·576W.
		(h)	58° 55'·294N., 3° 18'·894W.
	legend, <i>HMPA</i> - see Note, within:	(a)-(d)	above
		(e)-(h)	above
	the accompanying note, HISTORIC MARINE PROTECTED AREA, centred on:		58° 58'·170N., 3° 18'·640W.

Chart 2568 (Panel B, Lyness and Flotta Marine Oil Terminal) [previous update 5404/25] ETRS89 DATUM

Insert	the accompanying note, HISTORIC MARINE PROTECTED AREA, centred on:		58° 48'·901N., 3° 11'·944W.
	limit of restricted area, $\tau\tau\tau\tau$, joining:	(a)	58° 50'·685N., 3° 06'·156W.
		(b)	58° 50'·890N., 3° 06'·235W.
		(c)	58° 51'·102N., 3° 04'·917W.
	legend, <i>HMPA</i> - see Note, within:	(a)-(c)	above
	legend, <i>HMPA</i> - see Note, centred on:		58° 50'·961N., 3° 07'·951W.
Replace	circular limit of foul ground area, radius 180m, pecked line		
	with circular limit of restricted area, radius 180m, $\tau\tau\tau\tau$,		
	centred on:		58° 50'·838N., 3° 07'·955W.

II

1464* ENGLAND - East Coast - Submarine power cables. Legends. Wind farm.

Source: Ørsted and Trinity House

Note: This update is included in New Edition 106 published 02/04/26.

Chart 108 [previous update 3798/25] ETRS89 DATUM

Insert submarine power cable,  , joining:

52° 57'·04N., 1° 07'·87E.

52° 57'·81N., 1° 07'·46E.

52° 58'·72N., 1° 05'·32E.

(a) 53° 00'·40N., 1° 04'·12E.

(b) 53° 02'·39N., 1° 04'·69E.

53° 04'·17N., 1° 06'·37E.

(c) 53° 04'·33N., 1° 07'·56E.

(d) 53° 04'·18N., 1° 14'·48E.

53° 03'·81N., 1° 16'·52E.

53° 04'·05N., 1° 21'·13E.

legend, *Under construction*, along:

(a)-(b) above

(c)-(d) above

Chart 1190 (INT 1508) [previous update 921/26] ETRS89 DATUM

Insert submarine power cable,  , joining:

52° 57'·04N., 1° 07'·86E.

52° 57'·84N., 1° 07'·52E.

52° 58'·37N., 1° 05'·94E.

52° 59'·06N., 1° 05'·06E.

(a) 53° 00'·18N., 1° 04'·20E.

(b) 53° 01'·13N., 1° 04'·30E.

(c) 53° 02'·23N., 1° 04'·60E.

53° 03'·94N., 1° 06'·06E.

53° 04'·29N., 1° 06'·98E.

53° 04'·28N., 1° 09'·39E.

legend, *Under construction*, along:

(a)-(c) above

Chart 1408 [previous update 1224/26] WGS84 DATUM

Insert submarine power cable,  , joining:

53° 04'·4N., 1° 24'·0E.

53° 04'·6N., 1° 28'·6E.

53° 06'·9N., 1° 32'·6E.

53° 08'·9N., 1° 34'·2E.

53° 11'·3N., 1° 39'·0E.

53° 12'·2N., 1° 39'·4E.

(a) 53° 13'·7N., 1° 43'·3E.

(b) 53° 16'·5N., 1° 45'·8E.

53° 22'·0N., 1° 48'·2E.

(c) 53° 27'·9N., 1° 48'·9E.

(d) 53° 30'·1N., 1° 55'·2E.

(e) 53° 30'·9N., 2° 01'·9E.

53° 32'·9N., 2° 03'·3E.

53° 34'·6N., 2° 02'·7E.

53° 35'·7N., 2° 04'·1E.

legend, *Under construction*, along:

(a)-(b) above

(c)-(e) above

II

1464* ENGLAND - East Coast - Submarine power cables. Legends. Wind farm. (continued)

Chart 2182A (INT 1043) [*previous update 1288/26*] WGS84 DATUM

Insert	limit of wind farm, pecked line, joining:	(a) 53° 58'·7N., 2° 12'·4E. (b) 53° 57'·9N., 2° 26'·6E. (c) 53° 54'·4N., 2° 42'·4E. (d) 53° 52'·4N., 2° 44'·4E. (e) 53° 43'·5N., 2° 47'·6E. (f) 53° 41'·5N., 2° 45'·7E. (g) 53° 48'·2N., 2° 23'·6E.
	symbol, wind farm, within:	(a)-(g) above
	legend, <i>Hornsea Three Offshore Wind Farm Under construction (see Note)</i> , within:	(a)-(g) above
	submarine power cable,   , joining:	53° 43'·6N., 2° 21'·4E. 53° 51'·2N., 2° 20'·4E. and 53° 35'·9N., 2° 04'·0E. (h) 53° 37'·0N., 2° 04'·1E. (i) 53° 46'·5N., 2° 29'·2E.
	legend, <i>Under construction</i> , along:	(h)-(i) above

Chart 2182B (INT 1042) [*previous update 1288/26*] WGS84 DATUM

Insert	limit of wind farm, pecked line, joining:	(a) 53° 58'·7N., 2° 12'·4E. (b) 53° 57'·9N., 2° 26'·6E. (c) 53° 54'·4N., 2° 42'·4E. (d) 53° 52'·4N., 2° 44'·4E. (e) 53° 43'·5N., 2° 47'·6E. (f) 53° 41'·5N., 2° 45'·7E. (g) 53° 48'·2N., 2° 23'·6E.
	symbol, wind farm, within:	(a)-(g) above
	legend, <i>Hornsea Three Offshore Wind Farm Under construction (see Note)</i> , within:	(a)-(g) above
	submarine power cable,   , joining:	53° 43'·6N., 2° 21'·4E. 53° 51'·2N., 2° 20'·4E. and 53° 35'·9N., 2° 04'·0E. (h) 53° 37'·0N., 2° 04'·1E. (i) 53° 46'·5N., 2° 29'·2E.
	legend, <i>Under construction</i> , along:	(h)-(i) above

II

1464* ENGLAND - East Coast - Submarine power cables. Legends. Wind farm. (continued)

Chart 5614_7 (Panel A, Cromer to Wells-Next-the-Sea) [previous update 4823/24] ETRS89 DATUM

Insert	submarine power cable,   , joining:	52° 57'·04N., 1° 07'·86E. 52° 57'·83N., 1° 07'·52E. 52° 58'·56N., 1° 05'·51E. (a) 53° 00'·22N., 1° 04'·19E. (b) 53° 02'·06N., 1° 04'·51E. 53° 03'·86N., 1° 05'·93E. (c) 53° 04'·31N., 1° 07'·17E. (d) 53° 04'·20N., 1° 14'·27E. 53° 03'·82N., 1° 16'·43E. 53° 03'·94N., 1° 19'·47E.
	legend, <i>Under construction</i> , along:	(a)-(b) above (c)-(d) above

Chart 5614_8 [previous update 4091/25] ETRS89 DATUM

Insert	submarine power cable,   , joining:	52° 57'·46N., 1° 07'·69E. 52° 57'·97N., 1° 07'·33E. 52° 58'·34N., 1° 05'·98E. 52° 59'·03N., 1° 05'·08E. (a) 53° 00'·26N., 1° 04'·16E. (b) 53° 02'·19N., 1° 04'·56E. 53° 03'·95N., 1° 06'·08E. 53° 04'·19N., 1° 06'·57E. 53° 04'·31N., 1° 07'·21E. 53° 04'·31N., 1° 07'·69E.
	legend, <i>Under construction</i> , along:	(a)-(b) above

Chart 5614_25 [previous update 1288/26] WGS84 DATUM

Insert	limit of wind farm, pecked line, joining:	(a) 53° 58'·7N., 2° 12'·4E. (b) 53° 57'·9N., 2° 26'·6E. (c) 53° 54'·4N., 2° 42'·4E. (d) 53° 52'·4N., 2° 44'·4E. (e) 53° 43'·5N., 2° 47'·6E. (f) 53° 41'·5N., 2° 45'·7E. (g) 53° 48'·2N., 2° 23'·6E.
	symbol, wind farm, within:	(a)-(g) above
	legend, Hornsea Three Offshore Wind Farm <i>Under construction</i> (see Note), within:	(a)-(g) above
	submarine power cable,   , joining:	53° 43'·6N., 2° 21'·4E. 53° 51'·2N., 2° 20'·4E. and 53° 35'·9N., 2° 04'·0E. (h) 53° 37'·0N., 2° 04'·1E. (i) 53° 46'·5N., 2° 29'·2E.
	legend, <i>Under construction</i> , along:	(h)-(i) above

II

1470* SCOTLAND - West Coast - Buoyage.

Source: Caledonian Maritime Assets Ltd Notice 14/26

Chart 2476 (Panel C, Port Ellen) [*previous update 3949/24*] ETRS89 DATUM

Insert	 <i>Fl.G.5s</i>	55° 37'·285N., 6° 11'·981W.
Replace	 <i>Q(3)10s</i> with  <i>Fl.R.5s</i>	55° 37'·210N., 6° 12'·411W.

Chart 5611_27 (Panel B, Islay Port Ellen) [*previous update 3949/24*] ETRS89 DATUM

Insert	 <i>Fl.G.5s</i>	55° 37'·285N., 6° 11'·981W.
Replace	 <i>Q(3)10s</i> with  <i>Fl.R.5s</i>	55° 37'·210N., 6° 12'·411W.

II

1397 ICELAND - Obstruction.

Source: ENC IS300071

Chart 2897 (INT 1010) [*previous update 593/26*] WGS84 DATUM

Delete



64° 21'·2N., 12° 14'·5W.

Chart 2901 (INT 1101) [*previous update 5653/25*] WGS84 DATUM

Delete



64° 21'·6N., 12° 15'·0W.

II

1447 RUSSIA - White Sea Coast - NM Blocks.

Source: Russian Notice 51/5265/25

Chart 2273 [*previous update 5163/25*] PULKOVO 1942 DATUM

Insert the accompanying block, centred on:

64° 55'·2N., 36° 25'·3E.

Chart 2274 [*previous update 2608/25*] PULKOVO 1942 DATUM

Insert the accompanying block, centred on:

64° 54'·8N., 36° 25'·0E.

Chart 2275 [*previous update 3858/25*] PULKOVO 1942 DATUM

Insert the accompanying block, centred on:

64° 54'·6N., 36° 25'·1E.

II

1465 FØROYAR - Depths. Buoy.

Source: Faroese Chart 81

Chart 2 (INT 160) [previous update 4261/25] WGS84 DATUM

Insert	depth, 57, and extend 100m contour W to enclose	61° 32'·7N., 7° 08'·4W.
	depth, 68, and extend 100m contour W to enclose	61° 36'·6N., 7° 11'·4W.
	depth, 39	61° 49'·9N., 6° 30'·0W.
	depth, 80, and extend 100m contour E to enclose	62° 00'·4N., 6° 02'·6W.
	depth, 49, enclosed by 50m contour	61° 53'·3N., 7° 09'·8W.
	depth, 80, and extend 100m contour SW to enclose	62° 02'·4N., 7° 44'·5W.
Replace	depth, 49, with depth, 39	62° 01'·7N., 7° 27'·3W.

Chart 245 [previous update 5520/25] WGS84 DATUM

Insert	depth, 80, and extend 100m contour SW to enclose	62° 02'·4N., 7° 44'·5W.
	depth, 39	(a) 62° 01'·7N., 7° 27'·3W.
Delete	depth, 49, close E of:	(a) above
Insert	depth, 49, enclosed by 50m contour	61° 53'·3N., 7° 09'·8W.
	depth, 80, and extend 100m contour E to enclose	62° 00'·4N., 6° 02'·6W.
	depth, 39	61° 49'·9N., 6° 30'·0W.
	depth, 68, and extend 100m contour W to enclose	61° 36'·6N., 7° 11'·4W.
	depth, 57, and extend 100m contour W to enclose	61° 32'·7N., 7° 08'·4W.

Chart 1129 [previous update 1418/25] WGS84 DATUM

Insert	depth, 55	61° 25'·8N., 6° 55'·2W.
--------	-----------	-------------------------

Chart 2182D (INT 1040) [previous update 5803/25] WGS84 DATUM

Insert	depth, 57, and extend 100m contour W to enclose	(a) 61° 32'·7N., 7° 08'·4W.
Delete	depth, 70, close SE of:	(a) above
Insert	depth, 68, and extend 100m contour SW to enclose	61° 36'·6N., 7° 11'·4W.
	depth, 46, enclosed by 50m contour	(b) 61° 41'·4N., 6° 39'·0W.
Delete	depth, 56, close SE of:	(b) above
Insert	depth, 39	(c) 61° 49'·9N., 6° 30'·0W.
Delete	depth, 47, close NE of:	(c) above
Insert	depth, 80, enclosed by 100m contour	62° 00'·4N., 6° 02'·6W.
	depth, 49, enclosed by 50m contour	61° 53'·3N., 7° 09'·8W.
	depth, 89, enclosed by 100m contour	(d) 61° 58'·9N., 7° 36'·9W.
Delete	depth, 107, close NE of:	(d) above
Insert	depth, 39	(e) 62° 01'·7N., 7° 27'·3W.
Delete	depth, 49, close SE of:	(e) above
Insert	depth, 80, and extend 100m contour SW to enclose	62° 02'·4N., 7° 44'·5W.
	depth, 58	(f) 62° 12'·2N., 7° 37'·8W.
Delete	depth, 66, close S of:	(f) above
Move	 Fl(5)Y.20s, from:	61° 47'·5N., 6° 13'·1W.
	to:	61° 46'·3N., 6° 13'·1W.

Chart 4101 (INT 101) [previous update 5558/25] WGS84 DATUM

Insert	depth, 57	(a) 61° 32'·7N., 7° 08'·4W.
Delete	depth, 62, close NE of:	(a) above

II

1390 FINLAND - West Coast - Swept area. Buoy.

Source: Finnish Notice 2/16/26

Chart 3803 (INT 1131) [*previous update 1196/26*] WGS84 DATUM

Insert limit of swept area, pecked line, joining:

- (a) 60° 42'·47N., 21° 01'·57E.
- (b) 60° 42'·99N., 21° 01'·90E.
- (c) 60° 43'·27N., 21° 03'·01E.
- (d) 60° 43'·02N., 21° 03'·86E.

II, within:

Move

 , from:

to:

(a)-(d) above

60° 42'·94N., 21° 01'·80E.

(b) above

II

1401 POLAND - NM Block.

Source: Polish Notice 49/592/25 and ENC PL5SZCZE

Chart 2452 (INT 12991) [*previous update 5630/25*] WGS84 DATUM

Insert the accompanying block, centred on:

53° 24'·5N., 14° 36'·4E.

II

1405 POLAND - Automatic Identification System.

Source: ENC PL4P3015

Chart 2637 (INT 12902) [*previous update 586/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at light	54° 24′·985N., 18° 39′·533E.
--------	--	------------------------------

Chart 2688 (INT 1288) [*previous update 1235/26*] WGS84 DATUM

Insert	Automatic Identification System, AIS, at light	54° 24′·99N., 18° 39′·53E.
--------	--	----------------------------

II

1406 SWEDEN - East Coast - Depths.

Source: Swedish Notice 1107/19926/26

Chart 922 (INT 1781) [*previous update 5571/25*] WGS84 DATUM

Replace depth, 87, with depth, 78

61° 15'·97N., 17° 10'·33E.

II

1407 SWEDEN - East Coast - Buoyage.

Source: Swedish Notice 1107/19917/26

Chart 847 (INT 1231) (Panel B, Norrköpings Hamn) [*previous update 3106/25*] WGS84 DATUM

Insert		58° 35′·866N., 16° 12′·748E.
		58° 35′·838N., 16° 12′·763E.
Delete		58° 35′·812N., 16° 12′·744E.
	former 	58° 35′·767N., 16° 12′·308E.
		58° 35′·740N., 16° 12′·223E.
	former 	58° 35′·714N., 16° 12′·139E.

II

1428 SWEDEN - West Coast - Light. Buoy.

Source: Swedish Notice 1107/19865/26

Chart 903 (INT 1333) [*previous update 817/26*] WGS84 DATUM

Replace  Iso.R.4s 8M No 18 WRW with  *Q.R No 18*

55° 32'·90N., 12° 47'·40E.

Chart 2595 (INT 1332) [*previous update 1042/26*] WGS84 DATUM

Replace  No18 with  *Q.R No 18*

55° 32'·90N., 12° 47'·40E.

II

1473 FINLAND - Saaristomeri - Maritime limit. Legend.

Source: Finnish Notice 1/1(T)/26

Chart 2206 (INT 1154) (Panel B, Länsisatama (West Harbour)) [*previous update 1430/25*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 59° 49'·203N., 22° 56'·745E.
		(b) 59° 49'·224N., 22° 56'·856E.
		(c) 59° 49'·241N., 22° 57'·059E.
		(d) 59° 49'·242N., 22° 57'·112E.
		(e) 59° 49'·237N., 22° 57'·141E.
		(f) 59° 49'·232N., 22° 57'·147E.
	legend, Area under construction (Marked by buoys) (2026), within:	(a)-(f) above

Chart 2206 (INT 1154) [*previous update 1430/25*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	59° 49'·20N., 22° 56'·75E.
		59° 49'·22N., 22° 56'·86E.
		59° 49'·24N., 22° 57'·06E.
		59° 49'·24N., 22° 57'·11E.
		59° 49'·24N., 22° 57'·14E.
		59° 49'·23N., 22° 57'·15E.
	legend, Area under construction (Marked by buoys) (2026), centred on:	59° 49'·27N., 22° 56'·94E.

II

1474 POLAND - Depths.

Source: ENC PL5SZCZE

Chart 2452 (INT 12991) [*previous update 1401/26*] WGS84 DATUM

Insert	depth, 22	(a)	53° 25'·173N., 14° 35'·272E.
Delete	depth, 34, close NE of:	(a)	above
Insert	depth, 66		53° 24'·876N., 14° 35'·140E.
	depth, 65	(b)	53° 24'·615N., 14° 36'·899E.
Delete	depth, 83, close NW of:	(b)	above
Insert	depth, 4, and extend 5m contour W to enclose		53° 24'·617N., 14° 36'·957E.

II

1381 NETHERLANDS - Dredged depth. Restricted area. Legend.

Source: Netherlands Notice 9/37/26

Chart 120 (INT 1479) (Panel B, Vlissingen-Oost (Sloehaven)) [*previous update 1334/26*] WGS84 DATUM

Amend	dredged depth to, <i>8.4m</i> , centred on:	51° 28'·39N., 3° 42'·28E.
Delete	limit of restricted area, $\pi\pi\pi\pi$, and associated legend, <i>Works in</i> <i>progress</i> , joining:	51° 28'·35N., 3° 42'·30E. 51° 28'·35N., 3° 42'·32E. 51° 28'·32N., 3° 42'·35E. 51° 28'·31N., 3° 42'·33E.

II

1423 NORTH SEA - Norwegian Sector - Submarine power cable.

Source: Norwegian Notice 2/80074/26 and ENC NO3B0804

Chart 294 [*previous update New Edition 19/02/2026*] WGS84 DATUM

Insert submarine power cable,   , joining:

60° 10'·76N., 2° 35'·19E.

60° 13'·28N., 2° 29'·87E.

Chart 1427 (INT 1401) [*previous update 1167/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

60° 10'·8N., 2° 35'·2E.

60° 13'·3N., 2° 29'·9E.

Chart 2182C (INT 1041) [*previous update 900/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

60° 10'·8N., 2° 35'·2E.

60° 13'·3N., 2° 29'·9E.

II

1431 NORTH SEA - Netherlands Sector - Well.

Source: Netherlands Notice 10/42/26

Chart 1633 (INT 1417) [*previous update 836/26*] WGS84 DATUM

Delete



54° 10'·68N., 5° 28'·68E.


II

1432 NORTH SEA - Netherlands Sector - Obstruction.

Source: Netherlands Notice 10/40/26

Chart 1631 (INT 1418) [*previous update 1226/26*] WGS84 DATUM

Delete



52° 58'·33N., 4° 06'·31E.

II

1456 NETHERLANDS - Dredged area. Dredged depth.

Source: Netherlands Notice 10/39/26

Chart 207 (INT 1465) (Part A, Nieuwe Waterweg and Europoort) [*previous update 11/43/26*] WGS84 DATUM

Insert	limit of dredged area, pecked line, joining:	(a)	51° 56'·94N., 3° 59'·28E.
		(b)	51° 56'·92N., 3° 59'·33E.
		(c)	51° 56'·79N., 3° 59'·20E.
		(d)	51° 56'·82N., 3° 59'·15E.
	dredged depth, 16,3m, within:	(a)-(d)	above

II

1472 BELGIUM - NM Blocks. Restricted area. Buoyage.

Source: Belgian Notices 5/91-93/26

Chart BE 106 (INT 1478) (Panel A, Baalhoek to Antwerpen) [*previous update 1207/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	51° 14'·3N., 4° 20'·6E.
	limit of restricted area,  , joining:	51° 15'·03N., 4° 23'·49E.
		51° 14'·86N., 4° 23'·33E.
		51° 14'·85N., 4° 23'·44E.
		51° 15'·00N., 4° 23'·58E.

Chart BE 106 (INT 1478) (Panel B, Antwerpen to Hoboken) [*previous update 1207/26*] WGS84 DATUM

Insert	the accompanying block B, centred on:	51° 14'·4N., 4° 20'·7E.
	 <i>Iso.R.6s</i>	51° 12'·04N., 4° 21'·58E.
		51° 12'·08N., 4° 21'·76E.
		51° 12'·06N., 4° 21'·67E.

II

1478* GERMANY - North Sea Coast - Buoyage. Depths.

Source: WSA Weser-Jade-Nordsee 32/26, Survey LP30017, LP30162/26

Chart DE 4 (INT 1457) [*previous update 5755/25*] WGS84 DATUM

Move	 F 8, from:	53° 40'·14N., 8° 18'·48E.
	to:	53° 39'·93N., 8° 18'·79E.

Chart DE 7 (INT 1460) [*previous update New Edition 18/12/2025*] WGS84 DATUM

Insert	depth, 136	(a)	53° 40'·79N., 8° 05'·61E.
Delete	depth, 146, close NW of:	(a)	above
Insert	depth, 34, and extend 5m contour SW to enclose	(b)	53° 40'·39N., 8° 06'·28E.
Delete	depth, 68, close S of:	(b)	above
Insert	depth, 31, enclosed by 5m contour	(c)	53° 31'·32N., 8° 12'·91E.
Delete	depth, 47, and associated 5m contour, close E of:	(c)	above
Move	 F 8, from:		53° 40'·14N., 8° 18'·48E.
	to:		53° 39'·93N., 8° 18'·79E.

Chart DE 20 (INT 1424) [*previous update 556/26*] WGS84 DATUM

Insert	depth, 136	(a)	53° 40'·79N., 8° 05'·61E.
Delete	depth, 146, close NW of:	(a)	above
Insert	depth, 34, and extend 5m contour SW to enclose	(b)	53° 40'·39N., 8° 06'·28E.
Delete	depth, 68, close S of:	(b)	above
Move	 F 8, from:		53° 40'·14N., 8° 18'·48E.
	to:		53° 39'·93N., 8° 18'·79E.
	 F 4, from:		53° 41'·80N., 8° 18'·09E.
	to:		53° 41'·80N., 8° 18'·00E.


II

1486 NORTH SEA - Netherlands Sector - Obstruction.

Source: Netherlands Notice 10/40/26

Chart 1408 [*previous update 1464/26*] WGS84 DATUM

Delete



52° 58′.2N., 4° 06′.3E.

II

1387 ROMANIA - Alongside depth. Depths.

Source: ENC's RO501022 and RO501021

Chart 2284 [*previous update 364/26*] WGS84 DATUM

Insert	depth, 82		44° 07'·41N., 28° 39'·00E.
	alongside depth, · (59)	(a)	44° 07'·73N., 28° 38'·85E.
Delete	depth, 53 , close SW of:		(a) above
Insert	depth, 58	(b)	44° 07'·54N., 28° 39'·21E.
Delete	depth, 65 , close NW of:		(b) above
Insert	depth, 73	(c)	44° 06'·74N., 28° 38'·86E.
Delete	depth, 6 , close SE of:		(c) above

II

1394 FRANCE - South Coast - NM Block. Depths. Obstruction.

Source: French Notice 6/89/26

Chart 2170 (INT 3198) [*previous update 1147/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	43° 07'·0N., 5° 55'·9E.
	depth, 25, and extend 3m contour NE to enclose	43° 04'·820N., 5° 55'·465E.
	depth, 28, enclosed by 5m contour	43° 05'·745N., 5° 54'·587E.
	 <i>Obstn</i>	43° 06'·210N., 5° 53'·714E.
Replace	depth, 63, with depth, 57	43° 06'·220N., 5° 53'·707E.

II

1395 ITALY - Sardegna - NM Blocks.

Source: French Notice 30/90/25 and Italian Notice 19.20/25

Note: This update is included in New Editions of 166, 167, 1211, 1985 and 1992, published early 2026.

Chart 1204 [*previous update 5591/25*] WGS84 DATUM

Insert the accompanying block, centred on: 40° 58'·9N., 8° 10'·9E.

Chart 1424 (Panel, Golfe D'Ajaccio and Golfe De Valinco) [*previous update 379/26*] WGS84 DATUM

Insert the accompanying block, centred on: 41° 44'·9N., 8° 36'·0E.

Chart 4301 (INT 301) [*previous update New Edition 24/04/2025*] WGS84 DATUM

Insert the accompanying block, centred on: 41° 15'·0N., 8° 55'·3E.

II

1396 FRANCE - South Coast - Lights.

Source: French Notice 6/93/26

Chart 2120 [*previous update 757/26*] WGS84 DATUM

Delete



43° 10'·39N., 6° 32'·19E.

43° 10'·40N., 6° 32'·25E.

Chart 2166 [*previous update 5401/25*] WGS84 DATUM

Delete

★ Fl.G.2,5s4M

43° 10'·39N., 6° 32'·19E.

★ Q.6M

43° 10'·40N., 6° 32'·24E.

II

1398 TÜRKIYE - South Coast - Buoyage.

Source: Turkish Notice 50/247/25

Chart 242 (Panel A, Approaches to Antalya) [*previous update New Edition 23/10/2025*] WGS84 DATUM

Replace



VQ(6)+LFl.10s with



Fl.Y.3s

36° 52'·91N., 30° 41'·78E.

II

1399 TÜRKIYE - Black Sea Coast - Light. Depths.

Source: ENC TR5GCP30

Chart 1275 (Panel B, Bartın Limanı) [*previous update New Edition 05/02/2026*] WGS84 DATUM

Insert	depth, 52	(a)	41° 41' · 157N., 32° 13' · 678E.
Delete	depth, 7, close W of:	(a)	above
	★Fl(2)R.5s10m5M		41° 41' · 242N., 32° 13' · 409E.

Chart 1275 [*previous update New Edition 05/02/2026*] WGS84 DATUM

Delete	★Fl(2)R.5M	41° 41' · 24N., 32° 13' · 42E.
--------	------------	--------------------------------

II

1410 TÜRKIYE - Marmara Denizi - Anchorage areas.

Source: ENC TR5FOD20

Chart 497 (Panel B, Yarimca to İzmit) [*previous update 1213/26*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	40° 45'·00N., 29° 52'·80E.
		40° 45'·00N., 29° 55'·00E.
		40° 44'·00N., 29° 55'·00E.
		40° 44'·00N., 29° 52'·80E.
Delete	former limit of anchorage area, pecked line, joining:	40° 43'·94N., 29° 52'·78E.
		40° 44'·94N., 29° 52'·78E.
		40° 44'·94N., 29° 54'·98E.
		40° 43'·94N., 29° 54'·97E.

II

1413 GEORGIA - Buoyage.

Source: ENC GE410325 and Georgian Circular Notice 1/26

Chart 3317 (Panel B, P'ot'i) [*previous update 1299/26*] WGS84 DATUM

Move



Fl.G.3s, from:
to:

42° 09'·754N., 41° 38'·551E.

42° 09'·747N., 41° 38'·400E.

Chart 3317 (Panel A, Approaches to P'ot'i) [*previous update 1299/26*] WGS84 DATUM

Insert



LFl.10s

42° 10'·1N., 41° 38'·1E.

II

1415 TÜRKIYE - Çanakkale Boğazi - Buoyage.

Source: Turkish Notice 49/243/25

Chart 2429 [*previous update New Edition 05/02/2026*] WGS84 DATUM

Delete



40° 01'·34N., 26° 18'·98E.

Chart 2429 (Panel C, South Entrance to Çanakkale Boğazi) [*previous update New Edition 05/02/2026*] WGS84 DATUM

Move



, from

40° 02'·85N., 26° 12'·42E.

to:

40° 02'·90N., 26° 12'·43E.

II

1420 ITALY - West Coast - Light-beacon.

Source: Italian Notice 1.1/26

Chart 916 (Panel F, Procida) [*previous update 1267/26*] WGS84 DATUM

Insert



Iso.Y.5m4M

40° 46′·44N., 14° 01′·42E.

II

1421 SPAIN - Mediterranean Sea Coast - Buoyage. Automatic Identification Systems.

Source: Spanish Notices 3/14-15/26

Chart 1701 [*previous update 5703/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

(a) 41° 04'·6N., 1° 20'·8E.

(b) 40° 42'·9N., 0° 59'·1E.

Automatic Identification System, *AIS*, at light-buoy

(a) above

(b) above

Chart 1704 [*previous update 1121/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

(a) 41° 04'·6N., 1° 20'·8E.

(b) 40° 42'·9N., 0° 59'·1E.

Automatic Identification System, *AIS*, at light-buoy

(a) above

(b) above

II

1426 EGYPT - North Coast - Depths.

Source: ENC EG2EGM33

Chart 183 [*previous update 1163/26*] WGS84 DATUM

Insert	depth, 172	(a)	31° 19'·9N., 29° 28'·5E.
Delete	depth, 183, close NW of:	(a)	above

Chart 2681 [*previous update 3806/25*] WGS84 DATUM

Insert	depth, 172	(a)	31° 19'·90N., 29° 28'·51E.
Delete	depth, 183, close NW of:	(a)	above

Chart 4300 (INT 300) [*previous update New Edition 31/07/2025*] WGS84 DATUM

Replace	depth, 183, with depth, 172		31° 19'·9N., 29° 28'·5E.
---------	-----------------------------	--	--------------------------

Chart 4302 (INT 302) [*previous update New Edition 31/07/2025*] WGS84 DATUM

Replace	depth, 183, with depth, 172		31° 19'·9N., 29° 28'·5E.
---------	-----------------------------	--	--------------------------

II

1439 TÜRKIYE - West Coast - Depths.
Source: ENC TR5FUA40

Chart 1061 (Panel, Dikili) [*previous update New Edition 11/12/2025*] WGS84 DATUM

Replace depth, *71* , with depth, *64* 39° 04'·29N., 26° 53'·14E.

II

1448 CROATIA - Radio reporting lines. NM Block.

Source: Croatian Notices 6/2-3/25

Note: This update is included in New Edition 269, published early 2026.

Chart 200 [previous update 1276/26] WGS84 DATUM

Replace radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:

43° 36'·6N., 15° 37'·2E.
 43° 30'·9N., 15° 55'·0E.
 43° 30'·9N., 15° 57'·1E.
 and
 43° 29'·4N., 15° 59'·7E.
 43° 26'·0N., 15° 59'·8E.
 43° 12'·5N., 16° 27'·3E.
 and
 43° 09'·7N., 16° 27'·2E.
 43° 04'·4N., 16° 27'·2E.
 42° 59'·0N., 16° 36'·3E.

Chart 2712 [previous update 1276/26] WGS84 DATUM

Replace radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:

43° 31'·44N., 16° 14'·95E.
 43° 30'·63N., 16° 15'·37E.
 and
 43° 29'·29N., 16° 23'·54E.
 43° 26'·61N., 16° 29'·32E.
 43° 26'·59N., 16° 31'·31E.
 43° 29'·92N., 16° 31'·31E.
 and
 43° 23'·84N., 16° 04'·18E.
 43° 12'·50N., 16° 27'·35E.
 and
 43° 09'·69N., 16° 27'·16E.
 43° 04'·40N., 16° 27'·17E.
 42° 58'·99N., 16° 36'·43E.

Chart 2774 [previous update 1103/26] WGS84 DATUM

Insert the accompanying block, centred on:

Replace radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:

43° 40'·5N., 15° 51'·7E.
 43° 42'·09N., 15° 25'·59E.
 43° 39'·42N., 15° 30'·67E.
 43° 40'·71N., 15° 36'·01E.
 43° 36'·97N., 15° 36'·05E.
 43° 30'·87N., 15° 55'·11E.
 43° 30'·88N., 15° 56'·25E.
 and
 43° 29'·25N., 15° 59'·76E.
 43° 26'·00N., 15° 59'·77E.
 43° 18'·21N., 16° 15'·71E.

II

1457 TÜRKIYE - Marmara Denizi - Buoyage. Depths. Lights.

Source: ENC's TR4FIO00, TR4FJM00, TR4FIP00 and TR4FHM00

Chart 1005 [*previous update 1264/26*] WGS84 DATUM

Delete	 Fl.Y.5s	40° 56'·24N., 28° 48'·95E.
--------	---	----------------------------

Chart 1015 (INT 3754) [*previous update 1149/26*] WGS84 DATUM

Amend	range of light to, 5M	40° 59'·86N., 29° 00'·80E.
-------	-----------------------	----------------------------

	light to, Fl.R.2s5m5M	40° 57'·00N., 29° 05'·66E.
--	-----------------------	----------------------------

Move	 Fl.Y.5s, from:	40° 56'·40N., 28° 49'·36E.
------	--	----------------------------

	to:	40° 56'·44N., 28° 49'·44E.
--	-----	----------------------------

Delete	 Fl.Y.5s	40° 56'·84N., 28° 49'·91E.
--------	---	----------------------------

	40° 56'·24N., 28° 48'·92E.
--	----------------------------

depth, 10, enclosed by 10m contour	40° 53'·71N., 29° 08'·65E.
------------------------------------	----------------------------

depth, 9, enclosed by 10m depth contour	40° 51'·86N., 29° 14'·76E.
---	----------------------------

Chart 1195 [*previous update New Edition 11/12/2025*] WGS84 DATUM

Delete	 Fl.Y.5s	40° 56'·843N., 28° 49'·909E.
--------	---	------------------------------

II

1482 CROATIA - Radio reporting lines. NM Block.

Source: Croatian Notice 6/2-3/25

Chart 680 [*previous update 2672/25*] WGS84 DATUM

Replace	radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:	42° 40'·800N., 18° 01'·720E. 42° 40'·168N., 18° 01'·378E. and 42° 39'·668N., 18° 01'·228E. 42° 38'·830N., 18° 02'·770E. 42° 36'·820N., 18° 08'·170E. 42° 37'·116N., 18° 08'·500E.
---------	--	---

Chart 1574 [*previous update 5539/25*] WGS84 DATUM

Replace	radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:	43° 05'·14N., 17° 21'·30E. 43° 03'·18N., 17° 18'·62E. 42° 58'·53N., 17° 26'·12E. 43° 00'·51N., 17° 27'·78E. and 42° 58'·39N., 17° 13'·71E. 42° 57'·66N., 17° 12'·69E. 42° 55'·07N., 17° 12'·13E.
---------	--	---

Chart 1574 (Panel, Continuation of Kanal Malog Stona (Kanal Mali Ston)) [*previous update 5539/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	42° 54'·7N., 17° 36'·1E.
Replace	radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:	43° 00'·53N., 17° 27'·79E. 42° 58'·53N., 17° 26'·12E. 43° 00'·03N., 17° 23'·71E.

Chart 1578 [*previous update 1365/26*] WGS84 DATUM

Replace	radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:	42° 31'·40N., 18° 05'·34E. 42° 28'·96N., 18° 10'·50E. 42° 31'·40N., 18° 12'·40E.
---------	--	--

II

1482 CROATIA - Radio reporting lines. NM Block. (continued)

Chart 1580 [*previous update 5539/25*] WGS84 DATUM

Replace radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:

42° 58'·38N., 17° 13'·70E.
42° 57'·66N., 17° 12'·73E.
42° 55'·07N., 17° 12'·14E.
and
42° 49'·97N., 17° 35'·05E.
42° 45'·59N., 17° 32'·85E.
and
42° 41'·21N., 17° 44'·89E.
42° 28'·99N., 18° 10'·46E.
42° 33'·50N., 18° 13'·99E.
and
42° 41'·27N., 18° 01'·98E.
42° 40'·10N., 18° 01'·35E.
and
42° 39'·66N., 18° 01'·25E.
42° 38'·84N., 18° 02'·73E.
42° 36'·82N., 18° 08'·17E.
42° 37'·67N., 18° 09'·12E.

II

1485 TÜRKIYE - Çanakkale Boğazi - Buoyage. Depths. Light.

Source: ENC TR4FKO00 & TR4FKL00

Chart 2429 (Panel A, Nara Geçidi (The Narrows)) [*previous update 1415/26*] WGS84 DATUM

Insert



40° 09'·85N., 26° 23'·95E.

Chart 2429 [*previous update 1415/26*] WGS84 DATUM

Insert

depth, 69

(a) 40° 23'·70N., 26° 42'·64E.

Delete

depth, 79, close SW of:

(a) above

Insert

★ 2Q.R

40° 20'·39N., 26° 38'·20E.

II

1487 ROMANIA - Note.

Source: Romanian Notice 11/88/25

Chart 2282 [*previous update 1376/26*] WGS84 DATUM

Insert the accompanying note, FISH HAVENS AND FISH TRAPS within title panel

Chart 2284 [*previous update 1387/26*] WGS84 DATUM

Insert the accompanying note, FISH HAVENS AND FISH TRAPS,
centred on: 43° 59'·14N., 28° 38'·00E.

II

1419* NIGERIA - Wreck.

Source: Nigerian National Hydrographic Agency

Chart 1321 (Panel B, Brass River Entrance) [*previous update 1162/24*] UNDETERMINED DATUM

Insert



4° 15'·14N., 6° 14'·81E.

Chart 1386 (INT 2809) [*previous update 5285/24*] UNDETERMINED DATUM

Insert



4° 15'·1N., 6° 14'·8E.

II

1403 OMAN - Depths. Obstruction.

Source: ENC OM301215

Chart 2837 (INT 7017) [previous update 893/26] WGS84 DATUM

Insert	depth, 53	(a)	24° 15'·0N., 57° 03'·6E.
Delete	depth, 63 , close SE of:	(a)	above
Insert	depth, 92 , and extend 10m contour N to enclose	(b)	23° 54'·0N., 57° 22'·4E.
Delete	depth, 122 , close E of:	(b)	above
Replace	depth, 196 , and associated 20m contour with:  Obstn		24° 03'·8N., 57° 19'·9E.

Chart 2851 [previous update 1029/26] WGS84 DATUM

Insert	depth, 22	(a)	24° 13'·5N., 57° 07'·5E.
Delete	depth, 25 , close NE of:	(a)	above
Insert	 Obstn	(b)	24° 03'·8N., 57° 19'·9E.
Delete	depth, 20 , and associated 20m contour, close W of:	(b)	above
Insert	depth, 92 , and extend 10m contour NW to enclose	(c)	23° 54'·0N., 57° 22'·4E.
Delete	depth, 15 , close N of:	(c)	above
Replace	depth, 63 , with depth, 53		24° 15'·0N., 57° 03'·6E.

Chart 2858 (INT 750) [previous update 893/26] WGS84 DATUM

Replace	depth, 196 , and associated 20m contour with:  Obstn		24° 03'·8N., 57° 19'·9E.
---------	--	--	--------------------------

Chart 3523 [previous update 4285/25] WGS84 DATUM

Insert	 Obstn	(a)	24° 03'·82N., 57° 19'·89E.
Delete	depth, 20 , and associated 20m contour, close W of:	(a)	above
Insert	depth, 32		24° 02'·10N., 57° 15'·34E.
	sounding out of position, 305		24° 02'·23N., 57° 24'·42E.
	depth, 137		23° 56'·23N., 57° 16'·36E.
	depth, 21		23° 56'·15N., 57° 25'·77E.
	depth, 92 , enclosed by 10m contour	(b)	23° 54'·00N., 57° 22'·36E.
Delete	depth, 111 , close SE of:	(b)	above
Insert	depth, 74	(c)	23° 53'·71N., 57° 21'·47E.
Delete	depth, 82 , close SW of:	(c)	above
Insert	depth, 83 , and extend 10m approximate contour N to enclose		23° 53'·49N., 57° 23'·14E.
	depth, 105	(d)	23° 53'·57N., 57° 25'·01E.
Delete	depth, 134 , close N of:	(d)	above

Chart 4705 (INT 705) [previous update 1298/26] WGS84 DATUM

Replace	depth, 196 , with:  Obstn		24° 03'·8N., 57° 19'·9E.
---------	--	--	--------------------------

II

1378 CHINA - East Coast - Depths.

Source: Chinese Notice 47/1468/25

Note: This update is included in New Edition 1602, published early 2026.

Chart 1603 [*previous update 1300/26*] CGCS 2000 DATUM

Insert	depth, 33 , enclosed by 5m contour	31° 09′·07N., 121° 57′·12E.
	depth, 38 , enclosed by 5m contour	31° 09′·03N., 121° 57′·36E.

II

1380 CHINA - Yellow Sea Coast - Light.

Source: Chinese Notice 47/1466/25

Chart 809 [*previous update 2643/25*] CGCS 2000 DATUM

Insert

★ Iso.4s9m8M

35° 34′·395N., 119° 47′·010E.

Chart 1501 [*previous update 2643/25*] CGCS 2000 DATUM

Insert

★ Iso.4s8M

35° 34′·40N., 119° 47′·01E.

II

1382 CHINA - East Coast - Wreck.

Source: Chinese Notice 45/1387/25

Chart 1199 [*previous update 944/26*] CGCS 2000 DATUM

Insert



30° 57′·8N., 123° 07′·3E.


II

1384 TAIWAN - Depths. Obstructions.

Source: Taiwanese Charts 4511 and 4512

Chart 1761 [*previous update 649/26*] WGS84 DATUM

Insert



25° 02'·0N., 121° 00'·0E.

25° 00'·8N., 120° 59'·8E.

Chart 3658 [*previous update 169/26*] WGS84 DATUM

Insert

depth, 33

(a) 25° 12'·87N., 121° 19'·34E.

Delete

depth, 44 , close NW of:

(a) above

Insert

depth, 305


(b) 25° 10'·46N., 121° 13'·98E.

Delete

depth, 42 , close SW of:

(b) above

Insert



25° 01'·97N., 120° 59'·96E.

25° 00'·81N., 120° 59'·75E.

II

1385 VIETNAM - NM Blocks. Notes. Submarine pipeline. Platform. Legends.

Source: Murphy Cuu Long Bac Oil Company

Chart 1261 [*previous update 894/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	10° 16'·5N., 108° 12'·8E.
Replace	the existing note, RESTRICTED AREAS, with the accompanying note, OILFIELD RESTRICTED AREAS, centred on:	10° 30'·13N., 106° 39'·37E.

Chart 3482 (INT 550) [*previous update 427/26*] WGS84 DATUM

Insert		(a) 10° 18'·6N., 108° 10'·5E.
	submarine pipeline,  , joining:	(a) above 10° 10'·1N., 108° 18'·7E.
	legend, <i>LAC DA VANG OILFIELD</i> (see Note), centred on:	10° 13'·9N., 108° 06'·8E.

Chart 3488 (INT 552) [*previous update 401/26*] WGS84 DATUM

Insert		(a) 10° 18'·6N., 108° 10'·5E.
	submarine pipeline,  , joining:	(a) above 10° 10'·1N., 108° 18'·7E.
	legend, <i>LAC DA VANG OILFIELD</i> (see Note), centred on:	10° 14'·5N., 108° 06'·2E.

Chart 3986 [*previous update 894/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	10° 14'·9N., 108° 14'·1E.
Replace	the existing note, RESTRICTED AREAS, with the accompanying note, OILFIELD RESTRICTED AREAS, centred on:	10° 18'·0N., 105° 34'·6E.

Chart 3987 [*previous update 170/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	10° 14'·7N., 108° 13'·8E.
Replace	the existing note, RESTRICTED AREAS, with the accompanying note, OILFIELD RESTRICTED AREAS, centred on:	12° 52'·5N., 108° 27'·2E.

II

1400 CHINA - South Coast - Legend.

Source: Hong Kong Notice 1/1/26

Chart 4118 [*previous update 268/26*] WGS84 DATUM

Amend legend to, *HK-Macao Ferry Terminal*, centred on: 22° 17'·258N., 114° 09'·112E.

II

1402 TAIWAN - Depths.

Source: Taiwanese Chart 328C

Chart 1968 [*previous update 622/26*] WGS84 DATUM

Insert	depth, 232	(a)	22° 17'·1N., 121° 29'·8E.
Delete	depth, 308, close N of:	(a)	above
	depth, 375, close SE of:	(a)	above
Insert	depth, 26	(b)	21° 52'·8N., 120° 39'·5E.
Delete	depth, 29 , close S of:	(b)	above

Chart 3233 [*previous update 5400/25*] WGS84 DATUM

Insert	depth, 232	22° 17'·08N., 121° 29'·79E.
--------	------------	-----------------------------

Chart 3236 [*previous update New Edition 18/12/2025*] WGS84 DATUM

Insert	depth, 232	(a)	22° 17'·1N., 121° 29'·8E.
Delete	depth, 308 , close N of:	(a)	above
	depth, 375 , close SE of:	(a)	above

Chart 3489 (INT 553) [*previous update 820/26*] WGS84 DATUM

Insert	depth, 497 , enclosed by 1000m contour	21° 52'·0N., 121° 40'·1E.
Replace	depth, 29 , with depth, 26	21° 52'·8N., 120° 39'·5E.

Chart 4509 (INT 509) [*previous update 630/26*] WGS84 DATUM

Insert	depth, 232	(a)	22° 17'·1N., 121° 29'·8E.
Delete	depth, 308 , close N of:	(a)	above

II

1408 CHINA - South Coast - Buoyage.

Source: Chinese Notice 52/1625/25

Chart 1962 [*previous update 1115/26*] WGS84 DATUM

Delete



Mo(O)Y.12s LMY1

23° 18′·2N., 117° 01′·0E.



Mo(O)Y.12s LMY3

23° 18′·2N., 117° 03′·9E.



Mo(O)Y.12s LMY10

23° 14′·8N., 116° 57′·7E.



Mo(O)Y.12s LMY5

23° 14′·8N., 117° 05′·7E.

II

1416 CHINA - South Coast - Legend.

Source: Chinese Notice 49/1551(T)/25

Chart 3992 [*previous update New Edition 08/01/2026*] CGCS 2000 DATUM

Insert legend, Works in progress (2025), centred on: 21° 28'·86N., 108° 14'·15E.

II

1422 MALAYSIA - Peninsular Malaysia, East Coast - Wreck. Buoy.

Source: Marine Department, Malaysia Notices 5/26 and 15/26

Chart 2403 [*previous update 167/26*] WGS84 DATUM

Insert



Fl(2)5s

1° 17′·91N., 104° 23′·09E.

1° 17′·92N., 104° 22′·77E.

Chart 3831 [*previous update 1027/26*] WGS84 DATUM

Insert



Fl(2)5s

1° 17′·91N., 104° 23′·09E.

1° 17′·91N., 104° 22′·97E.

II

1427 CHINA - South Coast - Depth. Obstructions.

Source: Hong Kong Notice 26/70/25

Chart 4129 [*previous update 4904/25*] WGS84 DATUM

Insert	 <i>Obstn</i>	22° 09'·88N., 114° 08'·10E.
	 <i>Obstn</i>	22° 09'·77N., 114° 08'·13E.
Delete	depth, 215	22° 09'·82N., 114° 08'·04E.

II

1433 CHINA - East Coast - Virtual aid to navigation.

Source: Chinese Notice 46/1419/25

Chart 1281 [*previous update 1370/26*] CGCS 2000 DATUM

Insert symbol, Virtual aid to navigation, isolated danger topmark, V-AIS

33° 40′·03N., 121° 22′·73E.

II

1434 CHINA - South Coast - Light-beacons.

Source: Chinese Notices 49/1535-1536/25

Chart 347 [*previous update New Edition 13/11/2025*] CGCS 2000 DATUM

Insert



F.R

23° 04'·50N., 113° 22'·36E.

23° 03'·75N., 113° 16'·56E.

23° 03'·59N., 113° 15'·99E.

II

1438 CHINA - East Coast - Virtual aids to navigation.

Source: Chinese Notice 46/1423/25

Note: This update is included in New Edition 1760, published early 2026.

Chart 1720 [*previous update 1345/26*] CGCS 2000 DATUM

Delete	symbol, Virtual aid to navigation, special topmark, V-AIS	23° 58′·45N., 118° 15′·59E.
		23° 56′·57N., 118° 17′·30E.
		23° 53′·55N., 118° 08′·34E.
		23° 51′·85N., 118° 10′·94E.


II

1445 CHINA - South Coast - Obstruction.

Source: Hong Kong Notice 2/3/26

Chart 4117 [*previous update 695/26*] WGS84 DATUM

Insert



22° 17'·592N., 114° 15'·151E.

II

1451 CHINA - South Coast - Obstruction.

Source: Chinese Notice 1/19/26

Chart 103 [*previous update 256/26*] CGCS 2000 DATUM

Insert

 *Unexploded Ordnance*

20° 03'·4N., 111° 13'·4E.

Chart 3892 [*previous update 1229/26*] CGCS 2000 DATUM

Insert

 *Unexploded Ordnance*

20° 03'·4N., 111° 13'·4E.

II

1452 CHINA - South Coast - Virtual aid to navigation.

Source: Chinese Notice 46/1427/25

Chart 1369 [*previous update 639/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark , V-AIS, out of position	22° 30′·92N., 115° 01′·08E.
--------	---	-----------------------------

Chart 1962 [*previous update 1408/26*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark , V-AIS, out of position	22° 30′·9N., 115° 01′·1E.
--------	---	---------------------------

Chart 3026 [*previous update 1332/26*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark , V-AIS, out of position	22° 30′·92N., 115° 01′·08E.
--------	---	-----------------------------

II

1481 CHINA - Bo Hai - NM Blocks.

Source: Chinese Chart 11910

Note: Former Notice 2299(P)/24 is cancelled.

Chart 1250 [*previous update 1230/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	38° 05′·0N., 120° 24′·5E.
--------	-------------------------------------	---------------------------

Chart 1255 [*previous update 1364/26*] CGCS 2000 DATUM

Insert	the accompanying block A, centred on:	38° 05′·1N., 120° 24′·4E.
	the accompanying block B, centred on:	37° 58′·6N., 121° 02′·6E.

II

1484 CHINA - South Coast - Depths. NM Block.

Source: Hong Kong Notice 26/69/25

Chart 4119 [*previous update 368/26*] WGS84 DATUM

Insert	depth, 161	(a)	22° 20'·439N., 114° 06'·905E.
Delete	depth, 158, close SE of:	(a)	above
Insert	depth, 158		22° 20'·409N., 114° 06'·968E.
	depth, 159	(b)	22° 20'·361N., 114° 07'·339E.
Delete	depth, 154, close NW of:	(b)	above
Insert	depth, 154		22° 20'·320N., 114° 06'·947E.
	depth, 158	(c)	22° 20'·246N., 114° 07'·389E.
Delete	depth, 162, close SE of:	(c)	above
Insert	depth, 15, enclosed by 15m contour	(d)	22° 20'·126N., 114° 07'·420E.
Delete	depth, 158, close S of:	(d)	above
Insert	depth, 164	(e)	22° 20'·096N., 114° 07'·392E.
Delete	depth, 169, close W of:	(e)	above
Insert	depth, 148, enclosed by 15m contour	(f)	22° 19'·777N., 114° 07'·539E.
Delete	depth, 153 close S of:	(f)	above
Insert	the accompanying block, centred on:		22° 20'·7N., 114° 07'·0E.

Chart 4122 [*previous update 368/26*] WGS84 DATUM

Insert	depth, 108	(a)	22° 20'·819N., 114° 06'·863E.
Delete	depth, 125, close SW of:	(a)	above
Insert	depth, 162	(b)	22° 20'·795N., 114° 07'·067E.
Delete	depth, 167, close NE of:	(b)	above
	depth, 149, and associated 15m contour		22° 20'·834N., 114° 07'·179E.

II

1488 CHINA - East Coast - Depths. Rock. Submarine cable.

Source: UKHO

Chart 2400 [*previous update 815/26*] CGCS 2000 DATUM

Insert	depth, 259, with seabed type, <i>R</i>	26° 00'·94N., 119° 58'·18E.
	depth, 111	(a) 25° 57'·86N., 119° 53'·49E.
Delete	depth, 123, close NW of:	(a) above
Insert	depth, 57	(b) 25° 57'·86N., 119° 55'·00E.
Delete	depth, 66, close NE of:	(b) above
Insert	submarine cable,  , joining:	25° 58'·39N., 119° 56'·49E.
		25° 57'·59N., 119° 58'·09E.
	depth, 115	(c) 25° 57'·12N., 119° 54'·25E.
Delete	depth, 132, close NW of:	(c) above
Insert	depth, 93, and extend 10m contour W to enclose	(d) 25° 56'·61N., 119° 54'·03E.
Delete	depth, 101, close W of:	(d) above
Insert	depth, 137	25° 55'·71N., 119° 55'·19E.

Chart 2401 [*previous update 754/26*] CGCS 2000 DATUM

Insert	submarine cable,  , joining:	25° 58'·39N., 119° 56'·49E.
		25° 57'·59N., 119° 58'·09E.
	depth, 111	(a) 25° 57'·86N., 119° 53'·49E.
Delete	depth, 123, close NW of:	(a) above
Insert	depth, 57	(b) 25° 57'·86N., 119° 55'·00E.
Delete	depth, 66, close NE of:	(b) above
Insert	depth, 115	(c) 25° 57'·12N., 119° 54'·25E.
Delete	depth, 132, close NW of:	(c) above
Insert	depth, 93, and extend 10m contour W to enclose	(d) 25° 56'·61N., 119° 54'·03E.
Delete	depth, 114, close S of:	(d) above
Insert	depth, 137	25° 55'·71N., 119° 55'·19E.

II

1489 CHINA - South Coast - NM Block. Submarine power cable. Wind farm.

Source: Chinese Notice 49/1537/25

Chart 1555 [*previous update 1257/26*] CGCS 2000 DATUM

Insert	limit of wind farm, pecked line, joining:	(a) 21° 53′·8N., 113° 23′·0E.
		(b) 21° 54′·6N., 113° 25′·1E.
		(c) 21° 55′·4N., 113° 26′·1E.
		(d) 21° 56′·5N., 113° 28′·8E.
		(e) 21° 55′·4N., 113° 29′·5E.
		(f) 21° 52′·6N., 113° 28′·0E.
		(g) 21° 52′·4N., 113° 23′·0E.
	symbol, wind farm, within:	(a) - (g) above

Chart 1568 [*previous update 1257/26*] CGCS 2000 DATUM

Insert	submarine power cable,   , joining:	22° 00′·18N., 113° 18′·41E.
		22° 00′·03N., 113° 18′·63E.
		21° 59′·17N., 113° 19′·06E.
		21° 57′·12N., 113° 22′·19E.
	the accompanying block, centred on:	21° 54′·5N., 113° 26′·1E.

II

1490 TAIWAN - Light. Depths.

Source: Taiwanese Chart 354B

Chart 3658 (Panel, Taipei Port) [*previous update 1384/26*] WGS84 DATUM

Amend	light to, Fl.Y.5s6m	25° 08'·48N., 121° 21'·78E.
Replace	depth, <i>113</i> , with depth, <i>99</i> , enclosed by 10m contour	25° 09'·40N., 121° 23'·63E.

II

1461 JAPAN - Hokkaidō - Fish havens.

Source: Japanese Notice 10/105/26

Chart JP 10 [*previous update 966/26*] WGS84 DATUM

Insert



41° 53′·9N., 141° 00′·8E.

41° 53′·5N., 141° 03′·4E.

Chart JP 1030 [*previous update 966/26*] WGS84 DATUM

Insert



41° 53′·9N., 141° 00′·8E.

41° 53′·5N., 141° 03′·4E.

II

1462 JAPAN - Hokkaidō - Obstruction.

Source: Japanese Notice 10/106/26

Chart JP 1030 [*previous update 1461/26*] WGS84 DATUM

Insert

 *Anchor Rep*

42° 20′·95N., 140° 53′·88E.

Chart JP 1034 [*previous update 2240/25*] WGS84 DATUM

Insert

 *Anchor Rep*

42° 20′·95N., 140° 53′·88E.

II

1463 JAPAN - Hokkaidō - Submarine cable. Obstruction.

Source: Japanese Notice 10/122/26

Chart JP 1030 [*previous update 1462/26*] WGS84 DATUM

Delete

 *Wave Meter*

submarine cable, , joining:

(a) 41° 22'·45N., 141° 14'·76E.

(a) above

41° 22'·41N., 141° 14'·08E.

41° 22'·03N., 141° 13'·98E.

II

1414 KOREA - East Coast - Buoy.

Source: Korean Notice 49/763/25

Chart 882 [*previous update 1353/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

37° 47'·90N., 129° 03'·65E.

II

1430 KOREA - West Coast - Buoy.

Source: Korean Notice 51/823/25

Chart 3928 [*previous update 1215/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

35° 01'·05N., 126° 01'·94E.

II

1437 KOREA - South Coast - Buoy.

Source: Korean Notice 1/3/26

Chart 3390 (INT 5362) [*previous update 288/26*] WGS84 DATUM

Delete



Fl(3)G.7s No 93

34° 50′·90N., 127° 40′·68E.

II

1444 KOREA - South Coast - Buoy.

Source: Korean Notice 4/41/26

Chart 127 [*previous update 796/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

34° 29′·1N., 127° 36′·5E.

II

1450 KOREA - South Coast - Buoy.

Source: Korean Notice 49/773/25

Chart 2347 [*previous update 212/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

32° 43′·3N., 127° 16′·3E.

Chart 2412 [*previous update 755/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

32° 43′·3N., 127° 16′·3E.

II

1379 INDONESIA - Jawa - Submarine power cables.

Source: Indonesian Notice 3/23/26

Chart 912 [*previous update 5689/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

7° 44'·726S., 108° 59'·578E.

7° 44'·717S., 108° 59'·636E.

7° 44'·685S., 108° 59'·686E.

7° 44'·686S., 108° 59'·710E.

7° 44'·648S., 108° 59'·811E.

7° 44'·617S., 108° 59'·857E.

7° 44'·581S., 108° 59'·923E.

and

7° 44'·730S., 108° 59'·598E.

7° 44'·718S., 108° 59'·618E.

7° 44'·702S., 108° 59'·705E.

7° 44'·663S., 108° 59'·806E.

7° 44'·648S., 108° 59'·828E.

7° 44'·624S., 108° 59'·876E.

7° 44'·583S., 108° 59'·930E.

II

1446 SOUTH PACIFIC OCEAN - Light-beacons, Beacons, Lights, Leading line.

Source: French Notice 2/222/26

Chart 968 (Panel, Approaches to Halalo and Mata Utu) [*previous update 3417/25*] WGS84 DATUM

Insert	 Fl(5)G	13° 20'·81S., 176° 13'·55W. 13° 21'·76S., 176° 13'·58W.
	 Fl(5)R	13° 20'·81S., 176° 13'·68W. 13° 21'·44S., 176° 13'·67W. 13° 22'·31S., 176° 13'·74W.
Replace	 with  Fl(5)G	13° 21'·19S., 176° 13'·58W.
	 with  Fl(2+1)G	13° 21'·76S., 176° 13'·73W.
	 with  Fl.R	13° 23'·20S., 176° 12'·99W.
	 with  Fl.G	13° 23'·36S., 176° 12'·95W.
Delete	★ Iso.4s98m9M	(a) 13° 20'·53S., 176° 11'·19W.
	leading line, pecked line for 2·73M, extending in direction 032.3°, from:	(a) above

Chart 968 (Panel, Îles Wallis) [*previous update 3417/25*] WGS84 DATUM

Insert	★ Fl.G	13° 23'·36S., 176° 12'·95W.
	★ Fl.R	13° 23'·22S., 176° 12'·98W.
Delete	★ Iso.4s9M	(a) 13° 20'·53S., 176° 11'·16W.
	leading line, pecked line for 2·75M, extending in direction 032.3°, from:	(a) above

II

1383 CANADA - British Columbia - NM Block.

Source: Canadian Notice 12/3493/25

Chart 4963 [*previous update New Edition 25/12/2025*] NAD83 DATUM

Insert the accompanying block, centred on:

49° 18' 28.1"N., 123° 04' 49.8"W.

II

1411 UNITED STATES OF AMERICA - West Coast - Depths.

Source: ENC's US5OAKHG, US5OAKIH, US5OAKHH

Chart 590 [*previous update 4722/23*] NAD83 DATUM

Insert	depth, 63	38° 00'·51N., 122° 24'·12W.
	depth, 52, and extend 6fm contour NW to enclose	38° 00'·67N., 122° 23'·90W.
		38° 00'·81N., 122° 23'·74W.
		38° 00'·91N., 122° 23'·61W.
	depth, 51, and extend 6fm contour NW to enclose	38° 01'·22N., 122° 23'·21W.
Delete	depth, 5, and extend 6fm contour NW to enclose	38° 01'·33N., 122° 23'·04W.
	depth, 45, and extend 6fm contour NW to enclose	(a) 38° 01'·43N., 122° 22'·89W.
	depth, 65, close NW of:	(a) above

II

1449 UNITED STATES OF AMERICA - West Coast - NM Block.

Source: ENC's US5LGBCF, US5LGBBF, US5LGBCE, US5LGBBE and US5LGBCD

Chart 1063 [*previous update 4770/23*] NAD83 DATUM

Insert the accompanying block, centred on:

33° 40'·7N., 118° 10'·2W.

II

1475* **ANTARCTICA - Depths.**

Source: British Government Survey

Chart 1776 [*previous update 709/26*] UNDETERMINED DATUM

Insert depth, 37

(a) 62° 34'·24S., 60° 00'·41W.

Delete depth, 78, close N of:

(a) above

II

1389 BRAZIL - North Coast - Submarine cable.

Source: Bazilian Notice 3/I 9/26

Chart 331 [*previous update New Edition 08/01/2026*] WGS84 DATUM

Insert submarine cable, , joining:

1° 23'·80S., 48° 36'·86W.

1° 22'·16S., 48° 37'·45W.

1° 21'·98S., 48° 37'·93W.

1° 22'·39S., 48° 38'·98W.

1° 26'·31S., 48° 44'·42W.

1° 28'·65S., 48° 47'·85W.

1° 31'·17S., 48° 51'·69W.

1° 32'·70S., 48° 55'·00W.

II

1429 ARGENTINA - Depths. NM Block.

Source: ENC's AR420010, AR420020, AR420030 and AR201010

Chart 1749 [*previous update 565/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	35° 06'·5S., 56° 22'·0W.
Replace	depth, 109, with depth, 102	35° 07'·36S., 55° 57'·44W.

Chart 2001 (Panel B, Approaches to Montevideo) [*previous update 503/26*] WGS84 DATUM

Insert	depth, 108	(a)	35° 04'·04S., 55° 58'·17W.
Delete	depth, 122, close SW of:	(a)	above
Insert	depth, 75		35° 04'·36S., 56° 09'·35W.
	depth, 79	(b)	35° 04'·90S., 56° 08'·60W.
Delete	depth, 9, close S of:	(b)	above
Insert	depth, 102	(c)	35° 07'·36S., 55° 57'·44W.
Delete	depth, 109, close W of:	(c)	above
Insert	depth, 78		35° 07'·91S., 56° 10'·59W.
Replace	depth, 12, with depth, 104		35° 04'·92S., 55° 59'·67W.
Delete	depth, 89		35° 03'·91S., 56° 09'·57W.
	depth 88		35° 07'·55S., 56° 10'·18W.

Chart 3064 [*previous update 565/26*] WGS84 DATUM

Insert	depth, 13	(a)	36° 18'·3S., 56° 17'·8W.
Delete	depth, 17, close S of:	(a)	above
Insert	depth, 15	(b)	36° 23'·0S., 56° 15'·6W.
Delete	depth, 19, close E of:	(b)	above

Chart 3324 [*previous update 565/26*] WGS84 DATUM

Insert	depth, 13	(a)	36° 18'·3S., 56° 17'·8W.
Delete	depth, 17, close S of:	(a)	above
Insert	depth, 15	(b)	36° 23'·0S., 56° 15'·6W.
Delete	depth, 19, close E of:	(b)	above

II

1388 UNITED STATES OF AMERICA - Gulf of Mexico - NM Block.
Source: ENC US5FPOCB

Chart 3854 (Panel, Freeport) [*previous update 5039/25*] NAD83 DATUM

Insert the accompanying block, centred on:

28° 56′·8N., 95° 18′·5W.

II

1404 WEST INDIES - Leeward Islands - NM Block.

Source: French Notice 5/264/26

Chart 2079 (Panel C, Baie de Marigot) [*previous update 685/26*] WGS84 DATUM

Insert the accompanying block, centred on: 18° 04'·1N., 63° 05'·6W.

II

1418 WEST INDIES - Windward Islands - NM Block.

Source: French Notice 6/260/26

Chart 369 [*previous update 737/26*] WGS84 DATUM

Insert the accompanying block, centred on:

14° 42'·3N., 61° 10'·6W.

II

1435 MEXICO - Gulf of Campeche - Restricted area. Legend. Note.

Source: ENC's MX204013 and MX483200

Chart 1307 [previous update 5783/25] WGS84 DATUM

Insert	limit of restricted area, TTTTT , joining:	(a) $18^{\circ} 34' \cdot 7\text{N.}, 93^{\circ} 26' \cdot 5\text{W.}$ (b) $18^{\circ} 40' \cdot 7\text{N.}, 93^{\circ} 11' \cdot 2\text{W.}$ (c) $18^{\circ} 40' \cdot 7\text{N.}, 93^{\circ} 06' \cdot 8\text{W.}$ (d) $18^{\circ} 36' \cdot 4\text{N.}, 93^{\circ} 07' \cdot 4\text{W.}$ (e) $18^{\circ} 27' \cdot 1\text{N.}, 93^{\circ} 15' \cdot 4\text{W.}$ (f) $18^{\circ} 33' \cdot 2\text{N.}, 93^{\circ} 27' \cdot 2\text{W.}$
	legend, <i>Security Zone III (see Note)</i> , within:	(a)-(f) above
	the accompanying note, SECURITY III ZONE, centred on:	$18^{\circ} 19' \cdot 8\text{N.}, 91^{\circ} 07' \cdot 7\text{W.}$

Chart 2626 [previous update 720/26] WGS84 DATUM

Insert	limit of restricted area, TTTTT , joining:	(a) $18^{\circ} 37' \cdot 3\text{N.}, 93^{\circ} 20' \cdot 0\text{W.}$ (b) $18^{\circ} 40' \cdot 7\text{N.}, 93^{\circ} 11' \cdot 2\text{W.}$ (c) $18^{\circ} 40' \cdot 7\text{N.}, 93^{\circ} 06' \cdot 8\text{W.}$ (d) $18^{\circ} 36' \cdot 4\text{N.}, 93^{\circ} 07' \cdot 4\text{W.}$ (e) $18^{\circ} 27' \cdot 1\text{N.}, 93^{\circ} 15' \cdot 4\text{W.}$ (f) $18^{\circ} 29' \cdot 5\text{N.}, 93^{\circ} 20' \cdot 0\text{W.}$
	legend, <i>Security Zone III (see Note)</i> , within:	(a)-(f) above
	the accompanying note, SECURITY III ZONE, centred on:	$18^{\circ} 23' \cdot 3\text{N.}, 91^{\circ} 05' \cdot 3\text{W.}$

II

1441 VENEZUELA - NM Block.

Source: ENC VE500308

Chart 1629 (Plan D, La Guaira) [*previous update 3854/25*] WGS84 DATUM

Insert the accompanying block, centred on:

10° 36'·3N., 66° 56'·7W.

II

1479* DOMINICAN REPUBLIC - Buoyage. Pilot boarding place.
Source: DISEHO

Chart 467 [*previous update 3443/23*] UNDETERMINED DATUM

Insert	 <i>Fl.4s</i>	(a) 18° 26′·02N., 69° 14′·85W.
Delete	 , close NW of:	(a) above
Insert		18° 25′·34N., 69° 15′·41W.

II

1483 COLOMBIA - Caribbean Sea Coast - NM Block.
Source: ENC CO500862

Chart 2262 [*previous update 2175/25*] WGS84 DATUM

Insert the accompanying block, centred on:

7° 56'·9N., 76° 45'·4W.

II

1425 CANADA - Obstruction. Buoyage.

Source: Canadian Notices 1/4010/26 and 1/4116/26

Chart 4745 [*previous update 3553/25*] NAD83 DATUM

Move  Fl(5)Y 20s *ODAS/SADO Priv*, from: 45° 11'·82N., 66° 06'·84W.
to: 45° 11'·82N., 66° 04'·71W.

Chart 4749 [*previous update 943/26*] NAD83 DATUM

Insert  *Obstn* (a) 45° 16'·15N., 66° 08'·04W.
buoy  , out of position (a) above
 Fl(5)Y 20s *ODAS/SADO Priv* 45° 11'·82N., 66° 04'·71W.
Delete former  Fl(5)Y 20s *ODAS/SADO Priv* 45° 11'·82N., 66° 06'·83W.

II

1436(T)/26 IRELAND - East Coast - Foul.

Source: Dublin Port Company Notice 38/26

1. A foul ground is reported to exist in approximate position 53° 19'·13N., 6° 05'·40W.
2. Anchorage No 1 is considered foul and should not be used.
3. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 1415 (INT 1663) - 1468 - 5621_12 - 5621_5 - 5621_7

II

1391(T)/26 SWEDEN - East Coast - Restricted area.

Source: Swedish Notice 1107/19929(T)/26

1. Ice breaking is prohibited between Lambarön and Hässelby villastad, except between the following positions:

59° 21'·94N., 17° 48'·70E.
59° 21'·89N., 17° 48'·54E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 810 (INT 1771)

II

1392(T)/26 SWEDEN - West Coast - Buoy.

Source: Swedish Notice 1107/19915(T)/26

1. A yellow light-buoy, *Fl Y 3s*, has been established, marking the location of a demolished floodlit dolphin, in position 57° 41'·293N., 11° 53'·609E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 857 (INT 1317) - 858 (INT 1316)

II

1393(T)/26 SWEDEN - East Coast - Fairways.

Source: Swedish Notice 1107/19933(T)/26

1. Due to winter conditions, the following fairways are closed to all traffic:

<i>Location</i>	<i>Position</i>
North of Jungfrusalen light	58° 27'·5N., 16° 57'·3E. 58° 26'·6N., 16° 56'·7E.

2. and

<i>Location</i>	<i>Position</i>
Svanfjärden to Kopparh	58° 27'·8N., 16° 53'·8E. 58° 28'·5N., 16° 57'·2E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 846 (INT 1229) - 2055 (INT 1204)

II

1454(T)/26 FINLAND - South Coast - Fairway. Restricted area.

Source: Finnish Notice 4/40(T)/26

1. Until further notice, a speed limit of 9km/h (5 knots) has been established and vessels are prohibited from meeting and overtaking within the section of Southern Finland's winter navigation route, joining the following positions:

60° 10'·14N., 25° 24'·57E.

60° 10'·51N., 25° 25'·53E.

60° 11'·60N., 25° 27'·36E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3817 (INT 1249)

II

1459(T)/26 POLAND - Buoy.

Source: Polish Notice 1/1(T)/26 and Polish Lights List 2/26

1. *An ODAS light buoy has been deployed, until further notice in position:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl(5)Y.20s</i>	<i>SWM-115 ODAS</i>	Spar	55° 05'·30N., 17° 05'·77E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 1870(T)/25 is cancelled.

*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202)

II

1460(T)/26 POLAND - Precautionary areas.

Source: Polish Notices 31/356(T)/25 and 2/17(T)/26

1. Environmental research is being carried out, until 30th June 2028, within areas bounded by the following positions:

54° 57'·08N., 17° 17'·37E.

55° 00'·64N., 17° 15'·60E.

55° 02'·02N., 17° 17'·65E.

54° 59'·81N., 17° 30'·26E.

54° 57'·72N., 17° 24'·57E.

54° 57'·49N., 17° 22'·63E.

54° 57'·42N., 17° 21'·35E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 3889(T)/25 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2816

II

1467(P)/26 NORTH SEA - Danish Sector - Buoyage.

Source: Danish Chart Correction 6/34/26

1. The following yellow Spar buoys, *Fl(5)Y.20s Rec. St.*, have been removed:

56° 21'·6N., 7° 10'·6E.
56° 21'·8N., 7° 31'·2E.
56° 20'·3N., 7° 41'·0E.
56° 22'·1N., 7° 51'·8E.
56° 15'·7N., 7° 00'·6E.
56° 16'·0N., 7° 21'·1E.
56° 16'·8N., 7° 32'·6E.
56° 16'·2N., 7° 41'·7E.
56° 16'·4N., 8° 02'·2E.
56° 09'·8N., 6° 50'·6E.
56° 10'·1N., 7° 11'·3E.
56° 10'·4N., 7° 31'·6E.
56° 10'·6N., 7° 52'·1E.
56° 04'·3N., 7° 01'·2E.
56° 04'·7N., 7° 21'·8E.
56° 04'·8N., 7° 42'·1E.
56° 05'·0N., 8° 02'·5E.
55° 58'·4N., 6° 51'·3E.
55° 58'·7N., 7° 11'·7E.
55° 59'·0N., 7° 32'·1E.
55° 59'·2N., 7° 52'·5E.
55° 52'·5N., 6° 41'·4E.
55° 52'·8N., 7° 01'·8E.
55° 53'·1N., 7° 22'·1E.
55° 53'·4N., 7° 42'·4E.

2. and

55° 53'·6N., 8° 02'·8E.
55° 46'·6N., 6° 31'·7E.
55° 46'·9N., 6° 51'·9E.
55° 47'·3N., 7° 12'·2E.
55° 47'·5N., 7° 32'·5E.
55° 47'·8N., 7° 52'·8E.
55° 41'·1N., 6° 42'·1E.
55° 41'·4N., 7° 02'·3E.
55° 41'·7N., 7° 22'·6E.
55° 44'·1N., 7° 47'·4E.
55° 43'·0N., 7° 51'·1E.
55° 44'·9N., 7° 54'·1E.
55° 42'·1N., 8° 03'·1E.
55° 36'·3N., 7° 53'·1E.

3. Mariners are advised to navigate with caution in the area.
4. These and other changes will be included in a New Edition of Chart 1422 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 1422 (INT 1044)

II

1466(T)/26 PORTUGAL - West Coast - Foul. Buoy.

Source: Portuguese Notices 2/126(T)-127(T)/26

1. Multiple unlit surface floats exist in position $41^{\circ} 10' \cdot 29N$., $8^{\circ} 41' \cdot 96W$. Mariners are requested to maintain a clearance of 100m.
2. The ODAS light-buoy, *Fl.Y.3.5sIM APDL 4*, in position $41^{\circ} 10' \cdot 30N$., $8^{\circ} 41' \cdot 96W$. has been removed.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3258 (INT 1871)

II

1468(P)/26 PORTUGAL - West Coast - Works. Depths.

Source: Portuguese Chart 26408

1. Numerous changes to charted detail have taken place within the port of Sines
2. Terminal XXI extension works have been completed in positions:

37° 56'·041N., 8° 50'·580W.

37° 56'·062N., 8° 50'·579W.

37° 56'·141N., 8° 50'·501W.

and

37° 55'·819N., 8° 50'·429W.

37° 55'·781N., 8° 50'·405W.

37° 55'·745N., 8° 50'·344W.

37° 55'·713N., 8° 50'·382W.

37° 55'·779N., 8° 50'·495W.

3. Depths less than charted exist within the approaches to Sines. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
37m	37° 53'·562N., 8° 50'·643W.
36m	37° 53'·729N., 8° 51'·038W.

4. These and other changes will be included in the next New Edition of Chart 3224.
(WGS84 DATUM)

Chart affected - 3224 (INT 1882)

II

1476(T)/26 UKRAINE - Wrecks.

Source: UKHO

1. Wrecks areas have been established, bounded by the following positions:

47° 03'·122N., 37° 31'·372E.

47° 03'·122N., 37° 31'·405E.

47° 03'·106N., 37° 31'·388E.

47° 03'·106N., 37° 31'·372E.

2. and

47° 03'·739N., 37° 30'·788E.

47° 03'·739N., 37° 30'·738E.

47° 03'·755N., 37° 30'·755E.

3. and

47° 03'·506N., 37° 30'·571E.

47° 03'·506N., 37° 30'·588E.

47° 03'·472N., 37° 30'·655E.

47° 03'·472N., 37° 30'·638E.

47° 03'·489N., 37° 30'·588E.

4. Mariners are advised to navigate with caution in the area and consult the local port authority for the latest information.
(WGS84 DATUM)

Chart affected - 3303

II

1477(T)/26 MALTA - Buoy.

Source: Transport Malta Notice 15/26

1. Due to a recent storm, the Marsaxlokk Benghisa East Cardinal light-buoy, *Q(3)10s*, in position $35^{\circ} 48' \cdot 028\text{N}$., $14^{\circ} 33' \cdot 564\text{E}$. is reported destroyed.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 36 - 194 - 2538

II

1480(T)/26 EGYPT - Red Sea Coast - Buoy. Radar beacon.

Source: Egyptian Navy Hydrographic Department

1. The safe water light-buoy, *Mo(A)10s*, and associated radar beacon, *Racon (KT)*, in position 28° 09'·6N., 33° 20'·8E., are reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 333 (INT 7135) - 2374 (INT 7134) - 5501

II

1386(T)/26 CHINA - Bo Hai - Reclamation areas. Dredging areas. Works.

Source: Chinese Notice 49/1550(T)/2025

1. Dredging operations are being carried out in the basins and berthing waters of Nanjiang Gangqu, Beijiang Ganqu and Dongjiang Gangqu. Reclamation works are being carried out in the vicinity of: 38° 57'·540N., 117° 49'·610E.and 38° 57'·04N., 117° 51'·73E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (CGCS 2000 DATUM)

Charts affected - 2653 - 2662

II

1417(P)/26 CHINA - Bo Hai - Precautionary area. Traffic separation scheme. Separation zone.

Source: UKHO

1. Changes to an existing Traffic Separation Scheme in Bohai Wan are to be implemented on 1 January 2026. The changes are as follows:
 - A. The limit of the westbound traffic lane has changed, the updated limit has been established joining the following positions:

38° 42'·4N., 118° 32'·9E.
38° 40'·2N., 118° 39'·0E.
 - B. The limit of the eastbound traffic lane has changed, the updated limit has been established joining the following positions:

38° 40'·1N., 118° 31'·5E.
38° 37'·9N., 118° 37'·7E.
 - C. The separation zone, 0·5M wide, has been amended, centred on a line joining the following positions:

38° 41'·3N., 118° 32'·2E.
38° 39'·0N., 118° 38'·3E.
 - D. The No.2 precautionary area has been extended, bounded by the following positions:

38° 44'·7N., 118° 26'·5E.
38° 42'·4N., 118° 32'·9E.
38° 40'·1N., 118° 31'·5E.
38° 42'·5N., 118° 25'·2E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Chart 1250 will be updated when full details are available.
(CGCS 2000 DATUM)

Chart affected - 1250

II

1442(T)/26 TAIWAN - Works.

Source: UKHO

1. *Works to replace anti-scouring stones at Berth 79 are taking place within an area bounded by the following positions:

 *22° 33'·13N., 120° 19'·78E.
 *22° 32'·94N., 120° 19'·94E.
 *22° 32'·83N., 120° 19'·93E.
 *22° 33'·08N., 120° 19'·71E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 2183(T)/24 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Chart affected - 2376

II

1443(P)/26 TAIWAN - Buoy.

Source: UKHO

1. A light-buoy, *Fl(3)Y*, has been reported in position 22° 55'·9N., 122° 41'·7E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3236 - 3489 (INT 553)

II

1455(T)/26 KOREA - West Coast - Platform. Radar beacon. Automatic Identification System. Fog signal.

Source: Korean Notice 52/852(T)/25

1. A lit platform, Mo(U)10s23m9M, has been established in position 37° 26'·67N., 125° 40'·83E.
2. A radar beacon, Racon (D), Automatic Identification System, AIS, and fog signal have been established at the platform.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1258

II

1440(P)/26 AUSTRALIA - Western Australia - Submarine cables. Works.

Source: Australian Notice 4/161(T)/26 and Gulf Agency Company (Australia)

1. Cable laying operations are being conducted between Perth and Melbourne and Perth and Christmas Island, within the area bounded by the coastline and following positions:

33° 19'·14S., 115° 37'·92E.

32° 29'·60S., 111° 20'·55E.

35° 34'·63S., 114° 07'·30E.

37° 42'·55S., 122° 17'·79E.

37° 55'·59S., 122° 07'·00E.

36° 00'·36S., 113° 50'·81E.

32° 29'·03S., 110° 55'·99E.

28° 47'·45S., 108° 55'·86E.

28° 47'·45S., 109° 26'·33E.

31° 44'·45S., 111° 02'·09E.

32° 15'·73S., 115° 40'·40E.

2. Mariners are advised to keep clear of vessel, *CS Resolute*, during activities.
3. Mariners are advised to navigate with caution in the areas. Further advice on specific areas of activity will be issued through the AUSCOAST warning system.
4. Charts will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 4708 (INT 708) - 4709 (INT 709) - 4710 (INT 710)

II

1409(P)/26 NEW ZEALAND - South Island - Depths. Lights.

Source: New Zealand Charts NZ 66, NZ 661 and NZ 6612

1. Depths less than charted exist within the approaches to Otago Harbour. The most significant are as follows:

<i>Position</i>	<i>Depth</i>	<i>Chart(s) Affected</i>
45° 47'·59S., 170° 46'·93E.	18·9m	NZ 66, NZ 661
45° 47'·94S., 170° 46'·49E.	18·4m	NZ 661
45° 48'·43S., 170° 46'·34E.	18·4m	NZ 661
45° 48'·85S., 170° 46'·51E.	18·1m	NZ 661
45° 49'·31S., 170° 46'·35E.	17·3m	NZ 661

2. The sectors at Heyward Point Fl.WR.5s25m9/7M (45° 45'·37S., 170° 41'·53E.) and Taiaroa Head LFl(2)18s60m18M (45° 46'·42S., 170° 43'·73E.) lights have changed.
3. Mariners are advised navigate with caution in the area and consult local port authorities and Admiralty List of Lights, Volume K, for the latest information.
4. These and other changes will be included in New Editions of Charts NZ 66, NZ 661 and NZ 6612 to be published early 2026.
(WGS84 DATUM)

Charts affected - NZ 66 - NZ 661 - NZ 6612

II

1469(P)/26 CANADA - British Columbia - Lights. Leading line.

Source: Canadian Notices 1/3493/26 and 1/3497/26

1. New lights have been established north of Berry Point as follows:
2. A rear sectored light, F GWR has been established in position $49^{\circ} 17' 45.7''\text{N.}$, $122^{\circ} 59' 10.1''\text{W.}$, with 2 further lights Fl R and F Y attached to the rear tower.
3. A front light, F Y with a secondary light, Fl R has been established in position $49^{\circ} 17' 45.2''\text{N.}$, $122^{\circ} 59' 25.0''\text{W.}$
4. The bearing of the associated leading line is 087° .
5. Mariners are advised to navigate with caution in the area.
6. These changes will be included in a New Edition of Chart 4970 to be published mid 2026.
(NAD83 DATUM)

Chart affected - 4970

II

1453(P)/26 ANTARCTICA - Depths.

Source: ENC's CL5MA930 and CL4MA950

1. Depths less than charted exist in the following positions:

<i>Depth</i>	<i>Position</i>
10fm1ft	62° 19'·89S., 59° 10'·65W.
10fm3ft	62° 19'·49S., 59° 10'·74W.
10fm5ft	62° 19'·98S., 59° 10'·67W.
8fm	62° 19'·06S., 59° 12'·57W.
0fm2ft	62° 14'·86S., 58° 43'·60W.
2fm4ft	62° 15'·00S., 58° 44'·87W.

2. Mariners are advised to navigate with caution in the area.
(UNDETERMINED DATUM)

Chart affected - 1774

II

1458(P)/26 BRAZIL - East Coast - Depths.

Source: Brazilian Notice 24/E 195(P)/25

1. Depths less than charted exist within Ilhéus. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
8·4m	14° 45'·75S., 39° 01'·52W.
7·7m	14° 45'·82S., 39° 01'·52W.
6·7m	14° 45'·89S., 39° 01'·51W.
6·0m	14° 45'·96S., 39° 01'·51W.
7·6m	14° 45'·95S., 39° 02'·00W.
0·3m	14° 46'·14S., 39° 01'·59W.
0·9m	14° 46'·21S., 39° 01'·58W.
6·2m	14° 46'·26S., 39° 01'·99W.
0·3m	14° 46'·39S., 39° 01'·58W.
*6·0m	14° 45'·95S., 39° 01'·51W.

2. *Shoaling, with minimum depth 7·7m, has been reported in the vicinity of a line joining the following positions:

14° 45'·81S., 39° 01'·52W.
14° 45'·59S., 39° 01'·51W.
14° 45'·45S., 39° 01'·83W.

3. *Shoaling, with minimum depth -0·4m, has been reported in the vicinity of a line joining the following positions:

14° 46'·55S., 39° 01'·57W.
14° 46'·41S., 39° 01'·60W.

4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

5. *Former Notice 2661(P)/24 is cancelled.

*Indicates new or revised entry.
(WGS84 DATUM)

Chart affected - 551