



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 14

02 April 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts International Charts

35	INT	553
106	INT	1370
269	INT	1379
899	INT	1380
907	INT	1461
910	INT	1558
1016	INT	1559
1054	INT	1848
1175	INT	5252
1452	INT	7426
1534	INT	7428
1535	INT	7451
1602	INT	7452
2589		
2590		
2596		
2791		
3264		
3365		
3489		
3558		
3900		
3929		
4118		
BD 2508		
BD 3004		
BD 5001		
BD 7510		
CP 5		
DE 90		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW ADMIRALTY CHARTS AND PUBLICATIONS

New ADMIRALTY Charts published 02 April 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙BD2508 INT 7451	International Chart Series, Bangladesh, Pussur River, Monkey Point to Mongla Port. Ⓐ Monkey Point to Joyman Reach. 22°14'·10 N. - 22°24'·20 N., 89°32'·40 E - 89°40'·20 E. Ⓑ Joyman Reach to Mongla Port. 22°22'·40 N. - 22°32'·50 N., 89°31'·85 E - 89°39'·70 E.	1:25,000 1:25,000	43	64
⊙BD3004 INT 7452	International Chart Series, Bangladesh, Pussur River, Trikona Island to Monkey Point. Ⓐ Trikona Island to Ghusaingari Khal. 21°53'·20 N. - 22°05'·35 N., 89°28'·00 E - 89°36'·55 E. Ⓑ Ghusaingari Khal to Monkey Point. 22°03'·75 N. - 22°15'·90 N., 89°27'·00 E - 89°37'·25 E.	1:30,000 1:30,000	43	64
⊙BD5001 INT 7426	International Chart Series, Bangladesh, Approaches to Hiran Point. 21°25'·50 N. - 21°55'·25 N., 89°19'·10 E - 89°40'·80 E.	1:50,000	43	64
⊙BD7510 INT 7428	International Chart Series, Bangladesh, Approaches to Chattogram. 21°42'·00 N. - 22°21'·65 N., 91°28'·00 E - 91°56'·25 E.	1:75,000	43	64

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 02 April 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙35	Orkney Islands, Scapa Flow and Approaches. Continuation of Long Hope.	1:30,000 1:30,000	6	30
This chart remains affected by Notices 4143(T)/24 and 2667(P)/25. This chart is to be deleted from the list of charts affected by Notices 4076(P)/25 and 1066(P)/26.				
⊙106	England - East Coast, Cromer to Smiths Knoll.	1:75,000	7	26
This chart remains affected by Notice 482(T)/24. This chart is to be deleted from the list of charts affected by Notice 208(P)/26.				

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 02 April 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1452	Bahamas, New Providence Island, Nassau. Eastern Approaches to Nassau.	1:6,000 1:15,000	83	126
On publication of this New Edition former Notice 718(P)/26 is cancelled.				
⊙1534 INT 1558	International Chart Series, England - East Coast, Great Yarmouth and Approaches. Ⓐ Great Yarmouth Outer Harbour. Ⓑ Great Yarmouth Haven.	1:25,000 1:7,500 1:7,500	7	26
⊙1535 INT 1559	International Chart Series, England - East Coast, Lowestoft and Approaches. Lowestoft Harbour.	1:25,000 1:6,250	7	26
This chart is to be deleted from the list of charts affected by Notice 5680(P)/25.				
⊙1602	China - Chang Jiang, Outer Approaches to Shanghai.	1:130,000	50	80
On publication of this New Edition former Notice 731(P)/26 is cancelled. This chart remains affected by Notices 3935(P)/22 and 4392(T)/25.				
⊙3264	Sri Lanka - South Coast, Hambantota and Approaches. Hambantota.	1:30,000 1:10,000	42	64
On publication of this New Edition former Notice 193(P)/26 is cancelled.				
⊙3900	Indonesia and Thailand, Pulau Rondo to Tanjung Jamboaye.	1:500,000	45	66
This chart remains affected by Notices 5739(P)/25 and 854(P)/26.				
⊙CP5	Panamá - Pacific Coast, Panamá Canal, Pacific Entrance. Puerto de Balboa.	1:30,000 1:10,000	88	128
This chart is to be deleted from the list of charts affected by Notice 4470(P)/23.				

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 16 APRIL 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
269	Croatia, Ploče and Split with Adjacent Harbours, Channels and Anchorages. Ⓐ Gradska Luka. Ⓑ Ploče. Ⓒ Pakleni Kanal. Ⓓ Splitska Vrata. Ⓔ Split.	1:5,000 1:15,000 1:35,000 1:20,000 1:15,000	⊙269	27	44
1054	Greece and Türkiye, Marmaris to Kaş. Ⓐ Approaches to Nísos Megísti. Ⓑ Kaş Limanı. Ⓒ Órmos Kastellorízou.	1:150,000 1:50,000 1:15,000 1:15,000	⊙1054	29	48
2589 INT 1379	International Chart Series, Denmark, Kattegat, Samsø Bælt.	1:75,000	⊙2589 INT 1379	10	34
2590 INT 1380	International Chart Series, Denmark – Kattegat, Århus Bugt. Passage South of Sletterhage.	1:75,000 1:40,000	⊙2590 INT 1380	10	34
2596 INT 1370	International Chart Series, Denmark, Entrance to the Baltic, Storebælt, Northern Part.	1:75,000	⊙2596 INT 1370	10	34
2791	Indonesia, Plans in the Banda Sea. Ⓐ Ambon. Ⓑ Pelabuhan Wayame. Ⓒ Approaches to Ambon. Ⓓ Approaches to Tual. Ⓔ Tual. Ⓕ Selat Egron.	1:25,000 1:10,000 1:200,000 1:200,000 1:50,000 1:250,000	⊙2791	60	74, 100
3365 INT 5252	International Chart Series, Korea - South West Coast, Geomundo to Daeheuksan Gundo and Jejudo. Jeju Hang.	1:250,000 1:15,000	⊙3365 INT 5252	52	82, 84
3489 INT 553	International Chart Series, South China Sea - North East Part, Manila to Hong Kong.	1:500,000	⊙3489 INT 553	48	76, 78, 80
3558	Philippine Islands, Luzon - South-West Coast, Approaches to Batangas. Batangas.	1:50,000 1:20,000	⊙3558	48	78
3929	Korea - South Coast, Chuja Gundo to Geomundo.	1:125,000	⊙3929	52	82, 84
4118	China - Hong Kong, Harbour - Central Part.	1:8,000	⊙4118	47	78

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 16 APRIL 2026

New Editions of ADMIRALTY Charts (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
DE90	International Chart Series, North Sea, Netherlands and Germany,	1:50,000	⊙DE90	9	32
INT 1461	Entrance to River Ems.		INT 1461		
	Ⓐ Borkum.	1:12,500			
	Ⓑ Eemshaven.	1:20,000			

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
35	Orkney Islands, Scapa Flow and Approaches.	⊙35
106	England - East Coast, Cromer to Smiths Knoll.	⊙106
899 INT 7426	International Chart Series, Bangladesh, Approaches to Hiran Point. On withdrawal of this chart former Notices 4635(P)/25 and 1250(P)/26 are cancelled. Chart 899 is to be deleted from Notices 5216(T)/25 and 5381(T)/25.	⊙BD5001 INT 7426
907 INT 7452	International Chart Series, Bangladesh, Pussur River, Trikona Island to Monkey Point. On withdrawal of this chart former Notice 1250(P)/26 is cancelled. Chart 907 is to be deleted from Notice 5216(T)/25.	⊙BD3004 INT 7452
910 INT 7451	International Chart Series, Bangladesh, Pussur River, Monkey Point to Mongla Port. On withdrawal of this chart former Notice 1228(P)/26 is cancelled. Chart 910 is to be deleted from Notice 5216(T)/25.	⊙BD2508 INT 7451
1016 INT 7428	International Chart Series, Bangladesh, Approaches to Chattogram. On withdrawal of this chart former Notices 2159(T)/22, 2248(T)/22, 2280(T)/22, 4276(T)/22, 1578(T)/23, 2391(T)/23, 3835(T)/23, 388(T)/25, 3914(T)/25, 4305(T)/25, 5080(T)/25 and 1249(P)/26 are cancelled.	⊙BD7510 INT 7428
1452	Bahamas, New Providence Island, Nassau.	⊙1452
1534 INT 1558	International Chart Series, England - East Coast, Great Yarmouth and Approaches.	⊙1534 INT 1558

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts (continued)

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
1535 INT 1559	International Chart Series, England - East Coast, Lowestoft and Approaches.	⊙1535 INT 1559
1602	China - Chang Jiang, Outer Approaches to Shanghai.	⊙1602
3264	Sri Lanka - South Coast, Hambantota and Approaches.	⊙3264
3900	Indonesia and Thailand, Pulau Rondo to Tanjung Jamboaye.	⊙3900
CP5	Panamá - Pacific Coast, Panamá Canal, Pacific Entrance.	⊙CP5

ADMIRALTY CHARTS INDEPENDENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙1175 INT 1848	International Chart Series, France – West Coast, Port de Bayonne and Approaches, Including L'Adour.	02 April 2026
On withdrawal of this chart former Notice 1198(P)/26 is cancelled.		

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
90	1560T, 1566T, 1571T	1267	1504
102	1571T, 1572T	1270	1569
122	1590T	1271	1569
124	1582T	1304	1491
125	1583	1402	1544
127	1501	1406	1561
130	1590T	1422	1544
154	1504	1443	1547
161	1503T	1460	1536T
166	1549T	1488	1533P
178	1523	1495	1579
187	1586	1505	1557
188	1586	1537	1594
204	1603	1555	1594
208	1580T	1568	1589
220	1603	1585	1593
224	1508	1631	1583
246	1610	1663	1502T
259	1506T	1673	1515T
341	1606	1674	1515T
343	1607	1682	1515T
344	1564	1701	1588
354	1527T, 1598	1704	1549T
355	1527T	1721	1608
356	1527T	1728	1556T
364	1550	1748	1541
365	1550	1776	1613
376	1550	1792	1528, 1600
384	1515T	1913	1527T
440	1515T	1941	1525
441	1515T	1962	1600
488	1515T	2000	1499
497	1508	2014	1512P, 1537
515	1603	2015	1537
518	1588	2018	1506T, 1511T, 1512P, 1537
562	1588	2040	1511T
668	1500P	2054	1506T
669	1500P, 1520	2104	1610
710	1611	2108	1495
744	1515T	2172	1574
745	1515T	2175	1574
746	1515T	2182A	1496
749	1515T	2182B	1544, 1567
751	1515T	2243	1592
752	1515T	2253	1546
777	1504	2260	1581
811	1505T, 1599T	2282	1605
848	1492	2350	1542
903	1519P	2356	1542
914	1526T	2429	1514
916	1526T	2449	1561
994	1525	2578	1587
1000	1502T	2595	1519P
1005	1497	2597	1543
1007	1540	2611	1574
1016	1560T, 1566T, 1571T, 1572T	2615	1574
1066	1507	2618	1568T
1086	1552	2643	1542
1126	1491	2655	1542
1130	1491	2691	1515T
1180	1549T	2717	1549T
1196	1549T	2730	1535
1198	1604	2773	1603
1200	1545	2795	1507
1201	1510	2816	1506T
1249	1554, 1602	2817	1506T
1252	1513	2842	1506T
1253	1510	2843	1506T
1256	1513, 1602	2844	1506T

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	German Chart No.	Notices
2875	1609	DE 31	1494
2876	1609	DE 44	1493
2892	1507	DE 91	1559
2895	1570		
2896	1570		
3015	1575	Indian Chart No.	Notices
3017	1507		
3044	1565T	IN 207	1533P
3089	1539	IN 210	1534T
3231	1568T	IN 211	1601P
3237	1596	IN 254	1534T
3287	1509	IN 292	1534T
3288	1509	IN 2016	1601P, 1612
3289	1509		
3391	1501	Japanese Chart No.	Notices
3427	1542		
3454	1538P	JP 187	1595, 1596
3458	1584	JP 213	1595, 1596
3480	1562	JP 1030	1597T
3726	1609	JP 1222	1596
3768	1550		
3778	1517T	New Zealand Chart No.	Notices
3780	1517T		
3784	1570	NZ 46	1563
3785	1570	NZ 52	1498T
3796	1517T	NZ 53	1498T
3813	1581	NZ 522	1498T
3892	1594	NZ 531	1498T
4052	1555	NZ 532	1498T
4060	1531, 1591	NZ 5321	1498T
4061	1531, 1591	NZ 5324	1498T
4071	1555		
4129	1606	International Chart No.	Notices
4140	1576		
4601	1529, 1553	INT 52	1555
4603	1518T, 1555, 1573	INT 60	1531, 1591
4632	1515T	INT 61	1531, 1591
4638	1515T	INT 71	1555
4709	1553	INT 120	1506T
4722	1555	INT 140	1576
4723	1521T, 1524T, 1532, 1558	INT 601	1529, 1553
4763	1585T	INT 603	1518T, 1555, 1573
4785	1548	INT 632	1515T
4786	1548	INT 638	1515T
4959	1516	INT 709	1553
5601_5	1574	INT 722	1555
5601_9	1574	INT 723	1521T, 1524T, 1532, 1558
5602_2	1504	INT 1042	1544, 1567
5602_9	1546	INT 1043	1496
5606_1	1561	INT 1044	1544
5607_1	1561	INT 1155	1581
5614_11	1545	INT 1201	1537
5614_25	1496	INT 1202	1506T, 1511T, 1512P, 1537
		INT 1203	1506T
		INT 1218	1511T
		INT 1219	1512P, 1537
		INT 1223	1506T
		INT 1224	1506T
		INT 1239	1505T, 1599T
		INT 1246	1581
		INT 1300	1544
		INT 1302	1495
		INT 1332	1519P
		INT 1333	1519P
Australian Chart No.	Notices		
Aus 57	1522T		
Aus 143	1553, 1578		
Aus 807	1551		
Aus 808	1551		
Aus 815	1530		
Belgian Chart No.	Notices		
BE 11	1577		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1357	1494		
INT 1368	1543		
INT 1418	1583		
INT 1422	1583		
INT 1423	1590T		
INT 1452	1493		
INT 1462	1559		
INT 1466	1580T		
INT 1471	1582T		
INT 1472	1590T		
INT 1556	1545		
INT 1719	1504		
INT 1723	1546		
INT 1726	1574		
INT 1761	1506T		
INT 1800	1542		
INT 1832	1542		
INT 1953	1502T		
INT 1993	1502T		
INT 2897	1509		
INT 2898	1509		
INT 3172	1588		
INT 3173	1588		
INT 3184	1549T		
INT 3185	1549T		
INT 3360	1527T		
INT 3361	1527T, 1598		
INT 3362	1527T		
INT 3550	1587		
INT 3660	1610		
INT 3661	1610		
INT 3680	1593		
INT 5360	1501		
INT 5363	1569		
INT 6854	1515T		
INT 6856	1515T		
INT 7014	1570		
INT 7021	1534T		
INT 7331	1534T		
INT 7336	1601P, 1612		
INT 7344	1533P		
INT 7427	1571T, 1572T		
INT 7428	1560T, 1566T, 1571T, 1572T		
INT 7736	1579		
INT 7739	1611		

II

1499* SCOTLAND - West Coast - Wreck.

Source: King's Harbour Master, Clyde

Chart 2000 (Panel B, Faslane Base) [*previous update 3222/25*] ETRS89 DATUM

Insert



56° 04'·458N., 4° 49'·695W.

Chart 2000 [*previous update 3222/25*] ETRS89 DATUM

Insert



56° 04'·458N., 4° 49'·695W.

II

1504* ENGLAND - South Coast - Buoy.

Source: Falmouth Harbour Commissioners

Chart 154 (INT 1719) [*previous update 5150/25*] ETRS89 DATUM

Move  *Fl(5)Y.20s*, from: 50° 06′·24N., 4° 58′·44W.
to: 50° 06′·31N., 4° 58′·87W.

Chart 777 [*previous update 5150/25*] ETRS89 DATUM

Move  *Fl(5)Y.20s*, from: 50° 06′·24N., 4° 58′·44W.
to: 50° 06′·31N., 4° 58′·87W.

Chart 1267 [*previous update 973/26*] ETRS89 DATUM

Move  *Fl(5)Y.20s*, from: 50° 06′·24N., 4° 58′·44W.
to: 50° 06′·31N., 4° 58′·87W.

Chart 5602_2 (Panel A, Helford River to Fowey) [*previous update 973/26*] ETRS89 DATUM

Move  *Fl(5)Y.20s*, from: 50° 06′·24N., 4° 58′·44W.
to: 50° 06′·31N., 4° 58′·87W.

II

1545* ENGLAND - East Coast - Buoyage.

Source: Port of Wisbech Harbour Authority

Chart 1200 (INT 1556) [*previous update 1078/26*] ETRS89 DATUM

Insert	 <i>Mo(A)6s Nene Roads</i>	52° 53′·91N., 0° 14′·39E.
Delete	former  <i>Mo(A)6s Nene Roads</i>	52° 53′·85N., 0° 15′·51E.

Chart 5614_11 (Panel A, The Wash Central Part) [*previous update 1078/26*] ETRS89 DATUM

Insert	 <i>Mo(A)6s Nene Roads</i>	52° 53′·91N., 0° 14′·39E.
Delete	former  <i>Mo(A)6s Nene Roads</i>	52° 53′·85N., 0° 15′·51E.

II

1546* ENGLAND - South Coast - Buoy. Beacons.

Source: Dart Harbour and Navigation Authority

Chart 2253 (INT 1723) [*previous update 1960/25*] ETRS89 DATUM

Insert



(a) 50° 21'·843N., 3° 34'·955W.

Delete



, close NW of:

(a) above



, close SW of:

(a) above

Chart 5602_9 (Panel A, Dartmouth) [*previous update 5591/24*] ETRS89 DATUM

Insert



(a) 50° 21'·843N., 3° 34'·955W.

Delete



, close NW of:

(a) above



, close SW of:

(a) above

II

1574* ENGLAND - South Coast - Pilot boarding places.

Source: Poole Harbour Commissioners

Chart 2172 (Panel A, Swanage and Studland Bays) [*previous update 1315/26*] ETRS89 DATUM

Delete ① *Poole* 50° 39'·120N., 1° 54'·700W.

Chart 2175 [*previous update 1315/26*] ETRS89 DATUM

Insert  *Poole* 50° 38'·58N., 1° 54'·06W.

Delete former *Poole* 50° 39' 12N., 1° 54' 70W.

Chart 2611 (INT 1726) [*previous update 1278/26*] ETRS89 DATUM

Delete 50° 39'·120N., 1° 54'·700W.

Chart 2615 [*previous update 357/26*] ETRS89 DATUM

Move $\textcircled{1}$ *Poole*, from: 50° 39′.12N., 1° 54′.91W.
to: 50° 38′.58N., 1° 54′.03W.

Chart 5601_9 [previous update New Edition 31/10/2024] ETRS89 DATUM

Delete ① *Poole* 50° 39'·120N., 1° 54'·700W.

Chart 5601_5 [*previous update 357/26*] ETRS89 DATUM

Move $\odot$ *Poole*, from: 50° 39′.12N., 1° 54′.91W.
to: 50° 38′.58N., 1° 54′.03W.

II

1494* GERMANY - Baltic Coast - Light.

Source: WSA Ostsee 21/26

Chart DE 31 (INT 1357) [*previous update 4677/25*] WGS84 DATUM

Amend Burger See light to, Iso.WRG.4s13m14-10M (exting)

54° 24'·66N., 11° 11'·35E.

II

1495 DENMARK - East Coast - Radar beacon.

Source: Danish Chart Correction 2/11/26

Chart 2108 (INT 1302) [*previous update 433/26*] WGS84 DATUM

Delete radar beacon, Racon(U), at turbine

56° 30′·48N., 11° 11′·03E.

II

1537 GERMANY - Baltic Coast - Buoyage.

Source: German Notice 51-52/2400/25

Chart 2014 (INT 1219) [previous update 1331/26] WGS84 DATUM

Move



Q(9)15s WA W1, from:

54° 54'·86N., 13° 58'·56E.

to:

54° 54'·56N., 13° 58'·89E.



Q WA N1, from:

54° 55'·76N., 13° 59'·35E.

to:

54° 55'·44N., 13° 59'·68E.

Chart 2015 (INT 1201) [previous update 1331/26] WGS84 DATUM

Move



Q(9)15s WA W1, from:

54° 54'·86N., 13° 58'·56E.

to:

54° 54'·56N., 13° 58'·89E.



Q WA N1, from:

54° 55'·76N., 13° 59'·35E.

to:

54° 55'·44N., 13° 59'·68E.

Chart 2018 (INT 1202) [previous update 1331/26] WGS84 DATUM

Insert



Q(3)10s WA E

54° 53'·80N., 14° 04'·24E.

Move



Q(9)15s WA W1, from:

54° 54'·86N., 13° 58'·56E.

to:

54° 54'·56N., 13° 58'·89E.



Q WA N1, from:

54° 55'·76N., 13° 59'·35E.

to:

54° 55'·44N., 13° 59'·68E.

II

1543 DENMARK - Islands - Depths.

Source: Danish Chart Correction 6/38/26

Chart 2597 (INT 1368) [*previous update New Edition 29/01/2026*] WGS84 DATUM

Insert	depth, 51	(a) 54° 57'·22N., 10° 51'·53E.
Delete	depth, 65, close SE of:	(a) above

II

1581 FINLAND - South Coast - Beacons. Leading line.

Source: Finnish Notice 36/281/25

Chart 2260 (INT 1155) [*previous update 1339/26*] WGS84 DATUM

Delete



(a) 60° 28'·600N., 26° 55'·626E.
60° 28'·591N., 26° 55'·751E.

leading line, pecked line for 420m, extending in direction
098·4°, from:

(a) above

Chart 3813 (INT 1246) [*previous update 1339/26*] WGS84 DATUM

Delete



(a) 60° 28'·60N., 26° 55'·63E.
60° 28'·59N., 26° 55'·75E.

leading line, pecked line for 390m, extending in direction
098·4°, from:

(a) above

II

1493* GERMANY - North Sea Coast - Buoy.

Source: WSA Elbe-Nordsee 75/26

Chart DE 44 (INT 1452) [*previous update 1281/26*] WGS84 DATUM

Insert symbol, yellow mooring buoy, *FLY*

54° 00′·32N., 8° 42′·95E.

II

1496 NORTH SEA - German Sector - Buoy.

Source: Netherlands Notice 10/41/26

Chart 2182A (INT 1043) [*previous update 1464/26*] WGS84 DATUM

Delete

 *Fl(5)Y HD-E ODAS*

54° 21'·7N., 6° 16'·8E.

Chart 5614_25 [*previous update 1464/26*] WGS84 DATUM

Delete

 *Fl(5)Y HD-E ODAS*

54° 21'·7N., 6° 16'·8E.

II

1544 DENMARK - North Sea Coast - NM Blocks. Submarine power cable.

Source: Danish Chart Corrections 42/246/25 and 42/252-253/25

Note: Former Notice 1347(P)/25 is cancelled.

Chart 1402 (INT 1300) (Panel B, Hanstholm) [*previous update 1109/26*] WGS84 DATUM

Insert the accompanying block, centred on: 57° 07'·1N., 8° 36'·4E.

Chart 1422 (INT 1044) (Panel A, Hanstholm) [*previous update 814/26*] WGS84 DATUM

Insert the accompanying block, centred on: 57° 07'·1N., 8° 36'·5E.

Chart 1422 (INT 1044) [*previous update 814/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

56° 21'·0N., 7° 46'·4E.
56° 20'·7N., 7° 47'·8E.
56° 27'·4N., 8° 07'·4E.

Chart 2182B (INT 1042) [*previous update 1464/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

56° 21'·0N., 7° 46'·4E.
56° 20'·7N., 7° 47'·8E.
56° 27'·4N., 8° 07'·4E.

II

1559* NETHERLANDS - Buoyage.

Source: NL BaZ 09/36(T)/26

Chart DE 91 (INT 1462) [*previous update New Edition 12/03/2026*] WGS84 DATUM

Move

 <i>D 1A</i> , from:	53° 18′·87N., 7° 03′·17E.
to:	53° 19′·05N., 7° 03′·15E.
 <i>D 3</i> , from:	53° 18′·89N., 7° 04′·52E.
to:	53° 19′·08N., 7° 04′·68E.
 <i>D 5</i> , from:	53° 18′·92N., 7° 05′·79E.
to:	53° 19′·03N., 7° 05′·86E.

II

1561 BELGIUM - Buoy.

Source: Belgian Notice 6/94/26

Chart 1406 [*previous update 1099/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s TME2*

51° 30′·82N., 2° 28′·81E.

Chart 2449 [*previous update 1099/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s TME2*

51° 30′·82N., 2° 28′·81E.

Chart 5606_1 [*previous update 1099/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s TME2*

51° 30′·82N., 2° 28′·81E.

Chart 5607_1 [*previous update 692/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s TME2*

51° 30′·82N., 2° 28′·81E.


II

1567 NORTH SEA - Netherlands Sector - Well.

Source: Netherlands Notice 10/42/26

Chart 2182B (INT 1042) [*previous update 1544/26*] WGS84 DATUM

Delete



54° 10'·7N., 5° 28'·6E.

II

1576 NORTH SEA - Netherlands Sector - Well.

Source: Netherlands Notice 10/40/26

Chart 4140 (INT 140) [*previous update 233/26*] WGS84 DATUM

Delete



52° 58′·4N., 4° 06′·4E.

II

1577 BELGIUM - Buoy.

Source: Belgian Notice 6/94/26

Chart BE 11 [*previous update 176/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s TME2*

51° 30′·82N., 2° 28′·81E.

II

1583 NORTH SEA - Netherlands Sector - Buoyage.

Source: Netherlands Notice 11/50/26

Chart 125 (INT 1422) [previous update 239/26] WGS84 DATUM

Insert	 VQ(6)+LFl.10s HKW S	52° 35′·46N., 3° 47′·22E.
	 Fl.Y.3s HKW 6A	52° 35′·83N., 3° 40′·44E.
Replace	 VQ(6)+LFl.10s HKW S with  Q(3)10s HKW E1	52° 37′·90N., 3° 49′·69E.

Chart 1631 (INT 1418) [previous update 1432/26] WGS84 DATUM

Insert	 VQ(6)+LFl.10s HKW S	52° 35′·46N., 3° 47′·22E.
	 Fl.Y.3s HKW 6A	52° 35′·83N., 3° 40′·44E.
	 VQ(9)10s HKW W1	52° 36′·20N., 3° 33′·89E.
	 Fl(4)Y.10s HKW 5	52° 38′·40N., 3° 36′·96E.
	 Fl(3)Y.10s HKW 3	52° 40′·66N., 3° 40′·11E.
Replace	 VQ(6)+LFl.10s HKW S with  Q(3)10s HKW E1	52° 37′·90N., 3° 49′·69E.

II

1542 FRANCE - West Coast - Light.

Source: French Notice 7/45/26

Chart 2350 [*previous update 1248/26*] WGS84 DATUM

Amend legend to, G.7M, centred on: 48° 15'·61N., 4° 45'·73W.

Chart 2356 [*previous update 1248/26*] WGS84 DATUM

Amend legend to, G.7M, centred on: 48° 16'·87N., 4° 44'·66W.

Chart 2643 (INT 1800) [*previous update 932/26*] WGS84 DATUM

Amend range of light to, 6/7M 48° 15'·90N., 4° 44'·30W.

Chart 2655 [*previous update 932/26*] ETRS89 DATUM

Amend range of light to, 6/7M 48° 15'·9N., 4° 44'·3W.

Chart 3427 (INT 1832) [*previous update 1247/26*] WGS84 DATUM

Amend legend to, G.7M, centred on: 48° 15'·86N., 4° 44'·96W.

II

1492 CYPRUS - Depths.

Source: ENC TR5LYA30

Chart 848 (Panel C, Famagusta) [*previous update 1506/25*] WGS84 DATUM

Insert	depth, 39	35° 06′·284N., 33° 58′·179E.
	5m contour, joining:	35° 06′·321N., 33° 58′·063E.
		35° 06′·312N., 33° 58′·085E.
		35° 06′·311N., 33° 58′·116E.
		35° 06′·304N., 33° 58′·141E.
		35° 06′·299N., 33° 58′·181E.
		35° 06′·281N., 33° 58′·198E.
		35° 06′·251N., 33° 58′·183E.
		35° 06′·241N., 33° 58′·156E.
		35° 06′·274N., 33° 58′·136E.
		35° 06′·289N., 33° 58′·069E.

II

1497 TÜRKiYE - Marmara Denizi - Depth.
Source: ENC TR5FLH40

Chart 1005 [*previous update 1457/26*] WGS84 DATUM

Insert depth, 30, enclosed by 30m contour

40° 30'·32N., 27° 28'·46E.

II

1508 TÜRKIYE - Marmara Denizi - Lights.

Source: Turkish Notice 51/250/25

Chart 224 (Continuation to İzmit) [*previous update 82/26*] WGS84 DATUM

Amend	light to, Zeytin Br. Mo(U)10M & Fl(2)R.8M	40° 44'·4N., 29° 47'·0E.
-------	---	--------------------------

Chart 497 (Panel B, Yarimca to İzmit) [*previous update 1410/26*] WGS84 DATUM

Amend	range of light to, 5M	40° 44'·37N., 29° 47'·13E.
		40° 44'·33N., 29° 46'·96E.
	light to, Mo(U)15s9m10M	40° 44'·34N., 29° 47'·05E.

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 1410/26*] WGS84 DATUM


Amend	light to, Mo(U)15s10M	40° 44'·34N., 29° 47'·05E.
-------	-----------------------	----------------------------

II

1514 TÜRKIYE - Çanakkale Boğazi - Buoyage.
Source: UKHO

Chart 2429 (Panel C, South Entrance to Çanakkale Boğazi) [*previous update 1485/26*] WGS84 DATUM

Replace



40° 02'·76N., 26° 12'·65E.

II

1523 ALGERIA - Lights.

Source: ENC DZ5C0106

Chart 178 (Panel C, Port de Ghazaouet) [*previous update 2221/25*] WGS84 DATUM

Insert	★ Fl.R.3s5m9M	(a) 35° 06′·349N., 1° 51′·730W.
Delete	★ Fl.R.3s9M, close E of:	(a) above

II

1525 ITALY - Sicilia - Buoy.

Source: Italian Notice 26.7/25

Chart 994 (Panel A, Approaches to Catania) [*previous update 889/26*] WGS84 DATUM

Insert



Fl(5)Y.20s4M ODAS

37° 26′·40N., 15° 08′·80E.

Chart 1941 [*previous update 870/26*] WGS84 DATUM

Insert



Fl(5)Y.20s4M ODAS

37° 26′·4N., 15° 08′·8E.

II

1547 ITALY - East Coast - Depth.

Source: Italian Notice 25.18/25

Chart 1443 (Panel C, Barletta) [*previous update 5101/25*] WGS84 DATUM

Replace depth, 72, with depth, 68

41° 19'·750N., 16° 17'·355E.

II

1552 TÜRKIYE - West Coast - Depths.
Source: ENC GR4APP05

Chart 1086 [*previous update New Edition 11/12/2025*] WGS84 DATUM

Delete	depth, 25	40° 41'·5N., 25° 55'·5E.
	depth, 22	40° 38'·7N., 25° 46'·3E.

II

1586 ITALY - East Coast - Depths.

Source: Italian Notice 26.12/25

Chart 187 [*previous update 870/26*] WGS84 DATUM

Replace	depth, 162, with depth, 117	40° 06'·9N., 18° 42'·0E.
	depth, 620, with depth, 473	39° 44'·8N., 17° 49'·6E.

Chart 188 [*previous update 870/26*] WGS84 DATUM

Replace	depth, 171, with depth, 158	40° 00'·8N., 18° 44'·7E.
---------	-----------------------------	--------------------------

II

1587 EGYPT - North Coast - Wreck.

Source: EAMS Notice 1/26

Chart 2578 (INT 3550) [*previous update 1357/26*] WGS84 DATUM

Insert



31° 16′·7N., 32° 18′·0E.

II

1588 SPAIN - Mediterranean Sea Coast - Buoyage.

Source: Spanish Notice 10/50/26

Note: Former Notice 5599(T)/25 is cancelled.

Chart 518 (INT 3172) [previous update 5763/25] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s1M ODAS</i>	39° 23'·90N., 0° 17'·43W. 39° 27'·75N., 0° 18'·43W.
	 <i>VQ(6)+LFl.10s3M</i>	39° 26'·06N., 0° 17'·92W.
	 <i>VQ(3)5s3M</i>	(a) 39° 26'·41N., 0° 17'·61W.
Delete	 <i>VQ(3)5s3M, close NW of:</i>	(a) above
	 <i>VQ(6)+LFl.10s3M</i>	39° 26'·22N., 0° 17'·94W.

Chart 562 (INT 3173) [previous update 5763/25] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s1M ODAS</i>	39° 23'·899N., 0° 17'·426W. 39° 27'·752N., 0° 18'·433W.
	 <i>VQ(6)+LFl.10s3M</i>	39° 26'·060N., 0° 17'·922W.
	 <i>VQ(3)5s3M</i>	39° 26'·411N., 0° 17'·635W.
Delete	 <i>VQ(6)+LFl.10s3M</i>	39° 26'·215N., 0° 17'·944W.
	 <i>VQ(3)5s3M</i>	39° 26'·470N., 0° 17'·700W.

Chart 1701 [previous update 1421/26] WGS84 DATUM

Insert	 <i>Fl(5)Y.20s ODAS</i>	39° 23'·9N., 0° 17'·4W.
--------	--	-------------------------

II

1592 UKRAINE - NM Block. Obstructions. Depths.

Source: Ukrainian Notices 46/762-763/25

Chart 2243 (Panel B, Chornomors'k) [*previous update 1351/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	46° 19'·7N., 30° 39'·7E.
Replace	 <i>Obstns</i> with  <i>Obstn</i>	46° 20'·55N., 30° 38'·18E.
	depth, 72, with depth, 69	46° 20'·57N., 30° 38'·46E.
	depth, 68, with, depth, 56	46° 20'·43N., 30° 38'·24E.
	 <i>Obstns</i> with  <i>Obstns</i>	46° 20'·26N., 30° 38'·13E.
Delete	obstruction out of position, 	46° 20'·56N., 30° 38'·10E.

Chart 2243 (Panel C, Approaches to Chornomors'k) [*previous update 1351/26*] WGS84 DATUM

Replace	depth, 171, with depth, 169	46° 18'·83N., 30° 41'·85E.
---------	-----------------------------	----------------------------

II

1593 ISRAEL - Mediterranean Sea Coast - Restricted area. Legend. Note.

Source: Israeli Notice 96/25

Chart 1585 (INT 3680) (Panel, Hefa (Haifa)) [previous update 3511/25] WGS84 DATUM

Insert	semi-circular limit of restricted area, radius 0·5M,  , centred on 32° 54'·58N, 34° 58'·25E, joining: legend, <i>Historic Wreck</i> (see Note), at wreck	32° 54'·92N., 34° 57'·82E. 32° 54'·23N., 34° 57'·82E. 32° 54'·58N., 34° 58'·25E.
--------	--	--

Chart 1585 (INT 3680) [previous update 3511/25] WGS84 DATUM

Insert	circular limit of restricted area, radius 0·5M,  , centred on:	(a) 32° 54'·58N., 34° 58'·25E.
	legend, <i>Historic Wreck</i> (see Note), within:	(a) above
	the accompanying note, HISTORIC WRECKS, centred on:	32° 39'·37N., 35° 03'·24E.

II

1598 ITALY - West Coast - Note. Legends.

Source: Italian Notices 22.2/25 and 22.20-21/25

Note: This update is included in New Editions 355 and 356, published early 2026.

Chart 354 (INT 3361) [previous update 5074/25] WGS84 DATUM

Insert	the accompanying note, SUBMARINE CABLES AND PIPELINES, centred on:	44° 25'·837N., 8° 44'·762E.
	legend, (<i>Anchoring, Fishing and Diving Prohibited</i>), centred on:	44° 24'·759N., 8° 45'·081E.
	legend, <i>Submarine Cables and Pipelines (see Note)</i> , centred on:	44° 25'·022N., 8° 47'·099E.
		44° 25'·031N., 8° 48'·381E.
		44° 24'·520N., 8° 50'·771E.
Amend	legend to, <i>Zone 5 (Anchoring, Fishing, Trawling and Diving Prohibited)</i> , centred on:	44° 23'·979N., 8° 51'·718E.
		44° 24'·612N., 8° 48'·960E.
		44° 24'·627N., 8° 47'·668E.
		44° 25'·059N., 8° 45'·340E.
		44° 24'·804N., 8° 44'·782E.
		44° 25'·432N., 8° 44'·491E.

II

1603 CROATIA - NM Blocks. Restricted areas.

Source: Croatian Notice 12/3/25 and ENC HR400032

Chart 204 [*previous update 1009/26*] WGS84 DATUM

Insert	limit of restricted area, $\tau\tau\tau\tau$, joining:	44° 12'·2N., 14° 56'·5E. 44° 12'·8N., 14° 55'·1E. 44° 12'·8N., 14° 54'·7E. and 44° 11'·9N., 14° 53'·5E. 44° 12'·0N., 14° 50'·5E. 44° 10'·0N., 14° 48'·2E. 44° 09'·1N., 14° 49'·1E.
Delete	former limit of restricted area, $\tau\tau\tau\tau$, joining:	44° 12'·1N., 14° 56'·5E. 44° 11'·4N., 14° 54'·2E. 44° 11'·3N., 14° 51'·2E. 44° 10'·6N., 14° 51'·4E.

Chart 220 [*previous update 926/26*] WGS84 DATUM

Insert	limit of restricted area, $\tau\tau\tau\tau$, joining:	44° 12'·2N., 14° 56'·5E. 44° 12'·8N., 14° 55'·1E. 44° 12'·8N., 14° 54'·7E. and 44° 11'·9N., 14° 53'·5E. 44° 12'·0N., 14° 50'·5E. 44° 10'·0N., 14° 48'·2E. 44° 09'·1N., 14° 49'·1E.
Delete	former limit of restricted area, $\tau\tau\tau\tau$, joining:	44° 12'·1N., 14° 56'·5E. 44° 11'·4N., 14° 54'·2E. 44° 11'·3N., 14° 51'·2E. 44° 10'·6N., 14° 51'·4E.

Chart 515 [*previous update 942/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	44° 11'·0N., 14° 52'·4E.
--------	-------------------------------------	--------------------------

Chart 2773 (Panel E, Sedmovraće) [*previous update 909/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	44° 10'·5N., 14° 51'·2E.
	limit of restricted area, $\tau\tau\tau\tau$, joining:	44° 12'·10N., 14° 56'·73E. 44° 12'·12N., 14° 56'·65E. and 44° 12'·16N., 14° 56'·52E. 44° 12'·82N., 14° 55'·15E. 44° 12'·78N., 14° 54'·66E.
Delete	former limit of restricted area, $\tau\tau\tau\tau$, joining:	44° 11'·50N., 14° 54'·36E. 44° 12'·20N., 14° 56'·54E. 44° 12'·15N., 14° 56'·73E.

II

1604 TÜRKİYE - İstanbul Boğazi - Submarine cable.

Source: Turkish Notice 2/11/26

Chart 1198 (Panel A, Haliç (The Golden Horn)) [*previous update New Edition 05/03/2026*] WGS84 DATUM

Insert submarine cable, , joining:

41° 00'·890N., 28° 59'·252E.
41° 00'·891N., 28° 59'·300E.
41° 00'·923N., 28° 59'·399E.

Chart 1198 (Panel B, Haydarpaşa Limanı) [*previous update New Edition 05/03/2026*] WGS84 DATUM

Insert submarine cable, , joining:

41° 00'·960N., 29° 00'·000E.
41° 00'·957N., 29° 00'·014E.
41° 00'·979N., 29° 00'·070E.
41° 01'·000N., 29° 00'·168E.

Chart 1198 [*previous update New Edition 05/03/2026*] WGS84 DATUM

Insert submarine cable, , joining:

41° 00'·89N., 28° 59'·25E.
41° 00'·92N., 28° 59'·40E.
41° 00'·96N., 29° 00'·02E.
41° 01'·07N., 29° 00'·52E.

II

1605 ROMANIA - Alongside depth. Depths.

Source: Romanian Notices 12/92/25 and 12/93/25

Chart 2282 (Panel D, Portul Mangalia) [*previous update 1487/26*] WGS84 DATUM

Insert	depth, <i>44</i> , and extend 5m contour NW to enclose	43° 48'·08N., 28° 35'·67E.
	depth, <i>49</i> , and extend 5m contour N to enclose	43° 48'·00N., 28° 35'·59E.
	alongside depth, · (<i>39</i>), and extend 5m contour N to enclose	(a) 43° 47'·81N., 28° 34'·68E.
Delete	depth, <i>6</i> , close N of:	(a) above
Replace	depth, <i>71</i> , with depth, <i>67</i>	43° 47'·94N., 28° 34'·52E.

Chart 2282 (Panel C, Portul Midia) [*previous update 1487/26*] WGS84 DATUM

Insert	depth, <i>85</i>	(a) 44° 19'·03N., 28° 41'·72E.
Delete	depth, <i>96</i> , close N of:	(a) above

II

1610 TÜRKIYE - South Coast - Light.

Source: Turkish Notice 3/19/26

Chart 246 (INT 3660) [*previous update 207/26*] WGS84 DATUM

Amend light to, Fl.Y.3M

36° 41'·04N., 36° 11'·66E.

Chart 2104 (INT 3661) [*previous update 3667/25*] WGS84 DATUM

Amend light to, Fl.Y.4s11m3M

36° 41'·04N., 36° 11'·66E.

II

1509* NIGERIA - Depths.

Source: Nigeria Ports Authority

Chart 3287 (INT 2897) [*previous update New Edition 13/11/2025*] WGS84 DATUM

Insert	depth, 171	(a)	4° 25'·78N., 7° 08'·33E.
Delete	depth, 186, close SE of:	(a)	above
Insert	depth, 144	(b)	4° 21'·56N., 7° 06'·17E.
Delete	depth, 154, close NE of:	(b)	above

Chart 3288 (INT 2898) (Panel A, Ford Point to Bakana Point) [*previous update 3711/25*] WGS84 DATUM

Insert	depth, 106	(a)	4° 39'·90N., 7° 09'·08E.
Delete	depth, 119, close SE of:	(a)	above
Insert	depth, 99, and extend 10m contour SE to enclose	(b)	4° 39'·88N., 7° 09'·00E.
Delete	depth, 11, close SE of:	(b)	above
Insert	depth, 104	(c)	4° 39'·80N., 7° 09'·09E.
Delete	depth, 112, close SW of:	(c)	above

Chart 3289 [*previous update New Edition 20/11/2025*] WGS84 DATUM

Insert	depth, 58	(a)	4° 41'·758N., 7° 10'·676E.
Delete	depth, 56, close E of:	(a)	above
Insert	depth, 106	(b)	4° 39'·900N., 7° 09'·079E.
Delete	depth, 119, close SE of:	(b)	above
Insert	depth, 99, and extend 10m contour SE to enclose	(c)	4° 39'·878N., 7° 09'·003E.
Delete	depth, 11, close SE of:	(c)	above
Insert	depth, 104	(d)	4° 39'·802N., 7° 09'·090E.
Delete	depth, 112, close SW of:	(d)	above

II

1520* **KENYA - Pilot boarding place.**
Source: UKHO

Chart 669 [*previous update 2675/25*] WGS84 DATUM

Insert



2° 12'·8S., 40° 59'·4E.

II

1570 OMAN - Buoy.

Source: Omani Notice 12/17/25

Note: Radar beacon remains unchanged.

Chart 2895 [*previous update 4285/25*] WGS84 DATUM

Amend	light-buoy to, <i>LFl</i>	16° 56'·80N., 54° 04'·43E.
-------	---------------------------	----------------------------

Chart 2896 [*previous update 4216/25*] WGS84 DATUM

Amend	light-buoy to, <i>LFl.10s</i>	16° 56'·80N., 54° 04'·43E.
-------	-------------------------------	----------------------------

Chart 3784 (INT 7014) [*previous update 4285/25*] WGS84 DATUM

Amend	light-buoy to, <i>LFl</i>	16° 56'·8N., 54° 04'·2E.
-------	---------------------------	--------------------------

Chart 3785 [*previous update 76/26*] WGS84 DATUM

Amend	light-buoy to, <i>LFl</i>	16° 56'·9N., 54° 04'·3E.
-------	---------------------------	--------------------------

II

1579 INDIAN OCEAN - La Réunion - Maritime limit. Legend. Buoy. Superbuoy.

Source: French Notice 6/185/26

Chart 1495 (INT 7736) (Panel C, Port Réunion (Pointe des Galets) Port Est) [*previous update 1355/26*] WGS84 DATUM

Insert circular maritime limit, radius 240m, pecked line, centred on: (a) 20° 55'·891S., 55° 19'·328E.
 legend, *Turning area*, within: (a) above

Chart 1495 (INT 7736) [*previous update 1355/26*] WGS84 DATUM

Insert		20° 54'·70S., 55° 38'·28E.
		20° 55'·14S., 55° 20'·49E.

II

1611 INDIAN OCEAN - Mauritius - Buoy.

Source: Indian Notice 2/38/26

Chart 710 (INT 7739) (Panel, Port Louis) [*previous update 1266/26*] WGS84 DATUM

Insert



ODAS

20° 08′·560S., 57° 28′·900E.

Chart 710 (INT 7739) [*previous update 1266/26*] WGS84 DATUM

Insert



ODAS

20° 08′·56S., 57° 28′·92E.

II

1612 INDIA - West Coast - Buoy. Light.

Source: ENC's IN62001U and IN42016A

Chart IN 2016 (INT 7336) [*previous update 1123/26*] WGS84 DATUM

Amend light to, Oc.R.4s

18° 57' · 13N., 72° 51' · 11E.

Delete  *West Uran*

18° 55' · 75N., 72° 53' · 53E.

II

1491 CHINA - East Coast - Light-beacon. Wreck.

Source: Chinese Notice 50/1555/25 & 51/1584/25

Chart 1126 [*previous update New Edition 11/12/2025*] CGCS 2000 DATUM

Insert	 Mo(C)Y.12s3M	29° 54′·19N., 122° 05′·90E.
Delete	 <i>Rep (2025) PA</i>	29° 54′·18N., 122° 10′·99E.

Chart 1130 [*previous update 821/26*] CGCS 2000 DATUM

Insert	 Mo(C)Y.12s9m3M	29° 54′·19N., 122° 05′·90E.
Delete	 <i>Rep (2025) PA</i>	29° 54′·18N., 122° 10′·99E.

Chart 1304 [*previous update 751/26*] CGCS 2000 DATUM

Insert	 Mo(C)Y.12s3M	29° 54′·19N., 122° 05′·90E.
Delete	 <i>Rep (2025) PA</i>	29° 54′·18N., 122° 10′·99E.

II

1510 CHINA - Yellow Sea Coast - Virtual aids to navigation.

Source: Chinese Notice 51/1582/25

Chart 1201 [*previous update 545/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, X-shape topmark, V-AIS	35° 04'·80N., 119° 48'·62E.
		35° 04'·52N., 119° 54'·62E.
		35° 01'·28N., 119° 40'·58E.

Chart 1253 [*previous update New Edition 15/01/2026*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, X-shape topmark, V-AIS	35° 04'·8N., 119° 48'·6E.
		35° 04'·5N., 119° 54'·6E.
		35° 01'·3N., 119° 40'·6E.

II

1513 CHINA - Bo Hai - Wreck.

Source: Chinese Notice 51/1579/25

Chart 1252 [*previous update 353/26*] CGCS 2000 DATUM

Insert



Rep (2025) PA

40° 12′·50N., 120° 44′·70E.

Chart 1256 [*previous update 1364/26*] WGS84 DATUM

Insert



40° 12′·5N., 120° 44′·7E.

II

1528 CHINA - South Coast - NM Block. Virtual aids to navigation.

Source: Chinese Notices 52/1625/25 and 50/1559/25

Chart 1792 [*previous update 559/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	23° 16′·6N., 117° 01′·9E.
	symbol, Virtual aid to navigation, special topmark, V-AIS	23° 14′·11N., 116° 48′·67E.
		23° 13′·17N., 116° 56′·56E.

II

1554 CHINA - Bo Hai - Wreck.

Source: Chinese Notice 1/7/26

Chart 1249 [*previous update 1364/26*] CGCS 2000 DATUM

Insert



Rep(2025) PA

39° 26′·0N., 119° 26′·0E.

II

1557 CHINA - Yellow Sea Coast - Obstruction.

Source: Chinese Notice 9/205/26

Chart 1505 [*previous update 5064/24*] CGCS 2000 DATUM

Insert

 *Obstn Rep (2025) PA*

36° 05′·51N., 120° 18′·96E.


II

1564 CHINA - South Coast - Obstruction.

Source: UKHO

Chart 344 [*previous update 1159/26*] CGCS 2000 DATUM

Insert



22° 44'·34N., 113° 39'·29E.

II

1589 CHINA - South Coast - Buoy.

Source: UKHO

Chart 1568 [*previous update 1489/26*] CGCS 2000 DATUM

Insert symbol, blue and yellow emergency wreck marking buoy,
upright cross topmark *Al.Oc.BuY.3s Chen No 2*

21° 49′·11N., 113° 07′·47E.

II

1594 CHINA - South Coast - Wreck.

Source: Chinese Notice 51/1591/25

Chart 1537 [*previous update 819/26*] CGCS 2000 DATUM

Delete

 *Rep (2004) PA*

21° 32'·13N., 111° 52'·34E.

Chart 1555 [*previous update 1489/26*] CGCS 2000 DATUM

Delete

 *Rep (2004) PA*

21° 32'·0N., 111° 52'·4E.

Chart 3892 [*previous update 1451/26*] CGCS 2000 DATUM

Delete

 *Rep (2004) PA*

21° 32'·1N., 111° 52'·3E.

II

1600 CHINA - South Coast - Virtual aid to navigation.

Source: Chinese Notice 46/1426/25

Note: This update is included in New Edition 1760, published mid 2026.

Chart 1792 [*previous update 1528/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	23° 17′·46N., 117° 10′·91E.
--------	--	-----------------------------

Chart 1962 [*previous update 1452/26*] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, isolated danger topmark, V-AIS, out of position	23° 17′·5N., 117° 10′·9E.
--------	--	---------------------------

II

1602 CHINA - Bo Hai - Wreck.

Source: Chinese Notice 44/1325/25

Chart 1249 [*previous update 1554/26*] CGCS 2000 DATUM

Insert



(2025)Rep PA

39° 23′·4N., 120° 46′·6E.

Chart 1256 [*previous update 1513/26*] WGS84 DATUM

Insert



39° 23′·4N., 120° 46′·6E.


II

1606 CHINA - South Coast - Depths. Obstruction.

Source: Hong Kong Notice 2/5/26

Chart 341 [*previous update 1332/26*] WGS84 DATUM

Insert



22° 13'·24N., 113° 50'·11E.

Chart 4129 [*previous update 1427/26*] WGS84 DATUM

Insert



22° 13'·24N., 113° 50'·11E.

depth, 74

(a) 22° 13'·30N., 113° 50'·12E.

Delete

depth, 8, close S of:

(a) above

II

1607 CHINA - South Coast - Obstructions.

Source: UKHO

Chart 343 [*previous update 1257/26*] CGCS 2000 DATUM

Replace

 *Obstn* with  *Obstn*

22° 27′·96N., 113° 45′·22E.

II

1608 CHINA - East Coast - Buoy.

Source: Chinese Notice 2/40/26

Chart 1721 [*previous update 1152/26*] CGCS 2000 DATUM

Insert



Mo(A)6s L0

27° 48′·47N., 120° 58′·87E.

II

1595 JAPAN - Kyūshū - Wreck.

Source: Japanese Notice 11/124/26

Chart JP 187 [*previous update 420/26*] WGS84 DATUM

Insert ++ *PA*

32° 45′·6N., 128° 56′·1E.

Chart JP 213 [*previous update 420/26*] WGS84 DATUM

Insert ++ *PA*

32° 45′·60N., 128° 56′·10E.

II

1596 JAPAN - Kyūshū - Superbuoy.

Source: Japanese Notice 11/125/26

Chart JP 187 [*previous update 1595/26*] WGS84 DATUM

Insert

 Mo(U)8s

31° 38′·6N., 129° 27′·5E.

Chart JP 213 [*previous update 1595/26*] WGS84 DATUM

Insert

 Mo(U)8s

31° 38′·62N., 129° 27′·48E.

Chart JP 1222 [*previous update 212/26*] WGS84 DATUM

Insert

 Mo(U)8s

31° 38′·62N., 129° 27′·48E.

Chart 3237 [*previous update 212/26*] WGS84 DATUM

Insert

 Mo(U)8s

31° 38′·6N., 129° 27′·5E.

II

1501 KOREA - South Coast - Depths. Fish haven. Buoy. Tidal streams. Pilot boarding place.

Source: ENC's KR4G3E10 and KR4G3E20

Note: This update is included in New Edition 1065, published early 2026.

Chart 127 [previous update 1444/26] WGS84 DATUM

Insert	symbol, flood tide stream arrow, direction 203°, 1·8kn, centred on:	34° 52'·9N., 128° 47'·1E.
	symbol, ebb tide stream arrow, direction 029°, 1·1kn, centred on:	(a) 34° 51'·3N., 128° 45'·9E.
Delete	symbol, ebb tide stream arrow, 1·9kn, close E of:	(a) above
Insert	symbol, ebb tide stream arrow, direction 018·3°, 1·3kn, centred on:	34° 30'·1N., 128° 33'·7E.
	symbol, flood tide stream arrow, direction 279·8°, 1·8kn, centred on:	34° 30'·3N., 128° 35'·1E.
Delete	symbol, flood tide stream arrow, 0·4kn, centred on:	34° 50'·6N., 128° 47'·6E.
	①	34° 45'·2N., 128° 26'·7E.

Chart 3391 (INT 5360) [previous update 1356/26] WGS84 DATUM

Insert	depth, 83	(a) 34° 42'·62N., 128° 01'·03E.
Delete	depth, 96, close W of:	(a) above
Insert	depth, 128	(b) 34° 49'·56N., 128° 15'·30E.
Delete	depth, 15, close NE of:	(b) above
	 Fl(4)Y.8s	34° 43'·07N., 128° 11'·20E.
	 (31)	34° 42'·88N., 128° 11'·39E.

II

1540 KOREA - West Coast - Buoy.

Source: Korean Notice 2/19/26

Chart 1007 (Panel, Mokpo Hang Myoji) [*previous update 390/26*] WGS84 DATUM

Move  *Fl(4)Y.8s A*, from: 34° 46'·768N., 126° 22'·677E.
to: 34° 46'·758N., 126° 22'·585E.

Chart 1007 [*previous update 390/26*] WGS84 DATUM

Move  *Fl(4)Y.8s A*, from: 34° 46'·768N., 126° 22'·677E.
to: 34° 46'·758N., 126° 22'·585E.

II

1562 KOREA - South Coast - Lights.

Source: Korean Notices 50/798/25 and 50/804/25

Note: This update is included in New Editions 3365 and 3929, published early 2026.

Chart 3480 [*previous update 755/26*] WGS84 DATUM

Amend	range of light to, 7M	34° 11'·5N., 127° 04'·7E.
	range of light to, 9M	34° 05'·7N., 126° 10'·2E.

II

1569 KOREA - West Coast - Buoyage.

Source: Korean Notice 4/48/26

Chart 1270 (INT 5363) [*previous update 1329/26*] WGS84 DATUM

Replace

 *Fl.Y.5s ODAS* with  *ODAS*

37° 02′·02N., 126° 16′·98E.

Chart 1271 (Panel A, Daesan Hang) [*previous update 4901/25*] WGS84 DATUM

Replace

 *Fl.Y.5s ODAS* with  *ODAS*

37° 02′·02N., 126° 16′·98E.

II

1507 INDONESIA - Java Sea - Depths.

Source: ENC ID300122

Chart 1066 [*previous update 1004/26*] WGS84 DATUM

Replace	depth, 189, with depth, 184	4° 11'·1S., 116° 05'·2E.
	depth, 199, with depth, 192	4° 13'·5S., 116° 03'·3E.
	depth, 198, with depth, 19	4° 15'·9S., 116° 04'·8E.

Chart 2795 [*previous update 4578/25*] WGS84 DATUM

Replace	depth, 189, with depth, 184	4° 11'·1S., 116° 05'·1E.
	depth, 199, with depth, 192	4° 13'·5S., 116° 03'·3E.
	depth, 198, with depth, 19	4° 15'·9S., 116° 04'·8E.

Chart 2892 [*previous update 3952/25*] WGS84 DATUM

Replace	depth, 189, with depth, 184	4° 11'·1S., 116° 05'·2E.
	depth, 199, with depth, 192	4° 13'·5S., 116° 03'·3E.
	depth, 198, with depth, 19	4° 15'·9S., 116° 04'·8E.

Chart 3017 [*previous update 1004/26*] WGS84 DATUM

Replace	depth, 189, with depth, 184	4° 11'·1S., 116° 05'·1E.
	depth, 199, with depth, 192	4° 13'·5S., 116° 03'·3E.
	depth, 198, with depth, 19	4° 15'·9S., 116° 04'·8E.

II

1541 MALAYSIA - Sarawak - Lights.

Source: Marine Department, Sarawak Notice 200/25

Chart 1748 [*previous update 388/26*] WGS84 DATUM

Amend	light to, Iso.G.4s 26B	3° 16′·12N., 113° 03′·90E.
	light to, Iso.R.4s 24B	3° 16′·09N., 113° 03′·25E.
	light to, Iso.G.4s 26A	3° 16′·09N., 113° 03′·87E.
	light to, Iso.R.4s 24A	3° 15′·99N., 113° 03′·23E.

II

1575 INDONESIA - Kalimantan - Lights.

Source: Indonesian Notice 51/443/25

Chart 3015 (Panel D, Suwangi Channels) [*previous update 968/26*] WGS84 DATUM

Insert	★ Fl.R.5s10m12M	3° 22'·78S., 116° 04'·11E.
	★ Fl.3s12m12M	3° 27'·29S., 116° 00'·66E.
		3° 27'·39S., 116° 00'·70E.

Chart 3015 (Panel C, Selat Laut) [*previous update 968/26*] WGS84 DATUM

Insert	★ Fl.R.5s10m12M	3° 22'·78S., 116° 04'·11E.
	★ Fl.3s12m12M	3° 27'·29S., 116° 00'·66E.
		3° 27'·39S., 116° 00'·70E.

II

1609 INDONESIA - Jawa - NM Block. Obstructions. Submarine cables.
Source: ENC's ID300453 and ID300291

Chart 2875 [*previous update 892/26*] WGS84 DATUM

Insert submarine cable, , joining:

8° 45'·9S., 115° 10'·1E.
8° 48'·0S., 115° 05'·6E.
8° 54'·0S., 115° 01'·6E.

Chart 2876 [*previous update 892/26*] WGS84 DATUM

Insert :Obstn

8° 51'·1S., 114° 31'·4E.

submarine cable, , joining:

8° 45'·9S., 115° 10'·1E.
8° 48'·0S., 115° 05'·6E.
8° 54'·0S., 115° 01'·6E.
and
8° 47'·6S., 114° 15'·8E.
8° 37'·1S., 114° 14'·1E.
8° 36'·5S., 114° 13'·6E.

Chart 3726 [*previous update 99/26*] WGS84 DATUM

Insert the accompanying block, centred on:

:Obstn

8° 27'·4S., 114° 24'·1E.

8° 51'·15S., 114° 31'·37E.

II

1529 AUSTRALIA - Tasmania - Depth.

Source: Australian Notice 5/201/26

Chart 4601 (INT 601) [*previous update 632/26*] WGS84 DATUM

Replace depth, 965, with depth, 944

44° 09'·3S., 147° 31'·2E.

II

1530 AUSTRALIA - Queensland - Depths.

Source: Australian Notice 5/186/26

Chart Aus 815 [*previous update 4139/25*] WGS84 DATUM

Insert depth, 23, and extend 5m contour NW to enclose

(a) 25° 46'·73S., 153° 06'·68E.

Delete depth, 75, close W of:

(a) above

II

1532 AUSTRALIA - Western Australia - Moored storage tanker.

Source: Australian Notice 5/192/26

Chart 4723 (INT 723) [*previous update New Edition 26/02/2026*] WGS84 DATUM

Delete

 *Ningaloo Vision*

21° 24'·2S., 114° 05'·2E.

II

1551 AUSTRALIA - New South Wales - Restricted area. Legend. Note.

Source: Australian Notice 5/181/26

Note: Former Notice 1043(T)/26 is cancelled.

Chart Aus 807 [previous update 4857/25] WGS84 DATUM

Insert	limit of submarine cable area,  , joining:	(a) 35° 14'·06S., 151° 04'·71E. (b) 35° 07'·36S., 150° 46'·31E. (c) 35° 05'·40S., 150° 48'·72E. (d) 35° 11'·27S., 151° 05'·87E.
	legend, <i>CABLE AREA</i> (see Note), within:	(a)-(d) above
	the accompanying note, <i>CABLE AREA</i> , centred on:	35° 31'·0S., 150° 12'·3E.

Chart Aus 808 [previous update 1101/26] WGS84 DATUM

Insert	limit of submarine cable area,  , joining:	(a) 35° 11'·00S., 150° 56'·30E. (b) 35° 07'·36S., 150° 46'·31E. (c) 35° 05'·40S., 150° 48'·72E. (d) 35° 11'·00S., 151° 05'·07E.
	legend, <i>CABLE AREA</i> (see Note), within:	(a)-(d) above
	the accompanying note, <i>CABLE AREA</i> , centred on:	33° 48'·8S., 150° 54'·8E.

II

1553 AUSTRALIA - Victoria - Submarine cables.

Source: Australian Notice 5/198/26

Chart Aus 143 [*previous update New Edition 23/01/2026*] WGS84 DATUM

Insert submarine cable, , joining:

38° 23'·60S., 144° 25'·92E.
38° 23'·10S., 144° 25'·04E.
38° 22'·03S., 144° 23'·73E.
38° 21'·91S., 144° 23'·52E.
38° 21'·79S., 144° 23'·19E.
38° 21'·33S., 144° 21'·00E.
and
38° 23'·60S., 144° 25'·08E.
38° 22'·02S., 144° 23'·47E.
38° 21'·88S., 144° 23'·12E.
38° 21'·41S., 144° 21'·00E.

Chart 4601 (INT 601) [*previous update 1529/26*] WGS84 DATUM

Insert submarine cable, , joining:

38° 20'·4S., 144° 19'·5E.
38° 26'·1S., 144° 27'·2E.
39° 21'·8S., 143° 29'·5E.
39° 50'·2S., 142° 44'·3E.
39° 53'·6S., 142° 30'·0E.

Chart 4709 (INT 709) [*previous update 293/26*] WGS84 DATUM

Insert submarine cable, , joining:

38° 20'·5S., 144° 19'·6E.
38° 26'·1S., 144° 27'·2E.
39° 21'·8S., 143° 29'·5E.
39° 50'·2S., 142° 44'·3E.
39° 54'·6S., 142° 27'·4E.
39° 56'·8S., 140° 51'·0E.
39° 45'·2S., 140° 32'·8E.
39° 23'·4S., 139° 46'·5E.
38° 27'·8S., 138° 25'·7E.
37° 58'·1S., 137° 18'·1E.
37° 13'·0S., 135° 52'·5E.
36° 49'·9S., 135° 18'·4E.

II

1555 AUSTRALIA - Western Australia - Depths.

Source: Australian Notice 5/196/26 and UKHO

Chart 4052 (INT 52) [*previous update 1369/26*] WGS84 DATUM

Insert	depth, 457, enclosed by 1000m contour	(a) 10° 42'·8S., 119° 51'·3E.
Delete	depth, 2125, close NW of:	(a) above

Chart 4071 (INT 71) [*previous update 4615/25*] WGS84 DATUM

Insert	depth, 457, enclosed by 1000m contour	10° 42'·8S., 119° 51'·3E.
--------	---------------------------------------	---------------------------

Chart 4603 (INT 603) [*previous update 1318/26*] WGS84 DATUM

Insert	depth, 457, enclosed by 1000m approximate contour	10° 42'·8S., 119° 51'·3E.
--------	---	---------------------------

Chart 4722 (INT 722) [*previous update 1270/26*] WGS84 DATUM

Insert	depth, 457, enclosed by 500m approximate contour	10° 42'·8S., 119° 51'·3E.
--------	--	---------------------------

II

1558 AUSTRALIA - Western Australia - Moored storage tanker.

Source: Australian Notice 5/189/26

Note: Former Notice 1048(T)/26 is cancelled.

Chart 4723 (INT 723) [*previous update 1532/26*] WGS84 DATUM

Insert



Scarborough Mo(U)15s

19° 55′·6S., 113° 14′·5E.

II

1573 PAPUA NEW GUINEA - NM Block.

Source: Australian Notice 3/87/26

Chart 4603 (INT 603) [*previous update 1555/26*] WGS84 DATUM

Insert the accompanying block, centred on:

1° 24′ ·6S., 144° 59′ ·1E.

II

1578 AUSTRALIA - Victoria - Legend. Light-beacons.

Source: Australian Notices 4/141/26 and 4/143/26

Note: Former Notices 3282(T)/25 and 1076(T)/26 are cancelled.

Chart Aus 143 [*previous update 1553/26*] WGS84 DATUM

Amend legend to, AIS, centred on:

38° 17'·87S., 144° 41'·56E.

Replace  Fl.G.3s with  Fl.G.3s

38° 17'·96S., 144° 42'·43E.

II

1563 NEW ZEALAND - South Island - Marine farm. Note.

Source: New Zealand Notice 5/30/26

Chart NZ 46 [*previous update New Edition 01/09/2025*] WGS84 DATUM

Insert



the accompanying note, MARINE FARMS, centred on:

40° 55'·59S., 174° 14'·11E.

41° 06'·91S., 175° 02'·95E.

II

1531 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Depth.
Source: UKHO

Chart 4060 (INT 60) [*previous update 4798/25*] WGS84 DATUM

Replace depth, 765, with depth, 676 21° 42'·5S., 168° 27'·1E.

Chart 4061 (INT 61) [*previous update 3594/25*] WGS84 DATUM

Replace depth, 765, with depth, 676 21° 42'·5S., 168° 27'·1E.

II

1591 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Depths. NM Block.

Source: Australian Notice 5/182/26

Chart 4060 (INT 60) [*previous update 1531/26*] WGS84 DATUM

Insert the accompanying block, centred on: 29° 15'·2S., 168° 23'·9E.

Chart 4061 (INT 61) [*previous update 1531/26*] WGS84 DATUM

Insert depth, 46 (a) 29° 29'·9S., 167° 56'·7E.

Delete depth, 49, close NE of: (a) above

II

1516 CANADA - British Columbia - NM Block. Piles.

Source: Canadian Notice 12/3412/25

Chart 4959 [*previous update 5726/25*] NAD83 DATUM

Insert the accompanying block, centred on:
pile, •

48° 25' 36"N., 123° 22' 27"W.

48° 26' 04.9"N., 123° 22' 20.5"W.

48° 26' 04.6"N., 123° 22' 21.2"W.

48° 26' 04.3"N., 123° 22' 21.7"W.

48° 26' 02.9"N., 123° 22' 24.6"W.

48° 26' 02.5"N., 123° 22' 25.3"W.

II

1539 PERU - Depths.

Source: ENC PE501126

Chart 3089 (Panel A, Talara) [*previous update 1206/26*] WGS84 DATUM

Insert	depth, <i>98</i> , and extend 10m contour NW to enclose	(a)	4° 34'·201S., 81° 17'·102W.
Delete	depth, <i>145</i> , close NE of:	(a)	above
Insert	depth, <i>64</i>		4° 34'·170S., 81° 17'·039W.
	depth, <i>96</i> , and extend 10m contour NE to enclose	(b)	4° 34'·227S., 81° 16'·885W.
Delete	depth, <i>14</i> , close SW of:	(b)	above

II

1613 ANTARCTICA - Depths. Danger line.

Source: ENC's CL4MA600 and CL4MA950

Chart 1776 [*previous update 1475/26*] UNDETERMINED DATUM

Insert	depth, <i>24</i> , enclosed by 3fm contour	62° 15'·09S., 58° 44'·73W.
Replace	depth, <i>20</i> , with depth, <i>105</i>	62° 20'·09S., 59° 10'·64W.
Delete	depth, <i>34</i> , and associated 100fm contour	(a) 62° 14'·51S., 58° 53'·40W.
	 close E of:	(a) above

II

1550 MEXICO - Gulf of Mexico - Lights.

Source: Mexican Notices 3/8-10/26

Chart 364 [*previous update 5487/25*] WGS84 DATUM

Amend	light to, Fl.11M	22° 29'·24N., 97° 53'·53W.
	light to, Fl.15M	22° 29'·24N., 97° 53'·73W.

Chart 365 [*previous update New Edition 21/08/2025*] WGS84 DATUM

Amend	light to, Fl.3s17m11M	22° 29'·24N., 97° 53'·53W.
	light to, Fl.2s36m15M	22° 29'·24N., 97° 53'·73W.

Chart 376 [*previous update 720/26*] WGS84 DATUM

Amend	light to, Ldg 3Fl.15M	22° 29'·3N., 97° 53'·5W.
-------	-----------------------	--------------------------

Chart 3768 [*previous update 1204/26*] WGS84 DATUM

Amend	light to, Ldg 3Fl.15M	22° 29'·3N., 97° 53'·5W.
-------	-----------------------	--------------------------

II

1535 UNITED STATES OF AMERICA - East Coast - Obstructions.
Source: ENC US5PVDDD

Chart 2730 [*previous update 1363/26*] NAD83 DATUM

Insert

 *Obstn*

41° 29'·26N., 71° 20'·03W.

 *Obstn*

(a) 41° 29'·30N., 71° 20'·13W.

Delete

 *Obstn*, close SE of:

(a) above

II

1548 CANADA - Saint Lawrence River - Buoyage.

Source: Canadian Notices 1/1316-1317/26

Chart 4785 (Panel, Continuation A) [*previous update 1362/26*] NAD83 DATUM

Insert

 *Q.G (priv)*

46° 52'·82N., 71° 07'·89W.

46° 52'·62N., 71° 08'·02W.

Chart 4786 [*previous update 1362/26*] NAD83 DATUM

Insert

 *Q.G (priv)*

46° 52' 49·4"N., 71° 07' 53·2"W.

46° 52' 37·2"N., 71° 08' 01·0"W.

II

1584 UNITED STATES OF AMERICA - East Coast - Depths.

Source: ENC's US5NYCBD and US5NYCAC

Chart 3458 [*previous update 5044/25*] NAD83 DATUM

Insert depth, 31

Delete depth, 32, close NE of:

Insert depth, 32

(a) 40° 33'·261N., 74° 14'·763W.

(a) above

40° 29'·838N., 74° 15'·393W.

II

1505(T)/26 SWEDEN - East Coast - Works. Horizontal clearance. Bridge. Fairway.

Source: Swedish Notice 1108/19942(T)/26

1. Maintenance works are taking place at Danviksbron Bridge, in position 59° 18'·82N., 18° 06'·28E.
2. The horizontal clearance of the fairway at the bridge is limited to 17m.
3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 1209(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 811 (INT 1239)

II

1506(T)/26 SWEDEN - East Coast - Restricted area.

Source: Swedish Notice 1104/19859/26

1. Due to ice conditions, vessels with low engine power are not recommended to pass through Kalmarsund between the following positions:

57° 12'·0N., 16° 44'·0E.

57° 03'·7N., 16° 44'·5E.

56° 33'·9N., 16° 19'·7E.

56° 15'·0N., 16° 13'·0E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 1105(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 259 (INT 120) - 2018 (INT 1202) - 2054 (INT 1203) - 2816 - 2817 - 2842 (INT 1223) - 2843 (INT 1224) - 2844 (INT 1761)

II

1511(T)/26 POLAND - Restricted area.

Source: Polish Notice 21/302(T)/24

1. *A restricted area, entry prohibited, has been established bounded by the following positions:

54° 50'·26N., 17° 52'·53E.

54° 49'·22N., 17° 52'·56E.

54° 49'·43N., 17° 53'·75E.

54° 50'·27N., 17° 53'·73E.

54° 50'·26N., 17° 52'·53E.

2. *Mariners are advised to navigate with caution in the area.
3. *Former Notice 2186(T)/24 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2018 (INT 1202) - 2040 (INT 1218)

II

1512(P)/26 POLAND - Wind farm. Works. Buoyage.

Source: Polish Notices 2/17(T)/26 and 3/20(T)/26

1. Wind farm construction works are taking place, within an area, marked by cardinal light-buoys, bounded by the following positions:

55° 07'·10N., 16° 44'·62E.

55° 06'·20N., 16° 46'·32E.

55° 06'·15N., 16° 46'·40E.

55° 02'·12N., 16° 50'·88E.

55° 02'·10N., 16° 51'·59E.

55° 00'·84N., 16° 58'·51E.

55° 08'·20N., 16° 57'·00E.

55° 08'·29N., 16° 55'·33E.

55° 08'·09N., 16° 53'·57E.

55° 07'·90N., 16° 50'·48E.

55° 07'·42N., 16° 47'·14E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202)

II

1519(P)/26 DENMARK - Islands - Buoyage.

Source: Danish Notice 4/37(P)/26

1. The following buoys will be removed:

Buoy Type

Position

North cardinal spar buoy	55° 35'·69N., 12° 24'·51E.
Green spar buoy with topmark	55° 35'·07N., 12° 22'·49E.
Green spar buoy with topmark	55° 34'·00N., 12° 23'·21E.
Red spar buoy with topmark	55° 34'·29N., 12° 25'·33E.
Green spar buoy with topmark	55° 32'·94N., 12° 23'·90E.
Red spar buoy with topmark	55° 32'·83N., 12° 26'·29E.
Red spar buoy with topmark	55° 33'·84N., 12° 22'·40E.
East cardinal spar buoy	55° 32'·96N., 12° 23'·27E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 903 (INT 1333) - 2595 (INT 1332)

II

1599(T)/26 SWEDEN - East Coast - Works. Horizontal clearance. Bridge. Fairway.

Source: Swedish Notice 1109/19957(T)/26

1. Maintenance works are taking place at Danviksbron Bridge, in position 59° 18'·82N., 18° 06'·28E.
2. The horizontal clearance of the fairway at the bridge is limited to 17m.
3. *Restrictions are as follows:

Duration

- * March 9th 2026, 22:00 - April 7th 2026, 12:00
- * April 7th 2026, 12:00 - April 13th 2026, 05:00
- * April 13th 2026, 05:00 - April 14th 2026, 07:00
- * April 14th 2026, 07:00 - April 20th 2026, 05:00
- * April 20th 2026, 05:00 - September 21st 2026, 22:00

Details

- Partial closure
- Full closure, fairway completely closed
- Partial closure
- Full closure, fairway completely closed
- Partial closure

4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 1505(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 811 (INT 1239)

II

1580(T)/26 NETHERLANDS - Restricted area. Buoyage.

Source: Netherlands Notice 11/52(T)/26

1. A restricted area, marked by yellow light-buoys, has been established joining the following positions:

51° 55′·16N., 4° 30′·23E.

51° 55′·14N., 4° 30′·21E.

51° 55′·15N., 4° 30′·04E.

51° 55′·17N., 4° 30′·02E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 208 (INT 1466)

II

1582(T)/26 NETHERLANDS - Restricted area. Buoyage.

Source: Netherlands Notice 11/51(T)/26

1. A restricted area, marked by yellow light-buoys, has been established joining the following positions:

52° 25′·70N., 4° 46′·28E.

52° 25′·67N., 4° 46′·28E.

52° 25′·72N., 4° 45′·87E.

52° 25′·78N., 4° 45′·81E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Former Notice 4079(T)/25 is cancelled
(WGS84 DATUM)

Chart affected - 124 (INT 1471)

II

1590(T)/26 NORTH SEA - Netherlands Sector - Buoy.

Source: Netherlands Notice 11/53(T)/26

1. An east cardinal pillar light-buoy, *Q(9)15s M-S*, has been established, in position 52° 07'·42N., 4° 16'·24E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 122 (INT 1472) - 130 (INT 1423)

II

1526(T)/26 ITALY - West Coast - Restricted area.

Source: Italian Notice 25.32(T)/25

1. A restricted area, entry prohibited, has been established bounded by the following positions:

40° 47'·94N., 14° 10'·30E.

40° 48'·18N., 14° 09'·89E.

40° 48'·57N., 14° 09'·63E.

40° 48'·73N., 14° 09'·66E.

40° 48'·85N., 14° 09'·76E.

2. Mariners are advised to navigate with caution and must keep a safe distance of no less than 50m from the designated area.
(WGS84 DATUM)

Charts affected - 914 - 916

II

1527(T)/26 ITALY - West Coast - Works. Breakwater.

Source: Italian Notices 5.12/24, 15.23(T)/25 and 25.24(T)/25

1. Survey works, in connection with the construction of a new breakwater in the port of Genoa, are taking place in areas bounded by the following positions:

44° 23'·36N., 8° 48'·06E.
44° 23'·36N., 8° 49'·97E.
44° 24'·00N., 8° 53'·79E.
44° 23'·07N., 8° 56'·17E.
44° 23'·27N., 8° 56'·33E.
44° 22'·95N., 8° 59'·14E.
44° 21'·13N., 8° 58'·82E.
44° 20'·13N., 8° 58'·05E.
44° 20'·09N., 8° 54'·10E.
44° 21'·30N., 8° 48'·07E.

2. and

44° 24'·28N., 8° 45'·74E.
44° 24'·45N., 8° 48'·50E.
44° 24'·66N., 8° 49'·19E.
44° 23'·83N., 8° 51'·78E.
44° 24'·08N., 8° 52'·16E.
44° 23'·41N., 8° 55'·80E.
44° 23'·10N., 8° 56'·67E.
44° 23'·06N., 8° 57'·66E.
44° 22'·83N., 8° 53'·03E.

3. and

44° 24'·059N., 8° 53'·612E.
44° 24'·140N., 8° 53'·651E.
44° 23'·983N., 8° 54'·349E.
44° 23'·873N., 8° 55'·087E.
44° 24'·068N., 8° 55'·152E.
44° 24'·044N., 8° 55'·295E.
44° 23'·764N., 8° 55'·472E.
44° 23'·318N., 8° 56'·948E.
44° 23'·242N., 8° 56'·901E.
44° 23'·845N., 8° 54'·961E.
44° 23'·821N., 8° 54'·921E.

4. Mariners are requested to maintain a safe distance of at least 50m from work vessels and to navigate with caution at a reduced speed in the area.
5. Former Notices 2635(T)/24 and 4307(T)/25 are cancelled.
(WGS84 DATUM)

Charts affected - 354 (INT 3361) - 355 (INT 3362) - 356 (INT 3360) - 1913

II

1536(T)/26 SPAIN - Mediterranean Sea Coast - Buoy.

Source: Spanish Notice 2/11(T)/26

1. *A starboard-hand lateral buoy, *Q.G. IsIM*, has been deployed, until further notice, in position 39° 38'·812N., 0° 12'·653W.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 5217(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 1460

II

1549(T)/26 SPAIN - Mediterranean Sea Coast - Obstructions.

Source: Spanish Notice 10/51(T)/26

1. Obstructions exist in the following positions:

41° 18'·50N., 2° 12'·20E.

41° 18'·69N., 2° 11'·83E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 166 - 1180 (INT 3185) - 1196 (INT 3184) - 1704 - 2717

II

1502(T)/26 SENEGAL - Depth.

Source: French Notice 5/9(T)/26

1. Less water than charted has been reported in Baie de Gorée in the vicinity of position 14° 38'·93N., 17° 18'·94W.
2. Mariners are advised to navigate with caution in the area and to consult the local Port Authority for the latest information.
(WGS84 DATUM)

Charts affected - 1000 (INT 1993) - 1663 (INT 1953)

II

1500(P)/26 KENYA - Depths.

Source: UKHO

1. Depths at the berth and in the approach to Lamu Port are reported to be deeper than charted.
2. Depths within the approach channel, bounded by the following positions, are now reported to be 18·0m.

2° 15'·26S., 41° 05'·42E.
2° 15'·68S., 41° 05'·42E.
2° 15'·63S., 41° 03'·35E.
2° 15'·36S., 41° 01'·63E.
2° 14'·95S., 41° 01'·67E.
2° 15'·25S., 41° 03'·37E.
3. Depths within the Main channel and Berth, bounded by the following positions, are now reported to be 17·5m.

2° 15'·36S., 41° 01'·63E.
2° 15'·07S., 41° 00'·94E.
2° 13'·52S., 40° 59'·88E.
2° 13'·13S., 40° 59'·50E.
2° 11'·860S., 40° 56'·742E.
2° 12'·065S., 40° 56'·484E.
2° 11'·344S., 40° 55'·942E.
2° 11'·100S., 40° 56'·268E.
2° 13'·00S., 41° 00'·02E.
2° 14'·50S., 41° 01'·01E.
2° 14'·95S., 41° 01'·67E.
4. Mariners are advised to contact Kenya Ports Authority for further information
5. Charts will be updated when full details are available
(WGS84 DATUM)

Charts affected - 668 - 669

II

1517(T)/26 UNITED ARAB EMIRATES - Dredged depth.

Source: ADNOC

1. Recent survey information has indicated a reduction in depth of the Borouge Channel 24° 09'·235N., 52° 45'·203E., from 13·2m to 12·9m until further notice.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 3778 - 3780 - 3796

II

1533(P)/26 INDIA - West Coast - Works.

Source: Indian Notice 2/40(P)/26 & Indian Notice 2/41(T)/26

1. The construction of an LNG terminal is in progress within an area bounded by the following positions:

20° 55'·44N., 71° 30'·80E.

20° 55'·74N., 71° 30'·99E.

20° 55'·85N., 71° 31'·09E.

20° 55'·81N., 71° 31'·28E.

20° 55'·70N., 71° 31'·37E.

20° 55'·55N., 71° 31'·33E.

20° 55'·38N., 71° 30'·85E.

2. During the works, aids to navigation may be subject to change
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 1488 (INT 7344) - IN 207

II

1534(T)/26 INDIA - West Coast - Offshore installation.

Source: Indian Nav Warning 52/26

1. The oil rig, *Deep Sea Matdrill*, has been reported aground in approximate position 20° 12'·18N., 72° 01'·83E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - IN 210 - IN 254 (INT 7331) - IN 292 (INT 7021)

II

1560(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 23(T)/25

1. A dangerous wreck exists in position 22° 12'·52N., 91° 28'·03E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 3914(T)/25 is cancelled.
4. *NOTE: Content of Notice unchanged.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - 1016 (INT 7428)

II

1566(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 1(T)/25

1. A stranded wreck exists in position 22° 08'·77N., 91° 28'·70E.
2. Mariners are advised to navigate with caution in the area.
3. * Former Notice 388(T)/25 is cancelled.
4. *NOTE: Content of Notice unchanged.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 90 - 1016 (INT 7428)

II

1571(T)/26 BANGLADESH - Wreck. Buoy.

Source: BNHOC Notice 19(T)/22

1. A dangerous wreck, marked by a red can buoy, *LFl.R.6s*, exists in position 22° 11'·94N., 91° 43'·12E.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 2159(T)/22 is cancelled.
4. *NOTE: Content of Notice unchanged.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - 102 (INT 7427) - 1016 (INT 7428)

II

1572(T)/26 BANGLADESH - Wreck. Buoy.

Source: UKHO

1. A dangerous wreck exists in position $22^{\circ} 13' \cdot 77N.$, $91^{\circ} 46' \cdot 85E.$
2. A red can light-buoy, *Lfl.6s*, has been deployed within the vicinity of the wreck.
3. Mariners are advised to navigate with caution in this area.
4. *Former Notice 2248(T)/22 is cancelled.
5. *NOTE: Content of Notice unchanged.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 102 (INT 7427) - 1016 (INT 7428)

II

1601(P)/26 INDIA - West Coast - Harbour limits. Anchorage area.

Source: ENC IN3211SD

1. The limit of the Port of Mumbai has been amended and now joins the following positions:

18° 42'·29N., 72° 51'·59E.
18° 42'·25N., 72° 50'·44E.
18° 42'·14N., 72° 48'·77E.
18° 47'·75N., 72° 45'·36E.
18° 48'·85N., 72° 40'·86E.
18° 55'·00N., 72° 41'·00E.
18° 55'·00N., 72° 37'·00E.
18° 57'·05N., 72° 37'·00E.
18° 57'·04N., 72° 43'·98E.
18° 56'·35N., 72° 45'·87E.
18° 56'·33N., 72° 47'·57E.
18° 56'·35N., 72° 47'·61E.

2. The limits of PORT LIGHTERAGE anchorage area have been amended to join the following positions:

18° 57'·00N., 72° 43'·00E.
18° 57'·00N., 72° 37'·00E.
18° 55'·00N., 72° 37'·00E.
18° 55'·00N., 72° 43'·00E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Chart IN255 will be updated by Notice to Mariners.
5. These changes will be included in New Editions of Charts IN211 and IN2016 to be published mid 2026.
(WGS84 DATUM)

Charts affected - IN 211 - IN 2016 (INT 7336)

II

1556(T)/26 CHINA - South Coast - Works.

Source: Chinese Notice 2/54(T)/26

1. An offshore operating area has been established, bounded by the following positions:

21° 22'·25N., 109° 34'·68E.

21° 22'·25N., 109° 35'·62E.

21° 21'·38N., 109° 35'·62E.

21° 21'·38N., 109° 34'·68E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Chart affected - 1728

II

1568(T)/26 TAIWAN - Submarine pipeline. Works.

Source: UKHO

1. Pipeline laying operations are taking place within an area bounded by the following positions:

24° 13'·65N., 120° 27'·96E.
24° 15'·32N., 120° 24'·60E.
24° 26'·38N., 120° 27'·69E.
24° 30'·20N., 120° 33'·08E.
24° 31'·08N., 120° 35'·98E.
24° 28'·85N., 120° 39'·59E.
24° 30'·03N., 120° 40'·23E.
24° 32'·19N., 120° 36'·75E.
24° 31'·09N., 120° 32'·93E.
24° 27'·35N., 120° 27'·07E.
24° 13'·99N., 120° 22'·95E.
24° 12'·29N., 120° 27'·74E.
24° 12'·85N., 120° 27'·97E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2618 - 3231

II

1597(T)/26 JAPAN - Hokkaidō - Works.

Source: Japanese Notice 11/5097(T)/26

1. Submarine drilling works are taking place, until 13 June 2026, in the vicinity of position 41° 49′·0N., 142° 18′·0E.
(WGS84 DATUM)

Chart affected - JP 1030

II

1565(T)/26 RUSSIA - Pacific Ocean Coast - Buoyage.

Source: Russian Notice 47/4914(T)/25 and 5/416/26

1. Yellow special purpose pillar buoys have been established in the following positions:

43° 04'·52N., 131° 54'·47E.

43° 04'·32N., 131° 54'·67E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 197(T)/26 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Chart affected - 3044

II

1503(T)/26 MALAYSIA - Sarawak - Buoy.

Source: Marine Department, Sarawak Notice 22(T)/26

1. The isolated danger light-buoy, *Fl(2)8s*, in position $2^{\circ} 07' \cdot 57\text{N}$., $111^{\circ} 07' \cdot 63\text{E}$. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 161

II

1518(T)/26 AUSTRALIA - Northern Territory - Buoyage. Scientific instruments.

Source: Australian Notice 5/207(T)/26

1. 2 special light buoys, *Q(5)Y.20s*, exist in the vicinity of $12^{\circ} 48' \cdot 1\text{S.}$, $128^{\circ} 40' \cdot 1\text{E.}$
2. A subsurface scientific instrument, 10m below the surface, exists in position $12^{\circ} 48' \cdot 6\text{S.}$, $128^{\circ} 40' \cdot 1\text{E.}$
3. Subsurface scientific instruments, 20m above the seabed, exist in the following positions:

$12^{\circ} 39' \cdot 7\text{S.}$, $129^{\circ} 00' \cdot 2\text{E.}$

$12^{\circ} 34' \cdot 5\text{S.}$, $129^{\circ} 18' \cdot 2\text{E.}$

$12^{\circ} 29' \cdot 9\text{S.}$, $129^{\circ} 29' \cdot 1\text{E.}$

$12^{\circ} 24' \cdot 6\text{S.}$, $129^{\circ} 48' \cdot 6\text{E.}$

(WGS84 DATUM)

Chart affected - 4603 (INT 603)

II

1521(T)/26 AUSTRALIA - Western Australia - Buoy. Scientific instruments.

Source: Australian Notice 5/217(T)/26

1. A special light buoy, *Fl(5)Y.20s*, exists in position 22° 24'·4S., 113° 40'·1E.
2. Subsurface scientific instruments, 10m below the surface, exist in the following positions:

22° 26'·5S., 113° 39'·5E.

22° 26'·7S., 113° 36'·6E.

22° 29'·0S., 113° 38'·2E.

(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

1522(T)/26 AUSTRALIA - Western Australia - Buoyage.

Source: Australian Notice 5/212(T)/26

1. Two red lit mooring buoys, *Fl.Y*, exist in positions 20° 30′·82S., 116° 26′·60E. and 20° 30′·94S., 116° 26′·72E.
(WGS84 DATUM)

Chart affected - Aus 57

II

1524(T)/26 AUSTRALIA - Western Australia - Obstruction. Buoy.

Source: Australian Notice 5/218(T)/26

1. A direct turret mooring, with least depth 35m, marked by a special light buoy, *Fl.Y.5s*, exists in position 21° 24'·2S., 114° 05'·3E.
2. Former Notice 4301(T)/25 is cancelled.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

1498(T)/26 NEW ZEALAND - North Island - Automatic Identification Systems. Virtual aids to navigation.

Source: New Zealand Bulletin 5/26 General Notice

1. New Zealand's 3G network will be disestablished by the end of March 2026. All Virtual Automatic Identification Systems (V-AIS) that rely on the 3G network may go offline.
2. All V-AIS in the Auckland region are known to be affected including but not limited to the following:

<i>Feature Type</i>	<i>Position</i>
North Cardinal V-AIS	35° 59'·55S., 175° 07'·20E.
Isolated Danger V-AIS	36° 00'·45S., 175° 07'·20E.
Isolated Danger V-AIS	36° 15'·39S., 175° 11'·48E.
West Cardinal V-AIS	36° 16'·59S., 175° 19'·70E.
AIS	36° 25'·30S., 175° 19'·89E.
Isolated Danger V-AIS	36° 25'·90S., 175° 07'·85E.
AIS	36° 26'·75S., 174° 55'·50E.
East Cardinal V-AIS	36° 27'·50S., 174° 56'·36E.
Isolated Danger V-AIS	36° 36'·20S., 174° 55'·10E.
North Cardinal V-AIS	36° 40'·95S., 174° 57'·93E.
North Cardinal V-AIS	36° 41'·15S., 175° 01'·50E.
East Cardinal V-AIS	36° 41'·34S., 175° 01'·90E.

See the Auckland Transport website for more information: <https://at.govt.nz/maritime-safety/local-notice-to-mariners>

3. Mariners are advised to exercise caution when relying on V-AIS and to use alternative aids to navigation and methods of identifying hazards where available.
(WGS84 DATUM)

Charts affected - NZ 52 - NZ 53 - NZ 522 - NZ 531 - NZ 532 - NZ 5321 - NZ 5324

II

1515(T)/26 SOUTH PACIFIC OCEAN - Fiji Islands - Lights.

Source: Maritime Safety Authority of Fiji

1. The following lights are reported to be temporarily unlit:

<i>Characteristic</i>	<i>Position</i>
LFl(2)30s14m12M	18° 08'·02S., 178° 41'·22E.
Fl.5s70m15M	16° 13'·41S., 179° 05'·77E.
LFl.8s10m10M	16° 57'·86S., 179° 51'·84E.
Fl(3)12s12m15M	18° 24'·25S., 178° 09'·95E.
Fl.2s6m9M	17° 38'·70S., 179° 15'·55E.
* Fl(2)25s49m17M	16° 07'·53S., 179° 57'·21W.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 1323(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 384 - 440 (INT 6854) - 441 - 488 - 744 - 745 - 746 - 749 - 751 - 752 - 1673 - 1674 - 1682 - 2691 (INT 6856) - 4632 (INT 632) - 4638 (INT 638)

II

1538(P)/26 UNITED STATES OF AMERICA - East Coast - Buoyage. Lights. Works.

Source: ENC US5NYCEG and US Coast Guard District 1 LL 34/24

1. Hudson River tunnel construction is taking place between Pier 66 and Weehawken Cove.
2. A cofferdam is being established within an area bounded by the following positions:

40° 45'·321N., 74° 00'·888W.
40° 45'·297N., 74° 00'·533W.
40° 45'·211N., 74° 00'·544W.
40° 45'·236N., 74° 00'·894W.
3. The corners of the cofferdam will be marked by lights, Fl.4s
4. Additional lights will be added every 30ft of the structure.
5. *Special purpose light-buoys, *Fl.2·5s*, marking the construction have been established in the following approximate positions:

<i>Designation</i>	<i>Position</i>
*A	40° 45'·400N., 74° 00'·681W.
*B	40° 45'·392N., 74° 00'·563W.
*C	40° 45'·133N., 74° 00'·774W.
*D	40° 45'·127N., 74° 00'·653W.

6. VHF Channel 13/16/67 will be monitored while onsite.
7. Mariners are advised to navigate with caution in the area and consult the local port authorities for full details.
8. *Former Notice 394(P)/26 is cancelled.
*Indicates new or revised entry
(NAD83 DATUM)

Chart affected - 3454

II

1585(T)/26 CANADA - Gulf of Saint Lawrence - Buoy.

Source: French Notice 9/3(T)/26

1. The West cardinal buoy in position 47° 01'·9N., 56° 31'·8W. is reported missing.
2. Mariners are advised to navigate with caution in the area.
(NAD83 DATUM)

Chart affected - 4763