



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 15

09 April 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts
166	INT 304
236	INT 550
359	INT 1368
451	INT 1375
754	INT 1376
900	INT 1580
1258	INT 1741
1270	INT 9132
1271	
1408	
1491	
1594	
1892	
2504	
2583	
2592	
2597	
3482	
3642	
3779	
5603_1	
5613_4	
5613_5	
5613_6	
5620_3	
5621_2	
NZ 66	
NZ 661	
NZ 6612	

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 09 April 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙166 INT 304	International Chart Series, Mediterranean Sea, Alger to Genova and Tunis. On publication of this New Edition former Notice 120(P)/26 is cancelled. This chart remains affected by Notices 5359(P)/24 and 1549(T)/26.	1:1,000,000	25	20, 42, 44
⊙236	Mediterranean Sea - Greece and Türkiye, Nísos Ródos to Taşlık Burnu. Türkiye, Finike. This chart is to be deleted from the list of charts affected by Notice 847(P)/26.	1:300,000 1:12,500	30	46, 48, 50
⊙359	Mexico - East Coast, Dos Bocas Terminal. Port of Dos Bocas. On publication of this New Edition former Notice 800(P)/26 is cancelled.	1:30,000 1:15,000	83	122
⊙451 INT 9132	International Chart Series, Antarctica - Graham Land, Grandidier Channel.	1:75,000	97	136
⊙1491 INT 1580	International Chart Series - England- East Coast, Harwich and Felixstowe. This chart is to be deleted from the list of charts affected by Notice 4697(T)/25.	1:10,000	7	24
⊙1594	England - East Coast, River Stour, Erwarton Ness to Manningtree. Continuation to Manningtree.	1:10,000 1:10,000	7	24
⊙3779	United Arab Emirates, Approaches to Ar Ruways and Jabal Az Zannah. This chart remains affected by Notice 1064(P)/22.	1:25,000	40	62

New Editions of ADMIRALTY Small Craft Charts published 09 April 2026

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5613_4	Ⓐ Approaches to Liverpool. Ⓑ Crosby Channel to River Mersey.	1:25,000 1:25,000	29
5613_5	Gladstone Dock to Brunswick Dock. This chart remains affected by Notice 600(T)/26.	1:15,000	29
5613_6	Brunswick Dock to Queen Elizabeth II Dock.	1:15,000	29

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

Publication dates of these charts reflect the dates shown on the New Zealand Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙NZ66	01/02/2026	New Zealand, South Island - East Coast, Kātiki Point to Nugget Point. On publication of this New Edition former Notice 1409(P)/26 is cancelled.	1:200,000	72	94
⊙NZ661	01/02/2026	New Zealand, South Island - East Coast, Approaches to Otago Harbour. On publication of this New Edition former Notice 1409(P)/26 is cancelled.	1:100,000	72	94
⊙NZ6612	01/02/2026	New Zealand, South Island - East Coast, Otago Harbour. Otago Harbour, Continuation to Upper Harbour. Port Chalmers. Dunedin Wharves.	1:100,000 1:100,000 1:5,500 1:8,000	72	94
On publication of this New Edition former Notices 2876(T)/23, 3622(P)/24, 5767(P)/24, 188(P)/26, 1284(P)/26 and 1409(P)/26 are cancelled.					

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 23 APRIL 2026

New ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
754	Pacific Ocean – Kiribati, Tarawa. 1°17'·50N - 1°41'·00N., 172°48'·00E - 173°13'·80E. Betio Anchorage.	1:75,000 1:25,000	-	70	98, 104
	1°19'·20N - 1°26'·00N., 172°51'·40E - 173°00'·00E.				

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 23 APRIL 2026

New Editions of ADMIRALTY Charts

Chart	Title, limits and other remarks	Scale	Charts to be WITHDRAWN	Folio	2026 Catalogue page
900 INT 1376	International Chart Series, Denmark, Lillebælt, Snaevringen and Kolding Fjord. Ⓐ Fredericia. Ⓑ Lillebaelt West Bridge Passage Spans. Ⓒ Lillebaelt East Bridge Passage Span. Ⓓ Middelfart. Ⓔ Kolding.	1:25,000 1:10,000 1:8,000 1:8,000 1:8,000 1:10,000	⊙900 INT 1376	10	34
1258	Korea - West Coast, Gyeongnyeolbi Yeoldo to Daecheong Gundo.	1:250,000	⊙1258	52	82
1270	Korea - West Coast, Ando to Incheon Hang. Yeongheung Sudo.	1:75,000 1:20,000	⊙1270	52	82
1271	Korea - West Coast, Daesan Hang, Pyeongtaek - Dangjin Hang and Incheon New Port. Ⓐ Daesan Hang. Ⓑ Pyeongtaek- Dangjin Hang. Ⓒ Incheon New Port.	1:25,000 1:30,000 1:50,000	⊙1271	52	82
1408	North Sea, Harwich and Rotterdam to Cromer and Terschelling.	1:300,000	⊙1408	7	24, 26, 32
1892 INT 1741	International Chart Series - English Channel, Dover Strait Western Part.	1:75,000	⊙1892 INT 1741	1	24
2504	Scotland - West Coast, Lochinver and Approaches. Lochinver.	1:25,000 1:12,500	⊙2504	6	28
2583	Baltic Sea, Denmark, Smålandsfarvandet - Western Part. Ⓐ Approaches to Skælskør. Ⓑ Bandholm.	1:75,000 1:20,000 1:8,000	⊙2583	10	34
2592 INT 1375	International Chart Series, Denmark, Lillebælt Northern Part. Ⓐ Assens.	1:75,000 1:6,000	⊙2592 INT 1375	10	34
2597 INT 1368	International Chart Series, Denmark - Entrance to the Baltic, Storebælt - Southern Part.	1:75,000	⊙2597 INT 1368	10	34
3482 INT 550	International Chart Series, South China Sea - South West Part, Singapore Strait to Song Sai Gon.	1:500,000	⊙3482 INT 550	47	66, 68, 70, 72, 76
3642	Korea - West Coast, Incheon.	1:15,000	⊙3642	52	82

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 23 APRIL 2026

New Editions of ADMIRALTY Small Craft Charts

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>NP109A Catalogue page</i>
5603_1	Ⓐ Lizard Point to Hartland Point. Ⓑ Porthallow to Porthoustock.	1:200,000 1:15,000	5603_1	9
5620_3	Fishguard to Hartland Point.	1:200,000	5620_3	39
5621_2	Waterford to Saint David's Head.	1:200,000	5621_2	41

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
166 INT 304	International Chart Series, Mediterranean Sea, Aalger to Genova and Tunis.	⊙166 INT 304
236	Mediterranean Sea - Greece and Türkiye, Nísos Ródos to Taşlik Burn.	⊙236
359	Mexico - East Coast, Dos Bocas Terminal.	⊙359
451 INT 9132	International Chart Series, Antarctica - Graham Land, Grandidier Channel.	⊙451 INT 9132
1491 INT 1580	International Chart Series - England- East Coast, Harwich to Felixstowe.	⊙1491 INT 1580
1594	England - East Coast, River Stour Erwarton Ness to Manningtree.	⊙1594
3779	United Arab Emirates, Approaches to Ar Ruways and Jabal Az Zannah.	⊙3779
5613_4	Approaches to Liverpool.	5613_4
5613_5	Gladstone Dock to Brunswick Dock.	5613_5
5613_6	Brunswick Dock to Queen Elizabeth II Dock.	5613_6
NZ66	New Zealand, South Island - East Coast, Kātiki Point to Nugget Point.	⊙NZ66
NZ661	New Zealand, South Island - East Coast, Approaches to Otago Harbour.	⊙NZ661
NZ6612	New Zealand, South Island East Coast, Otago Harbour.	⊙NZ6612

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
90	1684T, 1685T, 1686T, 1691T, 1694T, 1695T, 1697T, 1699T, 1700T	1822	1642T
102	1686T, 1687T, 1688T, 1695T, 1696T, 1697T, 1699T	1966	1679
105	1702T	1990	1623
110	1689T	2014	1614T, 1634T
111	1701T	2015	1634T
116	1689T	2048	1637T
120	1689T	2059	1673
122	1689T	2100	1663P
124	1689T	2107	1619
125	1689T	2146	1630
127	1698	2148	1630
130	1665, 1689T	2151	1660
140	1645	2182A	1632
160	1701T	2182B	1632, 1701T
175	1657, 1701T	2191	1679
178	1646	2218	1625
190	1657, 1701T	2226	1673
202	1704	2288	1637T
207	1656T, 1658T, 1662	2349	1636T
210	1701T	2409	1629
230	1679	2427	1676P
266	1689T	2450	1630
308	1639P	2451	1630
312	1639P	2523	1633T, 1654, 1692P
495	1647	2595	1638T
496	1647	2613	1630
515	1704	2638	1664
695	1640T	2656	1630
696	1640T	2675	1630
734	1657, 1701T	2679	1634T
775	1693	2719	1704
792	1675T	2793	1618
811	1621T	2799	1643T
817	1652P	2814	1651P
818	1652P	2816	1614T
820	1621T	2837	1654
830	1652P	2847	1654
849	1693	2850	1626
851	1668	2873	1703
933	1703	2883	1654
1163	1653T	2886	1654, 1692P
1188	1655	2921	1650
1192	1701T	2941	1664
1199	1669	2943	1677T
1259	1698	2948	1664
1281	1631	2951	1664
1305	1627	2959	1659
1306	1627	3064	1648
1336	1663P	3133	1615
1339	1628	3232	1629
1402	1619, 1635T	3318	1617
1407	1657, 1701T	3324	1648
1408	1702T	3337	1660
1409	1701T	3391	1690
1422	1635T, 1681	3445	1641T
1481	1701T	3496	1655
1503	1702T	3497	1655
1629	1679	3548	1628
1630	1661, 1689T	3729	1703
1631	1689T	3772	1692P
1632	1689T	3818	1625
1633	1689T	3830	1670
1769	1644	3837	1663P
1771	1644	3933	1666
1821	1644	3935	1659
		3938	1667
		3943	1622
		4021	1644
		4022	1644

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Indian Chart No.	Notices
4071 4073 4121 4127 4203 4206 4208 4401 4402 4413 4414 4482 4483 4488 4507 4706 5600_21 5600_22 5605_1 5614_18 5614_25 5615_10 5615_11 5615_2 5615_22 5615_23 5615_3 5615_8 5615_9 5617_1 5617_14 5617_2 5617_3	1652P 1652P 1649 1671 1644 1644 1644 1677T 1677T 1682 1682 1682 1616 1664 1652P 1618 1618 1630 1655 1632 1657 1701T 1701T 1701T 1701T 1701T 1701T 1701T 1701T 1657 1701T 1701T 1701T 1701T	IN 31 IN 33 IN 351 IN 473 IN 3012	1652P 1652P 1691T, 1694T 1652P 1672P
		International Chart No.	Notices
		INT 21 INT 22 INT 71 INT 73 INT 203 INT 401 INT 402 INT 507 INT 706 INT 755 INT 756 INT 1042 INT 1043 INT 1044 INT 1045 INT 1070 INT 1133 INT 1159 INT 1201 INT 1216 INT 1217 INT 1219 INT 1238 INT 1239 INT 1250 INT 1300 INT 1301 INT 1332 INT 1413 INT 1416 INT 1417 INT 1418 INT 1420 INT 1422 INT 1423 INT 1424 INT 1425 INT 1452 INT 1453 INT 1457 INT 1460 INT 1461 INT 1465 INT 1471 INT 1472 INT 1473 INT 1474 INT 1477 INT 1479 INT 1504 INT 1505 INT 1506 INT 1509 INT 1543 INT 1544 INT 1553 INT 1554 INT 1565 INT 1703	1644 1644 1652P 1652P 1644 1677T 1677T 1664 1652P 1652P 1652P 1632, 1701T 1632 1635T, 1681 1683, 1689T 1630 1670 1625 1634T 1673 1637T 1614T, 1634T 1621T 1621T 1625 1619, 1635T 1619 1638T 1683 1661, 1689T 1689T 1689T 1689T 1689T 1665, 1689T 1624 1660 1678 1620 1624, 1680 1624 1689T 1656T, 1658T, 1662 1689T 1689T 1689T 1689T 1689T 1701T 1657, 1701T 1701T 1702T 1701T 1657, 1701T 1655 1655 1655 1630
Australian Chart No.	Notices		
Aus 326 Aus 327	1674 1674		
Bangladeshi Chart No.	Notices		
BD 2508 BD 3004 BD 5001 BD 7510	1694T 1694T 1691T, 1694T 1684T, 1685T, 1686T, 1687T, 1688T, 1695T, 1696T, 1697T, 1699T, 1700T		
Belgian Chart No.	Notices		
BE 101	1689T		
German Chart No.	Notices		
DE 4 DE 7 DE 20 DE 44 DE 46 DE 50 DE 87 DE 90	1624, 1680 1624 1624 1678 1620 1683, 1689T 1683 1689T		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1704	1630		
INT 1705	1630		
INT 1750	1630		
INT 2050	1639P		
INT 2516	1644		
INT 2560	1639P		
INT 2655	1644		
INT 5360	1690		
INT 5709	1663P		
INT 7017	1654		
INT 7018	1654		
INT 7031	1652P		
INT 7243	1654, 1692P		
INT 7249	1692P		
INT 7250	1633T, 1654, 1692P		
INT 7260	1654		
INT 7411	1672P		
INT 7419	1691T, 1694T		
INT 7426	1691T, 1694T		
INT 7427	1686T, 1687T, 1688T, 1695T, 1696T, 1697T, 1699T		
INT 7428	1684T, 1685T, 1686T, 1687T, 1688T, 1695T, 1696T, 1697T, 1699T, 1700T		
INT 7430	1652P		
INT 7433	1652P		
INT 7451	1694T		
INT 7452	1694T		
INT 7722	1640T		
INT 7723	1640T		

II

1618* ENGLAND - South Coast - Depths. Drying heights.

Source: Cowes Harbour Commission

Chart 2793 [*previous update 318/26*] ETRS89 DATUM

Insert	depth, 1	(a)	50° 46'·063N., 1° 16'·573W.
Delete	depth, 15, close SW of:	(a)	above
Insert	drying height, 02, enclosed by 0m low water line, with seabed type, R		50° 46'·058N., 1° 16'·841W.
	depth, 19, and extend 2m contour NE to enclose		50° 45'·881N., 1° 17'·799W.
	depth, 09		50° 45'·640N., 1° 17'·619W.
	depth, 19, and extend 2m contour E to enclose	(b)	50° 44'·981N., 1° 17'·542W.
Delete	depth, 27, close NE of:	(b)	above
Insert	depth, 2, and extend 2m contour E to enclose	(c)	50° 44'·938N., 1° 17'·508W.
Delete	depth, 26, close NW of:	(c)	above
Replace	drying height, 15, with drying height, 2		50° 45'·647N., 1° 17'·747W.

Chart 2793 (Panel A, Continuation of River Medina) [*previous update 318/26*] ETRS89 DATUM

Insert	drying height, 0, and extend 0m low water line SW to enclose		50° 44'·025N., 1° 16'·938W.
	drying height, 3	(a)	50° 44'·498N., 1° 17'·349W.
Delete	drying height, 23, close SE of:	(a)	above

Chart 5600_21 [*previous update 318/26*] ETRS89 DATUM

Insert	depth, 19, and extend 2m contour NE to enclose		50° 45'·881N., 1° 17'·799W.
	depth, 09		50° 45'·640N., 1° 17'·619W.
Replace	drying height, 15, with drying height, 2		50° 45'·647N., 1° 17'·747W.

Chart 5600_22 (Panel A, River Medina) [*previous update New Edition 14/11/2024*] ETRS89 DATUM

Insert	depth, 19, and extend 2m contour E to enclose	(a)	50° 44'·981N., 1° 17'·542W.
Delete	depth, 27, close NE of:	(a)	above
Insert	depth, 2, and extend 2m contour E to enclose	(b)	50° 44'·937N., 1° 17'·508W.
Delete	depth, 26, close NW of:	(b)	above

Chart 5600_22 (Panel B, Continuation of River Medina) [*previous update New Edition 14/11/2024*] ETRS89 DATUM

Insert	drying height, 0, and extend 0m low water line SW to enclose		50° 44'·025N., 1° 16'·938W.
	drying height, 3	(a)	50° 44'·498N., 1° 17'·349W.
Delete	drying height, 23, close SE of:	(a)	above

II

1655* ENGLAND - East Coast - Drying heights. Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update New Edition 12/03/2026*] ETRS89 DATUM

Insert	depth, 14, and extend 2m contour NE to enclose	(a)	53° 37'·51N., 0° 10'·02W.
Delete	depth, 1, close SW of:	(a)	above
Insert	depth, 68	(b)	53° 37'·60N., 0° 09'·52W.
Delete	depth, 84, and associated 7m contour close S of:	(b)	above
Insert	depth, 7, and extend 7m contour N to enclose		53° 37'·54N., 0° 08'·84W.

Chart 3496 (INT 1565) (Panel C, Immingham Oil Terminal to Humber Sea Terminal) [*previous update New Edition 12/03/2026*] ETRS89 DATUM

Insert	drying height, 22	(a)	53° 40'·526N., 0° 11'·778W.
Delete	drying height, 15, close SE of:	(a)	above
Insert	drying height, 02, and extend 0m contour SW to enclose		53° 40'·416N., 0° 11'·756W.
	drying height, 03, and extend 0m contour SW to enclose		53° 40'·333N., 0° 11'·641W.
		(b)	53° 40'·238N., 0° 11'·474W.
Delete	depth, 08, close SE of:	(b)	above
Insert	depth, 64, and extend 7m contour NE to enclose	(c)	53° 39'·705N., 0° 13'·424W.
Delete	depth, 68, close S of:	(c)	above
Insert	depth, 14, and extend 2m contour NE to enclose		53° 37'·510N., 0° 10'·020W.
	depth, 68, enclosed by 7m contour		53° 37'·596N., 0° 09'·519W.

Chart 3497 (INT 1554) [*previous update New Edition 12/03/2026*] ETRS89 DATUM

Insert	drying height, 15		53° 40'·68N., 0° 12'·01W.
	drying height, 22	(a)	53° 40'·53N., 0° 11'·78W.
Delete	drying height, 36, close N of:	(a)	above
Insert	drying height, 02, and extend 0m contour SW to enclose	(b)	53° 40'·42N., 0° 11'·76W.
Delete	depth, 12, close W of:	(b)	above
Insert	drying height, 03, and extend 0m contour SW to enclose	(c)	53° 40'·24N., 0° 11'·47W.
Delete	depth, 08, close SE of:	(c)	above
Insert	depth, 64, and extend 7m contour NE to enclose		53° 39'·71N., 0° 13'·42W.
	depth, 14, and extend 2m contour NE to enclose		53° 37'·51N., 0° 10'·02W.
	depth, 68	(d)	53° 37'·60N., 0° 09'·52W.
Delete	depth, 84, and associated 7m contour close S of:	(d)	above
Insert	depth, 7, and extend 7m contour N to enclose		53° 37'·54N., 0° 08'·84W.

II

1655* ENGLAND - East Coast - Drying heights. Depths. (continued)

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update New Edition 12/03/2026*] ETRS89 DATUM

Insert	drying height, 15	53° 40'·68N., 0° 12'·01W.
	drying height, 22	(a) 53° 40'·53N., 0° 11'·78W.
Delete	drying height, 36, close N of:	(a) above
Insert	drying height, 02, and extend 0m contour SW to enclose	(b) 53° 40'·42N., 0° 11'·76W.
Delete	depth, 12, close W of:	(b) above
Insert	drying height, 03, and extend 0m contour SW to enclose	(c) 53° 40'·24N., 0° 11'·47W.
Delete	depth, 08, close SE of:	(c) above
Insert	depth, 64, and extend 7m contour NE to enclose	53° 39'·71N., 0° 13'·42W.
	depth, 14, and extend 2m contour NE to enclose	53° 37'·51N., 0° 10'·02W.
	depth, 68	(d) 53° 37'·60N., 0° 09'·52W.
Delete	depth, 84, and associated 7m contour close S of:	(d) above
Insert	depth, 7, and extend 7m contour N to enclose	53° 37'·54N., 0° 08'·84W.

II

1657* SCOTLAND - East Coast - Restricted areas. Legends.

Source: Maritime and Coastguard Agency and UKHO

Note: This update is included in New Editions 5615_3 and 5617_1, published early 2026.

Chart 175 [previous update 5093/25] ETRS89 DATUM

Insert	limit of restricted area, $\tau\tau\tau\tau$, joining:	(a) 56° 11'·77N., 2° 31'·29W. (b) 56° 11'·77N., 2° 27'·91W. (c) 56° 11'·77N., 2° 23'·15W. (d) 56° 09'·59N., 2° 23'·15W. (e) 56° 09'·59N., 2° 27'·91W. (f) 56° 09'·59N., 2° 31'·29W.
	legend, <i>Explosives Dumping Ground (disused)</i> , within:	(a)-(f) above
Delete	former limit of restricted area, $\tau\tau\tau\tau$, and associated legend, <i>Explosives Dumping Ground (disused)</i> , joining:	56° 11'·12N., 2° 31'·22W. 56° 11'·12N., 2° 29'·39W. 56° 10'·50N., 2° 29'·39W. 56° 10'·50N., 2° 31'·22W.

Chart 190 [previous update 1106/26] ETRS89 DATUM

Insert	limit of restricted area, $\tau\tau\tau\tau$, joining:	(a) 56° 11'·77N., 2° 31'·29W. (b) 56° 11'·77N., 2° 27'·91W. (c) 56° 11'·77N., 2° 23'·15W. (d) 56° 09'·59N., 2° 23'·15W. (e) 56° 09'·59N., 2° 27'·91W. (f) 56° 09'·59N., 2° 31'·29W.
	legend, <i>Explosives Dumping Ground (disused)</i> , within:	(a)-(f) above
Delete	former limit of restricted area, $\tau\tau\tau\tau$, and associated legend, <i>Ammunition Dumping Ground (disused)</i> , joining:	56° 11'·12N., 2° 31'·22W. 56° 11'·12N., 2° 29'·39W. 56° 10'·50N., 2° 29'·39W. 56° 10'·50N., 2° 31'·22W.

Chart 734 (INT 1544) [previous update 1265/26] ETRS89 DATUM

Insert	limit of restricted area, $\tau\tau\tau\tau$, joining:	(a) 56° 09'·59N., 2° 27'·91W. (b) 56° 09'·59N., 2° 31'·29W. (c) 56° 11'·77N., 2° 31'·29W. (d) 56° 11'·77N., 2° 27'·91W.
	legend, <i>Explosives Dumping Ground (disused)</i> , within:	(a)-(d) above
Delete	former limit of restricted area, $\tau\tau\tau\tau$, and associated legend, <i>Explosives Dumping Ground (disused)</i> , joining:	56° 11'·12N., 2° 31'·22W. 56° 11'·12N., 2° 29'·39W. 56° 10'·50N., 2° 29'·39W. 56° 10'·50N., 2° 31'·22W.

II

1657* SCOTLAND - East Coast - Restricted areas. Legends. (continued)

Chart 1407 (INT 1505) [previous update 1106/26] ETRS89 DATUM

Insert	limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	(a)	56° 11'·77N., 2° 31'·29W.
		(b)	56° 11'·77N., 2° 27'·91W.
Delete	legend, <i>Explosives Dumping Ground (disused)</i> , within: former limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, and associated legend, <i>Ammunition Dumping Ground (disused)</i> , joining:	(c)	56° 11'·77N., 2° 23'·15W.
		(d)	56° 09'·59N., 2° 23'·15W.
		(e)	56° 09'·59N., 2° 27'·91W.
		(f)	56° 09'·59N., 2° 31'·29W.
		(a)-(f)	above
			56° 11'·12N., 2° 31'·22W.
			56° 11'·12N., 2° 29'·39W.
			56° 10'·49N., 2° 29'·39W.
			56° 10'·49N., 2° 31'·22W.

Chart 5615_10 [previous update 5093/25] ETRS89 DATUM

Insert	limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	(a)	56° 09'·59N., 2° 27'·94W.
		(b)	56° 09'·59N., 2° 31'·29W.
Delete	legend, <i>Explosives Dumping Ground (disused)</i> , within: former limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, and associated legend, <i>Explosives Dumping Ground (disused)</i> , joining:	(c)	56° 11'·77N., 2° 31'·29W.
		(d)	56° 11'·77N., 2° 27'·94W.
		(a)-(d)	above
			56° 11'·13N., 2° 31'·22W.
			56° 11'·12N., 2° 29'·39W.
			56° 10'·49N., 2° 29'·39W.
			56° 10'·50N., 2° 31'·22W.

Chart 5615_9 [previous update 5093/25] ETRS89 DATUM

Insert	limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, joining:	(a)	56° 11'·77N., 2° 31'·29W.
		(b)	56° 11'·77N., 2° 27'·91W.
Delete	legend, <i>Explosives Dumping Ground (disused)</i> , within: former limit of restricted area, $\uparrow\uparrow\uparrow\uparrow$, and associated legend, <i>Explosives Dumping Ground (disused)</i> , joining:	(c)	56° 11'·77N., 2° 23'·15W.
		(d)	56° 09'·59N., 2° 23'·15W.
		(e)	56° 09'·59N., 2° 27'·91W.
		(f)	56° 09'·59N., 2° 31'·29W.
		(a)-(f)	above
			56° 11'·12N., 2° 31'·22W.
			56° 11'·12N., 2° 29'·39W.
			56° 10'·50N., 2° 29'·39W.
			56° 10'·50N., 2° 31'·22W.

II

1660* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 2151 (INT 1425) (Panel A, Continuation at same scale) [*previous update 933/26*] ETRS89 DATUM

Insert	depth, 76	(a)	51° 30′·653N., 0° 05′·602E.
Delete	depth, 81, close W of:	(a)	above
Replace	depth, 42, with depth, 39		51° 30′·640N., 0° 06′·031E.

Chart 3337 [*previous update 923/26*] ETRS89 DATUM

Insert	depth, 76	(a)	51° 30′·653N., 0° 05′·602E.
Delete	depth, 81, close W of:	(a)	above
Replace	depth, 42, with depth, 39		51° 30′·640N., 0° 06′·031E.

II

1619 DENMARK - East Coast - Wreck.

Source: Danish Chart 92

Chart 1402 (INT 1300) [*previous update 1544/26*] WGS84 DATUM

Insert



57° 23'·4N., 10° 40'·9E.

Chart 2107 (INT 1301) [*previous update 5617/25*] WGS84 DATUM

Insert



57° 23'·42N., 10° 40'·94E.

II

1625 FINLAND - South Coast - Bridge. Vertical clearance.

Source: Finnish Notice 2/10/26

Chart 2218 (INT 1159) [*previous update 4756/25*] WGS84 DATUM

Insert	bridge, double firm line, width 20m, joining:	(a) 60° 10'·70N., 24° 57'·81E.
		(b) 60° 10'·72N., 24° 57'·96E.
		(c) 60° 10'·71N., 24° 58'·21E.
	symbol, vertical clearance, 2,6m, close S of:	(a)-(c) above

Chart 3818 (INT 1250) [*previous update 4756/25*] WGS84 DATUM

Insert	bridge, double firm line, width 20m, joining:	(a) 60° 10'·70N., 24° 57'·81E.
		(b) 60° 10'·72N., 24° 57'·96E.
		(c) 60° 10'·71N., 24° 58'·21E.
	symbol, vertical clearance, 2,6m, close SE of:	(a)-(c) above

II

1670 FINLAND - West Coast - Submarine pipeline.

Source: Finnish Notice 5/51/26

Chart 3830 (INT 1133) [*previous update 4724/24*] WGS84 DATUM

Insert submarine pipeline, , joining:

61° 24'·58N., 21° 29'·98E.

61° 24'·35N., 21° 29'·94E.


II

1673 LATVIA - Wrecks.

Source: Latvian Notices 2/8-9/26

Chart 2059 (INT 1216) [*previous update 906/26*] WGS84 DATUM

Insert



57° 47'·41N., 22° 17'·23E.

Chart 2226 [*previous update 662/26*] WGS84 DATUM

Insert



57° 47'·02N., 22° 16'·66E.



57° 47'·41N., 22° 17'·23E.

II

1620* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP30142/26

Chart DE 46 (INT 1453) [*previous update 1074/26*] WGS84 DATUM

Insert depth, 68, enclosed by 10m contour

(a) 53° 52'·84N., 9° 14'·55E.

Delete depth, 87, and associated 10m contour, close NW of:

(a) above

II

1624* GERMANY - North Sea Coast - Pile. Depths.

Source: WSA Weser-Jade-Nordsee 37/26, Survey LP30178/26

Chart DE 4 (INT 1457) (Panel B, Bremerhaven) [*previous update 1478/26*] WGS84 DATUM

Insert	pile, •	53° 32′·252N., 8° 34′·425E.
--------	---------	-----------------------------

Chart DE 4 (INT 1457) [*previous update 1478/26*] WGS84 DATUM

Insert	depth, 09, and extend 2m contour SW to enclose	(a) 53° 39′·97N., 8° 18′·85E.
Delete	depth, 16, close NE of:	(a) above

Chart DE 7 (INT 1460) [*previous update 1478/26*] WGS84 DATUM

Insert	depth, 09, and extend 2m contour SW to enclose	(a) 53° 39′·97N., 8° 18′·85E.
Delete	depth, 16, close NE of:	(a) above
Insert	depth, 29	(b) 53° 41′·55N., 8° 18′·06E.
Delete	depth, 41, close NE of:	(b) above

Chart DE 20 (INT 1424) [*previous update 1478/26*] WGS84 DATUM

Insert	depth, 09, and extend 2m contour SW to enclose	(a) 53° 39′·97N., 8° 18′·85E.
Delete	depth, 16, close NE of:	(a) above
Insert	depth, 29	(b) 53° 41′·55N., 8° 18′·06E.
Delete	depth, 41, close NE of:	(b) above

II

1632* NORTH SEA - German Sector - Restricted areas. Legend.

Source: BSH O1 04/03/26

Chart 2182A (INT 1043) [previous update 1496/26] WGS84 DATUM

Insert	limit of submarine cable area,  , joining:	(a) 54° 20'·0N., 6° 17'·8E. 54° 19'·6N., 6° 18'·6E. 54° 17'·4N., 6° 21'·8E. 54° 16'·5N., 6° 21'·5E. 54° 16'·3N., 6° 20'·3E. 54° 15'·3N., 6° 07'·1E. 54° 19'·2N., 6° 07'·1E. (b) 54° 19'·7N., 6° 07'·6E. 54° 17'·6N., 6° 13'·8E.
	legend, <i>Under construction</i> , centred on:	
Delete	former limit of submarine cable area,  , joining:	(a) above 54° 19'·5N., 6° 17'·5E. 54° 19'·5N., 6° 07'·9E. (b) above

Chart 2182B (INT 1042) [previous update 1567/26] WGS84 DATUM

Insert	limit of restricted area ,  , joining:	(a) 54° 20'·0N., 6° 17'·8E. 54° 19'·5N., 6° 18'·7E. 54° 17'·4N., 6° 21'·8E. 54° 16'·5N., 6° 21'·5E. 54° 16'·3N., 6° 20'·3E. 54° 15'·3N., 6° 07'·1E. 54° 19'·2N., 6° 07'·1E. (b) 54° 19'·7N., 6° 07'·6E. 54° 17'·2N., 6° 11'·7E.
	legend, <i>Under construction</i> , centred on:	
Delete	former limit of restricted area,  , joining:	(a) above 54° 19'·5N., 6° 18'·3E. 54° 19'·5N., 6° 07'·6E. (b) above

Chart 5614_25 [previous update 1496/26] WGS84 DATUM

Insert	limit of submarine cable area,  , joining:	(a) 54° 20'·0N., 6° 17'·8E. 54° 19'·6N., 6° 18'·6E. 54° 17'·4N., 6° 21'·8E. 54° 16'·5N., 6° 21'·5E. 54° 16'·3N., 6° 20'·3E. 54° 15'·3N., 6° 07'·1E. 54° 19'·2N., 6° 07'·1E. (b) 54° 19'·7N., 6° 07'·6E. 54° 17'·6N., 6° 13'·8E.
	legend, <i>Under construction</i> , centred on:	
Delete	former limit of submarine cable area,  , joining:	(a) above 54° 19'·5N., 6° 17'·5E. 54° 19'·5N., 6° 07'·9E. (b) above

II

1661 BELGIUM - Buoy.

Source: Netherlands Notice 12/58/26

Chart 1630 (INT 1416) [*previous update 1291/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s TME2*

51° 30′·82N., 2° 28′·81E.

II

1662 NETHERLANDS - Buoyage.

Source: Netherlands Notice 12/60/26

Chart 207 (INT 1465) (Part A, Nieuwe Waterweg and Europoort) [*previous update 1456/26*] WGS84 DATUM

Delete

 *Fl.R.8s YK 4*

51° 57'·93N., 4° 03'·16E.

 *LFl.R.5s YK 6*

51° 58'·00N., 4° 02'·81E.

II

1665 NETHERLANDS - Fixed point.

Source: Netherlands Notice 12/62/26

Chart 130 (INT 1423) (Panel, Scheveningen) [*previous update 5691/25*] WGS84 DATUM

Delete

⊙ Ra

52° 05′·961N., 4° 15′·684E.

II

1678* GERMANY - North Sea Coast - Depths.

Source: NPorts Cuxhaven, Survey LP29991/26

Chart DE 44 (INT 1452) (Panel, Cuxhaven) [*previous update 1493/26*] WGS84 DATUM

Insert	depth, <i>12</i> ₂	(a) 53° 51′·650N., 8° 43′·672E.
Delete	depth, <i>13</i> ₃ , close N of:	(a) above

II

1680* GERMANY - North Sea Coast - Buoy. Light.

Source: WSA Weser-Jade-Nordsee 40/26

Chart DE 4 (INT 1457) (Panel B, Bremerhaven) [*previous update 1624/26*] WGS84 DATUM

Insert	 <i>Q(3)10s</i>	53° 32′·584N., 8° 33′·654E.
Amend	light to, (exting)	53° 32′·571N., 8° 33′·633E.

Chart DE 4 (INT 1457) [*previous update 1624/26*] WGS84 DATUM

Insert	 <i>Q(3)10s</i>	53° 32′·59N., 8° 33′·66E.
Amend	light to, (exting)	53° 32′·57N., 8° 33′·63E.

II

1681 DENMARK - North Sea Coast - Wreck.

Source: Danish Chart Correction 4/27/26

Note: Former Notice 5707(T)/25 is cancelled.

Chart 1422 (INT 1044) [*previous update 1544/26*] WGS84 DATUM

Insert

 *Rep (2026) PA*

55° 58'·2N., 8° 05'·0E.

II

1683* GERMANY - North Sea Coast - Restricted areas. Wind farm. Legend. Rock.

Source: WSA Elbe-Nordsee 92/26; BSH O1 04/03/26

Chart DE 50 (INT 1045) [*previous update New Edition 12/03/2026*] WGS84 DATUM

Insert	+ (43)	55° 00'·0N., 6° 17'·1E.
	limit of restricted area, $\pi\pi\pi\pi$, joining:	(a) 54° 19'·8N., 6° 17'·9E. (b) 54° 19'·5N., 6° 18'·7E. (c) 54° 17'·4N., 6° 21'·8E. (d) 54° 16'·5N., 6° 21'·5E. (e) 54° 16'·3N., 6° 20'·3E. (f) 54° 15'·3N., 6° 07'·1E. (g) 54° 19'·2N., 6° 07'·1E. (h) 54° 19'·7N., 6° 07'·6E. (i) 54° 17'·5N., 6° 09'·6E.
	symbol, wind farm	
	legend, Nordlicht I (Under construction), close E of:	(i) above
Delete	former limit of restricted area, $\pi\pi\pi\pi$, joining:	(a) above 54° 19'·5N., 6° 17'·5E. 54° 19'·5N., 6° 07'·9E. (h) above

Chart DE 87 (INT 1413) [*previous update 784/26*] WGS84 DATUM

Insert	limit of restricted area, $\pi\pi\pi\pi$, joining:	(a) 54° 19'·95N., 6° 17'·77E. (b) 54° 19'·55N., 6° 18'·60E. (c) 54° 17'·40N., 6° 21'·78E. (d) 54° 16'·52N., 6° 21'·50E. (e) 54° 16'·28N., 6° 20'·30E. (f) 54° 15'·49N., 6° 09'·92E. (i) 54° 17'·2N., 6° 11'·7E.
	symbol, wind farm	
	legend, Nordlicht I (Under construction), close E of:	(i) above
Delete	former limit of restricted area, $\pi\pi\pi\pi$, joining:	(a) above 54° 19'·64N., 6° 17'·84E. 54° 19'·50N., 6° 17'·50E. 54° 19'·50N., 6° 09'·90E.

II

1630 FRANCE - North Coast - Buoyage.

Source: French Notice 4/36/26

Chart 2146 (INT 1750) [*previous update 1371/26*] WGS84 DATUM

Insert

 Fl(5)Y.20s

49° 45'·03N., 0° 18'·12W.

Chart 2148 [*previous update 1127/26*] WGS84 DATUM

Insert

 Fl(5)Y.20s

50° 05'·91N., 0° 14'·91E.

50° 01'·45N., 0° 14'·53E.

49° 56'·74N., 0° 34'·67E.

Chart 2450 (INT 1703) [*previous update 1182/26*] ETRS89 DATUM

Insert

 Fl(5)Y.20s

50° 05'·35N., 0° 23'·53W.

50° 02'·41N., 0° 11'·82W.

49° 58'·17N., 0° 12'·18W.

50° 08'·57N., 0° 01'·33E.

50° 03'·37N., 0° 03'·56E.

50° 05'·91N., 0° 14'·91E.

50° 01'·45N., 0° 14'·53E.

49° 54'·35N., 0° 04'·12E.

Chart 2451 (INT 1704) [*previous update 1182/26*] WGS84 DATUM

Insert

 Fl(5)Y.20s

50° 08'·57N., 0° 01'·33E.

50° 05'·91N., 0° 14'·91E.

50° 03'·37N., 0° 03'·56E.

50° 01'·45N., 0° 14'·53E.

49° 54'·35N., 0° 04'·12E.

49° 56'·74N., 0° 34'·67E.

Chart 2613 (INT 1705) [*previous update 1371/26*] WGS84 DATUM

Insert

 Fl(5)Y.20s

50° 05'·91N., 0° 14'·91E.

50° 01'·45N., 0° 14'·53E.

49° 54'·35N., 0° 04'·12E.

50° 03'·37N., 0° 03'·56E.

50° 08'·57N., 0° 01'·33E.

50° 05'·35N., 0° 23'·53W.

50° 02'·41N., 0° 11'·82W.

49° 58'·17N., 0° 12'·18W.

49° 45'·03N., 0° 18'·12W.

II

1630 FRANCE - North Coast - Buoyage. (continued)

Chart 2656 [*previous update 1072/26*] ETRS89 DATUM

Insert

 Fl(5)Y.20s

50° 05'·9N., 0° 14'·9E.
50° 08'·6N., 0° 01'·3E.
50° 03'·4N., 0° 03'·6E.
50° 01'·5N., 0° 14'·8E.
50° 05'·4N., 0° 23'·5W.
50° 02'·4N., 0° 11'·8W.
49° 58'·2N., 0° 12'·2W.
49° 54'·4N., 0° 04'·1E.
49° 45'·0N., 0° 18'·1W.

Chart 2675 (INT 1070) [*previous update 1072/26*] ETRS89 DATUM

Insert

 Fl(5)Y.20s

49° 56'·7N., 0° 34'·7E.
50° 05'·9N., 0° 14'·9E.
50° 01'·5N., 0° 14'·5E.
50° 08'·6N., 0° 01'·3E.
50° 03'·4N., 0° 03'·6E.
49° 54'·4N., 0° 04'·1E.
49° 58'·2N., 0° 12'·2W.
50° 02'·4N., 0° 11'·8W.
50° 05'·4N., 0° 23'·5W.
49° 44'·8N., 0° 18'·9W.

Chart 5605_1 (Panel A, Western Approaches to Dover Strait) [*previous update 1099/26*] ETRS89 DATUM

Insert

 Fl(5)Y.20s

50° 05'·4N., 0° 23'·5W.
50° 02'·4N., 0° 11'·8W.
49° 58'·2N., 0° 12'·2W.
50° 08'·6N., 0° 01'·3E.
50° 03'·4N., 0° 03'·6E.
50° 05'·9N., 0° 14'·9E.
50° 01'·5N., 0° 14'·5E.

II

1617 RUSSIA - Black Sea Coast - Buoy.

Source: Russian Notice 5/407/26

Chart 3318 [*previous update 1878/25*] WGS84 DATUM

Delete

 *Fl.Y.5s*

44° 43'·65N., 37° 48'·29E.

II

1623 ITALY - Sardegna - Buoy.

Source: Italian Notice 26.3/25

Chart 1990 [*previous update New Edition 29/01/2026*] WGS84 DATUM

Insert

 *Fl(5)Y.20s3M ODAS*

39° 10'·3N., 8° 12'·4E.

II

1645 ITALY - East Coast - Wreck.

Source: Italian Notice 25.16/25

Chart 140 (Panel D, Approaches to Gallipoli) [*previous update 5720/25*] WGS84 DATUM

Insert



40° 04'·61N., 17° 58'·85E.

II

1646 ALGERIA - Light.

Source: ENC DZ5C0101

Chart 178 (Panel E, Port de Mostaganem) [*previous update 1523/26*] WGS84 DATUM

Amend light to, Oc(2)R.6s8m9M 35° 56′ ·192N., 0° 04′ ·488E.

II

1668* **CYPRUS - Buoy.**

Source: Cyprus Department of Lands and Surveys

Chart 851 [*previous update 4748/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s*

35° 03'·59N., 34° 01'·58E.

II

1693* CYPRUS - Depths.

Source: Cyprus Department Of Lands and Surveys

Chart 775 [*previous update 381/26*] WGS84 DATUM

Insert	depth, 16, enclosed by 2m contour	(a)	34° 43'·55N., 32° 25'·50E.
Delete	depth, 27, close SE of:	(a)	above
Insert	depth, 16, enclosed by 2m contour	(b)	34° 43'·93N., 32° 26'·39E.
Delete	depth, 4, close SW of:	(b)	above
Replace	depth, 67, with depth, 49		34° 44'·14N., 32° 24'·90E.
	depth, 46, with depth, 32		34° 44'·46N., 32° 24'·91E.

Chart 849 (Panel E, Paphos) [*previous update 1132/26*] WGS84 DATUM

Insert	depth, 45, enclosed by 5m contour	(a)	34° 44'·80N., 32° 24'·72E.
Delete	depth, 55, close S of:	(a)	above
Insert	depth, 32	(b)	34° 44'·46N., 32° 24'·91E.
Delete	depth, 39, close NE of:	(b)	above
Insert	depth, 41	(c)	34° 44'·49N., 32° 25'·21E.
Delete	depth, 49, close SE of:	(c)	above
Insert	depth, 16, enclosed by 2m contour	(d)	34° 43'·55N., 32° 25'·50E.
Delete	depth, 28, close SE of:	(d)	above
Insert	depth, 16, enclosed by 2m contour	(e)	34° 43'·93N., 32° 26'·39E.
Delete	depth, 3, close NW of:	(e)	above
Insert	depth, 45, enclosed by 5m contour	(f)	34° 43'·68N., 32° 26'·53E.
Delete	depth, 51, close NE of:	(f)	above
Replace	depth, 6, with depth, 49, enclosed by 5m contour		34° 44'·14N., 32° 24'·90E.
	depth, 47, with depth, 38		34° 43'·64N., 32° 25'·31E.

II

1704 CROATIA - Radio reporting lines. NM Block.

Source: Croatian Notices 6/2-3/25

Chart 202 [*previous update 409/26*] WGS84 DATUM

Replace	radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:	44° 29'·94N., 14° 29'·32E. 44° 24'·31N., 14° 29'·30E.
---------	--	--

Chart 515 [*previous update 1603/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	44° 06'·5N., 15° 12'·4E.
Replace	radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:	44° 29'·93N., 14° 29'·33E. 44° 24'·08N., 14° 29'·30E. 44° 21'·11N., 14° 34'·93E. 44° 20'·31N., 14° 35'·14E. 44° 08'·77N., 14° 48'·19E. 43° 58'·86N., 15° 01'·25E.

Chart 2719 [*previous update 3809/25*] WGS84 DATUM

Replace	radio reporting line, inbound only, pecked line, with radio reporting line, two-way, pecked line, joining:	45° 08'·61N., 14° 22'·22E. 45° 07'·70N., 14° 28'·50E. and 45° 10'·90N., 14° 14'·48E. 45° 09'·85N., 14° 18'·13E.
---------	--	---

II

1615 MOROCCO - West Coast - Wreck.

Source: French Notice 8/154/26

Note: Former Notice 871(T)/26 is cancelled.

Chart 3133 [*previous update 4/1/26*] WGS84 DATUM

Insert



28° 32'·0N., 11° 27'·0W.

II

1644* SOUTH ATLANTIC OCEAN - Saint Helena - Depths.

Source: Centre for Environment Fisheries and Aquaculture Science

Chart 1769 (INT 2655) (Panel A, Tristan da Cunha Group) [*previous update New Edition 09/04/2020*] WGS84 DATUM

Insert	depth, 108	37° 18'·38S., 12° 35'·99W.
--------	------------	----------------------------

Chart 1771 (INT 2516) (Panel B, Saint Helena) [*previous update 4162/25*] WGS84 DATUM

Insert	depth, 422, and extend 500m contour E to enclose	(a) 15° 51'·79S., 5° 41'·29W.
Delete	depth, 666, close SE of:	(a) above
Insert	depth, 179, and extend 200m contour SE to enclose	(b) 16° 00'·56S., 5° 37'·63W.
Delete	depth, 280, close SW of:	(b) above

Chart 1821 [*previous update 4162/25*] WGS84 DATUM

Insert	depth, 422, enclosed by 500m contour	15° 51'·79S., 5° 41'·29W.
	depth, 183, and extend 200m contour NE to enclose	15° 51'·95S., 5° 41'·74W.
	depth, 96, and extend 100m contour SE to enclose	(a) 16° 00'·07S., 5° 37'·87W.
Delete	depth, 93, close NW of:	(a) above
Insert	depth, 179, and extend 200m contour SE to enclose	(b) 16° 00'·56S., 5° 37'·63W.
Delete	depth, 280, close SW of:	(b) above
	depth, 666	15° 52'·06S., 5° 41'·23W.
	depth, 382	15° 52'·13S., 5° 41'·51W.

Chart 4021 (INT 21) [*previous update New Edition 12/06/2025*] WGS84 DATUM

Insert	depth, 141, and extend 200m contour E to enclose	(a) 12° 55'·5S., 5° 43'·9W.
Delete	depth, 158, close SE of:	(a) above
Insert	depth, 263, and extend 1000m contour E to enclose	(b) 12° 53'·9S., 5° 22'·4W.
Delete	depth, 942, close NE of:	(b) above
Insert	depth, 519, and extend 1000m contour W to enclose	(c) 39° 58'·2S., 6° 46'·7W.
Delete	depth, 2622, close NW of:	(c) above
Insert	depth, 89, and extend 200m contour NW to enclose	(d) 40° 07'·1S., 8° 36'·2W.
Delete	depth, 143, close SE of:	(d) above

Chart 4022 (INT 22) [*previous update New Edition 17/07/2025*] WGS84 DATUM

Insert	depth, 263, and extend 1000m contour E to enclose	(a) 12° 53'·9S., 5° 22'·4W.
Delete	depth, 942, close N of:	(a) above
Insert	depth, 519, and extend 1000m contour W to enclose	(b) 39° 58'·2S., 6° 46'·7W.
Delete	depth, 2622, close N of:	(b) above
Insert	depth, 89, and extend 200m contour NW to enclose	(c) 40° 07'·1S., 8° 36'·2W.
Delete	depth, 143, close SE of:	(c) above
Replace	sounding out of position, 158, with sounding out of position, 141	12° 55'·5S., 5° 43'·9W.

Chart 4203 (INT 203) [*previous update New Edition 19/06/2025*] WGS84 DATUM

Insert	depth, 411, enclosed by 1000m contour	12° 43'·8S., 5° 54'·5W.
	depth, 141, and extend 200m contour NW to enclose	(a) 12° 55'·5S., 5° 43'·9W.
Delete	depth, 158, close SE of:	(a) above
Insert	depth, 263, and extend 1000m contour S to enclose	(b) 12° 53'·9S., 5° 22'·4W.
Delete	depth, 942, close N of:	(b) above

II

1644* SOUTH ATLANTIC OCEAN - Saint Helena - Depths. (continued)

Chart 4206 [*previous update New Edition 12/06/2025*] WGS84 DATUM

Insert	depth, 521, enclosed by 1000m approximate contour	38° 36'·1S., 10° 24'·9W.
	depth, 89, and extend 200m contour N to enclose	(a) 40° 07'·1S., 8° 36'·2W.
Delete	depth, 128, close SE of:	(a) above
Insert	depth, 519, enclosed by 1000m contour	(b) 39° 58'·2S., 6° 46'·7W.
Delete	depth, 2622, close NW of:	(b) above

Chart 4208 [*previous update New Edition 19/06/2025*] WGS84 DATUM

Insert	depth, 521, enclosed by approximate 1000m contour	38° 36'·1S., 10° 24'·9W.
--------	---	--------------------------

II

1654* QATAR - Platforms. Restricted areas.

Source: QatarEnergy

Chart 2523 (INT 7250) [*previous update 625/26*] WGS84 DATUM

Insert	 TA	(a) 26° 46′·60N., 51° 54′·54E.
	circular limit of restricted area, radius 1000m (0·54M),  ,	
	centred on:	(a) above
	 QA	26° 42′·64N., 51° 53′·42E.
	semi-circular limit of restricted area, radius 1000m (0·54M),  , centred on 26° 42′·64 N., 51° 53′·42E., joining:	(b) 26° 43′·13N., 51° 53′·65E.
		(c) 26° 42′·23N., 51° 53′·01E.
Delete	former limit of restricted area,  , joining:	(b) -(c) above

Insert	 PA	26° 40′·22N., 51° 57′·13E.
	 MA	26° 38′·44N., 51° 56′·29E.
	 WA	26° 37′·10N., 51° 55′·81E.
	 UA	26° 35′·61N., 51° 51′·29E.
	 XA	26° 33′·86N., 51° 59′·23E.

Chart 2837 (INT 7017) [*previous update 1403/26*] WGS84 DATUM

Insert		26° 46′·6N., 51° 54′·5E.
--------	---	--------------------------

Chart 2847 (INT 7018) [*previous update 893/26*] WGS84 DATUM

Insert		26° 46′·6N., 51° 54′·5E.
--------	---	--------------------------

Chart 2883 (INT 7260) [*previous update 893/26*] WGS84 DATUM

Insert	 TA	26° 46′·6N., 51° 54′·5E.
	 QA	26° 42′·6N., 51° 53′·4E.

Chart 2886 (INT 7243) [*previous update 1064/26*] WGS84 DATUM

Insert	 TA	26° 46′·6N., 51° 54′·5E.
	 QA	26° 42′·6N., 51° 53′·4E.

II

1622 MALAYSIA - Peninsular Malaysia, West Coast - Obstruction.

Source: Malaysian Notice 12/287/25

Chart 3943 [*previous update 5275/25*] WGS84 DATUM

Insert

 *Obstn*

6° 03'·55N., 100° 14'·12E.

II

1666 INDONESIA - Sumatera - Wreck.

Source: ENC ID50018A

Chart 3933 (Panel A, Dumai) [*previous update 5129/25*] WGS84 DATUM

Insert



1° 42'·50N., 101° 28'·26E.

II

1627 CHINA - East Coast - Buoyage.

Source: Chinese Notice 3/62/26

Chart 1305 [*previous update 931/26*] CGCS 2000 DATUM

Insert	 <i>VQ</i>	30° 26'·03N., 122° 35'·25E.
Delete	 <i>Mo(O)Y.12s</i>	30° 24'·30N., 122° 28'·02E.

Chart 1306 [*previous update 944/26*] CGCS 2000 DATUM

Insert	 <i>VQ</i>	30° 26'·03N., 122° 35'·25E.
Delete	 <i>Mo(O)Y.12s</i>	30° 27'·47N., 122° 26'·11E. 30° 24'·30N., 122° 28'·02E.

II

1629 TAIWAN - Depths.

Source: UKHO

Chart 2409 [*previous update 1255/26*] WGS84 DATUM

Insert	depth, 17	22° 50′·61N., 120° 10′·43E.
--------	-----------	-----------------------------

Chart 3232 [*previous update 772/26*] WGS84 DATUM

Insert	depth, 17	(a) 22° 50′·61N., 120° 10′·43E.
--------	-----------	---------------------------------

Delete	depth, 125 , close NW of:	(a) above
--------	---------------------------	-----------

II

1631 CHINA - East Coast - Light-beacons. Light. Platforms.

Source: Chinese Notices 3/57-59/26

Chart 1281 [*previous update 1433/26*] CGCS 2000 DATUM

Insert		Mo(C)Y.12s13m5M No 3	32° 42′·94N., 121° 59′·24E.
		Mo(C)Y.12s13m5M No 4	32° 40′·92N., 122° 00′·11E.
		Mo(C)Y.12s13m5M No 8	32° 37′·92N., 121° 56′·82E.
		Mo(C)Y.12s11m5M No 1	32° 09′·78N., 122° 07′·58E.
		Mo(C)Y.12s11m5M No 2	32° 09′·12N., 122° 09′·32E.
	★	Fl.4s11m4M	32° 14′·81N., 121° 37′·37E.
Replace	 H10, with 	Mo(C)Y.12s21m5M H10	32° 39′·72N., 121° 55′·78E.

II

1649 CHINA - South Coast - Marine farm.

Source: Hong Kong Notice 3/7/26

Chart 4121 [*previous update 74/26*] WGS84 DATUM

Insert	limit of marine farm, pecked line, joining:	(a)	22° 12'·615N., 114° 08'·416E. 22° 12'·630N., 114° 08'·519E. 22° 12'·590N., 114° 08'·525E.
Delete	former limit of marine farm, pecked line, joining:	(b)	22° 12'·575N., 114° 08'·422E. (a)-(b) above

II

1667 CHINA - South Coast - Light.

Source: Chinese Notice 4/93/26

Chart 3938 [*previous update 89/26*] CGCS 2000 DATUM

Insert

★ Iso.R.4s6m5M

21° 37'·22N., 108° 20'·13E.

II

1669 CHINA - East Coast - Buoy.

Source: Chinese Notice 2/37/26

Note: This update is included in New Edition 1602, published early 2026.

Chart 1199 [*previous update 1382/26*] CGCS 2000 DATUM

Insert

 *Mo(O)Y.12s*

31° 29′·8N., 122° 27′·4E.

II

1671 CHINA - South Coast - Depths.

Source: Hong Kong Notice 3/11/26

Chart 4127 [*previous update New Edition 19/02/2026*] WGS84 DATUM

Insert	depth, 225	22° 09'·40N., 114° 12'·51E.
Delete	depth, 24	22° 09'·33N., 114° 12'·37E.

II

1690 KOREA - South Coast - Light-beacons.

Source: Korean Notice 50/796/25

Chart 3391 (INT 5360) [*previous update 1501/26*] WGS84 DATUM

Replace



Fl(2)5s11m8M , with



VQ(6)+LFl.10s9m9M

34° 53′·77N., 128° 16′·14E.

II

1698 KOREA - South Coast - Light.

Source: Korean Notice 5/103/26

Note: Charts 1065 and 3666 will be updated by Notice to Mariners following New Edition publication on 26/3/2026.

Chart 127 [*previous update 1501/26*] WGS84 DATUM

Amend range of light to, 9M 35° 02'·9N., 129° 00'·9E.

Chart 1259 (Panel B, Busan) [*previous update 1340/26*] WGS84 DATUM

Amend range of light to, 9M 35° 02'·92N., 129° 00'·90E.

II

1616 PHILIPPINE ISLANDS - Luzon - Light.

Source: Philippine Notice 1/1/26

Chart 4488 [*previous update New Edition 27/02/2025*] WGS84 DATUM

Amend light to, Fl.10s

13° 20′·54N., 123° 12′·85E.

II

1664 INDONESIA - Sulawesi - Lights. Landmark. Buoy. Depths. Beacon.

Source: ENC's ID5344B2 and ID300344

Chart 2638 (Panel B, Bitung) [previous update 1324/26] WGS84 DATUM

Insert	★ Fl.Y.4s23m14M	(a)	1° 26'·40N., 125° 09'·79E.
Delete	☉ Chy, close NE of:	(a)	above
	 Fl.G.4s		1° 23'·78N., 125° 09'·50E.

Chart 2638 (Panel A, Selat Bangka and Selat Lembeh) [previous update 1324/26] WGS84 DATUM

Insert	★ Fl(2)10s50m20M		1° 42'·42N., 124° 44'·76E.
	depth, 460	(a)	1° 37'·09N., 125° 19'·08E.
Delete	depth, 786, close SW of:	(a)	above
Insert	depth, 28	(b)	1° 29'·96N., 125° 17'·35E.
Delete	depth, 34, close W of:	(b)	above
Insert	depth, 73	(c)	1° 18'·79N., 125° 09'·06E.
Delete	depth, 135, close S of:	(c)	above
Move	 Q(6)+LFl.15s, from:		1° 43'·68N., 125° 09'·31E.
	to:		1° 44'·46N., 125° 07'·55E.
Delete	★ Fl(2)10s50m20M and associated circular white arc		1° 45'·68N., 124° 44'·08E.

Chart 2941 [previous update 1324/26] WGS84 DATUM

Insert	depth, 73	(a)	1° 18'·8N., 125° 09'·1E.
Delete	depth, 131, close SE of:	(a)	above

Chart 2948 [previous update 1324/26] WGS84 DATUM

Insert	depth, 73	(a)	1° 18'·8N., 125° 09'·1E.
Delete	depth, 131, close SE of:	(a)	above

Chart 2951 [previous update 1324/26] WGS84 DATUM

Insert	depth, 73	(a)	1° 18'·8N., 125° 09'·1E.
Delete	depth, 124, close SW of:	(a)	above
Replace	 with ★ Fl(2)10s20M		1° 42'·4N., 124° 44'·8E.
Delete	★ Fl(2)10s20M and associated circular white arc		1° 45'·7N., 124° 44'·1E.

Chart 4507 (INT 507) [previous update 1369/26] WGS84 DATUM

Move	 ★, from:		1° 45'·9N., 124° 44'·0E.
	to:		1° 42'·4N., 124° 44'·8E.

II

1682 PHILIPPINE ISLANDS - Lights.

Source: Philippine Notices 12/47-51/25 and 12/53/25

Chart 4413 [*previous update 462/26*] WGS84 DATUM

Amend	light to, Fl.R.5s10m7M	11° 53'·5N., 120° 01'·5E.
-------	------------------------	---------------------------

Chart 4414 [*previous update 584/26*] WGS84 DATUM

Amend	light to, Fl.R.5s10m7M	11° 53'·5N., 120° 01'·5E.
	light to, Fl.5s27m15M	11° 26'·3N., 119° 30'·3E.
	light to, Fl(3)10s9m7M	11° 21'·8N., 119° 24'·7E.
	light to, Fl(2)6s9m9M	10° 30'·6N., 119° 04'·3E.

Chart 4482 [*previous update 833/25*] WGS84 DATUM

Amend	light to, Fl(3)10s12M	11° 49'·62N., 120° 18'·71E.
	light to, Fl.10s10m12M	11° 58'·95N., 120° 13'·47E.

Chart 4483 [*previous update 323/25*] WGS84 DATUM

Amend	light to, Fl(3)10s12M	11° 49'·62N., 120° 18'·71E.
	light to, Fl.10s10m12M	11° 58'·96N., 120° 13'·47E.

II

1703 INDONESIA - Java Sea - Submarine cables.

Source: UKHO

Note: Former Notice 676(P)/26 is cancelled. This update is included in New Editions 2056, 2470 and 2862 published early 2026.

Chart 933 [*previous update 1301/26*] WGS84 DATUM

Insert submarine cable, , joining:

6° 05'·62S., 106° 47'·74E.
6° 05'·59S., 106° 47'·88E.
6° 04'·74S., 106° 48'·05E.
6° 04'·45S., 106° 48'·34E.
6° 03'·89S., 106° 48'·19E.
6° 02'·45S., 106° 48'·27E.
6° 01'·69S., 106° 48'·56E.
5° 58'·21S., 106° 49'·15E.
5° 56'·82S., 106° 49'·59E.
5° 56'·05S., 106° 49'·69E.
5° 52'·43S., 106° 50'·99E.
5° 51'·96S., 106° 51'·04E.
5° 50'·89S., 106° 51'·52E.
5° 49'·91S., 106° 52'·42E.
5° 48'·49S., 106° 53'·01E.

Chart 2873 [*previous update 5710/25*] WGS84 DATUM

Insert submarine cable, , joining:

5° 00'·0S., 107° 36'·3E.
4° 35'·2S., 107° 53'·0E.
and
1° 18'·0S., 107° 07'·3E.
1° 04'·8S., 106° 50'·5E.

Chart 3729 [*previous update 1361/26*] WGS84 DATUM

Insert submarine cable, , joining:

5° 41'·13S., 106° 57'·83E.
5° 34'·95S., 107° 13'·30E.
5° 30'·43S., 107° 15'·77E.
5° 30'·22S., 107° 16'·39E.
5° 28'·19S., 107° 17'·42E.
5° 16'·66S., 107° 25'·07E.

II

1674 AUSTRALIA - Western Australia - Depths. NM Blocks.

Source: Australian Notices 5/191/26 and 5/194/26

Chart Aus 326 [*previous update 5221/25*] WGS84 DATUM

Insert the accompanying block, centred on: 20° 30'·8S., 117° 20'·3E.

Chart Aus 327 [*previous update 802/26*] WGS84 DATUM

Insert the accompanying block, centred on: 20° 31'·0S., 117° 10'·0E.
depth, 42 20° 37'·4S., 115° 33'·0E.
5m contour, joining: 20° 37'·2S., 115° 33'·0E.

20° 37'·4S., 115° 32'·7E.
(a) 20° 37'·4S., 115° 32'·1E.

Delete former 5m contour, joining: (a) above
20° 37'·8S., 115° 33'·3E.
and
20° 37'·3S., 115° 33'·1E.
20° 37'·5S., 115° 33'·3E.

II

1628 URUGUAY - Light. Dolphin. NM Block.

Source: ENC UY50701A

Chart 1339 [*previous update 925/26*] WGS84 DATUM

Move	★ Fl.Y, from:	33° 52'·29S., 58° 25'·39W.
	to:	33° 52'·31S., 58° 25'·38W.
Delete	□ Ru	33° 52'·54S., 58° 25'·42W.

Chart 3548 (Panel C, Nueva Palmira) [*previous update 442/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	33° 52'·6S., 58° 25'·3W.
--------	-------------------------------------	--------------------------

II

1647 BRAZIL - East Coast - Depths.

Source: ENC BR501405

Chart 495 [*previous update 4409/25*] WGS84 DATUM

Insert	depth, 99, enclosed by 10m contour	(a)	21° 49'·93S., 40° 59'·21W.
Delete	depth, 101, close SE of:	(a)	above
Insert	depth, 99, enclosed by 10m contour		21° 50'·04S., 40° 59'·16W.
	depth, 99, enclosed by 10m contour, with seabed type, R		21° 50'·65S., 40° 59'·53W.

Chart 496 [*previous update 4409/25*] WGS84 DATUM

Insert	depth, 99, enclosed by 10m contour	(a)	21° 50'·04S., 40° 59'·16W.
Delete	depth, 101, close N of:	(a)	above

II

1648 ARGENTINA - Light.

Source: Argentine Notice 2/22/26

Chart 3064 [*previous update 1429/26*] WGS84 DATUM

Delete

★ Fl.5s29m4M

36° 19′·8S., 56° 46′·3W.

Chart 3324 [*previous update 1429/26*] WGS84 DATUM

Delete

★ Fl.5s30m4M

36° 19′·8S., 56° 46′·3W.

II

1659 CUBA - South Coast - Lights.

Source: Cuban Notices 2/39/26, 2/41/26 and 2/43/26

Chart 2959 [*previous update 5337/25*] WGS84 DATUM

Amend	range of light to, 4M	20° 01'·5N., 74° 51'·1W.
	light to, Fl.Y.8s13m14M	20° 43'·2N., 75° 19'·1W.

Chart 3935 [*previous update 4753/23*] WGS84 DATUM

Amend	range of light to, 4M	20° 01'·5N., 74° 51'·1W.
-------	-----------------------	--------------------------

II

1679 VENEZUELA - Lights. Submarine pipelines. Legends. Buoy.

Source: ENC VE500503

Chart 230 [*previous update 771/26*] WGS84 DATUM

Insert	★ Fl.12s7m18M and associated circular white arc	10° 27'·94N., 64° 09'·96W.
Delete	★ Fl.12s61m25M and associated circular white arc	10° 28'·08N., 64° 11'·50W.

Chart 1629 (Panel C, Cumaná) [*previous update 1441/26*] WGS84 DATUM

Insert	★ Fl.12s7m18M and associated circular white arc	10° 27'·94N., 64° 09'·96W.
	submarine pipeline,  , joining:	(a) 10° 29'·35N., 64° 12'·03W.
	legend, (<i>see Note - PIPELINES</i>), along:	(b) 10° 28'·58N., 64° 11'·23W.
		(a)-(b) above
Delete	submarine pipeline,  , PD, and associated legend, (<i>see Note - PIPELINES</i>), joining:	10° 28'·54N., 64° 11'·51W.
		10° 29'·35N., 64° 12'·35W.
	★ Fl.12s61m25M and associated circular white arc	10° 28'·08N., 64° 11'·50W.
	 VQ(3)10s Bajo Brito	10° 26'·95N., 64° 12'·35W.

Chart 1966 [*previous update 5688/25*] WGS84 DATUM

Insert	★ Fl.18M and associated circular white arc	(a) 10° 27'·9N., 64° 10'·0W.
Delete	★ Fl.25M and associated circular white arc, close NW of:	(a) above

Chart 2191 [*previous update 5808/25*] WGS84 DATUM

Insert	★ Fl.12s18M and associated circular white arc	(a) 10° 27'·9N., 64° 10'·0W.
Delete	★ Fl.12s25M and associated circular white arc, close NW of:	(a) above

II

1626 UNITED STATES OF AMERICA - East Coast - Depths.

Source: ENC US5BALCA

Chart 2850 (Panel, Baltimore Harbor) [*previous update 1184/26*] NAD83 DATUM

Insert	depth, <i>12</i>	(a)	39° 16'·73N., 76° 36'·16W.
Delete	depth, <i>15</i> , close SW of:	(a)	above
Insert	depth, <i>18</i> , and extend 18ft contour NW to enclose	(b)	39° 16'·56N., 76° 35'·86W.
Delete	depth, <i>20</i> , close NW of:	(b)	above
Insert	depth, <i>34</i>	(c)	39° 16'·55N., 76° 35'·72W.
Delete	depth, <i>36</i> , close SE of:	(c)	above

II

1650 **UNITED STATES OF AMERICA - East Coast - Fog signal.**
Source: ENC US5MD1MD

Chart 2921 (Panel 2) [*previous update 5429/25*] NAD83 DATUM

Delete fog signal, *Bell*, at light-buoy

38° 58'·93N., 76° 23'·05W.

II

1701(T)/26 SCOTLAND - East Coast - Scientific instruments.

Source: Marine Scotland

1. Unmarked scientific measuring instruments have been established approximately 2 metres above the seabed, along the following positions:

56° 27'·22N., 2° 52'·19W.

56° 27'·63N., 2° 52'·16W.

2. and

56° 04'·86N., 2° 47'·54W.

56° 10'·54N., 2° 48'·34W.

3. and

56° 47'·59N., 2° 18'·27W.

56° 28'·09N., 2° 02'·91W.

56° 23'·14N., 2° 02'·04W.

56° 13'·45N., 1° 54'·24W.

55° 51'·74N., 1° 37'·03W.

4. and

56° 58'·7N., 2° 10'·0W.

56° 56'·9N., 1° 56'·8W.

56° 53'·2N., 1° 39'·0W.

56° 51'·1N., 1° 29'·6W.

56° 10'·0N., 1° 14'·8W.

56° 04'·2N., 1° 22'·7W.

55° 41'·9N., 1° 46'·1W.

5. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 111 - 160 - 175 - 190 - 210 - 734 (INT 1544) - 1192 (INT 1506) - 1407 (INT 1505) - 1409 (INT 1504) - 1481 (INT 1543) - 2182B (INT 1042) - 5615_11 - 5615_2 - 5615_22 - 5615_23 - 5615_3 - 5615_8 - 5617_1 - 5617_14 - 5617_2 - 5617_3

II

1702(T)/26 ENGLAND - East Coast - Buoy.

Source: Equinor UK Ltd

1. The south cardinal light-buoy, *VQ(6)+LFl.10s*, in position $53^{\circ} 12' \cdot 47\text{N.}$, $1^{\circ} 25' \cdot 62\text{E.}$ is reported unlit.
2. Mariners are advised to navigate with caution in the area.
(ETRS89 DATUM)

Charts affected - 105 - 1408 - 1503 (INT 1509)

II

1614(T)/26 POLAND - Explosive dumping ground. Buoy.

Source: Polish Notice 5/45(T)/26

1. An explosive dumping ground exists on the seabed in position 54° 38′·38N., 16° 53′·22E.
2. The area is marked by a yellow special purpose light-buoy, *Fl.Y.6s*.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2816

II

1621(T)/26 SWEDEN - East Coast - Works. Pontoon. Buoyage.

Source: Swedish Notice 1109/19953(T)/26

1. Pontoon construction works are taking place, in an area bounded by the following positions:

59° 19'·106N., 18° 09'·499E.

59° 19'·112N., 18° 09'·556E.

59° 19'·093N., 18° 09'·565E.

59° 19'·087N., 18° 09'·507E.

2. The work area is marked by a yellow spar buoy in position 59° 19'·100N., 18° 09'·560E., and with red buoys within the area.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 811 (INT 1239) - 820 (INT 1238)

II

1634(T)/26 POLAND - Explosive dumping ground.

Source: Polish Notice 6/52(T)/26

1. A circular limit of explosives dumping ground, radius 750m, exists in position 53° 59'·26N., 14° 19'·64E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2015 (INT 1201) - 2679

II

1637(T)/26 LATVIA - Buoy. Automatic Identification System.

Source: Latvian Notice 2/14(T)/26

1. A yellow special purpose ODAS light-buoy, *Fl(5)Y.20s*, with Automatic Identification System, *AIS*, has been established in position $57^{\circ} 06' \cdot 02\text{N.}$, $20^{\circ} 49' \cdot 74\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2048 (INT 1217) - 2288

II

1638(T)/26 DENMARK - Islands - Depth.

Source: Danish Notice 8/116(T)/26

1. A depth of 8·99m has been reported in the entrance to Køge Harbour, in position 55° 27'·57N., 12° 14'·22E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2595 (INT 1332)

II

1635(T)/26 DENMARK - North Sea Coast - Works.

Source: Danish Notice 6/62(T)/26

1. Maintenance works are taking place in the area bounded by the following positions:

57° 07'·601N., 8° 35'·730E.

57° 07'·705N., 8° 36'·070E.

57° 07'·578N., 8° 36'·258E.

57° 07'·558N., 8° 36'·242E.

57° 07'·647N., 8° 36'·073E.

57° 07'·577N., 8° 35'·791E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1402 (INT 1300) - 1422 (INT 1044)

II

1656(T)/26 NETHERLANDS - Works. Dredging area.

Source: Netherlands Notice 12/61(T)/26

1. Dredging works are taking place in the area bounded by the following positions:

51° 58'·00N., 4° 02'·75E.

51° 58'·05N., 4° 02'·74E.

51° 57'·94N., 4° 03'·20E.

51° 57'·90N., 4° 03'·16E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 207 (INT 1465)

II

1658(T)/26 NETHERLANDS - Light-beacon. Buoy.

Source: Netherlands Notice 12/56(T)/26

1. The No.32 red light-beacon, LFl.R.8s, in position $51^{\circ} 55' \cdot 69\text{N}.$, $4^{\circ} 13' \cdot 65\text{E}.$, has been temporarily replaced by a red can light-buoy, *LFl.R.8s NW32* in position $51^{\circ} 55' \cdot 67\text{N}.$, $4^{\circ} 13' \cdot 64\text{E}.$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 207 (INT 1465)

II

1689(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 24'·59N., 3° 27'·19E.	116
51° 26'·83N., 3° 39'·78E.	120
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
* 52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632

II

1689(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 1110(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 120 (INT 1479) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

1636(T)/26 FRANCE - West Coast - Buoy, Scientific instruments.

Source: French Notice 10/3(T)/26

1. Scientific measuring instruments, marked by an unlit buoy, have been established in position 48° 06'·86N., 4° 22'·80W.
2. Former Notice 4649(T)/25 is cancelled.
(WGS84 DATUM)

Chart affected - 2349

II

1639(P)/26 ANGOLA - Works. Offshore installations.

Source: TotalEnergies EP Angola

1. Gas field development works are taking place in the vicinity of position: 9° 58'·7S., 12° 20'·4E.
2. Numerous submarine installations will be established within this area.
3. An FPSO, with a 5 nautical miles circular safety zone, has been established in position 10° 03'·2S., 12° 23'·8E.
4. Charts will be updated when full details are available.
5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 308 (INT 2560) - 312 (INT 2050)

II

1640(T)/26 MADAGASCAR - East Coast - Buoyage.

Source: French Notice 09/2(T)/26

1. The North Cardinal light-buoy, *Q*, has been moved from position 18° 06'·400S., 49° 27'·000E. to 18° 06'·379S., 49° 27'·047E.
2. The following lateral buoys have been reported adrift:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>No 1</i>	<i>Fl.G</i>	18° 08'·035S., 49° 25'·550E.
<i>No 2</i>	<i>Fl.R</i>	18° 08'·031S., 49° 25'·844E.
<i>No 3</i>	<i>Fl(3)G</i>	18° 08'·585S., 49° 25'·430E.
<i>No 4</i>	<i>Fl(3)R</i>	18° 08'·700S., 49° 25'·699E.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 695 (INT 7722) - 696 (INT 7723)

II

1633(T)/26 QATAR - Buoy.

Source: Menas Notice 70/26

1. A waverider buoy, *Fl(5)Y.10s*, has been deployed in position 26° 39′·57N., 51° 57′·22E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2523 (INT 7250)

II

1692(P)/26 QATAR - Submarine pipelines.

Source: QatarEnergy

1. Submarine pipelines have been laid joining the following positions:

25° 50'·17N., 51° 43'·93E.
25° 50'·61N., 51° 43'·65E.
25° 50'·61N., 51° 40'·99E.
25° 51'·58N., 51° 40'·07E.
25° 51'·60N., 51° 35'·02E.

2. and

25° 54'·64N., 51° 48'·37E.
25° 55'·34N., 51° 48'·26E.
25° 55'·32N., 51° 45'·01E.
25° 54'·93N., 51° 44'·42E.
25° 54'·42N., 51° 44'·08E.
25° 52'·96N., 51° 43'·68E.
25° 51'·24N., 51° 43'·67E.
25° 50'·71N., 51° 43'·93E.
25° 50'·17N., 51° 43'·93E.

3. and

25° 54'·64N., 51° 48'·37E.
25° 55'·24N., 51° 48'·51E.
25° 56'·79N., 51° 47'·90E.
25° 58'·59N., 51° 41'·44E.
25° 58'·36N., 51° 39'·72E.
25° 58'·35N., 51° 38'·82E.
25° 58'·49N., 51° 36'·21E.
25° 58'·17N., 51° 34'·90E.
25° 57'·93N., 51° 34'·60E.

4. and

25° 56'·03N., 51° 48'·20E.
25° 55'·75N., 51° 46'·33E.
25° 55'·32N., 51° 45'·01E.

5. and

26° 02'·86N., 51° 48'·94E.
26° 02'·45N., 51° 49'·46E.
25° 59'·61N., 51° 49'·80E.
25° 57'·75N., 51° 49'·02E.
25° 56'·06N., 51° 50'·07E.
25° 54'·63N., 51° 48'·36E.

6. and

26° 02'·86N., 51° 48'·94E.
26° 02'·11N., 51° 47'·19E.
26° 00'·53N., 51° 46'·19E.
25° 59'·36N., 51° 42'·67E.
25° 58'·53N., 51° 41'·03E.

7. and

25° 59'·19N., 51° 44'·43E.
25° 57'·98N., 51° 43'·61E.

II

1692(P)/26 QATAR - Submarine pipelines. (continued)

8. and

25° 59′·19N., 51° 44′·43E.
26° 00′·09N., 51° 43′·69E.
26° 00′·01N., 51° 43′·19E.
25° 59′·18N., 51° 42′·61E.
25° 58′·59N., 51° 41′·44E.

9. and

26° 07′·32N., 51° 43′·03E.
26° 03′·93N., 51° 46′·78E.
26° 02′·86N., 51° 48′·94E.

10. and

26° 06′·06N., 51° 44′·42E.
25° 59′·46N., 51° 45′·06E.
25° 59′·19N., 51° 44′·43E.

11. Mariners are advised to navigate with caution in the area.

12. These changes will be included in New Editions of Charts 2523, 2886 and 3772 to be published mid 2026.

13. Charts 2837, 2847, 3781 and 3950 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 2523 (INT 7250) - 2886 (INT 7243) - 3772 (INT 7249)

II

1652(P)/26 INDIAN OCEAN - Submarine cable.

Source: Indian Notice 3/45(T)/26

1. A submarine cable is being laid, joining the following positions:

14° 07'·7N., 96° 23'·1E.

14° 03'·7N., 96° 23'·0E.

13° 49'·9N., 96° 12'·5E.

13° 11'·1N., 95° 35'·4E.

13° 55'·5N., 94° 45'·5E.

13° 53'·7N., 94° 17'·6E.

14° 25'·8N., 93° 39'·7E.

14° 33'·6N., 93° 28'·3E.

14° 43'·5N., 93° 18'·0E.

19° 55'·9N., 91° 44'·9E.

2. A 500m protection zone has been established either side of the cable.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 817 (INT 7430) - 818 (INT 7433) - 830 - 4071 (INT 71) - 4073 (INT 73) - 4706 (INT 706) - IN 31 (INT 756) - IN 33 (INT 755) - IN 473 (INT 7031)

II

1672(P)/26 INDIA - East Coast - Depths. Lights. Leading lines. Pier. Jetty. Berths.

Source: ENC IN63012P

- Depths less than charted exist within Visākhopatnam Harbour. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
3·7m	17° 40'·947N., 83° 17'·858E.
12·7m	17° 40'·857N., 83° 17'·883E.
1·6m	17° 43'·270N., 83° 20'·699E.
5·6m	17° 41'·324N., 83° 17'·183E.
8m	17° 42'·104N., 83° 18'·698E.
4·7m	17° 40'·790N., 83° 17'·916E.

- Maintained depths have changed for the following berths:

<i>Berth</i>	<i>Maintained depth</i>	<i>Position</i>
REW.Q-1	12·1m	17° 41'·692N., 83° 16'·810E.
Channel Berth	9·5m	17° 41'·344N., 83° 17'·625E.

- Lights have been established in the following positions:

<i>Characteristic</i>	<i>Position</i>
F.G	17° 41'·459N., 83° 16'·972E.
F.G	17° 41'·479N., 83° 16'·979E.
Fl(2)R.5s10m5M	17° 41'·065N., 83° 18'·670E.

- The following lights and any associated leading lines no longer exist:

<i>Characteristic</i>	<i>Position</i>
Oc.R.3s	17° 41'·705N., 83° 16'·633E.
Q.R	17° 41'·665N., 83° 16'·665E.
Oc.G.3s	17° 41'·913N., 83° 18'·123E.
Fl.G.15s	17° 41'·893N., 83° 18'·144E.

- The pier on the south side of the Western Arm has been extended to the following positions:

17° 41'·681N., 83° 16'·217E.
17° 41'·618N., 83° 16'·460E.

- A new jetty has been established, joining the following positions:

17° 42'·431N., 83° 16'·373E.
17° 42'·419N., 83° 16'·352E.
17° 42'·334N., 83° 16'·401E.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- These changes will be included in a New Edition of Chart IN3012 to be published mid 2026.
(WGS84 DATUM)

Chart affected - IN 3012 (INT 7411)

II

1684(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 1(T)/25

1. A stranded wreck exists in position 22° 08'·77N., 91° 28'·70E.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1566(T)/26 is cancelled.
4. *NOTE: Content of Notice unchanged, re-issued to include Chart BD7510.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - BD 7510 (INT 7428)

II

1685(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 23(T)/25

1. A dangerous wreck exists in position 22° 12'·52N., 91° 28'·03E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 1560(T)/26 is cancelled.
4. *NOTE: Content of Notice unchanged, re-issued to include Chart BD7510.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - BD 7510 (INT 7428)

II

1686(T)/26 BANGLADESH - Buoy. Wreck.

Source: BNHOC Notice 19(T)/22

1. A dangerous wreck, marked by a red can buoy, *LFl.R.6s*, exists in position 22° 11'·94N., 91° 43'·12E.
2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1571(T)/26 is cancelled.
4. *NOTE: Content of Notice unchanged, re-issued to include Chart BD7510.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - 102 (INT 7427) - BD 7510 (INT 7428)

II

1687(T)/26 BANGLADESH - Buoy. Wreck.

Source: UKHO

1. A dangerous wreck exists in position $22^{\circ} 13' \cdot 77N.$, $91^{\circ} 46' \cdot 85E.$
2. A red can light-buoy, *Lfl.6s*, has been deployed within the vicinity of the wreck.
3. Mariners are advised to navigate with caution in this area.
4. *Former Notice 1572(T)/26 is cancelled.
5. *NOTE: Content of Notice unchanged, re-issued to include Chart BD7510.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 102 (INT 7427) - BD 7510 (INT 7428)

II

1688(T)/26 BANGLADESH - Wreck. Buoy.

Source: BNHOC Notice 30(T)/25

1. A dangerous wreck, marked by an isolated danger light-buoy, *LFl.6s*, exists in position 22° 14'·61N., 91° 46'·40E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 102 (INT 7427) - BD 7510 (INT 7428)

II

1691(T)/26 BANGLADESH - Recommended tracks.

Source: BNHOC Notice 33(T)/25

1. A recommended track has been established as follows:

<i>Bearing</i>	<i>Position</i>
312°-132°	21° 27'·16N., 89° 32'·49E.
	21° 31'·52N., 89° 27'·79E.
358°-178°	21° 31'·52N., 89° 27'·79E.
	21° 38'·04N., 89° 27'·57E.
013°-193°	21° 38'·04N., 89° 27'·57E.
	21° 41'·68N., 89° 28'·43E.
003°-183°	21° 41'·68N., 89° 28'·43E.
	21° 46'·42N., 89° 28'·65E.
039°-219°	21° 46'·42N., 89° 28'·65E.
	21° 49'·05N., 89° 30'·88E.

2. *Former Notice 5381(T)/25 is cancelled.
3. *NOTE: Content of Notice unchanged, re-issued to include Chart BD5001.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - BD 5001 (INT 7426) - IN 351 (INT 7419)

II

1694(T)/26 BANGLADESH - Buoyage.

Source: BNHOC Notices 06(T)/25, 09(T)/25, 19(T)/25, 24(T)/25 and 35(T)/25

1. Changes to buoyage have taken place within Pussur River including the following:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Status</i>	<i>Position</i>
<i>Fl(2)G.12s</i>	<i>B-7</i>	Starboard lateral	Unlit	21° 33'·88N., 89° 28'·70E.
<i>Fl(2)R.12s</i>	<i>B-8</i>	Port lateral	Missing	21° 33'·88N., 89° 27'·00E.
<i>Fl(3)G.15s</i>	<i>B-9</i>	Starboard lateral	Unlit	21° 35'·93N., 89° 28'·03E.
<i>Fl(3)R.15s</i>	<i>B-10</i>	Port lateral	Missing	21° 35'·93N., 89° 26'·93E.
<i>Fl(2)G.12s</i>	<i>B-11</i>	Starboard lateral	Unlit	21° 38'·42N., 89° 28'·04E.
<i>Fl(2)R.12s</i>	<i>B-12</i>	Port lateral	Unlit	21° 38'·42N., 89° 26'·96E.
<i>Fl.G.8s</i>	<i>B-13</i>	Starboard lateral	Unlit	21° 40'·05N., 89° 28'·63E.
<i>Fl. R.8s</i>	<i>B-14</i>	Port lateral	Missing	21° 40'·05N., 89° 27'·56E.
<i>Fl(4)G.15s</i>	<i>B-15</i>	Starboard lateral	Unlit	21° 42'·09N., 89° 29'·08E.
<i>Fl(4)R.15s</i>	<i>B-16</i>	Port lateral	Unlit	21° 42'·09N., 89° 28'·14E.
<i>Fl(2)R.10s</i>	<i>B-18</i>	Port lateral	Unlit	21° 44'·12N., 89° 28'·12E.
<i>Fl.R.6s</i>	<i>B-20</i>	Port lateral	Unlit	21° 46'·15N., 89° 28'·27E.
<i>Fl(4)R.20s</i>	<i>B-34</i>	Port lateral	Missing	21° 56'·17N., 89° 30'·95E.
<i>Fl(3)G.15s</i>	<i>K-3</i>	Starboard lateral	Missing	22° 02'·77N., 89° 34'·01E.
<i>Fl(2)R.12s</i>	<i>S-2</i>	Port lateral	Unlit	22° 06'·69N., 89° 35'·60E.
<i>Fl(4)R.20s</i>	<i>S-4</i>	Port lateral	Unlit	22° 07'·61N., 89° 35'·74E.
<i>Fl(2)R.12s</i>	<i>S-6</i>	Port lateral	Unlit	22° 09'·45N., 89° 34'·28E.
<i>Fl.G.10s</i>	<i>S-9</i>	Starboard lateral	Missing	22° 10'·78N., 89° 33'·44E.
<i>Fl(2)R.12s</i>	<i>M-8</i>	Port lateral	Unlit	22° 13'·89N., 89° 35'·02E.
<i>Fl(2)R.10s</i>	<i>H-2</i>	Port lateral	Deleted	22° 18'·73N., 89° 36'·84E.
<i>Fl(4)R.20s</i>	<i>H-4</i>	Port lateral	Deleted	22° 19'·94N., 89° 37'·69E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

3. *Former Notice 5216(T)/25 is cancelled.

4. *NOTE: Content of Notice unchanged, re-issued to include Charts BD2508, BD3004 and BD5001.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - BD 2508 (INT 7451) - BD 3004 (INT 7452) - BD 5001 (INT 7426) - IN 351 (INT 7419)

II

1695(T)/26 BANGLADESH - Wreck.

Source: UKHO

1. A dangerous wreck exists in position 22° 07'·84N., 91° 47'·60E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 90 - 102 (INT 7427) - BD 7510 (INT 7428)

II

1696(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 35(T)/22

1. A dangerous wreck exists in position 22° 15'·60N., 91° 45'·04E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 102 (INT 7427) - BD 7510 (INT 7428)

II

1697(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 4(T)/23

1. A dangerous wreck exists in position 22° 09'·10N., 91° 48'·65E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 90 - 102 (INT 7427) - BD 7510 (INT 7428)

II

1699(T)/26 BANGLADESH - Wreck. Buoy.

Source: BNHOC Notice 12(T)/2023

1. A dangerous wreck exists in position $22^{\circ} 15' \cdot 32\text{N.}$, $91^{\circ} 43' \cdot 93\text{E.}$
2. A cylindrical light-buoy, *Lfl.R.6s*, has been deployed within the vicinity of the wreck.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 90 - 102 (INT 7427) - BD 7510 (INT 7428)

II

1700(T)/26 BANGLADESH - Wreck.

Source: BNHOC Notice 07(T)/2023

1. A stranded wreck exists in position $22^{\circ} 18' \cdot 26\text{N.}$, $91^{\circ} 30' \cdot 32\text{E.}$
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 90 - BD 7510 (INT 7428)

II

1675(T)/26 MALAYSIA - Peninsular Malaysia, West Coast - Buoy.

Source: Marine Department, Malaysia Notice 44(T)/26

1. The port hand lateral light-buoy, *Fl(2+1)R.15s Vale No 2*, in position 4° 09'·12N., 100° 33'·67E. is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 792

II

1641(T)/26 MALAYSIA - Peninsular Malaysia, East Coast - Buoy.

Source: Marine Department, Malaysia Notice 46(T)/26

1. The safe water light-buoy, *Lfl.10s*, in position $2^{\circ} 49' \cdot 97\text{N.}$, $103^{\circ} 29' \cdot 87\text{E.}$ is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3445

II

1653(T)/26 KOREA - South Coast - Outfall. Works.

Source: Korean Notice 7/80(T)/26

1. A submarine outfall is being laid in the approaches to Busan New Port, joining the following positions:

35° 03'·655N., 128° 45'·715E.

35° 03'·610N., 128° 45'·718E.

35° 03'·280N., 128° 46'·510E.

35° 03'·282N., 128° 47'·178E.

35° 03'·292N., 128° 47'·307E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1163

II

1642(T)/26 MALAYSIA - Sarawak - Buoy.

Source: Marine Department, Sarawak Notice 28(T)/26

1. The port hand lateral light-buoy, *Fl.R. 5s No 6*, in position 1° 42'·31N., 110° 33'·37E. is reported off station and damaged.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1822

II

1663(P)/26 MALAYSIA - Sarawak - Submarine pipelines. Platforms.

Source: ENCs MY3C0751, MY3C0740 and Malaysian Notice 7/154/25

1. Extensive changes to offshore energy infrastructure exist within the approaches to Bintulu Port, in the vicinity of Temana, West Patricia, Bayan, D18 and D35 Oilfields and in the vicinity of Central Luconia Gasfield. The most significant are as follows:
2. Submarine pipelines have been laid joining the following positions:
 - a.

3° 17'·49N., 113° 05'·00E.

3° 18'·34N., 113° 04'·46E.

3° 18'·52N., 113° 04'·30E.

3° 18'·74N., 113° 04'·03E.

3° 18'·90N., 113° 03'·70E.

3° 18'·98N., 113° 03'·39E.

3° 18'·98N., 113° 02'·91E.

3° 16'·64N., 112° 52'·77E.

3° 19'·83N., 112° 45'·74E.

3° 34'·00N., 112° 38'·08E.

3° 55'·10N., 112° 20'·93E.

3° 57'·87N., 112° 19'·75E.

4° 07'·58N., 112° 19'·50E.

4° 22'·03N., 111° 58'·19E.

4° 22'·92N., 111° 58'·87E.
 3. and
 - b.

3° 45'·93N., 112° 03'·96E.

3° 47'·64N., 112° 04'·19E.

3° 51'·00N., 112° 04'·49E.
 4. and
 - c.

3° 49'·86N., 112° 09'·70E.

3° 45'·96N., 112° 05'·82E.

3° 45'·64N., 112° 05'·18E.

3° 45'·86N., 112° 03'·97E.
 5. and
 - d.

3° 49'·08N., 112° 16'·40E.

3° 48'·64N., 112° 15'·89E.

3° 45'·43N., 112° 05'·93E.

3° 45'·85N., 112° 04'·00E.
 6. and
 - e.

3° 45'·83N., 112° 15'·77E.

3° 49'·08N., 112° 16'·40E.
 7. and
 - f.

3° 35'·42N., 112° 23'·38E.

3° 35'·05N., 112° 23'·12E.

3° 33'·83N., 112° 21'·83E.

3° 33'·93N., 112° 21'·30E.
 8. and
 - g.

3° 14'·80N., 112° 48'·70E.

3° 15'·36N., 112° 48'·26E.

3° 15'·74N., 112° 47'·83E.

3° 22'·53N., 112° 34'·57E.

3° 25'·58N., 112° 23'·33E.

3° 26'·21N., 112° 22'·74E.

II

1663(P)/26 MALAYSIA - Sarawak - Submarine pipelines. Platforms. (continued)

9. and

- h. $3^{\circ} 21' \cdot 49N.$, $112^{\circ} 49' \cdot 23E.$
 $3^{\circ} 21' \cdot 76N.$, $112^{\circ} 48' \cdot 56E.$
 $3^{\circ} 22' \cdot 77N.$, $112^{\circ} 46' \cdot 80E.$
 $3^{\circ} 27' \cdot 97N.$, $112^{\circ} 36' \cdot 99E.$
 $3^{\circ} 28' \cdot 39N.$, $112^{\circ} 35' \cdot 84E.$

10. and

- i. $3^{\circ} 20' \cdot 47N.$, $112^{\circ} 47' \cdot 23E.$
 $3^{\circ} 21' \cdot 49N.$, $112^{\circ} 49' \cdot 23E.$

11. and

- j. $3^{\circ} 21' \cdot 49N.$, $112^{\circ} 49' \cdot 23E.$
 $3^{\circ} 33' \cdot 69N.$, $112^{\circ} 47' \cdot 67E.$
 $3^{\circ} 41' \cdot 81N.$, $112^{\circ} 46' \cdot 98E.$
 $3^{\circ} 42' \cdot 91N.$, $112^{\circ} 46' \cdot 96E.$

12. and

- k. $3^{\circ} 17' \cdot 32N.$, $113^{\circ} 04' \cdot 72E.$
 $3^{\circ} 18' \cdot 32N.$, $113^{\circ} 03' \cdot 80E.$
 $3^{\circ} 18' \cdot 51N.$, $113^{\circ} 03' \cdot 55E.$
 $3^{\circ} 18' \cdot 66N.$, $113^{\circ} 03' \cdot 26E.$
 $3^{\circ} 18' \cdot 76N.$, $113^{\circ} 02' \cdot 82E.$
 $3^{\circ} 18' \cdot 74N.$, $113^{\circ} 02' \cdot 36E.$
 $3^{\circ} 16' \cdot 61N.$, $112^{\circ} 53' \cdot 62E.$
 $3^{\circ} 16' \cdot 91N.$, $112^{\circ} 52' \cdot 68E.$
 $3^{\circ} 17' \cdot 26N.$, $112^{\circ} 52' \cdot 11E.$
 $3^{\circ} 21' \cdot 49N.$, $112^{\circ} 49' \cdot 23E.$

13. Lit platforms have been established in positions $3^{\circ} 32' \cdot 36N.$, $112^{\circ} 49' \cdot 00E.$ and $4^{\circ} 19' \cdot 6N.$, $112^{\circ} 44' \cdot 9E.$

14. Mariners are advised to navigate with caution in the area.

15. These changes will be included in the New Edition of Charts 1336, 2100 and 3837 to be published mid 2026.

16. Charts 1748, 3836, 3838, 3482 and 3483 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 1336 - 2100 - 3837 (INT 5709)

II

1643(T)/26 ECUADOR - Buoy.

Source: Ecuadorian Daily Notice 24/02/26

1. The North cardinal light-buoy, *VQ TPM4*, in position 0° 56'·039S., 80° 42'·951W., is reported extinguished.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2799

II

1677(T)/26 COLOMBIA - Caribbean Sea Coast - Light.

Source: Colombian Notice 49(T)/26

1. Cayos Serranilla Island Light, Fl(3)12s20m12M, in position 15° 47'·7N., 79° 50'·8W. has been extinguished.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2943 - 4401 (INT 401) - 4402 (INT 402)

II

1651(P)/26 UNITED STATES OF AMERICA - East Coast - Dredged depths. Obstructions. Dolphins. Depths. Restricted area. Buoyage. Jetty.

Source: ENC US5ORFBC

1. *Dredged depths have changed within Elizabeth River. The most significant are as follows:

<i>Depth</i>	<i>Date</i>	<i>Position</i>
36ft	2024	36° 52'·58N., 76° 20'·76W.
36ft	2024	36° 52'·70N., 76° 20'·36W.
47ft	2024	36° 52'·82N., 76° 19'·77W.
32ft	2024	36° 52'·75N., 76° 19'·79W.
17ft	2024	36° 52'·59N., 76° 19'·79W.
11ft	2024	36° 52'·56N., 76° 19'·82W.
2ft	2024	36° 52'·51N., 76° 19'·80W.
10ft	2024	36° 52'·49N., 76° 19'·77W.
11ft	2024	36° 52'·46N., 76° 19'·77W.
34ft	2024	36° 51'·51N., 76° 19'·13W.
23ft	2024	36° 52'·04N., 76° 19'·17W.
23ft	2024	36° 51'·97N., 76° 19'·09W.
26ft	2024	36° 51'·85N., 76° 18'·91W.
21ft	2024	36° 51'·76N., 76° 18'·85W.
*54ft	2025	36° 52'·58N., 76° 20'·76W.
*54ft	2025	36° 52'·70N., 76° 20'·36W.

2. Obstructions exist in the following positions:

<i>Depth</i>	<i>Position</i>
33ft	36° 50'·33N., 76° 17'·56W.
13ft	36° 50'·46N., 76° 17'·21W.
21ft	36° 51'·09N., 76° 18'·04W.
7ft	36° 51'·68N., 76° 19'·76W.
12ft	36° 52'·19N., 76° 20'·14W.
13ft	36° 52'·27N., 76° 20'·18W.
7ft	36° 51'·43N., 76° 18'·49W.

3. *Dolphins have been established in the following positions:

36° 50'·96N., 76° 17'·83W.
 36° 51'·50N., 76° 20'·61W.
 36° 52'·19N., 76° 20'·89W.
 36° 52'·18N., 76° 20'·88W.

4. *Depths exist in the following positions:

<i>Depth</i>	<i>Position</i>
17ft	36° 52'·50N., 76° 20'·35W.
*38ft	36° 52'·88N., 76° 20'·26W.
*39ft	36° 52'·95N., 76° 20'·22W.
*33ft	36° 52'·63N., 76° 20'·14W.

5. A restricted military area, marked by orange can buoys, has been established in an area bounded by the following positions:

36° 49'·66N., 76° 17'·47W.
 36° 49'·66N., 76° 17'·51W.
 36° 49'·85N., 76° 17'·60W.
 36° 50'·09N., 76° 17'·65W.
 36° 50'·19N., 76° 17'·62W.
 36° 50'·20N., 76° 17'·57W.
 36° 50'·15N., 76° 17'·55W.

II

**1651(P)/26 UNITED STATES OF AMERICA - East Coast - Dredged depths. Obstructions. Dolphins. Depths.
Restricted area. Buoyage. Jetty. (continued)**

6. *A new jetty has been established between the following positions:

36° 52'·19N., 76° 20'·92W.

36° 52'·20N., 76° 20'·88W.

36° 52'·31N., 76° 20'·92W.

7. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
8. For full details use NOAA Electronic Navigational Charts.
9. These and other changes will be included in the next New Edition of Chart 2814.
10. *Former Notice 5573(P)/25 is cancelled.
*Indicates new or revised entry.
(NAD83 DATUM)

Chart affected - 2814

II

1676(P)/26 UNITED STATES OF AMERICA - East Coast - Bridge. Works. Obstructions.

Source: ENC US5MA1SG

1. Bridge construction works are taking place in the vicinity of the Bass River swing bridge in position 42° 32'·98N., 70° 53'·26W.
2. Fixed and floating obstructions, some submerged, may exist within this area.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Chart 2427 will be updated when works are complete.
(NAD83 DATUM)

Chart affected - 2427