



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 17

23 April 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	ADMIRALTY Charts	International Charts	ADMIRALTY Publications
340	2583	INT 550	NP 131
754	2592	INT 1368	
900	2597	INT 1375	
1258	2637	INT 1376	
1270	3482	INT 1741	
1271	3642	INT 5363	
1408	3698	INT 5364	
1760	4232	INT 12902	
1761	5603_1		
1834	5620_3		
1835	5621_2		
1892	AUS 808		
2504			

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW ADMIRALTY CHARTS AND PUBLICATIONS

New ADMIRALTY Charts published 23 April 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙754	Pacific Ocean – Kiribati, Tarawa. 1°17'·50N - 1°41'·00N., 172°48'·00E - 173°13'·80E. Betio Anchorage. 1°19'·20N - 1°26'·00N., 172°51'·40E - 173°00'·00E.	1:75,000 1:25,000	70	98, 104

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 23 April 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙900 INT 1376	International Chart Series, Denmark, Lillebælt, Snaevringen and Kolding Fjord. Ⓐ Fredericia. Ⓑ Lillebælt West Bridge Passage Spans. Ⓒ Lillebælt East Bridge Passage Span. Ⓓ Middelfart. Ⓔ Kolding.	1:25,000 1:10,000 1:8,000 1:8,000 1:8,000 1:10,000	10	34
On publication of this New Edition former Notice 266(P)/24 is cancelled. This chart remains affected by Notices 3089(T)/25 and 4052(T)/25.				
⊙1258	Korea - West Coast, Gyeongnyeolbi Yeoldo to Daecheong Gundo.	1:250,000	52	82
On publication of this New Edition former Notice 1897(T)/21 is cancelled. This chart is to be deleted from the list of charts affected by Notice 464(P)/26. This chart remains affected by Notices 526(T)/23 and 1455(T)/26.				
⊙1270 INT 5363	Korea - West Coast, Ando to Incheon Hang. Yeongheung Sudo.	1:75,000 1:20,000	52	82
This chart is to be deleted from the list of charts affected by Notice 464(P)/26. This chart remains affected by Notice 1774(T)/22.				

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 23 April 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙1271	Korea - West Coast, Daesan Hang, Pyeongtaek - Dangjin Hang and Incheon New Port. Ⓐ Daesan Hang. Ⓑ Pyeongtaek- Dangjin Hang. Ⓒ Incheon New Port.	1:25,000 1:30,000 1:50,000	52	82
On publication of this New Edition former Notices 1125(T)/25 and 2636(T)/25 are cancelled.				
⊙1408	North Sea, Harwich and Rotterdam to Cromer and Terschelling. This chart remains affected by Notices 482(T)/24, 2115(T)/24, 2121(T)/24, 2173(T)/24, 4421(T)/24, 1330(T)/25, 1353(P)/25, 3268(P)/25, 4791(P)/25, 4800(T)/25, 5528(P)/25, 5652(P)/25 and 1702(T)/26.	1:300,000	7	24, 26, 32
⊙1892 INT 1741	International Chart Series, English Channel, Dover Strait Western Part.	1:75,000	1	24
⊙2504	Scotland - West Coast, Lochinver and Approaches. Lochinver.	1:25,000 1:12,500	6	28
This chart is to be deleted from the list of charts affected by Notice 1064(P)/25.				
⊙2583	Baltic Sea, Denmark, Smålandsfarvandet Western Part. Ⓐ Approaches to Skælskør. Ⓑ Bandholm.	1:75,000 1:20,000 1:8,000	10	34
⊙2592 INT1375	International Chart Series, Denmark, Lillebælt Northern Part. Ⓐ Assens.	1:75,000 1:6,000	10	34
This chart remains affected by Notices 5060(T)/23 and 4052(T)/25.				
⊙2597 INT 1368	International Chart Series, Denmark, Entrance to the Baltic, Storebælt, Southern Part. This chart remains affected by Notice 1800(T)/25.	1:75,000	10	34
⊙3482 INT 550	International Chart Series, South China Sea - South West Part, Singapore Strait to Song Sai Gon. This chart remains affected by Notices 1621(T)/24, 4921(P)/24, 281(T)/25, 3242(T)/25, 3939(P)/25 and 5685(P)/25.	1:500,000	47	66, 68, 70, 72, 76
⊙3642 INT 5364	International Chart Series, Korea - West Coast, Incheon. This chart is to be deleted from the list of charts affected by Notice 464(P)/26.	1:15,000	52	82

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Small Craft Charts published 23 April 2026 (continued)

<i>Chart</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>NP109A Catalogue page</i>
5603_1	Ⓐ Lizard Point to Hartland Point. Ⓑ Porthallow to Porthoustock.	1:200,000 1:15,000	9
This chart remains affected by Notice 5204(T)/25.			
5620_3	Fishguard to Hartland Point.	1:200,000	39
On publication of this New Edition former Notice 459(P)/23 is cancelled. This chart remains affected by Notice 5204(T)/25.			
5621_2	Waterford to Saint David's Head.	1:200,000	41
On publication of this New Edition former Notice 459(P)/23 is cancelled. This chart is to be deleted from the list of charts affected by Notice 2513(P)/24. This chart remains affected by Notice 5204(T)/25.			

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 07 MAY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
340	China - South China Sea, Daya Wan and Approaches to Huizhou.	1:60,000	⊙340	50	78, 80
1760	Taiwan Strait Southern Part.	1:300,000	⊙1760	50	80
1761	Taiwan Strait Northern Part.	1:300,000	⊙1761	50	80
1834	England - East Coast, River Medway, Garrison Point to Folly Point. Otterham Creek.	1:12,500 1:12,500	⊙1834	8	24
1835	England - East Coast, River Medway, FollyPoint to Maidstone. Ⓐ Continuation of the River Medway. Ⓑ Continuation of the River Medway to Maidstone.	1:6,000 1:25,000 1:25,000	⊙1835	8	24
2637 INT 12902	International Chart Series, Baltic Sea – Poland, Gdańsk. Motława Marina.	1:12,500 1:5,000	⊙2637 INT 12902	10	36
3698	United States - East Coast, Florida, Miami Harbor. Continuation to Miami.	1:12,000 1:12,000	⊙3698	83	126
4232	Chile, Puerto Huasco.	1:10,000	4232	98	114

CHARTS TO BE AVAILABLE 07 MAY 2026

New Editions

Reproductions of Australian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
AUS808	Australia - East Coast, New South Wales, Jervis Bay to Port Jackson.	1:150,000	⊙AUS808	66	92

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
900 INT 1376	International Chart Series, Denmark, Lillebælt, Snaevringen and Kolding Fjord.	⊙900 INT 1376
1258	Korea - West Coast, Gyeongnyeolbi Yeoldo to Daechong Gundo.	⊙1258
1270 INT 5363	Korea - West Coast, Ando to Incheon Hang.	⊙1270 INT 5363
1271	Korea - West Coast, Daesan Hang, Pyeongtaek - Dangjin Hang and Incheon New Port.	⊙1271
1408	North Sea, Harwich and Rotterdam to Cromer and Terschelling.	⊙1408
1892 INT 1741	International Chart Series, English Channel, Dover Strait Western Part.	⊙1892 INT 1741
2504	Scotland West Coast, Lochinver and Approaches.	⊙2504
2583	Baltic Sea, Denmark, Smålandsfarvandet Western Part.	⊙2583
2592 INT 1375	International Chart Series, Denmark, Lillebælt Northern Part.	⊙2592 INT 1375
2597 INT 1368	International Chart Series, Denmark, Entrance to the Baltic, Storebælt, Southern Part.	⊙2597 INT 1368
3482 INT 550	International Chart Series, South China Sea - South West Part, Singapore Strait to Song Sai Gon.	⊙3482 INT 550
3642 INT 5364	International Chart Series, Korea - West Coast, Incheon.	⊙3642 INT 5364
5603_1	Ⓐ Lizard Point to Hartland Point. Ⓑ Porthallow to Porthoustock.	5603_1
5620_3	Fishguard to Hartland Point.	5620_3
5621_2	Waterford to Saint David's Head.	5621_2

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page vi,

Insert:

Beijing Ruina Zhirong Technology Co Ltd
R2-404-5, F4 Bldg 4
Yingkun Century Tower F
No.6 Automobile Museum East Rd
Fengtai District
Beijing 100160
China
T: +86 10 6268 0730
F: +86 10 6268 0730
sales@rnctech.cn
www.rnctech.cn
Digital

Page vi,

Delete:

Beijing Situo Ocean Information Technology Co Ltd
R2-404-5, F4 Bldg 4
Yingkun Century Tower F
No.6 Automobile Museum East Rd
Fengtai District
Beijing 100160
China
T: +86 10 6268 0730
F: +86 10 6268 0730
sales@enclave.cn
www.enclave.cn
Digital

Page 3,

Delete: Sub-Distributor

BEIJING RUINA ZHIRONG TECHNOLOGY CO. LTD
SUB DISTRIBUTOR OF: Beijing Situo Ocean Information Technology Co Ltd
501-4, Unit 2, Building 4, Yard 6
Auto Museum East Road, Fengtai District
Beijing
T: +86 13683280826
shenwei@rnctech.cn
www.enclave.cn
Digital

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
30	1857	1188	1808
105	1915	1193	1799
110	1838T	1199	1959
116	1838T	1201	1836
120	1838T	1210	1834
122	1838T	1211	1834
124	1838T	1214	1919T
125	1838T	1233	1802
130	1838T	1239	1802
131	1932	1250	1930
183	1840	1253	1836
196	1829	1269	1807
200	1829, 1893	1338	1942
219	1802	1366	1844, 1901
220	1893	1398	1851
235	1849	1407	1802
242	1912	1409	1802
266	1838T	1440	1829
302	1840	1503	1915
306	1917	1504	1794T
307	1909P	1516	1894
308	1909P	1526	1806
311	1917	1535	1951
312	1909P	1543	1951
340	1831	1574	1829
343	1884	1580	1829
400	1845	1602	1959
412	1918T	1630	1838T
414	1791	1631	1794T, 1838T
504	1949	1632	1838T
545	1914	1633	1838T
566	1847P	1644	1897
601	1918T	1649	1942
612	1918T	1720	1854P
614	1856	1730	1848T
625	1856	1731	1848T
668	1828	1748	1887
669	1828	1749	1911
729	1923	1760	1931T
773	1825	1789	1796
774	1825	1791	1875
830	1851	1794	1903T
869	1798	1853	1846
898	1843	1916	1873
903	1877	1962	1954
913	1885	1966	1899T
917	1861	1968	1813
918	1862	1996	1821
921	1864	2014	1833, 1927P
933	1826	2015	1833
936	1888	2018	1833, 1927P
938	1805P	2040	1927P
946	1882	2041	1926
967	1942	2052	1800P
979	1864	2056	1826
1005	1883	2106	1805P
1006	1883	2112	1942
1007	1855	2115	1797
1044	1899T	2123	1956
1055	1897	2161	1852
1057	1806	2166	1921T
1078	1875	2189	1953T
1094	1860	2191	1899T
1117	1860	2211	1943
1118	1860	2218	1795T
1119	1802	2247	1867
1151	1868	2259	1827
1152	1868	2282	1886
1168	1948	2295	1913

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2319	1841T	3316	1944
2348	1874	3328	1878
2350	1910	3340	1852
2372	1875	3348	1934T
2380	1875	3351	1934T
2405	1801	3391	1881
2409	1931T	3403	1905
2412	1813	3445	1871
2422	1809T	3446	1809T
2429	1804	3449	1837
2444	1810P	3451	1891
2452	1811	3452	1900P
2453	1814, 1906	3453	1900P
2462	1879	3457	1820
2464	1835	3459	1869
2465	1835, 1863	3480	1790, 1958
2471	1858	3483	1858, 1942
2472	1876	3484	1858
2473	1922	3496	1808, 1865
2486	1898	3497	1808, 1865
2501	1903T	3658	1813
2594	1797	3726	1890
2595	1859	3728	1942
2596	1805P	3729	1826
2603	1892	3730	1824P
2605	1895	3732	1901
2629	1908	3758	1853
2631	1908	3781	1832
2638	1955	3783	1928
2643	1910	3819	1943
2645	1842P	3836	1887
2655	1910	3838	1887
2664	1945T	3892	1934T
2677	1814	3901	1844
2681	1840	3904	1845
2684	1907	3919	1916
2688	1866	3928	1885, 1957
2693	1800P	3944	1844
2712	1829	3950	1832
2797	1826	3959	1953T
2819	1910	3962	1953T
2837	1832	3986	1830
2847	1832	4011	1849
2860	1920	4012	1899T
2862	1826	4013	1899T
2872	1853	4042	1823T, 1902
2886	1810P	4060	1792P, 1793P
2893	1924, 1955	4300	1840
2894	1858	4302	1840
2897	1933	4400	1899T
2901	1933	4402	1899T
2902	1933	4405	1849
2916	1922	4407	1899T
2928	1888	4418	1942
2936	1876	4449	1942
2937	1850	4464	1942
2952	1876	4507	1876
2953	1876	4509	1813
2957	1858	4601	1792P, 1793P
2990	1822P	4602	1792P, 1793P
3026	1831	4603	1876
3178	1810P	4747	1952
3179	1810P	4785	1889
3231	1813, 1931T	4790	1870
3236	1813	4916	1872
3282	1802	4961	1880
3283	1802	5600_10	1926
3284	1802	5600_12	1908
3291	1917	5600_15	1908

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Soloman Islands Chart No.	Notices
5603_4 5607_5 5607_8 5608_13 5611_23 5614_1 5614_18 5614_19 5614_2 5614_3	1948 1800P 1800P 1868 1875 1800P 1808 1865 1951 1951	SLB 304	1803
Australian Chart No.	Notices	International Chart No.	Notices
Aus 327 Aus 802 Aus 808	1839 1925 1793P, 1812P	INT 11 INT 12 INT 13 INT 60 INT 300 INT 302 INT 400 INT 402 INT 405 INT 507 INT 509 INT 551 INT 554 INT 601 INT 602 INT 603 INT 755 INT 1010 INT 1045 INT 1060 INT 1101 INT 1102 INT 1111 INT 1153 INT 1159 INT 1201 INT 1202 INT 1218 INT 1219 INT 1251 INT 1288 INT 1297 INT 1303 INT 1311 INT 1331 INT 1332 INT 1333 INT 1354 INT 1356 INT 1357 INT 1369 INT 1370 INT 1416 INT 1417 INT 1418 INT 1420 INT 1422 INT 1423 INT 1461 INT 1471 INT 1472 INT 1473 INT 1474 INT 1477 INT 1479 INT 1500 INT 1501 INT 1504 INT 1505 INT 1509 INT 1510 INT 1553 INT 1554	1849 1899T 1899T 1792P, 1793P 1840 1840 1899T 1899T 1849 1876 1813 1858, 1942 1858 1792P, 1793P 1792P, 1793P 1876 1851 1933 1838T, 1946 1802 1933 1933 1850 1827 1795T 1833 1833, 1927P 1927P 1833, 1927P 1943 1866 1814 1805P 1798 1797 1859 1877 1950 1947 1950 1805P 1805P 1838T 1838T 1794T, 1838T 1838T 1838T 1838T 1838T 1838T 1838T 1838T 1838T 1838T 1802 1802 1802 1915 1794T 1808 1808, 1865
Belgian Chart No.	Notices		
BE 101	1838T		
German Chart No.	Notices		
DE 31 DE 37 DE 50 DE 90 DE 1671	1950 1947 1838T, 1946 1838T 1950		
Indian Chart No.	Notices		
IN 33 IN 273 IN 472 IN 473 IN 2018 IN 2059 IN 4006	1851 1896 1851 1851 1904 1904 1851		
Japanese Chart No.	Notices		
JP 53 JP 54 JP 70 JP 106 JP 120 JP 145 JP 1051 JP 1098 JP 1169	1936, 1937, 1938 1938, 1939 1818 1819T 1941T 1935 1815, 1816, 1817, 1818 1939, 1940 1941T		
New Zealand Chart No.	Notices		
NZ 6821	1929P		
Soloman Islands Chart No.	Notices		
SLB 201	1803		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1559	1951		
INT 1560	1800P		
INT 1565	1808, 1865		
INT 1570	1800P		
INT 1625	1903T		
INT 1722	1857		
INT 1732	1908		
INT 1733	1926		
INT 1751	1822P		
INT 1800	1910		
INT 1804	1945T		
INT 1855	1860		
INT 1856	1860		
INT 1858	1848T		
INT 2050	1909P		
INT 2089	1917		
INT 2550	1909P		
INT 2560	1909P		
INT 2812	1878		
INT 2814	1917		
INT 2858	1918T		
INT 2862	1856		
INT 3180	1799		
INT 3216	1905		
INT 3553	1840		
INT 5254	1885		
INT 5360	1881		
INT 5708	1887		
INT 6881	1835, 1863		
INT 6882	1835		
INT 6899	1879		
INT 7017	1832		
INT 7018	1832		
INT 7031	1851		
INT 7032	1851		
INT 7226	1810P		
INT 7229	1810P		
INT 7239	1810P		
INT 7243	1810P		
INT 7244	1832		
INT 7248	1832		
INT 7299	1807		
INT 7321	1904		
INT 7322	1904		
INT 7449	1851		
INT 9314	1874		
INT 12511	1943		
INT 12991	1811		
INT 12992	1814, 1906		

II

1802* SCOTLAND - Shetland Islands - Legends. Obstructions.

Source: Marine Scotland Science

Chart 219 (INT 1060) [previous update 5309/25] ETRS89 DATUM

Delete legend, *Scientific Instruments*, centred on: 60° 20'·2N., 0° 36'·8W.
59° 57'·1N., 0° 57'·5W.

Chart 1119 (INT 1501) [previous update 4237/25] ETRS89 DATUM

Delete legend, *Scientific Instruments*, centred on: 60° 20'·15N., 0° 35'·38W.
59° 57'·48N., 0° 54'·28W.

Chart 1233 (INT 1500) [previous update 4634/25] ETRS89 DATUM

Delete legend, *Scientific Instruments*, centred on: 60° 20'·17N., 0° 35'·37W.

Chart 1239 [previous update 4788/25] ETRS89 DATUM

Delete legend, *Scientific Instruments*, centred on: 60° 20'·2N., 0° 35'·4W.
59° 57'·6N., 0° 53'·6W.

Chart 1407 (INT 1505) [previous update 1657/26] ETRS89 DATUM

Delete  *Obstn* 56° 39'·67N., 2° 00'·54W.
 *Obstn* 56° 36'·60N., 1° 50'·17W.

Chart 1409 (INT 1504) [previous update 1106/26] ETRS89 DATUM

Delete  *Obstn Subm buoy* 56° 39'·67N., 2° 00'·54W.
 *Obstn Subm buoy* 56° 36'·60N., 1° 50'·16W.
 *Obstn Subm buoy* 56° 33'·36N., 1° 39'·83W.

Chart 3282 [previous update 4634/25] ETRS89 DATUM

Delete legend, *Scientific Instruments*, centred on: 60° 20'·15N., 0° 35'·38W.

Chart 3283 [previous update 1201/26] ETRS89 DATUM

Delete legend, *Scientific Instruments*, centred on: 59° 57'·48N., 0° 54'·28W.

Chart 3284 [previous update 1201/26] ETRS89 DATUM

Delete legend, *Scientific Instruments*, centred on: 60° 20'·15N., 0° 35'·38W.

II

1808* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update 1757/26*] ETRS89 DATUM

Insert	depth, 66, enclosed by 7m contour	(a)	53° 39'·72N., 0° 12'·75W.
Delete	depth, 73, close N of:	(a)	above
	depth, 73, close SE of:	(a)	above
Insert	depth, 68, enclosed by 7m contour		53° 39'·62N., 0° 12'·60W.
	depth, 64, enclosed by 7m contour	(b)	53° 39'·62N., 0° 12'·40W.
Delete	depth, 72, close NW of:	(b)	above
Insert	depth, 69, enclosed by 7m contour		53° 39'·52N., 0° 12'·45W.
Replace	depth, 6, with depth, 55		53° 39'·63N., 0° 12'·13W.

Chart 3496 (INT 1565) (Panel C, Immingham Oil Terminal to Humber Sea Terminal) [*previous update 1655/26*] ETRS89 DATUM

Insert	depth, 66, enclosed by 7m contour	(a)	53° 39'·725N., 0° 12'·748W.
Delete	depth, 71, close NE of:	(a)	above
Insert	depth, 67, and extend 7m contour SW to enclose	(b)	53° 39'·672N., 0° 12'·682W.
Delete	depth, 7, close NE of:	(b)	above
	depth, 73, close SW of:	(b)	above
Insert	depth, 68, enclosed by 7m contour	(c)	53° 39'·621N., 0° 12'·599W.
Delete	depth, 74, close SW of:	(c)	above
Insert	depth, 69, enclosed by 7m contour	(d)	53° 39'·543N., 0° 12'·629W.
		(e)	53° 39'·516N., 0° 12'·449W.
Delete	depth, 73, close S of:	(d)	above
	depth, 78, close NE of:	(e)	above
Insert	depth, 64	(f)	53° 39'·616N., 0° 12'·399W.
Delete	depth, 7, close SW of:	(f)	above
Replace	depth, 6, with depth, 55		53° 39'·633N., 0° 12'·133W.

Chart 3497 (INT 1554) [*previous update 1762/26*] ETRS89 DATUM

Insert	depth, 69, enclosed by 7m contour	(a)	53° 40'·83N., 0° 13'·00W.
Delete	depth, 74, close NE of:	(a)	above
Insert	depth, 66, enclosed by 7m contour	(b)	53° 39'·72N., 0° 12'·75W.
Delete	depth, 71, close NE of:	(b)	above
Insert	depth, 68, enclosed by 7m contour		53° 39'·62N., 0° 12'·60W.
	depth, 69, enclosed by 7m contour		53° 39'·52N., 0° 12'·45W.
	depth, 64	(c)	53° 39'·62N., 0° 12'·40W.
Delete	depth, 65, close SE of:	(c)	above
	depth, 66, close NW of:	(c)	above
Insert	depth, 55		53° 39'·63N., 0° 12'·13W.

II

1808* ENGLAND - East Coast - Depths. (continued)

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update 1655/26*] ETRS89 DATUM

Insert	depth, 69, and extend 7m contour NE to enclose	(a)	53° 40'·83N., 0° 13'·00W.
Delete	depth, 74, close NE of:	(a)	above
Insert	depth, 66, enclosed by 7m contour	(b)	53° 39'·72N., 0° 12'·75W.
Delete	depth, 71, close NE of:	(b)	above
	depth, 73, close SE of:	(b)	above
Insert	depth, 68, enclosed by 7m contour		53° 39'·62N., 0° 12'·60W.
	depth, 69, enclosed by 7m contour		53° 39'·52N., 0° 12'·45W.
	depth, 64	(c)	53° 39'·62N., 0° 12'·40W.
Delete	depth, 66, close NW of:	(c)	above
Insert	depth, 55	(d)	53° 39'·63N., 0° 12'·13W.
Delete	depth, 59, close SE of:	(d)	above

II

1857* ENGLAND - South Coast - NM Block.

Source: Cattewater Harbour Commissioners

Note: This update is included in New Editions 1901, 1967 and 5602_15, published mid 2026.

Chart 30 (INT 1722) [*previous update 5772/25*] ETRS89 DATUM

Insert the accompanying block, centred on:

50° 21'·9N., 4° 07'·9W.

II

1865* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 3496 (INT 1565) (Panel A, Hull Docks Eastern Part) [*previous update 1808/26*] ETRS89 DATUM

Insert	depth, 47, enclosed by 5m contour	(a)	53° 44'·352N., 0° 18'·643W.
Delete	depth, 53, close SE of:	(a)	above
Insert	depth, 75	(b)	53° 44'·305N., 0° 19'·450W.
Delete	depth, 84, close NW of:	(b)	above
Insert	depth, 79	(c)	53° 44'·243N., 0° 19'·785W.
Delete	depth, 89, close S of:	(c)	above

Chart 3496 (INT 1565) (Panel B, Hull Docks Western Part) [*previous update 1808/26*] ETRS89 DATUM

Insert	depth, 79	(a)	53° 44'·243N., 0° 19'·785W.
Delete	depth, 89, close S of:	(a)	above
Replace	depth, 32, with depth, 28		53° 44'·194N., 0° 20'·132W.

Chart 3497 (INT 1554) [*previous update 1808/26*] ETRS89 DATUM

Insert	depth, 65, enclosed by 7m contour	(a)	53° 43'·69N., 0° 21'·75W.
Delete	depth, 71, close NE of:	(a)	above
Replace	depth, 84, with depth 75		53° 44'·30N., 0° 19'·45W.

Chart 5614_19 (Panel C, Hull Docks Western Part) [*previous update 1762/26*] ETRS89 DATUM

Insert	depth, 79	(a)	53° 44'·243N., 0° 19'·785W.
Delete	depth, 89, close S of:	(a)	above
Replace	depth, 32, with depth, 28		53° 44'·194N., 0° 20'·132W.

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 1762/26*] ETRS89 DATUM

Insert	depth, 65, enclosed by 7m contour	(a)	53° 43'·69N., 0° 21'·75W.
Delete	depth, 71, close NE of:	(a)	above
Replace	depth, 84 with depth, 75		53° 44'·30N., 0° 19'·45W.

II

1868* ENGLAND - Bristol Channel - Buoy. Light. Landmark.

Source: Hinkley Point C Harbour Authority

Chart 1151 [*previous update 3180/25*] ETRS89 DATUM

Insert	 Fl.G.5s	51° 12'·98N., 3° 08'·08W.
Replace	★ 2F.G.7m3M(vert) Tr with  Tr	51° 12'·93N., 3° 08'·07W.

Chart 1152 [*previous update 689/26*] ETRS89 DATUM

Insert	 Fl.G.5s	51° 12'·98N., 3° 08'·14W.
Replace	★ 2F.G(vert) TR with  Tr	51° 12'·93N., 3° 08'·07W.

Chart 5608_13 [*previous update 3180/25*] ETRS89 DATUM

Insert	 Fl.G.5s	51° 12'·98N., 3° 08'·14W.
Replace	★ 2F.G(vert) TR with  Tr	51° 12'·93N., 3° 08'·07W.

II

1875* SCOTLAND - West Coast - Note.

Source: Scottish Canals

Note: Former Notice 5714(T)/24 is cancelled.

Chart 1078 [*previous update 242/25*] ETRS89 DATUM

Insert note, LOCAL NOTICE TO MARINERS, centred on: 57° 29'·20N., 4° 01'·16W.

Chart 1791 (Panel A, Corpach to Fort Augustus) [*previous update 174/12*] ETRS89 DATUM

Insert note, LOCAL NOTICE TO MARINERS, centred on: 57° 09'·42N., 4° 30'·34W.

Chart 2372 (Panel B, Fort William and Corpach) [*previous update 5737/25*] ETRS89 DATUM

Insert note, LOCAL NOTICE TO MARINERS, centred on: within title panel

Chart 2380 [*previous update 5737/25*] ETRS89 DATUM

Insert note, LOCAL NOTICE TO MARINERS, centred on: 56° 48'·81N., 5° 19'·96W.

Chart 5611_23 (Panel A, Upper Loch Linnhe) [*previous update 955/23*] ETRS89 DATUM

Insert note, LOCAL NOTICE TO MARINERS, centred on: 56° 44'·54N., 5° 08'·46W.

II

1908* ENGLAND - South Coast - Maritime limit. Legends.

Source: King's Harbour Master, Portsmouth

Chart 2629 [*previous update 5835/25*] ETRS89 DATUM

Insert	legend, <i>Turning Area</i> , centred on:	50° 48'·690N., 1° 06'·020W.
Delete	circular maritime limit, and associated legend, <i>Turning Circle</i> , radius 150m, pecked line, centred on:	50° 48'·679N., 1° 06'·015W.

Chart 2631 (INT 1732) [*previous update 5835/25*] ETRS89 DATUM

Insert	legend, <i>Turning Area</i> , centred on:	50° 48'·690N., 1° 06'·020W.
Delete	circular maritime limit, and associated legend, <i>Turning Circle</i> , radius 150m, pecked line, centred on:	50° 48'·679N., 1° 06'·015W.

Chart 5600_12 (Panel A, Entrance to Portsmouth Harbour) [*previous update 5835/25*] ETRS89 DATUM

Insert	legend, <i>Turning Area</i> , centred on:	50° 48'·690N., 1° 06'·020W.
Delete	circular maritime limit, and associated legend, <i>Turning Circle</i> , radius 150m, pecked line, centred on:	50° 48'·679N., 1° 06'·015W.

Chart 5600_15 [*previous update 5835/25*] ETRS89 DATUM

Insert	legend, <i>Turning Area</i> , centred on:	50° 48'·690N., 1° 06'·020W.
Delete	circular maritime limit, and associated legend, <i>Turning Circle</i> , radius 150m, pecked line, centred on:	50° 48'·679N., 1° 06'·015W.

II

1915* ENGLAND - East Coast - Buoyage.

Source: Ørsted

Note: This update is included in New Editions 106 and 1408, published early 2026.

Chart 105 [*previous update 740/26*] ETRS89 DATUM

Insert

 *Fl(5)Y.20s*

53° 28'·50N., 1° 50'·27E.

53° 05'·80N., 1° 29'·70E.

Chart 1503 (INT 1509) [*previous update 1019/26*] ETRS89 DATUM

Insert

 *Fl(5)Y.20s*

53° 28'·50N., 1° 50'·27E.

53° 05'·80N., 1° 29'·70E.

II

1926* ENGLAND - South Coast - Swinging circle. Legends.

Source: ABP Southampton

Chart 2041 (INT 1733) [*previous update 5302/25*] ETRS89 DATUM

Insert	limit of swinging circle, pecked line, radius 50m, centred on:	(a) 50° 54'·738N., 1° 22'·527W.
	legend, <i>Swinging Area</i> , within:	(a) above
Delete	legend, <i>Swinging Area</i> , close SE of:	(a) above

Chart 5600_10 (Panel A, River Itchen) [*previous update 1140/26*] ETRS89 DATUM

Insert	limit of swinging circle, pecked line, radius 50m, centred on:	(a) 50° 54'·738N., 1° 22'·527W.
	legend, <i>Swinging Area</i> , within:	(a) above
Delete	legend, <i>Swinging Area</i> , close SE of:	(a) above

II

1948* ENGLAND - West Coast - Light-beacon.

Source: Hayle Harbour Authority

Chart 1168 (Panel D, Saint Ives Bay) [*previous update 5663/25*] ETRS89 DATUM

Delete symbol, white red white light-beacon, F.23m4M 50° 11'·45N., 5° 26'·18W.

Chart 5603_4 (Panel B, Saint Ives) [*previous update 5663/25*] ETRS89 DATUM

Delete symbol, white red white light-beacon, F.23m4M 50° 11'·45N., 5° 26'·18W.

II

1951* ENGLAND - East Coast - NM Blocks.

Source: ABP Lowestoft

Chart 1535 (INT 1559) [*previous update New Edition 02/04/2026*] ETRS89 DATUM

Insert the accompanying block A, centred on: 52° 28'·4N., 1° 45'·8E.

Chart 1535 (INT 1559) (Panel, Lowestoft Harbour) [*previous update New Edition 02/04/2026*] ETRS89 DATUM

Insert the accompanying block B, centred on: 52° 28'·4N., 1° 45'·7E.

Chart 1543 [*previous update 954/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 52° 28'·5N., 1° 46'·0E.

Chart 5614_2 [*previous update 764/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 52° 28'·5N., 1° 46'·0E.

Chart 5614_3 [*previous update 764/26*] ETRS89 DATUM

Insert the accompanying block, centred on: 52° 28'·4N., 1° 45'·8E.

II

1850 ICELAND - Marine farms.

Source: Icelandic Notices 1/4-5/26

Chart 2937 (INT 1111) [*previous update 2283/25*] WGS84 DATUM

Insert	limit of marine farm, pecked line, joining:	(a) 64° 54'·28N., 13° 54'·15W. (b) 64° 54'·47N., 13° 54'·07W. and (c) 64° 59'·57N., 13° 51'·76W. (d) 64° 59'·18N., 13° 50'·53W. (e) 64° 58'·40N., 13° 49'·37W. (f) 64° 58'·19N., 13° 50'·47W. (g) 64° 58'·41N., 13° 50'·98W. (h) 64° 58'·38N., 13° 51'·35W. (i) 64° 58'·67N., 13° 52'·29W. (j) 64° 59'·07N., 13° 52'·20W. (k) 64° 59'·31N., 13° 52'·72W.
	 , within:	(c)-(k) above
Delete	former limit of marine farm, pecked line, joining:	(l) (a) above (m) 64° 54'·44N., 13° 56'·20W. (n) 64° 54'·63N., 13° 56'·10W. (o) (b) above
	 , within:	(l)-(o) above

II

1874 NORWAY - West Coast - Buoy.

Source: Norwegian Notice 4/80621/26

Chart 2348 (INT 9314) [*previous update 726/26*] WGS84 DATUM

Delete

 *Fl W 20s*

67° 20′·5N., 13° 33′·8E.

II

1907 RUSSIA - Arctic Coast - Submarine cable.

Source: Russian Notice 8/680/26

Chart 2684 [*previous update 1716/26*] WGS84 DATUM

Insert submarine cable, , joining:

73° 31'·0N., 80° 31'·0E.
73° 37'·9N., 80° 05'·9E.
74° 19'·8N., 77° 54'·5E.
75° 11'·6N., 74° 37'·4E.
74° 52'·0N., 71° 30'·8E.
74° 34'·3N., 69° 30'·7E.
74° 13'·0N., 68° 33'·4E.
73° 42'·6N., 67° 48'·6E.
73° 20'·5N., 67° 04'·3E.
72° 40'·0N., 65° 08'·6E.
72° 17'·6N., 63° 41'·5E.
72° 08'·6N., 62° 25'·7E.
71° 40'·2N., 61° 27'·1E.
71° 20'·6N., 60° 27'·5E.
71° 13'·8N., 60° 16'·0E.

II

1913 RUSSIA - White Sea Coast - Buoyage. Lights. Leading line.

Source: Russian Notice 9/797/26

Chart 2295 [*previous update 1033/26*] WGS84 DATUM

Insert	 <i>Fl.G.3s No 29A</i>	64° 30′·68N., 40° 35′·44E.
	 <i>Fl.R.3s No 22B</i>	64° 30′·70N., 40° 35′·57E. 64° 29′·71N., 40° 36′·65E.
Delete	 <i>Fl.G.3s No 29B</i>	64° 29′·68N., 40° 36′·54E.
	★ F.R.16m2M Obratnyy Okulovskiy	(a) 64° 31′·55N., 40° 34′·58E.
	★ F.R.13m2M	64° 31′·50N., 40° 34′·64E.
	leading line, pecked line for 830m, extending in direction 155°, from:	(a) above

II

1933 ICELAND - Obstructions. Virtual aids to navigation.

Source: Icelandic Notice 1/6/26

Chart 2897 (INT 1010) [previous update 1397/26] WGS84 DATUM

Insert	 Subm buoy (5 buoys)	(a) 63° 57'·3N., 13° 30'·0W.
	symbol, Virtual aid to navigation, V-AIS (5 V-AIS)	(a) above

Chart 2901 (INT 1101) [previous update 1397/26] WGS84 DATUM

Insert	 Subm buoy	(a) 63° 58'·2N., 13° 31'·5W.
	symbol, Virtual aid to navigation, V-AIS	(a) above
	 Subm buoy, out of position	(b) 63° 57'·9N., 13° 31'·0W.
	symbol, Virtual aid to navigation, V-AIS, out of position	(b) above
	 Subm buoy	(c) 63° 57'·3N., 13° 30'·0W.
	symbol, Virtual aid to navigation, V-AIS	(c) above
	 Subm buoy	(d) 63° 56'·3N., 13° 28'·3W.
	symbol, Virtual aid to navigation, V-AIS	(d) above
	 Subm buoy	(e) 63° 55'·3N., 13° 26'·4W.
	symbol, Virtual aid to navigation, V-AIS	(e) above

Chart 2902 (INT 1102) [previous update 5719/25] WGS84 DATUM

Insert	 Subm buoy	(a) 63° 58'·2N., 13° 31'·5W.
	symbol, Virtual aid to navigation, V-AIS	(a) above
	 Subm buoy, out of position	(b) 63° 57'·9N., 13° 31'·0W.
	symbol, Virtual aid to navigation, V-AIS, out of position	(b) above
	 Subm buoy	(c) 63° 57'·3N., 13° 30'·0W.
	symbol, Virtual aid to navigation, V-AIS	(c) above
	 Subm buoy	(d) 63° 56'·3N., 13° 28'·3W.
	symbol, Virtual aid to navigation, V-AIS	(d) above
	 Subm buoy	(e) 63° 55'·3N., 13° 26'·4W.
	symbol, Virtual aid to navigation, V-AIS	(e) above

II

1797 SWEDEN - West Coast - Buoy.

Source: Swedish Notice 1111/19968/26

Note: This update is included in New Edition 2108 published early 2026.

Chart 2115 [*previous update 1764/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

55° 57'·71N., 12° 44'·75E.

Chart 2594 (INT 1331) [*previous update 1764/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

55° 57'·71N., 12° 44'·75E.

II

1798 SWEDEN - West Coast - Wind turbine. Buoyage. Restricted area.

Source: Swedish Notice 1111/19905/26

Chart 869 (INT 1311) (Panel E, Lysekil) [*previous update 5103/25*] WGS84 DATUM

Delete	symbol, wind turbine	58° 16′·566N., 11° 27′·837E.
	 <i>Fl Y 3s</i>	58° 16′·520N., 11° 27′·725E.
	limit of restricted area, entry prohibited, pecked line, joining:	58° 16′·502N., 11° 27′·946E.
		58° 16′·502N., 11° 27′·711E.
		58° 16′·629N., 11° 27′·711E.
		58° 16′·634N., 11° 27′·946E.

Chart 869 (INT 1311) [*previous update 5103/25*] WGS84 DATUM

Delete	symbol, wind turbine	58° 16′·57N., 11° 27′·84E.
		58° 16′·52N., 11° 27′·73E.
	 <i>2Fl Y 3s</i>	58° 16′·52N., 11° 27′·97E.
	limit of restricted area, entry prohibited, pecked line, joining:	58° 16′·63N., 11° 27′·97E.
		58° 16′·50N., 11° 27′·97E.
		58° 16′·50N., 11° 27′·71E.
		58° 16′·63N., 11° 27′·71E.

II

1811 POLAND - Fouls.

Source: ENC PL5SZCZE

Chart 2452 (INT 12991) [*previous update 1474/26*] WGS84 DATUM

Insert

#

53° 26′·787N., 14° 35′·643E.

Chart 2452 (INT 12991) (Panel A, Continuation of Szczecin) [*previous update 1474/26*] WGS84 DATUM

Delete

#

53° 29′·719N., 14° 37′·317E.

II

1814 POLAND - Depths. Automatic Identification Systems.

Source: ENC PL5SWINO

Chart 2453 (INT 12992) [*previous update New Edition 25/12/2025*] WGS84 DATUM

Insert	depth, 8	(a)	53° 53'·390N., 14° 16'·533E.
Delete	depth, 86, close SE of:	(a)	above
Insert	Automatic Identification System, AIS, at light		53° 55'·377N., 14° 17'·060E.
	Automatic Identification System, AIS, at light-buoy		53° 56'·401N., 14° 16'·728E.

Chart 2453 (INT 12992) (Panel A, Continuation of Świnoujście) [*previous update New Edition 25/12/2025*] WGS84 DATUM

Insert	depth, 61	(a)	53° 51'·790N., 14° 16'·646E.
Delete	depth, 73, close E of:	(a)	above
Insert	depth, 89, enclosed by 10m contour		53° 51'·639N., 14° 16'·853E.
	depth, 56	(b)	53° 51'·599N., 14° 16'·696E.
Delete	depth, 65, close NW of:	(b)	above

Chart 2677 (INT 1297) [*previous update 4797/25*] WGS84 DATUM

Insert	depth, 88	(a)	53° 51'·36N., 14° 21'·83E.
Delete	depth, 95, close SW of:	(a)	above
Insert	Automatic Identification System, AIS, at light-buoy		53° 56'·40N., 14° 16'·73E.

II

1827 FINLAND - South Coast - Lights.

Source: Finnish Notice 4/42/26

Chart 2259 (INT 1153) [*previous update 472/26*] WGS84 DATUM

Amend Hillo light to, Iso.G.2s

60° 31'·140N., 27° 09'·426E.

Hillo light to, Iso.G.4s

60° 31'·370N., 27° 09'·581E.

II

1833 GERMANY - Baltic Coast - Automatic Identification System.

Source: German Notice 1-2/2400/26

Chart 2014 (INT 1219) [*previous update 1712/26*] WGS84 DATUM

Insert	Automatic Identification System, <i>AIS</i> , at light-buoy	54° 44'·00N., 14° 14'·00E.
--------	---	----------------------------

Chart 2015 (INT 1201) [*previous update 1537/26*] WGS84 DATUM

Insert	Automatic Identification System, <i>AIS</i> , at light-buoy	54° 44'·00N., 14° 14'·00E.
--------	---	----------------------------

Chart 2018 (INT 1202) [*previous update 1712/26*] WGS84 DATUM

Insert	Automatic Identification System, <i>AIS</i> , at light-buoy	54° 44'·00N., 14° 14'·00E.
--------	---	----------------------------

II

1859 DENMARK - Islands - Fish haven. Obstruction.

Source: Danish Chart Corrections 3/15/26 and 3/23/26

Chart 2595 (INT 1332) (Panel B, Approaches to Køge) [*previous update 1764/26*] WGS84 DATUM


Insert



55° 28'·52N., 12° 12'·00E.

Chart 2595 (INT 1332) [*previous update 1764/26*] WGS84 DATUM

Insert



55° 32'·90N., 12° 15'·13E.

II

1866 POLAND - Depths.

Source: ENC PL5WLADY

Chart 2688 (INT 1288) (Panel A, Port Władysławowo) [*previous update 1405/26*] WGS84 DATUM

Insert	depth, 52, enclosed by 10m contour	(a)	54° 47'·810N., 18° 25'·316E.
Delete	depth, 35, close SW of:	(a)	above
Insert	depth, 49, and extend 5m contour NE to enclose	(b)	54° 47'·796N., 18° 25'·349E.
Delete	depth, 23, close S of:	(b)	above

II

1873 RUSSIA - Baltic Sea Coast - Depths.

Source: ENC RU5NDJT9

Chart 1916 (Panel A, Baltiysk to Km 5·0) [*previous update 2787/20*] WGS84 DATUM

Insert	depth, 91, enclosed by 10m contour	(a)	54° 38'·545N., 19° 52'·711E.
Delete	depth, 108, close SW of:	(a)	above
Insert	depth, 94, enclosed by 10m contour		54° 38'·465N., 19° 52'·857E.
	depth, 99, enclosed by 10m contour	(b)	54° 38'·302N., 19° 53'·099E.
Delete	depth, 106, close S of:	(b)	above
Insert	depth, 99, enclosed by 10m contour	(c)	54° 38'·206N., 19° 53'·257E.
Delete	depth, 103, close E of:	(c)	above
Insert	depth, 98, enclosed by 10m contour	(d)	54° 38'·135N., 19° 53'·379E.
Delete	depth, 102, close E of:	(d)	above
Insert	depth, 91, enclosed by 10m contour	(e)	54° 38'·100N., 19° 53'·475E.
Delete	depth, 106, close S of:	(e)	above
Insert	depth, 93, enclosed by 10m contour	(f)	54° 38'·066N., 19° 53'·564E.
Delete	depth, 107, close SE of:	(f)	above
Insert	depth, 58, and extend 6m contour SW to enclose		54° 38'·011N., 19° 54'·520E.

II

1877 DENMARK - Islands - Restricted areas.

Source: Danish Chart Correction 6/35/26

Chart 903 (INT 1333) [*previous update 1764/26*] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a)	55° 42'·76N., 12° 37'·79E. 55° 42'·84N., 12° 38'·04E. 55° 42'·88N., 12° 38'·30E. 55° 42'·88N., 12° 38'·46E.
		(b)	55° 42'·88N., 12° 38'·62E.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(a)	above
		(b)	above


II

1906 POLAND - Obstruction.

Source: Polish Notice 07/67/26

Chart 2453 (INT 12992) (Panel A, Continuation of Świnoujście) [*previous update 1814/26*] WGS84 DATUM

Delete



53° 51'·430N., 14° 17'·142E.

II

1943 FINLAND - South Coast - Submarine cable.

Source: Finnish Notice 5/48/26

Chart 2211 (INT 12511) [*previous update 467/26*] WGS84 DATUM

Insert submarine cable, , joining:

59° 58'·07N., 24° 24'·68E.
59° 58'·04N., 24° 24'·70E.
59° 58'·02N., 24° 24'·67E.
59° 58'·01N., 24° 24'·18E.
59° 57'·80N., 24° 23'·96E.
59° 57'·47N., 24° 23'·51E.
59° 57'·39N., 24° 23'·37E.
59° 57'·35N., 24° 23'·21E.
59° 57'·33N., 24° 23'·19E.

Chart 3819 (INT 1251) [*previous update 977/26*] WGS84 DATUM

Insert submarine cable, , joining:

59° 58'·07N., 24° 24'·68E.
59° 58'·04N., 24° 24'·70E.
59° 58'·02N., 24° 24'·67E.
59° 58'·01N., 24° 24'·18E.
59° 57'·80N., 24° 23'·96E.
59° 57'·47N., 24° 23'·51E.
59° 57'·39N., 24° 23'·37E.
59° 57'·35N., 24° 23'·21E.
59° 57'·33N., 24° 23'·19E.

II

1947* GERMANY - Baltic Coast - Buoy.

Source: WSA Ostsee 92/26

Chart DE 37 (INT 1356) [*previous update 1293/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 03'·24N., 11° 18'·47E.

II

1950* GERMANY - Baltic Coast - Buoy.

Source: WSA Ostsee 92/26

Chart DE 31 (INT 1357) [*previous update 1494/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 14'·86N., 11° 30'·78E.

Chart DE 1671 (INT 1354) [*previous update 1169/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 14'·86N., 11° 30'·78E.

II

1946* NETHERLANDS - Buoyage.

Source: NL BaZ 13/64/26

Chart DE 50 (INT 1045) [*previous update 1746/26*] WGS84 DATUM

Amend	<i>NAM 14</i> light-buoy to, <i>Fl.Y.5s</i>	53° 32′·7N., 3° 28′·5E.
	<i>PEN 38</i> light-buoy to, <i>Fl.Y.5s</i>	53° 29′·7N., 4° 03′·7E.

II

1860 SPAIN - North Coast - Depths. Obstruction.

Source: Spanish Notice 8/38/26

Chart 1094 [*previous update 4364/25*] WGS84 DATUM

Insert	depth, 78, and extend 10m contour SW to enclose	43° 27'·61N., 8° 20'·75W.
	depth, 27, and extend 5m contour W to enclose	43° 27'·26N., 8° 18'·86W.
	depth, 11, and extend 5m contour NW to enclose	43° 23'·32N., 8° 13'·42W.
Replace	 with 	43° 23'·06N., 8° 13'·59W.

Chart 1117 (INT 1856) [*previous update 3645/25*] WGS84 DATUM

Insert	depth, 36, and extend 5m contour SW to enclose	43° 28'·027N., 8° 16'·317W.
--------	--	-----------------------------

Chart 1118 (INT 1855) [*previous update 4364/25*] WGS84 DATUM

Insert	depth, 78, enclosed by 10m contour	43° 27'·605N., 8° 20'·746W.
	depth, 42, and extend 5m contour S to enclose	(a) 43° 28'·081N., 8° 18'·987W.
Delete	depth, 46, close NE of:	(a) above
Insert	depth, 52	(b) 43° 27'·868N., 8° 18'·327W.
Delete	depth, 62, close SW of:	(b) above
Insert	depth, 49, enclosed by 5m contour	(c) 43° 27'·723N., 8° 18'·055W.
Delete	depth, 79, close W of:	(c) above
Insert	depth, 36, and extend 5m contour SW to enclose	43° 28'·027N., 8° 16'·317W.
	depth, 32, and extend 5m contour SW to enclose	(d) 43° 26'·406N., 8° 18'·545W.
Delete	depth, 57, close SW of:	(d) above
Replace	depth, 57, with depth, 27, and extend 5m contour W to enclose	43° 27'·260N., 8° 18'·857W.

II

1910 FRANCE - West Coast - NM Blocks. Light.

Source: French Notice 48/49/25

Chart 2350 [*previous update 1542/26*] WGS84 DATUM

Insert the accompanying block, centred on:

48° 03'·2N., 4° 50'·2W.

Chart 2643 (INT 1800) [*previous update 1542/26*] WGS84 DATUM

Amend range of light to, 7M

48° 02'·31N., 4° 50'·95W.

Chart 2655 [*previous update 1542/26*] ETRS89 DATUM

Amend range of light to, 7M

48° 02'·3N., 4° 51'·0W.

Chart 2819 [*previous update 1358/26*] WGS84 DATUM

Insert the accompanying block, centred on:

48° 03'·2N., 4° 50'·2W.

II

1799 SPAIN - Mediterranean Sea Coast - Lights.

Source: Spanish Notice 9/48/26

Chart 1193 (INT 3180) [*previous update 5345/25*] WGS84 DATUM

Amend	range of light to, 1M	41° 05′·296N., 1° 12′·744E.
	range of light to, 3M	41° 05′·413N., 1° 12′·966E.
		41° 05′·769N., 1° 13′·365E.

II

1801 GREECE - Korinthiakós Kólpos - Seaplane operating area.

Source: Greek Notice 2/28/26

Chart 2405 (Panel E, Krissaíos Kólpos) [*previous update 344/24*] WGS84 DATUM

Insert symbol, seaplane operating area, centred on: 38° 23'·24N., 22° 23'·84E.

II

1804 TÜRKiYE - Çanakkale Boğazi - Buoyage.

Source: Turkish Notice 1/3/26

Chart 2429 [*previous update 1514/26*] WGS84 DATUM

Insert



Fl. Y. 5s

40° 01'·81N., 26° 19'·49E.

40° 01'·48N., 26° 19'·14E.

II

1806 GREECE - Aegean Sea Coast - Light.

Source: Greek Notice 1/22/26

Chart 1057 [*previous update New Edition 05/03/2026*] WGS84 DATUM

Insert

★ Fl.R.3M & Fl.G.3M

37° 46′·89N., 26° 59′·56E.

Chart 1526 (Panel E, Dilek Boğazi or Stenó Sámou) [*previous update 3540/25*] WGS84 DATUM

Insert

★ Fl.R.3s6m3M & Fl.G.3s6m3M

37° 46′·89N., 26° 59′·56E.

II

1821 CROATIA - Buoyage.

Source: Croatian Notices 2/30-33/26

Note: Former Notice 5712(T)/17 is cancelled.

Chart 1996 (Panel C, Bakarski Zaljev) [*previous update 998/26*] WGS84 DATUM

Insert

 *Fl.Y*

45° 17'·73N., 14° 32'·98E.

45° 17'·70N., 14° 33'·01E.

II

1825 SPAIN - Mediterranean Sea Coast - Light-beacon.

Source: Spanish Notice 8/39/26

Chart 773 [*previous update 5819/25*] WGS84 DATUM

Insert



VQ(6)+LFl.10s3M

36° 42'·8N., 3° 33'·3W.

Chart 774 [*previous update 4970/25*] WGS84 DATUM

Insert



VQ(6)+LFl.10s3M

36° 42'·8N., 3° 33'·3W.

II

1829 CROATIA - Obstructions. Light. Depth.

Source: Croatian Notices 12/8/25 and 12/10/25

Chart 196 [previous update 1276/26] WGS84 DATUM

Insert	 <i>Obstn</i>	42° 44'·3N., 16° 57'·4E.
Amend	range of light to, 10M	42° 45'·9N., 17° 08'·8E.
Replace	depth, 19, and associated 20m contour, with  <i>Obstn</i>	42° 45'·5N., 16° 41'·1E.

Chart 200 [previous update 1448/26] WGS84 DATUM

Insert	 <i>Obstn</i>	42° 44'·3N., 16° 57'·4E.
Replace	depth, 19, and associated 20m contour, with  <i>Obstn</i>	42° 45'·5N., 16° 41'·1E.

Chart 1440 [previous update 2875/25] WGS84 DATUM

Amend	range of light to, 10M	42° 46'·0N., 17° 08'·5E.
-------	------------------------	--------------------------

Chart 1574 [previous update 1482/26] WGS84 DATUM

Insert	 <i>Obstn</i>	42° 44'·34N., 16° 57'·38E.
	 <i>Obstn</i>	42° 45'·45N., 17° 06'·51E.
Amend	range of light to, 10M	42° 45'·9N., 17° 08'·8E.

Chart 1580 [previous update 1482/26] WGS84 DATUM

Amend	range of light to, 10M	42° 45'·9N., 17° 08'·8E.
-------	------------------------	--------------------------

Chart 2712 [previous update 1448/26] WGS84 DATUM

Insert	 <i>Obstn</i>	(a) 42° 45'·50N., 16° 41'·06E.
Delete	depth, 19, and associated 20m contour, close SW of:	(a) above

II

1834 ITALY - Sardegna - Depths.

Source: Italian Notice 25.6/25

Chart 1210 (Panel A, Porto di Olbia) [*previous update 1245/26*] WGS84 DATUM

Insert	10m contour, joining:	(a)	40° 56'·468N., 9° 34'·608E. 40° 56'·454N., 9° 34'·627E. 40° 56'·438N., 9° 34'·623E. 40° 56'·434N., 9° 34'·599E.
		(b)	40° 56'·441N., 9° 34'·587E.
Delete	former 10m contour, joining:	(a)-(b)	above
Insert	depth, 83	(c)	40° 56'·524N., 9° 34'·676E.
Delete	depth, 9, close SW of:	(c)	above
Insert	depth, 68	(d)	40° 56'·544N., 9° 34'·776E.
Delete	depth, 76, close NE of:	(d)	above
Insert	depth, 28		40° 56'·577N., 9° 34'·722E.

Chart 1211 [*previous update New Edition 12/03/2026*] WGS84 DATUM

Insert	depth, 68, and extend 10m contour SE to enclose	40° 56'·54N., 9° 34'·78E.
--------	---	---------------------------

II

1840 EGYPT - North Coast - Superbuoy. Well. Depths. Single Buoy Mooring. Fog signal.

Source: ENC EG3M33G1 and ENHD

Chart 183 [*previous update 1426/26*] WGS84 DATUM

Delete	depth, 44, and associated 50m contour	31° 28'·4N., 29° 44'·3E.
	depth, 29, and associated 50m contour	31° 25'·2N., 29° 50'·1E.
	depth, 132	31° 22'·0N., 29° 41'·9E.
	depth, 358, and associated 1000m contour	31° 20'·6N., 29° 00'·0E.

Chart 302 (INT 3553) [*previous update 3806/25*] WGS84 DATUM

Delete	 Mo(G)15s Horn No 3	31° 04'·40N., 29° 36'·59E.
--------	--	----------------------------

Chart 2681 [*previous update 1426/26*] WGS84 DATUM

Insert	 Well	31° 34'·40N., 30° 02'·23E.
Delete	depth, 44, and associated 50m contour	31° 28'·04N., 29° 44'·59E.
	depth, 29, and associated 50m contour	31° 24'·93N., 29° 50'·78E.
	depth, 132, and associated 200m contour	31° 21'·53N., 29° 41'·98E.
	symbol, single buoy mooring, Mo(G)15s Horn No 3	31° 04'·40N., 29° 36'·59E.

Chart 4300 (INT 300) [*previous update 1426/26*] WGS84 DATUM

Insert	200m contour, joining:	(a) 31° 23'·5N., 29° 44'·3E. 31° 27'·0N., 29° 53'·7E.
		(b) 31° 30'·4N., 29° 53'·9E.
Delete	former 200m contour, joining:	(a) above 31° 30'·3N., 29° 42'·0E.
		(b) above 31° 24'·3N., 29° 49'·9E.
	depth, 29, and associated 30m contour	31° 24'·3N., 29° 49'·9E.
	depth, 358, and associated 1000m contour	31° 19'·7N., 28° 59'·4E.

Chart 4302 (INT 302) [*previous update 1426/26*] WGS84 DATUM

Insert	200m contour, joining:	(a) 31° 23'·3N., 29° 45'·3E. (b) 31° 27'·0N., 29° 53'·7E.
Delete	former 200m contour, joining:	(a) above 31° 29'·7N., 29° 42'·5E.
		(b) above 31° 25'·1N., 29° 50'·2E.
	depth, 29, and associated 30m contour	31° 25'·1N., 29° 50'·2E.
	depth, 44	31° 28'·4N., 29° 44'·2E.
	depth, 358, and associated 1000m contour	31° 20'·0N., 28° 58'·9E.

II

1861 ITALY - West Coast - Rocks. Depth.

Source: Italian Notice 25.11/25

Chart 917 [*previous update 1017/26*] WGS84 DATUM

Insert

 with seabed type, *R*

38° 15'·14N., 15° 41'·77E.

 with seabed type, *R*

(a) 38° 15'·09N., 15° 41'·55E.

Delete

depth, *10_I*, close SE of:

(a) above

II

1867 FRANCE - South Coast - Marine farm. Buoyage.

Source: French Notice 8/92/26

Chart 2247 [*previous update New Edition 18/12/2025*] WGS84 DATUM

Insert limit of marine farm, pecked line, joining:

- (a) 43° 32'·559N., 7° 03'·764E.
- (b) 43° 32'·486N., 7° 03'·938E.
- (c) 43° 32'·444N., 7° 03'·903E.
- (d) 43° 32'·517N., 7° 03'·731E.

, within:



(a)-(d) above

(a) above

(b) above

43° 32'·449N., 7° 03'·892E.

43° 32'·517N., 7° 03'·730E.



43° 32'·450N., 7° 04'·113E.

II

1883 TÜRKIYE - Marmara Denizi - Light.

Source: Turkish Notice 48/238/25

Chart 1005 [*previous update 1739/26*] WGS84 DATUM

Amend light to, Fl(4)Y.10s5M

40° 24'·84N., 29° 04'·55E.

Chart 1006 (Panel B, Gemlik) [*previous update 1305/26*] WGS84 DATUM

Amend light to, Fl(4)Y.10s9m5M

40° 24'·84N., 29° 04'·55E.

II

1886 ROMANIA - Fish trap.

Source: ENC RO503009

Chart 2282 (Panel B, Portul Sulina) [*previous update 1765/26*] WGS84 DATUM

Insert symbol, fish trap, centred on: 45° 08'·24N., 29° 41'·00E.

II

1893 ITALY - East Coast - Light-beacon.

Source: Italian Notice 1.11/26

Chart 200 [*previous update 1829/26*] WGS84 DATUM

Insert



Fl(5)Y.20s7·5m

43° 25′·1N., 13° 44′·8E.

Chart 220 [*previous update 1603/26*] WGS84 DATUM

Insert



Fl(5)Y.20s7·5m

43° 25′·1N., 13° 44′·8E.

II

1897 TÜRKIYE - South Coast - Submarine cable.

Source: Turkish Notice 2/13/26

Note: This update is included in New Edition 1054, published early 2026.

Chart 1055 [*previous update 934/26*] WGS84 DATUM

Insert submarine cable, , joining:

36° 48'·33N., 28° 14'·02E.

36° 48'·36N., 28° 14'·28E.

36° 48'·02N., 28° 15'·26E.

36° 47'·56N., 28° 15'·58E.

36° 46'·61N., 28° 15'·45E.

36° 46'·58N., 28° 14'·94E.

Chart 1644 (Panel C, Marmaris) [*previous update New Edition 19/03/2026*] WGS84 DATUM

Insert submarine cable, , joining:

36° 48'·32N., 28° 13'·98E.

36° 48'·36N., 28° 14'·11E.

36° 48'·36N., 28° 14'·28E.

36° 48'·24N., 28° 14'·48E.

36° 48'·02N., 28° 15'·26E.

36° 47'·56N., 28° 15'·58E.

36° 47'·10N., 28° 15'·50E.

36° 46'·85N., 28° 15'·54E.

36° 46'·69N., 28° 15'·48E.

II

1905 TUNISIA - Light.

Source: Tunisian LL Corr 3/26

Chart 3403 (INT 3216) [*previous update 5435/25*] WGS84 DATUM

Delete

★ Fl(5)R.20s5m5M PA

33° 41′·0N., 10° 35′·9E.

II

1912 TÜRKIYE - South Coast - NM Block.

Source: ENC TR4LFP00

Chart 242 (Panel A, Approaches to Antalya) [*previous update 1398/26*] WGS84 DATUM

Insert the accompanying block, centred on: 36° 52'·4N., 30° 41'·8E.

II

1932 ITALY - West Coast - NM Block.

Source: Italian Notice 25.5/25

Chart 131 (Panel A, Porto di Piombino) [*previous update 766/26*] WGS84 DATUM

Insert the accompanying block, centred on: 42° 56'·8N., 10° 33'·7E.

II

1944 RUSSIA - Black Sea Coast - Marine farm.

Source: Russian Notice 10/924/26

Chart 3316 [*previous update 331/26*] WGS84 DATUM

Insert limit of marine farm, pecked line, joining:

44° 40'·46N., 37° 51'·96E.

44° 39'·74N., 37° 52'·60E.

44° 39'·18N., 37° 52'·63E.

44° 39'·51N., 37° 51'·83E.

44° 39'·54N., 37° 51'·29E.

44° 39'·89N., 37° 51'·38E.

44° 40'·07N., 37° 51'·24E.

II

1956 ITALY - Sicilia - Obstruction.

Source: Italian HO

Chart 2123 [*previous update 700/26*] WGS84 DATUM

Replace  *Obstn Rep (2025)* with  *ODAS Rep (2025)*

36° 32'·6N., 12° 29'·2E.

II

1856* SIERRA LEONE - NM Block. Depth.

Source: Sierra Leone Ports and Harbours Authority

Chart 614 [*previous update 5054/25*] WGS84 DATUM

Insert the accompanying block, centred on:

8° 29′·7N., 13° 12′·6W.

Chart 625 (INT 2862) [*previous update 5054/25*] WGS84 DATUM

Delete depth, 8g, and associated 10m contour

8° 29′·72N., 13° 12′·81W.

II

1878 GABON - Submarine pipeline. Platform.

Source: French Notice 9/172/26

Chart 3328 (INT 2812) [*previous update 2835/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

1° 12'·6S., 8° 46'·4E.

1° 12'·1S., 8° 55'·4E.



1° 12'·7S., 8° 55'·4E.

II

1917* ANGOLA - Single Point Moorings. Restricted areas. Pilot boarding place. Anchorage area.

Source: Cabinda Gulf Oil Company

Chart 306 (INT 2814) [previous update 456/26] WGS84 DATUM

Delete	symbol, floating single point mooring, <i>Mo(F) Takula Terminal</i> (see Note)	5° 13'·2S., 11° 48'·5E.
	circular limit of restricted area, radius 1860m (1·00M),  ,	
	centred on:	5° 10'·7S., 11° 46'·7E.

Chart 311 (INT 2089) [previous update 456/26] WGS84 DATUM

Delete	symbol, lighted, floating single point mooring, <i>Takula Terminal</i>	5° 13'·2S., 11° 48'·5E.
--------	--	-------------------------

Chart 3291 [previous update 456/26] WGS84 DATUM

Delete	symbol, floating single point mooring, <i>Mo(F) Horn(1)20s</i> <i>Takula Terminal</i> (see Note) and associated circular limit restricted area,  , centred on:	5° 13'·23S., 11° 48'·59E.
	① <i>Takula Tankers</i>	5° 12'·00S., 11° 47'·56E.
		5° 12'·01S., 11° 47'·36E.
	circular limit of restricted area, radius 1860m (1·00M),  ,	
	centred on:	5° 11'·25S., 11° 47'·64E.

II

1828* KENYA - Pilot boarding places.

Source: Kenya Port Authority

Chart 668 [*previous update 2675/25*] WGS84 DATUM

Insert

①

2° 15'·00S., 41° 07'·00E.

Chart 669 [*previous update 1520/26*] WGS84 DATUM

Delete

①

2° 12'·8S., 40° 59'·4E.

II

1807 IRAN - Buoy.
Source: ENC IR403051

Chart 1269 (INT 7299) (Panel B, Bandar-E Emām Khomeynī and Approaches to Bandar-E Māhshahr) [*previous update 494/25*] WGS84 DATUM

Delete



Fl.Y.6s

30° 27′·38N., 49° 01′·87E.

II

1832* QATAR - Submarine pipelines. NM Block.

Source: QatarEnergy

Note: This update is included in New Editions 2523, 2886, 3772, published mid 2026.

Chart 2837 (INT 7017) [*previous update 1753/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

25° 51'·6N., 51° 35'·0E.
25° 51'·6N., 51° 40'·1E.
25° 50'·2N., 51° 43'·9E.
and
25° 54'·6N., 51° 48'·4E.
25° 55'·3N., 51° 44'·4E.
25° 53'·0N., 51° 43'·7E.
25° 50'·2N., 51° 43'·9E.

Chart 2847 (INT 7018) [*previous update 1654/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

25° 51'·6N., 51° 35'·0E.
25° 51'·6N., 51° 40'·1E.
25° 50'·2N., 51° 43'·9E.
and
25° 54'·6N., 51° 48'·4E.
25° 55'·3N., 51° 44'·4E.
25° 53'·0N., 51° 43'·7E.
25° 50'·2N., 51° 43'·9E.

Chart 3781 (INT 7248) [*previous update 3875/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

25° 51'·605N., 51° 35'·015E.
25° 51'·588N., 51° 39'·526E.
and
25° 53'·618N., 51° 43'·779E.
25° 54'·319N., 51° 43'·994E.
25° 54'·627N., 51° 44'·128E.
25° 54'·836N., 51° 44'·276E.
and
25° 54'·761N., 51° 44'·275E.
25° 54'·414N., 51° 44'·074E.
25° 53'·618N., 51° 43'·841E.

Chart 3950 (INT 7244) [*previous update 507/26*] WGS84 DATUM

Insert the accompanying block, centred on:

25° 56'·2N., 51° 41'·6E.

II

1928* QATAR - Depths.

Source: QatarEnergy

Chart 3783 [*previous update 3864/25*] WGS84 DATUM

Insert	depth, <i>102</i>	(a)	24° 51'·08N., 51° 35'·74E.
Delete	depth, <i>116</i> , close NE of:	(a)	above
Insert	depth, <i>143</i> , and extend 15m contour S to enclose	(b)	24° 54'·11N., 51° 37'·65E.
Delete	depth, <i>162</i> , close S of:	(b)	above

II

1851 INDIAN OCEAN - Andaman Islands - Submarine cable.

Source: Indian Notice 21/140/25

Chart IN 33 (INT 755) [*previous update 1344/26*] WGS84 DATUM

Insert submarine cable, , joining:

11° 38'·7N., 92° 45'·0E.
11° 37'·0N., 92° 47'·2E.
11° 34'·4N., 92° 48'·1E.
10° 45'·7N., 92° 50'·1E.
10° 42'·2N., 92° 49'·1E.
10° 39'·5N., 92° 45'·9E.
10° 37'·2N., 92° 43'·9E.
10° 35'·5N., 92° 36'·9E.
10° 35'·7N., 92° 34'·3E.
10° 35'·4N., 92° 33'·9E.

Chart IN 472 (INT 7032) [*previous update 1344/26*] WGS84 DATUM

Insert submarine cable, , joining:

10° 35'·3N., 92° 33'·8E.
10° 35'·7N., 92° 34'·3E.
10° 35'·6N., 92° 35'·7E.
10° 35'·5N., 92° 36'·9E.
10° 36'·4N., 92° 40'·7E.
10° 36'·9N., 92° 42'·9E.
10° 37'·3N., 92° 43'·6E.

Chart IN 473 (INT 7031) [*previous update 1344/26*] WGS84 DATUM

Insert submarine cable, , joining:

11° 38'·6N., 92° 45'·0E.
11° 37'·0N., 92° 47'·2E.
11° 34'·4N., 92° 48'·1E.
10° 45'·7N., 92° 50'·1E.
10° 42'·2N., 92° 49'·1E.
10° 37'·1N., 92° 43'·5E.
10° 35'·5N., 92° 36'·9E.
10° 35'·7N., 92° 34'·3E.
10° 35'·3N., 92° 33'·8E.

Chart 830 [*previous update 1344/26*] WGS84 DATUM

Insert submarine cable, , joining:

11° 38'·7N., 92° 44'·9E.
11° 37'·0N., 92° 47'·2E.
11° 34'·4N., 92° 48'·1E.
10° 45'·7N., 92° 50'·1E.
10° 42'·2N., 92° 49'·1E.
10° 37'·2N., 92° 43'·9E.
10° 35'·5N., 92° 36'·9E.
10° 35'·7N., 92° 34'·3E.
10° 34'·8N., 92° 33'·2E.

II

1851 INDIAN OCEAN - Andaman Islands - Submarine cable. (continued)

Chart 1398 [*previous update 1639/25*] UNDETERMINED DATUM

Insert submarine cable, , joining:

11° 38'·61N., 92° 45'·00E.
11° 37'·90N., 92° 45'·95E.
11° 36'·88N., 92° 47'·29E.
11° 36'·19N., 92° 47'·63E.

Chart IN 4006 (INT 7449) [*previous update 4779/25*] WGS84 DATUM

Insert submarine cable, , joining:

11° 38'·697N., 92° 44'·927E.
11° 38'·001N., 92° 45'·859E.


II

1896 INDIA - West Coast - Superbuoy.

Source: Indian Notice 4/52/26

Chart IN 273 [*previous update 4977/24*] WGS84 DATUM

Insert



10° 06′·8N., 73° 36′·8E.

II

1904 INDIA - West Coast - Buoy.

Source: Indian Notice 4/51/26

Chart IN 2018 (INT 7321) [*previous update 2001/24*] WGS84 DATUM

Delete



22° 59′·31N., 70° 13′·72E.

Chart IN 2059 (INT 7322) (Panel, Kandla Creek) [*previous update 2475/24*] WGS84 DATUM

Delete



22° 59′·314N., 70° 13′·725E.

II

1796 INDONESIA - Sumatera - Wreck.

Source: Indonesian Notice 8/58/26

Chart 1789 [*previous update 4946/25*] WGS84 DATUM

Insert



0° 46'·48S., 103° 45'·59E.

II

1844 MALAYSIA - Peninsular Malaysia, West Coast - Light.

Source: Malaysian Notice 12/286/25

Chart 1366 [*previous update 296/26*] WGS84 DATUM

Amend range of light to, 10M 5° 14'·68N., 100° 16'·52E.

Chart 3901 [*previous update New Edition 26/03/2026*] WGS84 DATUM

Amend range of light to, 10M 5° 14'·7N., 100° 16'·6E.

Chart 3944 [*previous update 296/26*] WGS84 DATUM

Amend range of light to, 10M 5° 14'·69N., 100° 16'·53E.

II

1845 INDONESIA - Sumatera - Light.

Source: Indonesian Notice 5/33/26

Chart 400 [*previous update 4945/24*] UNDETERMINED DATUM

Amend light to, Fl.5s15m12M & Fl.10s22m10M

4° 06′·3N., 96° 11′·5E.

Chart 3904 [*previous update 4671/24*] WGS84 DATUM

Amend light to, Fl.5s15m12M & Fl.10s22m10M

4° 06′·5N., 96° 11′·7E.

II

1901 MALAYSIA - Peninsular Malaysia, West Coast - Buoy. Wreck.

Source: Malaysian Notice 2/55/26 and ENC MY6B5526

Chart 1366 [*previous update 1844/26*] WGS84 DATUM

Insert



Delete



Fl(2)10s Ferry, close NE of:

(a) 5° 24'·71N., 100° 20'·84E.

(a) above

Chart 3732 [*previous update 5243/24*] WGS84 DATUM

Delete



Fl(2)10s

5° 24'·75N., 100° 20'·85E.

II

1902 INDONESIA - Sumatera - Depth.

Source: ENC ID501062

Chart 4042 [*previous update 610/26*] WGS84 DATUM

Insert depth, 35, enclosed by 5m contour

1° 12'·09N., 104° 04'·99E.

II

1916 INDONESIA - Sumatera - Submarine pipeline.
Source: ENC ID5025R2

Chart 3919 [*previous update 2863/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

5° 14'·45N., 97° 04'·59E.

5° 13'·91N., 97° 04'·79E.

II

1813 TAIWAN - Depths. Wrecks.

Source: UKHO

Note: This update is included in New Edition 1761, published mid 2026.

Chart 1968 [previous update 1402/26] WGS84 DATUM

Insert		(a) 24° 57'·9N., 120° 36'·9E.
Delete	depth, 82, close E of:	(a) above
Insert		24° 45'·4N., 120° 34'·8E.

Chart 2412 [previous update 1450/26] WGS84 DATUM

Insert		(a) 24° 45'·4N., 120° 34'·8E.
Delete	depth, 40, close SE of:	(a) above

Chart 3231 [previous update 1255/26] WGS84 DATUM

Insert		24° 57'·87N., 120° 36'·86E.
		24° 45'·44N., 120° 34'·78E.

Chart 3236 [previous update 1402/26] WGS84 DATUM

Insert		(a) 24° 57'·9N., 120° 36'·9E.
Delete	depth, 82, close NE of:	(a) above
Insert		24° 45'·4N., 120° 34'·8E.

Chart 3658 [previous update 1490/26] WGS84 DATUM

Insert	wreck out of position, 	24° 57'·87N., 120° 36'·86E.
--------	--	-----------------------------

Chart 4509 (INT 509) [previous update 1402/26] WGS84 DATUM

Insert		(a) 24° 45'·4N., 120° 34'·8E.
Delete	depth, 46, close NW of:	(a) above

II

1830 VIETNAM - Light.

Source: ENC VN250016

Chart 3986 [*previous update 1385/26*] WGS84 DATUM

Amend light to, Fl(2)6s23m15M

8° 45′·4N., 105° 13′·4E.

II

1831 CHINA - South Coast - Channel limits. Legends. Recommended route.

Source: Chinese Notice 47/1471/25

Chart 340 [*previous update 498/26*] CGCS 2000 DATUM

Insert	limit of channel, pecked line, joining:	22° 43'·87N., 114° 37'·66E.
		22° 41'·00N., 114° 40'·36E.
		22° 35'·69N., 114° 41'·90E.
		and
		22° 43'·82N., 114° 37'·59E.
		22° 40'·96N., 114° 40'·28E.
		22° 35'·67N., 114° 41'·81E.
		(a) 22° 40'·98N., 114° 40'·32E.
		(b) 22° 35'·68N., 114° 41'·85E.
		(a)-(b) above
Amend	legend, 344·4°, along:	
	legend to, 318·4°, centred on:	22° 41'·97N., 114° 39'·44E.

Chart 3026 [*previous update 1452/26*] WGS84 DATUM

Insert	limit of channel, pecked line, joining:	22° 39'·25N., 114° 40'·77E.
		22° 35'·67N., 114° 41'·81E.
		and
		22° 39'·26N., 114° 40'·86E.
		22° 35'·69N., 114° 41'·90E.
		(a) 22° 39'·26N., 114° 40'·82E.
		(b) 22° 35'·68N., 114° 41'·85E.
		(a)-(b) above
	legend, 344·4°, along:	

II

1836 CHINA - Yellow Sea Coast - Obstructions.

Source: Chinese Notice 4/86/26

Chart 1201 [*previous update 1510/26*] CGCS 2000 DATUM

Replace  *Obstn Rep(2022) PA*, with  *Obstn* 35° 12'·09N., 119° 44'·69E.

Chart 1253 [*previous update 1510/26*] CGCS 2000 DATUM

Replace obstruction out of position,  *Obstn Rep(2022) PA*, with
obstruction out of position,  *Obstn* 35° 12'·1N., 119° 44'·7E.

II

1837 CHINA - East Coast - NM Block. Depths.

Source: Chinese Charts 14292 and 14293

Chart 3449 [*previous update 257/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	24° 25′·7N., 118° 02′·9E.
	depth, <i>99</i> , and extend 10m contour NE to enclose	(a) 24° 28′·46N., 118° 03′·50E.
Delete	depth, <i>107</i> , close NW of:	(a) above

II

1871 MALAYSIA - Peninsular Malaysia, East Coast - Harbour limit. Legend.

Source: Malaysian Notice 12/288/25

Chart 3445 [*previous update 1754/26*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	2° 38'·68N., 103° 45'·94E.
		(a) 2° 38'·70N., 104° 05'·80E.
		(b) 2° 05'·20N., 104° 23'·00E.
		2° 02'·55N., 104° 03'·75E.
	legend, <i>Mersing Port Limit</i> , along E side of:	(a)-(b) above

II

1884 CHINA - South Coast - Wreck.

Source: UKHO

Chart 343 [*previous update 1774/26*] CGCS 2000 DATUM

Insert



22° 35′·19N., 113° 46′·44E.

II

1930 CHINA - Bo Hai - NM Block.

Source: Chinese Notice 48/1493/25

Chart 1250 [*previous update 1721/26*] CGCS 2000 DATUM

Insert the accompanying block, centred on:

38° 33'·4N., 118° 13'·0E.

II

1954 CHINA - South Coast - Legend. Wind farm. Virtual aid to navigation.

Source: Chinese Notice 50/1559/25

Chart 1962 [*previous update 1600/26*] WGS84 DATUM

Insert	limit of wind farm, pecked line, joining:	(a)	23° 17'·9N., 117° 01'·2E.
		(b)	23° 17'·9N., 117° 05'·3E.
		(c)	23° 14'·9N., 117° 05'·3E.
		(d)	23° 14'·9N., 116° 58'·4E.
	legend, Wind Farm under construction (2026), within:	(a)-(d)	above
	symbol, Virtual aid to navigation, special topmark, V-AIS		23° 13'·2N., 116° 56'·6E.

II

1959 CHINA - East Coast - Depths.

Source: Chinese Chart 13177

Chart 1199 [previous update 1741/26] CGCS 2000 DATUM

Insert	depth, 47, enclosed by 5m contour	(a)	31° 03'·6N., 122° 19'·5E.
Delete	depth, 71, close NE of:	(a)	above
Insert	depth, 85	(b)	31° 03'·0N., 122° 24'·9E.
Delete	depth, 93, close NE of:	(b)	above

Chart 1602 [previous update New Edition 02/04/2026] CGCS 2000 DATUM

Insert	depth, 47, enclosed by 5m contour	31° 03'·55N., 122° 19'·51E.
	depth, 85	31° 03'·00N., 122° 24'·86E.
	depth, 88	(a) 31° 03'·34N., 122° 25'·86E.
Delete	depth, 96, close S of:	(a) above

II

1815 JAPAN - Honshū - Light.

Source: Japanese Notice 13/149/26

Chart JP 1051 [*previous update 5560/25*] WGS84 DATUM

Amend light to, Fl(2) R 6s 5M

34° 49′ · 12N., 136° 56′ · 61E.

II

1816 JAPAN - Honshū - Landmark.

Source: Japanese Notice 13/159/26

Chart JP 1051 [*previous update 1815/26*] WGS84 DATUM

Delete

 (abt 224)

34° 59′·20N., 136° 50′·55E.

II

1817 JAPAN - Honshū - Fish haven.

Source: Japanese Notice 13/161/26

Chart JP 1051 [*previous update 1816/26*] WGS84 DATUM

Insert



34° 20′·85N., 136° 53′·86E.

II

1818 JAPAN - Honshū - Lights.

Source: Japanese Notice 13/166/26

Chart JP 70 [*previous update 5561/25*] WGS84 DATUM

Amend	range of light to, 3M	34° 33′·22N., 136° 41′·31E.
	light to, Iso 6s 5M & Fl R 3M	34° 24′·63N., 136° 55′·38E.

Chart JP 1051 [*previous update 1817/26*] WGS84 DATUM

Amend	range of light to, 3M	34° 33′·22N., 136° 41′·31E.
		34° 24′·63N., 136° 55′·38E.

II

1935 JAPAN - Honshū - Light.

Source: Japanese Notice 14/170/26

Chart JP 145 [*previous update 522/26*] WGS84 DATUM

Delete

★ Fl R 3M

39° 07′·30N., 139° 52′·47E.

II

1936 JAPAN - Honshū - Buoy.

Source: Japanese Notice 14/171/26

Chart JP 53 [*previous update 1807/25*] WGS84 DATUM

Delete



Fl (5) Y 20s

40° 38′·00N., 141° 45′·00E.

II

1937 JAPAN - Honshū - Lights.

Source: Japanese Notice 14/172/26

Chart JP 53 [*previous update 1936/26*] WGS84 DATUM

Amend	light to, Fl (2) R 6s 5M	40° 03′·26N., 141° 51′·74E.
	light to, Fl G 3s 5M	40° 00′·71N., 141° 54′·48E.

II

1938 JAPAN - Honshū - Landmarks. Fixed point.

Source: Japanese Notice 14/173/26

Chart JP 53 [*previous update 1937/26*] WGS84 DATUM

Replace	☉ Radio Tr (127) with ☉ Radio Mast (127)	39° 38′·08N., 141° 57′·48E.
Delete	☉ 2 Radio Trs	(a) 39° 38′·93N., 141° 57′·97E.
	☉, close SW of:	(a) above

Chart JP 54 (Panel, Miyako Wan) [*previous update 1218/26*] WGS84 DATUM

Replace	☉ Radio Tr (127) with ☉ Radio Mast (127)	39° 38′ 05·2"N., 141° 57′ 32·6"E.
Delete	☉ Radio Trs	(a) 39° 38′ 50·4"N., 141° 57′ 57·6"E.
	☉, close SW of:	(a) above

Chart JP 54 [*previous update 1218/26*] WGS84 DATUM

Replace	☉ Radio Tr (127) with ☉ Radio Mast (127)	39° 38′·09N., 141° 57′·54E.
Delete	☉ Radio Trs	(a) 39° 38′·85N., 141° 57′·97E.
	☉, close SW of:	(a) above

II

1939 JAPAN - Honshū - Landmarks. Fixed point.

Source: Japanese Notice 14/176/26

Chart JP 54 [*previous update 1938/26*] WGS84 DATUM

Replace ⓪ 2 Chys (183) with ⓪ Chy (123)

(a) 38° 16′·71N., 141° 02′·22E.

Delete ⓪, close SE of:

(a) above

Chart JP 1098 [*previous update 634/26*] WGS84 DATUM

Replace ⓪ 2 Chys (183) with ⓪ Chy (123)

(a) 38° 16′·70N., 141° 02′·22E.

Delete ⓪, close SE of:

(a) above

II

1940 JAPAN - Honshū - Landmark.

Source: Japanese Notice 14/177/26

Chart JP 1098 [*previous update 1939/26*] WGS84 DATUM

Delete

⊙ Tr (168)

37° 30′·83N., 141° 01′·85E.

II

1790 KOREA - West Coast - Superbuoys.

Source: Korean Notice 52/840/25

Chart 3480 [*previous update 1562/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s No C*

34° 30′·0N., 123° 30′·0E.

 *Fl(5)Y.20s No B*

33° 30′·0N., 123° 30′·0E.

II

1843 KOREA - East Coast - Light.
Source: Korean Notice 8/88/26

Chart 898 (Panel B, Pohang and Approaches) [*previous update 852/26*] WGS84 DATUM

Amend range of light to, 9M 36° 04'·59N., 129° 25'·15E.

II

1852 RUSSIA - Pacific Ocean Coast - Anchorage areas. Legends.

Source: Russian Notice 4/321/26

Chart 2161 (Panel A, Port Vanino) [previous update 504/26] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 49° 06'·52N., 140° 22'·42E. (b) 49° 06'·62N., 140° 21'·89E. (c) 49° 07'·42N., 140° 22'·12E. (a)-(c) above
Delete	legend, <i>Russian Regulated Area No 177 (see Note)</i> , within: limit of anchorage area, pecked line, and associated legend, <i>Russian Regulated Area No 177A (see Note)</i> , joining:	(a) above 49° 06'·61N., 140° 21'·89E. 49° 07'·12N., 140° 22'·09E. 49° 07'·07N., 140° 22'·42E.
	limit of anchorage area, pecked line, and associated legend, <i>Russian Regulated Area No 177 (see Note)</i> , joining:	49° 06'·87N., 140° 21'·52E. 49° 07'·00N., 140° 21'·01E. 49° 07'·32N., 140° 21'·21E. 49° 07'·20N., 140° 21'·71E.

Chart 3340 [previous update 4579/25] UNDETERMINED DATUM

Insert	limit of anchorage area, pecked line, joining:	(a) 49° 06'·4N., 140° 23'·0E. (b) 49° 06'·6N., 140° 21'·9E. (c) 49° 10'·0N., 140° 22'·9E. (d) 49° 10'·0N., 140° 24'·5E. (a)-(d) above
	legend, <i>R.R.A. No 177</i> , close E of:	

II

1855 KOREA - West Coast - Buoyage.

Source: Korean Notice 3/37/26

Chart 1007 [*previous update 1540/26*] WGS84 DATUM

Delete



Fl(4)Y.8s C

34° 46′·624N., 126° 24′·838E.



Fl(4)Y.8s B

34° 46′·586N., 126° 24′·703E.



Fl(4)Y.8s A

34° 46′·489N., 126° 24′·764E.

II

1881 KOREA - South Coast - Buoy.

Source: Korean Notice 1/2/26

Chart 3391 (INT 5360) [*previous update 1690/26*] WGS84 DATUM

Move



Q(9)15s No 4, from:

to:

34° 47'·73N., 127° 48'·77E.

34° 47'·74N., 127° 48'·91E.

II

1885 KOREA - West Coast - Platform.

Source: Korean Notice 2/20/26

Chart 913 (INT 5254) [*previous update 1748/26*] WGS84 DATUM

Delete

 ☐ Mo(U)10s10M

35° 08′·10N., 125° 47′·09E.

Chart 3928 [*previous update 1430/26*] WGS84 DATUM

Delete

 ☐ Mo(U)10s16m10M

35° 08′·10N., 125° 47′·09E.


II

1957 KOREA - West Coast - Obstruction.

Source: Korean Notice 14/195/26

Chart 3928 [*previous update 1885/26*] WGS84 DATUM

Insert



34° 44'·56N., 126° 13'·10E.

II

1958 KOREA - South Coast - Buoyage.

Source: Korean Notice 52/835/25

Note: This update is included in New Edition 3365 published early 2026.

Chart 3480 [*previous update 1790/26*] WGS84 DATUM

Replace

 *ODAS*, with  *Fl(5)Y.20s ODAS*

33° 31'·3N., 126° 22'·5E.

II

1826 INDONESIA - Jawa - Wreck. Depth.

Source: Indonesian Notice 11/75/26

Chart 933 [*previous update 1703/26*] WGS84 DATUM

Insert



Rep (2026)

5° 58'·59S., 106° 34'·96E.

Chart 2056 [*previous update New Edition 26/03/2026*] WGS84 DATUM

Insert



Rep (2026)

5° 58'·59S., 106° 34'·96E.

Chart 2797 [*previous update 1004/26*] WGS84 DATUM

Insert



Rep (2026)

(a) 5° 58'·6S., 106° 35'·0E.

Delete

depth, 132, close NW of:

(a) above

Chart 2862 [*previous update New Edition 26/03/2026*] WGS84 DATUM

Insert



Rep (2026)

(a) 5° 58'·6S., 106° 35'·0E.

Delete

depth, 132, close NW of:

(a) above

Chart 3729 [*previous update 1703/26*] WGS84 DATUM

Insert



Rep (2026)

5° 58'·59S., 106° 34'·96E.

II

1853 INDONESIA - Kalimantan - Wreck.

Source: Indonesian Notice 6/42/26

Chart 2872 [*previous update 1004/26*] WGS84 DATUM

Insert

 *Rep (2026)*

1° 46'·1S., 108° 49'·1E.

Chart 3758 [*previous update 839/26*] WGS84 DATUM

Insert

 *Rep (2026)*

1° 46'·09S., 108° 49'·15E.

II

1858 INDONESIA - Sulawesi - Rock. Depths. Light.

Source: ENC ID4175R7

Chart 2471 [*previous update 3767/25*] WGS84 DATUM

Replace	depth, 55, with depth, 46, enclosed by 50m contour	1° 01'·7N., 120° 19'·8E.
---------	--	--------------------------

Chart 2894 [*previous update 2280/25*] WGS84 DATUM

Insert		1° 00'·8N., 120° 21'·7E.
	depth, 27, enclosed by 50m contour	1° 02'·4N., 120° 20'·4E.
	depth, 46, enclosed by 50m contour	(a) 1° 01'·7N., 120° 19'·8E.
Delete	depth, 55, close NE of:	(a) above
Insert	depth, 295, and extend 50m contour NW to enclose	(b) 1° 01'·7N., 120° 18'·1E.
Delete	depth, 34, close SE of:	(b) above
Insert	depth, 515, and extend 1000m contour E to enclose	1° 02'·5N., 120° 12'·0E.
	depth, 225, and extend 50m contour W to enclose	0° 55'·9N., 120° 11'·7E.
	depth, 93	(c) 0° 55'·6N., 120° 12'·4E.
Delete	depth, 10, close SE of:	(c) above
Insert	depth, 12, enclosed by 20m contour	(d) 0° 55'·2N., 120° 13'·9E.
Delete	depth, 23, close S of:	(d) above
Replace	depth, 8, with depth, 45	1° 00'·1N., 120° 15'·8E.
	depth, 8, with depth, 67	0° 56'·4N., 120° 13'·6E.
Move	★ Fl.3s15m12M, from:	0° 59'·6N., 120° 12'·8E.
	to:	0° 59'·9N., 120° 12'·5E.

Chart 2957 [*previous update 1142/24*] WGS84 DATUM

Insert		1° 00'·8N., 120° 21'·7E.
	depth, 27, enclosed by 50m contour	1° 02'·4N., 120° 20'·4E.
	depth, 46, enclosed by 50m contour	(a) 1° 01'·7N., 120° 19'·8E.
Delete	depth, 55, close NE of:	(a) above
Insert	depth, 295	(b) 1° 01'·7N., 120° 18'·1E.
Delete	depth, 34, close SE of:	(b) above
Insert	depth, 515, and extend 1000 m contour E to enclose	1° 02'·5N., 120° 12'·0E.
	depth, 225, and extend 50m contour W to enclose	0° 55'·9N., 120° 11'·7E.
	depth, 93	(c) 0° 55'·6N., 120° 12'·4E.
Delete	depth, 10, close SE of:	(c) above
Insert	depth, 12, enclosed by 20m contour	(d) 0° 55'·2N., 120° 13'·9E.
Delete	depth, 23, close S of:	(d) above
Replace	depth, 8, with depth, 45	1° 00'·1N., 120° 15'·8E.
	depth, 8, with depth, 67	0° 56'·4N., 120° 13'·6E.
Move	★ Fl.3s15m12M, from:	0° 59'·6N., 120° 12'·8E.
	to:	0° 59'·9N., 120° 12'·5E.

Chart 3483 (INT 551) [*previous update 1124/26*] WGS84 DATUM

Insert	depth, 515, and extend 1000m contour NE to enclose	1° 02'·5N., 120° 12'·0E.
Move	★ Fl.12M, from:	0° 59'·8N., 120° 13'·1E.
	to:	0° 59'·9N., 120° 12'·5E.

II

1858 INDONESIA - Sulawesi - Rock. Depths. Light. (continued)

Chart 3484 (INT 554) [*previous update New Edition 19/03/2026*] WGS84 DATUM

Insert depth, 5/5, and extend 1000m contour NE to enclose 1° 02'·5N., 120° 12'·0E.

II

1862 INDONESIA - Jawa - Lights.

Source: Indonesian Notice 6/40/26

Chart 918 (Panel F, Cigading) [*previous update 1304/26*] WGS84 DATUM

Insert	★ Fl.Y.5s7·5m10M	6° 02'·15S., 105° 55'·74E.
Amend	light to, Fl.Y.4s7·5m10M	6° 02'·12S., 105° 55'·73E.
		6° 02'·06S., 105° 55'·74E.
	light to, Fl.10s10m12M	6° 02'·09S., 105° 55'·73E.
		6° 01'·99S., 105° 55'·78E.
	light to, Fl.Y.5s7·5m10M	6° 01'·93S., 105° 55'·84E.

II

1864 INDONESIA - Jawa - Light-beacon. Depths. Maritime limit. Legend.

Source: ENC's ID400096 and ID500084

Chart 921 [*previous update New Edition 11/09/2025*] WGS84 DATUM

Insert	 Fl.Y.5s7m5M	7° 08'·359S., 112° 39'·238E.
	depth, 157	(a) 7° 09'·626S., 112° 40'·792E.
Delete	depth, 18, close NE of:	(a) above
Insert	depth, 24	(b) 7° 09'·774S., 112° 40'·255E.
Delete	depth, 25, close NE of:	(b) above
Insert	depth, 255	(c) 7° 10'·044S., 112° 40'·629E.
Delete	depth, 27, close NE of:	(c) above
Insert	depth, 168	(d) 7° 10'·206S., 112° 40'·400E.
Delete	depth, 188, close NE of:	(d) above
Insert	depth, 12	(e) 7° 11'·055S., 112° 41'·143E.
Delete	depth, 144, close NW of:	(e) above
Insert	depth, 192, enclosed by 20m contour	(f) 7° 11'·015S., 112° 41'·693E.
Delete	depth, 208, close SE of:	(f) above
Insert	depth, 23	(g) 7° 11'·196S., 112° 41'·417E.
Delete	depth, 24, close SE of:	(g) above
Insert	depth, 192, enclosed by 20m contour	(h) 7° 11'·553S., 112° 42'·326E.
Delete	depth, 22, close S of:	(h) above
Replace	depth, 206, with depth, 193, enclosed by 20m contour	7° 11'·496S., 112° 42'·376E.

Chart 979 [*previous update New Edition 11/09/2025*] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 7° 05'·458S., 112° 38'·889E.
		(b) 7° 05'·441S., 112° 38'·911E.
		(c) 7° 05'·869S., 112° 38'·878E.
		(d) 7° 05'·875S., 112° 38'·365E.
		(e) 7° 05'·735S., 112° 38'·540E.
	legend, Works in progress, within:	(a)-(e) above
Delete	charted detail, within:	(a)-(e) above
Insert	 Fl.Y.5s7m5M	7° 08'·359S., 112° 39'·238E.

II

1876 INDONESIA - Banda Sea - Depths.

Source: ENC ID300274

Chart 2472 [*previous update 1761/26*] WGS84 DATUM

Insert	depth, 284, and extend 1000m contour S to enclose	1° 58'·0S., 124° 53'·5E.
	depth, 442, and extend 1000m contour S to enclose	2° 06'·0S., 124° 29'·5E.

Chart 2936 [*previous update 1051/26*] WGS84 DATUM

Insert	depth, 153, and extend 200m contour NE to enclose	1° 34'·1S., 124° 37'·6E.
	depth, 86, and extend 200m contour N to enclose	1° 35'·2S., 124° 57'·2E.
	depth, 178, and extend 200m contour NE to enclose	1° 35'·2S., 125° 00'·8E.
	depth, 98, and extend 200m contour NE to enclose	1° 36'·1S., 125° 02'·8E.
	depth, 284, and extend 1000m approximate contour S to enclose	1° 58'·0S., 124° 53'·5E.
	depth, 442, enclosed by 1000m contour	2° 06'·0S., 124° 29'·5E.

Chart 2952 [*previous update 1761/26*] WGS84 DATUM

Insert	depth, 442, enclosed by 1000m contour	2° 06'·0S., 124° 29'·3E.
--------	---------------------------------------	--------------------------

Chart 2953 [*previous update 1778/26*] WGS84 DATUM

Insert	depth, 442, enclosed by 1000m contour	2° 06'·0S., 124° 29'·5E.
--------	---------------------------------------	--------------------------

Chart 4507 (INT 507) [*previous update 1664/26*] WGS84 DATUM

Insert	depth, 442, and extend 1000m contour S to enclose	(a) 2° 06'·0S., 124° 29'·5E.
Delete	depth, 1494, close SE of:	(a) above

Chart 4603 (INT 603) [*previous update 1573/26*] WGS84 DATUM

Insert	depth, 442, and extend 1000m approximate contour S to enclose	(a) 2° 06'·0S., 124° 29'·5E.
Delete	depth, 1494, close E of:	(a) above

II

1882 INDONESIA - Nusa Tenggara - Hulk. Legend. Depths.

Source: ENC ID5261R8

Chart 946 (Panel C, Celukanbawang) [*previous update 5361/25*] WGS84 DATUM

Insert	hulk, single firm line, joining:	(a) 8° 11'·534S., 114° 50'·208E.
		(b) 8° 11'·447S., 114° 50'·208E.
		(c) 8° 11'·437S., 114° 50'·218E.
		(d) 8° 11'·447S., 114° 50'·228E.
		(e) 8° 11'·534S., 114° 50'·228E.
	legend, Hulk, close W of:	(a)-(e) above
Delete	charted detail, within:	(a)-(e) above
Insert	depth, 71	(f) 8° 11'·398S., 114° 50'·020E.
Delete	depth, 93, close W of:	(f) above
Insert	depth, 85	(g) 8° 11'·387S., 114° 50'·053E.
Delete	depth, 92, close NE of:	(g) above
Insert	depth, 98, enclosed by 10m contour	(h) 8° 11'·323S., 114° 50'·207E.
Delete	depth, 155, close SE of:	(h) above
Insert	depth, 255	(i) 8° 11'·435S., 114° 51'·020E.
Delete	depth, 265, close SE of:	(i) above

II

1887 MALAYSIA - Sarawak - Submarine pipelines. Legends. Platform.

Source: ENC's MY3C0751, MY3C0740 and MY4C7332 and Malaysian Notice 7/154/25

Note: This update is included in New Editions 2100, 3837 and 1336, published mid 2026.

Chart 1748 [previous update 1541/26] WGS84 DATUM

Insert submarine pipeline, , joining:

- (a) 3° 17'·49N., 113° 05'·00E.
- (b) 3° 18'·34N., 113° 04'·46E.
- (c) 3° 18'·54N., 113° 04'·27E.
- (d) 3° 18'·71N., 113° 04'·07E.
- (e) 3° 18'·87N., 113° 03'·77E.
- (f) 3° 18'·98N., 113° 03'·39E.
- (g) 3° 18'·98N., 113° 02'·91E.
- (h) 3° 17'·65N., 112° 57'·10E.
- and
- (i) 3° 17'·46N., 112° 57'·10E.
- (j) 3° 18'·74N., 113° 02'·36E.
- (k) 3° 18'·76N., 113° 02'·82E.
- (l) 3° 18'·66N., 113° 03'·26E.
- (m) 3° 18'·51N., 113° 03'·55E.
- (n) 3° 18'·32N., 113° 03'·80E.
- (o) 3° 17'·32N., 113° 04'·72E.
- (a)-(h) above
- (i)-(o) above

legend, Gas (see Note - PIPELINES), along:

Chart 3836 [previous update 1134/26] WGS84 DATUM

Insert submarine pipeline, , joining:

- 3° 45'·93N., 112° 03'·96E.
- 3° 47'·64N., 112° 04'·19E.
- 3° 50'·89N., 112° 04'·48E.
- and
- 3° 45'·86N., 112° 03'·99E.
- 3° 45'·64N., 112° 05'·18E.
- 3° 45'·96N., 112° 05'·82E.
- 3° 49'·77N., 112° 09'·61E.
- and
- 3° 46'·79N., 112° 10'·20E.
- 3° 45'·43N., 112° 05'·93E.
- 3° 45'·85N., 112° 03'·99E.

Chart 3838 (INT 5708) [previous update 5664/25] WGS84 DATUM

Insert submarine pipeline, , joining:

- 4° 58'·68N., 112° 59'·06E.
- 4° 55'·24N., 113° 01'·44E.
- and
- 4° 41'·99N., 112° 29'·51E.
- 4° 41'·44N., 112° 29'·67E.
- and
- 4° 23'·40N., 112° 36'·60E.
- 4° 20'·41N., 112° 39'·13E.
- 4° 19'·59N., 112° 44'·94E.



II

1890 INDONESIA - Jawa - Depths.

Source: ENC ID4290R1

Chart 3726 (Panel, Selat Bali) [*previous update 1609/26*] WGS84 DATUM

Insert	depth, 44, enclosed by 50m contour	(a) 8° 07'·06S., 114° 24'·73E.
Delete	depth, 53, close S of:	(a) above
Replace	depth, 295, with depth, 33	8° 09'·67S., 114° 25'·05E.

II

1924 INDONESIA - Sulawesi - Light-beacon.

Source: Indonesian Notice 4/29/26

Chart 2893 [*previous update 3767/25*] WGS84 DATUM

Insert



Fl.5s10m10M

1° 39'·1S., 119° 17'·5E.

II

1942 MALAYSIA - Sabah - Depths.

Source: Malaysian Chart 88

Chart 967 [*previous update 448/26*] UNDETERMINED DATUM

Insert	depth, 9	(a)	6° 32'·6N., 116° 10'·8E.
Delete	depth, 10, close SW of:	(a)	above

Chart 1338 [*previous update 1124/26*] WGS84 DATUM

Insert	depth, 34, and extend 50m contour SE to enclose	(a)	6° 27'·4N., 116° 03'·4E.
Delete	depth, 38, close NW of:	(a)	above
Replace	depth, 177, with depth, 167		6° 32'·6N., 116° 10'·8E.
	depth, 56, with depth, 46, enclosed by 5m contour		6° 34'·8N., 116° 05'·5E.

Chart 1649 [*previous update 3226/24*] WGS84 DATUM

Insert	depth, 21, enclosed by 30m contour	(a)	5° 55'·09N., 118° 26'·41E.
Delete	depth, 42, close W of:	(a)	above

Chart 2112 [*previous update 1124/26*] WGS84 DATUM

Insert	depth, 34, and extend 50m contour SW to enclose	(a)	6° 27'·37N., 116° 03'·35E.
Delete	depth, 42, close N of:	(a)	above
Replace	depth, 177, with depth, 167		6° 32'·62N., 116° 10'·80E.

Chart 3483 (INT 551) [*previous update 1858/26*] WGS84 DATUM

Insert	depth, 21	(a)	5° 55'·1N., 118° 26'·4E.
Delete	depth, 42, close SE of:	(a)	above

Chart 3728 [*previous update 5222/24*] WGS84 DATUM

Insert	depth, 46, enclosed by 5m contour	(a)	6° 34'·84N., 116° 05'·45E.
Delete	depth, 56, close SW of:	(a)	above
Replace	depth, 46, with depth, 3		7° 03'·65N., 117° 05'·96E.

Chart 4418 [*previous update 4837/25*] WGS84 DATUM

Insert	depth, 21	(a)	5° 55'·1N., 118° 26'·4E.
Delete	depth, 44, close NW of:	(a)	above

Chart 4449 [*previous update 306/24*] WGS84 DATUM

Insert	depth, 21		5° 55'·09N., 118° 26'·41E.
--------	-----------	--	----------------------------

Chart 4464 [*previous update 5222/24*] WGS84 DATUM

Replace	depth, 46, with depth, 3		7° 03'·65N., 117° 05'·96E.
---------	--------------------------	--	----------------------------

II

1955 INDONESIA - Sulawesi - Light.

Source: Indonesian Notice 8/57/26

Chart 2638 (Panel D, Teluk Palu) [*previous update 1664/26*] WGS84 DATUM

Insert

★ Fl.4s12m10M

0° 39'·39S., 119° 48'·57E.

Chart 2893 [*previous update 1924/26*] WGS84 DATUM

Insert

★ Fl.4s12m10M

0° 39'·4S., 119° 48'·6E.

II

1839 **AUSTRALIA - Western Australia - NM Block.**

Source: Australian Notice 6/238/26

Chart Aus 327 [*previous update 1674/26*] WGS84 DATUM

Insert the accompanying block, centred on:

19° 38'·4S., 116° 34'·3E.

II

1922 AUSTRALIA - Northern Territory - NM Blocks.
Source: ENC AU210130

Chart 2473 [*previous update 1373/26*] WGS84 DATUM

Insert	the accompanying block A, centred on:	3° 37′·0S., 134° 40′·3E.
	the accompanying block B, centred on:	9° 53′·3S., 130° 59′·2E.
	the accompanying block C, centred on:	9° 27′·7S., 133° 42′·3E.

Chart 2916 [*previous update 5752/25*] WGS84 DATUM

Insert	the accompanying block A, centred on:	9° 46′·8S., 131° 04′·3E.
	the accompanying block B, centred on:	9° 46′·3S., 132° 22′·5E.

II

1925 AUSTRALIA - Victoria - NM Block.

Source: Australian Notice 7/281/26

Chart Aus 802 [*previous update 1274/26*] WGS84 DATUM

Insert the accompanying block, centred on:

39° 28'·0S., 147° 20'·6E.

II

1803 SOUTH PACIFIC OCEAN - Solomon Islands - NM Blocks.

Source: Australian Notice 6/242/26

Chart SLB 201 [*previous update 4303/25*] WGS84 DATUM

Insert the accompanying block, centred on:

9° 07'·6S., 160° 09'·6E.

Chart SLB 304 [*previous update 2202/25*] WGS84 DATUM

Insert the accompanying block, centred on:

9° 07'·9S., 160° 08'·0E.

II

1835 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Buoy.

Source: French Notice 3/221/26

Chart 2464 (INT 6882) [*previous update 1157/26*] WGS84 DATUM

Delete

 Fl.Y.5s

22° 21'·27S., 166° 59'·28E.

Chart 2465 (INT 6881) [*previous update 1788/26*] WGS84 DATUM

Delete

 Fl.Y.5s

22° 21'·27S., 166° 59'·28E.

II

1863 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Rocks.

Source: French Notice 10/216/26

Chart 2465 (INT 6881) [*previous update 1835/26*] WGS84 DATUM

Insert



22° 41'·74S., 167° 24'·70E.

22° 41'·99S., 167° 24'·39E.

II

1879 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Restricted area.

Source: French Notice 9/216/26

Chart 2462 (INT 6899) [*previous update 1377/26*] WGS84 DATUM

Insert limit of restricted area, anchoring, fishing and diving
 prohibited, joining:

22° 14'·24S., 166° 24'·53E.

22° 14'·32S., 166° 24'·32E.

22° 14'·30S., 166° 24'·14E.

22° 14'·22S., 166° 24'·10E.

22° 14'·14S., 166° 24'·21E.

II

1888 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Marine Reserve.

Source: French Notice 2/228/26

Chart 936 [*previous update 1240/26*] IGN 1972 DATUM

Insert limit of marine reserve, $\tau\tau\tau\tau MR \tau\tau\tau\tau$, joining:

21° 50'·6S., 166° 32'·5E.
21° 43'·7S., 166° 33'·2E.
21° 43'·4S., 166° 33'·3E.
21° 43'·4S., 166° 33'·8E.
21° 52'·6S., 166° 46'·3E.
21° 53'·0S., 166° 46'·5E.
21° 53'·3S., 166° 46'·4E.
21° 53'·6S., 166° 46'·0E.
21° 55'·6S., 166° 40'·3E.

Chart 2928 [*previous update 1785/23*] IGN 1972 DATUM

Insert limit of marine reserve, $\tau\tau\tau\tau MR \tau\tau\tau\tau$, joining:

21° 40'·66S., 166° 23'·43E.
21° 40'·68S., 166° 23'·50E.
21° 41'·04S., 166° 23'·06E.
21° 41'·25S., 166° 21'·24E.
21° 40'·65S., 166° 21'·49E.
21° 40'·62S., 166° 21'·74E.
and
21° 40'·61S., 166° 21'·84E.
21° 40'·58S., 166° 22'·13E.
and
21° 40'·56S., 166° 22'·34E.
21° 40'·50S., 166° 22'·87E.

II

1923* SOUTH PACIFIC OCEAN - Kiribati - Buoyage. Light. Leading line. Legend. Beacons.

Source: MICT Kiribati

Note: Former Notice 1084(T)/24 is cancelled.

Chart 729 (Panel A, Betio Anchorage) [previous update 3625/25] WGS84 DATUM

Amend	No 6 light-buoy to, <i>Fl.R.5s</i>	1° 23'·30N., 172° 56'·42E.
	light-buoy to, <i>Q(3)15s No 10</i>	1° 22'·59N., 172° 55'·70E.
Delete	★ F.R.16m4M	(a) 1° 21'·95N., 172° 56'·00E.
	leading line, pecked line and firm line, and associated legend, 192°, extending in direction 12°, from:	(a) above
	⏏	1° 22'·13N., 172° 56'·29E.
		1° 22'·14N., 172° 56'·45E.

II

1872 UNITED STATES OF AMERICA - West Coast - Outfall.
Source: ENC US5CA6FE

Chart 4916 [*previous update 5234/25*] NAD83 DATUM

Insert outfall, , joining:

40° 48'·52N., 124° 12'·06W.

40° 49'·16N., 124° 13'·51W.

II

1880 CANADA - British Columbia - Lights.

Source: Canadian Notice 2/3490/26

Chart 4961 (Panel, A-B) [*previous update 499/26*] NAD83 DATUM

Amend	light to, Oc (2) Y 5s14m	49° 07' 08.4"N., 123° 04' 24.0"W.
	light to, Fl (2) R 6s Oc Y 5s7m	49° 07' 06.6"N., 123° 04' 33.1"W.

II

1846 PERU - Buoy. Light.

Source: Peruvian Notices 2/28-29/26

Note: Former Notice 3500(T)/24 is cancelled.

Chart 1853 (Panel, Puerto Callao) [*previous update 659/26*] WGS84 DATUM

Delete

 *Fl(3)R.8s*

12° 02'·797S., 77° 10'·256W.

★ Fl.R.5s7m10M

12° 02'·967S., 77° 09'·350W.

Chart 1853 [*previous update 659/26*] WGS84 DATUM

Delete

★ Fl.R.10M

12° 02'·97S., 77° 09'·35W.

II

1911 ARGENTINA - NM Block. Spoil ground.

Source: ENC's AR420030, AR420040 and AR420050

Chart 1749 [*previous update 1429/26*] WGS84 DATUM

Insert the accompanying block, centred on:
 limit of spoil ground, pecked line, joining:

34° 47'·7S., 57° 33'·3W.

(a) 35° 01'·56S., 57° 12'·24W.

(b) 35° 01'·17S., 57° 11'·68W.

(c) 35° 04'·82S., 57° 07'·89W.

(d) 35° 07'·52S., 57° 04'·25W.

(e) 35° 09'·63S., 57° 01'·24W.

(f) 35° 10'·08S., 56° 59'·94W.

(g) 35° 10'·78S., 57° 00'·06W.

(h) 35° 10'·29S., 57° 01'·61W.

(i) 35° 08'·08S., 57° 04'·75W.

(j) 35° 05'·34S., 57° 08'·46W.

(k) 35° 01'·74S., 57° 12'·21W.

legend, *Spoil Ground*, within:

(a)-(k) above

II

1914 BRAZIL - East Coast - Depths.

Source: ENC BR601115

Chart 545 (Panel B, Porto de Madre de Deus and Approaches) [*previous update 481/26*] WGS84 DATUM

Insert	depth, 29, and extend 5m contour E to enclose	(a)	12° 44'·85S., 38° 38'·13W.
Delete	depth, 53, close N of:	(a)	above
Insert	depth, 119	(b)	12° 45'·19S., 38° 37'·50W.
Delete	depth, 132, close S of:	(b)	above
Insert	depth, 114	(c)	12° 45'·28S., 38° 36'·50W.
Delete	depth, 139, close SE of:	(c)	above
Insert	depth, 152, with seabed type, R, and extend 20m contour SW to enclose	(d)	12° 45'·51S., 38° 36'·37W.
Delete	depth, 21, close SE of:	(d)	above
	depth, 122, close SW of:	(d)	above
Insert	20m contour, joining:	(e)	12° 45'·54S., 38° 36'·38W.
		(f)	12° 45'·52S., 38° 36'·42W.
Delete	former 20m contour, joining:	(e)-(f)	above

II

1949 BRAZIL - East Coast - Depths.

Source: ENC BR500811

Note: Former Notices 3494(P)/24 and 3937(T)/25 are cancelled.

Chart 504 (Panel B, Porto de Natal) [*previous update 2848/25*] WGS84 DATUM

Insert	depth, 105	(a)	5° 45'·248S., 35° 12'·072W.
Delete	depth, 12, close E of:	(a)	above
Insert	depth, 12	(b)	5° 45'·264S., 35° 12'·030W.
Delete	depth, 129, close SE of:	(b)	above
Insert	depth, 45, and extend 5m contour NE to enclose		5° 45'·351S., 35° 12'·038W.

II

1791 CUBA - North Coast - Light. Beacon.

Source: Cuban Notices 2/38/26 and 2/43/26

Chart 414 [*previous update 2434/24*] WGS84 DATUM

Replace

★ Iso.Y.6s19m6M with 

23° 07′.8N., 82° 19′.7W.

II

1820 UNITED STATES OF AMERICA - East Coast - Depths.

Source: ENC's US5NYCCD and US5NYCDE

Chart 3457 [*previous update 479/26*] NAD83 DATUM

Insert	depth, 23	40° 41'·691N., 74° 08'·333W.
	depth, 28, and extend 30ft contour NE to enclose	(a) 40° 41'·300N., 74° 09'·560W.
Delete	depth, 29, close SE of:	(a) above
Insert	depth, 5, and extend 6ft contour W to enclose	(b) 40° 41'·037N., 74° 07'·647W.
Delete	depth, 8, close N of:	(b) above
Insert	depth, 41	(c) 40° 40'·645N., 74° 08'·646W.
Delete	depth, 50, close NW of:	(c) above
Insert	depth, 2, and extend 6ft contour W to enclose	40° 40'·184N., 74° 08'·043W.
	depth, 22	(d) 40° 39'·944N., 74° 08'·196W.
Delete	depth, 26, close NE of:	(d) above
Insert	depth, 21	(e) 40° 39'·818N., 74° 08'·263W.
Delete	depth, 27, close NE of:	(e) above
Insert	depth, 29	(f) 40° 39'·695N., 74° 08'·366W.
Delete	depth, 32, close SW of:	(f) above
Insert	depth, 20	(g) 40° 35'·341N., 74° 12'·325W.
Delete	depth, 23, close S of:	(g) above
Insert	depth, 24	(h) 40° 35'·181N., 74° 12'·531W.
Delete	depth, 26, close S of:	(h) above
Insert	depth, 5, and extend 6ft contour E to enclose	(i) 40° 34'·717N., 74° 12'·651W.
Delete	depth, 16, close S of:	(i) above
Replace	depth, 40, with depth, 38	40° 41'·165N., 74° 09'·265W.

II

1849* GREENLAND - West Coast - Depths.

Source: British Antarctic Survey

Chart 235 [*previous update 437/26*] UNDETERMINED DATUM

Insert	depth, 213	71° 02'·0N., 53° 00'·3W.
	depth, 108	69° 31'·9N., 51° 32'·9W.
	depth, 67, and extend 100fm contour NW to enclose	(a) 69° 25'·0N., 51° 56'·9W.
Delete	depth, 139, close NW of:	(a) above
Insert	depth, 92, enclosed by 100fm contour	(b) 69° 09'·4N., 51° 42'·0W.
Delete	depth, 101, close NE of:	(b) above
Insert	depth, 142	(c) 69° 13'·0N., 52° 13'·8W.
Delete	depth, 175, close W of:	(c) above
Insert	depth, 248	(d) 69° 13'·3N., 52° 34'·5W.
Delete	depth, 331, close W of:	(d) above
Insert	depth, 134	69° 09'·0N., 52° 44'·6W.
	depth, 189	(e) 68° 28'·0N., 54° 51'·7W.
Delete	depth, 264, close SW of:	(e) above
Insert	depth, 150	(f) 68° 29'·8N., 59° 08'·2W.
Delete	depth, 168, close E of:	(f) above
Insert	depth, 221	(g) 68° 08'·4N., 59° 24'·4W.
Delete	depth, 664, close W of:	(g) above
Insert	depth, 266	(h) 66° 34'·1N., 56° 36'·9W.
Delete	depth, 326, close W of:	(h) above
Insert	depth, 281	(i) 63° 57'·5N., 53° 34'·5W.
Delete	depth, 579, close SE of:	(i) above
Replace	depth, 331, with depth, 219	69° 50'·9N., 51° 39'·7W.

Chart 4011 (INT 11) [*previous update 1070/26*] WGS84 DATUM

Insert	depth, 777, and extend 1000m contour SW to enclose	63° 56'·0N., 53° 43'·2W.
--------	--	--------------------------

Chart 4405 (INT 405) [*previous update 487/26*] WGS84 DATUM

Insert	depth, 589	(a) 60° 29'·3N., 48° 46'·9W.
Delete	depth, 853, close NW of:	(a) above

II

1869 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: ENC US5NYCBH

Chart 3459 [*previous update 5586/25*] NAD83 DATUM

Move

 '5', from:

40° 32'·44N., 73° 56'·69W.

to:

40° 32'·40N., 73° 56'·67W.

II

1870 CANADA - Saint Lawrence River - Depths.

Source: Canadian Notice 2/1312/26

Chart 4790 (Panel, Sorel-Tracy) [*previous update 5162/25*] NAD83 DATUM

Insert	depth, 8	(a)	46° 02' 37.9"N., 73° 07' 08.2"W.
Delete	depth, 84, close SE of:	(a)	above
Insert	depth, 56	(b)	46° 02' 50.9"N., 73° 06' 58.5"W.
Delete	depth, 59, close N of:	(b)	above
Insert	depth, 54	(c)	46° 02' 52.8"N., 73° 06' 53.1"W.
Delete	depth, 57, close NE of:	(c)	above

II

1889 CANADA - Saint Lawrence River - Depths.

Source: Canadian Notice 2/1317/26

Chart 4785 [*previous update 1548/26*] NAD83 DATUM

Insert	depth, 104	46° 53'·69N., 70° 55'·84W.
	depth, 102	(a) 46° 53'·61N., 70° 55'·53W.
Delete	depth, 108, close SE of:	(a) above
Insert	depth, 99, enclosed by 10m contour	46° 53'·88N., 70° 55'·23W.
	depth, 141, and extend 15m contour SE to enclose	46° 54'·11N., 70° 54'·55W.

Chart 4785 (Panel, Continuation A) [*previous update 1548/26*] NAD83 DATUM

Insert	depth, 104	46° 53'·69N., 70° 55'·84W.
	depth, 102	(a) 46° 53'·61N., 70° 55'·53W.
Delete	depth, 108, close SE of:	(a) above
Insert	depth, 99, enclosed by 10m contour	46° 53'·88N., 70° 55'·23W.
	depth, 141, and extend 15m contour SE to enclose	46° 54'·11N., 70° 54'·55W.

II

1891 UNITED STATES OF AMERICA - East Coast - Depths.

Source: ENC US5NYCFH

Chart 3451 [*previous update 4069/25*] NAD83 DATUM

Insert	depth, <i>21</i>	(a) 40° 48'·632N., 73° 56'·004W.
Delete	depth, <i>26</i> , close NE of:	(a) above
Insert	depth, <i>32</i>	40° 48'·046N., 73° 54'·190W.
Replace	depth, <i>22</i> , enclosed by 18ft contour, with depth, <i>16</i>	40° 48'·478N., 73° 55'·947W.

II

1892 UNITED STATES OF AMERICA - East Coast - Obstruction.
Source: ENC US5ILGBE

Chart 2603 (Panel 1) [*previous update 895/26*] NAD83 DATUM

Insert



39° 30'·43N., 75° 32'·83W.

II

1894 UNITED STATES OF AMERICA - East Coast - Dredged depths.
Source: ENC US5MA1OF

Chart 1516 [*previous update 669/26*] NAD83 DATUM

Amend	dredged depth to, <i>37ft (2026)</i> , centred on:	42° 14'·58N., 70° 58'·22W.
	dredged depth to, <i>29 feet (2026)</i> , centred on:	42° 15'·32N., 70° 58'·84W.

II

1895 UNITED STATES OF AMERICA - East Coast - Buoy.
Source: ENC US5PHLEG

Chart 2605 (Panel 2) [*previous update 1079/26*] NAD83 DATUM

Insert symbol, orange and white pillar light-buoy, *Q*

40° 03'·86N., 74° 56'·81W.

II

1898 UNITED STATES OF AMERICA - East Coast - Depths.
Source: ENC US5BGREF

Chart 2486 [*previous update 865/26*] NAD83 DATUM

Insert	depth, 9, enclosed by 18ft contour	(a)	44° 13'·35N., 68° 48'·37W.
Delete	depth, 22, close NE of:	(a)	above
Insert	depth, 13, enclosed by 18ft contour		44° 12'·24N., 68° 48'·72W.
	depth, 8, enclosed by 18ft contour	(b)	44° 10'·69N., 68° 48'·51W.
Delete	depth, 49, close SE of:	(b)	above

II

1920 **UNITED STATES OF AMERICA - East Coast - Submarine cables.**

Source: OceanIQ

Chart 2860 [*previous update 738/26*] NAD83 DATUM

Insert	submarine cable,  , joining:	39° 58'·2N., 72° 17'·8W. 39° 58'·3N., 72° 22'·7W. 40° 02'·5N., 72° 26'·4W.
Delete	former submarine cable,  , joining:	39° 58'·2N., 72° 18'·3W. 40° 02'·5N., 72° 26'·3W.

II

1952 CANADA - Nova Scotia - Light. Fog signal.

Source: Canadian Notice 2/4012/26

Chart 4747 [*previous update 2287/25*] NAD83 DATUM

Amend light to, Fl 15s17m15M

(a) 43° 59'·5N., 64° 39'·8W.

Delete fog signal, *Fog Sig*, at light

(a) above

II

1794(T)/26 ENGLAND - East Coast - Buoy.

Source: Scottish Power

1. The special light-buoy, *Fl.Y.5s SP5*, in position $52^{\circ} 40' \cdot 30\text{N.}$, $2^{\circ} 44' \cdot 84\text{E.}$ is reported unreliable.
(ETRS89 DATUM)

Charts affected - 1504 (INT 1510) - 1631 (INT 1418)

II

1800(P)/26 ENGLAND - East Coast - Wrecks. Obstructions. Depth.

Source: mv Northern Gale

1. Dangerous wrecks and obstructions exist in the following positions:

<i>Feature</i>	<i>Depth</i>	<i>Position</i>
Wreck	8·2m	51° 59'·77N., 1° 27'·19E.
Obstruction	9·3m	52° 04'·44N., 1° 33'·34E.

2. A dangerous wreck with the least depth 3·4m is reported to exist in lieu of the 4·4m obstruction in position 51° 59'·86N., 1° 26'·47E.
3. *A depth of 6·3m is reported to exist in position 52° 01'·74N., 1° 28'·89E.
4. Mariners are advised to navigate with caution in the area.
5. Charts will be updated when full details are available.
6. *Former Notice 1211(P)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 2052 (INT 1560) - 2693 (INT 1570) - 5607_5 - 5607_8 - 5614_1

II

1903(T)/26 SCOTLAND - West Coast - Scientific instruments.

Source: Scottish Sea Farms

1. Scientific instruments, marked by buoys, have been established on the seabed in the following positions:

58° 02'·42N., 5° 28'·00W.

58° 01'·19N., 5° 27'·37W.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 5314(T)/25 is cancelled.
*Indicates new or revised entry.
(ETRS89 DATUM)

Charts affected - 1794 (INT 1625) - 2501

II

1795(T)/26 FINLAND - South Coast - Works. Buoyage.

Source: Finnish Notice 3/22(T)/26

1. Works are taking place within the approach channel to Herttoniemenranta between positions $60^{\circ} 10' \cdot 28\text{N.}$, $25^{\circ} 00' \cdot 36\text{E.}$ and $60^{\circ} 11' \cdot 35\text{N.}$, $25^{\circ} 01' \cdot 48\text{E.}$
2. Buoyage may differ to that charted within this section of channel.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2218 (INT 1159)

II

1805(P)/26 DENMARK - Islands - Restricted areas. Buoyage.

Source: Danish Notice 4/38(P)/26

1. Restricted areas, entry prohibited, marked by buoys, have been established bounded by the following positions:

<i>Buoy Type</i>	<i>Characteristic</i>	<i>Position</i>
Yellow spar buoy with cross topmark		55° 20'·71N., 11° 00'·46E.
Yellow can buoy with cross topmark	<i>Fl.Y.3s</i>	55° 20'·76N., 11° 00'·94E.
Yellow can buoy with cross topmark	<i>Fl.Y.3s</i>	55° 20'·05N., 11° 01'·17E.
Yellow spar buoy with cross topmark		55° 20'·22N., 11° 00'·63E.
Yellow spar buoy with cross topmark		55° 20'·35N., 11° 00'·59E.
Yellow spar buoy with cross topmark		55° 20'·47N., 11° 00'·54E.
Yellow spar buoy with cross topmark		55° 19'·99N., 11° 00'·71E.

2. and

Yellow can buoy with cross topmark	<i>Fl(4)Y.10s</i>	55° 20'·91N., 11° 03'·17E.
Yellow spar buoy with cross topmark		55° 20'·96N., 11° 03'·64E.
Yellow spar buoy with cross topmark		55° 20'·83N., 11° 03'·69E.
Yellow spar buoy with cross topmark		55° 20'·70N., 11° 03'·73E.
Yellow spar buoy with cross topmark		55° 20'·57N., 11° 03'·78E.
Yellow spar buoy with cross topmark		55° 20'·44N., 11° 03'·82E.
Yellow can buoy with cross topmark	<i>Fl(4)Y.10s</i>	55° 20'·38N., 11° 03'·32E.
Yellow spar buoy with cross topmark		55° 20'·51N., 11° 03'·28E.
Yellow spar buoy with cross topmark		55° 20'·65N., 11° 03'·24E.
Yellow spar buoy with cross topmark		55° 20'·78N., 11° 03'·21E.

3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 938 (INT 1369) - 2106 (INT 1303) - 2596 (INT 1370)

II

1927(P)/26 POLAND - Wind farm. Works. Buoyage. Piles. Restricted areas.

Source: Polish Notices 52/631(T)/24, 1/2(T)/25, 1/12(T)/25, 40/442/25, 46/558(T)/25 and 51-52/632(T)/25

1. Wind farm construction works are taking place within an area, marked by cardinal light-buoys, bounded by the following positions:

55° 02'·09N., 17° 33'·10E.
55° 06'·65N., 17° 37'·30E.
55° 06'·65N., 17° 46'·27E.
55° 04'·94N., 17° 46'·66E.
55° 05'·11N., 17° 43'·09E.
55° 00'·30N., 17° 43'·09E.
54° 59'·62N., 17° 38'·65E.
54° 59'·66N., 17° 38'·89E.
54° 58'·66N., 17° 33'·85E.

2. Numerous piles have been established within the area.
3. There is an entry prohibited area, radius 500 metres, around each pile.
4. *Additional construction works are taking place within an area bounded by the following positions:

54° 49'·41N., 17° 53'·77E.
54° 53'·00N., 17° 53'·07E.
54° 54'·34N., 17° 50'·98E.
55° 00'·22N., 17° 43'·64E.
55° 00'·31N., 17° 42'·38E.
55° 02'·81N., 17° 41'·34E.
55° 02'·94N., 17° 41'·76E.
55° 03'·38N., 17° 41'·60E.
55° 03'·31N., 17° 40'·85E.
55° 03'·18N., 17° 40'·56E.
55° 02'·82N., 17° 40'·34E.
55° 00'·02N., 17° 41'·44E.
54° 59'·76N., 17° 38'·95E.
55° 01'·88N., 17° 38'·19E.
55° 02'·19N., 17° 37'·63E.
55° 02'·01N., 17° 36'·88E.
55° 01'·67N., 17° 37'·19E.
54° 59'·11N., 17° 38'·11E.
54° 59'·52N., 17° 42'·67E.
54° 54'·19N., 17° 49'·40E.
54° 52'·57N., 17° 51'·91E.
54° 49'·95N., 17° 52'·58E.
54° 49'·71N., 17° 52'·59E.
54° 49'·71N., 17° 52'·64E.
54° 49'·22N., 17° 52'·77E.

5. Mariners are advised to navigate with caution in the area.
6. Charts will be updated when works are complete.
7. *Former Notice 36(P)/26 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218)

II

1838(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 24'·59N., 3° 27'·19E.	116
* 51° 25'·43N., 3° 22'·07E.	116
* 51° 25'·49N., 3° 23'·04E.	116
* 51° 25'·49N., 3° 23'·90E.	116
* 51° 25'·62N., 3° 25'·14E.	116
* 51° 25'·63N., 3° 25'·83E.	116
51° 26'·83N., 3° 39'·78E.	120
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·30N., 4° 35'·53E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90

II

1838(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 1689(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 120 (INT 1479) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

1822(P)/26 FRANCE - North Coast - Pilotage. Dredged area. Works. Maintained channel. Depths.

Source: French Chart 6683

1. A new compulsory pilotage limit has been established joining the following positions:

49° 30'·441N., 0° 00'·743W.
49° 29'·246N., 0° 05'·456E.
49° 29'·061N., 0° 05'·363E.
49° 29'·601N., 0° 02'·214E.
49° 29'·080N., 0° 00'·743W.

2. Dredging works are taking place in the area bounded by the following positions:

49° 30'·565N., 0° 00'·739W.
49° 30'·586N., 0° 00'·720W.
49° 29'·978N., 0° 02'·390E.
49° 29'·848N., 0° 02'·333E.

3. A new 14·5 maintained channel within the Port of Le Havre has been established joining the following positions:

49° 28'·504N., 0° 10'·173E.
49° 28'·178N., 0° 09'·098E.
49° 28'·240N., 0° 07'·955E.
49° 29'·135N., 0° 05'·386E.

4. Multiple maintained depth areas have been established. The most significant areas are centred on the following positions:

<i>Depth</i>	<i>Position</i>
8·5m	49° 28'·493N., 0° 06'·778E.
11·5m	49° 28'·677N., 0° 07'·187E.
10m	49° 28'·603N., 0° 07'·826E.
11m	49° 28'·301N., 0° 07'·405E.

5. Depths less than charted exist within the Port of Le Harve. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
7·3m	49° 28'·432N., 0° 07'·518E.
8·1m	49° 28'·363N., 0° 07'·739E.
7·7m	49° 28'·340N., 0° 07'·864E.
8·1m	49° 28'·285N., 0° 08'·142E.
13·6m	49° 28'·236N., 0° 08'·481E.
8m	49° 28'·512N., 0° 09'·581E.

6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

7. These changes will be included in a New Edition of Chart 2990 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 2990 (INT 1751)

II

1848(T)/26 SPAIN - West Coast - Works. Buoyage.

Source: Spanish Notice 9/46(T)26

1. Works are taking place in Ría de Vigo in an area marked by yellow light-buoys, *Fl(4)Y.11s1M*, in the following positions:

42° 15'·956N., 8° 40'·818W.

42° 15'·877N., 8° 40'·869W.

42° 15'·921N., 8° 40'·737W.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1730 - 1731 (INT 1858)

II

1945(T)/26 FRANCE - West Coast - Restricted area. Buoyage.

Source: French Notice 11/7(T)/26

1. A restricted area, entry prohibited, marked by special buoys, has been established bounded by the following positions:

44° 55'·32N., 1° 13'·65W.
44° 55'·30N., 1° 13'·47W.
44° 55'·27N., 1° 13'·28W.
44° 55'·14N., 1° 13'·30W.
44° 55'·00N., 1° 13'·31W.
44° 55'·03N., 1° 13'·51W.
44° 55'·05N., 1° 13'·71W.
44° 55'·19N., 1° 13'·68W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2664 (INT 1804)

II

1921(T)/26 FRANCE - South Coast - Restricted area.

Source: French Notice 11/9(T)/26

1. An entry prohibited area has been established, radius 100m, centred on 43° 18′·87N., 6° 41′·22E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2166

II

1909(P)/26 ANGOLA - Works. Offshore installations.

Source: TotalEnergies EP Angola

1. *Gas field development works are taking place within an area bounded by the following positions:

9° 52'·2S., 12° 10'·8E.

10° 10'·6S., 12° 22'·4E.

10° 05'·9S., 12° 32'·1E.

9° 46'·8S., 12° 19'·4E.

2. Numerous submarine installations will be established within this area.
3. Charts will be updated when full details are available.
4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. *Former Notice 1639(P)/26 is cancelled.
*Indicates new or revised entry.
(WGS84 DATUM)

Charts affected - 307 (INT 2550) - 308 (INT 2560) - 312 (INT 2050)

II

1918(T)/26 GUINEA - Anchorage areas.

Source: French Notice 11/13(T)/2026

1. Temporary anchorages have been established in the approaches to the port of Conakry in the following positions:

Position

9° 28'·2N., 13° 41'·9W.

9° 28'·9N., 13° 42'·3W.

9° 20'·3N., 13° 42'·6W.

9° 28'·5N., 13° 44'·2W.

9° 26'·6N., 13° 42'·6W.

9° 31'·6N., 13° 43'·4W.

9° 29'·4N., 13° 43'·1W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 412 (INT 2858) - 601 - 612

II

1810(P)/26 UNITED ARAB EMIRATES - Vessel traffic services.

Source: ADNOC

1. The Das/Zirkū, Mubarras and Jebel Dhanna/Ruwais Vessel Traffic Information Services (VTIS) are now referred to as Das/Zirkū, Mubarras and Jebel Dhanna/Ruwais Vessel Traffic Services (VTS).
2. The limits of the Jebel Dhanna/Ruwais Vessel Traffic Service (VTS) have been amended and are now bounded by the following positions:

24° 11'·82N., 52° 36'·50E.
24° 17'·00N., 52° 38'·00E.
24° 20'·84N., 52° 33'·60E.
24° 26'·80N., 52° 33'·60E.
24° 32'·70N., 52° 26'·60E.
24° 57'·60N., 52° 56'·00E.
24° 54'·20N., 52° 58'·92E.
24° 26'·80N., 52° 46'·60E.
24° 11'·00N., 52° 46'·60E.
24° 11'·00N., 52° 48'·20E.
24° 07'·94N., 52° 48'·20E.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. These changes and others will be included in a New Edition of Chart 3779 to be published early 2026.
5. These changes and others will be included in New Editions of Charts 2444, 2886, 3178, 3179 to be published mid 2026.
6. Charts 2443, 2887, 2889, 3177, 3413, 3778, 3780, 3796 and 3951 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 2444 (INT 7239) - 2886 (INT 7243) - 3178 (INT 7226) - 3179 (INT 7229)

II

1919(T)/26 KUWAIT - Wreck.

Source: MENAS NAVTEX 91/26

1. A dangerous wreck has been reported sunk in position 29° 27'·02N., 47° 49'·68E.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1214

II

1809(T)/26 MALAYSIA - Peninsular Malaysia, East Coast - Wreck.

Source: Marine Department, Malaysia Notice 264(T)/25

1. A stranded vessel has been reported in position 4° 59'·37N., 103° 24'·02E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2422 - 3446

II

1823(T)/26 MALAYSIA - Peninsular Malaysia, East Coast - Buoyage.

Source: Malaysian Notices 2/66(T)-67(T)/26

1. The following lateral light-buoys are unlit:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Fl.G.2s</i>	<i>SB1</i>	Starboard hand	1° 19'·75N., 104° 11'·62E.
<i>Fl.R.5s</i>	<i>PS-2</i>	Port hand	1° 19'·75N., 104° 10'·27E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4042

II

1842(P)/26 CHINA - Bo Hai - Restricted area. Works. Depths. Obstruction.

Source: Chinese Chart 11763

1. Depths in the approach channel to Dagang Gangqu, between positions $38^{\circ} 45' \cdot 81\text{N}$., $118^{\circ} 06' \cdot 71\text{E}$ and $38^{\circ} 45' \cdot 92\text{N}$., $117^{\circ} 43' \cdot 61\text{E}$., are between 13·9m-15·3m.
2. A depth of 2·3m exists in position $38^{\circ} 46' \cdot 35\text{N}$., $117^{\circ} 45' \cdot 09\text{E}$.
3. An area to be avoided restricted area has been established, radius 1000m, centred on the obstruction (*PA*) in position $38^{\circ} 39' \cdot 82\text{N}$., $117^{\circ} 44' \cdot 67\text{E}$.
4. A construction area exists, centred on $38^{\circ} 40' \cdot 08\text{N}$., $118^{\circ} 00' \cdot 10\text{E}$.
5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
6. These changes will be included in a New Edition of Chart 2645 to be published mid 2026.
7. Charts 2653, 1250 and 2657 will be updated by Notice to Mariners.
(CGCS 2000 DATUM)

Chart affected - 2645

II

1854(P)/26 CHINA - East Coast - Buoy. Depths. Drying height. Rock.

Source: Chinese Charts 14351 and 14371

- Depths less than charted exist to the east of the entrance channel to Dongshan Wan. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
13·3m	23° 39'·62N., 117° 32'·87E.
8·8m	23° 41'·17N., 117° 32'·50E.
14·4m	23° 40'·59N., 117° 32'·35E.
9·8m	23° 41'·63N., 117° 33'·25E.
9·1m	23° 41'·83N., 117° 30'·25E.
7m	23° 42'·50N., 117° 30'·84E.
0·2m	23° 42'·83N., 117° 29'·82E.
8·5m	23° 42'·79N., 117° 31'·75E.
9·7m	23° 43'·62N., 117° 32'·50E.
6·6m	23° 41'·78N., 117° 32'·67E.
10·6m	23° 40'·66N., 117° 33'·75E.
19·7m	23° 40'·20N., 117° 31'·12E.

- The *Q2* special buoy in position 23° 39'·80N., 117° 35'·61E., has been amended to *Mo(Q)Y.12s*.
- A rock, drying height 1·3m, exists in position 23° 40'·55N., 117° 28'·77E.
- Depths less than charted exist south of Da'ao Wan. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
8·9m	23° 57'·77N., 117° 49'·81E.
5·4m	23° 57'·96N., 117° 50'·14E.

- Depths less than charted exist south of Jiangjun Wan. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
19·2m	23° 58'·28N., 117° 54'·12E.
17·5m	23° 58'·95N., 117° 54'·15E.
16m	23° 59'·11N., 117° 53'·93E.
7·8m	23° 59'·32N., 117° 51'·04E.
9·4m	23° 59'·43N., 117° 51'·60E.
4·9m	23° 59'·50N., 117° 50'·36E.
16·9m	23° 59'·74N., 117° 54'·10E.

- Depths less than charted exist in the vicinity of Nanding Dao. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
8·4m	24° 08'·53N., 118° 01'·77E.
10·3m	24° 05'·18N., 118° 03'·81E.
9·3m	24° 06'·66N., 118° 04'·69E.
9m	24° 09'·17N., 118° 00'·15E.
5·9m	24° 09'·91N., 118° 02'·29E.
11·3m	24° 11'·60N., 118° 06'·10E.
9·3m	24° 09'·75N., 118° 02'·10E.
13m	24° 09'·19N., 118° 04'·89E.
15·7m	24° 10'·67N., 118° 03'·23E.
1·7m	23° 41'·57N., 117° 32'·59E.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
- These changes will be included in a New Edition of Chart 1720, to be published mid 2026.
- Chart 1719 will be updated by Notice to Mariners.
(CGCS 2000 DATUM)

Chart affected - 1720

II

1900(P)/26 CHINA - East Coast - Alongside depths. Depths. Shellfish beds.

Source: Chinese Charts 14292 and 14293

- Depths less than charted exist in Xiamen Gang. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
10·8m	24° 26'·449N., 118° 03'·103E.
14m	24° 26'·66N., 118° 00'·11E.
14m	24° 26'·73N., 117° 59'·61E.
13·9m	24° 26'·83N., 117° 59'·13E.
13·2m	24° 26'·99N., 117° 58'·46E.
5·3m	24° 25'·36N., 118° 00'·41E.
4·2m	24° 25'·44N., 117° 59'·96E.
1·9m	24° 25'·35N., 117° 59'·72E.
9·6m	24° 28'·389N., 118° 03'·494E.
1·4m	24° 31'·728N., 118° 04'·156E.
1·5m	24° 32'·585N., 118° 03'·089E.
4·1m	24° 32'·625N., 118° 01'·837E.
4·8m	24° 24'·12N., 117° 58'·76E.
5·4m	24° 24'·15N., 117° 58'·87E.

- Alongside depths have changed at Xiamen Gang Zhaoyin Gangqu. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
11m	24° 24'·68N., 118° 03'·55E.
11·6m	24° 24'·69N., 118° 03'·44E.
11·6m	24° 24'·71N., 118° 03'·28E.
12m	24° 24'·74N., 118° 03'·09E.
12·9m	24° 24'·85N., 118° 02'·76E.
10·6m	24° 24'·90N., 118° 02'·48E.

- Alongside depths have changed at Songyu Gangqu Container Wharf. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
16·4m	24° 26'·699N., 118° 02'·509E.
16·1m	24° 26'·457N., 118° 02'·381E.
16·4m	24° 26'·479N., 118° 02'·014E.
16·3m	24° 26'·496N., 118° 01'·662E.
6·1m	24° 26'·540N., 118° 01'·444E.

- Alongside depths have changed at Xiamen International Container Wharf. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
15m	24° 26'·692N., 118° 01'·077E.
13m	24° 26'·728N., 118° 00'·910E.
14·6m	24° 26'·84N., 118° 00'·36E.
12·7m	24° 26'·93N., 117° 59'·94E.
8·8m	24° 27'·02N., 117° 59'·48E.

- Alongside depths have changed at Xiamen Oceangate Container Wharf. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
12·8m	24° 27'·16N., 117° 58'·82E.
12·7m	24° 27'·24N., 117° 58'·43E.
12·4m	24° 27'·27N., 117° 58'·29E.

II

1900(P)/26 CHINA - East Coast - Alongside depths. Depths. Shellfish beds. (continued)

6. Alongside depths have changed in Dongdu Hangdao. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
6·6m	24° 29'·181N., 118° 04'·151E.
6·9m	24° 29'·333N., 118° 04'·176E.
7·4m	24° 29'·462N., 118° 04'·196E.
6·4m	24° 29'·661N., 118° 04'·227E.
3·6m	24° 29'·766N., 118° 04'·235E.
6·4m	24° 30'·068N., 118° 03'·836E.
4·3m	24° 30'·148N., 118° 03'·893E.
4·1m	24° 30'·379N., 118° 04'·064E.
8·1m	24° 30'·159N., 118° 04'·412E.
8·3m	24° 30'·264N., 118° 04'·472E.
10·6m	24° 30'·381N., 118° 04'·534E.
11·7m	24° 30'·635N., 118° 04'·671E.
11·5m	24° 31'·012N., 118° 04'·792E.
14·3m	24° 31'·472N., 118° 04'·936E.
13·9m	24° 31'·630N., 118° 04'·985E.
0·3m	24° 28'·788N., 118° 04'·204E.
2·5m	24° 28'·953N., 118° 04'·178E.
6·7m	24° 31'·724N., 118° 05'·003E.

7. The shellfish bed areas centred on the following positions have been removed:

24° 31'·741N., 118° 04'·593E.
24° 32'·730N., 118° 05'·112E.
24° 32'·985N., 118° 05'·307E.

8. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

9. These changes will be included in New Editions of Charts 3452 and 3453 to be published mid 2026.

10. Chart 3449 will be updated by Notice to Mariners.
(CGCS 2000 DATUM)

Charts affected - 3452 - 3453

II

1931(T)/26 TAIWAN - Works.

Source: Taiwanese Notice 15(T)/26

1. Works are taking place within areas bounded by the following positions:

24° 11'·7N., 119° 56'·1E.
24° 11'·50N., 120° 02'·41E.
24° 08'·30N., 120° 18'·04E.
24° 07'·57N., 120° 20'·76E.
24° 07'·53N., 120° 22'·83E.
24° 07'·35N., 120° 24'·10E.
24° 07'·01N., 120° 23'·83E.
24° 07'·20N., 120° 22'·80E.
24° 07'·24N., 120° 20'·65E.
24° 08'·04N., 120° 16'·78E.
24° 08'·02N., 120° 16'·03E.
24° 11'·03N., 120° 02'·12E.
24° 11'·11N., 120° 00'·49E.
24° 11'·0N., 119° 54'·0E.
24° 12'·4N., 119° 54'·9E.

and

24° 16'·1N., 119° 48'·6E.
24° 15'·7N., 119° 57'·2E.
24° 07'·15N., 119° 51'·37E.
24° 07'·42N., 119° 42'·48E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 1760 - 2409 - 3231

II

1934(T)/26 CHINA - South Coast - Light-vessel. Automatic Identification System. Buoyage. Radar beacon.

Source: Chinese Notices 5/134(T) -135(T)/26

1. The *Zhanjiang Gang* light-vessel, *Fl.6s10M*, and associated *Racon (M)* and *AIS* in position 20° 55'·99N., 110° 40'·38E., have been suspended and replaced by the following buoyage:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Al.Oc.BuY.3s</i>	<i>1</i>	Pillar	20° 55'·99N., 110° 40'·47E.
<i>Al.Oc.BuY.3s</i>	<i>2</i>	Pillar	20° 55'·99N., 110° 40'·29E.
<i>Q.R</i>	<i>A1</i>	Can	20° 56'·08N., 110° 40'·29E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 3348 - 3351 - 3892

II

1819(T)/26 JAPAN - Seto Naikai - Obstruction.

Source: Japanese Notice 13/5116(T)/26

1. An obstruction, anchor (about 5m in length), exists in position 34° 37′·3N., 135° 14′·3E.
(WGS84 DATUM)

Chart affected - JP 106

II

1941(T)/26 JAPAN - Honshū - Depths.

Source: Japanese Notice 14/5134(T)/26

1. Depths less than charted exist in the following positions:

<i>Depth</i>	<i>Position</i>
20m	37° 51'·12N., 136° 55'·77E.
5m	37° 50'·74N., 136° 54'·42E.

(WGS84 DATUM)

Charts affected - JP 120 - JP 1169

II

1824(P)/26 INDONESIA - Jawa - Pier. Works.

Source: ENC ID6384R1

1. Pier construction works are taking place, in an area bounded by the following positions:

6° 54'·21S., 109° 57'·32E.

6° 54'·21S., 109° 58'·42E.

6° 55'·18S., 109° 58'·42E.

6° 55'·18S., 109° 57'·32E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when works are complete.
(WGS84 DATUM)

Chart affected - 3730

II

1792(P)/26 AUSTRALIA - New South Wales - Submarine cable. Works.

Source: Australian Notice 6/245(T)/26

1. Cable laying operations will be conducted between Sydney and Brisbane, in the vicinity of the line joining the following positions:

34° 25'·9S., 151° 45'·5E.

34° 51'·7S., 152° 28'·7E.

34° 58'·3S., 152° 56'·8E.

34° 58'·4S., 153° 49'·7E.

34° 52'·7S., 154° 07'·9E.

34° 36'·6S., 154° 25'·0E.

34° 17'·9S., 154° 22'·6E.

34° 09'·4S., 154° 28'·4E.

34° 00'·6S., 154° 58'·3E.

33° 00'·7S., 155° 32'·2E.

32° 24'·2S., 155° 36'·1E.

31° 47'·5S., 155° 32'·0E.

31° 16'·2S., 155° 39'·5E.

30° 50'·2S., 155° 36'·7E.

30° 30'·8S., 155° 49'·9E.

29° 54'·4S., 156° 40'·7E.

29° 47'·2S., 156° 57'·7E.

28° 59'·2S., 157° 12'·7E.

28° 43'·4S., 157° 29'·4E.

2. Cable lay and post-lay inspection activities will occur along the route and mariners are advised to keep clear of the vessel, *Dependable*, during these activities.
3. Mariners are advised to navigate with caution in the area. Further advice on specific areas of activity will be issued through the AUSCOAST warning system.
(WGS84 DATUM)

Charts affected - 4060 (INT 60) - 4601 (INT 601) - 4602 (INT 602)

II

1793(P)/26 AUSTRALIA - New South Wales - Submarine cable. Works.

Source: Australian Notice 6/246(T)/26

1. Cable laying operations will be conducted between Sydney and Eden, in the vicinity of the line joining the following positions:

33° 56'·9S., 151° 15'·4E.

33° 57'·6S., 151° 17'·1E.

33° 58'·5S., 151° 18'·3E.

33° 58'·7S., 151° 19'·1E.

33° 59'·6S., 151° 19'·7E.

34° 02'·5S., 151° 19'·9E.

34° 28'·9S., 151° 18'·6E.

34° 30'·9S., 151° 19'·1E.

34° 34'·1S., 151° 22'·6E.

34° 35'·8S., 151° 29'·1E.

34° 37'·5S., 151° 31'·6E.

34° 39'·9S., 151° 33'·0E.

34° 43'·6S., 151° 34'·2E.

34° 48'·2S., 151° 39'·4E.

34° 50'·5S., 151° 41'·9E.

35° 01'·4S., 152° 07'·6E.

35° 18'·4S., 152° 29'·9E.

36° 46'·4S., 152° 57'·8E.

37° 18'·4S., 153° 20'·9E.

2. Cable lay and post-lay inspection activities will occur along the route and mariners are advised to keep clear of the vessel, *Responder*, during these activities.
3. Mariners are advised to navigate with caution in the area. Further advice on specific areas of activity will be issued through the AUSCOAST warning system.
(WGS84 DATUM)

Charts affected - 4060 (INT 60) - 4601 (INT 601) - 4602 (INT 602) - Aus 808

II

1812(P)/26 AUSTRALIA - New South Wales - Restricted areas. Depths. Obstructions.

Source: Australian Chart Aus 808

1. An anchoring prohibited area has been established bounded by coastline and the following positions:

35° 07'·60S., 150° 42'·72E.
 35° 05'·63S., 150° 44'·11E.
 35° 04'·32S., 150° 41'·83E.

2. Environmentally sensitive sea areas (ESSA) have been established as follows:

West side of the line bounded by the coastline and the following positions:

34° 57'·81S., 150° 46'·73E.
 34° 57'·81S., 150° 47'·29E.
 34° 59'·51S., 150° 50'·56E.
 35° 00'·81S., 150° 52'·06E.
 35° 04'·51S., 150° 51'·07E.
 35° 06'·51S., 150° 48'·37E.
 35° 10'·21S., 150° 46'·37E.
 35° 11'·00S., 150° 44'·98E.

and

South side of the line joining:

35° 10'·99S., 151° 36'·00E.
 35° 00'·00S., 151° 36'·00E.
 35° 00'·00S., 151° 11'·99E.
 35° 03'·00S., 151° 12'·00E.
 35° 03'·01S., 151° 00'·99E.
 35° 11'·00S., 150° 56'·50E.

3. Mariners are advised to consult Mariner Handbook for Australian Waters AHP20, for details regarding ESSA area activity restrictions.
4. Depths less than charted exist between Flagstaff Point and Bellambi Point. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
16·5m	34° 24'·17S., 150° 55'·33E.
21·6m	34° 23'·69S., 150° 56'·08E.
8·2m	34° 21'·92S., 150° 56'·64E.

5. Features less than charted exist as follows:

<i>Depth</i>	<i>Feature</i>	<i>Position</i>
25·1m	Depth	35° 09'·76S., 150° 45'·93E.
91m	Depth	35° 06'·06S., 150° 52'·57E.
4·4m	Depth	35° 00'·44S., 150° 44'·29E.
55m	Depth	35° 00'·20S., 150° 53'·19E.
100m	Depth	34° 59'·46S., 150° 57'·58E.
0·5m	Obstruction	34° 55'·62S., 150° 47'·10E.
33m	Depth	34° 13'·77S., 151° 04'·46E.
15m	Obstruction	34° 07'·18S., 151° 13'·52E.
5·3m	Depth	34° 04'·48S., 151° 10'·52E.

6. Mariners are advised to navigate with caution in the area.
7. These and other changes will be included in a New Edition of Chart Aus808 to be published mid 2026. (WGS84 DATUM)

Chart affected - Aus 808

II

1929(P)/26 NEW ZEALAND - South Island - Depths. Rocks.

Source: New Zealand Chart NZ 6821

1. Mariners are warned that sandwaves exist in the vicinity of the area bounded by the following positions. Depths shoaler than those charted may exist in this area.

46° 37'·374S., 168° 21'·307E.
46° 38'·068S., 168° 23'·481E.
46° 37'·635S., 168° 25'·000E.
46° 37'·304S., 168° 25'·000E.
46° 36'·497S., 168° 24'·463E.
46° 36'·178S., 168° 22'·613E.
46° 36'·451S., 168° 21'·988E.

2. Rocks shoaler than charted exist as follows:

Drying Height

0·8m
1·1m
0·2m
1·5m
0·4m

Position

46° 37'·366S., 168° 20'·971E.
46° 36'·930S., 168° 21'·323E.
46° 36'·176S., 168° 21'·249E.
46° 36'·156S., 168° 22'·045E.
46° 36'·100S., 168° 22'·284E.

3. Mariners are advised to navigate with caution in the area and consult local port authorities for the latest information.
4. Chart NZ 6821 will be updated in due course.
(WGS84 DATUM)

Chart affected - NZ 6821

II

1841(T)/26 COLOMBIA - Pacific Ocean Coast - Wreck.

Source: Colombian Notice 68/26

1. A dangerous wreck has been reported in position $3^{\circ} 51' \cdot 22\text{N}.$, $77^{\circ} 06' \cdot 45\text{W}.$
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 2319

II

1847(P)/26 BRAZIL - South Coast - Wreck.

Source: Brazilian Notice 5/S 16(P)/26

1. A dangerous wreck exists in position 22° 56'·65S., 43° 10'·17W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. Charts will be updated when full details are available.
(WGS84 DATUM)

Chart affected - 566

II

1953(T)/26 BRAZIL - East Coast - Wreck.

Source: HYDROLANT 689/26

1. A stranded wreck has been reported in position 1° 01'·25N., 49° 40'·34W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2189 - 3959 - 3962

II

1899(T)/26 VENEZUELA - Light. Radar beacon.

Source: Venezuelan Notice 6/26

1. Light, Fl.10s445m23M, in position 11° 22'·8N., 63° 07'·0W., has been extinguished. The radar beacon remains operative.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 1044 - 1966 - 2191 - 4012 (INT 12) - 4013 (INT 13) - 4400 (INT 400) - 4402 (INT 402) - 4407