



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 18

30 April 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	Erratum
142	INT 1303	1270
773	INT 1336	
892	INT 1378	
958	INT 1993	
1000	INT 4634	
1104		
1461		
2106		
2107		
2108		
2134		
2709		
3599		
4755		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 30 April 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙142	Strait of Gibraltar. This chart remains affected by Notices 1021(T)/25, 1882(T)/25 and 5791(P)/25.	1:100,000	18	40
⊙1000 INT 1993	International Chart Series, Senegal, Approaches to Dakar, Baie de Gorée. On publication of this New Edition former Notice 1034(P)/26 is cancelled. This chart remains affected by Notices 1761(P)/24, 5576(P)/24, 971(T)/26 and 1502(T)/26.	1:50,000	20	52
⊙1104	Bay of Biscay. This chart remains affected by Notice 474(P)/22.	1:1,000,000	16	20, 40
⊙1461	Italy, Slovenia and Croatia, Gulf of Trieste and Approaches. This chart remains affected by Notices 5085(T)/22 and 1741(T)/23.	1:100,000	27	44
⊙2106 INT 1303	International Chart Series, Entrances to the Baltic Sea, Storebælt and Lillebælt to Fehmarn Belt. This chart remains affected by Notices 1111(P)/22, 4052(T)/25, 5107(T)/25 and 1805(P)/26.	1:200,000	10	34
⊙2108	Entrance to the Baltic, Kattegat - Southern Part. Ⓐ The Sound, Routeing. On publication of this New Edition former Notice 4695(P)/25 is cancelled. This chart remains affected by Notices 3963(T)/23, 4513(T)/24 and 3134(T)/25.	1:200,000 1:1,000,000	10	34
⊙2134	Brunei and Malaysia, Plans in Brunei Bay. Ⓐ Muara and Approaches. Ⓑ Sungai Brunei Inner Bar. Ⓒ Sungai Brunei and Batang Limbang. On publication of this New Edition former Notice 1200(P)/26 is cancelled. This chart remains affected by Notices 800(T)/22, 2495(T)/23, 3498(T)/23, 2488(P)/24, 4831(P)/24, 5467(T)/24, 499(T)/25, 1337(T)/25, 4352(T)/25, 5152(T)/25 and 744(P)/26.	1:20,000 1:12,000 1:50,000	48	78

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 30 April 2026 (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙3599	Iran, Bandar-e Shahīd Bāhonar and Bandar-e Shahīd Rajā'ī with Approaches. Ⓐ Bandar-e Shahīd Rajā'ī. Ⓑ Bandar-e Shahīd Bāhonar.	1:50,000 1:20,000 1:20,000	40	62
On publication of this New Edition former Notice 1192(P)/26 is cancelled.				
⊙4755 INT 4634	International Chart Series, Nova Scotia/Nouvelle-Écosse, Southeast Coast/Côte Sud-Est., Halifax Harbour, Bedford Basin.	1:10,000	80	130
On publication of this New Edition former Notice 1194(P)/26 is cancelled.				

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 14 MAY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
773	Mediterranean Sea, Strait of Gibraltar to Isla de Alborán.	1:300,000	⊙773	18	40, 42
892 INT 1378	International Chart Series, Entrance to the Baltic, Kattegat Ålbæk Bugt. Ⓐ Skagen.	1:100,000 1:12,500	⊙892 INT 1378	10	34
958 INT 1336	International Chart Series, Baltic Sea - Sweden and Denmark, Bornholmsgat. Ⓐ Christiansø. Ⓑ Rønne. Ⓒ Nexø.	1:100,000 1:12,500 1:12,500 1:8,000	⊙958 INT 1336	10	34
2107	Entrance to the Baltic, Kattegat - Northern Part.	1:200,000	⊙2107	10	34
2709	Ireland - West Coast, Roundstone and Approaches.	1:30,000	⊙2709	4	22

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
142	Strait of Gibraltar.	⊙142
1000 INT 1993	International Chart Series, Senegal, Approaches to Dakar, Baie de Gorée.	⊙1000 INT 1993
1104	Bay of Biscay.	⊙1104
1461	Italy, Slovenia and Croatia, Gulf of Trieste and Approaches.	⊙1461
2106 INT 1303	International Chart Series, Entrances to the Baltic Sea,	⊙2106 INT 1303
2108	Entrance to the Baltic, Kattegat - Southern Part.	⊙2108
2134	Brunei and Malaysia, Plans in Brunei Bay.	⊙2134
3599	Iran, Bandar-e Shahīd Bāhonar and Bandar-e Shahīd Rajā'ī with Approaches.	⊙3599
4755 INT 4634	International Chart Series, Nova Scotia, Southeast Coast, Halifax Harbour Bedford Basin.	⊙4755 INT 4634

ERRATUM

Section 1, Week 17/26,

Page 1.8

Within **New Editions of ADMIRALTY Charts published 23 April 2026**

Chart 1270 is listed but incorrectly shows an INT number (INT 5363)

Page 1.12

Within **ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN**

In column 3, Chart 1270 is listed but incorrectly shows an INT number (INT 5363)

The New Edition of Chart 1270 is not included within the International Chart Series.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
6	2034T	1853	1970
13	2083P	1866	2074T
14	2083P	1983	1992
38	2022P	2007	2038
39	2040T	2018	1974T
47	2073	2022	2094
50	2073	2037	2094
90	2004T	2040	1974T
102	1997	2048	2076T
104	2075	2059	2076T
107	2075	2079	1969
110	1979T	2115	2017T
116	1967, 1979T	2120	2012
120	1979T	2122	1992
122	1979T, 2032	2129	1999
124	1979T	2156	2085
125	1965T, 1979T	2182B	2070
130	1979T, 2032	2184	1999
183	2090	2193	2020
237	2079	2213	2086
266	1979T	2227	2016
273	2070	2232	2086
278	2070	2288	1974T, 2076T
319	2077P	2348	2015
343	2029T	2350	2089
346	2084	2356	2089
390	2044	2387	1995
497	2042	2414	2046
707	2022P	2429	2066
729	2053	2450	1980
781	2020	2451	1980
805	2001	2491	2074T
811	2031T	2595	2017T
857	1968T	2601	2024
858	1968T	2613	1980
876	1976	2625	2094
881	1977	2629	2096P
882	1960	2631	2096P
934	2030	2633	2090
1001	2091	2634	2090
1005	2052	2656	1980
1066	1973	2675	1980
1159	2082	2681	2081
1173	2095	2688	1962
1174	2095	2731	1964
1188	2054	2747	2014
1190	2075	2795	1973
1198	2082	2816	1974T, 2076T
1251	1978	2817	2076T
1256	1978	2837	2022P
1321	2047	2851	2022P
1373	2078	2858	2022P
1386	2047	2910	2028
1430	2015	2953	2028
1470	2040T	2970	2034T
1535	2069	3017	1973
1585	2090	3064	2045T
1603	1975, 2039	3087	1972
1630	1979T	3089	1990P
1631	1979T, 2018	3270	2013
1632	1979T	3271	2013
1633	1979T	3282	1989T
1648	2060	3284	1989T
1721	2088	3337	1983
1728	2010T	3409	2005
1730	2072	3427	2089
1731	2072	3484	2043T
1753	2085	3496	2054
1759	2088	3497	2054

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Australian Chart No.	Notices
3518	2007	Aus 59	2067
3520	2022P	Aus 60	2067
3522	2007, 2022P	Aus 143	2003
3523	2022P	Aus 327	1993T
3723	2022P	Aus 357	1996T
3811	2043T	Aus 801	1996T
3833	2093	Aus 802	1996T, 2000
3892	2010T	Aus 812	2025P
3895	2048	Aus 813	2049
3902	2092	Aus 818	1998T
3946	2092	Aus 841	2006
3947	2092		
3970	2071T	Bangladeshi Chart No.	Notices
3972	2023T		
3977	2026P	BD 5001	2004T
3980	2071T		
3984	2045T	Belgian Chart No.	Notices
3992	1981P		
4031	1984, 1987T	BE 101	1979T
4032	1984, 1987T, 2027, 2080		
4033	1961, 1986T	German Chart No.	Notices
4034	1988T, 2027		
4035	2093		
4036	2093		
4038	1982, 2037		
4039	2093		
4040	1982, 2027, 2093	DE 31	2019
4041	2093	DE 44	1971
4060	2035	DE 50	1979T
4070	2035	DE 90	1979T
4071	2035	DE 163	2021
4073	2035	DE 1671	2021
4112	2002		
4113	2002	Indian Chart No.	Notices
4119	2041		
4122	2041		
4123	2008T, 2029T	IN 22	2050
4126	2087	IN 32	2050
4128	2011	IN 202	2040T
4418	2043T	IN 203	2040T
4419	2043T	IN 220	2050
4470	2043T	IN 251	2040T
4508	2046	IN 259	2050
4601	1996T	IN 260	2050
4603	1993T	IN 308	2077P
4705	2022P	IN 351	2004T
4708	1993T, 2035, 2051	IN 2029	2050
4709	1991P, 1996T, 2009	IN 2031	2040T
4722	1993T, 2033T	IN 2060	2040T
4723	1993T, 1994T	IN 2068	2040T
4742	1966	IN 2079	2040T
4766	1963	IN 3034	2068
5524	2093		
5525	2092	Japanese Chart No.	Notices
5600_12	2096P		
5600_15	2036	JP 77	2055, 2056, 2065T
5600_18	2094	JP 108	2055, 2056, 2057, 2058, 2059
5600_19	2094	JP 120	2063T
5605_1	1980	JP 151	2059, 2061, 2062
5611_9	1995	JP 1163	2063T, 2064T
5612_10	2085	JP 1220	2057, 2058, 2059, 2060,
5612_12	2085		2061, 2062
5612_9	2085		
5614_14	2075		
5614_15	2075		
5614_18	2054		
5614_19	2054		
5614_21	2075		
5623_12	1999		

II

INDEX OF CHARTS AFFECTED

New Zealand Chart No.	Notices	International Chart No.	Notices
NZ 52	1985T	INT 1703	1980
NZ 53	1985T	INT 1704	1980
NZ 522	1985T	INT 1705	1980
NZ 531	1985T	INT 1731	2094
NZ 532	1985T	INT 1732	2096P
NZ 5321	1985T	INT 1832	2089
NZ 5324	1985T	INT 1851	2095
		INT 1858	2072
		INT 1994	2091
		INT 2809	2047
		INT 3680	2090
		INT 7002	2034T
		INT 7017	2022P
		INT 7019	2022P
		INT 7200	2022P
		INT 7318	2040T
		INT 7319	2040T
		INT 7325	2040T
		INT 7326	2040T
		INT 7329	2040T
		INT 7332	2040T
		INT 7356	2050
		INT 7358	2050
		INT 7362	2050
		INT 7408	2077P
		INT 7409	2077P
		INT 7419	2004T
		INT 7426	2004T
		INT 7427	1997
		INT 7710	2048
		INT 9314	2015
		INT 13510	2021
International Chart No.	Notices		
INT 60	2035		
INT 70	2035		
INT 71	2035		
INT 73	2035		
INT 112	2002		
INT 113	2002		
INT 508	2046		
INT 554	2043T		
INT 601	1996T		
INT 603	1993T		
INT 705	2022P		
INT 708	1993T, 2035, 2051		
INT 709	1991P, 1996T, 2009		
INT 722	1993T, 2033T		
INT 723	1993T, 1994T		
INT 750	2022P		
INT 752	2050		
INT 754	2050		
INT 1042	2070		
INT 1045	1979T		
INT 1070	1980		
INT 1174	2030		
INT 1202	1974T		
INT 1216	2076T		
INT 1217	2076T		
INT 1218	1974T		
INT 1235	1977		
INT 1239	2031T		
INT 1288	1962		
INT 1316	1968T		
INT 1317	1968T		
INT 1332	2017T		
INT 1354	2021		
INT 1357	2019		
INT 1404	2015		
INT 1416	1979T		
INT 1417	1979T		
INT 1418	1979T, 2018		
INT 1420	1979T		
INT 1422	1965T, 1979T		
INT 1423	1979T, 2032		
INT 1452	1971		
INT 1461	1979T		
INT 1471	1979T		
INT 1472	1979T, 2032		
INT 1473	1979T		
INT 1474	1979T		
INT 1477	1967, 1979T		
INT 1479	1979T		
INT 1508	2075		
INT 1553	2054		
INT 1554	2054		
INT 1559	2069		
INT 1565	2054		
INT 1566	2075		
INT 1637	2038		
INT 1661	2085		

II

2053 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update</i>	<i>Details</i>
729	1923/26	Effective immediately Delete panel A, BETIO ANCHORAGE Delete panel A, within Source Diagram

II

2047 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update</i>	<i>Details</i>
1321	1419/26	Effective immediately Insert the accompanying block, within title panel Replace the existing note with the accompanying note, CHART 1387: POSITIONS Replace the existing note with the accompanying note, CAUTION: SATELLITE-DERIVED POSITIONS Delete plan C, OPOBO RIVER ENTRANCE Delete plan C, within Source Diagram
1386 INT 2809	1419/26	Effective immediately Insert magenta limit and chart number, NG2519, as follows: North: 4° 34'·0N. East: 7° 38'·3E. South: 4° 24'·6N. West: 7° 31'·2E. Insert accompanying note, USE OF LARGER SCALE CHARTS, centred on 4° 42'·0N., 6° 31'·3E. Delete magenta limit and chart number, 1321, in position 4° 23'·4N., 7° 37'·9E.

II

1983* ENGLAND - East Coast - Depths.

Source: Port of London Authority

Chart 3337 [*previous update 1660/26*] ETRS89 DATUM

Insert depth, 28

51° 30′·286N., 0° 00′·071W.

Replace depth, 19, with depth, 18

51° 30′·364N., 0° 00′·507E.

II

1995* SCOTLAND - West Coast - Beacon.

Source: Northern Lighthouse Board

Chart 2387 [*previous update 639/24*] ETRS89 DATUM

Insert



56° 23'·24N., 5° 42'·04W.

Chart 5611_9 (Panel B, Loch Spelve Entrance) [*previous update 5212/25*] ETRS89 DATUM

Insert



56° 23'·24N., 5° 42'·04W.

II

1999* IRELAND - South Coast - Lights.

Source: Department of Agriculture, Food and the Marine

Chart 2129 [*previous update 4183/21*] ETRS89 DATUM

Insert ★ Iso.G.4s9M & Fl.G.10s9M 51° 26′·50N., 9° 30′·24W.

Chart 2184 [*previous update 4183/21*] ETRS89 DATUM

Insert ★ Iso.G.4s9M & Fl.G.10s9M 51° 26′·50N., 9° 30′·24W.

Chart 5623_12 [*previous update New Chart 04/11/2021*] ETRS89 DATUM

Insert ★ Iso.G.4s9M & Fl.G.10s9M 51° 26′·50N., 9° 30′·24W.

II

2013* SCOTLAND - Shetland Islands - Lights.

Source: Lerwick Port Authority Notice 3/26

Chart 3270 (Panel A, Lerwick Harbour) [*previous update 3252/25*] ETRS89 DATUM

Insert	★ 2F.R(ver)3M	(a) 60° 09′·517N., 1° 08′·656W.
Delete	★ Fl.3s5m5M, close S of:	(a) above

Chart 3271 [*previous update 3252/25*] ETRS89 DATUM

Insert	★ 2F.R(ver)	(a) 60° 09′·517N., 1° 08′·656W.
Delete	★ Fl.3s, close S of:	(a) above

II

2036* ENGLAND - South Coast - NM Block.

Source: Bembridge and Portsmouth Harbours

Chart 5600_15 [*previous update 1908/26*] ETRS89 DATUM

Insert the accompanying block, centred on:

50° 48′·8N., 1° 05′·8W.

II

2038* SCOTLAND - West Coast - NM Blocks.

Source: Peel Ports Clydeport

Chart 2007 (INT 1637) (Panel C) [*previous update 5102/25*] ETRS89 DATUM

Insert the accompanying block A, centred on:

55° 52'·0N., 4° 19'·3W.

Chart 2007 (INT 1637) (Panel D) [*previous update 5102/25*] ETRS89 DATUM

Insert the accompanying block B, centred on:

55° 52'·0N., 4° 19'·4W.

II

2054* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update 1808/26*] ETRS89 DATUM

Insert	depth, 38, enclosed by 5m contour		53° 39'·30N., 0° 11'·49W.
	depth, 39, and extend 5m contour SW to enclose	(a)	53° 39'·22N., 0° 11'·34W.
Delete	depth, 63, close SE of:	(a)	above
Insert	depth, 7, enclosed by 7m contour	(b)	53° 39'·02N., 0° 11'·31W.
Delete	depth, 74, close SE of:	(b)	above
Insert	depth, 7, enclosed by 7m contour	(c)	53° 38'·93N., 0° 11'·14W.
Delete	depth, 74, close NW of:	(c)	above
Insert	depth, 48, and extend 5m contour NE to enclose	(d)	53° 38'·65N., 0° 10'·81W.
Delete	depth, 55, close NW of:	(d)	above

Chart 3496 (INT 1565) (Panel A, Hull Docks Eastern Part) [*previous update 1865/26*] ETRS89 DATUM

Insert	depth, 10, enclosed by 10m contour	(a)	53° 43'·490N., 0° 15'·181W.
Delete	depth, 105, close SE of:	(a)	above
Insert	depth, 97, and extend 10m contour SW to enclose	(b)	53° 43'·585N., 0° 15'·052W.
Delete	depth, 99, close N of:	(b)	above

Chart 3496 (INT 1565) (Panel C, Immingham Oil Terminal to Humber Sea Terminal) [*previous update 1865/26*] ETRS89 DATUM

Insert	depth, 38, enclosed by 5m contour	(a)	53° 39'·299N., 0° 11'·492W.
Delete	depth, 64, close NW of:	(a)	above
	depth, 67, close SE of:	(a)	above
Insert	depth, 39, enclosed by 5m contour	(b)	53° 39'·224N., 0° 11'·341W.
Delete	depth, 63, close SE of:	(b)	above
Insert	depth, 7, enclosed by 7m contour	(c)	53° 39'·019N., 0° 11'·306W.
Delete	depth, 74, close SE of:	(c)	above
Insert	depth, 7, enclosed by 7m contour	(d)	53° 38'·929N., 0° 11'·143W.
Delete	depth, 74, close NW of:	(d)	above
Insert	depth, 48, enclosed by 5m contour	(e)	53° 38'·654N., 0° 10'·807W.
Delete	depth, 55, close NW of:	(e)	above

II

2054* ENGLAND - East Coast - Depths. (continued)

Chart 3497 (INT 1554) [*previous update 1865/26*] ETRS89 DATUM

Insert	depth, 97, and extend 10m contour SW to enclose	(a)	53° 43'·58N., 0° 15'·05W.
Delete	depth, 108, close SE of:	(a)	above
Insert	depth, 10, and extend 10m contour NE to enclose	(b)	53° 43'·49N., 0° 15'·18W.
Delete	depth, 105, close SE of:	(b)	above
Insert	depth, 46, and extend 5m contour NE to enclose	(c)	53° 41'·40N., 0° 14'·05W.
Delete	depth, 59, close NE of:	(c)	above
	depth, 43, close SW of:	(c)	above
Insert	depth, 49, and extend 5m contour NE to enclose	(d)	53° 41'·27N., 0° 13'·96W.
Delete	depth, 4, close SW of:	(d)	above
	depth, 61, close NE of:	(d)	above
Insert	depth, 45, and extend 5m contour NE to enclose		53° 41'·08N., 0° 13'·84W.
	depth, 29	(e)	53° 40'·95N., 0° 13'·89W.
Delete	depth, 37, close N of:	(e)	above
Insert	depth, 25	(f)	53° 40'·83N., 0° 13'·80W.
Delete	depth, 42, close N of:	(f)	above
Insert	depth, 38, enclosed by 5m contour		53° 39'·30N., 0° 11'·49W.
	depth, 39, and extend 5m contour SW to enclose	(g)	53° 39'·22N., 0° 11'·34W.
Delete	depth, 63, close SE of:	(g)	above
Insert	depth, 7, enclosed by 7m contour	(h)	53° 39'·02N., 0° 11'·31W.
Delete	depth, 74, close SE of:	(h)	above
Insert	depth, 7, enclosed by 7m contour	(i)	53° 38'·93N., 0° 11'·14W.
Delete	depth, 74, close NW of:	(i)	above
Insert	depth, 48, and extend 5m contour NE to enclose	(j)	53° 38'·65N., 0° 10'·81W.
Delete	depth, 55, close NW of:	(j)	above
Replace	depth, 95, with depth, 9		53° 42'·37N., 0° 14'·27W.
	depth, 122, with depth, 107		53° 42'·33N., 0° 14'·39W.

II

2054* ENGLAND - East Coast - Depths. (continued)

Chart 5614_18 (Panel A, Immingham to Saltend) [*previous update 1808/26*] ETRS89 DATUM

Insert	depth, 97, and extend 10m contour SW to enclose	(a)	53° 43'·58N., 0° 15'·05W.
Delete	depth, 108, close SE of:	(a)	above
Insert	depth, 10, and extend 10m contour NE to enclose	(b)	53° 43'·49N., 0° 15'·18W.
Delete	depth, 105, close SE of:	(b)	above
Insert	depth, 46, and extend 5m contour NE to enclose	(c)	53° 41'·40N., 0° 14'·05W.
Delete	depth, 59, close NE of:	(c)	above
	depth, 43, close SW of:	(c)	above
Insert	depth, 49, and extend 5m contour NE to enclose	(d)	53° 41'·27N., 0° 13'·96W.
Delete	depth, 4, close SW of:	(d)	above
	depth, 61, close NE of:	(d)	above
Insert	depth, 45, and extend 5m contour NE to enclose		53° 41'·08N., 0° 13'·84W.
	depth, 29	(e)	53° 40'·95N., 0° 13'·89W.
Delete	depth, 37, close N of:	(e)	above
Insert	depth, 25	(f)	53° 40'·83N., 0° 13'·80W.
Delete	depth, 42, close N of:	(f)	above
Insert	depth, 38, enclosed by 5m contour		53° 39'·30N., 0° 11'·49W.
	depth, 39, and extend 5m contour SW to enclose	(g)	53° 39'·22N., 0° 11'·34W.
Delete	depth, 63, close SE of:	(g)	above
Insert	depth, 7, enclosed by 7m contour	(h)	53° 39'·02N., 0° 11'·31W.
Delete	depth, 74, close SE of	(h)	above
Insert	depth, 7, enclosed by 7m contour	(i)	53° 38'·93N., 0° 11'·14W.
Delete	depth, 74, close NW of:	(i)	above
Insert	depth, 48, and extend 5m contour NE to enclose	(j)	53° 38'·65N., 0° 10'·81W.
Delete	depth, 55, close NW of:	(j)	above
Replace	depth, 122, with depth, 107		53° 42'·33N., 0° 14'·39W.
	depth, 95, with depth, 9		53° 42'·37N., 0° 14'·27W.

Chart 5614_19 (Panel A, Kingston Upon Hull to Humber Bridge) [*previous update 1865/26*] ETRS89 DATUM

Insert	depth, 97, and extend 10m contour SW to enclose	(a)	53° 43'·58N., 0° 15'·05W.
Delete	depth, 108, close SE of:	(a)	above
Insert	depth, 10, and extend 10m contour NE to enclose	(b)	53° 43'·49N., 0° 15'·18W.
Delete	depth, 105, close SE of:	(b)	above

II

2069 ENGLAND - East Coast - NM Block.

Source: ABP Lowestoft and UKHO

Chart 1535 (INT 1559) (Lowestoft Harbour) [*previous update 1951/26*] ETRS89 DATUM

Insert the accompanying block centred on: 52° 28'·4N., 1° 45'·7E.

II

2075* ENGLAND - East Coast - Radar beacon.

Source: ABP Humber

Chart 104 (INT 1566) [*previous update 292/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(T)</i> with radar beacon, <i>Racon(M)</i> , at light-float	53° 33'·42N., 0° 14'·15E.
---------	---	---------------------------

Chart 107 [*previous update 292/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(T)</i> with radar beacon, <i>Racon(M)</i> , at light-float	53° 33'·42N., 0° 14'·15E.
---------	---	---------------------------

Chart 1190 (INT 1508) [*previous update 1464/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(T)</i> with radar beacon, <i>Racon(M)</i> , at light-float	53° 33'·42N., 0° 14'·15E.
---------	---	---------------------------

Chart 5614_15 [*previous update 292/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(T)</i> with radar beacon, <i>Racon(M)</i> , at light-float	53° 33'·42N., 0° 14'·15E.
---------	---	---------------------------

Chart 5614_14 [*previous update 292/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(T)</i> with radar beacon, <i>Racon(M)</i> , at light-float	53° 33'·42N., 0° 14'·15E.
---------	---	---------------------------

Chart 5614_21 [*previous update 494/26*] ETRS89 DATUM

Replace	radar beacon, <i>Racon(T)</i> with radar beacon, <i>Racon(M)</i> , at light-float	53° 33'·42N., 0° 14'·15E.
---------	---	---------------------------

II

2085* IRELAND - East Coast - Depth. Dredged area. Legend. Drying heights.

Source: Strangford Moorings

Chart 1753 (INT 1661) [*previous update 5681/25*] ETRS89 DATUM

Insert	depth, 02	54° 40'·65N., 5° 37'·17W.
Delete	limit of dredged area, pecked line, and associated legend, 0·4m, joining:	54° 40'·66N., 5° 37'·09W. 54° 40'·66N., 5° 37'·12W. 54° 40'·67N., 5° 37'·18W. 54° 40'·68N., 5° 37'·21W. 54° 40'·70N., 5° 37'·21W. 54° 40'·72N., 5° 37'·21W. 54° 40'·74N., 5° 37'·19W.

Chart 2156 [*previous update 4680/25*] ETRS89 DATUM

Replace	drying height, 09, with drying height, 15	54° 29'·43N., 5° 26'·46W.
---------	---	---------------------------

Chart 5612_10 (Panel A, Approaches to Donaghadee Sound) [*previous update 5681/25*] ETRS89 DATUM

Insert	depth, 02	54° 40'·65N., 5° 37'·17W.
Delete	limit of dredged area, pecked line, and associated legend, 0·4m, joining:	54° 40'·66N., 5° 37'·09W. 54° 40'·66N., 5° 37'·12W. 54° 40'·67N., 5° 37'·18W. 54° 40'·68N., 5° 37'·21W. 54° 40'·70N., 5° 37'·21W. 54° 40'·72N., 5° 37'·21W. 54° 40'·74N., 5° 37'·19W.

Chart 5612_12 (Panel A, Belfast Lough Entrance) [*previous update 5681/25*] ETRS89 DATUM

Insert	depth, 02	54° 40'·65N., 5° 37'·17W.
Delete	limit of dredged area, pecked line, and associated legend, 0·4m, joining:	54° 40'·66N., 5° 37'·09W. 54° 40'·66N., 5° 37'·12W. 54° 40'·67N., 5° 37'·18W. 54° 40'·68N., 5° 37'·21W. 54° 40'·70N., 5° 37'·21W. 54° 40'·72N., 5° 37'·21W. 54° 40'·74N., 5° 37'·19W.

Chart 5612_9 (Panel A, Portavogie to Ballywalter) [*previous update New Chart 11/11/2021*] ETRS89 DATUM

Replace	drying height, 09, with drying height, 15	54° 29'·43N., 5° 26'·46W.
---------	---	---------------------------

II

2094* ENGLAND - South Coast - Harbour limits. Legends.

Source: Bembridge and Portsmouth Harbours

Note: This update is included in New Edition 5600_12, published mid 2026.

Chart 2022 (Panel E, Bembridge Harbour) [previous update 1140/26] ETRS89 DATUM

Insert	harbour limit, pecked line, joining:	(a) 50° 41'·762N., 1° 05'·849W. (b) 50° 41'·863N., 1° 05'·808W. and (c) 50° 41'·726N., 1° 05'·517W. (d) 50° 41'·863N., 1° 05'·422W.
	legend, <i>Harbour Limit</i> , along E side of:	(a)-(b) above
	legend, <i>Bembridge Harbour Limit</i> , along W side of:	(c)-(d) above

Chart 2037 (INT 1731) [previous update 1771/26] ETRS89 DATUM

Insert	harbour limit, pecked line, joining:	(a) 50° 41'·73N., 1° 05'·52W. (b) 50° 42'·33N., 1° 05'·10W. 50° 42'·46N., 1° 04'·89W. 50° 42'·65N., 1° 05'·20W. 50° 42'·53N., 1° 05'·54W. 50° 41'·76N., 1° 05'·85W.
	legend, <i>Bembridge Harbour Limit</i> , along W side of:	(a)-(b) above

Chart 2625 [previous update 2273/25] ETRS89 DATUM

Insert	harbour limit, pecked line, joining:	50° 47'·654N., 1° 06'·608W. (a) 50° 47'·650N., 1° 06'·608W. (b) 50° 47'·601N., 1° 06'·592W. (c) 50° 47'·575N., 1° 06'·516W.
	legend, <i>Camber Harbour Limit</i> , along E side of:	(a)-(c) above

Chart 5600_18 (Panel F, Bembridge Harbour) [previous update 2111/25] ETRS89 DATUM

Insert	harbour limit, pecked line, joining:	(a) 50° 41'·762N., 1° 05'·849W. (b) 50° 41'·837N., 1° 05'·818W. and (c) 50° 41'·726N., 1° 05'·517W. (d) 50° 41'·837N., 1° 05'·440W.
	legend, <i>Harbour Limit</i> , along E side of:	(a)-(b) above
	legend, <i>Bembridge Harbour Limit</i> , along W side of:	(c)-(d) above

Chart 5600_19 [previous update 3779/24] ETRS89 DATUM

Insert	harbour limit, pecked line, joining:	(a) 50° 41'·73N., 1° 05'·52W. (b) 50° 42'·33N., 1° 05'·10W. 50° 42'·46N., 1° 04'·89W. 50° 42'·65N., 1° 05'·20W. 50° 42'·53N., 1° 05'·54W. 50° 41'·76N., 1° 05'·85W.
	legend, <i>Bembridge Harbour Limit</i> , along W side of:	(a)-(b) above

II

2015 NORWAY - West Coast - Depths.

Source: British Antarctic Survey

Chart 1430 (INT 1404) [*previous update 1740/26*] WGS84 DATUM

Insert	depth, 384, enclosed by 400m contour	67° 02'·3N., 9° 52'·5E.
	depth, 328	(a) 67° 03'·1N., 10° 16'·8E.
Delete	depth, 374, close NW of:	(a) above
Insert	depth, 299, enclosed by 300m contour	(b) 67° 02'·4N., 10° 21'·7E.
Delete	depth, 321, close NE of:	(b) above
Replace	depth, 274, with depth, 233	67° 03'·3N., 10° 30'·4E.

Chart 2348 (INT 9314) [*previous update 1874/26*] WGS84 DATUM

Insert	depth, 384, enclosed by 400m contour	(a) 67° 02'·3N., 9° 52'·5E.
Delete	depth, 387, and associated 400m contour, close NE of:	(a) above
Insert	depth, 328	(b) 67° 03'·1N., 10° 16'·8E.
Delete	depth, 374, close NW of:	(b) above
Insert	depth, 299, enclosed by 300m contour	(c) 67° 02'·4N., 10° 21'·7E.
Delete	depth, 321, close NE of:	(c) above
Replace	depth, 274, with depth, 233	67° 03'·3N., 10° 30'·4E.

II

1962 POLAND - Light.

Source: Polish Chart 17

Chart 2688 (INT 1288) [*previous update 1866/26*] WGS84 DATUM

Amend range of light to, 8M

54° 24'·63N., 18° 39'·79E.

II

1976 SWEDEN - West Coast - Depth.

Source: Swedish Notice 1112/19992/26

Chart 876 (Panel C, Landskrona) [*previous update 612/26*] WGS84 DATUM

Delete depth, 25

55° 52′·081N., 12° 49′·163E.

II

1977 SWEDEN - East Coast - Lights, Beacon.

Source: Swedish Notice 1112/19947/26

Chart 881 (INT 1235) [*previous update 4883/25*] WGS84 DATUM

Replace	★ Skeppskobben F (occas) with 	59° 07′·48N., 18° 46′·27E.
Delete	★ Peskobben F (occas)	59° 09′·68N., 18° 49′·39E.

II

2016 ESTONIA - Depths. Rock.

Source: ENC EE60930D

Chart 2227 (Panel, Vanasadam) [*previous update New Edition 12/02/2026*] WGS84 DATUM

Insert	depth, 92	(a)	59° 26'·725N., 24° 46'·295E.
Delete	 with seabed type, R, close N of:	(a)	above
Insert	depth, 88		59° 26'·730N., 24° 45'·986E.
	depth, 85	(b)	59° 26'·736N., 24° 45'·845E.
Delete	depth, 8, close SW of:	(b)	above
	depth, 77, close NE of:	(b)	above
Insert	depth, 89	(c)	59° 26'·766N., 24° 45'·945E.
Delete	depth, 79, close S of:	(c)	above
Insert	depth, 124	(d)	59° 26'·789N., 24° 45'·918E.
Delete	depth, 105, close SW of:	(d)	above
Replace	depth, 84, with depth, 79		59° 26'·705N., 24° 46'·262E.
	depth, 51, with depth, 45		59° 26'·710N., 24° 45'·765E.
	depth, 104, with depth, 101		59° 26'·825N., 24° 46'·011E.

II

2019* GERMANY - Baltic Coast - Buoy.
Source: WSA Ostsee 103/26

Chart DE 31 (INT 1357) [*previous update 1950/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 23′·43N., 11° 22′·97E.

II

2021* GERMANY - Baltic Coast - Buoyage.

Source: WSA Ostsee 100/26

Chart DE 163 (INT 13510) [*previous update 372/26*] WGS84 DATUM

Delete

 Fl(5)Y.20s ODAS

54° 23'·27N., 12° 04'·93E.

Chart DE 1671 (INT 1354) [*previous update 1950/26*] WGS84 DATUM

Insert

 Fl(5)Y.20s ODAS

54° 22'·56N., 12° 11'·21E.

Delete

 Fl(5)Y.20s ODAS

54° 23'·27N., 12° 04'·93E.

II

2024* GERMANY - Baltic Coast - Buoyage.

Source: WSA Ostsee 100/26

Chart 2601 [*previous update 1772/26*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

54° 22'·56N., 12° 11'·21E.

Delete

 *Fl(5)Y.20s*

54° 23'·27N., 12° 04'·93E.

II

2030 SWEDEN - East Coast - Beacon. Light.

Source: Swedish Notice 1113/19638/26

Chart 934 (INT 1174) [*previous update 1968/24*] WGS84 DATUM

Delete



63° 41'·78N., 20° 21'·59E.

★ Patholmsv Q WRG and associated sectors

63° 41'·57N., 20° 21'·42E.

II

1967 NETHERLANDS - Light.

Source: Netherlands Notice 14/67/26

Chart 116 (INT 1477) [*previous update 1334/26*] WGS84 DATUM

Amend range of light to, 2M

51° 30'·28N., 3° 28'·41E.

II

1971* GERMANY - North Sea Coast - Restricted areas. Buoyage.

Source: WSA Elbe-Nordsee 113(P), 115(P), 121/26

Chart DE 44 (INT 1452) (Panel, Cuxhaven) [previous update 1678/26] WGS84 DATUM

Insert	limit of restricted area, entry prohibited, pecked line, joining:	(a) 53° 51'·54N., 8° 43'·94E. 53° 51'·65N., 8° 44'·08E. 53° 51'·17N., 8° 44'·86E. (b) 53° 51'·12N., 8° 44'·88E.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	(a) above (b) above

Chart DE 44 (INT 1452) [previous update 1678/26] WGS84 DATUM

Insert	symbol, yellow red yellow spherical light-buoy with x-shape topmark, <i>Fl.Y.5s</i>	53° 50'·70N., 8° 52'·00E. 53° 50'·67N., 8° 52'·93E. 53° 50'·80N., 8° 53'·00E.
	limit of restricted area, entry prohibited, pecked line, joining:	53° 52'·50N., 8° 50'·00E. 53° 52'·80N., 8° 53'·00E. 53° 50'·66N., 8° 53'·00E. 53° 50'·58N., 8° 52'·13E. and 53° 51'·50N., 8° 43'·88E. 53° 51'·54N., 8° 43'·94E. 53° 51'·65N., 8° 44'·08E. 53° 51'·17N., 8° 44'·86E. (a) 53° 51'·12N., 8° 44'·88E.
Delete	former limit of restricted area, entry prohibited, pecked line, joining:	53° 51'·49N., 8° 43'·92E. 53° 51'·53N., 8° 43'·97E. (a) above

II

2018 NORTH SEA - Netherlands Sector - Foul. Wreck.

Source: Netherlands Notice 15/73/26

Chart 1631 (INT 1418) [*previous update 1773/26*] WGS84 DATUM

Replace

with



52° 26′·70N., 3° 31′·18E.

II

2032 NETHERLANDS - Automatic Identification Systems. Virtual aids to navigation.

Source: Netherlands Notice 15/76/26

Chart 122 (INT 1472) [*previous update 1291/26*] WGS84 DATUM

Replace	symbol, Virtual aid to navigation, V-AIS, with Automatic Identification System, <i>AIS</i> , at light-buoy	52° 11'·38N., 4° 06'·24E. 52° 10'·55N., 4° 08'·33E. 52° 08'·96N., 4° 06'·24E. 52° 09'·85N., 4° 04'·02E.
---------	--	--

Chart 130 (INT 1423) [*previous update 1665/26*] WGS84 DATUM

Replace	symbol, Virtual aid to navigation, V-AIS, with Automatic Identification System, <i>AIS</i> , at light-buoy	52° 11'·38N., 4° 06'·24E. 52° 10'·55N., 4° 08'·33E. 52° 08'·96N., 4° 06'·24E. 52° 09'·85N., 4° 04'·02E.
---------	--	--

II

2070* NORTH SEA - United Kingdom Sector - Submarine pipelines.

Source: Serica Energy Chinook Limited

Note: Former Notice 2669(P)/25 is cancelled.

Chart 273 [*previous update 4059/25*] WGS84 DATUM

Insert submarine pipeline, , joining:

57° 01'·43N., 0° 50'·39E.

57° 03'·11N., 0° 56'·65E.

and

57° 03'·12N., 0° 56'·68E.

57° 04'·50N., 0° 54'·50E.

57° 04'·84N., 0° 53'·39E.

Chart 278 [*previous update 1014/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

57° 01'·43N., 0° 50'·39E.

57° 03'·11N., 0° 56'·65E.

and

57° 03'·12N., 0° 56'·68E.

57° 04'·50N., 0° 54'·50E.

57° 04'·84N., 0° 53'·39E.

Chart 2182B (INT 1042) [*previous update 1632/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

57° 01'·4N., 0° 50'·4E.

(a) 57° 03'·1N., 0° 56'·7E.

and

(a) above

57° 05'·0N., 0° 53'·5E.

II

1966 SPAIN - North Coast - Depths.

Source: Spanish Notice 9/45/26

Chart 4742 (Panel B, Ria De Camariñas) [*previous update 4277/25*] WGS84 DATUM

Insert	depth, 24, and extend 5m contour E to enclose	(a)	43° 07'·73N., 9° 10'·49W.
Delete	depth, 31, close SW of:	(a)	above
Insert	depth, 69, and extend 10m contour W to enclose	(b)	43° 07'·46N., 9° 12'·90W.
Delete	depth, 91, close E of:	(b)	above
Insert	depth, 95, and extend 10m contour SW to enclose		43° 07'·16N., 9° 12'·33W.
	depth, 33, and extend 5m contour SE to enclose		43° 07'·21N., 9° 11'·00W.
	depth, 36, and extend 5m contour NW to enclose	(c)	43° 06'·57N., 9° 11'·78W.
Delete	depth, 37, close SE of:	(c)	above
Insert	depth, 21, and extend 5m contour NW to enclose		43° 06'·19N., 9° 12'·54W.
Replace	depth, 107, with depth, 87, enclosed by 10m contour		43° 07'·32N., 9° 12'·53W.

II

1980 FRANCE - North Coast - Superbuoy.

Source: French Notice 7/35/26

Chart 2450 (INT 1703) [*previous update 1630/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s ODAS Lidar AKROCEAN 49° 59'·40N., 0° 01'·80E.

Chart 2451 (INT 1704) [*previous update 1630/26*] WGS84 DATUM

Delete  Fl(5)Y.20s Lidar AKROCEAN ODAS 49° 59'·40N., 0° 01'·80E.

Chart 2613 (INT 1705) [*previous update 1766/26*] WGS84 DATUM

Delete  Fl(5)Y.20s ODAS Lidar AKROCEAN 49° 59'·40N., 0° 01'·80E.

Chart 2656 [*previous update 1766/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s ODAS 49° 59'·4N., 0° 01'·8E.

Chart 2675 (INT 1070) [*previous update 1766/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s ODAS Lidar AKROCEAN 49° 59'·4N., 0° 01'·8E.

Chart 5605_1 (Panel A, Western Approaches to Dover Strait) [*previous update 1630/26*] ETRS89 DATUM

Delete  Fl(5)Y.20s ODAS Lidar AKROCEAN 49° 59'·4N., 0° 01'·8E.

II

2014 FRANCE - West Coast - Notes. Legend.

Source: French Notice 7/51/26

Chart 2747 (Panel A, Port-des-Barques To Rochefort) [*previous update 5480/25*] WGS84 DATUM

Insert	the accompanying note, Profondeurs, centred on:	45° 58'·848N., 1° 03'·908W.
	the accompanying note, Depths, centred on:	45° 58'·858N., 1° 03'·099W.
	legend, <i>Profondeurs (voir nota) Depths (see note)</i> , centred on:	45° 57'·55N., 1° 05'·16W.

II

2072 SPAIN - West Coast - Light-beacon.

Source: Spanish Notice 11/56/26

Chart 1730 [*previous update 1176/26*] WGS84 DATUM

Amend	No 3 light-beacon to, Fl(4)G.11s12m5M	42° 13'·71N., 8° 46'·73W.
-------	---------------------------------------	---------------------------

Chart 1731 (INT 1858) [*previous update 1176/26*] WGS84 DATUM

Amend	No 3 light-beacon to, Fl(4)G.11s12m5M	42° 13'·71N., 8° 46'·72W.
-------	---------------------------------------	---------------------------

II

2089 **FRANCE - West Coast - Foul.**

Source: French Notice 11/50/26

Chart 2350 [*previous update 1910/26*] WGS84 DATUM

Insert

#

48° 18'.92N., 4° 43'.02W.

Chart 2356 [*previous update 1542/26*] WGS84 DATUM

Insert

#

48° 18'·92N., 4° 43'·02W.

Chart 3427 (INT 1832) [*previous update 1542/26*] WGS84 DATUM

Insert

#

48° 18'·92N., 4° 43'·02W.

II

2095 SPAIN - North Coast - Fog signal.

Source: Spanish Notice 12/60/26

Chart 1173 (INT 1851) [*previous update 297/26*] WGS84 DATUM

Delete fog signal, Siren Mo(G)30s5M 43° 22'·396N., 3° 02'·166W.

Chart 1174 [*previous update 297/26*] WGS84 DATUM

Delete fog signal, Siren Mo(G)30s5M 43° 22'·40N., 3° 02'·17W.

II

1992 ITALY - Sicilia - Depths.

Source: Italian Chart 948 and ENC TN313210

Chart 1983 [*previous update New Edition 29/01/2026*] WGS84 DATUM

Insert	depth, 113	38° 07'·7N., 11° 19'·6E.
--------	------------	--------------------------

Chart 2122 [*previous update 1245/26*] WGS84 DATUM

Insert	depth, 113	38° 07'·7N., 11° 19'·6E.
	depth, 133, enclosed by 200m contour	(a) 37° 10'·5N., 11° 38'·6E.
Delete	depth, 262, close NW of:	(a) above

II

2001 ITALY - West Coast - Anchor berths. Harbour limit.

Source: Italian Notice 25.8/25

Chart 805 (Panel C, Porto di Vibo Valentia Marina) [*previous update 1003/26*] WGS84 DATUM

Insert	 H, centred on:	38° 43'·900N., 16° 07'·100E.
Delete	former  H, centred on:	38° 43'·938N., 16° 06'·800E.
Insert	harbour limit, pecked line, joining:	38° 43'·447N., 16° 07'·712E. 38° 43'·252N., 16° 07'·684E.
	 G, centred on:	(a) 38° 43'·800N., 16° 06'·700E.
Delete	former  G, close N of:	(a) above
Insert	 I, centred on:	(b) 38° 43'·500N., 16° 06'·800E.
Delete	former  I, close N of:	(b) above
Insert	 D, centred on:	(c) 38° 43'·500N., 16° 07'·300E.
Delete	former  D, close N of:	(c) above
Insert	 A, centred on:	(d) 38° 43'·700N., 16° 07'·300E.
Delete	former  A, close N of:	(d) above
Insert	 E, centred on:	(e) 38° 43'·700N., 16° 07'·600E.
Delete	former  E, close N of:	(e) above
Insert	 B, centred on:	(f) 38° 43'·900N., 16° 07'·700E.
Delete	former  B, close N of:	(f) above
Insert	 F, centred on:	(g) 38° 43'·600N., 16° 07'·900E.
Delete	former  F, close N of:	(g) above
Insert	 C, centred on:	(h) 38° 43'·800N., 16° 08'·000E.
Delete	former  C, close N of:	(h) above
Insert	 L, centred on:	(i) 38° 43'·900N., 16° 08'·200E.
Delete	former  L, close N of:	(i) above
Insert	 M, centred on:	(j) 38° 43'·900N., 16° 08'·600E.
Delete	former  M, close N of:	(j) above
Insert	 N, centred on:	(k) 38° 43'·600N., 16° 08'·500E.
Delete	former  N, close N of:	(k) above

II

2012 FRANCE - South Coast - Legend.

Source: French Notice 11/91/26

Chart 2120 [*previous update 1396/26*] WGS84 DATUM

Insert legend, *12-BOMBYX*, centred on:

42° 55′·8N., 6° 19′·0E.

II

2042 TÜRKiYE - Marmara Denizi - Lights.

Source: Turkish Notice 2/7/26

Chart 497 (Panel B, Yarimca to İzmit) [*previous update 1508/26*] WGS84 DATUM

Insert	★ Fl.Y.3s11m3M	40° 44'·53N., 29° 46'·21E.
Amend	light to, Fl.Y.3s11m3M	40° 45'·20N., 29° 44'·79E.
		40° 44'·81N., 29° 45'·37E.
		40° 44'·58N., 29° 45'·89E.
	light to, Mo(U)15s11m5M	40° 44'·54N., 29° 45'·31E.
		40° 44'·50N., 29° 45'·63E.

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 1508/26*] WGS84 DATUM

Amend	light to, Fl.Y.3s3M	40° 45'·20N., 29° 44'·79E.
	range of light to, 3M	40° 44'·81N., 29° 45'·37E.
	light to, Mo(U)15s5M	40° 44'·54N., 29° 45'·32E.
		40° 44'·50N., 29° 45'·64E.

II

2052 TÜRKiYE - Marmara Denizi - NM Block.

Source: ENC TR3FI000 and Turkish Notice 51/251/25

Chart 1005 [*previous update 1883/26*] WGS84 DATUM

Insert the accompanying block, centred on:

41° 00'·9N., 28° 34'·7E.

II

2066 TÜRKIYE - Çanakkale Boğazi - Legend.

Source: Turkish Notice 4/23/26

Chart 2429 [*previous update 1804/26*] WGS84 DATUM

Delete legend, *Shellfish Beds (see Note)*, centred on:

40° 22'·31N., 26° 38'·46E.

II

2079 TÜRKIYE - South Coast - NM Block.

Source: Turkish Notice 6/46/26

Note: This update is included in New Edition 236, published early 2026.

Chart 237 [*previous update New Edition 06/11/2025*] WGS84 DATUM

Insert the accompanying block, centred on:

36° 24'·7N., 30° 28'·2E.

II

2081 EGYPT - North Coast - Buoy.

Source: ENC EG2EGM33

Chart 2681 [*previous update 1840/26*] WGS84 DATUM

Replace



Iso.2s with



Oc.2s

31° 19'·56N., 30° 10'·00E.

II

2082 TÜRKIYE - İstanbul Boğazi - Buoyage.

Source: Turkish Notice 6/45/26

Chart 1159 [*previous update New Edition 26/02/2026*] WGS84 DATUM

Replace  VQ(9)10s with  Q(6)LFl.15s

41° 01'·08N., 29° 00'·35E.

Chart 1198 [*previous update 1604/26*] WGS84 DATUM

Replace  VQ(9)10s with  Q(6)LFl.15s

41° 01'·08N., 29° 00'·37E.

II

2086 UKRAINE - NM Block. Depth. Obstruction.

Source: ENC UA5EBO36

Chart 2213 [*previous update 5063/24*] WGS84 DATUM

Insert the accompanying block, centred on:

45° 17'·5N., 29° 50'·9E.

Chart 2232 [*previous update 4863/25*] WGS84 DATUM

Insert depth, 168, enclosed by 20m contour

(a) 45° 19'·1N., 29° 52'·4E.

Delete



Obstn, close NW of:

(a) above

II

2090 ISRAEL - Mediterranean Sea Coast - Obstructions.

Source: Israeli Notice 2A/26

Chart 183 [*previous update 1840/26*] WGS84 DATUM

Insert



32° 51'·5N., 34° 51'·3E.

Delete



33° 51'·5N., 34° 51'·3E.

Chart 1585 (INT 3680) [*previous update 1593/26*] WGS84 DATUM

Insert



32° 51'·46N., 34° 51'·32E.

Chart 2633 [*previous update 1163/26*] WGS84 DATUM

Delete



33° 51'·5N., 34° 51'·3E.


Chart 2634 [*previous update 1163/26*] WGS84 DATUM

Insert



32° 51'·5N., 34° 51'·3E.

Delete



33° 51'·5N., 34° 51'·3E.

II

2091 **SENEGAL - Buoy. Landmark.**

Source: French Notice 08/166/26

Note: This update is inculded in New Edition 1000 published early 2026.

Chart 1001 (INT 1994) [*previous update 43/26*] WGS84 DATUM

Insert

 (3 buoys)

14° 40′·229N., 17° 24′·656W.



14° 38′·827N., 17° 25′·922W.

II

2005 OMAN - Overhead cable. Pylons. Vertical clearance.

Source: Omani Notice 1/2/26

Chart 3409 (Panel F, Khawr al Quway' Anchorage) [*previous update 893/26*] WGS84 DATUM

Insert	overhead power cable, pecked line, joining:	(a) 26° 20'·200N., 56° 21'·100E.
		(b) 26° 20'·100N., 56° 21'·700E.
	symbol, vertical clearance 64m, along:	(a) - (b) above
	⊙ Pyl	(a) above
		(b) above

II

2007 OMAN - Wrecks.

Source: Omani Notice 1/1/26

Chart 3518 (Panel B, Port Sultan Qāboos and Muscat (Masqaṭ)) [*previous update 881/26*] WGS84 DATUM

Insert  (a) 23° 38'·220N., 58° 34'·290E.
Delete  Wk, close SW of: (a) above

Chart 3518 (Panel A, Muscat (Masqaṭ) to Mīnā' al Faḥl) [*previous update 881/26*] WGS84 DATUM

Replace  Wk, with  23° 38'·22N., 58° 34'·29E.

Chart 3522 [*previous update 5828/25*] WGS84 DATUM

Replace  Wk, with  23° 38'·22N., 58° 34'·29E.

II

1997 BANGLADESH - Vertical clearance.

Source: BNHOC Notice 7/26

Chart 102 (INT 7427) [*previous update 2894/25*] WGS84 DATUM

Amend vertical clearance to, 44m

22° 18'·07N., 91° 47'·96E.

II

2048 INDIAN OCEAN - Comores - Depth.

Source: French Notice 9/180/26

Note: Former Notice 5373(T)/19 is cancelled.

Chart 3895 (INT 7710) [*previous update 2237/25*] WGS84 DATUM

Insert depth, 2568, enclosed by 3000m contour

12° 54'·7S., 45° 42'·7E.

II

2050 INDIA - West Coast - Wrecks.

Source: Indian Notice 2/37/26

Chart IN 22 (INT 752) [*previous update 1123/26*] WGS84 DATUM

Insert  $10^{\circ} 01' \cdot 0N., 75^{\circ} 57' \cdot 8E.$

Replace  with  $9^{\circ} 45' \cdot 0N., 75^{\circ} 59' \cdot 9E.$

Chart IN 32 (INT 754) [*previous update 39/26*] WGS84 DATUM

Insert  $10^{\circ} 01' \cdot 0N., 75^{\circ} 57' \cdot 8E.$

Replace  with  $9^{\circ} 45' \cdot 0N., 75^{\circ} 59' \cdot 9E.$

Chart IN 220 [*previous update 1372/26*] WGS4 DATUM

Insert  $(a) \quad 9^{\circ} 44' \cdot 72N., 75^{\circ} 59' \cdot 90E.$

Delete , close N of: $(a) \text{ above}$

Replace  with  $10^{\circ} 01' \cdot 02N., 75^{\circ} 57' \cdot 78E.$

Chart IN 259 (INT 7356) [*previous update 1372/26*] WGS84 DATUM

Replace  with  $10^{\circ} 01' \cdot 0N., 75^{\circ} 57' \cdot 8E.$

Chart IN 260 (INT 7362) [*previous update 1372/26*] WGS84 DATUM

Insert  $(a) \quad 9^{\circ} 44' \cdot 7N., 75^{\circ} 59' \cdot 9E.$

Delete , close N of: $(a) \text{ above}$

Replace  with  $10^{\circ} 01' \cdot 0N., 75^{\circ} 57' \cdot 8E.$

Chart IN 2029 (INT 7358) [*previous update 1372/26*] WGS84 DATUM

Insert  $(a) \quad 10^{\circ} 01' \cdot 02N., 75^{\circ} 57' \cdot 78E.$

Delete , close N of: $(a) \text{ above}$

Insert  $(b) \quad 9^{\circ} 44' \cdot 72N., 75^{\circ} 59' \cdot 90E.$

Delete , close N of: $(b) \text{ above}$

II

2068 INDIA - East Coast - Buoyage. NM Block.

Source: Indian Notice 2/39/26

Chart IN 3034 (Panel, Krishnapatnam Port) [*previous update 4334/25*] WGS84 DATUM

Insert	the accompanying block, centred on:	14° 15′·0N., 80° 07′·8E.
	 Fl.R.2s No.1	14° 15′·300N., 80° 06′·210E.
	 Fl.R.2s No.2	14° 15′·140N., 80° 06′·460E.
	 Fl.R.2s No.3	(a) 14° 15′·090N., 80° 06′·570E.
	 Fl.R.2s No.4	(b) 14° 15′·140N., 80° 06′·770E.
Delete	 Fl.R.2s, close NE of:	(a) above
	 Fl.R.2s, close W of:	(b) above

Chart IN 3034 (Panel, Approaches to Krishnapatnam) [*previous update 4334/25*] WGS84 DATUM

Insert	 Fl.R.2s No.3	(a) 14° 15′·09N., 80° 06′·57E.
Delete	 Fl.R.2s, close NE of:	(a) above

II

1961* SINGAPORE - Buoyage. Light-beacon.

Source: Maritime and Port Authority of Singapore

Chart 4033 [*previous update 655/26*] WGS84 DATUM

Delete



Fl.Y.5s6m3M Piatu

1° 18'·539N., 103° 38'·302E.



Fl.Y.2·5s N Tuas

1° 18'·564N., 103° 38'·505E.



Fl.Y.8s SW Tuas

1° 17'·966N., 103° 38'·732E.

II

1982* SINGAPORE - Buoy. Wreck.

Source: Maritime and Port Authority of Singapore

Chart 4038 [*previous update 1010/26*] WGS84 DATUM

Delete



Fl(2)10s ISO

1° 18′·13N., 103° 36′·95E.



1° 18′·12N., 103° 37′·00E.

Chart 4040 [*previous update 1069/26*] WGS84 DATUM

Delete



Fl(2)10s ISO

1° 18′·13N., 103° 36′·95E.



1° 18′·12N., 103° 37′·00E.

II

1984* SINGAPORE - Buoy.

Source: Maritime and Port Authority of Singapore

Chart 4031 [*previous update 253/26*] WGS84 DATUM

Insert

 *Fl.Y.4s KCOGEN*

1° 15'·636N., 103° 41'·540E.

Chart 4032 [*previous update 1069/26*] WGS84 DATUM

Insert

 *Fl.Y.4s KCOGEN*

1° 15'·638N., 103° 41'·540E.

II

2027* SINGAPORE - Buoyage.

Source: Maritime and Port Authority of Singapore

Chart 4032 [*previous update 1984/26*] WGS84 DATUM

Replace  *Fl(4)Y.15s Sawa* with  *Fl(4)Y.15s Sawa* 1° 15'·354N., 103° 44'·045E.

Chart 4034 [*previous update 4667/25*] WGS84 DATUM

Replace  *Fl(4)Y.15s Sawa* with  *Fl(4)Y.15s Sawa* 1° 15'·354N., 103° 44'·045E.

Chart 4040 [*previous update 1982/26*] WGS84 DATUM

Replace  *Fl(4)Y.15s Sawa* with  *Fl(4)Y.15s Sawa* 1° 15'·34N., 103° 44'·00E.

II

2037* SINGAPORE - Buoyage.

Source: Maritime and Port Authority of Singapore

Chart 4038 (Panel A, Town Reach) [*previous update 1982/26*] WGS84 DATUM

Insert



Fl.Y.3s TK-MB04

1° 27'·34N., 103° 43'·88E.



Fl.Y.4s TK-MB03

1° 26'·32N., 103° 41'·51E.



Fl.Y.4s TOA-MB01

1° 26'·21N., 103° 40'·95E.

II

2080* SINGAPORE - Berth.

Source: Maritime and Port Authority of Singapore

Chart 4032 [*previous update 2027/26*] WGS84 DATUM

Replace berth name, ECC Quay, with, OSECC

1° 13'·660N., 103° 45'·372E.

II

2092 MALACCA STRAIT - Light-beacon. NM Blocks.

Source: PUSHIDROSAL

Chart 3902 [*previous update 5527/25*] WGS84 DATUM

Insert the accompanying block, centred on: 2° 05′·5N., 101° 53′·9E.

Chart 3946 [*previous update 181/25*] WGS84 DATUM

Move  Fl(2)5s16m13M, and associated radar beacon,
Racon(O), from: 2° 06′·81N., 101° 53′·12E.
to: 2° 06′·68N., 101° 53′·67E.

Chart 3947 [*previous update 4692/25*] WGS84 DATUM

Move  Fl(2)5s16m13M, and associated radar beacon,
Racon(O), from: 2° 06′·78N., 101° 53′·06E.
to: 2° 06′·68N., 101° 53′·67E.

Chart 5525 [*previous update New Edition 02/10/2025*] WGS84 DATUM

Insert the accompanying block, centred on: 2° 06′·8N., 101° 54′·7E.

II

2093* SINGAPORE - Buoy.

Source: Maritime and Port Authority of Singapore

Note: Former Notice 5844(P)/25 is cancelled.

Chart 3833 [*previous update 5072/25*] WGS84 DATUM

Amend designation of buoy to, *Aster* 1° 11'·47N., 103° 47'·41E.

Chart 4035 [*previous update 701/26*] WGS84 DATUM

Amend designation of buoy to, *Aster SBM* 1° 11'·468N., 103° 47'·429E.

Chart 4036 [*previous update 5211/25*] WGS84 DATUM

Amend designation of buoy to, *Aster SBM* 1° 11'·468N., 103° 47'·429E.

Chart 4039 [*previous update 1069/26*] WGS84 DATUM

Amend designation of buoy to, *Aster SBM* 1° 11'·47N., 103° 47'·43E.

Chart 4040 [*previous update 2027/26*] WGS84 DATUM

Amend designation of buoy to, *Aster SBM* 1° 11'·47N., 103° 47'·43E.

Chart 4041 [*previous update 167/26*] WGS84 DATUM

Amend designation of buoy to, *Aster SBM* 1° 11'·47N., 103° 47'·43E.

Chart 5524 [*previous update New Edition 02/10/2025*] WGS84 DATUM

Amend designation of buoy to, *Aster* 1° 11'·47N., 103° 47'·41E.

II

1975 CHINA - East Coast - Depths.

Source: Chinese Notice 1/12/26

Chart 1603 [*previous update 1378/26*] CGCS 2000 DATUM

Insert depth, *104*

(a) 31° 20'·33N., 121° 41'·39E.

Delete depth, *119*, close W of:

(a) above

II

1978 CHINA - Yellow Sea Coast - Buoyage. Light-beacons.

Source: Chinese Notice 1/10/26

Chart 1251 (Panel A, Haiyang Dao to Dadong Gangqu) [*previous update 5650/24*] WGS84 DATUM

Insert	 Mo(C)Y.12s11m5M Y28	39° 26'·53N., 123° 18'·64E.
	 Mo(C)Y.12s11m5M Y6	(a) 39° 26'·45N., 123° 23'·23E.
Delete	 <i>Mo(O)Y.12s VS6</i> , close NE of:	(a) above
Insert	 Mo(C)Y.12s11m5M Y19	39° 23'·74N., 123° 18'·63E.
	 Mo(C)Y.12s11m5M Y11	(b) 39° 23'·73N., 123° 21'·96E.
Delete	 <i>Mo(O)Y.12s VS8</i> , close SE of:	(b) above
	 <i>Mo(O)Y.12s VS3</i>	39° 27'·14N., 123° 16'·80E.
	 <i>Mo(O)Y.12s VS1</i>	39° 23'·47N., 123° 16'·71E.

Chart 1256 [*previous update 1721/26*] WGS84 DATUM

Insert	 Mo(C)Y.12s11m5M Y11	(a) 39° 23'·7N., 123° 22'·0E.
Delete	 <i>Mo(O)Y.12s VS8</i> , close SE of:	(a) above

II

2011 CHINA - South Coast - Depths. NM Block.
Source: UKHO

Chart 4128 [*previous update 3732/25*] WGS84 DATUM

Insert	depth, 126	(a)	22° 33′·99N., 114° 15′·30E.
Delete	depth, 112 , close NE of:	(a)	above
Insert	depth, 59	(b)	22° 33′·47N., 114° 14′·56E.
Delete	depth, 75 , close SE of:	(b)	above
Insert	depth, 52	(c)	22° 33′·41N., 114° 14′·71E.
Delete	depth, 7 , close S of:	(c)	above
Insert	the accompanying block, centred on:		22° 35′·0N., 114° 17′·9E.

II

2039 CHINA - East Coast - Depths. Wreck.

Source: Chinese Notices 11/264-265/26

Chart 1603 [*previous update 1975/26*] CGCS 2000 DATUM

Insert



Wk

depth, 41 , and extend 5m contour N to enclose
depth, 68 , and extend 10m contour W to enclose
depth, 44 , and extend 5m contour S to enclose

31° 20′·22N., 121° 47′·41E.

31° 19′·63N., 121° 47′·48E.

31° 19′·25N., 121° 47′·86E.

31° 19′·01N., 121° 47′·98E.

II

2041 CHINA - South Coast - NM Blocks.

Source: Hong Kong Notice 2/4/26

Chart 4119 [*previous update 1484/26*] WGS84 DATUM

Insert the accompanying block, centred on:

22° 21'·0N., 114° 05'·0E.

Chart 4122 [*previous update 1484/26*] WGS84 DATUM

Insert the accompanying block, centred on:

22° 21'·0N., 114° 04'·9E.

II

2046 VIETNAM - Wreck.

Source: HYDROPAC 3461/25

Note: This update is included in New Edition 3482, published early 2026.

Chart 2414 [*previous update 1754/26*] WGS84 DATUM

Insert



7° 31′·3N., 107° 11′·6E.

Chart 4508 (INT 508) [*previous update 5552/25*] WGS84 DATUM

Insert



7° 31′·3N., 107° 11′·6E.

II

2084 CHINA - South Coast - Depths. Pier.
Source: UKHO

Chart 346 [*previous update 5805/25*] CGCS 2000 DATUM

Insert	pier, single firm line, joining:	22° 59′·60N., 113° 34′·36E. 22° 59′·57N., 113° 34′·40E.
	depth, 39 , enclosed by 5m contour	(a) 22° 58′·78N., 113° 33′·76E.
Delete	depth, 55 , close SW of:	(a) above
Insert	depth, 4, enclosed by 5m contour	(b) 22° 58′·70N., 113° 33′·67E.
Delete	depth, 62 , close E of:	(b) above
Replace	depth, 82 with depth, 72	22° 58′·88N., 113° 33′·87E.
	depth, 95 with depth, 62	22° 58′·46N., 113° 33′·62E.

II

2087 CHINA - South Coast - Rock.

Source: Hong Kong Notice 5/17/26

Chart 4126 [*previous update 250/26*] WGS84 DATUM

Delete

+

22° 20′·06N., 114° 22′·09E.

II

2088 CHINA - East Coast - Light. Light-beacon.

Source: Chinese Notice 3/68/26

Chart 1721 [*previous update 1608/26*] CGCS 2000 DATUM

Delete



3Mo(C)Y.12s13m7M Wind Tower

28° 08′·72N., 121° 35′·30E.

Chart 1759 [*previous update 1152/26*] CGCS 2000 DATUM

Delete



Mo(C)Y.12s13m7M

28° 08′·7N., 121° 35′·3E.

II

2055 JAPAN - Shikoku - Lights.

Source: Japanese Notice 15/187/26

Chart JP 77 [*previous update 5330/25*] WGS84 DATUM

Amend	light to, Fl R 5s 5M	33° 32′·29N., 134° 18′·36E.
	light to, Fl G 3s 5M	33° 29′·79N., 134° 16′·38E.

Chart JP 108 [*previous update 5330/25*] WGS84 DATUM

Amend	light to, Fl R 5s 5M	33° 32′·27N., 134° 18′·38E.
	light to, Fl G 3s 5M	33° 29′·79N., 134° 16′·38E.

II

2056 JAPAN - Shikoku - Lights.

Source: Japanese Notice 15/188/26

Chart JP 77 [*previous update 2055/26*] WGS84 DATUM

Amend	light to, Fl R 6s 5M	33° 17'·60N., 134° 11'·29E.
	light to, Iso R 6s 5M	33° 19'·67N., 134° 11'·97E.

Chart JP 108 [*previous update 2055/26*] WGS84 DATUM

Amend	light to, Fl R 3s 5M	33° 32'·12N., 133° 41'·76E.
	light to, Iso R 4s 5M	33° 29'·95N., 133° 53'·34E.
	light to, Fl R 5s 5M	33° 26'·71N., 133° 57'·33E.
	light to, 2Fl R G 3s 5M & Fl(2) R 6s 5M	33° 25'·21N., 134° 00'·83E.
	light to, Fl R 6s 5M	33° 17'·60N., 134° 11'·29E.
	light to, Iso R 6s 5M	33° 19'·67N., 134° 11'·97E.

II

2057 JAPAN - Shikoku - Light.

Source: Japanese Notice 15/189/26

Chart JP 108 [*previous update 2056/26*] WGS84 DATUM

Amend light to, Fl R 3s 5M

32° 56′·01N., 132° 59′·27E.

Chart JP 1220 [*previous update 4822/25*] WGS84 DATUM

Amend light to, Fl R 3s 5M

32° 56′·01N., 132° 59′·27E.

II

2058 JAPAN - Shikoku - Light.

Source: Japanese Notice 15/190/26

Chart JP 108 [*previous update 2057/26*] WGS84 DATUM

Amend light to, Fl R 3s 5M

32° 46′·52N., 132° 56′·11E.

Chart JP 1220 [*previous update 2057/26*] WGS84 DATUM

Amend light to, Fl R 3s 5M

32° 46′·52N., 132° 56′·11E.

II

2059 JAPAN - Shikoku - Lights.

Source: Japanese Notice 15/191/26

Chart JP 108 [*previous update 2058/26*] WGS84 DATUM

Amend	light to, Iso R 4s 5M	32° 46′·37N., 132° 37′·71E.
	light to, Fl R 3s 5M	32° 44′·31N., 132° 32′·78E.

Chart JP 151 [*previous update 1087/26*] WGS84 DATUM

Amend	light to, Iso R 4s 5M	32° 46′·37N., 132° 37′·71E.
	light to, Fl R 3s 5M	32° 44′·31N., 132° 32′·78E.

Chart JP 1220 [*previous update 2058/26*] WGS84 DATUM

Amend	light to, Iso R 4s 5M	32° 46′·37N., 132° 37′·71E.
	light to, Fl R 3s 5M	32° 44′·31N., 132° 32′·78E.

II

2060 JAPAN - Kyūshū - Buoy.

Source: Japanese Notice 15/196/26

Chart JP 1220 [*previous update 2059/26*] WGS84 DATUM

Delete

 *Fl (5) Y 20s*

32° 23'·20N., 131° 54'·60E.

Chart 1648 [*previous update 5561/25*] WGS84 DATUM

Delete

 *Fl(5)Y.20s*

32° 23'·2N., 131° 54'·6E.

II

2061 JAPAN - Kyūshū - Submarine power cable.

Source: Japanese Notice 15/197/26

Chart JP 151 [*previous update 2059/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

32° 39′·94N., 131° 48′·49E.

32° 39′·74N., 131° 48′·22E.

32° 39′·91N., 131° 47′·84E.

32° 40′·12N., 131° 47′·86E.

Chart JP 1220 [*previous update 2060/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

32° 39′·94N., 131° 48′·49E.

32° 39′·74N., 131° 48′·22E.

32° 39′·91N., 131° 47′·84E.

32° 40′·12N., 131° 47′·86E.

II

2062 JAPAN - Kyūshū - Fish haven.

Source: Japanese Notice 15/198/26

Chart JP 151 [*previous update 2061/26*] WGS84 DATUM

Insert



32° 50′·52N., 131° 59′·92E.

Chart JP 1220 [*previous update 2061/26*] WGS84 DATUM

Insert



32° 50′·52N., 131° 59′·92E.

II

1960 KOREA - East Coast - Lights.

Source: Korean Notice 1/1/26

Chart 882 [*previous update 1414/26*] WGS84 DATUM

Insert

★ Fl.R.4s11m7M

36° 59′·35N., 129° 24′·98E.

36° 59′·02N., 129° 24′·72E.

II

1973 INDONESIA - Kalimantan - Lights.

Source: Indonesian Notice 5/34/26

Chart 1066 [*previous update 1507/26*] WGS84 DATUM

Amend light to, Fl.5s10M & Fl.10s12M

3° 56′·8S., 115° 09′·7E.

Chart 2795 [*previous update 1507/26*] WGS84 DATUM

Amend light to, Fl.5s10M & Fl.10s12M

3° 56′·9S., 115° 09′·7E.

Chart 3017 [*previous update 1507/26*] WGS84 DATUM

Insert ★ Fl.10s16m12M

3° 57′·1S., 115° 09′·9E.

II

2028 INDONESIA - Banda Sea - Depths. Light.

Source: ENC ID300316

Chart 2910 [*previous update 5188/25*] WGS84 DATUM

Insert	depth, <i>691</i>	(a)	6° 06'·8S., 122° 39'·4E.
Delete	depth, <i>924</i> , close NW of:	(a)	above
Insert	depth, <i>667</i>	(b)	6° 09'·9S., 122° 40'·5E.
Delete	depth, <i>760</i> , close SW of:	(b)	above

Chart 2953 [*previous update 1876/26*] WGS84 DATUM

Insert	depth, <i>667</i>	(a)	6° 09'·9S., 122° 40'·5E.
Delete	depth, <i>760</i> , close SW of:	(a)	above
Insert	depth, <i>691</i>	(b)	6° 06'·8S., 122° 39'·4E.
Delete	depth, <i>924</i> , close NW of:	(b)	above
Insert	depth, <i>324</i>	(c)	5° 42'·3S., 122° 36'·4E.
Delete	depth, <i>378</i> , close NW of:	(c)	above
Insert	depth, <i>66</i> , and extend 200m contour W to enclose		5° 38'·1S., 122° 34'·7E.
Move	★ Fl.4s20m10M T. Kondowa, from:		5° 30'·8S., 122° 53'·4E.
	to:		5° 30'·5S., 122° 52'·8E.

II

2000 AUSTRALIA - Victoria - Light.

Source: Australian Notice 7/282/26

Chart Aus 802 [*previous update 1925/26*] WGS84 DATUM

Amend range of light to, 10M

39° 31'·3S., 147° 07'·6E.

II

2003 AUSTRALIA - Victoria - Buoy. Light-beacon.

Source: Australian Notice 7/280/26

Chart Aus 143 [*previous update 1578/26*] WGS84 DATUM

Insert



Q(3)10s

(a) 37° 55′·65S., 144° 48′·99E.

Delete



Q(3)10s3M, close NW of:

(a) above

II

2006 PAPUA NEW GUINEA - Depth.

Source: Australian Notice 7/271/26

Chart Aus 841 [*previous update 856/26*] WGS84 DATUM

Replace depth, *21*, with depth, *16*, enclosed by 2m depth contour 9° 41'·2S., 142° 22'·2E.

II

2009 AUSTRALIA - Western Australia - Depths.

Source: Australian Notice 7/275/26

Chart 4709 (INT 709) [*previous update 1553/26*] WGS84 DATUM

Insert	depth, 29 6 , enclosed by 30m contour	33° 37'·5S., 124° 17'·0E.
Replace	depth, 24 2 , with depth, 227	33° 57'·4S., 123° 53'·6E.

II

2035 AUSTRALIA - Western Australia - Moored storage tanker.

Source: Australian Notice 7/276/26

Chart 4060 (INT 60) [*previous update 1591/26*] WGS84 DATUM

Insert



19° 55'·6S., 113° 14'·5E.

Chart 4070 (INT 70) [*previous update 4615/25*] WGS84 DATUM

Insert



19° 55'·6S., 113° 14'·5E.

Chart 4071 (INT 71) [*previous update 1555/26*] WGS84 DATUM

Insert



19° 55'·6S., 113° 14'·5E.

Chart 4073 (INT 73) [*previous update 4615/25*] WGS84 DATUM

Insert



19° 55'·6S., 113° 14'·5E.

Chart 4708 (INT 708) [*previous update New Edition 26/02/2026*] WGS84 DATUM

Insert



19° 55'·6S., 113° 14'·5E.

II

2049 AUSTRALIA - New South Wales - Fish haven.

Source: Australian Notice 7/270/26

Chart Aus 813 [*previous update 5182/25*] WGS84 DATUM

Insert



28° 55'·39S., 153° 35'·09E.

II

2051 AUSTRALIA - Western Australia - Depths.

Source: Australian Notice 7/273/26

Chart 4708 (INT 708) [*previous update 2035/26*] WGS84 DATUM

Replace	depth, 265, with depth, 208	33° 26′·0S., 114° 51′·0E.
	depth, 208, with depth, 183	32° 18′·5S., 115° 21′·8E.

II

2067 AUSTRALIA - Western Australia - NM Blocks.

Source: Australian Notice 7/274/26

Chart Aus 59 [*previous update 976/25*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 38'·2S., 116° 43'·9E.

Chart Aus 60 [*previous update New Edition 21/06/2024*] WGS84 DATUM

Insert the accompanying block, centred on:

20° 38'·2S., 116° 43'·9E.

II

2073 UNITED STATES OF AMERICA - West Coast - Submarine power cables.

Source: ENC US4WA1GK

Chart 47 [*previous update 1058/26*] NAD83 DATUM

Insert submarine power cable,   , joining:

47° 36'·55N., 122° 20'·82W.

47° 36'·47N., 122° 20'·86W.

and

47° 35'·91N., 122° 20'·44W.

47° 36'·00N., 122° 20'·86W.

47° 36'·24N., 122° 20'·96W.

Chart 50 [*previous update New Edition 22/08/2024*] NAD83 DATUM

Insert submarine power cable,   , joining:

47° 36'·552N., 122° 20'·817W.

47° 36'·472N., 122° 20'·861W.

and

47° 35'·910N., 122° 20'·417W.

47° 36'·001N., 122° 20'·863W.

47° 36'·243N., 122° 20'·962W.

II

1970 PERU - Wreck.

Source: Peruvian Notice 3/38/26

Chart 1853 [*previous update 1846/26*] WGS84 DATUM

Insert



11° 59'·42S., 77° 12'·23W.

II

1972 PERU - Submarine pipelines. Dolphin.

Source: Peruvian Notices 2/25-26/26

Chart 3087 (Panel A, Bahía Ferrol) [*previous update 1243/26*] WGS84 DATUM

Insert

submarine pipeline, , joining:

9° 06'·79S., 78° 34'·19W.

9° 06'·67S., 78° 33'·88W.

and

(a) 9° 07'·06S., 78° 34'·11W.

9° 06'·88S., 78° 33'·80W.

☐ Dn

(a) above

II

2078 CHILE - Tierra del Fuego - Depths.

Source: Chilean Notice 3/23/26

Chart 1373 [*previous update 3720/24*] UNDETERMINED DATUM

Insert	depth, 94, enclosed by 10m contour	54° 55'·3S., 67° 32'·9W.
	depth, 83, and extend 10m contour SE to enclose	54° 56'·7S., 67° 09'·3W.

II

1969 WEST INDIES - Leeward Islands - Dolphins. Pile. Light.

Source: Netherlands Notice 14/68/26

Chart 2079 (Panel D, Groot Baai) [*previous update 1404/26*] WGS84 DATUM

Replace	☐ with symbol, submerged pile, <i>Rep</i>	18° 00′·35N., 63° 02′·72W.
Delete	☐	18° 00′·352N., 63° 02′·710W.
	★ Q. R	18° 00′·349N., 63° 02′·734W.

II

2020 CARIBBEAN SEA - Buoyage.

Source: Netherlands Notice 15/72/26

Chart 781 [*previous update 3439/21*] WGS84 DATUM

Insert

 *Fl.3s FAD*

12° 41'·29N., 70° 05'·27W.

12° 32'·70N., 70° 06'·00W.

12° 28'·05N., 69° 49'·42W.

Chart 2193 [*previous update 5688/25*] WGS84 DATUM

Insert

 *Fl.3s FAD*

12° 41'·3N., 70° 05'·3W.

12° 32'·7N., 70° 05'·7W.

12° 28'·1N., 69° 49'·4W.

II

2044* WEST INDIES - Bahamas - Pier. Light. Legend.

Source: Carnival Corporation and PLC

Chart 390 [*previous update 4524/25*] WGS84 DATUM

Insert	pier, single firm line, joining:	26° 34'·16N., 78° 29'·31W. 26° 34'·12N., 78° 29'·24W. 26° 34'·06N., 78° 29'·20W. (a) 26° 33'·90N., 78° 29'·31W. 26° 33'·85N., 78° 29'·33W.
	★ F.WRG.17M	(a) above
Delete	legend, Works in progress (2025), centred on:	26° 33'·90N., 78° 29'·38W.

II

1963 CANADA - Gulf of Saint Lawrence - Light.

Source: Canadian Notice 2/4024/26

Chart 4766 [*previous update 3054/25*] NAD83 DATUM

Delete

• Fl 5s14m4M

48° 20′.5N., 64° 39′.5W.

II

1964 UNITED STATES OF AMERICA - East Coast - Depths.

Source: ENC US5PVDHD

Chart 2731 (Panel, Providence Harbor) [*previous update 1363/26*] NAD83 DATUM

Insert	depth, <i>11</i>	(a)	41° 46'·888N., 71° 23'·234W.
Delete	depth, <i>15</i> , close NW of:	(a)	above
Insert	depth, <i>28</i> , and extend 18ft contour N to enclose	(b)	41° 46'·978N., 71° 23'·299W.
Delete	depth, <i>40</i> , and associated 30ft contour, close NE of:	(b)	above
Insert	depth, <i>14</i>	(c)	41° 46'·971N., 71° 23'·206W.
Delete	depth, <i>17</i> , close NW of:	(c)	above
Insert	depth, <i>32</i>	(d)	41° 48'·257N., 71° 23'·789W.
Delete	depth, <i>37</i> , close SE of:	(d)	above
Replace	depth, <i>17</i> , with depth, <i>14</i>		41° 46'·918N., 71° 23'·167W.

II

2002 GREENLAND - East Coast - Depths.

Source: British Antarctic Survey

Chart 4112 (INT 112) [*previous update 5160/25*] WGS84 DATUM

Insert	depth, 654, and extend 1000m contour E to enclose	(a)	68° 27'·2N., 24° 33'·8W.
Delete	depth, 1120, close NW of:	(a)	above
Insert	depth, 352		68° 13'·7N., 25° 16'·9W.
	depth, 125, and extend 200m contour E to enclose		68° 36'·4N., 26° 07'·4W.
	depth, 159, enclosed by 200m contour	(b)	68° 21'·5N., 27° 15'·4W.
Delete	depth, 250, close NW of:	(b)	above
Insert	depth, 198, and extend 200m contour E to enclose	(c)	66° 16'·2N., 34° 28'·1W.
Delete	depth, 350, close NE of:	(c)	above
Insert	depth, 168, and extend 200m contour NW to enclose		65° 03'·6N., 36° 06'·0W.
	depth, 133, enclosed by 200m approximate contour	(d)	65° 07'·5N., 39° 23'·5W.
Delete	depth, 366, close SE of:	(d)	above
Insert	depth, 263	(e)	63° 11'·3N., 40° 27'·0W.
Delete	depth, 620, close NE of:	(e)	above

Chart 4113 (INT 113) [*previous update 4790/25*] WGS84 DATUM

Insert	depth, 654, and extend 1000m contour E to enclose	(a)	68° 27'·2N., 24° 33'·8W.
Delete	depth, 1120, close NW of:	(a)	above
Insert	depth, 352		68° 13'·7N., 25° 16'·9W.
	depth, 125, and extend 200 m approximate contour SE to enclose		68° 36'·4N., 26° 07'·4W.
	depth, 159, enclosed by 200m contour	(b)	68° 21'·5N., 27° 15'·4W.
Delete	depth, 250, close NW of:	(b)	above

II

1989(T)/26 SCOTLAND - Shetland Islands - Buoyage.

Source: Scottish Sea Farms

1. Yellow wave monitoring buoys, *Fl(5)Y.20s*, have been established in the following positions:

60° 25'·39N., 0° 51'·34W.

60° 25'·85N., 0° 47'·10W.

* 60° 23'·53N., 1° 05'·40W.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 475(T)/26 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 3282 - 3284

II

2074(T)/26 SCOTLAND - West Coast - Scientific instruments.

Source: Caledonian Maritime Assets LTD Notice 16/26

1. Unmarked scientific instruments have been deployed on the seabed in the following positions:

55° 38'·571N., 4° 49'·370W.

55° 38'·358N., 4° 49'·651W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(ETRS89 DATUM)

Charts affected - 1866 - 2491

II

2096(P)/26 ENGLAND - South Coast - Harbour limits.

Source: Portsmouth Harbours

- The following harbour limits have been established at Portsmouth:

<i>Name</i>	<i>Position</i>
Camber	50° 47'·575N., 1° 06'·516W.
	50° 47'·601N., 1° 06'·592W.
	50° 47'·650N., 1° 06'·608W.
	50° 47'·695N., 1° 06'·617W.
	50° 47'·706N., 1° 06'·618W.
	50° 47'·714N., 1° 06'·617W.
	and
	50° 47'·720N., 1° 06'·614W.
	50° 47'·735N., 1° 06'·603W.
	50° 47'·745N., 1° 06'·590W.
	50° 47'·753N., 1° 06'·571W.
	50° 47'·755N., 1° 06'·560W.
	50° 47'·740N., 1° 06'·554W.
	50° 47'·742N., 1° 06'·535W.

-

Portsmouth International	50° 48'·949N., 1° 05'·547W.
	50° 48'·937N., 1° 05'·548W.
	50° 48'·930N., 1° 05'·544W.
	50° 48'·901N., 1° 05'·546W.
	50° 48'·893N., 1° 05'·552W.
	50° 48'·890N., 1° 05'·566W.
	50° 48'·882N., 1° 05'·572W.
	50° 48'·872N., 1° 05'·590W.
	50° 48'·826N., 1° 05'·644W.
	50° 48'·800N., 1° 05'·670W.
	50° 48'·781N., 1° 05'·686W.
	50° 48'·776N., 1° 05'·686W.
	50° 48'·768N., 1° 05'·697W.
	50° 48'·764N., 1° 05'·711W.
	50° 48'·763N., 1° 05'·736W.
	50° 48'·748N., 1° 05'·814W.
	50° 48'·733N., 1° 05'·863W.

-

50° 48'·711N., 1° 05'·925W.
50° 48'·701N., 1° 05'·943W.
50° 48'·687N., 1° 05'·956W.
50° 48'·670N., 1° 05'·963W.
50° 48'·652N., 1° 05'·961W.
50° 48'·636N., 1° 05'·951W.
50° 48'·620N., 1° 05'·930W.
50° 48'·611N., 1° 05'·906W.
50° 48'·608N., 1° 05'·886W.
50° 48'·608N., 1° 05'·862W.
50° 48'·598N., 1° 05'·851W.
50° 48'·589N., 1° 05'·835W.
50° 48'·586N., 1° 05'·824W.
50° 48'·582N., 1° 05'·804W.
50° 48'·576N., 1° 05'·712W.
50° 48'·544N., 1° 05'·653W.
50° 48'·512N., 1° 05'·622W.

- Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.

II

2096(P)/26 ENGLAND - South Coast - Harbour limits. (continued)

5. These changes will be included in New Editions of Charts 2629, 2631 and 5600_12 to be published mid 2026.
6. Charts 2625 and 5600_15 will be updated by Notice to Mariners.
(ETRS89 DATUM)

Charts affected - 2629 - 2631 (INT 1732) - 5600_12

II

1968(T)/26 SWEDEN - West Coast - Works. Vertical clearance. Restricted area.

Source: Swedish Notice 1112/20004(T)/26

1. Maintenance works are taking place at Älvsborgsbron bridge in Göteborg in position 57° 41'·47N., 11° 54'·09E.
2. The vertical clearance is limited to 43 meters.
3. Restrictions are as follows:

<i>Vessels</i>	<i>Restrictions</i>	<i>Information</i>
Air draft less than 35 meters	No restrictions under the bridge.	Vessels can pass under scaffolding
Air draft 35 - 40 meters	Vessels are urged to pass under the part of the bridge that has no scaffolding.	Safety and health reasons for personnel
Air draft 40 - 42 meters	Vessels shall pass under the part of the bridge that has no scaffolding.	Safety and health reasons for personnel
Air draft over 42 meters	Vessels MUST pass under the part of the bridge that has no scaffolding.	Contact VTS Gothenburg 20 minutes before passing under the bridge. Scaffolding will be evacuated.

4. Mariners are advised to navigate with caution in the area and contact VTS Gothenburg on +46 (0)703 059 235. (WGS84 DATUM)

Charts affected - 857 (INT 1317) - 858 (INT 1316)

II

1974(T)/26 POLAND - Explosive dumping ground. Works.

Source: Polish Notice 8/84(T)/26

1. Explosive ordnance and boulder clearance works will be conducted in an area bounded by the following positions:

54° 49'·34N., 17° 53'·32E.
54° 49'·89N., 17° 53'·38E.
54° 51'·83N., 17° 52'·91E.
55° 02'·10N., 18° 00'·01E.
55° 04'·58N., 18° 00'·05E.
55° 05'·05N., 17° 50'·01E.
55° 05'·70N., 17° 50'·49E.
55° 06'·19N., 17° 56'·02E.
55° 06'·41N., 18° 03'·33E.
55° 05'·53N., 18° 05'·00E.
55° 03'·84N., 18° 08'·75E.
55° 02'·68N., 18° 08'·85E.
55° 02'·32N., 18° 05'·61E.
55° 00'·65N., 18° 00'·52E.
54° 51'·82N., 17° 54'·42E.
54° 49'·39N., 17° 53'·78E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2018 (INT 1202) - 2040 (INT 1218) - 2288 - 2816

II

2017(T)/26 SWEDEN - South Coast - Works. Bridge. Vertical clearance.

Source: Swedish Notice 1113/20006(T)/26

1. Maintenance works are taking place at Falsterbokanalen Bridge, in position 55° 24'·61N., 12° 56'·08E. The bridge is unable to be opened during this time.
2. The vertical clearance of the bridge is reduced to 2m.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2115 - 2595 (INT 1332)

II

2031(T)/26 SWEDEN - East Coast - Works. Horizontal clearance. Bridge. Fairway.

Source: Swedish Notice 1113/20014(T)/26

1. *Maintenance works are taking place at Danviksbron Bridge, in position 59° 18'·82N., 18° 06'·28E.
2. The horizontal clearance of the fairway at the bridge is limited to 17m.
3. *Restrictions are as follows:

Duration

- * March 9th 2026, 22:00 - April 10th 2026, 07:00
- * April 10th 2026, 07:00 - April 13th 2026, 05:00
- April 13th 2026, 05:00 - April 14th 2026, 07:00
- April 14th 2026, 07:00 - April 20th 2026, 05:00
- April 20th 2026, 05:00 - September 21st 2026, 22:00

Details

- Partial closure
- Full closure, fairway completely closed
- Partial closure
- Full closure, fairway completely closed
- Partial closure

4. Mariners are advised to navigate with caution in the area.
5. *Former Notice 1599(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 811 (INT 1239)

II

2076(T)/26 LATVIA - Scientific instruments.

Source: Latvian Notice 3/70(T)/26

1. Scientific instruments have been established on the seabed in the following positions until April 2027:

57° 10'·49N., 20° 53'·05E.

57° 10'·50N., 20° 53'·23E.

57° 04'·04N., 20° 50'·01E.

57° 04'·05N., 20° 50'·25E.

56° 59'·92N., 20° 43'·87E.

56° 59'·91N., 20° 44'·08E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2048 (INT 1217) - 2059 (INT 1216) - 2288 - 2816 - 2817

II

1965(T)/26 NETHERLANDS - Buoy.

Source: Netherlands Notice 14/70(T)/26

1. A west cardinal light-buoy, *VQ(9)10s*, has been established in position 52° 31'·57N., 4° 34'·36E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 125 (INT 1422)

II

1979(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 24'·59N., 3° 27'·19E.	116
51° 25'·43N., 3° 22'·07E.	116
51° 25'·49N., 3° 23'·04E.	116
51° 25'·49N., 3° 23'·90E.	116
51° 25'·62N., 3° 25'·14E.	116
51° 25'·63N., 3° 25'·83E.	116
51° 26'·83N., 3° 39'·78E.	120
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
* 52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90

II

1979(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 1838(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 120 (INT 1479) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

2034(T)/26 SOMALIA - Lights. Leading lights.

Source: Boosaaso Port Authority

1. Light, Fl.3s8M, in position $11^{\circ} 17' \cdot 51N.$, $49^{\circ} 10' \cdot 65E.$ has been extinguished.
2. The front and rear leading lights have been reported as unlit in positions $11^{\circ} 17' \cdot 27N.$, $49^{\circ} 10' \cdot 74E.$ and $11^{\circ} 17' \cdot 25N.$, $49^{\circ} 10' \cdot 75E.$
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 6 - 2970 (INT 7002)

II

2022(P)/26 UNITED ARAB EMIRATES - Submarine cables. Works.

Source: Alcatel Submarine Networks

1. Cable installation works are taking place in the Gulf of Oman and Arabian Sea to install the Gulf Branch of the PEACE cable, joining the following approximate positions:

25° 04'·12N., 56° 21'·66E.
25° 04'·41N., 56° 23'·90E.
25° 00'·38N., 56° 25'·47E.
24° 56'·63N., 56° 42'·38E.
24° 08'·76N., 57° 39'·24E.
24° 05'·43N., 57° 53'·69E.
23° 58'·50N., 58° 19'·09E.
24° 09'·99N., 58° 47'·08E.
23° 15'·44N., 60° 16'·30E.
22° 34'·52N., 60° 46'·78E.
22° 34'·53N., 61° 49'·24E.
21° 38'·46N., 64° 04'·17E.

2. and

23° 44'·27N., 57° 49'·54E.
23° 49'·41N., 57° 53'·77E.
23° 52'·75N., 57° 51'·94E.
24° 05'·43N., 57° 53'·69E.

3. Mariners are advised to navigate with caution in the area.
4. Charts will be updated when works are complete.
(WGS84 DATUM)

Charts affected - 38 (INT 7019) - 707 - 2837 (INT 7017) - 2851 - 2858 (INT 750) - 3520 (INT 7200) - 3522 - 3523 - 3723 - 4705 (INT 705)

II

2004(T)/26 BANGLADESH - Recommended tracks.

Source: BNHOC Notice 4(T)/26

1. *A recommended track has been established as follows:

<i>Bearing</i>	<i>Position</i>
315°-135°	21° 27'·18N., 89° 32'·49E.
	21° 31'·52N., 89° 27'·79E.
354°-174°	21° 31'·52N., 89° 27'·79E.
	21° 36'·58N., 89° 27'·19E.
006°-186°	21° 36'·58N., 89° 27'·19E.
	21° 38'·02N., 89° 27'·34E.
019°-199°	21° 38'·02N., 89° 27'·34E.
	21° 41'·04N., 89° 28'·44E.
003°-183°	21° 41'·04N., 89° 28'·44E.
	21° 47'·02N., 89° 28'·77E.
047°-227°	21° 47'·02N., 89° 28'·77E.
	21° 48'·66N., 89° 30'·64E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 1691(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 90 - BD 5001 (INT 7426) - IN 351 (INT 7419)

II

2040(T)/26 INDIA - West Coast - Buoyage.

Source: Indian Notice 5/63(T)/26

1. The following light-buoys are unlit:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>Mithapur Buoy No 2</i>	<i>Fl.G.5s</i>	22° 24'·73N., 68° 51'·80E.
<i>Tilburn</i>	<i>Q.G</i>	22° 37'·20N., 69° 32'·00E.

2. The following cardinal light-buoys have been temporarily removed:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>Gurur Buoy</i>	<i>VQ(9)10s</i>	22° 35'·40N., 68° 57'·98E.
<i>Chandri Buoy</i>	<i>VQ</i>	22° 37'·15N., 69° 07'·50E.

3. The following light-buoys are missing:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>Kachchh Buoy</i>	<i>VQ(9)10s</i>	22° 38'·02N., 69° 12'·94E.
	<i>Q</i>	22° 34'·10N., 69° 18'·35E.

4. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 39 - 1470 (INT 7325) - IN 202 - IN 203 (INT 7319) - IN 251 (INT 7318) - IN 2031 (INT 7326) - IN 2060 (INT 7332) - IN 2068 - IN 2079 (INT 7329)

II

2077(P)/26 INDIA - East Coast - Automatic Identification System. Firing practice areas.

Source: Indian Notice 5/61/26 and Indian ENC IN3308OV

1. The Firing Practice Areas, bounded by the following positions, have been removed:

17° 58'·0N., 84° 19'·0E.
17° 58'·0N., 83° 52'·0E.
17° 48'·1N., 83° 42'·0E.
17° 44'·0N., 83° 48'·0E.
17° 44'·0N., 84° 05'·0E.

2. and

17° 28'·0N., 84° 16'·0E.
17° 43'·0N., 83° 56'·0E.
17° 28'·0N., 83° 43'·0E.
17° 12'·0N., 84° 03'·0E.

3. and

17° 09'·0N., 84° 05'·0E.
17° 25'·0N., 83° 45'·0E.
17° 10'·0N., 83° 33'·0E.

4. and

17° 41'·5N., 83° 18'·1E.
17° 37'·2N., 83° 18'·1E.
17° 36'·0N., 83° 15'·0E.
17° 38'·0N., 83° 15'·0E.
17° 36'·9N., 83° 14'·2E.
17° 33'·8N., 83° 10'·4E.
17° 29'·8N., 83° 00'·8E.
17° 28'·9N., 83° 00'·8E.
17° 11'·0N., 82° 29'·0E.
17° 01'·0N., 82° 35'·0E.
17° 29'·0N., 83° 25'·0E.
17° 32'·0N., 83° 23'·4E.
17° 34'·1N., 83° 30'·3E.
17° 46'·1N., 83° 32'·1E.
17° 42'·0N., 83° 18'·3E.
17° 41'·8N., 83° 18'·0E.

5. and

16° 34'·0N., 83° 52'·7E.
17° 05'·0N., 83° 30'·0E.
16° 34'·0N., 83° 06'·8E.

6. The Automatic Identification System, AIS, at the light in position 18° 03'·95N., 83° 38'·25E., has been removed.
7. Mariners are advised to navigate with caution in the area.
8. These changes will be included in a New Edition of Chart 319 to be published mid 2026.
9. Charts IN31, IN32, IN353, IN3002 and IN3035 will be updated by Notice to Mariners.
(WGS84 DATUM)

Charts affected - 319 (INT 7408) - IN 308 (INT 7409)

II

1986(T)/26 SINGAPORE - Alongside depths. Berths.

Source: Maritime and Port Authority of Singapore

1. Least depth alongside has changed for the following berths:

<i>Berth</i>	<i>Depth Alongside (Year Surveyed)</i>	<i>Position</i>
OE1	9·5m (2026)	1° 16'·627N., 103° 41'·436E.
OE2	12·6m (2026)	1° 16'·696N., 103° 41'·498E.
OE4	15·4m (2026)	1° 16'·912N., 103° 41'·699E.
OE5	14·6m (2026)	1° 17'·046N., 103° 41'·825E.
OE6	12·6m (2026)	1° 16'·523N., 103° 41'·336E.
OESHP	11·2m (2026)	1° 17'·204N., 103° 41'·971E.

2. Mariners are advised to navigate with caution.
(WGS84 DATUM)

Chart affected - 4033

II

1987(T)/26 SINGAPORE - Alongside depth. Berth.

Source: Maritime and Port Authority of Singapore

1. Least depth alongside has changed for the following berth:

<i>Berth</i>	<i>Depth Alongside (Year Surveyed)</i>	<i>Position</i>
OVL2	24.2m (2026)	1° 13'·752N., 103° 40'·958E.

2. Mariners are advised to navigate with caution.
(WGS84 DATUM)

Charts affected - 4031 - 4032

II

1988(T)/26 SINGAPORE - Obstructions. Alongside depth. Berth.

Source: Maritime and Port Authority of Singapore

1. Obstructions exist in the vicinity of Tanjong Penjuru, Oil States Jetty, in the following positions:

<i>Depth</i>	<i>Position</i>
6·5m	1° 18'·097N., 103° 43'·742E.
2·2m	1° 18'·072N., 103° 43'·797E.
1·5m	1° 18'·062N., 103° 43'·812E.

2. Least depth alongside has changed for the following berth:

<i>Berth</i>	<i>Depth Alongside (Year Surveyed)</i>	<i>Position</i>
RJ20	2·4m (2026)	1° 18'·074N., 103° 43'·787E.

3. Mariners are advised to navigate with caution.
(WGS84 DATUM)

Chart affected - 4034

II

1981(P)/26 CHINA - South Coast - Vessel traffic services. Radio reporting lines. Anchor berths.

Source: Chinese Chart 16770

1. There have been changes to the VTS limits in the Gulf of Tonkin. New radio reporting lines, inbound and outbound, have been established joining the following positions:

Fangcheng VTS

21° 34'·85N., 108° 19'·00E.
21° 26'·98N., 108° 19'·01E.
21° 26'·98N., 108° 27'·03E.
21° 33'·38N., 108° 27'·03E.

Qinzhou Wan VTS

21° 38'·56N., 108° 33'·01E.
21° 24'·52N., 108° 33'·01E.
21° 24'·51N., 108° 42'·01E.
21° 41'·60N., 108° 42'·04E.

Beihai VTS

21° 26'·24N., 109° 05'·98E.
21° 33'·99N., 108° 57'·02E.
21° 20'·00N., 108° 57'·01E.
21° 20'·00N., 109° 05'·94E.

2. The former *Qinzhou VTS* radio reporting line has been deleted joining the following positions:

21° 38'·12N., 108° 31'·98E.
21° 20'·02N., 108° 31'·98E.
21° 20'·03N., 108° 44'·46E.
21° 36'·49N., 108° 44'·47E.

3. The following anchorage berths have been removed, centred on:

Berth designation

Position

B4	21° 28'·52N., 108° 22'·19E.
B5	21° 28'·99N., 108° 22'·84E.
B8	21° 28'·49N., 108° 23'·40E.

4. These changes will be included in a New Edition of Chart 3992 to be published mid 2026.
5. Charts 3938, 3999, 1728 and 3892 will be updated by Notice to Mariners.
(CGCS 2000 DATUM)

Chart affected - 3992

II

2008(T)/26 CHINA - South Coast - Works. Buoyage.

Source: Hong Kong Notice 4/16(T)/26

1. Marine site investigation works is taking place in an area bounded by the following positions:

22° 21'·712N., 113° 56'·501E.

22° 21'·294N., 113° 56'·289E.

22° 21'·284N., 113° 57'·143E.

22° 21'·376N., 113° 57'·175E.

2. The area will be marked by yellow light buoyage.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 4123

II

2010(T)/26 CHINA - South Coast - Works. Dredging area.

Source: Chinese Notice 8/204(T)/26

1. Dredging works are taking place within an area bounded by the following positions:

21° 16'·18N., 109° 27'·99E.

21° 15'·69N., 109° 28'·49E.

21° 13'·71N., 109° 26'·27E.

21° 14'·21N., 109° 25'·77E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 1728 - 3892

II

2029(T)/26 CHINA - South Coast - Buoyage. Lights. Works. Barge.

Source: Hong Kong Notice 4/15(T)/26

1. Maritime works, carried out by barges and tugboats, are taking place in an area bounded by the charted coastline and the following positions:

22° 24'·352N., 113° 54'·088E.

22° 23'·591N., 113° 53'·963E.

22° 23'·406N., 113° 54'·342E.

22° 23'·401N., 113° 54'·878E.

22° 23'·543N., 113° 54'·977E.

2. A works area of approximately 50m will be established around each dumb lighter.
3. Yellow flashing lights will be installed at the four corners of each jack-up barge to indicate its position.
4. Yellow flashing marker buoys will mark the positions of the barge anchors.
5. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 343 - 4123

II

2063(T)/26 JAPAN - Honshū - Depth.

Source: Japanese Notice 15/5152(T)/26

1. A depth of about 3m exists in position 37° 26′·17N., 137° 01′·00E.
(WGS84 DATUM)

Charts affected - JP 120 - JP 1163

II

2064(T)/26 JAPAN - Honshū - Depth.

Source: Japanese Notice 15/5154(T)/26

1. A depth of about 17m exists in position $37^{\circ} 15' \cdot 21\text{N}$., $137^{\circ} 06' \cdot 01\text{E}$.
(WGS84 DATUM)

Chart affected - JP 1163

II

2065(T)/26 JAPAN - Honshū - Wreck.

Source: Japanese Notice 15/5162(T)/26

1. A wreck, 7m in length, exists in the vicinity of position 33° 51′·06N., 135° 04′·66E.
(WGS84 DATUM)

Chart affected - JP 77

II

2043(T)/26 PHILIPPINE ISLANDS - Mindanao - Wreck.

Source: NAMRIA NAVPHIL 33/26

1. A dangerous wreck has been reported in an area bounded by the following positions:

6° 41'·27N., 121° 44'·43E.

6° 41'·23N., 121° 45'·43E.

6° 40'·50N., 121° 45'·35E.

6° 40'·53N., 121° 44'·32E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3484 (INT 554) - 3811 - 4418 - 4419 - 4470

II

2083(P)/26 PHILIPPINE ISLANDS - Cebu - Submarine cable. Works.

Source: NAMRIA NAVPHIL 60/26

1. Cable laying works are taking place within an area bounded by the following positions:

10° 19'·66N., 123° 58'·27E.

10° 19'·96N., 123° 58'·31E.

10° 20'·03N., 123° 58'·27E.

10° 20'·05N., 123° 58'·30E.

10° 19'·95N., 123° 58'·36E.

10° 19'·87N., 123° 58'·39E.

10° 19'·77N., 123° 58'·38E.

10° 19'·64N., 123° 58'·31E.

10° 19'·62N., 123° 58'·29E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 13 - 14

II

1991(P)/26 AUSTRALIA - South Australia - Depths.

Source: Australian Notice 7/304(P)/26

1. Latest surveys indicate shoaler depths than those charted exist in an area bounded by the following positions:

36° 07'·3S., 137° 22'·9E.

36° 21'·1S., 137° 22'·7E.

36° 20'·5S., 137° 14'·8E.

36° 07'·8S., 136° 43'·3E.

36° 03'·4S., 136° 45'·2E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4709 (INT 709)

II

1993(T)/26 AUSTRALIA - Western Australia - Moored storage tanker.

Source: Australian Notice 7/296(T)/26

1. The lit FPSO *Okha Mo(U)15s* (19° 35'·4S., 116° 26'·8E.) is off station for maintenance; an unlit riser turret mooring remains in situ.

Note; FPSO is shown as Wanaea on charts 4722 & 4723.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4603 (INT 603) - 4708 (INT 708) - 4722 (INT 722) - 4723 (INT 723) - Aus 327

II

1994(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 7/299(T)/26

1. Vessel *Skandi Singapore* is conducting subsea operations within a 3M radius of position 20° 06'·5S., 115° 03'·4E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

1996(T)/26 AUSTRALIA - Victoria - Military practice area.

Source: Australian Notice 7/310(T)/26

1. During the period 6 April to 6 May 2026, a military exercise consisting of multiple military ships, fixed and rotary wing aircraft will be conducted in an area bounded by the following positions:

38° 36'·0S., 144° 31'·8E.

38° 12'·6S., 149° 02'·4E.

42° 01'·8S., 149° 22'·8E.

41° 58'·8S., 148° 24'·6E.

40° 51'·6S., 148° 24'·6E.

40° 24'·6S., 144° 44'·4E.

2. Military assets may act in a random and dynamic manner, including military aircraft operating at low altitude. However, at all times military ships and aircraft will act with due regard to other vessels and users utilising the area.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4601 (INT 601) - 4709 (INT 709) - Aus 357 - Aus 801 - Aus 802

II

1998(T)/26 AUSTRALIA - Queensland - Dredged area. Light-beacons. Lights.

Source: Australian Notice 7/288(T)/26

1. Dredge *Brisbane* and support vessel *Pacific Conquest* are conducting dredging and bed levelling operations in the shipping channels, including swing basins and berth pockets, between the Sugar Berth (24° 46'·27S., 152° 22'·91E.) and the outer light beacons (24° 45'·21S., 152° 28'·12E.).
2. The vessels will display appropriate lights and shapes and will monitor VHF Ch 13 and Ch 16.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 818

II

2025(P)/26 AUSTRALIA - New South Wales - Depth. Reef.

Source: Australian Notice 4/146(P)/26

1. * An artificial reef is being installed as follows:

<i>Position</i>	<i>Minimum Depth</i>
30° 23'·50S., 153° 06'·95E.	14m

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1282(P)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - Aus 812

II

2033(T)/26 AUSTRALIA - Western Australia - Scientific instruments.

Source: Australian Notice 7/302(T)/26

1. Subsurface scientific instruments exist as follows:

<i>Position</i>	<i>Remarks</i>
13° 59'·2S., 121° 46'·4E.	1·5m above seabed
13° 59'·6S., 121° 58'·9E.	1·5m above seabed
14° 02'·0S., 122° 00'·9E.	1·5m above seabed
14° 02'·4S., 121° 58'·5E.	20m below the surface
14° 31'·2S., 121° 37'·6E.	1·5m above seabed

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 1947(T)/25 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 4722 (INT 722)

II

1985(T)/26 NEW ZEALAND - North Island - Automatic Identification Systems. Virtual aids to navigation.

Source: New Zealand Bulletin 7/26 General Notice

1. *After 31 March 2026, New Zealand's 3G network will be disestablished. All Virtual Automatic Identification Systems (V-AIS) that rely on the 3G network are likely to be impacted.
2. All V-AIS in the Auckland region are known to be affected including but not limited to the following:

<i>Feature Type</i>	<i>Position</i>
North Cardinal V-AIS	35° 59'·55S., 175° 07'·20E.
Isolated Danger V-AIS	36° 00'·45S., 175° 07'·20E.
Isolated Danger V-AIS	36° 15'·39S., 175° 11'·48E.
West Cardinal V-AIS	36° 16'·59S., 175° 19'·70E.
AIS	36° 25'·30S., 175° 19'·89E.
Isolated Danger V-AIS	36° 25'·90S., 175° 07'·85E.
AIS	36° 26'·75S., 174° 55'·50E.
East Cardinal V-AIS	36° 27'·50S., 174° 56'·36E.
Isolated Danger V-AIS	36° 36'·20S., 174° 55'·10E.
North Cardinal V-AIS	36° 40'·95S., 174° 57'·93E.
North Cardinal V-AIS	36° 41'·15S., 175° 01'·50E.
East Cardinal V-AIS	36° 41'·34S., 175° 01'·90E.

3. See the Auckland Transport website for more information: <https://at.govt.nz/maritime-safety/local-notice-to-mariners>
4. Mariners are advised to exercise caution when relying on V-AIS and to use alternative aids to navigation and methods of identifying hazards where available.
5. *Former Notice 1498(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - NZ 52 - NZ 53 - NZ 522 - NZ 531 - NZ 532 - NZ 5321 - NZ 5324

II

1990(P)/26 PERU - Anchorage areas. Depths. Buoy.

Source: ENC PE501126

1. The limits of anchorage area, Tankers, have been amended to the following positions:

4° 34'·157S., 81° 18'·702W.
4° 33'·955S., 81° 18'·530W.
4° 33'·675S., 81° 17'·986W.
4° 33'·952S., 81° 17'·766W.
4° 34'·457S., 81° 18'·444W.

2. The Lightering anchorage area, bounded by the following positions, has been removed:

4° 34'·090S., 81° 18'·397W.
4° 34'·263S., 81° 18'·180W.
4° 34'·390S., 81° 18'·353W.
4° 34'·212S., 81° 18'·535W.

3. A new Lightering anchorage area has been established, bounded by the following positions:

4° 33'·714S., 81° 17'·924W.
4° 33'·584S., 81° 17'·766W.
4° 33'·834S., 81° 17'·600W.
4° 33'·934S., 81° 17'·740W.

4. The limits of anchorage area, Barges and Tankers, have been amended to the following positions:

4° 31'·20S., 81° 17'·78W.
4° 32'·24S., 81° 17'·31W.
4° 32'·53S., 81° 17'·73W.
4° 31'·20S., 81° 18'·62W.

5. Depths less than charted exist within Bahia Talara. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
8·9m	4° 34'·585S., 81° 17'·892W.
7·1m	4° 34'·581S., 81° 17'·741W.
8·1m	4° 34'·291S., 81° 17'·548W.
4·8m	4° 34'·631S., 81° 17'·326W.
3·6m	4° 34'·028S., 81° 16'·909W.
14·3m	4° 34'·340S., 81° 16'·647W.
7·8m	4° 34'·219S., 81° 17'·423W.
6·3m	4° 33'·550S., 81° 17'·428W.
8·7m	4° 34'·092S., 81° 17'·681W.
7·9m	4° 32'·18S., 81° 17'·16W.

6. An unlit red pillar buoy exists in position 4° 34'·256S., 81° 16'·850W.
7. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
8. These changes will be included in a New Edition of Chart 3089 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 3089

II

2023(T)/26 BRAZIL - East Coast - Foul.

Source: HYDROLANT 582/26

1. An area of foul ground exists, bounded by the following positions:

19° 52'·8S., 39° 58'·9W.

19° 53'·1S., 39° 58'·5W.

19° 54'·2S., 39° 59'·3W.

19° 53'·9S., 39° 59'·7W.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3972

II

2026(P)/26 BRAZIL - East Coast - Foul.

Source: Brazilian Notice 5/E 13(P)/26

1. A foul exists in position 10° 50'·10S., 36° 51'·10W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3977

II

2045(T)/26 BRAZIL - South Coast - Radar beacon.

Source: HYDROLANT 604/26

1. The radar beacon, Racon (O), in position 33° 44'·6S., 53° 22'·5W., is inoperative.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - 3064 - 3984

II

2071(T)/26 BRAZIL - South Coast - Buoy.

Source: HYDROLANT 628/26

1. An ODAS buoy has been established in position 24° 06'·4S., 45° 38'·8W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3970 - 3980