



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 19

07 May 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
105	INT 1223	NP 75
340	INT 1224	NP 131
802	INT 1239	NP 314
811	INT 1314	e-NP 314
853	INT 1453	
889	INT 1655	
1609	INT 1761	
1729	INT 1772	
1760	INT 1777	
1761	INT 7333	
1834	INT 9109	
1835	INT 9165	
1859	INT 12902	
2425		
2502		
2503		
2637		
2842		
2843		
2844		
3206		
3462		
3698		
4232		
AUS 808		
DE 46		
IN 2051		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 07 May 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙340	China - South China Sea, Daya Wan and Approaches to Huizhou. On publication of this New Edition former Notice 1260(P)/26 is cancelled. This chart remains affected by Notice 35(P)/26.	1:60,000	50	78, 80
⊙1760	Taiwan Strait, Southern Part. This chart remains affected by Notices 578(T)/22, 942(P)/24, 4853(T)/24, 838(P)/25, 4905(P)/25 and 1931(T)/26.	1:300,000	50	80
⊙1761	Taiwan Strait, Northern Part. This chart remains affected by Notices 751(T)/21, 942(P)/24 and 571(T)/26.	1:300,000	50	80
⊙1834	England - East Coast, River Medway, Garrison Point to Folly Point. Otterham Creek. This chart remains affected by Notices 4799(T)/24 and 509(T)/26.	1:12,500 1:12,500	8	24
⊙1835	England - East Coast, River Medway, Folly Point to Maidstone. Ⓐ Continuation of the River Medway. Ⓑ Continuation of the River Medway to Maidstone. This chart remains affected by Notices 1219(T)/24 and 1062(T)/26. This chart is to be deleted from the list of charts affected by Notice 1145(T)/26.	1:6,000 1:25,000 1:25,000	8	24
⊙2637 INT 12902	International Chart Series, Baltic Sea – Poland, Gdańsk. Motława Marina. On publication of this New Edition former Notice 5423(P)/25 is cancelled. This chart remains affected by Notices 290(T)/25, 1201(T)/25, 4026(T)/25, 4039(T)/25, 4498(T)/25, 4613(T)/25 and 403(T)/26.	1:12,500 1:5,000	10	36
⊙3698	United States - East Coast, Florida, Miami Harbor. Continuation to Miami. On publication of this New Edition former Notice 1277(P)/26 is cancelled.	1:12,000 1:12,000	83	126
4232	Chile, Puerto Huasco. On publication of this New Edition former Notice 949(P)/26 is cancelled.	1:10,000	98	114

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

Publication dates of these charts reflect the dates shown on the Australian Government Charts.

<i>Chart</i>	<i>Published</i>	<i>Title and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙AUS808	20/03/2026	Australia - East Coast, New South Wales, Jervis Bay to Port Jackson. On publication of this New Edition former Notices 5635(T)/17 and 1812(P)/26 are cancelled. This chart remains affected by Notices 3609(T)/20, 3129(T)/23, 887(P)/26, 1022(T)/26, 1729(T)/26 and 1793(P)/26.	1:150,000	66	92

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP75	ADMIRALTY List of Lights and Fog Signals Volume B 7 th Edition (2026) Southern and Eastern Sides of the North Sea Including the Coast of Norway to latitude 60°55' N ISBN Number: 978-0-70-772-5062	07/05/2026	Updated to Week 13/26 (26/03/26) First Updates in NM Week 19/26 (07/05/26) Volume B 6 th Edition (2025) is cancelled
NP314 & e-NP314	ADMIRALTY The Nautical Almanac His Majesty's Nautical Almanac Office 2027 ISBN Number: 978-0-70-774-6616	07/05/2026	NP314-27 contains tabular positions of the Sun, Moon, navigational planets and stars for use in the determination of position at sea from sextant observations for the year 2027.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 21 MAY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
105	England - East Coast, Cromer Knoll and the Outer Banks.	1:75,000	⊙105	7	26
811 INT 1239	International Chart Series, Sweden - East Coast, Stockholms Skärgård, Port of Stockholm.	1:12,500	⊙811 INT 1239	10	36
1609	England - East Coast, Thames Estuary, Knock John Channel to Sea Reach.	1:25,000	⊙1609	8	24
1729	South Pacific Ocean, Islands in American Samoa.		⊙1729	70	104, 106
	Tutuila Island.	1:60,000			
	Swains Island.	1:50,000			
	Manua Islands.	1:100,000			
	Rose Atoll.	1:100,000			
	Pago Pago Harbour.	1:25,000			
1859 INT 1655	International Chart Series, England - West Coast, Port of Bristol. Ⓐ King Road. Ⓑ River Avon. Ⓒ City docks. Ⓓ City Docks to Saint Anne's Bridge.	1:10,000 1:10,000 1:5,000 1:25,000	⊙1859 INT 1655	2	20
2502	Scotland - West Coast, Eddrachillis Bay. Continuation to Lochs Glendhu and Glencoul.	1:25,000 1:25,000	⊙2502	6	28
2503	Scotland - West Coast, Kinlochbervie and Approaches. Kinlochbervie.	1:25,000 1:10,000	⊙2503	6	28
3206 INT 9165	International Chart Series, Antarctica - Graham Land, Gerlache Strait to Orléans Strait.	1:50,000	⊙3206 INT 9165	97	136
3462 INT 9109	International Chart Series, Antarctica - Graham Land, Marguerite Bay, British Antarctic Survey Base Rothera. Rothera Wharf.	1:25,000 1:4,000	⊙3462 INT 9109	97	136
DE46 INT 1453	International Chart Series, North Sea, Germany, River Elbe, Belum to Krautsand. Brunsbüttel.	1:30,000 1:12,500	⊙DE46 INT 1453	9	32

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

CHARTS TO BE AVAILABLE 21 MAY 2026

New Editions

Reproductions of Indian Government Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
IN2051 INT 7333	International Chart Series, India - West Coast, Salāya Harbour	1:25,000	⊙IN2051 INT 7333	41	58

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
340	China - South China Sea, Daya Wan and Approaches to Huizhou.	⊙340
1760	Taiwan Strait, Southern Part.	⊙1760
1761	Taiwan Strait, Northern Part.	⊙1761
1834	England - East Coast, River Medway, Garrison Point to Folly Point.	⊙1834
1835	England - East Coast, River Medway, Folly Point to Maidstone.	⊙1835
2637 INT 12902	International Chart Series, Baltic Sea – Poland, Gdańsk.	⊙2637 INT 12902
3698	United States - East Coast, Florida, Miami Harbor.	⊙3698
4232	Chile, Puerto Huasco.	4232
AUS808	Australia - East Coast, New South Wales, Jervis Bay to Port Jackson.	⊙AUS808

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

INTENTION TO WITHDRAW CHARTS

It is proposed to withdraw without replacement, the following ADMIRALTY Charts:

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>Date of withdrawal</i>
⊙802 INT 1772	International Chart Series, Sweden – East Coast, Mälaren, Western Part.	28 th May 2026
⊙853 INT 1314	International Chart Series, Sweden - West Coast, Approaches to Brofjorden.	28 th May 2026
⊙889 INT 1777	International Chart Series, Sweden – East Coast, Vaddö to Öregrund.	28 th May 2026
⊙2425	Central America - East Coast, River Hueson to False Cape, Including Morrison and Mosquito Cays.	28 th May 2026
⊙2842 INT 1223	International Chart Series, Baltic Sea, Sweden – East Coast, Kalmarsund, Southern Part.	28 th May 2026
⊙2843 INT 1224	International Chart Series, Baltic Sea, Sweden – East Coast, Kalmarsund - Middle Part.	28 th May 2026
⊙2844 INT 1761	International Chart Series, Baltic Sea, Sweden – East Coast, Kalmarsund - Northern Part.	28 th May 2026

ADMIRALTY DISTRIBUTOR INFORMATION

NP131 - ADMIRALTY Maritime Data Solutions Catalogue, 2026 Edition

Amendments to Part 1, Authorised ADMIRALTY Distributors

Page 3, Sub-Distributor section, Lebanon

Insert:

Bow Marine International SARL		
SUB-DISTRIBUTOR OF: Elcome International LLC Sehnaoui Building Port Street Beirut		
T: +961 1 575599		
T: +961 71 717611		
info@bowmarine.com		
www.bowmarine.com		
DIGITAL	POD	PUBLICATIONS

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
83	2195T	1406	2111
93	2193T	1420	2216
108	2171	1426	2124T
110	2133T	1442	2109
116	2133T	1467	2148
122	2133T	1480	2109
124	2133T, 2166	1483	2150
125	2133T	1492	2160
130	2133T	1531	2138
131	2106	1552	2140, 2174
142	2142T	1630	2133T, 2164
155	2117	1631	2133T
204	2150	1632	2133T
207	2167	1633	2133T
220	2148	1670	2098T
237	2139	1673	2098T
242	2139	1674	2098T
247	2172	1682	2098T
266	2133T	1748	2135
333	2163	1749	2101
343	2190	1778	2176
349	2190	1792	2192
384	2098T	1826	2115
432	2131P	1908	2212
440	2098T	1912	2142T
441	2098T	1913	2162
488	2098T	1951	2115
515	2155	1957	2104T
529	2177T	1959	2105T
590	2126	1976	2212
744	2098T	1978	2115
745	2098T	1981	2115
746	2098T	1999	2106
747	2098T	2001	2101
749	2098T	2010	2140
750	2098T	2059	2198
751	2098T	2070	2141P
752	2098T	2075	2204
805	2159	2134	2151T
874	2197	2171	2176
889	2211	2202	2097
903	2161T	2218	2130
908	2212	2226	2198
913	2191	2319	2165
953	2118	2347	2179
963	2212	2374	2163
964	2127	2409	2213
965	2158	2434	2145
1004	2116T	2442	2153P
1007	2173	2443	2153P
1036	2144	2444	2153P
1055	2138	2449	2111
1056	2138	2452	2110, 2196
1059	2144	2464	2102
1100	2144	2465	2102
1200	2171	2473	2119
1223	2153P	2474	2121, 2176
1229	2153P	2523	2153P
1235	2153P	2578	2157
1249	2214	2595	2161T
1250	2152	2653	2152
1252	2214	2663	2107
1256	2214	2666	2100
1261	2144	2691	2098T
1265	2153P	2711	2155
1320	2115	2713	2208
1340	2207	2774	2155
1386	2122	2837	2153P
1387	2122	2849	2132

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
2850	2128	4040	2134
2851	2153P	4104	2177T
2853	2099T	4115	2177T
2882	2153P	4122	2210
2883	2153P	4123	2210
2884	2153P	4178	2200
2886	2153P	4202	2177T
2887	2153P	4203	2177T
2888	2153P	4209	2177T
2889	2153P	4215	2177T
2919	2147	4216	2177T
2920	2129	4230	2114
2970	2175	4249	2103
2976	2125	4414	2199
3089	2136	4490	2137P
3108	2205T	4509	2154
3134	2206T	4603	2119
3171	2153P	4632	2098T
3172	2153P	4638	2098T
3174	2153P	4752	2201
3175	2153P	4763	2100
3176	2153P	4764	2100
3177	2153P	4806	2177T
3184	2203P	4810	2177T
3220	2194T	4951	2120
3227	2202T	4954	2120
3231	2213	5501	2163
3412	2153P	5605_1	2111
3427	2123T	5605_11	2111
3429	2123T	5606_1	2111
3480	2154	5607_1	2111
3483	2135	5611_13	2176
3490	2156	5613_1	2115
3520	2153P	5613_10	2140
3523	2153P	5613_11	2174
3561	2209	5613_12	2140
3635	2194T	5613_3	2115
3734	2153P	5613_6	2156
3736	2153P	5614_11	2171
3737	2153P	5614_9	2171
3738	2153P		
3739	2153P		
3751	2119	Australian Chart No.	Notices
3752	2153P	Aus 822	2146T
3753	2119		
3759	2153P	Belgian Chart No.	Notices
3773	2153P		
3774	2153P	BE 11	2108
3775	2153P	BE 101	2108, 2133T
3777	2153P	BE 102	2108
3788	2153P		
3790	2153P	German Chart No.	Notices
3809	2199		
3812	2153P	DE 44	2168
3818	2130	DE 47	2169
3838	2135	DE 48	2170
3842	2153P	DE 50	2133T
3875	2144	DE 87	2178
3881	2144	DE 90	2133T
3883	2144		
3888	2144	Indian Chart No.	Notices
3889	2144		
3928	2173	IN 207	2112T
3933	2143		
3950	2153P		
3970	2131P		
4030	2134		
4038	2134		
4039	2134		

II

INDEX OF CHARTS AFFECTED

[illegible]

II

2114 MISCELLANEOUS UPDATES TO CHARTS

Source: UK Hydrographic Office.

<i>Chart</i>	<i>Previous Update</i>	<i>Details</i>
4230	1437/23	Effective from 07/05/2026 (on publication of Chart 4232). Insert accompanying note, CHART 4232: POSITIONS, centred on: 27° 37'·08S., 73° 06'·00W.

II

2115* ENGLAND - West Coast - Buoyage.

Source: Ørsted

Chart 1320 [*previous update New Edition 08/01/2026*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 54° 06'·56N., 3° 53'·16W.
54° 05'·60N., 3° 44'·40W.

Chart 1826 (INT 1607) [*previous update New Edition 26/03/2026*] ETRS89 DATUM

Delete  *Fl(5)Y.20s WB3* 54° 05'·60N., 3° 44'·40W.
 *Fl(5)Y.20s WB4* 54° 06'·61N., 3° 52'·91W.

Chart 1951 (INT 1642) [*previous update New Edition 19/02/2026*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 53° 30'·20N., 3° 21'·70W.

Chart 1978 [*previous update 1164/26*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 53° 30'·21N., 3° 21'·70W.

Chart 1981 [*previous update 1067/26*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 53° 30'·21N., 3° 21'·70W.

Chart 5613_3 [*previous update 5088/25*] ETRS89 DATUM

Delete  *Fl(5)Y.20s* 53° 30'·21N., 3° 21'·70W.

Chart 5613_1 [*previous update 1164/26*] ETRS89 DATUM

Delete  *Fl(5)Y.20s WB3* 54° 05'·60N., 3° 44'·40W.
 *Fl(5)Y.20s WB4* 54° 06'·61N., 3° 52'·91W.

II

2121* SCOTLAND - West Coast - Buoy. Light-beacon.

Source: Northern Lighthouse Board

Chart 2474 (Panel D, Scalasaig Harbour) [*previous update 151/24*] ETRS89 DATUM

Insert



Q.G

(a) 56° 04'·166N., 6° 11'·000W.

Delete



Q.G.2m2M, close N of:

(a) above

II

2140* ENGLAND - West Coast - Depths. Drying height.

Source: Peel Ports

Chart 1552 (INT 1641) (Panel D, Heysham) [*previous update 1711/26*] ETRS89 DATUM

Insert	depth, 72	(a)	54° 02'·045N., 2° 56'·077W.
Delete	depth, 9, close NW of:	(a)	above
Insert	depth, 4, enclosed by 5m contour		54° 01'·992N., 2° 56'·205W.
	depth, 57		54° 01'·919N., 2° 56'·259W.
	drying height, 1, enclosed by 0m low water line	(b)	54° 01'·882N., 2° 56'·440W.
Delete	depth, 6, close NW of:	(b)	above
Insert	depth, 87, enclosed by 10m contour		54° 01'·831N., 2° 56'·247W.
	depth, 2, enclosed by 2m contour		54° 01'·796N., 2° 56'·518W.
	depth, 76, and extend 10m contour SE to enclose	(c)	54° 01'·754N., 2° 56'·391W.
Delete	depth, 103, close SE of:	(c)	above
Insert	depth, 04, enclosed by 2m contour	(d)	54° 01'·736N., 2° 56'·674W.
Delete	depth, 56, close NE of:	(d)	above
Insert	depth, 26, enclosed by 5m contour	(e)	54° 01'·650N., 2° 56'·722W.
Delete	depth, 7, close S of:	(e)	above
Insert	depth, 25, enclosed by 5m contour	(f)	54° 01'·571N., 2° 56'·846W.
Delete	depth, 64, close SE of:	(f)	above
Insert	depth, 88, and extend 10m contour SW to enclose	(g)	54° 01'·532N., 2° 56'·543W.
Delete	depth, 96, close NE of:	(g)	above
Insert	depth, 63	(h)	54° 01'·425N., 2° 56'·869W.
Delete	depth, 77, close S of:	(h)	above
Insert	depth, 83, and extend 10m contour N to enclose	(i)	54° 01'·371N., 2° 56'·712W.
Delete	depth, 91, close S of:	(i)	above
Insert	depth, 76	(j)	54° 01'·295N., 2° 56'·853W.
Delete	depth, 83, close NW of:	(j)	above
Replace	depth, 85, with depth, 51		54° 01'·675N., 2° 56'·565W.

II

2140* ENGLAND - West Coast - Depths. Drying height. (continued)

Chart 1552 (INT 1641) (Panel A, River Lune and Approaches to Heysham) [*previous update 1711/26*] ETRS89 DATUM

Insert	depth, 87, and extend 10m contour SE to enclose	54° 01'·83N., 2° 56'·25W.
	depth, 2, enclosed by 2m contour	54° 01'·80N., 2° 56'·52W.
	depth, 04, enclosed by 2m contour	(a) 54° 01'·74N., 2° 56'·67W.
Delete	depth, 56, close NE of:	(a) above
Insert	depth, 63	(b) 54° 01'·42N., 2° 56'·87W.
Delete	depth, 77, close S of:	(b) above
Insert	depth, 83, and extend 10m contour N to enclose	(c) 54° 01'·37N., 2° 56'·71W.
Delete	depth, 91, close S of:	(c) above
Insert	depth, 76	(d) 54° 01'·30N., 2° 56'·85W.
Delete	depth, 83, close NW of:	(d) above
Insert	depth, 47, and extend 5m approximate contour SE to enclose	(e) 54° 01'·31N., 2° 57'·13W.
Delete	depth, 48, close NW of:	(e) above
Insert	depth, 64	(f) 54° 01'·16N., 2° 57'·19W.
Delete	depth, 76, close NE of:	(f) above
Insert	depth, 49, and extend 5m contour SE to enclose	(g) 54° 01'·01N., 2° 57'·56W.
Delete	depth, 63, close NE of:	(g) above
Insert	depth, 67	(h) 54° 00'·99N., 2° 57'·34W.
Delete	depth, 78, close SE of:	(h) above
Insert	depth, 7, and extend 10m contour E to enclose	(i) 54° 00'·82N., 2° 57'·49W.
Delete	depth, 66, close NW of:	(i) above
Insert	depth, 58	(j) 54° 00'·68N., 2° 57'·84W.
Delete	depth, 7, close SW of:	(j) above
Replace	depth, 85, with depth, 51	54° 01'·68N., 2° 56'·56W.
	depth, 71, with depth, 39, and extend 5m approximate contour SE to enclose	54° 01'·45N., 2° 56'·97W.
	depth, 95, with depth, 81	54° 00'·87N., 2° 57'·35W.

Chart 2010 (INT 1640) [*previous update 4472/25*] ETRS89 DATUM

Insert	depth, 87, and extend 10m contour SE to enclose	(a) 54° 01'·83N., 2° 56'·25W.
Delete	depth, 114, close SE of:	(a) above
Insert	depth, 76	54° 01'·30N., 2° 56'·85W.
	depth, 58	(b) 54° 00'·68N., 2° 57'·84W.
Delete	depth, 69, close S of:	(b) above
Replace	depth, 61, with depth, 39, and extend 5m contour SE to enclose	54° 01'·45N., 2° 56'·97W.

II

2140* ENGLAND - West Coast - Depths. Drying height. (continued)

Chart 5613_12 (Panel A, Approaches to Glasson and Heysham) [*previous update 557/25*] ETRS89 DATUM

Insert	depth, 87, and extend 10m contour SE to enclose	54° 01'·83N., 2° 56'·25W.
	depth, 2, enclosed by 2m contour	54° 01'·80N., 2° 56'·52W.
	depth, 04, enclosed by 2m contour	(a) 54° 01'·74N., 2° 56'·67W.
Delete	depth, 56, close NE of:	(a) above
Insert	depth, 63	(b) 54° 01'·42N., 2° 56'·87W.
Delete	depth, 77, close S of:	(b) above
Insert	depth, 83, and extend 10m contour N to enclose	(c) 54° 01'·37N., 2° 56'·71W.
Delete	depth, 91, close S of:	(c) above
Insert	depth, 76	(d) 54° 01'·30N., 2° 56'·85W.
Delete	depth, 83, close NW of:	(d) above
Insert	depth, 47, and extend 5m approximate contour SE to enclose	(e) 54° 01'·31N., 2° 57'·13W.
Delete	depth, 48, close NW of:	(e) above
Insert	depth, 64	(f) 54° 01'·16N., 2° 57'·19W.
Delete	depth, 76, close NE of:	(f) above
Insert	depth, 49, and extend 5m contour SE to enclose	(g) 54° 01'·01N., 2° 57'·56W.
Delete	depth, 63, close NE of:	(g) above
Insert	depth, 67	(h) 54° 00'·99N., 2° 57'·34W.
Delete	depth, 78, close SE of:	(h) above
Insert	depth, 7, and extend 10m contour E to enclose	(i) 54° 00'·82N., 2° 57'·49W.
Delete	depth, 66, close NW of:	(i) above
Insert	depth, 58	(j) 54° 00'·68N., 2° 57'·84W.
Delete	depth, 7, close SW of:	(j) above
Replace	depth, 85, with depth, 51	54° 01'·68N., 2° 56'·56W.
	depth, 71, with depth, 39, and extend 5m approximate contour SE to enclose	54° 01'·45N., 2° 56'·97W.
	depth, 95, with depth, 81	54° 00'·87N., 2° 57'·35W.

Chart 5613_10 [*previous update 4676/25*] ETRS89 DATUM

Insert	depth, 87, and extend 10m contour SE to enclose	(a) 54° 01'·83N., 2° 56'·25W.
Delete	depth, 114, close SE of:	(a) above
Insert	depth, 76	54° 01'·30N., 2° 56'·85W.
	depth, 58	(b) 54° 00'·68N., 2° 57'·84W.
Delete	depth, 69, close S of:	(b) above
Replace	depth, 61, with depth, 39, and extend 5m contour SE to enclose	54° 01'·45N., 2° 56'·97W.

II

2156* ENGLAND - West Coast - Depths.

Source: Mersey Docks and Harbour Company

Chart 3490 (INT 1643) (Panel B, Tranmere to Garston and Eastham) [*previous update 1759/26*] ETRS89 DATUM

Insert	depth, 03	(a)	53° 21'·775N., 2° 58'·693W.
Delete	depth, 14 , close SE of:	(a)	above
Insert	depth, 76	(b)	53° 22'·158N., 2° 58'·608W.
Delete	depth, 81 , close N of:	(b)	above

Chart 5613_6 [*previous update New Edition 09/04/2026*] ETRS89 DATUM

Insert	depth, 03	(a)	53° 21'·775N., 2° 58'·693W.
Delete	depth, 14 , close SE of:	(a)	above
Insert	depth, 76	(b)	53° 22'·158N., 2° 58'·608W.
Delete	depth, 81 , close N of:	(b)	above

II

2171* ENGLAND - East Coast - Automatic Identification System.

Source: King's Lynn Conservancy Board

Chart 108 [*previous update 1464/26*] ETRS89 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>W1</i> light-buoy	52° 55′·70N., 0° 16′·52E.
--------	---	---------------------------

Chart 1200 (INT 1556) [*previous update 1545/26*] ETRS89 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>W1</i> light-buoy	52° 55′·70N., 0° 16′·52E.
--------	---	---------------------------

Chart 5614_11 (Panel A, The Wash Central Part) [*previous update 1545/26*] ETRS89 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>W1</i> light-buoy	52° 55′·70N., 0° 16′·52E.
--------	---	---------------------------

Chart 5614_9 [*previous update 3798/25*] ETRS89 DATUM

Delete	Automatic Identification System, <i>AIS</i> , at <i>W1</i> light-buoy	52° 55′·70N., 0° 16′·52E.
--------	---	---------------------------

II

2174* ENGLAND - West Coast - Buoyage.

Source: Associated British Ports, Port of Fleetwood

Chart 1552 (INT 1641) (Panel C, Fleetwood) [*previous update 2140/26*] ETRS89 DATUM

Insert	 <i>Fl(3)R.10s No 18</i>	53° 55′·80N., 3° 00′·38W.
Delete	former  <i>Fl(3)R.10s No 18</i>	53° 55′·904N., 3° 00′·686W.

Chart 5613_11 (Panel C, Fleetwood) [*previous update 1711/26*] ETRS89 DATUM

Insert	 <i>Fl(3)R.10s No 18</i>	53° 55′·80N., 3° 00′·38W.
Delete	former  <i>Fl(3)R.10s No 18</i>	53° 55′·904N., 3° 00′·686W.

II

2176* SCOTLAND - West Coast - Obstructions.

Source: NatureScot and UKHO

Chart 1778 [*previous update 2678/25*] ETRS89 DATUM


Insert		56° 21'·86N., 6° 59'·92W. 56° 26'·64N., 6° 51'·82W.
Delete	 	56° 28'·48N., 6° 46'·65W. 56° 29'·81N., 6° 44'·79W. 56° 34'·35N., 6° 35'·72W.

Chart 2171 [*previous update 5212/25*] ETRS89 DATUM



Delete	 	56° 28'·48N., 6° 46'·65W. 56° 29'·81N., 6° 44'·79W. 56° 34'·35N., 6° 35'·72W.
--------	--	---

Chart 2474 (Panel A, Gott Bay, Scarinish Harbour and Milton Harbour) [*previous update 2121/26*] ETRS89 DATUM

Delete	obstruction out of position, 	56° 29'·810N., 6° 44'·794W.
--------	--	-----------------------------

Chart 5611_13 [*previous update 2511/23*] ETRS89 DATUM

Delete	 	56° 29'·81N., 6° 44'·79W. 56° 34'·35N., 6° 35'·72W.
--------	--	--

II

2110 POLAND - Foul.

Source: Polish Notice 9/92/26

Chart 2452 (INT 12991) [*previous update 1811/26*] WGS84 DATUM

Delete # (77)

53° 25′·555N., 14° 33′·985E.

II

2130 FINLAND - South Coast - Submarine pipeline. Light.

Source: Finnish Notice 6/57/26 and 5/49/26

Chart 2218 (INT 1159) [*previous update 1625/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

60° 10'·60N., 24° 57'·55E.

60° 10'·64N., 24° 57'·51E.

60° 10'·67N., 24° 57'·48E.

★F.G

60° 10'·39N., 25° 00'·28E.

Chart 3818 (INT 1250) [*previous update 1625/26*] WGS84 DATUM

Insert ★F.G

60° 10'·39N., 25° 00'·28E.


II

2196 POLAND - Obstruction.

Source: Polish Notice 9/93/26

Chart 2452 (INT 12991) [*previous update 2110/26*] WGS84 DATUM

Insert



53° 26′·417N., 14° 35′·135E.

II

2197 SWEDEN - West Coast - Legend. Beacons. Floodlight. Lights.

Source: Swedish Notice 1114/20015/26

Chart 874 (INT 1319) (Panel D, Varberg) [*previous update 5132/25*] WGS84 DATUM

Amend	legend to, Q & Iso $\neq$ 035°, centred on:	57° 06′·608N., 12° 14′·065E.
Replace	 and associated symbol, floodlit structure, with  Q	57° 06′·776N., 12° 14′·301E.
	 with  Iso 2s	57° 06′·824N., 12° 14′·363E.

II

2198 ESTONIA - Wreck. Rock.

Source: Estonian Notices 3/45-46/26


Chart 2059 (INT 1216) [*previous update 1673/26*] WGS84 DATUM

Insert



(a) 57° 50'·37N., 21° 54'·52E.

Delete



, close W of:

(a) above

Chart 2226 [*previous update 1673/26*] WGS84 DATUM

Insert



(a) 57° 50'·37N., 21° 54'·52E.


Delete



, close W of:

(a) above

Insert



with seabed type, R

57° 48'·18N., 21° 44'·41E.

II

2204 ESTONIA - Rocks. Obstruction.

Source: Estonian Notice 3/47/26

Chart 2075 (INT 1210) [*previous update 413/26*] WGS84 DATUM

Insert	 (99)	58° 46′ · 35N., 22° 18′ · 30E.
	 (63)	58° 45′ · 19N., 22° 18′ · 94E.
Replace	 10 Obstrn with  (84)	58° 45′ · 77N., 22° 18′ · 63E.

II

2208 **RUSSIA - Baltic Sea Coast - Foul.**

Source: Russian Notice 11/1008/26

Chart 2713 [*previous update 884/26*] WGS84 DATUM

Insert

#

59° 49′·44N., 28° 24′·38E.

II

2211 SWEDEN - East Coast - Depth.

Source: Swedish Notice 1114/20019/26

Chart 889 (INT 1777) [*previous update 5253/25*] WGS84 DATUM

Insert depth, 56 , enclosed by 6m contour, and extend 10m contour N
to enclose

60° 05'·56N., 18° 49'·68E.

II

2108 BELGIUM - Legend. Anchorage areas. Wrecks.

Source: Belgian Notices 8/99-101/26

Chart BE 11 [previous update 1577/26] WGS84 DATUM

Insert	legend, <i>Historic Wk</i> (see note), centred on:	51° 22'·82N., 2° 36'·55E. 51° 22'·53N., 2° 43'·21E.
	 <i>Wk</i>	(a) 51° 04'·04N., 2° 06'·45E.
Delete	 <i>Wks</i> , close SW of:	(a) above
Insert	limit of anchorage area, pecked line, joining:	51° 19'·60N., 2° 36'·09E. (b) 51° 19'·60N., 2° 31'·50E. (c) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	(b) above (c) above 51° 20'·40N., 2° 37'·00E. 51° 19'·95N., 2° 34'·50E. 51° 19'·60N., 2° 33'·80E.

Chart BE 101 (INT 1474) [previous update 4899/25] WGS84 DATUM

Insert	legend, <i>Historic Wk</i> (see note), centred on:	51° 22'·53N., 2° 43'·21E.
--------	--	---------------------------

Chart BE 102 (INT 1480) [previous update 176/26] WGS84 DATUM

Insert	legend, <i>Historic Wk</i> (see note), centred on:	51° 22'·88N., 2° 36'·85E. 51° 22'·53N., 2° 43'·21E.
	limit of anchorage area, pecked line, joining:	51° 19'·60N., 2° 36'·09E. (a) 51° 19'·60N., 2° 31'·50E. (b) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	(b) above 51° 20'·40N., 2° 37'·00E. 51° 19'·95N., 2° 34'·50E. 51° 19'·60N., 2° 33'·80E. (a) above
Replace	 <i>Wks</i> with  <i>Wk</i>	51° 04'·04N., 2° 06'·45E.
Delete		51° 03'·96N., 2° 06'·40E.

II

2111 BELGIUM - Anchorage areas. Legend. Wreck.

Source: Belgian Notices 8/100-101/26

Chart 1406 [previous update 1561/26] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	51° 19'·60N., 2° 36'·09E. (a) 51° 19'·60N., 2° 31'·50E. (b) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	(a) above (b) above 51° 20'·39N., 2° 36'·95E. 51° 19'·93N., 2° 34'·48E. 51° 19'·58N., 2° 33'·78E. 51° 21'·96N., 2° 37'·17E.
Amend	legend to, <i>Historic Wks</i> (see Note), centred on:	51° 21'·96N., 2° 37'·17E.
Replace	 Wk with  Wk <i>Historic Wk</i> (see Note)	51° 22'·71N., 2° 43'·36E.

Chart 2449 [previous update 1561/26] WGS84 DATUM

Insert	legend, <i>Historic Wk</i> (see Note), centred on: limit of anchorage area, pecked line, joining:	51° 22'·56N., 2° 36'·36E. 51° 19'·60N., 2° 36'·09E. (a) 51° 19'·60N., 2° 31'·50E. (b) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	(a) above (b) above 51° 20'·40N., 2° 37'·00E. 51° 19'·95N., 2° 34'·50E. 51° 19'·60N., 2° 33'·80E.
Replace	 Wk with  Wk <i>Historic Wk</i> (see Note)	51° 22'·71N., 2° 43'·36E.

Chart 5605_11 [previous update 526/26] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	51° 19'·60N., 2° 36'·09E. (a) 51° 19'·60N., 2° 31'·50E. (b) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	51° 20'·40N., 2° 37'·00E. 51° 19'·95N., 2° 34'·50E. 51° 19'·60N., 2° 33'·80E. (a) above (b) above

II

2111 BELGIUM - Anchorage areas. Legend. Wreck. (continued)

Chart 5605_1 (Panel B, Northern Approaches to Dover Strait) [previous update 1980/26] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	51° 19'·60N., 2° 36'·09E. (a) 51° 19'·60N., 2° 31'·50E. (b) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	(a) above (b) above 51° 20'·39N., 2° 36'·95E. 51° 19'·93N., 2° 34'·48E. 51° 19'·58N., 2° 33'·78E. 51° 21'·97N., 2° 37'·09E.
Amend	legend to, <i>Historic Wks</i> (see Note), centred on:	51° 22'·71N., 2° 43'·36E.
Replace	 Wk with  Wk <i>Historic Wk</i> (see Note)	

Chart 5606_1 [previous update 1561/26] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	51° 19'·60N., 2° 36'·09E. (a) 51° 19'·60N., 2° 31'·50E. (b) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	(a) above (b) above 51° 20'·39N., 2° 36'·95E. 51° 19'·93N., 2° 34'·48E. 51° 19'·58N., 2° 33'·78E. 51° 21'·96N., 2° 37'·13E.
Amend	legend to, <i>Historic Wks</i> (see Note), centred on:	51° 22'·71N., 2° 43'·36E.
Replace	 Wk with  Wk <i>Historic Wk</i> (see Note)	

Chart 5607_1 [previous update 1561/26] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	51° 19'·60N., 2° 36'·09E. (a) 51° 19'·60N., 2° 31'·50E. (b) 51° 20'·40N., 2° 31'·50E. 51° 20'·52N., 2° 33'·21E. 51° 20'·33N., 2° 38'·67E. 51° 19'·65N., 2° 38'·67E.
Delete	former limit of anchorage area, pecked line, joining:	(a) above (b) above 51° 20'·39N., 2° 36'·95E. 51° 19'·93N., 2° 34'·48E. 51° 19'·58N., 2° 33'·78E. 51° 21'·94N., 2° 37'·17E.
Amend	legend to, <i>Historic Wks</i> (see Note), centred on:	51° 22'·71N., 2° 43'·36E.
Replace	 Wk with  Wk <i>Historic Wk</i> (see Note)	

II

2164 BELGIUM - Legends, Wreck.

Source: Netherlands Notice 16/79/26

Chart 1630 (INT 1416) [*previous update 1661/26*] WGS84 DATUM

Insert	legend, <i>Historic Wk</i> (see Note), centred on:	51° 22'·96N., 2° 36'·21E. 51° 22'·45N., 2° 44'·32E.
Amend	legend to, <i>Wk</i> , centred on:	51° 23'·10N., 2° 38'·15E.
Replace	 <i>Wk</i> with 	51° 22'·71N., 2° 43'·36E.

II

2166 NETHERLANDS - Pile. Lights.

Source: Netherlands Notice 16/81/26

Chart 124 (INT 1471) (Part B, Continuation Noordzeekanaal) [*previous update 4796/25*] WGS84 DATUM

Replace pile, • with pile,  • F 52° 24'·32N., 4° 49'·26E.

Delete ★ F.G. 52° 24'·29N., 4° 49'·29E.

II

2167 NETHERLANDS - Buoyage.

Source: Netherlands Notice 16/78/26

Chart 207 (INT 1465) (Part A, Nieuwe Waterweg and Europoort) [*previous update 1662/26*] WGS84 DATUM

Insert

 *Fl.R.5s YK 6*

51° 58'·00N., 4° 02'·81E.

 *Fl.R.8s YK 4*

51° 57'·93N., 4° 03'·16E.

II

2168* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP30486, LP30556/26

Chart DE 44 (INT 1452) [*previous update 1971/26*] WGS84 DATUM

Insert	depth, 67, enclosed by 10m contour	(a)	53° 58'·51N., 8° 25'·99E.
Delete	depth, 79, and associated 10m contour, close SW of:	(a)	above
Insert	depth, 8, and extend 10m contour SW to enclose	(b)	53° 54'·43N., 8° 41'·77E.
Delete	depth, 116, close SE of:	(b)	above
Insert	depth, 78, and extend 10m contour SW to enclose	(c)	53° 54'·26N., 8° 41'·96E.
Delete	depth, 129, close SE of:	(c)	above

II

2169* GERMANY - North Sea Coast - Depths.

Source: WSA Elbe-Nordsee, Survey LP30422, LP30504/26

Chart DE 47 (INT 1454) [*previous update 1290/26*] WGS84 DATUM


Insert	depth, <i>9</i> ₂ , and extend 10m contour E to enclose	(a) 53° 49'·23N., 9° 21'·49E.
Delete	depth, <i>9</i> ₉ , close NW of:	(a) above
Insert	depth, <i>9</i> ₆ , enclosed by 10m contour	(b) 53° 43'·96N., 9° 27'·00E.
Delete	depth, <i>10</i> ₁ , close E of:	(b) above

II

2170* GERMANY - North Sea Coast - Buoy.
Source: WSA Elbe-Nordsee 131/26

Chart DE 48 (INT 1455) (Panel A, Lühesand to Teufelsbrück) [*previous update 4953/25*] WGS84 DATUM

Insert



53° 33′.99N., 9° 42′.69E.

II

2178* GERMANY - North Sea Coast - Buoyage.

Source: WSA Elbe-Nordsee 136/26

Chart DE 87 (INT 1413) [*previous update 1726/26*] WGS84 DATUM

Insert



VQ(6)+LFI10s S5

54° 15'·39N., 6° 12'·13E.



VQ(6)+LFI10s S6

54° 15'·78N., 6° 17'·21E.



VQ(3)5s E1

54° 17'·43N., 6° 22'·17E.



VQ(3)5s E2

54° 19'·78N., 6° 18'·63E.

II

2107 **FRANCE - West Coast - Legend.**

Source: UKHO

Chart 2663 (INT 1803) [*previous update 767/26*] WGS84 DATUM

Amend legend to, FR7402, centred on:

46° 28'·62N., 2° 28'·04W.

II

2125 **SPAIN - South West Coast - Buoyage.**

Source: Spanish Notice 11/57/26

Chart 2976 [*previous update 4870/23*] WGS84 DATUM

Delete

$\frac{L^X}{Y}$ Fl(5)Y.20s (May-Oct)

36° 47'·410N., 6° 21'·230W.

36° 47'·300N., 6° 21'·530W.

II

2097 UKRAINE - Buoy.

Source: Ukrainian Notice 6/90/26

Chart 2202 [*previous update 4266/23*] WGS84 DATUM

Move



Fl.G.3s No 7 , from:

to:

46° 38′·534N., 31° 00′·823E.

46° 38′·501N., 31° 00′·853E.

II

2106 ITALY - West Coast - Wreck. Depths.

Source: ENC IT400117

Chart 131 (Panel B, Canale di Piombino) [*previous update 1932/26*] WGS84 DATUM

Insert			42° 49'·99N., 10° 21'·55E.
	depth, 275, enclosed by 30m contour	(a)	42° 50'·21N., 10° 18'·60E.
Delete	depth, 34, close N of:	(a)	above

Chart 1999 [*previous update 1245/26*] WGS84 DATUM

Replace	depth, 34, with depth, 275	42° 50'·2N., 10° 18'·6E.
---------	----------------------------	--------------------------


II

2109 ITALY - East Coast - Obstructions.

Source: Italian Notice 2.10/26

Chart 1442 [*previous update 1758/26*] WGS84 DATUM


Insert



45° 26'·024N., 12° 18'·274E.

Chart 1480 (Panel B, Porto Marghera) [*previous update 1063/26*] WGS84 DATUM

Insert



45° 26'·022N., 12° 18'·271E.


II

2117 FRANCE - South Coast - Obstructions. Depth.

Source: French Notice 11/85/26

Chart 155 (INT 3192) [*previous update 713/26*] WGS84 DATUM

Insert



43° 21'·53N., 5° 00'·94E.

43° 21'·49N., 5° 01'·01E.

43° 21'·42N., 5° 01'·01E.

Replace

depth, 08, with  *Obstn*

43° 21'·42N., 5° 01'·09E.

II

2118 ITALY - West Coast - Depths. Alongside depths.

Source: Italian Notice 2.3/26

Chart 953 (Panel, Civitavecchia) [*previous update 3546/25*] WGS84 DATUM

Insert	depth, 245	(a)	42° 05'·943N., 11° 46'·329E.
Delete	depth, 275, close S of:	(a)	above
Insert	depth, 131	(b)	42° 06'·083N., 11° 46'·775E.
Delete	depth, 115, close SE of:	(b)	above
Replace	depth, 125, with depth, 129		42° 06'·135N., 11° 46'·606E.
	alongside depth, • (133), with alongside depth, • (148),		
	centred on:		42° 06'·174N., 11° 46'·431E.
	alongside depth, • (138), with alongside depth, • (143),		
	centred on:		42° 06'·305N., 11° 46'·304E.

II

2127 ITALY - Sicilia - Wrecks. Restricted area.

Source: Italian Notice 2.7/26

Chart 964 (Panel F, Mazara del Vallo) [*previous update 1245/26*] WGS84 DATUM

Insert



37° 39′·095N., 12° 35′·171E.

37° 39′·012N., 12° 35′·149E.

37° 39′·017N., 12° 35′·105E.

37° 39′·058N., 12° 34′·981E.

Delete

circular limit of restricted area, entry prohibited, radius, 50m
(0·03M), centred on:

37° 38′·968N., 12° 35′·106E.

II

2138 GREECE - Dhodhekánisos - Seaplane operating areas. Legends. Note.

Source: Greek Notice 2/34/26

Chart 1055 [*previous update 1897/26*] WGS84 DATUM

Insert	symbol, seaplane operating area, centred on:	36° 54'·56N., 27° 18'·64E.
--------	--	----------------------------

Chart 1056 [*previous update 354/26*] WGS84 DATUM

Insert	symbol, seaplane operating area, centred on:	36° 54'·56N., 27° 18'·64E.
--------	--	----------------------------

Chart 1531 (Panel G, Órmos Ko) [*previous update 4322/25*] WGS84 DATUM

Insert	symbol, seaplane operating area, centred on:	(a) 36° 54'·681N., 27° 18'·391E. 36° 54'·080N., 27° 18'·132E.
	legend, <i>Seaplane Operating Area (see Note)</i> , close W of:	(a) above
	legend, <i>Seaplane Operating Area (see Note)</i> , centred on:	36° 54'·156N., 27° 18'·325E.
	the accompanying note, SEAPLANE OPERATING AREAS, centred on:	within title panel

II

2139 TÜRKIYE - South Coast - Light.

Source: ENC TR5LGM30

Note: This update is included in New Edition 236, published early 2026.

Chart 237 [*previous update 2079/26*] WGS84 DATUM

Amend range of light to, 10M 36° 50′·7N., 30° 45′·5E.

Chart 242 (Panel A, Approaches to Antalya) [*previous update 1912/26*] WGS84 DATUM

Amend range of light to, 10M 36° 50′·74N., 30° 45′·49E.

II

2148 ITALY - East Coast - Light-beacon.

Source: Italian Notice 3.9/26

Chart 220 [*previous update 1893/26*] WGS84 DATUM

Insert



Fl(5)Y.20s5M

43° 58′·7N., 12° 53′·5E.

Chart 1467 [*previous update 119/26*] WGS84 DATUM

Insert



Fl(5)Y.20s7·5m5M

43° 58′·73N., 12° 53′·48E.

II

2150 ITALY - East Coast - Light-beacon.

Source: Italian Notice 3.10/26

Chart 204 [*previous update 1603/26*] WGS84 DATUM

Insert



Fl(5)Y.20s5M

45° 04'·7N., 12° 34'·3E.

Chart 1483 [*previous update 1758/26*] WGS84 DATUM

Insert



Fl(5)Y.20s7·5m5M

45° 04'·69N., 12° 34'·35E.

II

2155 CROATIA - Wrecks. Depths.

Source: Croatian Chart 100-20/26

Chart 515 [previous update 1704/26] WGS84 DATUM

Insert	 Wk	44° 13'·28N., 14° 56'·03E.
	 Wk	(a) 44° 13'·14N., 14° 56'·24E.
Delete	depth, 38, close SE of:	(a) above
Insert	depth, 163, and extend 20m contour E to enclose	44° 02'·15N., 15° 02'·67E.
	depth, 207	(b) 44° 01'·86N., 15° 02'·78E.
Delete	depth, 27, close NW of:	(b) above
Insert	depth, 21	(c) 44° 01'·00N., 15° 03'·30E.
Delete	depth, 37, close NW of:	(c) above
Insert	depth, 153, enclosed by 20m contour	44° 01'·62N., 15° 04'·79E.
	depth, 33, enclosed by 50m contour	44° 00'·24N., 15° 07'·23E.
	depth, 31	(d) 43° 59'·06N., 15° 10'·37E.
Delete	depth, 40, close E of:	(d) above
Insert	depth, 45, enclosed by 50m contour	43° 59'·72N., 15° 12'·22E.
	depth, 25	(e) 43° 59'·82N., 15° 15'·38E.
Delete	depth, 38, close NW of:	(e) above

Chart 2711 [previous update 1737/26] WGS84 DATUM

Insert	depth, 163, and extend 20m contour E to enclose	44° 02'·15N., 15° 02'·67E.
	depth, 207	(a) 44° 01'·86N., 15° 02'·78E.
Delete	depth, 27, close NW of:	(a) above
Insert	depth, 21	(b) 44° 01'·00N., 15° 03'·30E.
Delete	depth, 37, close NW of:	(b) above
Insert	depth, 153, enclosed by 20m contour	44° 01'·62N., 15° 04'·79E.
	depth, 33, enclosed by 50m contour	44° 00'·24N., 15° 07'·23E.
	depth, 45, enclosed by 50m contour	43° 59'·72N., 15° 12'·22E.
	depth, 25	(c) 43° 59'·82N., 15° 15'·38E.
Delete	depth, 38, close NW of:	(c) above
Insert	depth, 137, enclosed by 20m contour	43° 53'·39N., 15° 27'·80E.
	depth, 43, enclosed by 50m contour	(d) 43° 45'·50N., 15° 41'·06E.
Delete	depth, 66, close NE of:	(d) above
Replace	depth, 40, with depth, 31	43° 59'·06N., 15° 10'·37E.

Chart 2774 [previous update 1448/26] WGS84 DATUM

Insert	depth, 43, enclosed by 50m contour	(a) 43° 45'·50N., 15° 41'·06E.
Delete	depth, 66, close NE of:	(a) above

II

2157 EGYPT - North Coast - NM Block. Depths. Maintained channel. Leading line. Legends.

Source: ENC EG5EGM21

Note: Former Notice 3886(P)/21 is cancelled.

Chart 2578 (INT 3550) [*previous update 1587/26*] WGS84 DATUM

Insert	the accompanying block, centred on:	31° 30'·4N., 31° 44'·7E.
	limit of maintained channel, pecked line, joining:	(a) 31° 34'·76N., 31° 46'·69E. 31° 37'·37N., 31° 47'·31E. 31° 37'·34N., 31° 47'·51E.
		(b) 31° 34'·72N., 31° 46'·88E.
Delete	former limit of maintained channel, pecked line, joining:	(a) above (b) above
Insert	leading line, firm line, joining:	31° 36'·59N., 31° 47'·23E. 31° 37'·36N., 31° 47'·42E.
	legend, 191·5°, orientated SW/NE, centred on:	(c) 31° 37'·16N., 31° 47'·29E.
Delete	former legend, 191·5°, close SW of:	(c) above
Insert	depth, 76, and extend 10m contour SE to enclose	31° 34'·81N., 31° 43'·37E.
	depth, 102	31° 34'·10N., 31° 50'·11E.
	depth, 122	31° 33'·00N., 31° 38'·46E.
	depth, 62	(d) 31° 31'·35N., 31° 37'·59E.
Delete	depth, 71, close SW of:	(d) above
	depth, 172	31° 36'·25N., 31° 47'·14E.

II

2158 ITALY - Sicilia - Breakwater. Maritime limit. Legend.

Source: Italian Notice 2.8/26

Chart 965 (Panel B, Porto Empedocle) [*previous update 5546/25*] WGS84 DATUM

Insert	breakwater, single firm line, joining:	37° 17'·118N., 13° 31'·447E.
		37° 17'·118N., 13° 31'·460E.
	maritime limit, pecked line, joining:	(a) 37° 17'·135N., 13° 31'·448E.
		(b) 37° 17'·135N., 13° 31'·460E.
		(c) 37° 17'·134N., 13° 31'·468E.
		(d) 37° 17'·130N., 13° 31'·475E.
		(e) 37° 17'·125N., 13° 31'·480E.
		(f) 37° 17'·118N., 13° 31'·481E.
		(g) 37° 17'·111N., 13° 31'·480E.
		(h) 37° 17'·106N., 13° 31'·475E.
		(i) 37° 17'·102N., 13° 31'·468E.
		(j) 37° 17'·101N., 13° 31'·460E.
		(k) 37° 17'·101N., 13° 31'·447E.
Delete	legend, <i>Unsurveyed</i> , close E of:	(a)-(k) above
	charted detail, within:	(a)-(k) above

II

2159 ITALY - Sicilia - Buoy.
Source: Italian Notice 3.7/26

Chart 805 (Panel A, Capo and Baia di Milazzo) [*previous update 2001/26*] WGS84 DATUM

Insert



ODAS

38° 16′·55N., 15° 13′·43E.

II

2160 ITALY - East Coast - Buoy.

Source: Italian Notice 3.11/26

Chart 1492 [*previous update 3983/25*] WGS84 DATUM

Insert

 *Fl(5)Y.20s ODAS*

45° 20′·490N., 12° 17′·982E.

II

2162 ITALY - West Coast - Buoy.

Source: Italian Notice 3.1/26

Chart 1913 [*previous update 1245/26*] WGS84 DATUM

Insert



Fl.Y.3s

44° 10'·25N., 8° 22'·84E.

II

2172 TÜRKIYE - South Coast - Depths.

Source: Turkish Notice 3/18/26

Chart 247 (INT 3794) [*previous update New Edition 23/10/2025*] WGS84 DATUM

Insert	depth, 47 , enclosed by 5m contour	(a)	36° 51'·94N., 35° 55'·40E.
Delete	depth, 58 , close NW of:	(a)	above

II

2212 ITALY - West Coast - Submarine power cables.

Source: Italian Notice 2.2/26

Note: Former Notice 1890(P)/25 is cancelled.

Chart 908 [*previous update 1267/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

40° 34'·71N., 14° 52'·99E.

40° 33'·75N., 14° 50'·53E.

40° 30'·12N., 14° 46'·64E.

40° 28'·85N., 14° 43'·35E.

40° 27'·35N., 14° 41'·94E.

40° 16'·54N., 14° 40'·24E.

40° 12'·94N., 14° 41'·45E.

40° 12'·00N., 14° 42'·32E.

and

40° 34'·70N., 14° 53'·00E.

40° 32'·99N., 14° 50'·00E.

40° 31'·40N., 14° 48'·88E.

40° 29'·44N., 14° 48'·96E.

40° 24'·38N., 14° 52'·04E.

40° 23'·89N., 14° 53'·44E.

40° 25'·08N., 14° 54'·80E.

Chart 963 (Panel C, Approaches to Termini Imerese) [*previous update 223/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

37° 58'·51N., 13° 47'·46E.

37° 59'·44N., 13° 47'·20E.

37° 59'·80N., 13° 47'·30E.

38° 01'·58N., 13° 49'·61E.

and

37° 58'·54N., 13° 47'·61E.

37° 59'·40N., 13° 47'·50E.

38° 00'·10N., 13° 47'·90E.

38° 00'·54N., 13° 49'·60E.

II

2212 ITALY - West Coast - Submarine power cables. (continued)

Chart 1908 [*previous update 922/26*] WGS84 DATUM

Insert submarine power cable,   , joining:

40° 34'·7N., 14° 53'·0E.
40° 33'·6N., 14° 50'·3E.
40° 30'·4N., 14° 47'·0E.
40° 28'·2N., 14° 42'·5E.
40° 17'·0N., 14° 40'·2E.
40° 12'·9N., 14° 41'·5E.
40° 08'·8N., 14° 47'·0E.
40° 07'·8N., 14° 52'·2E.
40° 03'·3N., 15° 04'·2E.
39° 55'·3N., 15° 24'·6E.
and
40° 32'·7N., 14° 49'·4E.
40° 31'·4N., 14° 48'·9E.
40° 29'·2N., 14° 49'·0E.
40° 24'·4N., 14° 51'·9E.
40° 23'·9N., 14° 53'·4E.
40° 25'·0N., 14° 54'·9E.

Chart 1976 [*previous update 5494/25*] WGS84 DATUM

Insert submarine power cable,   , joining:

37° 58'·6N., 13° 47'·4E.
37° 59'·7N., 13° 47'·2E.
38° 02'·1N., 13° 50'·2E.
38° 04'·1N., 13° 49'·9E.
38° 04'·7N., 13° 50'·3E.
and
37° 58'·5N., 13° 47'·6E.
38° 00'·1N., 13° 47'·9E.
38° 02'·4N., 13° 55'·9E.

II

2122 NIGERIA - Platform.

Source: M/T Tahoe Spirit

Chart 1386 (INT 2809) [*previous update 2047/26*] UNDETERMINED DATUM

Insert

 ☐ Rep (2026)

4° 11'·4N., 7° 39'·4E.

Chart 1387 (INT 2810) [*previous update 964/26*] WGS84 DATUM

Insert

 ☐ Rep (2026)

4° 11'·4N., 7° 39'·4E.

II

2175* SOMALIA - NM Blocks.

Source: Boosaaso Port Authority

Note: Former Notice 5925(P)/24 is cancelled.

Chart 2970 (INT 7002) [*previous update 727/26*] WGS84 DATUM

Insert the accompanying block A, centred on: 11° 20'·7N., 49° 08'·3E.

Chart 2970 (INT 7002) (Panel, Boosaaso) [*previous update 727/26*] WGS84 DATUM

Insert the accompanying block B, centred on: 11° 18'·1N., 49° 10'·5E.

II

2200 SOUTH AFRICA - South Coast - Wreck.

Source: South African Notice 2/50/26

Chart 4178 (INT 7050) [*previous update 3879/23*] WGS84 DATUM

Insert

++ *PA*

35° 27'·0S., 23° 10'·6E.

II

2163 EGYPT - Red Sea Coast - Platform. Radar beacon. Danger line.

Source: ENC EG4GOS2G

Chart 333 (INT 7135) [*previous update 1767/26*] WGS84 DATUM

Replace

  SG300 and associated radar beacon, Racon(B), with 

28° 18'·58N., 33° 09'·13E.

Chart 2374 (INT 7134) [*previous update 1767/26*] WGS84 DATUM

Delete

  and associated radar beacon, Racon(B)

28° 18'·58N., 33° 09'·13E.

Chart 5501 [*previous update 1767/26*] WGS84 DATUM

Delete

 and associated radar beacon, Racon(B)

28° 18'·6N., 33° 09'·1E.

II

2149 INDIA - West Coast - Harbour limits. Anchorage areas. Legends.

Source: ENC IN3211SD

Chart IN 255 (INT 7334) [*previous update 1123/26*] WGS84 DATUM

Insert	limit of anchorage area, pecked line, joining:	(a)	18° 57'·0N., 72° 37'·0E.
		(b)	18° 57'·0N., 72° 43'·0E.
		(c)	18° 55'·0N., 72° 43'·0E.
		(d)	18° 55'·0N., 72° 37'·0E.
	legend,  PORT LIGHTERAGE, within:	(a) - (d)	above
	harbour limit, pecked line, joining:	(e)	18° 57'·0N., 72° 41'·0E.
		(a)	above
		(d)	above
		(f)	18° 54'·9N., 72° 40'·9E.
Delete	former harbour limit, pecked line, joining:	(e)	above
		(f)	above
	former limit of anchorage area, pecked line, and associated legend  , joining:	(e)	above
		(b)	above
		(c)	above
		(f)	above

II

2215 INDIA - West Coast - NM Block.

Source: ENC IN52051A

Chart IN 2068 [*previous update 1298/26*] WGS84 DATUM

Insert the accompanying block, centred on:

22° 26'·7N., 69° 40'·1E.

II

2134* SINGAPORE - Legend. Submarine cable.

Source: Maritime and Port Authority of Singapore

Note: Charts 4038, 4039 and 4040 are to be deleted from the list of charts affected by Notice 854(P)/26.

Chart 4030 [previous update 1007/26] WGS84 DATUM

Insert	submarine cable,  , joining:	1° 13'·026N., 103° 36'·894E. 1° 12'·748N., 103° 36'·774E. 1° 12'·697N., 103° 36'·731E. 1° 12'·674N., 103° 36'·700E. 1° 12'·703N., 103° 36'·726E.
	legend, <i>Buried</i> , centred on:	

Chart 4038 [previous update 2037/26] WGS84 DATUM

Insert	submarine cable,  , joining:	1° 13'·03N., 103° 36'·89E. 1° 12'·75N., 103° 36'·77E. 1° 12'·70N., 103° 36'·73E. 1° 12'·66N., 103° 36'·68E. 1° 12'·46N., 103° 35'·20E. 1° 12'·73N., 103° 34'·10E. 1° 13'·18N., 103° 32'·83E. 1° 13'·06N., 103° 32'·45E. 1° 13'·16N., 103° 31'·60E. 1° 13'·99N., 103° 28'·60E. 1° 13'·14N., 103° 32'·05E.
	legend, <i>Buried</i> , centred on:	

Chart 4039 [previous update 2093/26] WGS84 DATUM

Insert	submarine cable,  , joining:	1° 13'·03N., 103° 36'·89E. 1° 12'·75N., 103° 36'·77E. 1° 12'·70N., 103° 36'·73E. 1° 12'·66N., 103° 36'·68E. 1° 12'·46N., 103° 35'·20E. 1° 12'·73N., 103° 34'·10E. 1° 13'·18N., 103° 32'·83E. 1° 13'·06N., 103° 32'·45E. 1° 13'·16N., 103° 31'·60E. 1° 13'·27N., 103° 31'·20E. 1° 12'·79N., 103° 34'·01E.
	legend, <i>Buried</i> , centred on:	

Chart 4040 [previous update 2093/26] WGS84 DATUM

Insert	submarine cable,  , joining:	1° 13'·03N., 103° 36'·89E. 1° 12'·75N., 103° 36'·77E. 1° 12'·70N., 103° 36'·73E. 1° 12'·66N., 103° 36'·68E. 1° 12'·46N., 103° 35'·20E. 1° 12'·73N., 103° 34'·10E. 1° 12'·60N., 103° 35'·98E.
	legend, <i>Buried</i> , centred on:	

II

2143 INDONESIA - Sumatera - Depths.

Source: ENC ID50018A

Chart 3933 (Panel A, Dumai) [*previous update 1666/26*] WGS84 DATUM

Insert	depth, <i>132</i>	(a) 1° 41'·98N., 101° 25'·63E.
Delete	depth, <i>147</i> , close SE of:	(a) above
Replace	depth, <i>126</i> , with depth, <i>115</i>	1° 41'·29N., 101° 27'·58E.

II

2144 VIETNAM - Note.

Source: UKHO

Chart 1036 [*previous update 2690/25*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	10° 41'·16N., 106° 49'·11E.
---------	--	-----------------------------

Chart 1059 (Panel A, Vung Tau) [*previous update 894/26*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	within title panel
---------	--	--------------------

Chart 1100 [*previous update 894/26*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	10° 28'·15N., 107° 17'·83E.
---------	--	-----------------------------

Chart 1261 [*previous update 1385/26*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	10° 30'·11N., 106° 33'·00E.
---------	--	-----------------------------

Chart 3875 [*previous update 882/26*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	20° 57'·18N., 106° 49'·27E.
---------	--	-----------------------------

Chart 3881 [*previous update 882/26*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	20° 48'·81N., 106° 56'·05E.
---------	--	-----------------------------

Chart 3883 [*previous update 5195/25*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	12° 37'·42N., 108° 43'·15E.
---------	--	-----------------------------

Chart 3888 [*previous update 5978/24*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	20° 36'·88N., 107° 14'·46E.
---------	--	-----------------------------

Chart 3889 [*previous update 882/26*] WGS84 DATUM

Replace	the existing note with the accompanying note, DEPTHS AND AIDS TO NAVIGATION, centred on:	20° 57'·54N., 107° 09'·40E.
---------	--	-----------------------------

II

2152 CHINA - Bo Hai - Wrecks.

Source: Chinese Notice 1/9/26

Chart 1250 [*previous update 1930/26*] CGCS 2000 DATUM

Delete



38° 54'·1N., 117° 56'·6E.



38° 53'·3N., 117° 57'·9E.



38° 51'·8N., 118° 01'·6E.

Chart 2653 [*previous update 1721/26*] CGCS 2000 DATUM

Delete



38° 54'·12N., 117° 56'·60E.



38° 53'·46N., 117° 57'·90E.



38° 51'·78N., 118° 01'·61E.

II

2190 CHINA - South Coast - Depths.

Source: UKHO

Chart 343 [*previous update 1884/26*] CGCS 2000 DATUM

Insert	depth, 74 , and extend 10m contour S to enclose	(a)	22° 25'·56N., 113° 45'·23E.
Delete	depth, 83 , close NE of:	(a)	above

Chart 349 [*previous update New Edition 16/10/2025*] CGCS 2000 DATUM

Insert	depth, 56	(a)	22° 42'·161N., 113° 39'·288E.
Delete	depth, 94 , close NW of:	(a)	above
Insert	depth, 47 , and extend 5m contour SW to enclose	(b)	22° 41'·253N., 113° 39'·913E.
Delete	depth, 52 , close SE of:	(b)	above
Insert	depth, 104	(c)	22° 39'·614N., 113° 40'·614E.
Delete	depth, 114 , close NE of:	(c)	above
Insert	depth, 112	(d)	22° 39'·536N., 113° 40'·641E.
Delete	depth, 128 , close NW of:	(d)	above
Insert	depth, 124	(e)	22° 39'·457N., 113° 40'·673E.
Delete	depth, 143 , close NW of:	(e)	above
Insert	depth, 119	(f)	22° 39'·390N., 113° 40'·698E.
Delete	depth, 141 , close SE of:	(f)	above
Insert	depth, 136	(g)	22° 39'·044N., 113° 40'·831E.
Delete	depth, 154 , close SE of:	(g)	above
Insert	depth, 141	(h)	22° 38'·649N., 113° 40'·941E.
Delete	depth, 166 , close N of:	(h)	above
Insert	depth, 138	(i)	22° 38'·141N., 113° 41'·059E.
Delete	depth, 157 , close NW of:	(i)	above
	depth, 157 , close SE of:	(i)	above
Insert	depth, 137	(j)	22° 37'·905N., 113° 41'·114E.
Delete	depth, 155 , close N of:	(j)	above
Insert	depth, 13	(k)	22° 37'·184N., 113° 41'·282E.
Delete	depth, 148 , close N of:	(k)	above

II


2192 CHINA - South Coast - Wreck.

Source: Chinese Notice 1/16/26

Note: This update is included in New Editions 1962, 1968, and 1760, published mid 2026.

Chart 1792 [*previous update 1600/26*] CGCS 2000 DATUM

Insert



23° 13'·20N., 116° 52'·86E.

II

2210 CHINA - South Coast - Depth.

Source: Hong Kong Notice 3/8/26

Chart 4122 [*previous update 2041/26*] WGS84 DATUM

Insert depth, 99 , and extend 10m contour SE to enclose

22° 19'·480N., 113° 58'·648E.

Chart 4123 [*previous update 3415/25*] WGS84 DATUM

Insert depth, 99 , and extend 10m contour SE to enclose

22° 19'·480N., 113° 58'·648E.

II

2213 TAIWAN - Depths. Wrecks.

Source: UKHO

Note: This update is included in New Editions 1760 and 1968, published mid 2026.

Chart 2409 [previous update 1629/26] WGS84 DATUM

Insert	depth, 36	(a) 24° 05'·15N., 120° 16'·20E.
Delete	depth, 41 , close E of:	(a) above

Chart 3231 [previous update 1813/26] WGS84 DATUM

Insert	 Wk	24° 20'·01N., 120° 14'·94E.
	 Wk	24° 14'·20N., 120° 10'·72E.
	 Wk	(a) 24° 13'·37N., 120° 11'·79E.
Delete	depth, 42 , close SE of:	(a) above
Insert	depth, 39	(b) 24° 23'·60N., 120° 19'·78E.
Delete	depth, 43 , close SE of:	(b) above
Insert	depth, 36	(c) 24° 22'·76N., 120° 20'·83E.
Delete	depth, 41 , close NW of:	(c) above
Insert	depth, 36	(d) 24° 20'·65N., 120° 21'·29E.
Delete	depth, 42 , close SW of:	(d) above
Insert	depth, 39	(e) 24° 15'·71N., 120° 18'·43E.
Delete	depth, 42 , close SE of:	(e) above
Insert	depth, 36	(f) 24° 12'·65N., 120° 19'·59E.
Delete	depth, 40 , close SE of:	(f) above
Insert	depth, 38	(g) 24° 10'·53N., 120° 17'·59E.
Delete	depth, 47 , close SW of:	(g) above
Insert	depth, 36	(h) 24° 05'·15N., 120° 16'·20E.
Delete	depth, 41 , close E of:	(h) above
Replace	depth, 41 , with depth, 38	24° 18'·04N., 120° 22'·22E.
	depth, 42 , with depth, 36	24° 14'·59N., 120° 22'·45E.

II

2214 CHINA - Bo Hai - Buoy. Platforms. Submarine pipeline.

Source: Chinese Notices 6/136-137/26

Chart 1249 [*previous update 1602/26*] CGCS 2000 DATUM

Insert



submarine pipeline, , joining:


(a) 40° 02′·1N., 121° 05′·3E.

40° 00′·3N., 121° 05′·4E.

(a) above

Chart 1252 [*previous update 1513/26*] CGCS 2000 DATUM

Insert



submarine pipeline, , joining:

40° 12′·93N., 120° 44′·70E.

40° 07′·99N., 121° 02′·37E.

(a) 40° 02′·08N., 121° 05′·28E.

40° 00′·27N., 121° 05′·37E.

(a) above

Chart 1256 [*previous update 1978/26*] WGS84 DATUM

Insert



40° 08′·0N., 121° 02′·4E.

II

2179 JAPAN - Honshū - Light.

Source: Japanese Notice 16/200/26

Chart JP 1172 [*previous update 521/26*] WGS84 DATUM

Amend light to, Fl.12s 109m 21M 36° 10′·26N., 133° 20′·38E.

Chart 2347 [*previous update 1450/26*] WGS84 DATUM

Amend light to, Fl.21M 36° 10′·4N., 133° 20′·2E.

II

2180 JAPAN - Honshū - Light.

Source: Japanese Notice 16/202/26

Chart JP 139 [*previous update 521/26*] WGS84 DATUM

Amend range of light to, 5M

35° 34′·88N., 134° 17′·27E.

Chart JP 1172 [*previous update 2179/26*] WGS84 DATUM

Amend range of light to, 5M

35° 34′·88N., 134° 17′·27E.

II

2181 JAPAN - Honshū - Light.

Source: Japanese Notice 16/204/26

Chart JP 139 [*previous update 2180/26*] WGS84 DATUM

Amend light to, Fl R 5M & Oc G 4M

35° 37′·99N., 134° 26′·56E.

Chart JP 1172 [*previous update 2180/26*] WGS84 DATUM

Amend light to, Fl R 5M & Oc G 4M

35° 38′·13N., 134° 26′·60E.

II

2182 JAPAN - Honshū - Light.

Source: Japanese Notice 16/205/26

Chart JP 139 [*previous update 2181/26*] WGS84 DATUM

Amend light to, 2 Fl R G 3s 5M

35° 38′·81N., 134° 37′·58E.

II

2183 JAPAN - Honshū - Light.

Source: Japanese Notice 16/207/26

Chart JP 139 [*previous update 2182/26*] WGS84 DATUM

Amend light to, Fl G 3s 5M

35° 40′·01N., 134° 45′·81E.

II

2184 JAPAN - Honshū - Light.

Source: Japanese Notice 16/208/26

Chart JP 139 [*previous update 2183/26*] WGS84 DATUM

Delete

★ Iso G 4M

35° 39′·01N., 134° 50′·36E.

II

2185 JAPAN - Honshū - Light.

Source: Japanese Notice 16/209/26

Chart JP 139 [*previous update 2184/26*] WGS84 DATUM

Amend light to, Fl (2) G 6s 5M

35° 40′·36N., 134° 57′·73E.

II

2186 JAPAN - Honshū - Light.

Source: Japanese Notice 16/210/26

Chart JP 139 [*previous update 2185/26*] WGS84 DATUM

Amend light to, Fl R 3s 5M

35° 41′·56N., 135° 18′·37E.

II

2187 JAPAN - Honshū - Light.

Source: Japanese Notice 16/211/26

Chart JP 139 [*previous update 2186/26*] WGS84 DATUM

Amend light to, Fl G 3s 5M

35° 33′·77N., 135° 23′·86E.

II

2188 JAPAN - Nansei Shotō - Submarine cables.

Source: Japanese Notice 16/217/26

Chart JP 226 [*previous update 1219/26*] WGS84 DATUM

Delete submarine cable, , joining:

25° 57'·40N., 127° 39'·60E.

25° 59'·69N., 127° 40'·00E.

26° 02'·44N., 127° 41'·67E.

26° 03'·89N., 127° 41'·89E.

(a) 26° 05'·07N., 127° 41'·52E.

and

25° 57'·40N., 127° 47'·40E.

25° 58'·04N., 127° 46'·90E.

26° 02'·11N., 127° 42'·53E.

26° 03'·99N., 127° 42'·31E.

(a) above

II

2154 KOREA - West Coast - Wreck.

Source: UKHO

Chart 3480 [*previous update 1958/26*] WGS84 DATUM

Insert



34° 15′·0N., 124° 13′·0E.

Chart 4509 (INT 509) [*previous update 1813/26*] WGS84 DATUM

Insert



34° 15′·0N., 124° 13′·0E.

II

2173 KOREA - West Coast - Light.

Source: Korean Notice 4/43/26

Chart 1007 [*previous update 1855/26*] WGS84 DATUM

Amend range of light to, 11M

34° 45'·551N., 126° 19'·103E.

Chart 3928 [*previous update 1957/26*] WGS84 DATUM

Amend range of light to, 11M

34° 45'·56N., 126° 19'·14E.

II

2191 KOREA - West Coast - Light.

Source: Korean Notice 5/53/26

Chart 913 (INT 5254) [*previous update 1885/26*] WGS84 DATUM

Delete



35° 43′·52N., 126° 31′·83E.

II

2119 INDONESIA - Papua - Wreck.

Source: Indonesian Notice 12/82/26

Chart 2473 [*previous update 1922/26*] WGS84 DATUM

Insert



5° 22'·7S., 134° 16'·1E.

Chart 3751 [*previous update 1026/26*] WGS84 DATUM

Insert



5° 22'·7S., 134° 16'·1E.

Chart 3753 [*previous update 1081/26*] WGS84 DATUM

Insert



5° 22'·7S., 134° 16'·1E.

Chart 4603 (INT 603) [*previous update 1876/26*] WGS84 DATUM

Insert



5° 22'·7S., 134° 16'·1E.

II

2135 MALAYSIA - Sarawak - Submarine pipeline.

Source: Marine Department, Sarawak Notice 16/26

Note: Former Notices 4419(P)/24 and 3392(P)/25 are cancelled. This update is included in New Editions 1336, 2100 and 3837, published mid 2026.

Chart 1748 [*previous update 1887/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

3° 21'·96N., 113° 04'·20E.

3° 19'·77N., 113° 04'·82E.

3° 18'·24N., 113° 05'·80E.

Chart 3483 (INT 551) [*previous update 1942/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

5° 18'·7N., 112° 51'·7E.

5° 15'·4N., 112° 52'·6E.

5° 13'·7N., 112° 52'·9E.

5° 12'·2N., 112° 53'·6E.

5° 10'·6N., 112° 54'·3E.

5° 09'·6N., 112° 55'·4E.

5° 08'·9N., 112° 56'·0E.

5° 08'·8N., 112° 56'·0E.

4° 00'·9N., 112° 59'·7E.

3° 45'·9N., 113° 00'·6E.

3° 35'·3N., 113° 02'·0E.

3° 33'·1N., 113° 01'·4E.

3° 27'·0N., 113° 02'·8E.

3° 19'·8N., 113° 04'·8E.

3° 18'·2N., 113° 05'·8E.

Chart 3838 (INT 5708) [*previous update 1887/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

5° 02'·95N., 112° 56'·34E.

4° 00'·89N., 112° 59'·69E.

3° 51'·46N., 113° 00'·29E.

II

2199 PHILIPPINE ISLANDS - Palawan - Lights.

Source: NAMRIA

Chart 3809 [*previous update 5840/25*] UNDETERMINED DATUM

Amend light to, Fl(2)10s33ft9M 10° 49'·7N., 119° 30'·5E.

Chart 4414 [*previous update 1682/26*] WGS84 DATUM

Insert ★ Fl(2)10s10m9M (a) 10° 49'·7N., 119° 30'·7E.

Delete ★ Fl(2)5s9m9M, close SE of: (a) above

II

2216 INDONESIA - Papua - NM Blocks. Depths. Anchorage area. Rock. Coral.

Source: ENC's ID400212, ID400213 and ID500185

Chart 1420 [*previous update New Edition 01/05/2025*] WGS84 DATUM

Insert	the accompanying block A, centred on:	1° 02'·2S., 131° 12'·9E.
	the accompanying block B, centred on:	1° 09'·7S., 131° 06'·4E.
		(a) 0° 52'·07S., 131° 13'·71E.
Delete	 , close N of:	(a) above
Insert	depth, 202	1° 19'·27S., 131° 00'·54E.
	depth, 191, enclosed by 20m contour	(b) 1° 19'·81S., 131° 00'·52E.
Delete	depth, 44, close N of:	(b) above
Insert	depth, 27	(c) 1° 22'·69S., 130° 57'·58E.
Delete	depth, 31, close W of:	(c) above
Insert	depth, 28	(d) 1° 26'·03S., 130° 55'·12E.
Delete	depth, 38, close NW of:	(d) above
Replace	depth, 94, with depth, 78	0° 52'·73S., 131° 12'·76E.

Chart 1420 (Panel, Sorong) [*previous update New Edition 01/05/2025*] WGS84 DATUM

Insert	 , with seabed type, Co	(a) 0° 53'·18S., 131° 14'·51E.
Delete	depth, 36, close N of:	(a) above
Insert	depth, 189, and extend 20m contour W to enclose	(b) 0° 53'·77S., 131° 14'·59E.
Delete	depth, 199, close SE of:	(b) above
Insert	depth, 43	(c) 0° 53'·91S., 131° 14'·49E.
Delete	depth, 53, close SE of:	(c) above
Insert	depth, 181	(d) 0° 54'·48S., 131° 14'·28E.
Delete	depth, 192, close SE of:	(d) above

II

2102 SOUTH PACIFIC OCEAN - Nouvelle-Calédonie - Marine Reserves. Restricted areas.

Source: French Notice 10/219/26

Chart 2464 (INT 6882) [*previous update 1835/26*] WGS84 DATUM

Insert	limit of marine reserve, TTTT MR TTTT , joining:	(a) 22° 21'·01S., 166° 50'·10E. 22° 21'·01S., 166° 50'·98E. (b) 22° 21'·89S., 166° 51'·21E.
Delete	former limit of marine reserve, TTTT MR TTTT , joining:	(a) above 22° 21'·05S., 166° 50'·87E. (b) above
Insert	limit of marine reserve, TTTT MR TTTT , joining:	22° 21'·02S., 166° 51'·12E. (b) above
Delete	former limit of marine reserve, TTTT MR TTTT , joining:	22° 19'·70S., 166° 50'·43E. (b) above
	8/ X	22° 27'·44S., 166° 46'·82E. 22° 27'·83S., 166° 47'·18E.

Chart 2465 (INT 6881) [*previous update 1863/26*] WGS84 DATUM

Insert	limit of marine reserve, TTTT MR TTTT , joining:	(a) 22° 21'·01S., 166° 50'·10E. 22° 21'·01S., 166° 50'·98E. (b) 22° 21'·89S., 166° 51'·21E.
Delete	former limit of marine reserve, TTTT MR TTTT , joining:	(a) above 22° 21'·05S., 166° 50'·87E. (b) above
Insert	limit of marine reserve, TTTT MR TTTT , joining:	22° 21'·02S., 166° 51'·12E. (b) above
Delete	former limit of marine reserve, TTTT MR TTTT , joining:	22° 19'·70S., 166° 50'·43E. (b) above

II

2120 CANADA - British Columbia - Wreck. Ferry routes.

Source: Canadian Notices 2/3441/26 and 2/3462/26

Chart 4951 [*previous update 3726/25*] NAD83 DATUM

Replace	 Wk with  Wk	48° 43'·32N., 123° 21'·35W.
Delete	ferry route, pecked line, joining:	48° 38'·53N., 123° 23'·75W.
		48° 38'·39N., 123° 23'·41W.
		48° 39'·42N., 123° 20'·75W.
		48° 38'·24N., 123° 16'·75W.
		48° 37'·98N., 123° 15'·54W.
		48° 37'·93N., 123° 15'·00W.
		48° 37'·89N., 123° 10'·64W.
		48° 37'·86N., 123° 10'·32W.

Chart 4954 [*previous update 5612/25*] NAD83 DATUM

Replace	 Wk with  Wk	48° 43'·32N., 123° 21'·35W.
Delete	ferry route, pecked line, joining:	48° 38'·51N., 123° 23'·66W.
		48° 38'·40N., 123° 23'·41W.
		48° 39'·45N., 123° 20'·61W.
		48° 38'·23N., 123° 16'·76W.
		48° 37'·93N., 123° 15'·17W.
		48° 37'·90N., 123° 11'·26W.
		48° 37'·64N., 123° 06'·94W.
		48° 37'·37N., 123° 05'·81W.
		48° 35'·31N., 123° 02'·42W.
		48° 34'·81N., 123° 01'·83W.
		and
		48° 35'·31N., 123° 02'·42W.
		48° 35'·23N., 123° 02'·08W.
		48° 35'·29N., 123° 01'·83W.

II

2126 UNITED STATES OF AMERICA - West Coast - Legend.

Source: ENC US5OAKII

Chart 590 (Panel, Carquinez Strait) [*previous update 1411/26*] NAD83 DATUM

Amend legend to, 058°, centred on: 38° 02'·20N., 122° 21'·70W.

Chart 590 [*previous update 1411/26*] NAD83 DATUM

Amend legend to, 058°, centred on: 38° 01'·90N., 122° 22'·21W.

II

2132 UNITED STATES OF AMERICA - West Coast - Obstructions. Depths.

Source: ENC's US5PDXFV, US5PDXGU, US5PDXEW, US5PDXGV, US5PDXFW

Chart 2849 (Panel C, Swan Island Basin) [*previous update 203/26*] NAD83 DATUM

Insert  *Obstn* 45° 33'·596N., 122° 43'·529W.

Chart 2849 (Panel B) [*previous update 203/26*] NAD83 DATUM

Insert  *Obstn* 45° 38'·14N., 122° 44'·40W.

 *Obstn* 45° 36'·74N., 122° 47'·32W.

 *Obstn* 45° 34'·23N., 122° 43'·99W.

 *Obstn* 45° 33'·60N., 122° 43'·53W.

 *Obstn* (a) 45° 31'·54N., 122° 40'·03W.

Delete depth, 149, close SE of: (a) above

Insert  *Obstn* 45° 30'·78N., 122° 40'·28W.

Replace depth, 12, with  *Obstn* 45° 34'·29N., 122° 44'·41W.

II

2103 CHILE - Northern Coasts - Light. Light-beacons. Leading lines. Legends.

Source: Chilean Notice 3/20/26

Chart 4249 [previous update 661/24] SIRGAS DATUM

Insert	★ Fl.5s8m3M		36° 43'·995S., 73° 08'·489W.
	■ 'A' F.G.15m10M F.15m3M(day)		36° 43'·851S., 73° 08'·351W.
	■ 'B' F.G.34m10M F.34m3M(day)	(a)	36° 43'·646S., 73° 08'·054W.
	leading line, pecked line for 750m then firm line for 500m, extending in direction 230°, from:	(a)	above
	legend, 050°, seaward end of:	(a)	above
Delete	■ F.R.20m10M F.20m3M(day)	(b)	36° 43'·521S., 73° 07'·605W.
	■ F.G.20m6M, close S of:	(b)	above
Insert	■ '5' F.R.20m10M F.20m3M(day)		36° 43'·544S., 73° 07'·585W.
	■ '6' F.R.24m10M F.24m3M(day)	(c)	36° 43'·515S., 73° 07'·547W.
	leading line, pecked line for 550m then firm line for 435m, extending in direction 228°, from:	(c)	above
	legend, 048°, seaward end of:	(c)	above
	■ F.R.24m10M F.24m3M(day)	(d)	36° 43'·494S., 73° 07'·569W.
Amend	leading line, pecked line for 550m then firm line for 425m, extending in direction 228°, from:	(d)	above
	legend, 048°, seaward end of:	(d)	above
	light-beacon to, F.R.29m10M F.29m1M(day)		36° 43'·470S., 73° 07'·602W.
	light-beacon to, F.R.25m10M F.25m1M(day)		36° 43'·492S., 73° 07'·635W.

II

2136 PERU - Quarantine anchorage.

Source: Peruvian Notice 3/35/26

Chart 3089 (Panel B, Punta Pariñas to Punta Malacas) [*previous update 1539/26*] WGS84 DATUM

Delete	limit of quarantine anchorage area, pecked line, and associated symbols, joining:	4° 35′·00S., 81° 19′·60W.
		4° 35′·00S., 81° 19′·40W.
		4° 35′·30S., 81° 19′·40W.
		4° 35′·30S., 81° 19′·60W.

II

2165 COLOMBIA - Pacific Ocean Coast - Light.

Source: Colombian Notice 78/26

Chart 2319 (Panel, Puerto de Buenaventura) [*previous update 580/26*] WGS84 DATUM

Delete ★ Fl.G.5s5m5M 'Margarita' 3° 52'·617N., 77° 04'·199W.

Chart 2319 [*previous update 580/26*] WGS84 DATUM

Delete ★ Fl.G.5s5M 3° 52'·62N., 77° 04'·20W.

II

2101 URUGUAY - Dredging areas. Legend. Dredged depths. Fouls.

Source: ENC UY500041

Chart 1749 [*previous update 1911/26*] WGS84 DATUM

Replace	<i># PA</i> , with <i># (5) PA</i>	34° 57'·20S., 56° 18'·20W.
	<i>#</i> with <i># (5)</i>	34° 58'·58S., 56° 14'·00W.

Chart 2001 (Panel A, Bahía de Montevideo) [*previous update 1429/26*] WGS84 DATUM

Insert	limit of dredged area, pecked line, joining:	34° 53'·15S., 56° 13'·43W.
		34° 53'·14S., 56° 13'·39W.
		and
		34° 52'·87S., 56° 13'·54W.
		34° 52'·82S., 56° 13'·66W.
Amend	legend to, <i>Maintained to 7m</i> , centred on:	34° 52'·97S., 56° 13'·61W.
	dredged depth to, <i>5m (2024)</i> , centred on:	34° 52'·81S., 56° 13'·42W.
		34° 52'·60S., 56° 13'·51W.

Chart 2001 (Panel B, Approaches to Montevideo) [*previous update 1429/26*] WGS84 DATUM

Replace	<i># PA</i> , with <i># (5) PA</i>	34° 57'·20S., 56° 18'·20W.
	<i>#</i> with <i># (5)</i>	34° 58'·70S., 56° 13'·90W.

II

2207 ARGENTINA - Buoy.

Source: Argentine Notice 4/45/26

Chart 1340 (Panel B) [*previous update 589/26*] WGS84 DATUM

Move



Fl(4)G.16s Km 161·9, from:

to:

33° 57′·20S., 58° 45′·12W.

33° 57′·20S., 58° 44′·93W.

II

2209 ARGENTINA - Buoy.

Source: Argentine Notice 4/38/26

Chart 3561 [*previous update New Edition 12/03/2026*] WGS84 DATUM

Amend designation of light-buoy to, *Km 40.5*

34° 40'·67S., 57° 57'·77W.

II

2145 COLOMBIA - Caribbean Sea Coast - Buoy.

Source: ENC CO500261

Chart 2434 (Panel A, Bahía de Cartagena) [*previous update 1208/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s No 1*

10° 24'·45N., 75° 32'·48W.

II

2100 CANADA - Gulf of Saint Lawrence - Obstructions. Restricted areas.

Source: Canadian Notices 2/4015/26 and 2/4022/26

Chart 2666 [*previous update 1786/26*] WGS84 DATUM

Insert



46° 33'·0N., 59° 20'·4W.

46° 33'·4N., 59° 39'·4W.

Chart 4763 [*previous update 1786/26*] NAD83 DATUM

Insert



(a) 46° 33'·0N., 59° 20'·4W.

circular limit of restricted area, radius 926m (0·5M), TTTT,

centred on:

(a) above



(b) 46° 33'·4N., 59° 39'·4W.

circular limit of restricted area, radius 926m (0·5M), TTTT,

centred on:

(b) above

Chart 4764 [*previous update 793/26*] NAD83 DATUM

Insert



(a) 46° 33'·0N., 59° 20'·4W.

circular limit of restricted area, radius 926m (0·5M), TTTT,

centred on:

(a) above



(b) 46° 33'·4N., 59° 39'·4W.

circular limit of restricted area, radius 926m (0·5M), TTTT,

centred on:

(b) above

II

2128 **UNITED STATES OF AMERICA - East Coast - Depth.**
Source: ENC US5BALBB

Chart 2850 (Panel, Baltimore Harbor) [*previous update 1626/26*] NAD83 DATUM

Replace depth, 36, with depth, 33 39° 13'·25N., 76° 33'·71W.

II

2129 UNITED STATES OF AMERICA - East Coast - Fog signal.

Source: ENC US5VA1PS

Chart 2920 (Panel 1) [*previous update 3517/25*] NAD83 DATUM

Delete fog signal, *Whis*, at light-buoy 37° 42'·37N., 76° 11'·06W.

Chart 2920 (Panel 2) [*previous update 3517/25*] NAD83 DATUM

Delete fog signal, *Whis*, at light-buoy 37° 42'·35N., 76° 11'·06W.

II

2147 **UNITED STATES OF AMERICA - East Coast - Buoy.**
Source: US ENC US4VA1BF

Chart 2919 [*previous update 5271/25*] NAD83 DATUM

Delete



36° 55′·04N., 75° 57′·99W.

II

2201 CANADA - Nova Scotia - Obstruction.

Source: Canadian Notice 3/4237/26

Chart 4752 (INT 4631) [*previous update 5492/25*] NAD83 DATUM

Insert

 *Obstn PA Rep (2021)*

44° 31'·30N., 63° 24'·89W.

II

2161(T)/26 SWEDEN - West Coast - Works. Light-beacon. Fairway.

Source: Swedish Notice 1114/20030(T)/26

1. Reconstruction works and diving operations are taking place at former light beacon in position 55° 32'·90N., 12° 47'·43E.
2. The works will not affect navigation in the fairway.
3. Mariners are advised to navigate with caution in the area and pass without causing swell.
(WGS84 DATUM)

Charts affected - 903 (INT 1333) - 2595 (INT 1332)

II

2133(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 25'·43N., 3° 22'·07E.	116
51° 25'·49N., 3° 23'·04E.	116
51° 25'·49N., 3° 23'·90E.	116
51° 25'·62N., 3° 25'·14E.	116
51° 25'·63N., 3° 25'·83E.	116
51° 55'·70N., 3° 39'·80E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·300N., 4° 35'·530E.	124
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90

II

2133(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 1979(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

2123(T)/26 FRANCE - West Coast - Scientific instruments.

Source: French Notice 13/1(T)/26

1. Scientific instruments, have been established in the following positions:

48° 18'·30N., 4° 29'·67W.

48° 18'·53N., 4° 29'·57W.

48° 18'·69N., 4° 29'·22W.

48° 18'·50N., 4° 28'·67W.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 3427 (INT 1832) - 3429

II

2193(T)/26 PORTUGAL - South Coast - Buoy.

Source: Portuguese Notice 2/143(T)/26

1. A special buoy, *Fl.Y.3s APA 4*, in position 37° 05'·21N., 7° 29'·05W. has been reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 93

II

2194(T)/26 PORTUGAL - West Coast - Buoy. Virtual aid to navigation.

Source: Portuguese Notice 2/135(T)/26

1. The port lateral buoy, *Fl.R.10s7M No 2* in position 38° 37'·29N., 9° 23'·27W. has been replaced by a virtual aid to navigation (V-AIS), cylinder topmark.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Charts affected - 3220 (INT 1875) - 3635

II

2195(T)/26 PORTUGAL - South Coast - Buoy.

Source: Portuguese Notice 2/142(T)/26

1. The starboard lateral buoy, *Fl.G.3s No 1*, in position 37° 00'·06N., 7° 51'·52W. is reported submerged.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 83

II

2202(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 2/130(T)/26

1. The starboard lateral light-buoy, *Fl(3)G.9s3M No 5*, in position 40° 39'·456N., 8° 42'·236W. is reported missing.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3227 (INT 1872)

II

2104(T)/26 NORTH ATLANTIC OCEAN - Arquipélago dos Açores - Light.

Source: Portuguese Notice 1/116(T)/26

1. The range of the light at Madalena, in position 38° 32'·13N., 28° 32'·12W., has been reduced to 2 miles.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1957

II

2105(T)/26 NORTH ATLANTIC OCEAN - Arquipélago dos Açores - Buoy.

Source: Portuguese Notice 1/118(T)/26

1. The light-buoy, *Fl(2)R.12s Lajes*, in position 39° 22'·80N., 31° 09'·87W., has been removed.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 1959

II

2206(T)/26 NORTH ATLANTIC OCEAN - Wreck.

Source: French Notice 14/2(P)/26

1. A wreck has been reported in position 24° 31'·9N., 15° 54'·0W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3134

II

2116(T)/26 TÜRKİYE - Marmara Denizi - Wreck.

Source: Turkish Notice 10/67(T)/26

1. A dangerous wreck exists in position 40° 35'·59N., 27° 04'·09E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 1004

II

2124(T)/26 CROATIA - Buoy.

Source: Croatian Notice 3/4(T)/26

1. A yellow buoy, *Fl.Y*, has been deployed, until further notice, in position 44° 53'·25N., 13° 47'·40E.
(WGS84 DATUM)

Chart affected - 1426

II

2141(P)/26 GREECE - Aegean Sea Coast - Marine Reserve.

Source: Greek Chart 311-1/26 and ENC GR4APP20

1. A marine bird reserve has been established in the approaches to Thessaloníki.
2. The reserve starts on the coast west of Thessaloníki in position $40^{\circ} 38' \cdot 16N.$, $22^{\circ} 52' \cdot 47E.$ and transits generally south-west up to 2·5km from shore to rejoin the coastline north of Néa Agathoúpolis in position $40^{\circ} 27' \cdot 77N.$, $22^{\circ} 35' \cdot 08E.$
3. Mariners are advised to navigate with caution in the area.
4. These changes will be included in a New Edition of Chart 2070 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 2070

II

2142(T)/26 MOROCCO - North Coast - Buoyage.

Source: French Notice 13/5(T)/26

1. The following light-buoys have been removed:

<i>Buoy Type</i>	<i>Characteristic</i>	<i>Position</i>
Isolated danger	<i>Fl(2)10s</i>	35° 47'·66N., 5° 47'·03W.
West Cardinal	<i>Q(9)15s</i>	35° 47'·43N., 5° 46'·69W.
North Cardinal	<i>VQ</i>	35° 49'·90N., 5° 45'·27W.

2. Mariners are advised to navigate with caution in the area (WGS84 DATUM)

Charts affected - 142 - 1912

II

2205(T)/26 IVORY COAST - Buoy.

Source: French Notice 14/3(T)/26

1. The safe water mark light-buoy in position $4^{\circ} 43' \cdot 76N.$, $6^{\circ} 35' \cdot 81W.$, has been moved, until further notice, to position $4^{\circ} 43' \cdot 81N.$, $6^{\circ} 35' \cdot 54W.$
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 3108 (INT 2871)

II

2099(T)/26 OMAN - Buoy.

Source: Omani Navigational Warning 7/26

1. The port-hand lateral light-buoy, *Lfl.R. 10s*, in position $24^{\circ} 34' \cdot 00\text{N.}$, $56^{\circ} 38' \cdot 00\text{E.}$ is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2853

II

2153(P)/26 GULF OF OMAN - Submarine cables.

Source: Alcatel Submarine Networks

1. The Fibre in Gulf (FIG) submarine fibre optic cable system, is due to be laid. The proposed positions are listed below. The accompanying diagram shows the overall coverage of the proposed cables.

2. **Oman segment:**

24° 00'·56N., 57° 49'·73E.
23° 54'·18N., 57° 50'·24E.
23° 49'·09N., 57° 53'·70E.
23° 48'·59N., 57° 53'·70E.
23° 47'·12N., 57° 52'·79E.
23° 44'·32N., 57° 49'·55E.

3. **Gulf of Oman segment:**

25° 58'·10N., 56° 41'·63E.
25° 39'·39N., 56° 43'·62E.
25° 14'·41N., 56° 54'·79E.
25° 04'·18N., 56° 52'·13E.
24° 55'·3N., 57° 12'·8E.
24° 36'·0N., 57° 18'·7E.
24° 24'·5N., 57° 43'·1E.
24° 12'·57N., 57° 50'·54E.
24° 00'·56N., 57° 49'·73E.

4. **Strait of Hormuz segment:**

26° 03'·58N., 55° 45'·70E.
26° 13'·72N., 55° 53'·45E.
26° 22'·14N., 56° 08'·42E.
26° 31'·17N., 56° 28'·39E.
26° 31'·44N., 56° 31'·03E.
26° 30'·14N., 56° 32'·95E.
26° 21'·76N., 56° 35'·64E.
26° 15'·59N., 56° 36'·05E.
25° 58'·10N., 56° 41'·63E.

5. **United Arab Emirates segments:**

25° 39'·36N., 52° 43'·02E.
25° 38'·92N., 52° 46'·06E.
25° 27'·85N., 52° 58'·21E.
25° 24'·63N., 53° 06'·12E.
25° 26'·43N., 53° 25'·76E.
25° 24'·33N., 53° 32'·78E.
25° 24'·39N., 54° 02'·34E.
25° 19'·48N., 54° 29'·57E.
25° 20'·66N., 54° 35'·19E.
25° 24'·08N., 54° 47'·05E.
25° 23'·51N., 54° 58'·00E.
25° 27'·33N., 55° 00'·96E.
25° 27'·39N., 55° 04'·74E.
25° 39'·76N., 55° 23'·40E.
25° 43'·98N., 55° 30'·96E.
25° 52'·71N., 55° 36'·02E.
26° 03'·58N., 55° 45'·70E.

II

2153(P)/26 GULF OF OMAN - Submarine cables. (continued)

6. and

24° 51'·42N., 54° 48'·40E.
24° 52'·66N., 54° 49'·07E.
24° 55'·56N., 54° 47'·30E.
24° 58'·49N., 54° 47'·04E.
25° 06'·96N., 54° 38'·53E.
25° 20'·66N., 54° 35'·19E.

7. **Qatar segments:**

26° 49'·01N., 51° 04'·36E.
26° 45'·55N., 51° 07'·34E.
26° 44'·34N., 51° 07'·48E.
26° 40'·53N., 51° 06'·16E.
26° 31'·90N., 51° 11'·31E.
26° 19'·32N., 51° 28'·28E.
26° 18'·49N., 51° 33'·24E.
26° 15'·28N., 51° 37'·11E.
25° 59'·93N., 52° 15'·10E.
25° 52'·54N., 52° 28'·33E.
25° 42'·04N., 52° 38'·21E.
25° 39'·36N., 52° 43'·02E.

8. and

26° 06'·03N., 51° 21'·62E.
26° 06'·53N., 51° 22'·96E.
26° 10'·04N., 51° 28'·05E.
26° 12'·76N., 51° 33'·15E.
26° 14'·40N., 51° 36'·47E.
26° 15'·28N., 51° 37'·11E.

9. **Bahrain segments:**

26° 49'·01N., 51° 04'·36E.
26° 52'·89N., 51° 01'·01E.
26° 54'·61N., 50° 59'·19E.
26° 58'·35N., 50° 51'·80E.
26° 58'·85N., 50° 48'·96E.
27° 00'·81N., 50° 47'·35E.

10. and

26° 58'·85N., 50° 48'·96E.
26° 50'·69N., 50° 42'·75E.
26° 33'·85N., 50° 36'·03E.
26° 32'·17N., 50° 36'·84E.
26° 30'·67N., 50° 39'·95E.
26° 21'·76N., 50° 37'·86E.
26° 18'·86N., 50° 42'·05E.
26° 17'·853N., 50° 42'·690E.
26° 14'·136N., 50° 42'·797E.
26° 13'·708N., 50° 42'·329E.

II

2153(P)/26 GULF OF OMAN - Submarine cables. (continued)

11. Saudi Arabia segments:

27° 00'·81N., 50° 47'·35E.
27° 01'·49N., 50° 46'·79E.
27° 08'·27N., 50° 42'·99E.
27° 10'·16N., 50° 43'·42E.
27° 37'·1N., 50° 24'·5E.
27° 52'·63N., 49° 55'·14E.
28° 06'·5N., 49° 45'·2E.
28° 08'·93N., 49° 36'·96E.
28° 08'·41N., 49° 35'·33E.
28° 14'·56N., 49° 18'·76E.
28° 18'·40N., 49° 19'·01E.
28° 24'·37N., 49° 28'·17E.
28° 32'·00N., 49° 30'·56E.
28° 35'·02N., 49° 30'·11E.
28° 53'·7N., 49° 18'·9E.

12. and

26° 14'·59N., 50° 13'·23E.
26° 14'·33N., 50° 17'·62E.
26° 15'·86N., 50° 18'·77E.
26° 19'·28N., 50° 19'·46E.
26° 21'·21N., 50° 19'·09E.
26° 25'·43N., 50° 20'·64E.
26° 29'·44N., 50° 17'·56E.
26° 35'·59N., 50° 18'·55E.
26° 39'·66N., 50° 21'·54E.
26° 43'·53N., 50° 22'·48E.
26° 45'·92N., 50° 24'·97E.
26° 47'·49N., 50° 30'·90E.
26° 51'·07N., 50° 36'·32E.
26° 52'·29N., 50° 36'·24E.
26° 57'·26N., 50° 39'·82E.
27° 05'·62N., 50° 40'·18E.
27° 07'·94N., 50° 41'·90E.
27° 08'·27N., 50° 42'·99E.

13. Kuwait segments:

29° 30'·97N., 48° 47'·88E.
29° 16'·71N., 48° 58'·40E.
29° 12'·67N., 48° 58'·61E.
29° 06'·6N., 49° 01'·9E.
28° 59'·5N., 49° 15'·7E.
28° 53'·7N., 49° 18'·9E.

14. and

29° 16'·11N., 48° 05'·42E.
29° 15'·38N., 48° 09'·93E.
29° 14'·09N., 48° 12'·23E.
29° 10'·01N., 48° 15'·41E.
29° 09'·90N., 48° 20'·30E.
29° 08'·93N., 48° 22'·77E.
29° 08'·68N., 48° 39'·13E.
29° 07'·71N., 48° 44'·18E.
29° 06'·6N., 49° 01'·9E.

II

2153(P)/26 GULF OF OMAN - Submarine cables. (continued)

15. Iraq segment:

29° 30'·97N., 48° 47'·88E.
29° 36'·32N., 48° 44'·24E.
29° 41'·41N., 48° 44'·80E.
29° 49'·08N., 48° 31'·93E.
29° 50'·97N., 48° 31'·04E.
29° 54'·78N., 48° 30'·30E.

16. Mariners are advised to navigate with caution in the area.

17. Charts will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 1223 - 1229 (INT 7285) - 1235 (INT 7289) - 1265 (INT 7291) - 2442 - 2443 (INT 7238) - 2444 (INT 7239) - 2523 (INT 7250) - 2837 (INT 7017) - 2851 - 2882 (INT 7264) - 2883 (INT 7260) - 2884 (INT 7278) - 2886 (INT 7243) - 2887 (INT 7232) - 2888 (INT 7199) - 2889 (INT 7211) - 3171 - 3172 - 3174 (INT 7209) - 3175 (INT 7212) - 3176 (INT 7216) - 3177 (INT 7222) - 3412 (INT 7219) - 3520 (INT 7200) - 3523 - 3734 (INT 7261) - 3736 (INT 7258) - 3737 (INT 7255) - 3738 (INT 7254) - 3739 (INT 7220) - 3752 - 3759 - 3773 - 3774 (INT 7275) - 3775 - 3777 (INT 7266) - 3788 (INT 7265) - 3790 (INT 7252) - 3812 (INT 7268) - 3842 (INT 7292) - 3950 (INT 7244)

II

2112(T)/26 INDIA - West Coast - Buoyage.

Source: Indian Notice 5/63(T)/26

1. The following light-buoys are unlit:

<i>Designation</i>	<i>Characteristic</i>	<i>Position</i>
<i>No2</i>	<i>Fl.G.5s</i>	20° 36'·59N., 71° 58'·50E.
<i>No3</i>	<i>Fl.R.5s</i>	20° 40'·63N., 71° 59'·03E.
<i>No7</i>	<i>Fl(9)15s</i>	20° 56'·00N., 72° 09'·40E.
<i>No8</i>	<i>Fl(3)10s</i>	20° 59'·49N., 72° 06'·63E.
<i>No9</i>	<i>Fl.R.3s</i>	21° 02'·50N., 72° 09'·30E.

2. The port-hand lateral buoy, *Q.R No6*, in position 20° 52'·40N., 72° 05'·60E. is off station.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - IN 207 - IN 254 (INT 7331)

II

2189(T)/26 JAPAN - Shikoku - Depths.

Source: Japanese Notice 16/5174(T)/26

1. Depths up to 1·5m less than charted, exist on and in the vicinity of a line joining the following positions:

33° 28′·96N., 133° 32′·58E.

33° 29′·16N., 133° 33′·14E.

33° 29′·37N., 133° 33′·78E.

(WGS84 DATUM)

Chart affected - JP 108

II

2137(P)/26 PHILIPPINE ISLANDS - Luzon - Traffic separation schemes. Separation zones. Area to be avoided.

Source: New Edition of GB Chart 3558 published 16 April 2026 and NAMRIA

1. The existing Verde Island Traffic Separation Scheme has been amended. The changes are as follows:
 - a. The limits of the separation zones have changed, the updated limits have been established bounded by the following positions:

13° 34'·8N., 120° 54'·3E.
13° 34'·8N., 121° 02'·4E.
13° 34'·4N., 121° 02'·3E.
13° 34'·4N., 120° 54'·3E.
 2. and

13° 32'·9N., 121° 05'·9E.
13° 33'·2N., 121° 05'·9E.
13° 33'·0N., 121° 13'·6E.
13° 30'·6N., 121° 16'·5E.
13° 30'·5N., 121° 16'·3E.
13° 32'·8N., 121° 13'·5E.
 - b. The limit of the northbound traffic lane has changed, the updated limit has been established joining the following positions:

13° 32'·5N., 121° 18'·6E.
13° 35'·3N., 121° 15'·5E.
13° 36'·8N., 121° 05'·3E.
13° 36'·8N., 120° 54'·3E.
 - c. The limit of the southbound traffic lane has changed, the updated limit has been established joining the following positions:

13° 28'·6N., 121° 14'·3E.
13° 30'·6N., 121° 12'·1E.
13° 28'·9N., 121° 03'·1E.
13° 32'·6N., 121° 00'·1E.
13° 32'·7N., 120° 54'·3E.
 - d. An ATBA (Area to be Avoided) has been established around Verde Island, bounded by the following positions:

13° 31'·0N., 121° 04'·0E.
13° 33'·6N., 121° 02'·1E.
13° 34'·8N., 121° 02'·6E.
13° 34'·6N., 121° 05'·8E.
13° 33'·0N., 121° 05'·8E.
13° 31'·4N., 121° 06'·8E.
3. These changes will be included in a New Edition of Chart 4490 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 4490

II

2151(T)/26 BRUNEI - Anchorage area. Buoyage.

Source: Brunei Notice 1(T)/22

1. * A temporary anchorage area for Commercial Fishing Vessels, marked by special buoys, has been established, bounded by the following positions:

5° 03'·85N., 115° 04'·50E.

5° 03'·85N., 115° 05'·80E.

5° 03'·44N., 115° 05'·80E.

5° 03'·44N., 115° 04'·50E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 800(T)/22 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 2134

II

2146(T)/26 AUSTRALIA - Queensland - Restricted area.

Source: Australian Notice 8/333(T)/26

1. During the period 22 April 2026 to 22 June 2026, live firing will be conducted. Entry is prohibited to all vessels in an area bounded by the following positions:

22° 12'·28S., 150° 22'·50E.

22° 10'·02S., 150° 30'·06E.

22° 15'·28S., 150° 38'·10E.

22° 18'·98S., 150° 33'·98E.

22° 19'·20S., 150° 26'·81E.

2. Mariners are advised to keep clear of this area.
(WGS84 DATUM)

Chart affected - Aus 822

II

2113(P)/26 NEW ZEALAND - North Island - Lights. Leading line.

Source: New Zealand Chart NZ 4432

1. Changes to directional and leading lights have taken place within Port Taranaki.
2. The front leading light characteristics in position 39° 03'·652S., 174° 02'·510E. have been amended to Iso.W.2s9m7M.
3. The rear leading light characteristics in position 39° 03'·722S., 174° 02'·482E. have been amended to DirWRG.19m7M. The associated leading light bearing, 197·3°, remains unchanged. The light sectors are as follows:

<i>Characteristic</i>	<i>Sector Range</i>
Oc.G	189·8° - 194·7° (4·9°)
Al.WG	194·7° - 196·8° (2·1°)
F.W	196·8° - 197·8° (1°)
Al.WR	197·8° - 199·9° (2·1°)
Oc.R	199·9° - 204·9° (5°)

4. A new directional light, DirWRG.12m3M, with central bearing 222·45°, has been established in position 39° 03'·560S., 174° 02'·180E. The light sectors are as follows:

<i>Characteristic</i>	<i>Sector Range</i>
Oc.G	213·3° - 218·2° (4·9°)
Al.WG	218·2° - 221·7° (3·5°)
Fl.W	221·7° - 223·3° (1·6°)
Al.WR	223·3° - 226·8° (3·5°)
Oc.R	226·8° - 236·8° (10°)

5. The front leading light, VQ.R.18m3M, in position 39° 03'·276S., 174° 02'·077E. has been extinguished.
6. The rear leading light in position 39° 03'·259S., 174° 02'·000E. has been amended to a directional light, Dir.Iso.WRG.2s24m3M. The bearing of the associated transit line has been amended to 284°. The light sectors are as follows:

<i>Characteristic</i>	<i>Sector Range</i>
Iso.G	271·5° - 281·5° (10°)
Iso.W	281·5° - 286·5° (5°)
Iso.R	286·5° - 296·5° (10°)

7. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information. (WGS84 DATUM)

Chart affected - NZ 4432

II

2098(T)/26 SOUTH PACIFIC OCEAN - Fiji Islands - Lights.

Source: Maritime Safety Authority of Fiji

1. The following lights are reported to be temporarily unlit:

<i>Characteristic</i>	<i>Position</i>
LFl(2)30s14m12M	18° 08'·02S., 178° 41'·22E.
Fl.5s70m15M	16° 13'·41S., 179° 05'·77E.
LFl.8s10m10M	16° 57'·86S., 179° 51'·84E.
Fl(3)12s12m15M	18° 24'·25S., 178° 09'·95E.
Fl.2s6m9M	17° 38'·70S., 179° 15'·55E.
Fl(2)25s49m17M	16° 07'·53S., 179° 57'·21W.
* Fl(2)10s12m11M	17° 33'·72S., 178° 50'·92E.
* Iso.R.2s13m15M	17° 54'·86S., 177° 16'·45E.

2. Mariners are advised to navigate with caution in the area.
3. *Former Notice 1515(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 384 - 440 (INT 6854) - 441 - 488 - 744 - 745 - 746 - 747 - 749 - 750 - 751 - 752 - 1670 - 1673 - 1674 - 1682 - 2691 (INT 6856) - 4632 (INT 632) - 4638 (INT 638)

II

2131(P)/26 BRAZIL - South Coast - Wreck.

Source: Brazilian Notice 6/S 23(P)/26

1. A dangerous wreck has been reported in position 23° 06'·90S., 44° 00'·47W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 432 - 3970

II

2177(T)/26 SOUTH ATLANTIC OCEAN - Buoyage.

Source: NOAA

1. The National Oceanographic and Atmospheric Administration (NOAA) maintains an array of buoys called Prediction and Research Moored Array in the Atlantic (PIRATA).
2. The PIRATA buoys, white and orange, 2 metre toroid buoys with radar reflectors, are located in the following positions:

<i>Designation</i>	<i>Position</i>
*PI289A	0° 00'·0S., 2° 41'·1W.
*PI288A	0° 01'·2N., 9° 50'·8W.
PI280A	18° 51'·1S., 34° 39'·5W.
PI285A	0° 00'·6N., 34° 59'·8W.
PI284A	7° 56'·8N., 38° 01'·8W.
PI283A	4° 00'·5N., 37° 56'·2W.
*PT077	6° 02'·0S., 9° 59'·9W.
*PT078	9° 54'·4S., 9° 58'·9W.
PT065	20° 27'·1N., 23° 08'·5W.
PT068	11° 29'·3N., 22° 59'·2W.
PT069	4° 02'·7N., 22° 59'·2W.
*PT076	0° 00'·1N., 22° 59'·3W.
PT070	8° 00'·5S., 30° 38'·0W.
PT062	13° 31'·4S., 32° 35'·8W.
PT063	20° 01'·5N., 37° 50'·8W.
PT072	15° 00'·2N., 37° 59'·5W.

3. NOAA also maintain Climate Moorings in the North Pacific Ocean. The buoy is a yellow 2 metre solid hull discus buoy with radar reflectors which is located in the following position:

<i>Designation</i>	<i>Position</i>
PA019	50° 07'·6N., 144° 49'·5W.

4. Mariners are advised to give all buoys a 5 nautical mile wide berth.
5. Further information and up to date positions are available on the National Data Buoy Center website <https://www.ndbc.noaa.gov/>.
6. *Former Notice 592(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 529 - 4104 (INT 104) - 4115 - 4202 (INT 202) - 4203 (INT 203) - 4209 (INT 209) - 4215 (INT 215) - 4216 (INT 407) - 4806 - 4810 (INT 810)

II

2203(P)/26 UNITED STATES OF AMERICA - Gulf of Mexico - Channel limits. Depths.

Source: ENC's US4TX1HB and US5CRPCA

1. The limits of the Chemical turning basin and Tule lake channel have been widened between the following positions:

27° 49'·29N., 97° 26'·78W.

27° 49'·00N., 97° 27'·85W.

2. The limits of the Viola channel have been amended between the following positions:

27° 50'·36N., 97° 30'·57W.

27° 50'·56N., 97° 31'·02W.

3. The limits of the Viola turning basin have been amended to the following positions:

27° 50'·53N., 97° 31'·03W.

27° 50'·54N., 97° 31'·20W.

27° 50'·58N., 97° 31'·38W.

27° 50'·72N., 97° 31'·34W.

27° 50'·76N., 97° 31'·26W.

27° 50'·73N., 97° 31'·15W.

27° 50'·60N., 97° 31'·01W.

4. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
5. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts.
6. USACE surveys and channel condition reports are available at <https://navigation.usace.army.mil/Survey/Hydro>
7. These changes will be included in the next New Edition of Chart 3184.
(NAD83 DATUM)

Chart affected - 3184