



ADMIRALTY NOTICES TO MARINERS

Section II

(1 Notice per Page)

Weekly Edition 20

14 May 2026

CONTENTS

- I** [Publications List](#)
 - II** [Index of Charts Affected. ADMIRALTY Notices to Mariners](#)
-

For information on how to update your ADMIRALTY products using ADMIRALTY Notices to Mariners, please refer to NP294 How to Keep Your ADMIRALTY Products Up-to-Date.

Mariners are requested to inform the UKHO immediately of the discovery of new or suspected dangers to navigation, observed changes to navigational aids and of shortcomings in both paper and digital ADMIRALTY Charts or Publications.

The Hydrographic Note Form (H102) should be used to forward this information and to report any ENC display issues.

H102A should be used for reporting changes to Port Information.

H102B should be used for reporting GPS/Chart Datum observations.

Copies of these forms can be found at the back of the ADMIRALTY Notices to Mariners and on the UKHO website.

The following communication facilities are available:

NMs on ADMIRALTY website:	Web: admiralty.co.uk/msi
Searchable Notices to Mariners:	Web: www.ukho.gov.uk/nmwebsearch
Urgent navigational information:	e-mail: navwarnings@ukho.gov.uk Phone: +44(0)1823 353448 +44(0)7989 398345 Fax: +44(0)1823 322352
H102 forms (see back pages of this Weekly Edition)	e-mail: sdr@ukho.gov.uk Post: UKHO, Admiralty Way, Taunton, Somerset, TA1 2DN, UK
All other enquiries/information	e-mail: customerservices@ukho.gov.uk Phone: +44(0)1823 484444 (24/7)

ADMIRALTY Charts affected by the Publication List

ADMIRALTY Charts	International Charts	ADMIRALTY Publications
663	INT 1044	NP 201A
773	INT 1311	NP 286(1)
869	INT 1315	
873	INT 1336	
892	INT 1378	
958	INT 7239	
1199	INT 7243	
1422	INT 7249	
1603	INT 7250	
1754	INT 7698	
1759		
1968		
2107		
2444		
2523		
2709		
2886		
3772		
5506		
5507		
5523		

CHART PRODUCTION TOOLS

The UKHO is introducing new production tools to assist in the creation of its SNCs. Some SNC content will change as a result of this. More details can be found at:

<https://www.admiralty.co.uk/charts/additional-information>.

Affected charts will display a note showing the same link.

I

NM WEBSEARCH QR CODE

We are aware that on some paper charts the QR code in the lower left corner which links to NM Websearch is returning an error. If this occurs, you can use the direct URL

<https://www.ukho.gov.uk/nmwebsearch/> or the alternative QR code:



UKRAINE NAVIGATIONAL INFORMATION

Owing to insufficient information, it is not always possible to ensure that ADMIRALTY Nautical Publications are completely up-to-date for new dangers or changes to aids to navigation.

Mariners are therefore advised to exercise particular caution when navigating in Ukrainian waters.

BALTIC SEA CHART DATUM 2000 (BSCD2000)

UKHO Products and Services, including foreign charts, in the Baltic Sea region are changing to a new vertical reference system for depth and height information. During this transition period, Charts may be referred to either mean sea level or the new BSCD2000. For further information please contact the national charting authority and see ADMIRALTY Sailing Directions.

This note is to be reviewed in 2030.

PHOTOGRAPHY

ADMIRALTY publications utilise imagery from a wide variety of sources, mariners, port authorities and other users. The UK Hydrographic Office (UKHO) welcomes new imagery of navigational aids, landmarks, coastline, approaches to and from ports and berths. Imagery from the mariner's point of view is especially helpful. Images can be sent to the UKHO using the email:

publications.queries@ukho.gov.uk

Please include the name and location of the feature in the image and how the image should be accredited within ADMIRALTY publications.

I

ADMIRALTY CHARTS AND PUBLICATIONS NOW PUBLISHED AND AVAILABLE

NEW EDITIONS OF ADMIRALTY CHARTS AND PUBLICATIONS

New Editions of ADMIRALTY Charts published 14 May 2026

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
⊙773	Mediterranean Sea, Strait of Gibraltar to Isla de Alborán. This chart remains affected by Notices 1021(T)/25, 1882(T)/25 and 5791(P)/25.	1:300,000	18	40, 42
⊙892 INT 1378	International Chart Series, Entrance to the Baltic, Kattegat Ålbæk Bugt. Ⓐ Skagen.	1:100,000 1:12,500	10	34
⊙958 INT 1336	International Chart Series, Baltic Sea - Sweden and Denmark, Bornholmsgat. Ⓐ Christiansø. Ⓑ Rønne. Ⓒ Nexø.	1:100,000 1:12,500 1:12,500 1:8,000	10	34
⊙2107	Entrance to the Baltic, Kattegat - Northern Part.	1:200,000	10	34
⊙2709	Ireland - West Coast, Roundstone and Approaches. On publication of this New Edition former Notice 987(P)/26 is cancelled. This chart is to be deleted from the list of charts affected by Notices 502(P)/24 and 3339(P)/24.	1:30,000	4	22

ADMIRALTY Publications

<i>NP No.</i>	<i>Title and other remarks</i>	<i>Date</i>	<i>Remarks</i>
NP201A	ADMIRALTY Tide Tables United Kingdom English Channel to River Humber (Including Isles of Scilly, Channel Islands and European Channel Ports) Volume 1A, 2027 Edition ISBN Number: 978-0-70-772-2832	14/05/2026	New Edition.
NP286(1)	ADMIRALTY List of Radio Signals Pilot Services, Vessel Traffic Services and Port Operations United Kingdom and Europe (excluding Arctic, Baltic and Mediterranean Coasts) Volume 6, 7 th Edition (2026) ISBN Number: 978-0-70-774-8405	14/05/2026	Updated to Week 12/26 (19/03/26). First Updates in NM Week 20/26 (14/05/26). This Edition supersedes NP286(1) 6 th Edition (2025) which is hereby cancelled.

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 28 MAY 2026

New Editions of ADMIRALTY Charts

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
663 INT 7698	International Chart Series, Africa - East Coast, Tanzania, Approaches to Tanga. Tanga.	1:37,500 1:15,000	⊙663 INT 7698	36	56
869 INT 1311	International Chart Series, Sweden - West Coast, Hunnebostrand to Uddevalla and Gullholmen, Ⓐ Malö Strömmar. Ⓑ Smögen and Kungshamn. Ⓒ Strandanäs. Ⓓ Uddevalla. Ⓔ Lysekil. Ⓕ Strömmarna.	1:50,000 1:25,000 1:25,000 1:25,000 1:15,000 1:15,000 1:10,000	⊙869 INT 1311	10	32
873 INT 1315	International Chart Series, Sweden - West Coast, Marstrand. Ⓐ Marstrand. Ⓑ Kyrkesund.	1:25,000 1:12,500 1:12,500	⊙873 INT 1315	10	32, 34
1199	China - East Coast, Ningbo Gang to Changjiang Kou. Luhuashan Anchorage.	1:300,000 1:60,000	⊙1199	50	80
1422 INT 1044	International Chart Series, North Sea, Esbjerg to Hanstholm including Offshore Oil and Gas Fields. Ⓐ Hanstholm.	1:375,000 1:15,000	⊙1422 INT 1044	9	26, 28, 32
1603	China - Chang Jiang, Inner Approaches to Shanghai.	1:60,000	⊙1603	50	80
1754	China - East China Sea, Mazu Liedao to Dongtou Liedao.	1:300,000	⊙1754	50	80
1759	China - Dong Hai, Wenzhou Wan to Ningbo Gang.	1:300,000	⊙1759	50	80
1968	Taiwan Strait.	1:750,000	⊙1968	50	76, 78, 80
2444 INT 7239	International Chart Series, United Arab Emirates, Qatar and Iran, Eastern Approaches to Jazīrat Dās and Jazīrat Ḥālūl.	1:125,000	⊙2444 INT 7239	40	62
2523 INT 7250	International Chart Series, Iran and Qatar, Cable Bank To Ra's Rakan.	1:150,000	⊙2523 INT 7250	40	62
2886 INT 7243	International Chart Series, Bahrain, Iran, Saudi Arabia, Qatar and United Arab Emirates, Jazīreh-Ye Lavan and Jazīrat Dās to Ra's Tannūrah.	1:350,000	⊙2886 INT 7243	40	62

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

I

ADMIRALTY CHARTS AND PUBLICATIONS TO BE PUBLISHED

ADMIRALTY CHARTS TO BE PUBLISHED 28 MAY 2026

New Editions of ADMIRALTY Charts (continued)

<i>Chart</i>	<i>Title, limits and other remarks</i>	<i>Scale</i>	<i>Charts to be WITHDRAWN</i>	<i>Folio</i>	<i>2026 Catalogue page</i>
3772 INT 7249	International Chart Series, Qatar, Approaches to Ra's Laffan.	1:35,000	⊙3772 INT 7249	40	62
5506	Mariners' Routeing Guide, Turkish Straits, İstanbul Boğazi (The Bosphorus) and Approaches.	1:85,000	5506	-	142
5507	Mariners' Routeing Guide, Turkish Straits, Çanakkale Boğazi (The Dardanelles) and Approaches.	1:175,000	5507	-	142
5523	Mariners' Routeing Guide, Adriatic Sea and Stretto di Messina. Ⓐ Adriatic Sea. Ⓑ Stretto di Messina.	1:1,100,000 1:200,000	5523	-	142

ADMIRALTY CHARTS AND PUBLICATIONS PERMANENTLY WITHDRAWN

ADMIRALTY Charts

<i>Chart to be WITHDRAWN</i>	<i>Main Title</i>	<i>On publication of New Chart/New Edition</i>
773	Mediterranean Sea, Strait of Gibraltar to Isla de Alborán.	⊙773
892 INT 1378	International Chart Series, Entrance to the Baltic, Kattegat Ålbæk Bugt.	⊙892 INT 1378
958 INT 1336	International Chart Series, Baltic Sea - Sweden and Denmark, Bornholmsgat.	⊙958 INT 1336
2107	Entrance to the Baltic, Kattegat Northern Part.	⊙2107
2709	Ireland - West Coast, Roundstone and Approaches.	⊙2709

⊙ denotes chart available in the ADMIRALTY Raster Chart Service series.

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Admiralty Chart No.	Notices
110	2275T	1322	2278
116	2275T, 2311	1324	2222
121	2241	1325	2222
122	2275T	1467	2267
124	2275T	1491	2289T
125	2275T	1495	2302P
129	2241	1497	2302P
130	2275T	1522	2247
134	2241	1545	2223
152	2241	1612	2241
178	2274T	1627	2241
204	2267	1630	2275T
220	2267	1631	2275T
224	2237	1632	2275T
246	2245	1633	2275T
247	2245	1673	2290T
266	2275T	1674	2290T
344	2309	1682	2290T
346	2309	1705	2220
368	2232	1712	2268T
384	2290T	1716	2314
440	2290T	1728	2243T
441	2290T	1759	2250T, 2285P
462	2295T	1826	2276
488	2290T	1853	2218
495	2242P	1882	2241
497	2237	1935	2241
515	2273	1938	2269P
566	2253	2010	2276
733	2219	2014	2239T
734	2219	2018	2239T
735	2219	2040	2239T
736	2219	2059	2297T
741	2219	2137	2263
744	2290T	2202	2301T
745	2290T	2205	2301T
746	2290T	2212	2300T, 2301T
749	2290T	2226	2297T
750	2290T	2227	2299T
751	2290T	2237	2246
752	2290T	2243	2300T
822	2274T	2364	2317
838	2274T	2400	2234P, 2283
855	2271T	2401	2248, 2314
857	2270T	2403	2319
869	2304	2412	2229
880	2240P	2443	2258
898	2233	2470	2254T
1029	2303	2567	2241
1055	2244	2597	2293P
1095	2244	2605	2221
1099	2244	2636	2312
1126	2238, 2250T	2677	2252
1130	2238	2691	2290T
1140	2319	2693	2289T
1141	2319	2712	2281
1146	2319	2774	2281
1188	2230	2816	2239T
1199	2285P	2873	2263
1201	2240P, 2316	2887	2258
1249	2305	2889	2258
1252	2305	2921	2228
1253	2240P, 2316	3087	2226
1254	2265	3134	2272T
1255	2265	3177	2258
1289	2265	3230	2217
1305	2285P	3231	2282
1306	2285P	3413	2258
1320	2276	3471	2277

II

INDEX OF CHARTS AFFECTED

Admiralty Chart No.	Notices	Australian Chart No.	Notices
3522	2318	Aus 809	2287T
3567	2296T		
3635	2308T	Belgian Chart No.	Notices
3658	2251		
3687	2235	BE 11	2298
3721	2294P	BE 101	2275T, 2298
3778	2258		
3780	2258	German Chart No.	Notices
3796	2258		
3833	2319		
3892	2243T		
3902	2319	DE 42	2307
3946	2319	DE 44	2307
3947	2319	DE 50	2275T
3951	2258	DE 87	2306
3992	2284, 2321	DE 90	2275T
4006	2291		
4010	2291	Indian Chart No.	Notices
4062	2224		
4100	2291	IN 22	2313T
4113	2291	IN 33	2292
4448	2236	IN 219	2313T
4509	2229	IN 223	2310
4601	2261P	IN 258	2313T
4602	2266	IN 259	2313T
4603	2254T, 2256T, 2257T	IN 262	2310
4604	2266	IN 272	2313T
4608	2224	IN 294	2313T
4622	2264	IN 473	2292
4632	2290T	IN 2008	2315T
4638	2290T	IN 2120	2315T
4707	2254T		
4708	2254T, 2257T	Papua New Guinea Chart No.	Notices
4709	2261P		
4722	2254T, 2256T, 2257T	PNG 397	2264
4723	2254T, 2257T, 2279T, 2288T		
4910	2303	International Chart No.	Notices
4947	2231		
4953	2225		
5607_7	2289T		
5613_1	2276		
5613_14	2276		
5614_16	2230		
5614_22	2241		
5614_23	2241	INT 10	2291
5614_24	2241	INT 62	2224
5615_12	2219	INT 100	2291
5615_13	2219	INT 113	2291
5615_14	2219	INT 509	2229
5615_15	2219	INT 601	2261P
5615_5	2241	INT 602	2266
		INT 603	2254T, 2256T, 2257T
		INT 604	2266
		INT 608	2224
		INT 622	2264
		INT 632	2290T
		INT 638	2290T
		INT 707	2254T
		INT 708	2254T, 2257T
		INT 709	2261P
		INT 722	2254T, 2256T, 2257T
		INT 723	2254T, 2257T, 2279T, 2288T
		INT 752	2313T
		INT 755	2292
		INT 1045	2275T
		INT 1202	2239T
		INT 1216	2297T
		INT 1218	2239T
		INT 1219	2239T
Australian Chart No.	Notices		
Aus 53	2227P		
Aus 55	2320		
Aus 57	2320		
Aus 60	2249T		
Aus 143	2261P, 2262		
Aus 326	2286		
Aus 327	2257T, 2259T		
Aus 357	2261P, 2280T		
Aus 399	2264		
Aus 743	2255T, 2260T		
Aus 801	2261P		
Aus 802	2261P, 2280T		
Aus 808	2287T		

II

INDEX OF CHARTS AFFECTED

International Chart No.	Notices	Admiralty Chart No.	Notices
INT 1297	2252		
INT 1311	2304		
INT 1317	2270T		
INT 1366	2307		
INT 1368	2293P		
INT 1413	2306		
INT 1416	2275T		
INT 1417	2275T		
INT 1418	2275T		
INT 1420	2275T		
INT 1422	2275T		
INT 1423	2275T		
INT 1452	2307		
INT 1461	2275T		
INT 1471	2275T		
INT 1472	2275T		
INT 1473	2275T		
INT 1474	2275T, 2298		
INT 1477	2275T, 2311		
INT 1544	2219		
INT 1545	2219		
INT 1546	2219		
INT 1548	2219		
INT 1549	2241		
INT 1551	2241		
INT 1553	2230		
INT 1570	2289T		
INT 1580	2289T		
INT 1607	2276		
INT 1640	2276		
INT 3660	2245		
INT 3785	2247		
INT 3794	2245		
INT 6854	2290T		
INT 6856	2290T		
INT 7023	2313T		
INT 7031	2292		
INT 7211	2258		
INT 7222	2258		
INT 7227	2258		
INT 7232	2258		
INT 7238	2258		
INT 7241	2258		
INT 7348	2313T		
INT 7356	2313T		
INT 7365	2310		
INT 7735	2302P		
INT 7736	2302P		

II

2219* SCOTLAND - East Coast - Depths. Drying contour. Drying heights.

Source: Forth Ports Ltd

Chart 733 (INT 1548) [*previous update 1162/26*] ETRS89 DATUM

Insert	depth, 179, and extend 20m contour S to enclose	(a)	56° 01'·449N., 3° 18'·491W.
Delete	depth, 28, close SW of:	(a)	above
Insert	circular limit of 0m low water line, radius 20m, centred on:		56° 01'·784N., 3° 17'·611W.
	depth, 21	(b)	56° 01'·798N., 3° 17'·520W.
Delete	depth, 28, close NW of:	(b)	above
Insert	depth, 71	(c)	56° 02'·061N., 3° 18'·233W.
Delete	depth, 81, close S of:	(c)	above
Insert	depth, 19, enclosed by 2m contour	(d)	56° 02'·124N., 3° 18'·080W.
Delete	depth, 25, close SE of:	(d)	above
Insert	depth, 119	(e)	56° 01'·874N., 3° 16'·789W.
Delete	depth, 133, close S of:	(e)	above
Insert	drying height, 09, enclosed by 0m low water line		56° 03'·350N., 3° 14'·278W.

Chart 734 (INT 1544) [*previous update 1657/26*] ETRS89 DATUM

Insert	depth, 93, and extend 10m contour NE to enclose	(a)	56° 00'·49N., 3° 06'·98W.
Delete	depth, 10, close SW of:	(a)	above
Insert	depth, 44, and extend 5m contour SW to enclose	(b)	56° 00'·77N., 3° 08'·91W.
Delete	depth, 51, close NE of:	(b)	above
Insert	depth, 47, and extend 5m contour W to enclose		56° 01'·48N., 3° 09'·40W.
	depth, 135, and extend 15m contour N to enclose	(c)	56° 06'·58N., 3° 06'·08W.
Delete	depth, 145, close S of:	(c)	above
Replace	depth, 77, with depth, 7		56° 03'·03N., 3° 11'·45W.

Chart 735 (INT 1545) (Panel, Leith) [*previous update 128/26*] ETRS89 DATUM

Insert	depth, 49, enclosed by 5m contour		55° 59'·680N., 3° 11'·231W.
	depth, 63	(a)	56° 00'·103N., 3° 12'·116W.
Delete	depth, 68, close SE of:	(a)	above

II

2219* SCOTLAND - East Coast - Depths. Drying contour. Drying heights. (continued)

Chart 735 (INT 1545) [*previous update 128/26*] ETRS89 DATUM

Insert	depth, 49, and extend 5m contour NW to enclose	(a)	55° 59'·68N., 3° 11'·23W.
Delete	depth, 57, close NW of:	(a)	above
Insert	depth, 63	(b)	56° 00'·10N., 3° 12'·12W.
Delete	depth, 64, close SW of:	(b)	above
Insert	depth, 52	(c)	56° 00'·78N., 3° 10'·80W.
Delete	depth, 58, close NE of:	(c)	above
Insert	depth, 44, enclosed by 5m contour	(d)	56° 00'·77N., 3° 08'·91W.
Delete	depth, 66, close SW of:	(d)	above
Insert	depth, 47, enclosed by 5m contour	(e)	56° 01'·48N., 3° 09'·40W.
Delete	depth, 55, close S of:	(e)	above
Insert	depth, 93, and extend 10m contour NE to enclose	(f)	56° 00'·49N., 3° 06'·98W.
Delete	depth, 10, close SW of:	(f)	above
Insert	depth, 7	(g)	56° 03'·03N., 3° 11'·45W.
Delete	depth, 77, close NW of:	(g)	above
Replace	depth, 133, with depth, 119		56° 01'·87N., 3° 16'·79W.

Chart 736 (INT 1546) [*previous update 1162/26*] ETRS89 DATUM

Insert	depth, 119	(a)	56° 01'·878N., 3° 16'·774W.
Delete	depth, 133, close E of:	(a)	above
Insert	depth, 21	(b)	56° 01'·798N., 3° 17'·520W.
Delete	depth, 39, close SW of:	(b)	above
Insert	circular limit of 0m low water line, radius 20m, centred on:	(c)	56° 01'·784N., 3° 17'·611W.
Delete	depth, 08, close SE of:	(c)	above
Insert	depth, 19, and extend 2m contour N to enclose		56° 02'·124N., 3° 18'·080W.
	depth, 179, and extend 20m contour S to enclose		56° 01'·449N., 3° 18'·491W.
	drying height, 02, and extend 0m low water line S to enclose	(d)	56° 01'·455N., 3° 23'·493W.
Delete	depth, 06, close S of:	(d)	above

Chart 741 (Panel D, Methil) [*previous update 334/25*] ETRS89 DATUM

Insert	depth, 56	(a)	56° 10'·424N., 3° 00'·079W.
Delete	depth, 63, close N of:	(a)	above

Chart 5615_13 [*previous update 2778/25*] ETRS89 DATUM

Insert	depth, 19, and extend 2m contour N to enclose		56° 02'·124N., 3° 18'·080W.
	circular limit of 0m low water line, radius 20m, centred on:	(a)	56° 01'·784N., 3° 17'·611W.
Delete	depth, 08, close SE of:	(a)	above
Insert	depth, 21	(b)	56° 01'·798N., 3° 17'·520W.
Delete	depth, 39, close SW of:	(b)	above
Insert	depth, 119	(c)	56° 01'·874N., 3° 16'·789W.
Delete	depth, 133, close E of:	(c)	above

II

2219* SCOTLAND - East Coast - Depths. Drying contour. Drying heights. (continued)

Chart 5615_14 [*previous update 1162/26*] ETRS89 DATUM

Insert	depth, 179, and extend 20m contour S to enclose	56° 01'·449N., 3° 18'·491W.
	circular limit of 0m low water line, radius 20m, centred on:	(a) 56° 01'·784N., 3° 17'·611W.
Delete	depth, 08, close SE of:	(a) above
Insert	depth, 21	(b) 56° 01'·798N., 3° 17'·520W.
Delete	depth, 39, close SW of:	(b) above
Insert	depth, 119	(c) 56° 01'·874N., 3° 16'·789W.
Delete	depth, 133, close E of:	(c) above
Insert	depth, 19, and extend 2m contour N to enclose	56° 02'·124N., 3° 18'·080W.

Chart 5615_15 [*previous update 1162/26*] ETRS89 DATUM

Insert	drying height, 02, and extend 0m low water line S to enclose	(a) 56° 01'·455N., 3° 23'·493W.
Delete	depth, 06, close S of:	(a) above

Chart 5615_12 [*previous update 5093/25*] ETRS89 DATUM

Insert	depth, 93, and extend 10m contour NE to enclose	(a) 56° 00'·49N., 3° 06'·98W.
Delete	depth, 10, close SW of:	(a) above
Insert	depth, 44, and extend 5m contour SW to enclose	(b) 56° 00'·77N., 3° 08'·91W.
Delete	depth, 51, close NE of:	(b) above
Insert	depth, 47, and extend 5m contour W to enclose	56° 01'·48N., 3° 09'·40W.
	depth, 135, and extend 15m contour N to enclose	(c) 56° 06'·58N., 3° 06'·08W.
Delete	depth, 145, close S of:	(c) above
Replace	depth, 77, with depth, 7	56° 03'·03N., 3° 11'·45W.

II

2230* ENGLAND - East Coast - Depths.

Source: ABP Humber

Chart 1188 (INT 1553) [*previous update 2054/26*] ETRS89 DATUM

Insert	depth, 49, enclosed by 5m contour	(a)	53° 35'·37N., 0° 02'·38E.
Delete	depth, 51, close SE of:	(a)	above
Insert	depth, 108	(b)	53° 34'·85N., 0° 02'·49E.
Delete	depth, 116, close N of:	(b)	above
Insert	depth, 116	(c)	53° 34'·41N., 0° 05'·18E.
Delete	depth, 102, close NW of:	(c)	above
	depth, 125, close SW of:	(c)	above
Insert	depth, 45, and extend 5m contour S to enclose	(d)	53° 33'·92N., 0° 04'·87E.
Delete	depth, 54, close SE of:	(d)	above
Replace	depth, 127, with depth, 121		53° 34'·51N., 0° 04'·75E.

Chart 5614_16 [*previous update 1757/26*] ETRS89 DATUM

Insert	depth, 49, enclosed by 5m contour	(a)	53° 35'·37N., 0° 02'·38E.
Delete	depth, 51, close SE of:	(a)	above
Insert	depth, 108	(b)	53° 34'·85N., 0° 02'·49E.
Delete	depth, 116, close N of:	(b)	above
Insert	depth, 116	(c)	53° 34'·41N., 0° 05'·18E.
Delete	depth, 102, close NW of:	(c)	above
	depth, 125, close SW of:	(c)	above
Insert	depth, 45, and extend 5m contour S to enclose	(d)	53° 33'·92N., 0° 04'·87E.
Delete	depth, 54, close SE of:	(d)	above
Replace	depth, 127, with depth, 121		53° 34'·51N., 0° 04'·75E.

II

2241 ENGLAND - East Coast - Obstructions.

Source: University of St Andrews

Chart 121 [*previous update 494/26*] ETRS89 DATUM

Insert  *Obstn* 54° 04'·68N., 0° 04'·26W.

Chart 129 [*previous update 1139/26*] ETRS89 DATUM

Insert  *Obstn* 54° 17'·22N., 0° 22'·50W.
54° 04'·68N., 0° 04'·26W.

Chart 134 [*previous update 1139/26*] ETRS89 DATUM

Insert  *Obstn* 54° 17'·22N., 0° 22'·50W.

Chart 152 (INT 1549) [*previous update 5824/25*] ETRS89 DATUM

Insert  *Obstn* 54° 43'·02N., 1° 11'·64W.

Chart 1612 (Panel A, Scarborough Bay) [*previous update 424/26*] ETRS89 DATUM

Insert  *Obstn* 54° 17'·220N., 0° 22'·500W.

Chart 1627 (INT 1551) (Panel A, Sunderland) [*previous update 85/26*] ETRS89 DATUM

Insert  *Obstn* 54° 54'·840N., 1° 20'·100W.

Chart 1882 (Panel B, Bridlington Bay) [*previous update 2610/25*] ETRS89 DATUM

Insert  *Obstn* 54° 04'·68N., 0° 04'·26W.

Chart 1935 [*previous update 1343/26*] ETRS89 DATUM

Insert  *Obstn* 54° 54'·84N., 1° 20'·10W.

Chart 2567 [*previous update 5851/24*] ETRS89 DATUM

Insert  *Obstn* 54° 43'·02N., 1° 11'·64W.

Chart 5614_23 (Panel C, Scarborough Bay) [*previous update 424/26*] ETRS89 DATUM

Insert  *Obstn* 54° 17'·220N., 0° 22'·500W.

Chart 5614_24 [*previous update 1139/26*] ETRS89 DATUM

Insert  *Obstn* 54° 17'·22N., 0° 22'·50W.

Chart 5614_22 (Panel A, Bridlington to Scarborough) [*previous update 1139/26*] ETRS89 DATUM

Insert  *Obstn* 54° 17'·22N., 0° 22'·50W.
54° 04'·68N., 0° 04'·26W.

Chart 5615_5 (Panel A, Hartlepool to Tynemouth) [*previous update 5606/25*] ETRS89 DATUM

Insert  *Obstn* 54° 43'·02N., 1° 11'·64W.

II

2276* ENGLAND - West Coast - Wind turbines.

Source: Orsted

Chart 1320 [*previous update 2115/26*] ETRS89 DATUM

Replace	symbol, wind turbine, Fl.Y.5s with symbol, wind turbine	54° 06'·23N., 3° 39'·28W.
		54° 00'·97N., 3° 31'·00W.

Chart 1826 (INT 1607) [*previous update 2115/26*] ETRS89 DATUM

Replace	symbol, wind turbine, Fl.Y.5s with symbol, wind turbine	54° 06'·23N., 3° 39'·28W.
---------	---	---------------------------

Chart 2010 (INT 1640) [*previous update 2140/26*] ETRS89 DATUM

Replace	symbol, wind turbine, Fl.Y.5s5M F01 with symbol, wind turbine	54° 00'·97N., 3° 31'·00W.
---------	---	---------------------------

Chart 5613_14 [*previous update 4472/25*] ETRS89 DATUM

Replace	symbol, wind turbine, Fl.Y.5s with symbol, wind turbine	54° 06'·23N., 3° 39'·28W.
		54° 00'·97N., 3° 31'·00W.

Chart 5613_1 [*previous update 2115/26*] ETRS89 DATUM

Replace	symbol, wind turbine, Fl.Y.5s with symbol, wind turbine	54° 06'·23N., 3° 39'·28W.
---------	---	---------------------------

II

2291 NORWEGIAN SEA - Depths.

Source: British Antarctic Survey

Chart 4006 [*previous update New Edition 27/10/2022*] WGS84 DATUM

Replace	depth, 123, with depth, 99, and extend 200m contour N to enclose	73° 31'·6N., 9° 07'·8W.
---------	---	-------------------------

Chart 4010 (INT 10) [*previous update New Edition 24/07/2025*] WGS84 DATUM

Insert	depth, 99, and extend 200m contour N to enclose	(a) 73° 31'·6N., 9° 07'·8W.
Delete	depth, 123, close S of:	(a) above

Chart 4100 (INT 100) [*previous update New Edition 26/06/2025*] WGS84 DATUM

Replace	depth, 161, with depth, 99	73° 31'·6N., 9° 07'·8W.
---------	----------------------------	-------------------------

Chart 4113 (INT 113) [*previous update 2002/26*] WGS84 DATUM

Replace	depth, 161, with depth, 99	73° 31'·6N., 9° 07'·8W.
---------	----------------------------	-------------------------

II

2252 POLAND - Obstruction. Wreck.

Source: ENC PL4MAP37

Chart 2677 (INT 1297) [*previous update 1814/26*] WGS84 DATUM

Replace

 *Obstn PA* with  *Wk*

53° 46′·93N., 14° 17′·53E.

II

2304 SWEDEN - West Coast - Submarine pipeline.

Source: Swedish Notice 1115/19941/26

Chart 869 (INT 1311) [*previous update 1798/26*] WGS84 DATUM

Insert submarine pipeline, , joining:

58° 14'·73N., 11° 27'·63E.

58° 14'·78N., 11° 27'·79E.

II

2312 POLAND - NM Block.

Source: Polish Notice 7/65/26 and ENC PL5GDYNA

Chart 2636 [*previous update 1151/26*] WGS84 DATUM

Insert the accompanying block, centred on:

54° 32'·2N., 18° 32'·1E.

II

2317 **RUSSIA - Baltic Sea Coast - Light.**

Source: Russian Notice 12/1101(T)/26

Chart 2364 [*previous update 5113/25*] WGS84 DATUM

Delete

★ Iso.G.6s9m

59° 52′·413N., 30° 12′·625E.

II

2298 NETHERLANDS - Light.

Source: Belgian Notice 9/105/26

Chart BE 11 [*previous update 2108/26*] WGS84 DATUM

Amend range of light to, 2M

51° 30'·28N., 3° 28'·41E.

Chart BE 101 (INT 1474) [*previous update 2108/26*] WGS84 DATUM

Amend range of light to, 2M

51° 30'·28N., 3° 28'·41E.

II

2306* GERMANY - North Sea Coast - Buoy.

Source: WSA Elbe-Nordsee 141/26

Chart DE 87 (INT 1413) [*previous update 2178/26*] WGS84 DATUM

Delete



Q(6)+LFl.15s HD S

54° 18′·35N., 6° 12′·82E.

II

2307* GERMANY - North Sea Coast - Buoyage. Depths.

Source: WSA Elbe-Nordsee, Survey LP30325/26, 142/26

Chart DE 42 (INT 1366) (Panel B, Brunsbüttel) [*previous update 1074/26*] WGS84 DATUM

Insert	symbol, yellow, red and yellow pillar light-buoy, <i>Fl.Y.4s</i>	53° 53' · 173N., 9° 11' · 221E.
	<i>Sperr-G</i>	53° 53' · 173N., 9° 11' · 851E.

Chart DE 44 (INT 1452) [*previous update 2168/26*] WGS84 DATUM

Insert	depth, <i>49</i> , enclosed by 5m contour	(a) 53° 51' · 31N., 8° 56' · 32E.
Delete	depth, <i>61</i> , close NE of:	(a) above

II

2311 NETHERLANDS - NM Blocks.

Source: Netherlands Notice 17/86/26

Chart 116 (INT 1477) (Panel A, Vlissingen) [*previous update 1967/26*] WGS84 DATUM

Insert the accompanying block A, centred on: 51° 26'·4N., 3° 34'·2E.

Chart 116 (INT 1477) [*previous update 1967/26*] WGS84 DATUM

Insert the accompanying block B, centred on: 51° 26'·4N., 3° 34'·2E.

II

2220 FRANCE - South Coast - Buoy.

Source: French Notice 10/83/26

Note: This update is included in New Edition 166 published early 2026.

Chart 1705 [*previous update 1160/26*] WGS84 DATUM

Delete

 *Fl(5)Y.20s EOLBIO*

43° 01'·8N., 3° 17'·6E.

II

2223 ITALY - East Coast - Coastline. Maritime limit. Legend.

Source: Italian Notice 2.9/26

Chart 1545 [*previous update 5588/25*] WGS84 DATUM

Insert	coastline, single firm line, joining:	(a) 40° 38'·827N., 17° 57'·723E. 40° 38'·930N., 17° 57'·690E. 40° 38'·932N., 17° 57'·700E.
Delete	former coastline, single firm line, joining:	(b) 40° 38'·828N., 17° 57'·731E. (a) above (b) above
Insert	maritime limit, pecked line, joining:	(c) 40° 38'·823N., 17° 57'·702E. (d) 40° 38'·927N., 17° 57'·669E. (e) 40° 38'·935N., 17° 57'·670E. (f) 40° 38'·942N., 17° 57'·676E. (g) 40° 38'·946N., 17° 57'·685E. (h) 40° 38'·948N., 17° 57'·695E. (i) 40° 38'·948N., 17° 57'·705E. (j) 40° 38'·944N., 17° 57'·715E. (k) 40° 38'·937N., 17° 57'·720E. (l) 40° 38'·833N., 17° 57'·752E.
	legend, <i>Unsurveyed</i> , within:	(c)-(l) above

II

2237 TÜRKİYE - Marmara Denizi - Submarine cable.

Source: Turkish Notice 7/49/26

Chart 224 [*previous update 1739/26*] WGS84 DATUM

Insert submarine cable, , joining:

40° 45'·4N., 29° 23'·0E.
40° 42'·9N., 29° 22'·3E.
40° 42'·6N., 29° 22'·3E.
40° 42'·1N., 29° 22'·0E.
40° 41'·8N., 29° 21'·8E.
40° 41'·6N., 29° 22'·0E.

Chart 224 (Continuation to İzmit) [*previous update 1739/26*] WGS84 DATUM

Insert submarine cable, , joining:

40° 45'·4N., 29° 23'·0E.
40° 42'·9N., 29° 22'·3E.
40° 42'·6N., 29° 22'·3E.
40° 42'·1N., 29° 22'·0E.
40° 41'·8N., 29° 21'·8E.
40° 41'·6N., 29° 22'·0E.

Chart 497 (Panel A, Tuzla to İzmit) [*previous update 2042/26*] WGS84 DATUM

Insert submarine cable, , joining:

40° 45'·31N., 29° 22'·94E.
40° 45'·15N., 29° 22'·89E.
40° 44'·97N., 29° 22'·85E.
40° 44'·84N., 29° 22'·72E.
40° 44'·69N., 29° 22'·80E.
40° 44'·49N., 29° 22'·74E.
40° 44'·06N., 29° 22'·60E.
40° 43'·44N., 29° 22'·46E.
40° 42'·87N., 29° 22'·32E.
40° 42'·65N., 29° 22'·34E.
40° 41'·99N., 29° 21'·84E.
40° 41'·82N., 29° 21'·79E.
40° 41'·62N., 29° 22'·00E.
40° 41'·61N., 29° 22'·00E.

II

2244 TÜRKIYE - South Coast - Light.

Source: ENC TR2K0000

Note: This update is included in New Edition 236, published early 2026.

Chart 1055 [*previous update 2138/26*] WGS84 DATUM

Amend range of light to, 8M 36° 39′·48N., 27° 40′·73E.

Chart 1095 [*previous update 1080/26*] WGS84 DATUM

Amend range of light to, 8M 36° 39′·5N., 27° 40′·7E.

Chart 1099 [*previous update 1217/26*] WGS84 DATUM

Amend range of light to, 8M 36° 39′·5N., 27° 40′·7E.

II

2245 TÜRKIYE - South Coast - Buoyage. Light.

Source: Turkish Notice 7/53/26

Note: Radar beacon remains unchanged.

Chart 246 (INT 3660) [previous update 1610/26] WGS84 DATUM

Amend light to, Fl(4)Y.3M & Mo(U)20s 36° 51'·89N., 35° 56'·72E.

Chart 247 (INT 3794) [previous update 2172/26] WGS84 DATUM

Insert  Fl.Y.4s3M (a) 36° 52'·25N., 35° 55'·92E.

Delete  Fl.Y.4s5M, close S of: (a) above

Amend light to, Fl(4)Y.10s10m3M & Mo(U)20s 36° 51'·89N., 35° 56'·72E.

II

2246 TÜRKIYE - Black Sea Coast - Light.
Source: Turkish Notice 9/60/26

Chart 2237 [*previous update New Edition 26/02/2026*] WGS84 DATUM

Insert

★ Fl.G.3s5M

42° 01'·3N., 35° 08'·6E.

II

2247 TÜRKIYE - West Coast - Buoyage.

Source: Turkish Notice 9/63/26

Chart 1522 (INT 3785) [*previous update New Edition 05/03/2026*] WGS84 DATUM

Insert



Fl(2)R.5s5M

(a) 38° 26′·80N., 27° 06′·75E.

Delete



Fl(2)5s3m3M, close E of:

(a) above

II

2267 ITALY - East Coast - Wreck.

Source: Italian Notice 1.12/26

Chart 204 [*previous update 2150/26*] WGS84 DATUM

Replace  Wk with  Wk

44° 28'·1N., 12° 33'·5E.

Chart 220 [*previous update 2148/26*] WGS84 DATUM

Replace  Wk with  Wk

44° 28'·1N., 12° 33'·5E.

Chart 1467 [*previous update 2148/26*] WGS84 DATUM

Replace  Wk with  Wk

44° 28'·11N., 12° 33'·51E.

II

2273 CROATIA - Depth.

Source: Croatian Notice 3/5/26

Chart 515 [*previous update 2155/26*] WGS84 DATUM

Replace depth, 16, with depth, 126

44° 17'·65N., 14° 41'·31E.

II

2281 CROATIA - Submarine power cable.

Source: Croatian Notice 2/9/26

Chart 2712 [*previous update 1829/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

43° 27'·01N., 16° 08'·33E.

43° 27'·25N., 16° 07'·96E.

43° 28'·45N., 16° 07'·41E.

43° 28'·48N., 16° 07'·30E.

Chart 2774 [*previous update 2155/26*] WGS84 DATUM

Insert submarine power cable,  , joining:

43° 27'·01N., 16° 08'·33E.

43° 27'·25N., 16° 07'·96E.

43° 28'·45N., 16° 07'·41E.

43° 28'·48N., 16° 07'·30E.

II

2278 GABON - Obstruction. Legend.

Source: French Notice 10/170/26

Chart 1322 (Panel E, Port Gentil) [*previous update 621/26*] WGS84 DATUM

Insert



0° 42'·55S., 8° 47'·29E.

II

2258* UNITED ARAB EMIRATES - Maritime limits. Legends. Notes.

Source: ADNOC

Note: This update is included in New Editions 2444, 2886, 3178 and 3179, published mid 2026.

Chart 2443 (INT 7238) [previous update 32/26] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 24° 48'·94N., 53° 11'·04E. 24° 48'·92N., 53° 08'·23E. 24° 49'·01N., 53° 04'·90E.
Amend	legend to, <i>Das / Zirkū VTS (see Note)</i> , centred on:	25° 24'·25N., 53° 15'·98E. 25° 22'·64N., 53° 06'·28E. 25° 09'·22N., 53° 28'·97E. 25° 07'·06N., 53° 04'·37E. 25° 02'·69N., 53° 11'·74E. 24° 56'·44N., 53° 18'·69E. 24° 54'·44N., 53° 16'·95E.
Replace	legend to, <i>Mubarraz VTS (see Note)</i> , centred on: the existing note with the accompanying note, VESSEL REPORTING, centred on:	25° 17'·44N., 54° 16'·85E.
Delete	former maritime limit, pecked line, joining:	(a) above 24° 48'·94N., 53° 04'·75E. 24° 50'·62N., 53° 03'·00E.

Chart 2887 (INT 7232) [previous update 959/26] WGS84 DATUM

Amend	legend to, <i>Das/Zirkū VTS (see Note)</i> , centred on:	25° 15'·4N., 52° 51'·5E. 25° 12'·1N., 53° 03'·0E. 25° 09'·0N., 53° 28'·6E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	27° 02'·0N., 54° 02'·8E.

Chart 2889 (INT 7211) [previous update 1126/26] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 24° 26'·8N., 52° 46'·6E. 24° 54'·4N., 52° 59'·0E.
Amend	legend to, <i>Das/Zirkū VTS (see Note)</i> , centred on:	25° 15'·4N., 52° 51'·7E. 25° 04'·4N., 53° 06'·1E. 25° 04'·4N., 53° 26'·7E.
	legend to, <i>Jebel Dhanna/Ruwais VTS (see Note)</i> , centred on:	24° 46'·8N., 52° 43'·8E. 24° 17'·3N., 52° 46'·3E.
	legend to, <i>Mubarraz VTS (see Note)</i> , centred on:	24° 44'·1N., 53° 25'·7E. 24° 41'·8N., 53° 23'·8E. 24° 24'·4N., 53° 33'·7E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	24° 08'·3N., 54° 43'·0E.
Delete	former maritime limit, pecked line, joining:	(a) above 24° 36'·8N., 52° 46'·6E. 24° 54'·0N., 52° 59'·1E. 24° 57'·5N., 52° 55'·9E.

II

2258* UNITED ARAB EMIRATES - Maritime limits. Legends. Notes. (continued)

Chart 3177 (INT 7222) [previous update 11/29/26] WGS84 DATUM

Amend	legend to, <i>Mubarraz VTS (see Note)</i> , centred on:	24° 39'·15N., 53° 35'·27E. 24° 36'·80N., 53° 32'·41E. 24° 29'·81N., 53° 32'·57E. 24° 24'·22N., 53° 35'·89E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	24° 07'·00N., 54° 41'·82E.

Chart 3413 (INT 7227) (Panel C, Approaches to Jazīrat Dās) [previous update 2061/25] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 25° 09'·68N., 52° 48'·10E. 25° 12'·72N., 52° 48'·01E.
Amend	legend to, <i>Das/Zirkū VTS (see Note) and Port Limit</i> , centred on:	25° 08'·79N., 52° 48'·18E.
Delete	former maritime limit, pecked line, joining:	(a) above 25° 12'·72N., 52° 48'·10E.

Chart 3413 (INT 7227) (Panel E, Mubarraz) [previous update 2061/25] WGS84 DATUM

Amend	legend to, <i>Mubarraz VTS (see Note) and Port Limit</i> , centred on:	24° 28'·63N., 53° 36'·00E. 24° 24'·16N., 53° 34'·61E.
	legend to, <i>Mubarraz VTS (see Note)</i> , centred on:	24° 33'·69N., 53° 42'·32E. 24° 33'·45N., 53° 37'·81E. 24° 28'·32N., 53° 36'·70E. 24° 26'·24N., 53° 39'·66E. 24° 24'·21N., 53° 36'·97E.
Replace	the existing note with the accompanying note, VESSEL REPORTING	within title panel

Chart 3778 [previous update New Edition 17/07/2025] WGS84 DATUM

Amend	legend to, <i>Jebel Dhanna/Ruwais VTS (see Note) and Port Limit</i> , centred on:	24° 15'·55N., 52° 37'·61E. 24° 13'·16N., 52° 46'·58E. 24° 09'·37N., 52° 48'·17E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	24° 07'·62N., 52° 35'·76E.

Chart 3780 [previous update New Edition 17/07/2025] WGS84 DATUM

Insert	maritime limit, pecked line, joining:	(a) 24° 26'·80N., 52° 46'·60E. (b) 24° 28'·90N., 52° 47'·54E.
Amend	legend, <i>Jebel Dhanna / Ruwais VTS (see Note)</i> , along: legend to, <i>Jebel Dhanna / Ruwais VTS (see Note)</i> , centred on: legend to, <i>Jebel Dhanna / Ruwais VTS (see Note) and Port Limit</i> , centred on:	(a)-(b) above 24° 27'·91N., 52° 32'·36E. 24° 24'·84N., 52° 33'·64E. 24° 17'·09N., 52° 46'·56E. 24° 15'·80N., 52° 37'·71E. 24° 10'·04N., 52° 48'·15E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	24° 07'·00N., 52° 37'·42E.
Delete	former maritime limit, pecked line, and associated legend, <i>Jebel Dhanna / Ruwais VTS (see Note)</i> , joining:	(a) above 24° 33'·00N., 52° 46'·60E.

II

2258* UNITED ARAB EMIRATES - Maritime limits. Legends. Notes. (continued)

Chart 3796 [*previous update 3829/25*] WGS84 DATUM

Amend	legend to, <i>Jebel Dhanna/Ruwais VTS (see Note) and Port Limit</i> , centred on:	24° 11'·688N., 52° 46'·586E. 24° 09'·418N., 52° 48'·182E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	24° 11'·023N., 52° 47'·405E.

Chart 3951 (INT 7241) [*previous update 266/26*] WGS84 DATUM

Amend	legend to, <i>Jebel Dhanna / Ruwais VTS (see Note)</i> , centred on:	24° 34'·59N., 52° 29'·06E.
	legend to, <i>Jebel Dhanna / Ruwais VTS (see Note) and Port Limit</i> , centred on:	24° 14'·14N., 52° 37'·52E.
Replace	the existing note with the accompanying note, VESSEL REPORTING, centred on:	24° 03'·71N., 51° 31'·98E.

II

2318 OMAN - Buoyage.

Source: Omani Notice 2/4/26

Chart 3522 [*previous update 2007/26*] WGS84 DATUM

Insert

 *Fl.Y.3s*

23° 37'·01N., 58° 25'·04E.

 *Fl(2)Y.6s*

23° 36'·81N., 58° 24'·88E.

II

2292 INDIAN OCEAN - Andaman Islands - Depths.

Source: ENC IN3403AA

Chart IN 33 (INT 755) [*previous update 1851/26*] WGS84 DATUM

Insert	depth, 32, enclosed by 50m contour	(a)	12° 51'·7N., 92° 31'·3E.
Delete	depth, 52, close NE of:	(a)	above
Insert	depth, 91, enclosed by 10m contour	(b)	12° 40'·6N., 92° 38'·9E.
Delete	depth, 40, close SE of:	(b)	above
Insert	depth, 50, enclosed by 50m contour	(c)	12° 38'·7N., 92° 32'·5E.
Delete	depth, 68, close SE of:	(c)	above
Insert	depth, 33, enclosed by 50m contour		12° 28'·1N., 92° 36'·3E.
Replace	depth, 53, with depth, 225, and extend 50m contour W to enclose		12° 31'·6N., 92° 21'·4E.

Chart IN 473 (INT 7031) [*previous update 1851/26*] WGS84 DATUM

Insert	depth, 32, enclosed by 50m contour	(a)	12° 51'·7N., 92° 31'·3E.
Delete	depth, 57, close NW of:	(a)	above
Insert	depth, 36, enclosed by 50m contour	(b)	12° 48'·9N., 92° 32'·8E.
Delete	depth, 88, close SW of:	(b)	above
Insert	depth, 91, enclosed by 10m contour	(c)	12° 40'·6N., 92° 38'·9E.
Delete	depth, 36, close E of:	(c)	above
	depth, 35, close N of:	(c)	above
Insert	depth, 40, enclosed by 50m contour		12° 39'·5N., 92° 36'·5E.
	depth, 50, enclosed by 50m contour	(d)	12° 38'·7N., 92° 32'·5E.
Delete	depth, 68, close SE of:	(d)	above
Insert	depth, 14, enclosed by 20m contour	(e)	12° 38'·2N., 92° 38'·5E.
Delete	depth, 40, close NE of:	(e)	above
Insert	depth, 285, enclosed by 30m contour	(f)	12° 33'·0N., 92° 36'·9E.
Delete	depth, 80, close NW of:	(f)	above
Insert	depth, 225, enclosed by 30m contour	(g)	12° 31'·6N., 92° 21'·4E.
Delete	depth, 53, close NW of:	(g)	above
Insert	depth, 58	(h)	12° 30'·6N., 92° 32'·8E.
Delete	depth, 80, close E of:	(h)	above
Insert	depth, 192, enclosed by 20m contour		12° 28'·6N., 92° 38'·5E.
	depth, 33, enclosed by 50m contour		12° 28'·1N., 92° 36'·3E.
	depth, 215, enclosed by 30m contour	(i)	12° 24'·5N., 92° 40'·8E.
Delete	depth, 62, close SW of:	(i)	above

II

2310 INDIA - West Coast - Harbour limits. Legends.

Source: Indian Notice 4/53/26

Chart IN 223 [*previous update 5817/25*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	8° 25'·00N., 78° 11'·66E.
		(b)	8° 24'·33N., 78° 13'·33E.
		(c)	8° 14'·33N., 78° 05'·42E.
		(d)	8° 18'·90N., 77° 57'·45E.
Delete	legend, <i>Port of Udangudi</i> , along NW side of: former harbour limit, pecked line, and associated legend, <i>Limit of Port of Manappād</i> , joining:	(b)-(c) above	
		8° 21'·69N., 78° 02'·18E.	
		8° 19'·08N., 78° 04'·96E.	
		8° 18'·05N., 77° 58'·92E.	
		8° 21'·20N., 78° 00'·84E.	

Chart IN 262 (INT 7365) [*previous update New Edition 15/03/2024*] WGS84 DATUM

Insert	harbour limit, pecked line, joining:	(a)	8° 27'·5N., 78° 05'·7E.
		(b)	8° 24'·3N., 78° 13'·3E.
		(c)	8° 14'·3N., 78° 05'·4E.
		(d)	8° 18'·9N., 77° 57'·4E.
Delete	legend, <i>Port of Udangudi</i> , along NW side of: former harbour limit, pecked line, and associated legend, <i>Limit of Port of Manappad</i> , joining:	(b)-(c) above	
		8° 21'·7N., 78° 02'·2E.	
		8° 19'·1N., 78° 05'·0E.	
		8° 18'·1N., 77° 58'·9E.	
		8° 21'·2N., 78° 00'·8E.	

II

2277 INDONESIA - Sumatera - Depths. Wreck.

Source: ENC's ID300052 and ENC ID4052R2

Note: Former Notice 104(T)/23 is cancelled.

Chart 3471 [*previous update 1259/26*] WGS84 DATUM

Insert	depth, 235	(a)	2° 05'·48S., 105° 03'·39E.
Delete	depth, 26, close NE of:	(a)	above
Insert	depth, 03, and extend 5m contour SE to enclose	(b)	2° 05'·17S., 105° 09'·95E.
Delete	depth, 59, close SE of:	(b)	above
Insert			2° 42'·37S., 105° 51'·26E.

Chart 3471 (Panel, Pelabuhan Pangkalbalam) [*previous update 1259/26*] WGS84 DATUM

Insert	depth, 16, enclosed by 2m contour		2° 08'·93S., 106° 15'·15E.
	depth, 04, enclosed by 2m contour	(a)	2° 09'·33S., 106° 15'·24E.
Delete	depth, 108, close NW of:	(a)	above
Insert	depth, 34, enclosed by 5m contour	(b)	2° 09'·69S., 106° 14'·32E.
Delete	depth, 6, close SE of:	(b)	above

II

2319 MALACCA STRAIT - Submarine cable.

Source: ENC's MS4IK2RL, MS3IK2EB, MS3RS2FC and MS3OF2TT

Note: This update is included in New Edition 2139, published mid 2026.

Chart 1140 [*previous update 5201/24*] WGS84 DATUM

Insert submarine cable, , joining:

2° 30'·59N., 101° 36'·00E.
2° 30'·55N., 101° 36'·05E.
2° 30'·27N., 101° 36'·50E.
2° 29'·89N., 101° 36'·87E.
2° 29'·61N., 101° 37'·19E.
2° 29'·13N., 101° 37'·92E.
2° 29'·00N., 101° 38'·17E.

Chart 1141 [*previous update 5201/24*] WGS84 DATUM

Insert submarine cable, , joining:

2° 09'·50N., 102° 02'·71E.
2° 08'·95N., 102° 03'·40E.
2° 08'·89N., 102° 03'·45E.

Chart 1146 [*previous update 5042/25*] WGS84 DATUM

Insert submarine cable, , joining:

2° 24'·61N., 101° 43'·60E.
2° 23'·85N., 101° 44'·44E.
2° 23'·54N., 101° 45'·28E.
2° 21'·63N., 101° 47'·80E.
2° 21'·05N., 101° 48'·31E.
2° 20'·79N., 101° 48'·74E.
2° 20'·01N., 101° 49'·69E.
2° 19'·36N., 101° 50'·05E.
2° 17'·92N., 101° 52'·30E.
2° 16'·54N., 101° 53'·62E.
2° 16'·13N., 101° 53'·68E.
2° 15'·20N., 101° 55'·01E.
2° 15'·12N., 101° 55'·74E.
2° 14'·69N., 101° 56'·62E.
2° 12'·70N., 101° 58'·85E.

Chart 2403 [*previous update 1754/26*] WGS84 DATUM

Insert submarine cable, , joining:

1° 19'·36N., 103° 20'·89E.
1° 18'·93N., 103° 21'·38E.
1° 18'·27N., 103° 21'·92E.
1° 17'·44N., 103° 22'·46E.
1° 15'·45N., 103° 24'·44E.
1° 14'·75N., 103° 25'·40E.
1° 13'·81N., 103° 29'·35E.

II

2319 MALACCA STRAIT - Submarine cable. (continued)

Chart 3833 [*previous update 2093/26*] WGS84 DATUM

Insert submarine cable, , joining:

1° 23'·44N., 103° 16'·87E.
 1° 20'·80N., 103° 19'·25E.
 1° 18'·56N., 103° 21'·76E.
 1° 17'·44N., 103° 22'·46E.
 1° 16'·21N., 103° 23'·80E.
 1° 14'·97N., 103° 24'·96E.
 1° 12'·97N., 103° 32'·50E.
 1° 13'·18N., 103° 32'·83E.
 1° 12'·67N., 103° 34'·28E.
 1° 12'·82N., 103° 34'·38E.
 1° 12'·70N., 103° 34'·42E.
 1° 12'·46N., 103° 35'·20E.
 1° 12'·48N., 103° 35'·91E.
 1° 12'·67N., 103° 36'·72E.
 1° 13'·03N., 103° 36'·90E.

Chart 3902 [*previous update 2092/26*] WGS84 DATUM

Insert submarine cable, , joining:

2° 41'·2N., 101° 22'·4E.
 2° 38'·6N., 101° 26'·6E.
 2° 36'·4N., 101° 29'·3E.
 2° 36'·0N., 101° 29'·3E.
 2° 34'·3N., 101° 32'·1E.
 2° 33'·0N., 101° 33'·7E.

Chart 3946 [*previous update 2092/26*] WGS84 DATUM

Insert submarine cable, , joining:

2° 41'·18N., 101° 22'·41E.
 2° 38'·55N., 101° 26'·56E.
 2° 36'·43N., 101° 29'·27E.
 2° 35'·99N., 101° 29'·31E.
 2° 32'·54N., 101° 33'·85E.
 2° 16'·58N., 101° 53'·57E.
 2° 16'·13N., 101° 53'·68E.
 2° 15'·20N., 101° 55'·01E.
 2° 15'·12N., 101° 55'·74E.
 2° 14'·69N., 101° 56'·62E.
 2° 07'·34N., 102° 05'·24E.
 2° 05'·76N., 102° 06'·69E.
 2° 05'·00N., 102° 08'·11E.
 2° 00'·50N., 102° 13'·60E.

II

2319 MALACCA STRAIT - Submarine cable. (continued)

Chart 3947 [*previous update 2092/26*] WGS84 DATUM

Insert submarine cable, , joining:

2° 15'·00N., 101° 56'·03E.
2° 14'·69N., 101° 56'·62E.
2° 07'·34N., 102° 05'·24E.
2° 05'·76N., 102° 06'·69E.
2° 05'·00N., 102° 08'·11E.
1° 56'·84N., 102° 18'·19E.
1° 47'·25N., 102° 39'·16E.
1° 46'·52N., 102° 41'·89E.
1° 37'·93N., 103° 00'·38E.
1° 30'·27N., 103° 10'·68E.
1° 15'·04N., 103° 24'·77E.
1° 12'·97N., 103° 32'·50E.
1° 13'·18N., 103° 32'·83E.
1° 12'·75N., 103° 34'·00E.


II

2217 TAIWAN - NM Block. Wrecks. Virtual aid to navigation. Obstruction. Depth.

Source: UKHO

Note: This update is included in New Edition 2376, published mid 2026.

Chart 3230 [previous update 772/26] WGS84 DATUM

Insert	the accompanying block, centred on:	22° 29'·6N., 120° 18'·2E.
	depth, 87 , and extend 10m contour NE to enclose	22° 37'·09N., 120° 15'·26E.
	 (a)	22° 36'·49N., 120° 12'·44E.
	symbol, Virtual aid to navigation, X-Shape topmark , V-AIS, out of position, at wreck	(a) above
Delete		22° 35'·88N., 120° 15'·10E.
		22° 36'·33N., 120° 12'·44E.

II

2229 CHINA - East Coast - Wreck.

Source: Chinese Notice 3/66/26

Note: This update is included in New Edition 1759, published mid 2026.

Chart 2412 [*previous update 1813/26*] WGS84 DATUM

Insert

 *Rep(2025) PA*

28° 43' · 1N., 122° 42' · 5E.

Chart 4509 (INT 509) [*previous update 2154/26*] WGS84 DATUM

Insert



28° 43' · 1N., 122° 42' · 5E.

II

2238 CHINA - East Coast - Virtual aids to navigation.

Source: Chinese Notice 10/237/26

Chart 1126 [*previous update 1491/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, port lateral topmark, V-AIS	29° 49'·27N., 122° 08'·43E.
		29° 47'·87N., 122° 07'·95E.
	symbol, Virtual aid to navigation, starboard lateral topmark, V-AIS	29° 41'·06N., 122° 20'·03E.

Chart 1130 [*previous update 1491/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, port lateral topmark, V-AIS	29° 49'·27N., 122° 08'·43E.
--------	--	-----------------------------

II

2248 CHINA - East Coast - Light-beacon.

Source: Chinese Notice 8/195/26

Chart 2401 [*previous update 1488/26*] CGCS 2000 DATUM

Delete



VQ(9)10s4M

25° 45′·16N., 119° 39′·49E.

II

2251 TAIWAN - Buoy.

Source: Taiwanese Notice 29/26

Chart 3658 (Panel, Taipei Port) [*previous update 1813/26*] WGS84 DATUM

Delete

 *Fl.R. 5s*

25° 09′·24N., 121° 22′·72E.

II

2265 CHINA - Yellow Sea Coast - Depths. Legend. Note.

Source: Chinese Charts 12110 and 12131

Chart 1254 [previous update 857/26] CGCS 2000 DATUM

Insert	depth, 56	(a)	37° 27'·8N., 122° 42'·7E.
Delete	depth, 86, close SE of:	(a)	above

Chart 1255 [previous update 1481/26] CGCS 2000 DATUM

Insert	depth, 56	(a)	37° 27'·8N., 122° 42'·7E.
Delete	depth, 78, close N of:	(a)	above

Chart 1289 [previous update 857/26] CGCS 2000 DATUM

Insert	the accompanying note, MARINE FARMS, centred on:	37° 08'·94N., 122° 08'·89E.
	legend, <i>Marine Farms (see Note)</i> , centred on:	37° 31'·04N., 122° 21'·37E.
	depth, 56	(a) 37° 27'·85N., 122° 42'·72E.
Delete	depth, 86, close SE of:	(a) above
Insert	depth, 71	(b) 37° 07'·97N., 122° 34'·49E.
Delete	depth, 82, close S of:	(b) above
Insert	depth, 15	(c) 37° 03'·48N., 122° 33'·36E.
Delete	depth, 29, close S of:	(c) above

II

2282 TAIWAN - Virtual aids to navigation.

Source: Taiwanese Notice 11(T)26

Note: This update is included in New Edition 1760, published mid 2026.

Chart 3231 [previous update 2213/26] WGS84 DATUM

Insert	symbol, Virtual aid to navigation, V-AIS	24° 24'·96N., 120° 00'·41E. 24° 24'·93N., 120° 09'·12E. 24° 24'·02N., 120° 09'·34E. 24° 23'·00N., 120° 09'·05E. 24° 22'·96N., 120° 04'·09E. 24° 21'·73N., 120° 08'·68E. 24° 21'·27N., 120° 07'·85E.
	symbol, Virtual aid to navigation, north cardinal topmark, V-AIS	24° 24'·95N., 120° 04'·77E.
	symbol, Virtual aid to navigation, east cardinal topmark, V-AIS	24° 24'·78N., 120° 09'·56E.
	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS	24° 24'·67N., 120° 00'·33E.
	symbol, Virtual aid to navigation, south cardinal topmark, V-AIS	24° 21'·23N., 120° 08'·53E.

II

2283 CHINA - East Coast - Light-beacon.

Source: Chinese Notice 3/70/26

Note: This update is included in New Edition 1754, published mid 2026.

Chart 2400 [*previous update 1488/26*] CGCS 2000 DATUM

Insert



Mo(U)15s33m5M T1

26° 35′·07N., 120° 15′·81E.

II

2284 VIETNAM - Depths.

Source: ENC V14N0002

Chart 3992 [*previous update 1416/26*] CGCS 2000 DATUM

Insert depth, 57

(a) 21° 23'·17N., 108° 01'·04E.

Delete depth, 64, close S of:

(a) above

II

2305 CHINA - Bo Hai - Obstructions. Wreck. Depths. Rock. Drying height.

Source: Chinese Notice 15/366/26

Chart 1249 [previous update 2214/26] CGCS 2000 DATUM

Insert	 <i>Obstn</i>	39° 53'·4N., 119° 45'·3E.
	 <i>Obstn</i>	39° 47'·8N., 119° 35'·5E.
		39° 44'·4N., 119° 29'·0E.
Delete	 <i>Obstn</i> , with drying height, <i>11</i>	39° 56'·9N., 119° 50'·8E.

Chart 1252 [previous update 2214/26] CGCS 2000 DATUM

Insert	 <i>Obstn</i>	39° 47'·84N., 119° 35'·48E.
	depth, <i>122</i> , with seabed type, <i>R</i>	(a) 39° 55'·86N., 119° 50'·08E.
Delete	depth, <i>133</i> , close E of:	(a) above
Insert	 <i>Obstn</i>	(b) 39° 53'·44N., 119° 45'·30E.
Delete	depth, <i>133</i> , close NW of:	(b) above
Replace	 <i>Obstn</i> with  <i>Obstn</i>	39° 52'·62N., 119° 38'·61E.
Delete	 <i>Obstn</i>	39° 56'·99N., 119° 49'·49E.
	 <i>Obstn</i> , with drying height, <i>11</i>	39° 56'·92N., 119° 50'·84E.
	 <i>Obstn</i>	39° 52'·16N., 119° 42'·26E.

II

2309 CHINA - South Coast - NM Blocks. Depths. Maritime limit. Legend.

Source: UKHO

Chart 344 [*previous update 1564/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	22° 53'·8N., 113° 34'·7E.
	depth, 9	(a) 22° 51'·82N., 113° 33'·19E.
Delete	depth, 97, close SW of:	(a) above
Insert	maritime limit, double pecked line, width 100m, joining:	(b) 22° 51'·05N., 113° 33'·27E.
	legend, Bridge under construction (2026), within:	(c) 22° 51'·41N., 113° 34'·55E.
	depth, 128	(b)-(c) above
Delete	depth, 132, close SE of:	(d) 22° 50'·30N., 113° 34'·38E.
Insert	depth, 116	(d) above
Delete	depth, 125, close NE of:	(e) 22° 50'·18N., 113° 34'·93E.
Insert	depth, 19, and extend 2m contour SE to enclose	(e) above
Delete	depth, 43, close SW of:	(f) 22° 46'·08N., 113° 39'·43E.
		(f) above

Chart 346 [*previous update 2084/26*] CGCS 2000 DATUM

Insert	the accompanying block, centred on:	22° 53'·8N., 113° 34'·3E.
--------	-------------------------------------	---------------------------

II

2314 CHINA - East Coast - Light-beacons. Wind farm. Legend.

Source: Chinese Notice 3/72/26 and UKHO

Note: This update is included in New Edition 1761, published mid 2026.

Chart 1716 [previous update 495/26] CGCS 2000 DATUM

Delete	 Fl(2)5s14m4M	25° 03'·95N., 119° 16'·90E.
	 Fl(2)5s13m4M	(a) 25° 08'·25N., 119° 12'·36E.
	circular limit of wind farm, radius 800m, pecked line, and associated legend, Wind farm under construction (2014), centred on:	
		(a) above

Chart 2401 [previous update 2248/26] CGCS 2000 DATUM

Delete	 Fl(2)5s14m4M	25° 08'·25N., 119° 12'·37E.
--------	--	-----------------------------

II

2316 CHINA - Yellow Sea Coast - Lights. Virtual aids to navigation.

Source: Chinese Notice 8/193/26

Chart 1201 [*previous update 1836/26*] CGCS 2000 DATUM

Insert	★ Iso.G.6s7M	35° 12′·52N., 119° 24′·25E.
	★ Iso.R.6s7M	35° 12′·32N., 119° 23′·93E.
	symbol, Virtual aid to navigation, south cardinal topmark, V-AIS	35° 07′·77N., 119° 37′·75E.
		35° 07′·66N., 119° 36′·64E.
	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS	35° 07′·45N., 119° 38′·41E.

Chart 1253 [*previous update 1836/26*] CGCS 2000 DATUM

Insert	symbol, Virtual aid to navigation, south cardinal topmark, V-AIS, out of position	35° 07′·7N., 119° 36′·6E.
	symbol, Virtual aid to navigation, west cardinal topmark, V-AIS	35° 07′·4N., 119° 38′·4E.

II

2321 CHINA - South Coast - Wreck.

Source: Chinese Notice 15/376/26

Chart 3992 [*previous update 2284/26*] CGCS 2000 DATUM

Insert



21° 24'·16N., 108° 34'·31E.

II

2233 KOREA - East Coast - NM Block.

Source: Korean Notices 3/30/26 and 7/74/26

Chart 898 (Panel A, Ulsan and Mipo) [*previous update 1843/26*] WGS84 DATUM

Insert the accompanying block, centred on: 35° 30'·2N., 129° 23'·0E.

II

2236 MALAYSIA - Sabah - NM Block.

Source: Malaysian Chart 88

Chart 4448 [*previous update 2078/22*] WGS84 DATUM

Insert the accompanying block, centred on:

5° 26′·0N., 119° 12′·9E.

II

2263 INDONESIA - Java Sea - Depths. Wreck. Rock.

Source: ENC ID400064

Chart 2137 [*previous update 5758/24*] WGS84 DATUM

Insert	depth, 23	2° 36'·29S., 107° 11'·70E.
	depth, 191, and extend 20m contour W to enclose	(a) 2° 48'·51S., 107° 20'·86E.
Delete	depth, 25, close S of:	(a) above
Insert	depth, 21	(b) 2° 59'·52S., 107° 15'·18E.
Delete	depth, 32, close N of:	(b) above
Insert		3° 05'·36S., 107° 21'·65E.
		3° 05'·53S., 107° 22'·34E.
Replace	depth, 35, with depth, 24	3° 00'·50S., 107° 16'·56E.

Chart 2873 [*previous update 1703/26*] WGS84 DATUM

Insert	depth, 24	(a) 3° 00'·5S., 107° 16'·6E.
Delete	depth, 35, close SE of:	(a) above
Replace	depth, 32, with depth, 21	2° 59'·5S., 107° 15'·2E.

II

2262 AUSTRALIA - Victoria - Wreck.

Source: Australian Notice 8/328/26

Chart Aus 143 [*previous update 2003/26*] WGS84 DATUM

Insert wreck out of position,  *Wk*

38° 04'·73S., 145° 00'·19E.

II

2264 PAPUA NEW GUINEA - Depths.

Source: Australian Notice 8/321/26

Chart PNG 397 [*previous update 996/22*] WGS84 DATUM

Insert	depth, 594	(a)	5° 55′·8S., 154° 26′·3E.
Delete	depth, 743, close W of:	(a)	above

Chart Aus 399 [*previous update 1028/22*] WGS84 DATUM

Insert	depth, 594	(a)	5° 55′·8S., 154° 26′·3E.
Delete	depth, 743, close W of:	(a)	above

Chart 4622 (INT 622) [*previous update 3297/25*] WGS84 DATUM

Insert	depth, 594		5° 55′·8S., 154° 26′·3E.
--------	------------	--	--------------------------

II

2266 AUSTRALIA - Queensland - Depths.

Source: Australian Notice 8/318/26

Chart 4602 (INT 602) [*previous update 1240/26*] WGS84 DATUM

Replace depth, 695, with depth, 802 19° 00'·8S., 150° 26'·7E.

Chart 4604 (INT 604) [*previous update 679/26*] WGS84 DATUM

Replace depth, 695, with depth, 802 19° 00'·8S., 150° 26'·7E.

II

2286 AUSTRALIA - Western Australia - NM Block.

Source: Australian Notice 8/327/26

Chart Aus 326 [*previous update 1674/26*] WGS84 DATUM

Insert the accompanying block, centred on:

19° 46'·0S., 118° 04'·3E.

II

2320 AUSTRALIA - Western Australia - Depth. NM Block.

Source: Australian Notices 8/324-325/26

Chart Aus 55 [*previous update New Edition 12/12/2025*] WGS84 DATUM

Insert	depth 95 , enclosed by 10m contour	20° 25′·25S., 117° 01′·39E.
--------	------------------------------------	-----------------------------

Chart Aus 57 [*previous update 946/26*] WGS84 DATUM

Insert	depth 95 , enclosed by 10m contour	20° 25′·25S., 117° 01′·39E.
	the accompanying block, centred on:	20° 26′·5S., 116° 40′·9E.

II

2225 CANADA - British Columbia - Depths. Rocks. Obstructions. Legends.

Source: Canadian Notice 3/3440/26

Chart 4953 [*previous update 838/26*] NAD83 DATUM

Insert	depth, 39	(a)	48° 31'·72N., 123° 19'·07W.
Delete	depth, 49, close NE of:	(a)	above
Insert	+	(b)	48° 31'·76N., 123° 17'·52W.
Delete	former +, close NW of:	(b)	above
Insert	 :ODAS/SADO	(c)	48° 18'·05N., 123° 23'·49W.
Delete	 :Obstn, close SW of:	(c)	above
	legend, <i>Chart/Carte USA/É-UA 18433</i> , centred on:		48° 29'·45N., 123° 09'·35W.
	legend, <i>Chart/Carte USA/É-UA 18434</i> , centred on:		48° 26'·89N., 123° 03'·87W.

II

2231 UNITED STATES OF AMERICA - West Coast - Legend.

Source: Canadian Notice 3/3606/26

Chart 4947 [*previous update 3564/25*] NAD83 DATUM

Delete legend, *Chart/Carte USA/É-UA 18485*, centred on: 48° 25'·00N., 124° 42'·80W.

II

2303 UNITED STATES OF AMERICA - West Coast - Buoyage.
Source: ENC US4CA74M

Chart 1029 [*previous update 520/26*] WGS84 DATUM

Insert	 <i>Fl.Y.2s '1'</i>	32° 34'·6N., 117° 20'·9W.
	 <i>Fl.Y.2s '2'</i>	32° 36'·4N., 117° 32'·3W.
	 <i>Fl.Y.2s '3'</i>	32° 40'·0N., 117° 45'·1W.
Amend	light-buoy to, <i>Fl.Y.2s '4'</i>	32° 35'·3N., 117° 53'·7W.

Chart 4910 [*previous update 3057/25*] NAD83 DATUM

Insert	 <i>Fl.Y.2s '1'</i>	32° 34'·6N., 117° 20'·9W.
	 <i>Fl.Y.2s '2'</i>	32° 36'·4N., 117° 32'·3W.
	 <i>Fl.Y.2s '3'</i>	32° 40'·0N., 117° 45'·1W.
Amend	light-buoy to, <i>Fl.Y.2s '4'</i>	32° 35'·3N., 117° 53'·7W.

II

2218 PERU - Depths.

Source: ENC PE602236

Chart 1853 (Panel, Puerto Callao) [*previous update 1970/26*] WGS84 DATUM

Insert	depth, 82	12° 03'·679S., 77° 09'·763W.
	depth, 36, enclosed by 5m contour	12° 03'·693S., 77° 09'·670W.
	depth, 48, enclosed by 5m contour	12° 03'·690S., 77° 09'·603W.
	depth, 63	(a) 12° 03'·662S., 77° 09'·553W.
Delete	depth, 84, close NW of:	(a) above
Insert	depth, 71	(b) 12° 03'·646S., 77° 09'·427W.
Delete	depth, 84, close SE of:	(b) above
Insert	depth, 41, enclosed by 5m contour	(c) 12° 03'·602S., 77° 09'·373W.
Delete	depth, 79, close SE of:	(c) above
Insert	depth, 41, enclosed by 5m contour	12° 03'·595S., 77° 09'·487W.
	depth, 57	(d) 12° 03'·566S., 77° 09'·451W.
Delete	depth, 83, close NE of:	(d) above
Insert	depth, 64	(e) 12° 03'·549S., 77° 09'·191W.
Delete	depth, 79, close SE of:	(e) above
Insert	depth, 75	(f) 12° 03'·447S., 77° 09'·226W.
Delete	depth, 83, close NW of:	(f) above
Insert	depth, 6	12° 03'·397S., 77° 09'·289W.

II

2224 CHILE - Northern Coasts - Superbuoys.

Source: Chilean Notice 4/34/26

Chart 4062 (INT 62) [*previous update 300/26*] WGS84 DATUM

Replace  'DART II', with  *Fl(3+1)Y.20s ODAS 'DART II'* 26° 44'·4S., 73° 58'·6W.

Chart 4608 (INT 608) [*previous update 4944/25*] WGS84 DATUM

Insert  *Fl(3+1)Y.20s ODAS 'DART II'* (a) 26° 45'·8S., 73° 59'·0W.

Delete  'DART II', close N of: (a) above

II

2226 PERU - Lights.

Source: Peruvian Notice 3/36/26

Chart 3087 (Panel B, Puerto Chimbote) [*previous update 1972/26*] WGS84 DATUM

Insert

★ F.R

9° 04'·79S., 78° 37'·02W.

9° 04'·79S., 78° 36'·58W.

II

2222 ARGENTINA - Buoy. Light-beacon.

Source: Argentine Notice 4/46/26

Chart 1324 (Panel A, Continuation of Río Paraná) [*previous update 775/26*] WGS84 DATUM

Insert	 Fl(4)G.16s Km 126·5	(a) 33° 59′·82S., 59° 08′·70W.
Delete	 Fl(4)G.16s Km 126·5, close NW of:	(a) above

Chart 1325 [*previous update 2900/25*] WGS84 DATUM

Insert	 Fl(4)G.16s Km 126·5	(a) 33° 59′·82S., 59° 08′·70W.
Delete	 Fl(4)G.16s Km 126·5, close NW of:	(a) above

II

2253 BRAZIL - South Coast - Buoyage.

Source: Brazilian Notice 6/S 22/26

Chart 566 [*previous update 275/26*] WGS84 DATUM

Insert	 <i>Fl.G.4s No 8A</i>	(a) 22° 52'·98S., 43° 12'·60W.
Delete	 <i>Q(9)15s, close N of:</i>	(a) above
Move	 <i>Fl.G.4s No 4, from</i>	22° 52'·63S., 43° 11'·92W.
	to:	22° 52'·65S., 43° 11'·88W.
	 <i>Fl.R.4s No 7, from:</i>	22° 52'·40S., 43° 11'·93W.
	to:	22° 52'·37S., 43° 11'·90W.
	 <i>Fl.R.4s No 1, from:</i>	22° 53'·29S., 43° 10'·66W.
	to:	22° 53'·25S., 43° 10'·74W.

II

2232 WEST INDIES - Windward Islands - Buoy.
Source: French Notice 13/262/26

Chart 368 [*previous update 851/26*] WGS84 DATUM

Delete  *Fl(5)Y.20s ODAS PREST*

14° 34'·751N., 61° 02'·507W.

II

2221 UNITED STATES OF AMERICA - East Coast - Light.
Source: ENC US5PHLEH

Chart 2605 (Panel 2) [*previous update 1895/26*] NAD83 DATUM

Amend light to, Oc.G.4s49ft & Fl.4s15ft4M

40° 04'·97N., 74° 52'·21W.

II

2228 **UNITED STATES OF AMERICA - East Coast - Light.**
Source: ENC US5MD1LC

Chart 2921 (Panel 2) [*previous update 1650/26*] NAD83 DATUM

Amend light to, Fl.WR.5s43ft9/7M

38° 53' · 94N., 76° 26' · 15W.

II

2235 UNITED STATES OF AMERICA - East Coast - Buoyage.
Source: ENC US4NC11M

Chart 3687 [*previous update 5829/25*] NAD83 DATUM

Insert	 <i>Fl.Y.4s 'S'</i>	33° 49'·42N., 78° 27'·61W.
	 <i>Fl(5)Y.20s 'SB'</i>	33° 49'·35N., 78° 27'·55W.
Delete	 <i>Fl(5)Y.20s 'SB'</i>	33° 50'·58N., 78° 28'·96W.
	 <i>Fl.Y.4s 'S'</i>	33° 50'·45N., 78° 29'·26W.

II

2289(T)/26 ENGLAND - East Coast - Buoyage.

Source: Harwich Haven Authority Notice 35/26

1. *Temporary buoyage and moorings are installed on the north side of the Parkeston Anchorage to mark the storage of floating pipes in the vicinity of the area bounded by the following positions:

51° 57'·207N., 1° 14'·147E.

51° 57'·064N., 1° 14'·148E.

51° 57'·099N., 1° 14'·796E.

51° 57'·224N., 1° 14'·797E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
3. *Former Notice 4697(T)/25 is cancelled.
*Indicates new or revised entry
(ETRS89 DATUM)

Charts affected - 1491 (INT 1580) - 2693 (INT 1570) - 5607_7

II

2296(T)/26 FØROYAR - Buoyage.

Source: Faroese Maritime Authority Notice 4(T)/26 and ENC D23FO001

1. Mooring Buoys have been established outside the Seaweed farm, within the following area:

62° 10'·44N., 6° 40'·99W.

62° 09'·81N., 6° 38'·66W.

62° 09'·30N., 6° 39'·32W.

62° 09'·95N., 6° 41'·67W.

2. Mariners are advised to navigate with caution.
(WGS84 DATUM)

Chart affected - 3567

II

2239(T)/26 POLAND - Works.

Source: Polish Notices 42/464(T)/25 and 8/85(T)/26

1. Geophysical works are taking place in the area bounded by the following positions:

54° 48'·04N., 17° 45'·18E.

54° 51'·26N., 17° 42'·77E.

54° 52'·28N., 17° 48'·95E.

54° 48'·78N., 17° 50'·33E.

2. *Environmental research is being carried out, until 1st March 2027, within the area bounded by the following positions:

*54° 49'·27N., 17° 53'·68E.

*54° 49'·91N., 17° 53'·41E.

*54° 53'·67N., 17° 50'·20E.

*54° 53'·77N., 17° 44'·61E.

*54° 52'·23N., 17° 41'·45E.

*54° 47'·94N., 17° 41'·80E.

*54° 47'·32N., 17° 42'·18E.

3. Mariners are advised to navigate with caution in the area.

4. *Former Notice 5594(T)/25 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 2014 (INT 1219) - 2018 (INT 1202) - 2040 (INT 1218) - 2816

II

2270(T)/26 SWEDEN - West Coast - Restricted area.

Source: Swedish Notice 1115/20031(T)/26

1. A restricted area, entry prohibited, is temporarily established daily between 0900 - 2000 LT, bounded by the following positions:

57° 42'·943N., 11° 57'·347E.

57° 42'·934N., 11° 57'·431E.

57° 42'·856N., 11° 57'·374E.

57° 42'·866N., 11° 57'·300E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 857 (INT 1317)

II

2293(P)/26 DENMARK - Islands - Channel. Buoyage. Lights.

Source: Danish Notices 6/61(P)/26, 8/125-126/26, 8/128/26 and 10/170(P)/26.

1. A new channel has been established in Nakskov Fjord through the Knølen area, between the following positions:

54° 49'·89N., 11° 00'·59E.

54° 50'·03N., 11° 00'·36E.

54° 50'·47N., 10° 59'·81E.

54° 50'·79N., 10° 59'·42E.

2. For details on the latest changes to buoys and lights along the channel through the fjord, please refer to the Danish Notice to Mariners. <https://www.dma.dk/safety-at-sea/navigational-information/nautical-information>
3. Chart 2597 will be updated when full details are available.
4. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2597 (INT 1368)

II

2297(T)/26 ESTONIA - Scientific instruments.

Source: Estonian Notice 4/79(T)/26

1. Scientific instruments have been established in the following positions:

Position

57° 57'·77N., 21° 47'·35E.

57° 59'·62N., 21° 47'·11E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2059 (INT 1216) - 2226

II

2299(T)/26 ESTONIA - Dredged area. Works.

Source: Estonian Notice 4/71(T)/26

1. Dredging works are taking place in the area off Naissaare sadam in the vicinity of 59° 33'·33N., 24° 33'·23E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 2227

II

2275(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments.

Source: Netherlands HO

- Measuring instruments have been temporarily established in the positions shown below. They are marked by either unlit yellow buoys or yellow light-buoys, *Fl(5)Y.20s*, *Fl(4)Y.20s*, *Fl.Y.5s*, *Fl(2)Y.5s* or *Iso.Y.2s*, and will be on station until further notice. Only the largest scale Admiralty chart is quoted. This list will be updated as necessary by Temporary Notices to Mariners.

<i>Position</i>	<i>Largest Scale Chart(s)</i>
51° 37'·48N., 2° 59'·00E.	110
51° 37'·55N., 3° 06'·53E.	110
51° 40'·05N., 2° 57'·84E.	110
51° 41'·10N., 3° 00'·69E.	110
51° 42'·79N., 3° 06'·65E.	110
51° 43'·29N., 3° 08'·64E.	110
51° 45'·15N., 3° 19'·71E.	110
51° 45'·75N., 3° 02'·46E.	110
51° 48'·54N., 3° 25'·32E.	110
51° 59'·87N., 3° 16'·20E.	110
51° 25'·43N., 3° 22'·07E.	116
51° 25'·49N., 3° 23'·04E.	116
51° 25'·49N., 3° 23'·90E.	116
51° 25'·62N., 3° 25'·14E.	116
51° 25'·63N., 3° 25'·83E.	116
51° 55'·70N., 3° 39'·80E.	122
* 52° 10'·42N., 3° 56'·38E.	122
* 52° 10'·82N., 3° 59'·56E.	122
* 52° 10'·99N., 3° 59'·78E.	122
52° 14'·65N., 4° 05'·09E.	130
52° 23'·58N., 4° 03'·36E.	130
52° 28'·30N., 4° 35'·53E.	124
* 52° 23'·83N., 4° 02'·95E.	125

- and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
52° 29'·40N., 4° 16'·18E.	125
52° 35'·72N., 3° 46'·44E.	125
55° 01'·41N., 3° 41'·11E.	266
51° 43'·04N., 2° 54'·58E.	1630
51° 46'·06N., 2° 56'·02E.	1630
52° 43'·87N., 3° 44'·91E.	1631
52° 46'·14N., 3° 49'·49E.	1631
53° 34'·16N., 5° 44'·45E.	1633
53° 34'·62N., 5° 40'·35E.	1633
53° 35'·29N., 5° 45'·05E.	1633
55° 37'·26N., 6° 22'·12E.	1633
55° 37'·22N., 6° 31'·33E.	1633
54° 12'·4N., 3° 59'·6E.	DE50
54° 12'·4N., 4° 00'·5E.	DE50
54° 12'·9N., 4° 00'·5E.	DE50
54° 12'·9N., 3° 59'·6E.	DE50
54° 16'·5N., 5° 38'·7E.	DE50
54° 16'·6N., 5° 39'·5E.	DE50
54° 25'·3N., 4° 20'·3E.	DE50
54° 26'·0N., 4° 20'·3E.	DE50
54° 39'·0N., 4° 41'·1E.	DE50
54° 39'·0N., 4° 42'·1E.	DE50

II

2275(T)/26 NORTH SEA - Netherlands Sector - Buoyage. Measuring instruments. (continued)

3. and

<i>Position</i>	<i>Largest Scale Chart(s)</i>
54° 38'·5N., 4° 41'·1E.	DE50
54° 38'·5N., 4° 42'·1E.	DE50
53° 34'·22N., 6° 37'·95E.	DE90
53° 31'·03N., 6° 41'·12E.	DE90
53° 18'·78N., 4° 02'·21E.	1632
53° 18'·95N., 4° 02'·58E.	1632
53° 23'·27N., 3° 07'·87E.	1632
53° 23'·28N., 3° 06'·98E.	1632
53° 22'·60N., 3° 08'·08E.	1632
51° 28'·23N., 3° 19'·76E.	BE101
51° 28'·29N., 3° 19'·76E.	BE101
51° 26'·12N., 3° 20'·07E.	BE101
51° 26'·19N., 3° 20'·07E.	BE101

4. Mariners are advised to navigate with caution in the area.

5. *Former Notice 2133(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 110 (INT 1473) - 116 (INT 1477) - 122 (INT 1472) - 124 (INT 1471) - 125 (INT 1422) - 130 (INT 1423) - 266 - 1630 (INT 1416) - 1631 (INT 1418) - 1632 (INT 1420) - 1633 (INT 1417) - BE 101 (INT 1474) - DE 50 (INT 1045) - DE 90 (INT 1461)

II

2308(T)/26 PORTUGAL - West Coast - Buoy.

Source: Portuguese Notice 354(T)/21

1. *The following light-buoy is reported out of service:

<i>Characteristic</i>	<i>Designation</i>	<i>Buoy Type</i>	<i>Position</i>
C2	Fl. Y. 5s	Special	38° 40'·00N., 9° 27'·96W.

2. *Former Notice 1320(T)/22 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 3635

II

2272(T)/26 NORTH ATLANTIC OCEAN - Wreck.

Source: French Notice 15/1(P)/26

1. A wreck has been reported in position 24° 14'·1N., 15° 30'·2W.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 3134

II

2268(T)/26 ALGERIA - Buoy.

Source: Algerian Notice 1/12/26

1. The Safe Water buoy, *Fl.3s*, in position 36° 49'·29N., 5° 47'·41E. has been reported as unlit.
2. Mariners are advised to navigate with caution in the area.
(UNDETERMINED DATUM)

Chart affected - 1712

II

2271(T)/26 ALGERIA - Buoy.

Source: Algerian Notice 1/25/26

1. The green conical light-buoy, *Fl.G.4s*, in position $36^{\circ} 53' \cdot 85\text{N}.$, $6^{\circ} 57' \cdot 19\text{E}.$ is reported off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - 855

II

2274(T)/26 ALGERIA - Buoyage.

Source: Algerian Notices 1/6/26, 1/9/26, 1/11/26 and 1/28/26

1. The following light-buoys have been reported missing:

<i>Characteristic</i>	<i>Buoy Type</i>	<i>Position</i>
<i>Q(3)10s</i>	East Cardinal	35° 51'·67N., 0° 16'·34W.
<i>Iso.4s</i>	Safe Water	35° 50'·50N., 0° 16'·00W.
<i>Q</i>	North Cardinal	35° 48'·48N., 0° 10'·36W.
<i>Q</i>	North Cardinal	35° 48'·89N., 0° 14'·19W.
<i>Q</i>	North Cardinal	35° 55'·63N., 0° 03'·29E.

2. The North Cardinal light-buoy, *Q*, in position 35° 48'·54N., 0° 10'·70W. has been reported unlit.
3. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 178 - 822 - 838

II

2300(T)/26 UKRAINE - Buoy.

Source: Ukrainian Notice 14/191(T)/26

1. The safe-water light-buoy, *LFl.6s*, in position 46° 18'·51N., 30° 43'·41E. is reported missing.
(WGS84 DATUM)

Charts affected - 2212 - 2243

II

2301(T)/26 UKRAINE - Buoyage.

Source: Ukrainian Notices 14/192(T)-193(T)/26

1. South Cardinal light-buoys, *Q(6)+LFl.15s*, in positions $46^{\circ} 35' \cdot 29\text{N.}$, $31^{\circ} 14' \cdot 90\text{E.}$ and $46^{\circ} 34' \cdot 08\text{N.}$, $30^{\circ} 58' \cdot 75\text{E.}$ are reported missing.
(WGS84 DATUM)

Charts affected - 2202 - 2205 - 2212

II

2302(P)/26 INDIAN OCEAN - La Réunion - Buoyage.

Source: French Notice 15/7(P)/26

1. The following light-buoys have been established:

<i>Characteristic</i>	<i>Designation</i>	<i>Position</i>
<i>Fl(5)Y.20s</i>	<i>1B</i>	20° 52'·21S., 55° 35'·39E.
<i>Fl(5)Y.20s</i>	<i>2B</i>	21° 21'·86S., 55° 27'·77E.

2. Mariners are advised to navigate with caution in the area.
3. Charts GB1497 and GB1495 will be updated when full details are available.
(WGS84 DATUM)

Charts affected - 1495 (INT 7736) - 1497 (INT 7735)

II

2313(T)/26 INDIA - West Coast - Wreck.

Source: Indian Nav Warning 240/26

1. A dangerous wreck has been reported in position 11° 15'·52N., 75° 42'·21E.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - IN 22 (INT 752) - IN 219 - IN 258 (INT 7348) - IN 259 (INT 7356) - IN 272 - IN 294 (INT 7023)

II

2315(T)/26 INDIA - West Coast - Buoyage.

Source: Indian Notice 5/64(T)/26

1. The following lateral light-buoys have been reported missing:

<i>Characteristic</i>	<i>Position</i>
<i>Fl.G.5s</i>	14° 48'·640N., 74° 05'·670E.
<i>Fl.R.5s</i>	14° 48'·760N., 74° 05'·670E.
<i>Fl.G.5s</i>	14° 48'·560N., 74° 06'·870E.
<i>Fl.R.5s</i>	14° 48'·600N., 74° 07'·140E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Charts affected - IN 2008 - IN 2120

II

2234(P)/26 CHINA - East Coast - Depths. Radio reporting line.

Source: Chinese Chart 13900 and UKHO

1. Depths less than charted exist within the approaches between Baiquan Liedao to Sishuang Liedao. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
9·1m	25° 56'·19N., 119° 52'·93E.
14·7m	25° 56'·97N., 119° 51'·17E.
17·8m	26° 20'·62N., 120° 12'·41E.
25·5m	26° 21'·86N., 120° 09'·28E.
20·8m	26° 35'·91N., 120° 20'·55E.
3·2m	26° 33'·07N., 120° 00'·65E.
8·8m	26° 33'·27N., 120° 06'·30E.
36m	26° 18'·38N., 120° 23'·59E.

2. A two-way reporting line has been established joining the following positions:
26° 47'·00N., 120° 35'·91E.
26° 30'·02N., 120° 21'·01E.
3. Mariners are advised to navigate with caution in the area and contact the local port authorities for the latest information.
4. These changes will be included in a New Edition of Chart 2400 to be published mid 2026.
5. Charts 2431, 1761 and 2401 will be updated by Notice to Mariners.
(CGCS 2000 DATUM)

Chart affected - 2400

II

2240(P)/26 CHINA - Yellow Sea Coast - Marine farm.

Source: UKHO

1. A marine farm has been reported to exist, joining the following positions:

35° 02'·52N., 119° 36'·32E.

35° 01'·13N., 119° 36'·13E.

35° 00'·30N., 119° 40'·32E.

35° 00'·38N., 119° 44'·87E.

35° 02'·20N., 119° 44'·85E.

2. Mariners are advised to navigate with caution in the area.
(CGCS 2000 DATUM)

Charts affected - 880 - 1201 - 1253

II

2243(T)/26 CHINA - South Coast - Dredging area. Works.

Source: Chinese Notice 9/228(T)/26

1. Dredging works are taking place within an area bounded by the following positions:

21° 18'·76N., 109° 29'·42E.

21° 18'·47N., 109° 29'·71E.

21° 17'·44N., 109° 28'·55E.

21° 17'·04N., 109° 28'·96E.

21° 14'·21N., 109° 25'·77E.

21° 14'·89N., 109° 25'·07E.

2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 1728 - 3892

II

2250(T)/26 CHINA - East Coast - Buoy. Wreck. Virtual aid to navigation.

Source: Chinese Notice 9/207/26

1. An emergency wreck marking buoy, to indicate a new wreck, has been established in position 29° 35'·70N., 122° 24'·00E.
2. Virtual-AIS may also be established to indicate the new wreck.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(CGCS 2000 DATUM)

Charts affected - 1126 - 1759

II

2285(P)/26 CHINA - East Coast - Pilot boarding places. Radio reporting lines. Virtual aid to navigation.

Source: Chinese Notices 6/139-145/26 and 7/170-174/26

1. There have been changes to vessel traffic services within the vicinity of Zhoushan Qundao.
2. New radio reporting lines, inbound and outbound, have been established joining the following positions:

Yangshan VTS

30° 44'·33N., 122° 16'·97E.
30° 46'·08N., 122° 22'·57E.
30° 47'·95N., 122° 28'·00E.

Zhoushan VTS

30° 50'·30N., 122° 36'·00E.
30° 44'·30N., 122° 16'·97E.
30° 35'·33N., 122° 12'·93E.
and
30° 50'·30N., 122° 36'·00E.
30° 45'·00N., 122° 36'·00E.
30° 45'·00N., 122° 39'·50E.
30° 31'·82N., 122° 39'·50E.
30° 24'·73N., 122° 50'·50E.
and
30° 16'·45N., 122° 24'·17E.
30° 24'·73N., 122° 50'·50E.
and
30° 05'·52N., 122° 18'·02E.
30° 05'·52N., 122° 24'·57E.
30° 14'·40N., 122° 24'·57E.
and
30° 25'·00N., 122° 35'·45E.
30° 24'·88N., 121° 18'·33E.

3. Former radio reporting lines have been deleted joining the following positions:

Yangshan VTS

30° 47'·95N., 122° 28'·02E.
30° 45'·83N., 122° 23'·32E.
30° 44'·33N., 122° 16'·97E.

Zhoushan VTS

30° 05'·52N., 122° 18'·01E.
30° 06'·02N., 122° 21'·58E.
30° 03'·85N., 122° 27'·30E.
30° 04'·90N., 122° 27'·80E.
30° 13'·22N., 122° 15'·93E.
and
30° 16'·52N., 122° 23'·68E.
30° 25'·27N., 122° 23'·68E.
and
30° 25'·0N., 121° 45'·0E.
30° 25'·0N., 122° 00'·0E.
and
30° 14'·9N., 121° 43'·0E.
30° 14'·9N., 121° 52'·0E.
30° 10'·0N., 121° 56'·0E.

II

2285(P)/26 CHINA - East Coast - Pilot boarding places. Radio reporting lines. Virtual aid to navigation. (continued)

4. The radio reporting lines for the *Maji Shan VTS* have been deleted joining the following positions:
30° 36'·93N., 122° 25'·19E.
30° 38'·52N., 122° 17'·09E.
and
30° 39'·11N., 122° 17'·31E.
30° 45'·45N., 122° 23'·10E.
and
30° 45'·64N., 122° 23'·38E.
30° 50'·25N., 122° 35'·98E.
and
30° 45'·00N., 122° 39'·50E.
30° 31'·82N., 122° 39'·50E.
and
30° 22'·35N., 122° 41'·43E.
30° 26'·09N., 122° 55'·84E.
5. Pilot Boarding Places have been established in the following positions:
30° 38'·30N., 122° 27'·50E.
30° 06'·96N., 122° 14'·00E.
30° 06'·79N., 122° 21'·47E.
30° 02'·45N., 122° 33'·90E.
6. Pilot Boarding Places have been removed from the following positions:
30° 07'·54N., 122° 17'·68E.
29° 59'·01N., 122° 39'·00E.
7. A pilot boarding place, *No 1*, has been established in position: 30° 24'·60N., 122° 50'·20E.
8. A virtual aid to navigation (V-AIS), X-Shape topmark, has been established in position: 30° 41'·05N., 122° 23'·58E.
9. For further details see Admiralty List of Radio Signals.
10. These changes will be included in New Editions of Charts 1199, 1305, 1306 and 1759, to be published mid 2026.
11. Charts 1126, 1134, 1143, 1144, 1303, 1304 and 1602 will be updated by Notice to Mariners.
(CGCS 2000 DATUM)

Charts affected - 1199 - 1305 - 1306 - 1759

II

2294(P)/26 INDONESIA - Kalimantan - Depths. Piers. Dry dock. Quay. Works. Port development.

Source: ENC's ID4336R2 and ID5336R7

1. Changes to depths have taken place in Pontianak and its approaches. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
1·3m	0° 05'·12N., 109° 06'·76E.
0·3m	0° 04'·88N., 109° 07'·52E.
1·9m	0° 04'·88N., 109° 08'·43E.
1·9m	0° 04'·50N., 109° 09'·78E.
1·9m	0° 04'·36N., 109° 09'·71E.
0·5m	0° 01'·19N., 109° 15'·24E.
0·6m	0° 00'·18N., 109° 18'·01E.
7·6m	0° 00'·43S., 109° 19'·62E.
6·9m	0° 01'·03S., 109° 20'·099E.

2. New Piers has been established in the following positions:

<i>Pier</i>	<i>Position</i>
1	0° 02'·96N., 109° 12'·65E.
2	0° 02'·34N., 109° 13'·52E.
3	0° 02'·17N., 109° 13'·76E.
4	0° 00'·671S., 109° 20'·015E.

3. A Floating Drydock has been established, in the following position: 0° 01'·57N., 109° 14'·85E.
4. Quay extension works have been completed in the vicinity of position: 0° 00'·371S., 109° 19'·702E.
5. A container Terminal has been established in the vicinity of following position: 0° 00'·790S., 109° 19'·777E.
6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
7. These changes will be included in a New Edition of Chart 3721 to be published mid 2026.
(WGS84 DATUM)

Chart affected - 3721

II

2227(P)/26 AUSTRALIA - Western Australia - Depths.

Source: Australian Chart Aus 53

1. Depths shoaler than charted exist as follows:

<i>Depth</i>	<i>Position</i>
2·9m	20° 16'·554S., 118° 34'·953E.
1·7m	20° 17'·632S., 118° 35'·263E.
0·7m	20° 17'·748S., 118° 35'·022E.

2. Mariners are advised to navigate with caution in the area.
3. These and other changes will be included in a New Edition of Chart Aus 53 to be published mid 2026.
(WGS84 DATUM)

Chart affected - Aus 53

II

2249(T)/26 AUSTRALIA - Western Australia - Depths.

Source: Australian Notice 8/337(T)/26

1. Latest survey indicates shoaler depths than those charted in the vicinity of the following positions:

20° 40'·25S., 116° 41'·68E.

20° 39'·72S., 116° 41'·98E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 60

II

2254(T)/26 AUSTRALIA - Western Australia - Works.

Source: Australian Notice 8/348(T)/26

1. On or about 20 April 2026, vessel *Ocean Vanguard*, with a 500m towed array, will begin geophysical and geotechnical survey operations in an area bounded by the following positions:

10° 25'·6S., 101° 47'·5E.

9° 06'·9S., 102° 44'·5E.

12° 13'·9S., 111° 03'·4E.

13° 16'·0S., 117° 24'·0E.

13° 16'·7S., 120° 23'·9E.

12° 35'·7S., 123° 44'·9E.

13° 29'·1S., 123° 54'·0E.

14° 15'·8S., 120° 34'·3E.

14° 12'·1S., 117° 23'·7E.

13° 33'·2S., 110° 41'·1E.

2. The vessels will display appropriate lights and shapes and monitor VHF Ch 16.
3. Mariners are advised to keep a safe distance and navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 2470 - 4603 (INT 603) - 4707 (INT 707) - 4708 (INT 708) - 4722 (INT 722) - 4723 (INT 723)

II

2255(T)/26 AUSTRALIA - Western Australia - Buoy.

Source: Australian Notice 8/347(T)/26

1. The special light buoy, *Fl.4s* ($21^{\circ} 24' \cdot 49\text{S.}$, $114^{\circ} 52' \cdot 54\text{E.}$), is off station.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 743

II

2256(T)/26 AUSTRALIA - Northern Territory - Works.

Source: Australian Notice 8/335(T)/26

1. On or about 20 April 2026, vessel *Shark I*, with a 500m towed array, will begin geophysical and geotechnical survey operations along a 500m wide corridor between the following positions:

12° 26'·4S., 130° 47'·2E.

12° 20'·4S., 130° 41'·7E.

12° 14'·0S., 130° 26'·2E.

12° 20'·8S., 129° 03'·5E.

12° 29'·1S., 126° 12'·1E.

13° 20'·8S., 122° 00'·3E.

2. The vessels will display appropriate lights and shapes and monitor VHF Ch 16.
3. Mariners are advised to keep a safe distance and navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4603 (INT 603) - 4722 (INT 722)

II

2257(T)/26 AUSTRALIA - Western Australia - Platform.

Source: Australian Notice 8/338(T)/2026

1. The Wandoo A platform, Mo(U)15s (20° 08'·3S., 116° 25'·3E.), is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Charts affected - 4603 (INT 603) - 4708 (INT 708) - 4722 (INT 722) - 4723 (INT 723) - Aus 327

II

2259(T)/26 AUSTRALIA - Western Australia - Buoy.

Source: Australian Notice 8/339(T)/26

1. The lit mooring buoy in position 20° 06'·9S., 116° 26'·1E., is unlit.
2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 327

II

2260(T)/26 AUSTRALIA - Western Australia - Buoyage.

Source: Australian Notice 8/346(T)/26

1. Special light buoys, *Fl.Y.4s*, exist in the following positions:

20° 54'·68S., 115° 46'·13E.

20° 54'·95S., 115° 44'·76E.

20° 55'·13S., 115° 45'·39E.

20° 55'·21S., 115° 46'·82E.

20° 55'·25S., 115° 45'·37E.

20° 55'·63S., 115° 46'·20E.

20° 55'·81S., 115° 45'·03E.

20° 56'·43S., 115° 45'·26E.

20° 58'·32S., 115° 58'·44E.

21° 01'·07S., 115° 52'·63E.

21° 05'·06S., 115° 51'·76E.

2. Mariners are advised to navigate with caution in the area.
(WGS84 DATUM)

Chart affected - Aus 743

II

2261(P)/26 AUSTRALIA - Victoria - Submarine cables.

Source: Australian Notice 8/349(T)/26 and Australian Hydrographic Office

1. Cable laying operations will be conducted in Bass Strait as part of the Honomoana and Talaylink cable systems. Cable lay and post lay inspection activities will occur in the vicinity of the following routes:

39° 19'·58S., 143° 21'·61E.
38° 55'·27S., 143° 48'·33E.
38° 33'·84S., 144° 15'·86E.
38° 33'·24S., 144° 21'·02E.
38° 30'·96S., 144° 24'·21E.
38° 25'·66S., 144° 28'·30E.
38° 24'·71S., 144° 28'·20E.
38° 23'·59S., 144° 26'·41E.
38° 21'·84S., 144° 23'·57E.

2. and

39° 17'·41S., 146° 58'·48E.
39° 18'·11S., 146° 44'·35E.
39° 17'·45S., 146° 22'·33E.
39° 14'·38S., 146° 08'·72E.
39° 14'·74S., 146° 07'·30E.
39° 14'·12S., 146° 05'·53E.
39° 12'·95S., 145° 58'·25E.
39° 11'·42S., 145° 54'·02E.
39° 09'·60S., 145° 49'·31E.
39° 06'·24S., 145° 43'·70E.
39° 06'·04S., 145° 32'·82E.
38° 47'·19S., 144° 57'·45E.
38° 37'·37S., 144° 42'·76E.
38° 28'·26S., 144° 34'·56E.
38° 25'·03S., 144° 30'·08E.
38° 23'·60S., 144° 27'·62E.
38° 22'·87S., 144° 25'·64E.
38° 21'·64S., 144° 23'·58E.

3. and

39° 21'·0S., 148° 48'·9E.
39° 23'·7S., 148° 40'·2E.
39° 20'·0S., 147° 52'·4E.
39° 18'·5S., 147° 35'·9E.
39° 17'·7S., 147° 29'·4E.
39° 17'·4S., 147° 25'·7E.

4. Mariners are advised to keep clear of vessel, Resolute, during activities. Further advice on specific areas of activity will be issued through the AUSCOAST warning system.
(WGS84 DATUM)

Charts affected - 4601 (INT 601) - 4709 (INT 709) - Aus 143 - Aus 357 - Aus 801 - Aus 802

II

2279(T)/26 AUSTRALIA - Western Australia - Obstruction. Scientific instruments.

Source: Australian Notice 8/344(T)/26

1. *Rope and mooring tackle from a wave buoy that has broken free may be floating on or just below the surface in position
22° 24'·4S., 113° 40'·1E.
2. Subsurface scientific instruments, 10m below the surface, exist in the following positions:

22° 26'·5S., 113° 39'·5E.
22° 26'·7S., 113° 36'·6E.
22° 29'·0S., 113° 38'·2E.
3. *Former Notice 1521(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

2280(T)/26 AUSTRALIA - Victoria - Buoy. Scientific instruments.

Source: Australian Notices 3/158(T)/25 and 3/160(T)/25

1. A special light-buoy, *Fl(5)Y.20s*, exists in position 39° 06'·2S., 147° 29'·7E.
2. Subsurface scientific instruments, 1·5m above the seabed, exist in the following positions:

39° 04'·6S., 147° 59'·5E.

39° 07'·26S., 147° 16'·15E.

39° 16'·4S., 147° 31'·8E.

39° 21'·68S., 147° 04'·50E.

3. Mariners are advised to navigate with caution in the area.
4. *Former Notice 1110(T)/25 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - Aus 357 - Aus 802

II

2287(T)/26 AUSTRALIA - New South Wales - Scientific instruments.

Source: Australian Notice 8/330(T)/26

1. Scientific instruments exist in the following positions:

<i>Positions</i>	<i>Remarks</i>
33° 48'·05S., 151° 18'·33E.	24m below sea surface
33° 49'·59S., 151° 17'·89E.	28m below sea surface
33° 49'·85S., 151° 17'·64E.	28m below sea surface
33° 50'·05S., 151° 17'·48E.	27m below sea surface
33° 50'·25S., 151° 17'·30E.	26·5m below sea surface
33° 53'·74S., 151° 17'·30E.	27m below sea surface
33° 53'·91S., 151° 17'·75E.	41m below sea surface
33° 54'·16S., 151° 18'·18E.	58m below sea surface
33° 54'·42S., 151° 18'·60E.	63m below sea surface
33° 54'·69S., 151° 19'·06E.	64m below sea surface
33° 54'·95S., 151° 19'·52E.	64m below sea surface
33° 55'·21S., 151° 19'·94E.	71m below sea surface
33° 55'·46S., 151° 20'·37E.	70m below sea surface
33° 55'·71S., 151° 20'·79E.	80m below sea surface
33° 55'·98S., 151° 21'·25E.	80m below sea surface
33° 56'·24S., 151° 21'·71E.	82m below sea surface
33° 56'·49S., 151° 22'·16E.	87m below sea surface
33° 56'·75S., 151° 22'·59E.	90m below sea surface
33° 57'·06S., 151° 23'·02E.	98m below sea surface
33° 57'·32S., 151° 23'·47E.	119m below sea surface

2. *Former Notice 3129(T)/23 is cancelled.
 *Indicates new or revised entry
 (WGS84 DATUM)

Charts affected - Aus 808 - Aus 809

II

2288(T)/26 AUSTRALIA - Western Australia - Obstruction.

Source: Australian Notice 8/345(T)/26

1. *A direct turret mooring, with least depth 35m, exists in position 21° 24'·2S., 114° 05'·3E.
2. *Former Notice 1524(T)/26 is cancelled.
*Indicates new or revised entry
(WGS84 DATUM)

Chart affected - 4723 (INT 723)

II

2290(T)/26 SOUTH PACIFIC OCEAN - Fiji Islands - Lights.

Source: Maritime Safety Authority of Fiji

1. The following lights are reported to be temporarily unlit:

<i>Characteristic</i>	<i>Position</i>
LFl(2)30s14m12M	18° 08'·02S., 178° 41'·22E.
Fl.5s70m15M	16° 13'·41S., 179° 05'·77E.
LFl.8s10m10M	16° 57'·86S., 179° 51'·84E.
Fl(3)12s12m15M	18° 24'·25S., 178° 09'·95E.
Fl.2s6m9M	17° 38'·70S., 179° 15'·55E.
Fl(2)25s49m17M	16° 07'·53S., 179° 57'·21W.
Fl(2)10s12m11M	17° 33'·72S., 178° 50'·92E.

2. Mariners are advised to navigate with caution in the area.

3. *Former Notice 2098(T)/26 is cancelled.

*Indicates new or revised entry
(WGS84 DATUM)

Charts affected - 384 - 440 (INT 6854) - 441 - 488 - 744 - 745 - 746 - 749 - 750 - 751 - 752 - 1673 - 1674 - 1682 - 2691 (INT 6856) - 4632 (INT 632) - 4638 (INT 638)

II

2269(P)/26 MEXICO - Pacific Ocean Coast - Breakwater. Depths. Anchorage areas.

Source: ENCs MX511230 and MX411200

1. The west breakwater at Ensenada has been extended, joining the following positions:

31° 50'·641N., 116° 37'·536W.
31° 50'·424N., 116° 37'·563W.

2. Muelle de Altura has been extended, joining the following positions:

31° 51'·094N., 116° 37'·727W.
31° 50'·961N., 116° 37'·629W.
31° 50'·948N., 116° 37'·653W.
31° 50'·846N., 116° 37'·581W.
31° 50'·809N., 116° 37'·653W.

3. Depths less than charted exist within the approaches to Ensenada. The most significant are as follows:

<i>Depth</i>	<i>Position</i>
15·3m	31° 49'·789N., 116° 37'·494W.
14·2m	31° 50'·305N., 116° 37'·378W.
14·4m	31° 50'·842N., 116° 37'·362W.
14·5m	31° 48'·584N., 116° 37'·647W.
21·5m	31° 53'·24N., 116° 45'·41W.
16·3m	31° 52'·42N., 116° 42'·36W.
9m	31° 52'·30N., 116° 41'·47W.
4·7m	31° 51'·17N., 116° 41'·33W.
9·2m	31° 50'·85N., 116° 41'·10W.

4. A new dangerous cargo anchorage area has been established, bounded by the following positions:

31° 50'·13N., 116° 43'·91W.
31° 49'·80N., 116° 43'·35W.
31° 48'·70N., 116° 43'·40W.
31° 48'·70N., 116° 45'·20W.
31° 50'·30N., 116° 45'·20W.
31° 50'·30N., 116° 44'·20W.

5. A new anchorage area for merchant and cruise vessels, with a circular limit of radius 0·9M, has been established, centred on 31° 47'·00N., 116° 40'·00W.
6. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
7. These changes will be included in a New Edition of Chart 1938 to be published mid 2026.
8. Chart 1049 will be updated by Notice to Mariners (WGS84 DATUM)

Chart affected - 1938

II

2242(P)/26 BRAZIL - East Coast - Depths.

Source: Brazilian Notice 4/E 11(P)/26

1. *Shoaling, with minimum depth 8·7m, has been reported in the vicinity of a line joining the following positions:

21° 50'·62S., 40° 59'·22W.

21° 50'·81S., 40° 59'·52W.

2. *Depths less than charted exist within Porto Do Açú. The most significant are as follows:

Depth

9·8m

Position

21° 50'·19S., 40° 59'·75W.

3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Charts will be updated when full details are available.
5. *Former Notice 4572(P)/24 is cancelled.

*Indicates new or revised entry.

(WGS84 DATUM)

Chart affected - 495

II

2295(T)/26 WEST INDIES - Cayman Islands - Wreck.

Source: Cayman Islands Lands and Survey Department

1. A stranded wreck exists in the vicinity of position 19° 23'·9N., 81° 23'·0W.
2. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
(WGS84 DATUM)

Chart affected - 462